Calvert Cliffs Nuclear Power Plant Unit 3

Combined License Application

Part 3: Environmental Report

Revision 8
March 2012

This COLA Part is completely Site Specific

© 2007-2012 UniStar Nuclear Services, LLC.
All rights reserved. COPYRIGHT PROTECTED

This page intentionally left blank.

© 2007-2012 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Table of Contents

1.0 Introduction 1-1

1.1 Proposed Action 1-2

1.2 Project Description 1-3
1.2.1 Ownership and Applicant 1-4
1.2.2 Site Location 1-4
1.2.3 Reactor Information 1-4
1.2.4 Cooling System Information 1-4
1.2.5 Transmission System Information 1-6
1.2.6 Proposed Action and Constraints 1-7
1.2.7 Major Activity Start and Completion Dates 1-8

1.3 Status of Reviews, Approvals and Consultations 1-14
1.3.1 Federal Agencies 1-14
1.3.2 State Agencies 1-17
1.3.3 Local Agencies 1-21

1.4 References 1-29

2.0 Environmental Description 2-1

2.1 Site Location 2-2

2.2 Land 2-7
2.2.1 The Site and Vicinity 2-7
2.2.2 Transmission Corridors and Offsite Areas 2-9
2.2.3 The Region 2-11
2.2.4 References 2-13

2.3 Water 2-36
2.3.1 Hydrology 2-36
2.3.2 Water Use 2-68
2.3.3 Water Quality 2-95

2.4 Ecology 2-330
2.4.1 Terrestrial Ecology 2-330
2.4.2 Aquatic Ecology 2-342
2.4.3 References 2-357

2.5 Socioeconomics 2-368
2.5.1 Demography 2-368
2.5.2 Community Characteristics 2-375
2.5.3 Historical Properties 2-401
2.5.4 Environmental Justice 2-407
2.5.5 References 2-414

2.6 Geology 2-506
2.6.1 Geologic Setting 2-506
2.6.2 Stratigraphy 2-506
2.6.3 Geologic Impact Evaluation 2-507
2.6.4 References 2-508

2.7 Meteorology and Air Quality 2-513
2.7.1 General Climate 2-513
2.7.2 Regional Air Quality 2-514

© 2007-2012 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

2.7.3 Severe Weather Phenomena 2-515
2.7.4 Local Meteorology 2-518
2.7.5 Maximum Terrain Heights and Topographic Maps 2-523
2.7.6 Atmospheric Dispersion Factors 2-524
2.7.7 Noise 2-526
2.7.8 References 2-528

2.8 Related Federal Project Activities 2-1021
2.8.1 Land Acquisition and Use of Electrical Transmission Corridors 2-1021
2.8.2 Cooling Water Source and Supply 2-1021
2.8.3 Other Federal Actions Affecting Construction or Operation 2-1022
2.8.4 Federal Agency Plans Used to Justify the Need for Power 2-1022
2.8.5 Planned Federal Projects Contingent on Plant Construction or Operation 2-1022
2.8.6 Non-federal Potential Impacts 2-1022
2.8.7 References 2-1022

3.0 Plant Description 3-1

3.1 External Appearance and Plant Layout 3-2

3.2 Reactor Power Conversion System 3-13
3.2.1 General 3-13

3.3 Plant Water Use 3-17
3.3.1 Water Consumption 3-17
3.3.2 Water Treatment 3-19

3.4 Cooling System 3-27
3.4.1 Description and operational modes 3-27
3.4.2 Component Descriptions 3-30
3.4.3 References 3-35

3.5 Radwaste Systems and Source Term 3-47
3.5.1 Source Terms 3-47
3.5.2 Radioactive Liquid Processing Systems 3-50
3.5.3 Radioactive Gaseous Treatment Systems 3-56
3.5.4 Solid Radioactive Waste System 3-61
3.5.5 Process and Effluent Monitoring 3-66
3.5.6 References 3-70

3.6 Non-Radioactive Waste Systems 3-126
3.6.1 Effluents Containing Chemicals or Biocides 3-126
3.6.2 Sanitary System Effluents 3-126
3.6.3 Other Effluents 3-127
3.6.4 References 3-131

3.7 Power Transmission System 3-139
3.7.1 Substation and Connecting Circuits 3-139
3.7.2 Electrical Design Parameters 3-140
3.7.3 Noise Levels 3-141
3.7.4 Structure Design 3-141
3.7.5 Inspection and Maintenance 3-142
3.7.6 References 3-142

3.8 Transportation of Radioactive Materials 3-145
3.8.1 Reactor Data 3-145
3.8.2 Onsite Storage Facilities for Irradiated Fuel 3-145
3.8.3 Treatment and Packaging of Radioactive Materials other than Irradiated Fuel 3-145

© 2007-2012 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

3.8.4 Transportation System for Fuel and Other Radioactive Wastes 3-146
3.8.5 Transportation Distance from the Plant to the Storage Facility 3-146
3.8.6 Conclusions 3-146
3.8.7 References 3-146

4.0 Impacts of Construction 4-1

4.1 Land Use Impacts 4-2
4.1.1 The Site and Vicinity 4-2
4.1.2 Transmission Corridors and Offsite Areas 4-4
4.1.3 Historic Properties 4-5
4.1.4 References 4-7

4.2 Water-related Impacts 4-10
4.2.1 Hydrologic Alterations 4-10
4.2.2 Water Use Impacts 4-17

4.3 Ecological Impact 4-31
4.3.1 Terrestrial Ecosystems 4-31
4.3.2 Aquatic Ecosystems 4-57
4.3.3 References 4-64

4.4 Socioeconomic Impacts 4-73
4.4.1 Physical Impacts 4-73
4.4.2 Social and Economic Impacts 4-78
4.4.3 Environmental Justice Impacts 4-88

4.5 Radiation Exposure to Construction Workers 4-104
4.5.1 Site Layout 4-104
4.5.2 Radiation Sources at CCNPP Units 4-104
4.5.3 Historical Dose Rates 4-104
4.5.4 Projected Dose Rates at CCNPP Unit 3 4-105
4.5.5 Compliance with Dose Rate Regulations 4-110
4.5.6 Collective Doses to CCNPP Unit 3 Workers 4-110
4.5.7 References 4-111

4.6 Measures and Controls to Limit Adverse Impacts During Construction 4-140

4.7 Nonradiological Health Impacts 4-157
4.7.1 Public Health 4-157
4.7.2 Occupational Health 4-157
4.7.3 References 4-158

5.0 Impacts of Operation 5-1

5.1 Land Use Impacts 5-2
5.1.1 The Site and Vicinity 5-2
5.1.2 Transmission Corridors and Outside Areas 5-4
5.1.3 Historic Properties and Cultural Resources 5-5
5.1.4 References 5-6

5.2 Water Related Impacts 5-10
5.2.1 Hydrologic Alterations and Plant Water Supply 5-10
5.2.2 Water Use Impacts 5-14
5.2.3 Water Quality Impacts 5-16
5.2.4 References 5-23

5.3 Cooling System Impacts 5-26
5.3.1 Intake System 5-26

© 2007-2012 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

5.3.2 Discharge System 5-34
5.3.3 Heat Discharge System 5-39
5.3.4 Impacts to Members of the Public 5-48

5.4 Radiological Impacts of Normal Operations 5-64
5.4.1 Exposure Pathways 5-64
5.4.2 Radiation Doses to Members of the Public 5-68
5.4.3 Impacts to Members of the Public 5-69
5.4.4 Impacts to Biota other than Members of the Public 5-72

5.5 Environmental Impact of Waste 5-126
5.5.1 Nonradioactive Waste System Impacts 5-126
5.5.2 Mixed Waste Impacts 5-129

5.6 Transmission System Impacts 5-131
5.6.1 Terrestrial Ecosystems 5-131
5.6.2 Aquatic Ecosystems 5-136
5.6.3 Impacts to Members Of The Public 5-139

5.7 Uranium Fuel Cycle Impacts 5-145
5.7.1 Land Use 5-148
5.7.2 Water Use 5-148
5.7.3 Fossil Fuel Impacts 5-149
5.7.4 Chemical Effluents 5-149
5.7.5 Radioactive Effluents 5-150
5.7.6 Radioactive Wastes 5-151
5.7.7 Occupational Dose 5-151
5.7.8 Transportation 5-152
5.7.9 Fuel Cycle 5-152
5.7.10 References 5-152

5.8 Socioecomonic Impacts 5-158
5.8.1 Physical Impacts of Station Operation 5-158
5.8.2 Social and Economic 5-163
5.8.3 Environmental Justice Impacts 5-168

5.9 Decommissioning 5-176
5.9.1 NRC Generic Environmental Impact Statement Regarding Decommissioning 5-176
5.9.2 Decommissioining Cost Analysis Summary 5-176
5.9.3 References 5-177

5.10 Measures and Controls to Limit Adverse Impacts during Operation 5-178
5.10.1 Impacts During Operation 5-178
5.10.2 References 5-179

5.11 Transportation Of Radioactive Materials 5-192
5.11.1 Fuel Cladding Environmental Impact 5-192
5.11.2 Heat (Irradiated Fuel Cask in Transit) Environmental Impact 5-193
5.11.3 Incident-free Dose and Traffic Density Impact Analysis 5-194
5.11.4 Summary and Conclusion 5-199
5.11.5 References 5-199

5.12 Nonradiological Health Impacts 5-209
5.12.1 Public Health 5-209
5.12.2 Occupational Health 5-209
5.12.3 References 5-210

© 2007-2012 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

6.0 Measuring and Monitoring 6-1

6.1 Thermal Monitoring 6-2
6.1.1 Preapplication Monitoring 6-2
6.1.2 Preoperational Monitoring 6-3
6.1.3 Operational Monitoring 6-4
6.1.4 References 6-5

6.2 Radiological Monitoring 6-7
6.2.1 Pathways Monitored 6-8
6.2.2 Land Use Census 6-8
6.2.3 Environmental Monitoring Program Sample Types 6-9
6.2.4 Sample Sizes 6-10
6.2.5 Radiological Environmental Monitoring Program Reports 6-10
6.2.6 Quality Assurance Program 6-10
6.2.7 REMP Modifications For CCNPP Unit 3 6-10
6.2.8 PREOPERATIONAL (UNITS 1 & 2) SITE AREA BACKGROUND RADIATION 6-11
6.2.9 References 6-12

6.3 Hydrological Monitoring 6-34
6.3.1 Preapplication Monitoring 6-34
6.3.2 Construction and Pre-operational Monitoring 6-35
6.3.3 Operational monitoring 6-36
6.3.4 References 6-37

6.4 Meteorological Monitoring 6-39
6.4.1 Preoperational Meteorological Measurement Program 6-39
6.4.2 Operational Meteorological Measurement Program 6-43
6.4.3 References 6-46

6.5 Ecological Monitoring 6-51
6.5.1 Terrestrial Ecology and Land Use 6-51
6.5.2 Aquatic Ecology 6-53
6.5.3 References 6-58

6.6 Chemical Monitoring 6-60
6.6.1 Preapplication Monitoring 6-60
6.6.2 Construction and Preoperational Monitoring 6-63
6.6.3 Operational Monitoring 6-64
6.6.4 References 6-66

6.7 Summary of Monitoring Programs 6-69
6.7.1 Preapplication Monitoring 6-69
6.7.2 Construction and Preoperational Monitoring 6-69
6.7.3 Operating Monitoring 6-69
6.7.4 References 6-69

7.0 Impacts of Postulated Accidents Involving Radioactive Materials 7-1

7.1 Design Basis Accidents 7-2
7.1.1 References 7-3

7.2 Severe Accidents 7-40
7.2.1 Methodology 7-40
7.2.2 Consequences to Population Groups 7-42
7.2.3 Conclusions 7-44
7.2.4 References 7-45

© 2007-2012 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

7.3 Severe Accident Mitigation Alternatives 7-49
7.3.1 SAMDA Analysis Methodology 7-49
7.3.2 Severe Accident Cost Impact and Maximum Benefit for CCNPP Unit 3 7-51
7.3.3 Sensitivity Studies 7-51
7.3.4 Results and Summary 7-52
7.3.5 References 7-53

7.4 Transportation Accidents 7-59
7.4.1 Radiological Impacts 7-60
7.4.2 Non-radiological Impacts 7-62
7.4.3 Summary and Conclusion 7-64
7.4.4 References 7-64

8.0 Need for Power 8-1

8.0.1 References 8-3

8.1 Description of Power System 8-4
8.1.1 Systematic Process 8-5
8.1.2 Comprehensive Process 8-7
8.1.3 Confirmation Process 8-9
8.1.4 Consideration of Uncertainty 8-9
8.1.5 References 8-10

8.2 Power Demand 8-13
8.2.1 Power And Energy Requirements 8-13
8.2.2 Factors Affecting Growth and Demand 8-14
8.2.3 Energy Efficiency and Substitution 8-16
8.2.4 References 8-17

8.3 Power Supply 8-19
8.3.1 References 8-19

8.4 Assessment of Need for Power 8-20
8.4.1 Assessment of the Need for New Capacity 8-20
8.4.2 Other Benefits of New Nuclear Capacity 8-21
8.4.3 Summary of Need for Power 8-23
8.4.4 References 8-24

9.0 Alternatives to the Proposed Action 9-1

9.1 No Action Alternative 9-2

9.2 Energy Alternatives 9-3
9.2.1 Alternatives Not Requiring New Generating Capacity 9-3
9.2.2 Alternatives That Require New Generating Capacity 9-7
9.2.3 Assessment of Reasonable Alternative Energy Sources and Systems 9-21
9.2.4 Conclusion 9-29
9.2.5 References 9-29

9.3 Alternative Sites 9-37
9.3.1 Site Selection Process 9-37
9.3.2 Proposed and Altenative Site Evaluation 9-42
9.3.3 Summary and Conclusions 9-86
9.3.4 References 9-87

9.4 Alternative Plant and Transmission Systems 9-149
9.4.1 Heat Dissipation Systems 9-149
9.4.2 Circulating Water Systems 9-156

© 2007-2012 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

9.4.3 Transmission Systems 9-165
9.4.4 References 9-166

10.0 Environmental Consequences of the Proposed Action 10-1

10.1 Unavoidable Adverse Environmental Impacts 10-2
10.1.1 Unavoidable Adverse Environmental Impacts of Construction 10-2
10.1.2 Unavoidable Adverse Environmental Impacts of Operations 10-2
10.1.3 Summary of Unavoidable Adverse Environmental Impacts from Construction and Operations 10-2
10.1.4 References 10-4

10.2 Irreversible and Irretrievable Commitments of Resources 10-13
10.2.1 Irrevesible Environmental Committments 10-13
10.2.2 Irretrievable Commitments of Resources 10-14
10.2.3 References 10-15

10.3 Relationship between Short-term Uses and Long-term Productivity of the Human Environment 10-21
10.3.1 Construction and Long-term Productivity 10-21
10.3.2 Operation and Long-term Productivity 10-22
10.3.3 Summary of Relationship between Short-term Uses and Long-term Productivity 10-23
10.3.4 References 10-23

10.4 Benefit-cost Balance 10-24
10.4.1 Benefits 10-24
10.4.2 Costs 10-27
10.4.3 Summary 10-28
10.4.4 References 10-28

10.5 Cumulative Impacts 10-40
10.5.1 Cumulative Impacts from Construction 10-40
10.5.2 Cumulative Impacts of Operations 10-43
10.5.3 Cumulative Impacts Summary 10-48
10.5.4 References 10-48

© 2007-2012 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

List of Tables

Table 1.3-1— Federal, State and Local Authorizations 1-22
Table 2.2-1— Land Use on the CCNPP Site 2-15
Table 2.2-2— Land Use Categories Within 8 mi (13 km) Vicinity 2-16
Table 2.2-3— Public Land Within 8 mi (13 km) Vicinity 2-17
Table 2.2-4— CCNPP Site 50 mi (80 km) Land Use Classifications 2-18
Table 2.2-5— CCNPP Site 50 mi (80 km) Values of Agricultural Commodities Produced in 2002 2-19
Table 2.2-6— Calvert County and St. Mary's County Private Trust Land 2-23
Table 2.2-7— Calvert County and St. Mary's County Public Land 2-24
Table 2.2-8— Calvert County Land Use Classifications 2-25
Table 2.2-9— St. Mary's County Land Use Classifications 2-26
Table 2.3-1— Peak Annual Streamflow for the Patuxent River at Bowie, MD (USGS Station No. 01594440, Patuxent River near Bowie, MD) 2-111
Table 2.3-2— Peak Annual Streamflow for the Patuxent River at Bowie, MD (USGS Station No. 01594440, Patuxent River near Bowie, MD) 2-112
Table 2.3-3— Monthly Streamflow for the Patuxent River at Bowie, MD (USGS Station No. 01594440, Patuxent River near Bowie, MD) (June 27, 1977 through September 30, 2005) 2-113
Table 2.3-4— Mean Daily Streamflow for the Patuxent River at Bowie, MD (USGS Station No. 01594440, Patuxent River near Bowie, MD) (June 27, 1977 through September 30, 2005) 2-114
Table 2.3-5— Maximum Daily Streamflow for the Patuxent River at Bowie, MD (USGS Station No. 01594440, Patuxent River near Bowie, MD) (June 27, 1977 through September 30, 2005) 2-115
Table 2.3-6— Minimum Daily Streamflow for the Patuxent River at Bowie, MD (USGS Station No. 01594440, Patuxent River near Bowie, MD) (June 27, 1977 through September 30, 2005) 2-116
Table 2.3-7— Peak Annual Streamflow for the St. Leonard Creek at St. Leonard, MD (USGS Station No. 01594800, St. Leonard Creek near St. Leonard, MD) (December 2, 1956 through September 30, 2003) 2-117
Table 2.3-8— Monthly Streamflow for St. Leonard Creek at St. Leonard, MD (USGS Station No. 01594800, St. Leonard Creek near St. Leonard, MD) (December 1, 1956 through September 30, 2003) 2-118
Table 2.3-9— Mean Daily Streamflow for St. Leonard Creek at St. Leonard, MD (USGS Station No. 01594800, St. Leonard Creek near St. Leonard, MD) (December 2, 1956 through September 30, 2003) 2-119
Table 2.3-10— Maximum Daily Streamflow for St. Leonard Creek at St. Leonard, MD (USGS Station No. 01594800, St. Leonard Creek near St. Leonard, MD) (December 2, 1956 through September 30, 2003 2-121
Table 2.3-11— Minimum Daily Streamflow for St. Leonard Creek at St. Leonard, MD (USGS Station No. 01594800, St. Leonard Creek near St. Leonard, MD) (December 2, 1956 through September 30, 2003) 2-123
Table 2.3-12— Details of Brighton and Rocky Gorge Dams 2-125
Table 2.3-13— Estimated Monthly Mean Inflow to the Chesapeake Bay (Based on Three Reference Stations) (1951-2000) 2-126
Table 2.3-14— Estimated Tidal Inflow Rate at the Chesapeake Bay Entrance for Spring Tides and Tidal Excursion Length Near the CCNPP Unit 3 Site 2-128
Table 2.3-15— CCNPP Unit 3 Observation Wells Construction Details 2-129
Table 2.3-16— CCNPP Unit 3 Observation Well Water Level Elevations 2-133
Table 2.3-17— CCNPP Unit 3 Observation Wells used in the Hydrogeologic Evaluation 2-141
Table 2.3-18— CCNPP Unit 3 Observation Wells Hydraulic Conductivities from Slug Tests 2-147

© 2007-2012 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Table 2.3-19— Permitted Surface Water Withdrawals in Calvert County 2-149
Table 2.3-20— Monthly Average Cooling Water Discharge Rates for the CCNPP Units 1 and 2 in Million gallons per day 2-150
Table 2.3-21— Permitted Surface Water Discharges in the Calvert County 2-151
Table 2.3-22— Listing of MDE Water Appropriation Permits for Calvert County, Maryland 2-152
Table 2.3-23— Listing of US EPA SDWIS Community, Non-Transient Non-Community, and Transient Non-Community Water Systems in Calvert County, Maryland 2-189
Table 2.3-24— Maryland Department of the Environment (MDE) Water Appropriation Permits for the Calvert Cliffs Nuclear Power Plant 2-190
Table 2.3-25— CCNPP Units 1 and 2 State of Maryland Water Appropriation Permits 2-198
Table 2.3-26— CCNPP Units 1 and 2 Water Use Report, State of Maryland Water Appropriation Permit CA69G010 (05) 2-199
Table 2.3-27— Maryland Department of the Environment (MDE) Water Appropriation Permits for the Calvert Cliffs Nuclear Power Plant 2-200
Table 2.3-28— Summary of Fall 2006 Water Quality Analytical Data and In-situ Measurements for CCNPP Streams and Ponds 2-201
Table 2.3-29— Summary of Fall 2006 Water Quality Analytical Data and In-situ Measurements for CCNPP Streams and Ponds 2-202
Table 2.3-30— Summary of Spring 2007 Water Quality Analytical Data for CCNPP Streams and Ponds 2-203
Table 2.3-31— Summary of Spring 2007 Surface, Mid-Depth and Bottom in Situ Water Quality Data for CCNPP Lake Conoy and Lake Davies 2-206
Table 2.3-32— Summary of Spring 2007 Metals in CCNPP Streams and Ponds 2-207
Table 2.3-33— Summary of Spring 2007 Polynuclear Aromatic Hydrocarbons (PAHs) in CCNPP Streams 2-208
Table 2.3-34— Summary of Pycnocline Data for Selected Chesapeake Bay Monitoring Stations, Water Year 2005 2-209
Table 2.3-35— Summary of Tempature Statistics (F[C]) for Selected Chesapeake Bay Monitoring Stations, Water Year 2005 2-210
Table 2.3-36— Summary of Dissolved Oxygen Concentrations (mg/L) for Selected Chesapeake Bay Monitoring Stations, Water Year 2005 2-211
Table 2.3-37— Summary of Salinity Statistics (parts per thousand) for Selected Chesapeake Bay Monitoring Stations, Water Year 2005 2-212
Table 2.3-38— Summary of Water Quality Data for Selected Chesapeake Bay Monitoring Stations, Water Year 2005 2-213
Table 2.3-39— Summary of 2005 Radiological Liquid Effluent Calvert Cliffs Nuclear Power Plant Units 1 and 2 2-220
Table 2.3-40— Summary of Analytical Results for Chesapeake Bay Water Samples Collected during Ebb and Flood Tides at the Unit 1 and 2 intake Structure, February - May 2007 2-223
Table 2.3-41— Summary of Analytical Results for Sediment Samples Collected in Chesapeake Bay Near the CCNPP Barge Slip - September 2006 2-226
Table 2.3-42— Well Construction Data for Wells Sampled at CCNPP May 31, 2007 2-231
Table 2.3-43— Summary of Analytical Results for Groundwater Well Sampling at CCNPP May 31, 2007 2-232
Table 2.4-1— Important Terrestrial Species and Habitats 2-359
Table 2.4-2— Survey Results for John's Creek (Fall 2006) 2-361
Table 2.4-3— Survey Results for Goldstein Branch (Fall 2006) 2-362
Table 2.4-4— Dip Net Survey Results for Lakes and Ponds (Fall 2006) 2-363
Table 2.4-5— Summary of Functions and Values for Assessment Areas 2-364
Table 2.4-6— Important Species in the Chesapeake Bay Near the CCNPP Site 2-365
Table 2.5-1— Counties of Residence for Existing CCNPP Units 1 and 2 Operational Employees 2-416

© 2007-2012 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Table 2.5-2— Select Demographic and Economic Characteristics of Residential Population, By Distance from the CCNPP Site, 2000 2-417
Table 2.5-3— Historical and Projected Populations in Calvert County, St. Mary's County, and Maryland from 1990 to 2080 2-418
Table 2.5-4— Select Demographic and Economic Characteristics of Persons in Calvert County, St. Mary's County, Maryland, and the U.S. From 2000 to 2004 2-419
Table 2.5-5— Demographic and Economic Characteristics of Residential Populations in Select Cities and Communities within Calvert County and St. Mary's County, 2000 2-420
Table 2.5-6— Resident and Transient Populations, by Sector and Distance from the CCNPP Site, 2000 2-421
Table 2.5-7— Commuting Patterns To and From the ROI, 2000 2-423
Table 2.5-8— Current Population and Population Projections for the CCNPP Low Population Zone ... 2-424
Table 2.5-9— Population Projections from 2000 to 2080 within 50 mi (80 km) of the CCNPP Site 2-425
Table 2.5-10— Population Projections by Sector and Distance from the CCNPP Site from 2000 to 2080 2-426
Table 2.5-11— Counties of Residence of the Existing Operational Workforce at CCNPP Units 1 and 2, November 2006 2-438
Table 2.5-12— Civilian Labor Force Data for Calvert County and St. Mary's County, October 2006 2-439
Table 2.5-13— Construction and Extraction Occupational Labor Force, Washington-Arlington-Alexandria Metro Area, May 2005 2-440
Table 2.5-14— Employment by Sectors and Industry in Calvert County St. Mary's County, and ROI, 2005 2-443
Table 2.5-15— Major Non-Governmental Employers in Calvert County, 2005 2-444
Table 2.5-16— Fastest Growing Private Industries in St. Mary's County, from 2004 to 2005 2-445
Table 2.5-17— Fastest Growing Private Industries in Calvert County and St. Mary's County from 2004 and 2005 2-446
Table 2.5-18— Percent of Individuals in Poverty and Median Household Income in Calvert County and St. Mary's County, Maryland, and the U.S. 2000 and 2005 2-447
Table 2.5-19— Mean Salaries in Calvert County, St. Mary's County Maryland, and the U.S. 2005 2-448
Table 2.5-20— Occupied Housing Units and Vacant (available) Housing Units in Calvert County, St. Mary's County, and the ROI, 2000 2-449
Table 2.5-21— New Housing Units (Single-family and Multi-family) Authorized for Construction, Calvert County, St Mary's County from 2001 to 2005 2-450
Table 2.5-22— Apartment and Townhouse Complexes 2-451
Table 2.5-23— Hotels, Motels, and Bed & Breakfasts Within About 30 Miles (48.2 km) of Lusby, Maryland 2-453
Table 2.5-24— Public Schools Located in Calvert County and St. Mary's County 2-455
Table 2.5-25— Private Schools Located in Calvert County and St. Mary's County 2-457
Table 2.5-26— Boat Ramps and Public Landing/Launch Sites in Calvert County and St. Mary's County, Roughly from Closest to Farthest from the CCNPP Site 2-459
Table 2.5-27— Marinas in Calvert County and St. Mary's County, Roughly from Closest to Farthest from the CCNPP Site 2-460
Table 2.5-28— Charter Boat Services/Associations in Calvert County and St. Mary's County, Roughly from Closest to Farthest from the CCNPP Site 2-462
Table 2.5-29— Campgrounds and RV Parks Within About 30 Miles (48.3 km) of Lusby, Maryland 2-464
Table 2.5-30— Property and Income Tax Rates in Calvert County and St. Mary's County, 2006 2-465
Table 2.5-31— Fiscal Year 2005 Actual County Revenues and Expenditures in Calvert County and St. Mary's County (rounded, in 2005 million dollars) 2-466
Table 2.5-32— Calvert County General Fund Revenues and County-wide Taxable Assessed Property Values, 2000 to 2005 2-468
Table 2.5-33— Water Districts/Systems in Calvert County and St. Mary's County 2-469

© 2007-2012 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Table 2.5-34— Sewer Districts/Systems in Calvert County and St. Mary's County 2-471
Table 2.5-35— Fiscal Year 2005 Actual Law Enforcement Agency Staffing, Budgets, and Calls for Service in Calvert County and St. Mary's County 2-472
Table 2.5-36— Fire/EMS Departments in Calvert County and St. Mary's County 2-473
Table 2.5-37— EMS Calls for Service in Calvert County and St. Mary's County, June 2005 to May 2006 2-474
Table 2.5-38— Peak Hour Traffic Volumes at Calvert Cliffs Parkway and MD 2/4 2-475
Table 2.5-39— Summary of Surveyed Architectural Resources 2-476
Table 2.5-40— Phase Ib Summary of Surveyed Archaeological Sites 2-477
Table 2.5-41— Summary of Identified Isolated Finds 2-479
Table 2.5-42— Summary of Phase II National Register Site Evaluations [(a)] 2-481
Table 2.5-43— Summary of Eligible Architectural Resources [(a)] 2-482
Table 2.5-44— Census Block Groups within 50 mi (80 km) of the CCNPP Site with Minority and Low Income Populations 2-483
Table 2.5-45— Census Block Groups and Percentages of Minority People Within 50 mi (80km) of the CCNPP Site 2-486
Table 2.5-46— Census Block Groups and Percentage of Households within 50 mi (80 km) of the CCNPP Site with Low Income Populations 2-487
Table 2.5-47— Estimated Chesapeake Bay Recreational Catches in Metric Tons, Maryland and Virginia Combined, 1995 and 2000 2-488
Table 2.5-48— Chesapeake Bay Recreational Top Five Species Most Commonly Caught and Consumed Fish, Lower Patapsco and Back Rivers, in the Baltimore Region, Maryland, 2004 2-489
Table 2.5-49— Chesapeake Bay Recreational Top Five Species Most Commonly Caught and Consumed Fish, Lower Potomac and Anacostia Rivers, in the Washington, D.C. Region, 2004 2-490
Table 2.5-50— Chesapeake Bay Recreational Top Ten Species Most Commonly Caught and Consumed Fish, Elizabeth and James Rivers, in the Tidewater Region, Virginia, 2004 2-491
Table 2.5-51— Chesapeake Bay Recreational Fishing Characteristics for Minority Populations, Lower Patapsco and Back Rivers, in the Baltimore Region, Maryland, 2004 2-492
Table 2.5-52— Chesapeake Bay Recreational Fishing Characteristics for Minority Populations, Lower Potomac and Anacostia Rivers, in the Washington, D.C. Region, 2004 2-493
Table 2.5-53— Chesapeake Bay Recreational Fishing Characteristics for Minority Populations, Elizabeth and James Rivers, in the Tidewater Region, Virginia, 2004 2-494
Table 2.5-54— Chesapeake Bay Recreational Fishing Characteristics for Low Income Populations, Lower Potomac and Anacostia Rivers, in the Washington, D.C. Region, 2004 2-495
Table 2.5-55— Chesapeake Bay Recreational Fishing Characteristics for Low Income Populations, Elizabeth and James Rivers, in the Tidewater Region, Virginia, 2004 2-496
Table 2.7-1— Total and Average Numbers of Tropical Storms and Hurricanes 2-532
Table 2.7-2— Monthly Mean Number of Days with Thunderstorms 2-533
Table 2.7-3— High Winds by Storm Type in Calvert County 2-534
Table 2.7-4— Hail Events in Calvert County 2-535
Table 2.7-5— Ice Storm Events within the General Region of the Site 2-536
Table 2.7-6— CCNPP Monthly Mean Temperatures (2000-2005) 2-545
Table 2.7-7— CCNPP Monthly Mean Extreme Maximum Temperatures (2000-2005) 2-546
Table 2.7-8— CCNPP Monthly Mean Extreme Minimum Temperatures (2000-2005) 2-547
Table 2.7-9— CCNPP Monthly Mean Daily Maximum Temperatures (2000-2005) 2-548
Table 2.7-10— CCNPP Monthly Mean Daily Minimum Temperatures (2000-2005) 2-549
Table 2.7-11— CCNPP Maximum Hourly Temperatures (2000-2005) 2-550
Table 2.7-12— CCNPP Minimum Hourly Temperatures (2000-2005) 2-551

© 2007-2012 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Table 2.7-13— CCNPP Number of Hourly Temperature Values Compared to Indicated Value (2000-2005) 2-552
Table 2.7-14— Monthly Mean Temperatures (1971-2000) 2-553
Table 2.7-15— Monthly Mean Maximum Temperatures (1971-2000) 2-554
Table 2.7-16— Monthly Mean Minimum Temperatures (1971-2000) 2-555
Table 2.7-17— Monthly Mean Wet Bulb Temperatures (1983-2000) 2-556
Table 2.7-18— Monthly Mean Dew Point Temperatures (1983-2000) 2-557
Table 2.7-19— Number of Days with Maximum Hourly Temperature Value Greater Than or Equal to 90°F 2-558
Table 2.7-20— Number of Days with Maximum Hourly Temperature Value Less Than or Equal to 32°F 2-559
Table 2.7-21— Number of Days with Minimum Hourly Temperature Value Less Than or Equal to 32°F 2-560
Table 2.7-22— Number of Days with Minimum Hourly Temperature Value Less Than or Equal to 0°F 2-562
Table 2.7-23— Monthly Mean Relative Humidity 2-564
Table 2.7-24— Monthly Design Wet Bulb and Mean Coincident Dry Bulb Temperature Values for Patuxent River Naval Air Station, Maryland (1982-2001) 2-565
Table 2.7-25— Monthly Design Wet Bulb and Mean Coincident Dry Bulb Temperature Values for Salisbury Wicomico County Airport, Maryland (1982-2001) 2-566
Table 2.7-26— Monthly Design Wet Bulb and Mean Coincident Dry Bulb Temperature Values for Baltimore, Maryland (1982-2001) 2-567
Table 2.7-27— CCNPP Monthly and Annual Precipitation (2000-2005) 2-568
Table 2.7-28— CCNPP Monthly and Annual Percent Frequency of Precipitation Occurrence (2000-2005) 2-569
Table 2.7-29— CCNPP Hourly Rainfall Rate Distribution (2000-2005) 2-570
Table 2.7-30— CCNPP Measured Extreme Precipitation Hourly Values (2000-2005) 2-571
Table 2.7-31— Mean Monthly and Annual Precipitation (1971-2000) 2-572
Table 2.7-32— Mean Monthly and Annual Snowfall (1961-1990) 2-573
Table 2.7-33— Monthly Mean Number of Days with Precipitation (1961-1990) 2-574
Table 2.7-34— Monthly Mean Number of Days with Heavy Fog (1971-2000) 2-575
Table 2.7-35— Monthly and Annual Average Mixing Height Values 2-576
Table 2.7-36— Temperature Inversion Frequency and Persistence, Year 2000 2-579
Table 2.7-37— Temperature Inversion Frequency and Persistence, Year 2001 2-580
Table 2.7-38— Temperature Inversion Frequency and Persistence, Year 2002 2-581
Table 2.7-39— Temperature Inversion Frequency and Persistence, Year 2003 2-582
Table 2.7-40— Temperature Inversion Frequency and Persistence, Year 2004 2-583
Table 2.7-41— Temperature Inversion Frequency and Persistence, Year 2005 2-584
Table 2.7-42— CCNPP 33 Feet Annual JFD 2-585
Table 2.7-43— CCNPP 33 Feet January JFD 2-593
Table 2.7-44— CCNPP 33 Feet February JFD 2-601
Table 2.7-45— CCNPP 33 Feet March JFD 2-609
Table 2.7-46— CCNPP 33 Feet April JFD 2-617
Table 2.7-47— CCNPP 33 Feet May JFD 2-625
Table 2.7-48— CCNPP 33 Feet June JFD 2-633
Table 2.7-49— CCNPP 33 Feet July JFD 2-641
Table 2.7-50— CCNPP 33 Feet August JFD 2-649
Table 2.7-51— CCNPP 33 Feet September JFD 2-658
Table 2.7-52— CCNPP 33 Feet October JFD 2-665
Table 2.7-53— CCNPP 33 Feet November JFD 2-673
Table 2.7-54— CCNPP 33 Feet December JFD 2-681

© 2007-2012 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Table 2.7-55— CCNPP 197' Annual JFD 2-689
Table 2.7-56— CCNPP 197' January JFD 2-697
Table 2.7-57— CCNPP 197 Feet February JFD 2-705
Table 2.7-58— CCNPP 197' March JFD 2-713
Table 2.7-59— CCNPP 197' April JFD 2-721
Table 2.7-60— CCNPP 197' May JFD 2-729
Table 2.7-61— CCNPP 197' June JFD 2-737
Table 2.7-62— CCNPP 197' July JFD 2-745
Table 2.7-63— CCNPP 197' August JFD 2-753
Table 2.7-64— CCNPP 197' September JFD 2-761
Table 2.7-65— CCNPP 197' October JFD 2-769
Table 2.7-66— CCNPP 197' November JFD 2-777
Table 2.7-67— CCNPP 197' December JFD 2-785
Table 2.7-68— Monthly Mean Wind Speed and Prevailing Wind Direction 2-793
Table 2.7-69— Monthly Maximum Two Minute Wind Speed and Direction 2-794
Table 2.7-70— Monthly Maximum Five Second Wind Speed and Direction 2-795
Table 2.7-71— CCNPP 33 Feet Wind Direction Persistence Summary for Year 2000 2-796
Table 2.7-72— CCNPP 33 Feet Wind Direction Persistence Summary for Year 2001 2-798
Table 2.7-73— CCNPP 33 Feet Wind Direction Persistence Summary for Year 2002 2-800
Table 2.7-74— CCNPP 33 Feet Wind Direction Persistence Summary for Year 2003 2-802
Table 2.7-75— CCNPP 33 Feet Wind Direction Persistence Summary for Year 2004 2-804
Table 2.7-76— CCNPP 33 Feet Wind Direction Persistence Summary for Year 2005 2-806
Table 2.7-77— CCNPP 33 Feet Average Wind Direction Persistence Summary for Years 2000-2005 ... 2-808
Table 2.7-78— CCNPP 197 Feet Wind Direction Persistence Summary for Year 2000 2-810
Table 2.7-79— CCNPP 197 Feet Wind Direction Persistence Summary for Year 2001 2-812
Table 2.7-80— CCNPP 197 Feet Wind Direction Persistence Summary for Year 2002 2-814
Table 2.7-81— CCNPP 197 Feet Wind Direction Persistence Summary for Year 2003 2-816
Table 2.7-82— CCNPP 197 Feet Wind Direction Persistence Summary for Year 2004 2-818
Table 2.7-83— CCNPP 197 Feet Wind Direction Persistence Summary for Year 2005 2-820
Table 2.7-84— CCNPP 197 Feet Average Wind Direction Persistence Summary for Years 2000-2005 2-822
Table 2.7-85— CCNPP 33 Feet Annual Stability Persistence Summary for Year 2000 2-824
Table 2.7-86— CCNPP 33 Feet Annual Stability Persistence Summary for Year 2001 2-825
Table 2.7-87— CCNPP 33 Feet Annual Stability Persistence Summary for Year 2002 2-826
Table 2.7-88— CCNPP 33 Feet Annual Stability Persistence Summary for Year 2003 2-827
Table 2.7-89— CCNPP 33 Feet Annual Stability Persistence Summary for Year 2004 2-828
Table 2.7-90— CCNPP 33 Feet Annual Stability Persistence Summary for Year 2005 2-829
Table 2.7-91— CCNPP 33 Feet Annual Stability Persistence Summary for Years 2000-2005 2-830
Table 2.7-92— CCNPP 197 Feet Annual Stability Persistence Summary for Year 2000 2-831
Table 2.7-93— CCNPP 197 Feet Annual Stability Persistence Summary for Year 2001 2-832
Table 2.7-94— CCNPP 197 Feet Annual Stability Persistence Summary for Year 2002 2-833
Table 2.7-95— CCNPP 197 Feet Annual Stability Persistence Summary for Year 2003 2-834
Table 2.7-96— CCNPP 197 Feet Annual Stability Persistence Summary for Year 2004 2-835
Table 2.7-97— CCNPP 197 Feet Annual Stability Persistence Summary for Year 2005 2-836
Table 2.7-98— CCNPP 197 Feet Annual Stability Persistence Summary for Years 2000-2005 2-837
Table 2.7-99— Normal Effluent Annual Average, Undecayed, Undepleted χ/Q Values for Mixed Mode Release with Building Wake from 0.5 to 5 Miles with Site Boundary Values 2-838
Table 2.7-100— Normal Effluent Annual Average, Undecayed, Undepleted χ/Q Values for Mixed Mode Release With Building Wake from 7.5 to 50 Miles 2-839
Table 2.7-101— Normal Effluent Annual Average, Undecayed, Undepleted χ/Q Values for Mixed Mode Release With Building Wake for Nearest Residents 2-840

© 2007-2012 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Table 2.7-102— Normal Effluent Annual Average, Undecayed, Undepleted χ/Q Values for Mixed Mode Release With Building Wake for Nearest Gardens 2-841
Table 2.7-103— Normal Effluent Annual Average, Decayed, Depleted χ/Q Values for Mixed Mode Release With Building Wake from 0.5 to 5 Miles with Site Boundary Values 2-842
Table 2.7-104— Normal Effluent Annual Average, Decayed, Depleted χ/Q Values for Mixed Mode Release With Building Wake from 7.5 to 50 Miles 2-843
Table 2.7-105— Normal Effluent Annual Average, Decayed, Depleted χ/Q Values for Mixed Mode Release With Building Wake for Nearest Residents 2-844
Table 2.7-106— Normal Effluent Annual Average, Decayed, Depleted χ/Q Values for Mixed Mode Release With Building Wake for Nearest Gardens 2-845
Table 2.7-107— Normal Effluent Annual Average, Undecayed, Undepleted Gamma χ/Q Values for Mixed Mode Release With Building Wake from 0.5 to 5 Miles with Site Boundary Values 2-846
Table 2.7-108— Normal Effluent Annual Average, Undecayed, Undepleted Gamma χ/Q Values for Mixed Mode Release With Building Wake from 7.5 to 50 Miles 2-847
Table 2.7-109— Normal Effluent Annual Average, Undecayed, Undepleted Gamma χ/Q Values for Mixed Mode Release With Building Wake for Nearest Residents 2-848
Table 2.7-110— Normal Effluent Annual Average, Undecayed, Undepleted Gamma χ/Q Values for Mixed Mode Release With Building Wake for Nearest Gardens 2-849
Table 2.7-111— Normal Effluent Annual Average, D/Q Values for Mixed Mode Release With Building Wake from 0.5 to 5 Miles with Site Boundary Values 2-850
Table 2.7-112— Normal Effluent Annual Average, D/Q Values for Mixed Mode Release With Building Wake from 7.5 to 50 Miles 2-851
Table 2.7-113— Normal Effluent Annual Average, D/Q Values for Mixed Mode Release With Building Wake for Nearest Residents 2-852
Table 2.7-114— Normal Effluent Annual Average, D/Q Values for Mixed Mode Release With Building Wake for Nearest Gardens 2-853
Table 2.7-115— 50th Percentile χ/Q Values 2-854
Table 2.7-116— Summary of Ambient Environmental Sound Levels (dBA) for Commonly Used Metrics to Assess Noise Level Impact 2-855
Table 2.7-117— Snow Storm Events within the General Region of the Site 2-856
Table 2.7-118— Record 1-Day Snowfall Events within 50 mile (80 km) of the Site 2-870
Table 2.7-119— Tropical Cyclone-Related Extreme Rainfall Events 2-871
Table 2.7-120— CCNPP Daily Average and Extreme Temperatures (2000-2005) 2-872
Table 2.7-121— CCNPP Monthly Mean Temperatures (1987 - 2006) 2-928
Table 2.7-122— CCNPP Monthly and Annual Precipitation (1992 - 2006) 2-929
Table 2.7-123— CCNPP 33' (10-m) 2000 - 2006 Annual Joint Frequency Distribution Table 2-930
Table 2.7-124— CCNPP 197' (60-m) 2000 - 2006 Annual Joint Frequency Distribution Table 2-938
Table 2.7-125— Monthly Atmospheric Stability Summary 2-946
Table 2.7-126— Design Input for 50% Percentile Atmospheric Dispersion Factor Computer Run 2-947
Table 2.7-127— Input for AEOLUS3 Normal Effluent χ/Q Run 2-948
Table 3.3-1— Anticipated Water Use 3-22
Table 3.3-2— Water Treatment Systems 3-24
Table 3.4-1— Minimal and Nominal Essential Service Water System Flows and Heat Loads at Different Operation Modes Per Train 3-36
Table 3.4-2— Circulating Water System Cooling Tower Design Specifications 3-37
Table 3.4-3— Essential Service Water System Cooling Tower Design Specifications 3-38
Table 3.5-1— Parameters Used in the Calculation of Fission Product Activity in Reactor (Design Basis) 3-71
Table 3.5-2— Reactor Coolant Radionuclide Concentrations 3-72
Table 3.5-3— Secondary Coolant Radionuclide Concentrations 3-75

© 2007-2012 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Table 3.5-4— Principal Parameters Used in Estimating Realistic Releases of Radioactive Materials in Effluents (GALE Code Input Parameters) 3-78
Table 3.5-5— Average Radioactivity Concentrations in the Spent Fuel Pool (SFP) Area(1) 3-83
Table 3.5-6— Liquid Waste Release Source Term Inputs 3-85
Table 3.5-7— Annual Expected Liquid Waste Releases (English Units) 3-86
Table 3.5-8— Annual Gaseous Effluent Releases (English Units) 3-92
Table 3.5-9— Annual Solid Waste Generation Volumes 3-96
Table 3.5-10— Liquid Waste Management System Tank Capacity 3-98
Table 3.5-11— Liquid Waste Management System Process Parameters 3-99
Table 3.5-12— Radioactivity Input to the Liquid Waste System 3-100
Table 3.5-13— Radioactive Liquid Releases Due to Anticipated Operational Occurrences 3-101
Table 3.5-14— Summary of Radioactive Liquid Releases Including Anticipated Operational Occurrences 3-103
Table 3.5-15— Annual Radioactive Gaseous Releases Due to Anticipated Operational Occurrences 3-105
Table 3.5-16— Radiation Monitors 3-107
Table 3.6-1— Treatment System Processing Chemicals 3-132
Table 3.6-2— Desalination of Plant Water Quality (SWRO Process) 3-133
Table 3.6-3— Waste Water Treatment Plant System Effluents(a) 3-134
Table 3.6-4— Non-Radioactive Gaseous Effluents 3-135
Table 3.6-5— Anticipated Effluent Water Chemical Concentrations 3-136
Table 3.6-6— Biennial Hazardous Waste Management CCNPP Units 1 and 2 3-137
Table 3.6-7— CCNPP Unit 3 Waste Water Treatment Plant Capacity and Unit Loading 3-138
Table 3.8-1— Annual Solid Radioactive Wastes 3-147
Table 3.8-2— Transportation Environmental Impact Comparison 3-148
Table 4.1-1— Construction Areas Acreage and Operations Acreage, Land Use and Zoning 4-8
Table 4.2-1— Estimated Annual Amounts of Fresh Water by Construction Year Needed for CCNPP Unit 3(f) 4-29
Table 4.3-1— Vegetation (Plant Community) Impacts in Acres (Hectares) Construction of Proposed CCNPP Unit 3 4-67
Table 4.3-2— Non-Tidal Wetland and Non-Tidal Wetland Buffer Losses in Acres (Hectares) Construction of Proposed CCNPP Unit 3 4-69
Table 4.4-1— Typical Noise Levels of Construction Equipment 4-92
Table 4.4-2— Projected Traffic Conditions During Construction 4-93
Table 4.4-3— Estimated Average FTE Construction Workers, by Construction Year/Quarter at the CCNPP 4-94
Table 4.4-4— Total Peak On-Site Nuclear Power Plant Construction Labor Force Requirements (based on an average of single power plants) 4-95
Table 4.4-5— Peak On-Site Nuclear Power Plant Construction Craft Labor Force Requirement (based on an average of single power plants) 4-96
Table 4.4-6— Nuclear Power Plant Craft Labor Force Composition by Phases of Construction (in percent) 4-97
Table 4.4-7— Estimates of In-Migrating Construction Workforce in Calvert County and St. Mary's County, 20% In-Migration Scenario, 2011-2015 4-98
Table 4.4-8— Estimates of In-Migrating Construction Workforce in Calvert County and St. Mary's County, 35% In-Migration Scenario, 2011-2015 4-99
Table 4.4-8A— Total Work Force Potential During CCNPP Unit 3, Units 1 and 2 Operations (and outage) and Buildup of Unit 3 Operations Staff 4-100
Table 4.4-9— Minority and Low Income Populations Within About 20 Linear Miles (32 km) of the CCNPP Site 4-101
Table 4.5-1— Source List for CCNPP Units 1 and 2 4-112
Table 4.5-2— Historical All-Source Compliance for Offsite General Public 4-113

© 2007-2012 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Table 4.5-3— Historical ISFSI Exposures by Year 4-114
Table 4.5-4— Historical ISFSI Net Trend 4-115
Table 4.5-5— Historical Resin Area TLD Readings for 2001 through 2005 4-116
Table 4.5-6— Historical Annual Average χ/Q (sec/m^3) In CCNPP Unit 3 Directions 4-117
Table 4.5-7— Historical Gaseous Releases for 2002 through 2006 4-118
Table 4.5-8— Historical Liquid Releases 2001 through 2006 4-119
Table 4.5-9— Projected Dose Rates from all Sources by Construction Zone 4-121
Table 4.5-10— Projected Dose Rates from Effluents by Construction Zone 4-122
Table 4.5-11— Projected Construction Worker Census 2010 to 2015 4-123
Table 4.5-12— Projected Construction Worker Occupancy by Zone 4-124
Table 4.5-13— FTE for CCNPP Unit 3 Construction Workers 4-125
Table 4.5-14— Average Dose Rates to CCNPP Unit 3 Construction Workers 4-126
Table 4.5-15— CCNPP Unit 3 Collective Dose to Construction Workers 4-127
Table 4.6-1— Summary of Measures and Controls to Limit Adverse Impacts During Construction 4-142
Table 4.6-2— Summary of Construction and Preconstruction Related Impacts 4-149
Table 5.1-1— Land Use at the CCNPP Site 5-8
Table 5.1-2— Land Use Within the 8 mi (13 km) Radius of the CCNPP Site 5-9
Table 5.2-1— Desalinization Plant Demand 5-24
Table 5.2-2— Estimated Fresh Water Demand During CCNPP Unit 3 Construction 5-25
Table 5.3-1— Species Identified as Having Essential Fish Habitat Requirements in the Chesapeake Bay 5-51
Table 5.3-2— CORMIX Thermal Plume Simulation Receiving Water Baseline Input Parameters 5-52
Table 5.3-3— Baseline Discharge Structure Input Data CORMIX Thermal Plume Prediction 5-53
Table 5.3-4— CORMIX Thermal Plume Predictions for the 3.6°F (2°C) Isotherm 5-54
Table 5.3-5— Comparison of Predicted Thermal Plume to the Maryland Power Plant Thermal Plume Compliance Criteria 5-55
Table 5.3-6— CWS Cooling Tower Design Parameters 5-56
Table 5.3-7— Maximum Salt Deposition Rate 5-57
Table 5.3-8— Salt Drift Deposition Rates Estimated to Cause Acute Injury to Vegetation 5-58
Table 5.3-9— Salt Spray Tolerance Data for Plant Species Observed on the CCNPP Site 5-59
Table 5.4-1— Liquid Pathway Parameters 5-76
Table 5.4-2— Recreational Liquid Pathway Usage Parameters for MEI 5-77
Table 5.4-3— Locations for Gaseous Effluent Maximum Dose Evaluations(3) 5-78
Table 5.4-4— Gaseous Pathway Parameters 5-79
Table 5.4-5— Gaseous Pathway Consumption Factors for MEI 5-80
Table 5.4-6— Distance to Nearest Gaseous Dose Receptors(3) 5-81
Table 5.4-7— Total Body Dose from Liquid Effluent to MEI 5-82
Table 5.4-8— Limiting Organ Dose from Liquid Effluent to MEI 5-83
Table 5.4-9— Summary Liquid Effluent Annual Dose to MEI 5-84
Table 5.4-10— General Population Doses from Liquid Effluents(1) 5-85
Table 5.4-11— Gaseous Pathway Doses for Maximally Exposed Individuals (MEI)(1)(2) 5-86
Table 5.4-12— CCNPP Unit 3 Gaseous Effluent MEI Dose Summary 5-87
Table 5.4-13— 50 Mi (80 km) Population Doses from Gaseous Effluents(1) Person-Sieverts (Person-Rem) 5-88
Table 5.4-14— Annual Historical Dose Compliance with 40 CFR 190 for CCNPP Units 1 and 2[1] 5-89
Table 5.4-15— 40 CFR 190 Annual Site Dose Compliance 5-90
Table 5.4-16— Biota Exposure Pathways 5-91
Table 5.4-17— Terrestrial Biota Parameters 5-92
Table 5.4-18— Biota Residence Time 5-93
Table 5.4-19— Dose to Biota from Liquid and Gaseous Effluents 5-94
Table 5.4-20— Biota Doses Compared to 40 CFR 190 Whole Body Dose Criterion (25 mrem/yr) 5-95

© 2007-2012 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Table 5.4-21— Important Biota Species and Analytical Surrogates 5-96
Table 5.4-22— Near Field Environmental Dilution Values For CCNPP Unit 3 Discharges to the Chesapeake Bay 5-97
Table 5.4-23— Far Field Environmental Dilution Values For CCNPP Unit 3 Discharges to the Chesapeake Bay(1) 5-98
Table 5.4-24— Cow Milk Production lb/year (kg/year) 5-99
Table 5.4-25— Goat Milk Production lb/year (kg/year) 5-101
Table 5.4-26— Meat Production lb/year (kg/year) 5-103
Table 5.4-27— Poultry Meat Production lb/year (kg/year) 5-105
Table 5.4-28— Grain Production lb/year (kg/year) 5-107
Table 5.4-29— Leafy Vegetable Production lb/year (kg/year) 5-109
Table 5.4-30— Feed Production lb/year (kg/year) 5-111
Table 5.4-31— Maryland and Virginia Landings, Commercial Fisheries[a, b, c] 5-113
Table 5.4-32— Maryland and Virginia Landings, Recreational Fisheries[a, b] 5-121
Table 5.4-33— Bounding 50-mile Dispersion Factors (sec/m^3) for CCNPP Site 5-124
Table 5.7-1— NRC Table S-3 of Uranium Fuel Cycle Environmental Data[(a)] Compared to the U.S. EPR Configuration (Normalized to Model LWR Annual Fuel Requirement (WASH-1248) or Reference Reactor Year (NUREG-0116) 5-154
Table 5.7-2— Average Nominal Annual Fuel Cycle Requirements (U.S. EPR Scaled to the 1,000 MWe Reference LWR) 5-157
Table 5.8-1— Estimated Cooling Tower Sound in A-weighted Levels at Seven Community Receptors 5-172
Table 5.8-2— Estimates of In-Migrating Operational Workforce in Calvert County and St. Mary's County, from 2016 to 2055 5-173
Table 5.10-1— Summary of Measures and Controls to Limit Adverse Impacts During Operation 5-180
Table 5.11-1— Summary of Environmental Impacts of Transportation of Fuel and Waste to and from One Light Water Reactor, taken from 10 CFR 51.52 Table S-4 5-201
Table 5.11-2— Decay Heat for EPR Irradiated Fuel Assembly 5-202
Table 5.11-3— RADTRAN & TRAGIS Model Input Parameters 5-203
Table 5.11-4— Annual EPR Solid Radioactive Waste 5-205
Table 5.11-5— Evaluated Transportation Dose per Shipment Under Normal Conditions 5-206
Table 5.11-6— Evaluated Annual Transportation Dose Under Normal Conditions 5-207
Table 5.11-7— ORIGEN2.1 Decay Heat Input Parameters for EPR Irradiated Fuel 5-208
Table 6.2-1— Effluent Exposure Pathways and Environmental Sampling Media 6-13
Table 6.2-2— Existing Radiological Environmental Monitoring Program for CCNPP 6-14
Table 6.2-3— Existing Environmental Monitoring Sites for CCNPP 6-16
Table 6.2-4— Radiological Environmental Monitoring Program for CCNPP Unit 3 6-17
Table 6.2-5— Radiological Environmental Monitoring Program for the Independent Spent Fuel Storage Installation 6-20
Table 6.2-6— Operational CCNPP Unit 3 Radiological Environmental Monitoring Program Locations 6-21
Table 6.2-7— Lower Limits of Detection (LLD) for Environmental Media 6-23
Table 6.2-8— Environmental Monitoring Sites for the Independent Spent Fuel Storage Installation 6-25
Table 6.2-9— Typical Sample Sizes for Environmental Media 6-27
Table 6.2-10— {Background Radiation (1970-1973) Measured Pre-Operationally at CCNPP} 6-28
Table 6.3-1— CCNPP Units 1 and 2 NPDES Hydrological Monitoring Program 6-38
Table 6.4-1— Tower Instrument Specifications and Accuracies for Meteorological Monitoring Program (Preoperational and Operational) 6-47
Table 6.4-2— Distances from Meteorology Tower to Nearby Obstructions to Air Flow 6-48
Table 6.6-1— NPDES Required Water Sampling Protocol for CCNPP Units 1 and 2 6-67

© 2007-2012 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Table 6.7-1— Thermal Monitoring 6-70
Table 6.7-2— Radiological Monitoring 6-71
Table 6.7-3— Hydrological Monitoring 6-72
Table 6.7-4— Meteorological Monitoring 6-73
Table 6.7-5— Terrestrial Ecology Monitoring 6-74
Table 6.7-6— Aquatic Ecology Monitoring 6-75
Table 6.7-7— Chemical Monitoring 6-77
Table 7.1-1— Design Basis Accidents 7-4
Table 7.1-2— U.S. EPR Design Basis Primary Coolant Activity 7-6
Table 7.1-3— U.S. EPR Design Basis Secondary Coolant Activity 7-8
Table 7.1-4— U.S. EPR Bounding Core Inventory (a,b,c) 7-10
Table 7.1-5— 50th Percentile CCNPP Site Atmospheric Dispersion Factors 7-12
Table 7.1-6— Steam System Piping Failure 7-13
Table 7.1-7— Reactor Coolant Pump Locked Rotor Accident / Broken Shaft 7-14
Table 7.1-8— Failure of Small Lines Carrying Primary Coolant Outside Containment[1] 7-15
Table 7.1-9— Steam Generator Tube Rupture 7-16
Table 7.1-10— Loss of Coolant Accident 7-17
Table 7.1-11— Fuel Handling Accident 7-18
Table 7.1-12— Rod Ejection Accident 7-19
Table 7.1-13— Summary of DBA Radiological Consequences of Offsite Receptors From CCNPP Unit 3 7-20
Table 7.1-14— Radionuclide Releases to Atmosphere for Main Steam Line Break with Pre-Accident Iodine Spike 7-21
Table 7.1-15— Radionuclide Releases to Atmosphere for Main Steam Line Break with Accident-Induced (Coincident) Iodine Spike 7-23
Table 7.1-16— Radionuclide Releases to Atmosphere for Main Steam Line Break with Accident-Induced 3.3% Clad Failure and 0.58% Fuel Overheat 7-25
Table 7.1-17— Radionuclide Releases to Atmosphere for Pump Locked Rotor Accident (LRA) with Accident-Induced 9.5% Clad Failure 7-28
Table 7.1-18— Radionuclide Releases to Atmosphere for Design-Basis Small Line Break - Rupture of 1/4"NSS Sampling Line Outside Primary Containment 7-29
Table 7.1-19— Radionuclide Releases to Atmosphere for SGTR with Pre-Accident Spike 7-30
Table 7.1-20— Radionuclide Releases to Atmosphere for SGTR with Accident-Induced (Coincident) Iodine Spike 7-32
Table 7.1-21— Radionuclide Releases to Atmosphere for Design Basis LOCA 7-34
Table 7.1-22— Radionuclide Releases to Atmosphere for Fuel Handling Accident 7-38
Table 7.1-23— Radionuclide Releases to Atmosphere for Rod Ejection Accident (REA) with Accident-Induced 36.7% Clad Failure 7-39
Table 7.2-1— Release Category Descriptions 7-46
Table 7.2-2— Source Term Release Fractions 7-47
Table 7.2-3— U.S. EPR Severe Accidents Analysis 7-48
Table 7.3-1— Severe Accident Cost Impact for CCNPP Unit 3 7-54
Table 7.3-2— Maximum Benefit for Sensitivity Cases (Point Estimate CDF) 7-55
Table 7.3-3— Maximum Benefit for Sensitivity Cases (Mean Value CDF) 7-56
Table 7.3-4— SAMDA Candidates – Already Implemented 7-57
Table 7.4-1— 10 CFR 51.52 Summary Table S-4 Excerpt Environmental Impact of Transportation of Fuel and Waste to and from One Light-Water-Cooled Nuclear Power Reactor Accidents in Transport 7-65
Table 7.4-2— RADTRAN/TRAGIS Model Irradiated Fuel Input Parameters 7-66
Table 7.4-3— Irradiated Fuel Source Term 7-67
Table 7.4-4— Irradiated Fuel CCNPP Model Accident and Fatality Rates 7-68

© 2007-2012 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Table 7.4-5— Irradiated Fuel and Radioactive Waste Models Severity and Release Fractions 7-69
Table 7.4-6— Irradiated Fuel CCNPP Transportation Injury Rates 7-70
Table 7.4-7— New Fuel CCNPP Transportation Fatality and Injury Rates 7-71
Table 7.4-8— EPR Radwaste Annual Generation 7-72
Table 7.4-9— RADTRAN/TRAGIS Radwaste Model Input Parameters 7-73
Table 7.4-10— Radwaste Annual Source Term 7-74
Table 7.4-11— Radwaste CCNPP Transportation Accident, Fatality and Injury Rates 7-75
Table 7.4-12— Population Dose from Transportation Accidents 7-77
Table 7.4-13— U.S. EPR Summary of Annual Transportation Accident Non-Radiological Impact 7-78
Table 9.2-1— Impacts Comparison Table 9-35
Table 9.2-2— Air Emissions from Alternative Power Generation Facilities 9-36
Table 9.3-1— (Not Used) 9-96
Table 9.3-2— Site Ranking Criteria 9-97
Table 9.3-3— Site Ranking Rationale 9-106
Table 9.3-4— Weighted Scoring of Candidate Site 9-111
Table 9.3-5— Current and Historical Rare, Threatened, and Endangered Species of Cecil County, Maryland 9-112
Table 9.3-6— Current and Historical Rare, Threatened, and Endangered Species of Frederick County, Maryland 9-117
Table 9.3-7— Current and Historical Rare, Threatened, and Endangered Species of St. Mary's County, Maryland 9-120
Table 9.3-8— Comparison of Proposed and Alternative Sites 9-122
Table 9.3-9— Census Block Groups within 50 mi (80 km) of the Bainbridge Naval Training Center with Minority and Low Income Populations 9-123
Table 9.3-10— Census Block Groups within 50 mi (80 km) of EASTALCO with Minority and Low Income Populations 9-124
Table 9.3-11— Census Block Groups within 50 mi (80 km) of Thiokol with Minority and Low Income Populations 9-125
Table 9.3-12— Comparison of Wetland and Waterway Impacts: from Alternative Site Evaluation Reconnaissance Level Data 9-126
Table 9.3-13— Summary of Wetlands on Alternate Sites 9-128
Table 9.3-14— Summary of Waterways on Alternate Sites 9-130
Table 9.4-1— Comparison of Cooling Tower Evaluation Criteria 9-167
Table 9.4-2— Environmental Impacts of Alternative Cooling Tower Systems 9-168
Table 9.4-3— Alternate Intake Systems 9-172
Table 9.4-4— Alternate Discharge Systems 9-174
Table 10.1-1— Construction-Related Unavoidable Adverse Environmental Impacts 10-5
Table 10.1-2— Operations-Related Unavoidable Adverse Environmental Impacts 10-10
Table 10.2-1— Summary of Historical Data – Materials Consumed by Nuclear Power Plant Construction in the United States During the 1970's 10-17
Table 10.2-2— Estimated Inventories of Construction Supplies Based on U.S. Merchant Wholesalers Data in 2002, 2005 and 2006 (USCB, 2006a) 10-18
Table 10.2-3— U.S. Mineral Production in 2000, 2005 and Estimated for 2006 (USCS 2008) 10-19
Table 10.2-4— Percent Capacity Utilization Rates by Industry (USCB 2006b) 10-20
Table 10.4-1— Benefit and Costs of the Proposed Project Summarized 10-30

© 2007-2012 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

List of Figures

Figure 1.2-1— CCNPP Site 50 mi (80 km) Region 1-9
Figure 1.2-2— CCNPP Site 8 mi (13 km) Region 1-10
Figure 1.2-3— General Cooling System Flow Diagram for CCNPP Unit 3 1-11
Figure 1.2-4— Aerial View of CCNPP Units 1 and 2 with CCNPP Unit 3 Superimposed 1-12
Figure 1.2-5— CCNPP Site 500 kV Circuit Corridors 1-13
Figure 2.1-1— CCNPP Site and Proposed New Plant Layout 2-3
Figure 2.1-2— CCNPP Site 50 mi (80 km) Region 2-4
Figure 2.1-3— CCNPP Site 8 mi (13 km) Region 2-5
Figure 2.1-4— Oblique Aerial Photo Showing CCNPP Site 2-6
Figure 2.2-1— Land Use on the CCNPP Site 2-27
Figure 2.2-2— CCNPP 8 mi (13 km) Land Use 2-28
Figure 2.2-3— CCNPP Site Topographic Map 2-29
Figure 2.2-4— Pipeline Corridor in the Vicinity of CCNPP Site 2-30
Figure 2.2-5— CCNPP Site 500 kV Circuit Corridors 2-31
Figure 2.2-6— CCNPP Site and Proposed Corridor 2-32
Figure 2.2-7— CCNPP Site 50 mi (80 km) Region 2-33
Figure 2.2-8— CCNPP Site Land Use in the 50 mi (80 km) Region 2-34
Figure 2.2-9— Major Public and Trust Lands in the 50 mi (80 km) Region 2-35
Figure 2.3-1— Chesapeake Bay Sub-Watersheds and CCNPP Unit 3 Site Locations 2-234
Figure 2.3-2— CCNPP Site Area Topography and Drainage 2-235
Figure 2.3-3— CCNPP Site and Major Drainage Routes 2-236
Figure 2.3-4— CCNPP Unit 3 Utilization Plot Plan 2-237
Figure 2.3-5— Mean, Average Maximum and Average Minimum Monthly Streamflows in the Patuent River at Bowie, MD USGS Station No. 01594440, Patuxent River near Bowie, MA (1977-06-01 through 2005-09-30) 2-238
Figure 2.3-6— Mean, Average Maximum and Average Minimum Monthly Streamflows in the St. Leonard Creek at St. Leonard, MD USGS Station No. 01594800, St. Leonard Creek near St. Leonard, MA (1956-12-01 through 2003-09-30) 2-239
Figure 2.3-7— Flood Insurance Map of Calvert County, Maryland for Portions of Johns Creek 2-240
Figure 2.3-8— Storm Surge Map of Calvert County, Maryland 2-241
Figure 2.3-9— Mean Annual Freshwater Inflow in the Chesapeake Bay 2-242
Figure 2.3-10— Maximum Average and Minimum Mean Monthly Freshwater Inflow in the Chesapeake Bay for the Period from 1951 to 2000 Including Average Annual Freshwater Inflow 2-243
Figure 2.3-11— Chesapeake Bay Reaches for Freshwater Inflow Estimates as Identified by USGS 2-244
Figure 2.3-12— Water Temperature Vertical Variation, Chesapeake Bay Program Monitoring Station CB4.2C for 2004 2-245
Figure 2.3-13— Water Temperature Vertical Variation, Chesapeake Bay Program Monitoring Station CB5.2 for 2004 2-246
Figure 2.3-14— Mean Monthly Water Surface Temperature, Chesapeake Bay Program Station CB5.2 2-247
Figure 2.3-15— Chesapeake Bay Temperature Variation, Plan and Section Views, February 2004 (Maximum Condition) 2-248
Figure 2.3-16— Chesapeake Bay Temperature Variation, Plan and Section Views, May 2004 2-249
Figure 2.3-17— Chesapeake Bay Temperature Variation, Plan and Section Views, August 2004 (Maximum Condition) 2-250
Figure 2.3-18— Salinity Vertical Variation, Chesapeake Bay Program Monitoring Station CB4.2C for 2004 2-251

© 2007-2012 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.3-19— Salinity Vertical Variation, Chesapeake Bay Program Monitoring Station CB5.2C for 2004 2-252
Figure 2.3-20— Mean Monthly Water Surface Salinity, Chesapeake Bay Program Monitoring Station CB5.2 2-253
Figure 2.3-21— Chesapeake Bay Salinity Variation, Plan and Section Views, February 2004 (Minimum Condition) 2-254
Figure 2.3-22— Chesapeake Bay Salinity Variation, Plan and Section Views, May 2004 (Minimum Condition) 2-255
Figure 2.3-23— Chesapeake Bay Salinity Variation, Plan and Section Views, August 2004 (Minimum Condition) 2-256
Figure 2.3-24— Combined Annual Suspended Loads and Relation to Annual Flow from the Susquehanna, Potomac and James Rivers near the Fall Line 2-257
Figure 2.3-25— Estimated Chesapeake Bay Shoreline Erosion Rates near the CCNPP Unit 3 Site 2-258
Figure 2.3-26— Change in the Chesapeake Bay Shoreline Position near the CCNPP Site Between 1848, 1942 and 1993 2-259
Figure 2.3-27— Chesapeake Bay Bathymetry Including the Existing CCNPP Units 1 and 2 Intake Channel 2-260
Figure 2.3-28— Location of CCNPP and 200 Mile Radius from the Plant Site 2-261
Figure 2.3-29— Mid-Atlantic Regional Physiographic Provinces and Hydrostratigraphic Units 2-262
Figure 2.3-30— Schematic Geologic Cross Section through the Mid-Atlantic Region 2-263
Figure 2.3-31— Southern Maryland Schematic Hydrostratigraphic Section 2-264
Figure 2.3-32— Schematic Cross Section of Southern Maryland Hydrostratigraphic Units 2-265
Figure 2.3-33— Potentiometric Surface of the Aquia Aquifer in Southern Maryland, September 2003 2-266
Figure 2.3-34— Potentiometric Surface of the Magothy Aquifer in Southern Maryland, September 2003 2-267
Figure 2.3-35— Potentiometric Surface of the Upper Patapsco Aquifer in Southern Maryland, September 2003 2-268
Figure 2.3-36— Potentiometric Surface of the Lower Patapsco Aquifer in Southern Maryland, September 2003 2-269
Figure 2.3-37— Cross Section and Soil Boring Locations in the Vicinity of CCNPP Unit 3 2-270
Figure 2.3-38— Cross Section A-A' through Proposed Unit 3 Power Block Area 2-271
Figure 2.3-39— Cross Section B-B' through Proposed Unit 3 Power Block Area 2-272
Figure 2.3-40— Groundwater Observation Wells in the Vicinity of CCNPP Unit 3 2-273
Figure 2.3-41— Groundwater Elevations for the Surficial Aquifer, July 2006 through October 2009 ... 2-274
Figure 2.3-42— Water Table Elevation Map and Groundwater Flow Direction for the Surficial Aquifer, July 2006 2-275
Figure 2.3-43— Water Table Elevation Map and Groundwater Flow Direction for the Surficial Aquifer, September 2006 2-276
Figure 2.3-44— Water Table Elevation Map and Groundwater Flow Direction for the Surficial Aquifer, December 2006 2-277
Figure 2.3-45— Water Table Elevation Map and Groundwater Flow Direction for the Surficial Aquifer, March 2007 2-278
Figure 2.3-46— Groundwater Elevations for the Upper Chesapeake Unit, July 2006 through October 2009 2-279
Figure 2.3-47— Potentiometric Surface Elevation Map and Groundwater Flow Directions for the Upper Chesapeake Unit, July 2006 2-281
Figure 2.3-48— Potentiometric Surface Elevation Map and Groundwater Flow Directions for the Upper Chesapeake Unit, September 2006 2-282
Figure 2.3-49— Potentiometric Surface Elevation Map and Groundwater Flow Directions for the Upper Chesapeake Unit, December 2006 2-283

© 2007-2012 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.3-50— Potentiometric Surface Elevation Map and Groundwater Flow Directions for the Upper Chesapeake Unit, March 2007 2-284
Figure 2.3-51— Groundwater Elevations for the Lower Chesapeake Unit, July 2006 through October 2009 2-285
Figure 2.3-52— Potentiometric Surface Elevation Map and Groundwater Flow Directions for the Lower Chesapeake Unit, July 2006 2-286
Figure 2.3-53— Potentiometric Surface Elevation Map and Groundwater Flow Directions for the Lower Chesapeake Unit, September 2006 2-287
Figure 2.3-54— Potentiometric Surface Elevation Map and Groundwater Flow Directions for the Lower Chesapeake Unit, December 2006 2-288
Figure 2.3-55— Potentiometric Surface Elevation Map and Groundwater Flow Directions for the Lower Chesapeake Unit, March 2007 2-289
Figure 2.3-56— Hydrological System of the CCNPP Unit 3 Site Including Consumptive Surface Water Use Information 2-290
Figure 2.3-57— Non-Consumptive Surface Water Use Information 2-291
Figure 2.3-58— US EPA Region 3 Sole Source Aquifiers 2-292
Figure 2.3-59— Projected Location of Nearest Offsite Groundwater Well and Community Water Supply System 2-293
Figure 2.3-60— CCNPP Water Production Wells 2-294
Figure 2.3-61— The Difference Between the Potentiometric Surfaces of the Aquia Aquifier, September 1982 and September 2003, in Southern Maryland 2-295
Figure 2.3-62— The Difference Between the Potentiometric Surfaces of the Magothy Aquifier, September 1975 and September 2003, in Southern Maryland 2-296
Figure 2.3-63— The Difference Between the Potentiometric Surfaces of the Upper Patapsco Aquifier, September 1990 and September 2003, in Southern Maryland 2-297
Figure 2.3-64— The Difference Between the Potentiometric Surfaces of the Lower Patapsco Aquifier, September 1990 and September 2003, in Southern Maryland 2-298
Figure 2.3-65— Calvert County Grouped-Water-Level Monitoring Network, Location of Selected Water Level Monitoring Wells 2-299
Figure 2.3-66— Well Hydrograph for Monitoring Well CA Fd 51 Screened in the Piney Point – Nanjemoy Aquifier at Calvert Cliffs State Park 2-300
Figure 2.3-67— Well Hydrograph Hydrograph for Monitoring Well CA Ed 42 Screened in the Aquia Aquifier at Calvert Cliffs Nuclear Power Plant 2-301
Figure 2.3-68— Well Hydrograph Hydrograph for Monitoring Well CA Dc 35 Screened in the Magothy Aquifier at Scientits Cliffs 2-302
Figure 2.3-69— Well Hydrograph Hydrograph for Monitoring Well CA Db 96 Screened in the Upper Patapsco Aquifier at Prince Frederick 2-303
Figure 2.3-70— Well Hydrograph Hydrograph for Monitoring Well CA Fd 85 Screened in the Lower Patapsco Aquifier at Chesapeake Ranch Estates 2-304
Figure 2.3-71— Modeled Post-Construction Depth to the Water Table Around the Unit 3 Power Block Area 2-305
Figure 2.3-72— Modeled Post-Construction Elevation of the Water Table Around the Unit 3 Power Block Area 2-306
Figure 2.3-73— Chesapeake Bay WQ Monitoring Stations 2-307
Figure 2.3-74— Location of Segments Used for Calculation of Inflow to Chesapeake Bay 2-308
Figure 2.3-75— CNPP Shoreline 2-309
Figure 2.3-76— Sediment Sampling Locations in the Chesapeake Bay Near the CCNPP Barge Slip, September 2006 2-310
Figure 2.3-77— Groundwater Sampling Locations at CCNPP, May 2007 2-311
Figure 2.3-78— Water Table Elevation Map for the Surficial Aquifer, June 2007 2-312
Figure 2.3-79— Water Table Elevation Map for the Surficial Aquifer, December 2007 2-313

© 2007-2012 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.3-80— Water Table Elevation Map for the Surficial Aquifer, July 2008 2-314
Figure 2.3-81— Water Table Elevation Map for the Surficial Aquifer, January 2009 2-315
Figure 2.3-82— Water Table Elevation Map for the Surficial Aquifer, July 2009 2-316
Figure 2.3-83— Potentiometric Surface Elevation Map for the Upper Chesapeake Unit, June 2007 2-317
Figure 2.3-84— Potentiometric Surface Elevation Map for the Upper Chesapeake Unit, December 2007 2-318
Figure 2.3-85— Potentiometric Surface Elevation Map for the Upper Chesapeake Unit, July 2008 2-319
Figure 2.3-86— Potentiometric Surface Elevation Map for the Upper Chesapeake Unit, October 2008 2-320
Figure 2.3-87— Potentiometric Surface Elevation Map for the Upper Chesapeake Unit, April 2009 2-321
Figure 2.3-88— Potentiometric Surface Elevation Map for the Upper Chesapeake Unit, October 2009 2-322
Figure 2.3-89— Potentiometric Surface Elevation Map for the Lower Chesapeake Unit, June 2007 2-323
Figure 2.3-90— Potentiometric Surface Elevation Map for the Lower Chesapeake Unit, December 2007 2-324
Figure 2.3-91— Potentiometric Surface Elevation Map for the Lower Chesapeake Unit, April 2008 2-325
Figure 2.3-92— Potentiometric Surface Elevation Map for the Lower Chesapeake Unit, October 2008 2-326
Figure 2.3-93— Potentiometric Surface Elevation Map for the Lower Chesapeake Unit, April 2009 2-327
Figure 2.3-94— Potentiometric Surface Elevation Map for the Lower Chesapeake Unit, October 2009 2-328
Figure 2.3-95— Proposed Post Construction Observation Well Locations 2-329
Figure 2.4-1— Plant Community (Natural Habitat Map) 2-366
Figure 2.4-2— Approximate Locations of Known Bald Eagle Nests – April 2007 2-367
Figure 2.5-1— CCNPP Site 50 mi (80 km) Vicinity 2-497
Figure 2.5-2— CCNPP Site 10 mi (16 km) Vicinity 2-498
Figure 2.5-3— CCNPP Units 1, 2 and 3 Low Population Zone 2-499
Figure 2.5-4— Black or African American Minority Population 2-500
Figure 2.5-5— Asian Minority Population 2-501
Figure 2.5-6— Some Other Minority Population 2-502
Figure 2.5-7— Aggregate Minority Population 2-503
Figure 2.5-8— Hispanic Ethnicity Minority Population 2-504
Figure 2.5-9— Low Income Population 2-505
Figure 2.6-1— Map of Regional Physiographic Provinces 2-510
Figure 2.6-2— CCNPP Site-Specific Stratigraphic Column 2-511
Figure 2.6-3— CCNPP Site 0.6 MI (1KM) Geologic Map 2-512
Figure 2.7-1— Ozone Concentration for Maryland Counties 2-954
Figure 2.7-2— Annual Average Number of Tornadoes, 1950-1995 2-955
Figure 2.7-3— Average Number of Strong Violent (F2-F5) Tornadoes, 1950-1995 2-956
Figure 2.7-4— Date of Maximum Tornado Threat 2-957
Figure 2.7-5— Five-Year Lightning Flash Density Map 2-958
Figure 2.7-6— CCNPP 33 ft January Precipitation Wind Rose 2-959
Figure 2.7-7— CCNPP 33 ft February Precipitation Wind Rose 2-960
Figure 2.7-8— CCNPP 33 ft March Precipitation Wind Rose 2-961
Figure 2.7-9— CCNPP 33 ft April Precipitation Wind Rose 2-962
Figure 2.7-10— CCNPP 33 ft May Precipitation Wind Rose 2-963
Figure 2.7-11— CCNPP 33 ft June Precipitation Wind Rose 2-964
Figure 2.7-12— CCNPP 33 ft July Precipitation Wind Rose 2-965
Figure 2.7-13— CCNPP 33 ft August Precipitation Wind Rose 2-966
Figure 2.7-14— CCNPP 33 ft September Precipitation Wind Rose 2-967
Figure 2.7-15— CCNPP 33 ft October Precipitation Wind Rose 2-968

© 2007-2012 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.7-16— CCNPP 33 ft November Precipitation Wind Rose 2-969
Figure 2.7-17— CCNPP 33 ft December Precipitation Wind Rose 2-970
Figure 2.7-18— CCNPP 197 ft January Precipitation Wind Rose 2-971
Figure 2.7-19— CCNPP 197 ft February Precipitation Wind Rose 2-972
Figure 2.7-20— CCNPP 197 ft March Precipitation Wind Rose 2-973
Figure 2.7-21— CCNPP 197 ft April Precipitation Wind Rose 2-974
Figure 2.7-22— CCNPP 197 ft May Precipitation Wind Rose 2-975
Figure 2.7-23— CCNPP 197 ft June Precipitation Wind Rose 2-976
Figure 2.7-24— CCNPP 197 ft July Precipitation Wind Rose 2-977
Figure 2.7-25— CCNPP 197 ft August Precipitation Wind Rose 2-978
Figure 2.7-26— CCNPP 197 ft September Precipitation Wind Rose 2-979
Figure 2.7-27— CCNPP 197 ft October Precipitation Wind Rose 2-980
Figure 2.7-28— CCNPP 197 ft November Precipitation Wind Rose 2-981
Figure 2.7-29— CCNPP 197 ft December Precipitation Wind Rose 2-982
Figure 2.7-30— Monthly Average Mixing Heights 2-983
Figure 2.7-31— CCNPP 33 ft Annual Wind Rose 2-984
Figure 2.7-32— CCNPP 33 ft January Wind Rose 2-985
Figure 2.7-33— CCNPP 33 ft February Wind Rose 2-986
Figure 2.7-34— CCNPP 33 ft March Wind Rose 2-987
Figure 2.7-35— CCNPP 33 ft April Wind Rose 2-988
Figure 2.7-36— CCNPP 33 ft May Wind Rose 2-989
Figure 2.7-37— CCNPP 33 ft June Wind Rose 2-990
Figure 2.7-38— CCNPP 33 ft July Wind Rose 2-991
Figure 2.7-39— CCNPP 33 ft August Wind Rose 2-992
Figure 2.7-40— CCNPP 33 ft September Wind Rose 2-993
Figure 2.7-41— CCNPP 33 ft October Wind Rose 2-994
Figure 2.7-42— CCNPP 33 ft November Wind Rose 2-995
Figure 2.7-43— CCNPP 33 ft December Wind Rose 2-996
Figure 2.7-44— CCNPP 197 ft Annual Wind Rose 2-997
Figure 2.7-45— CCNPP 197 ft January Wind Rose 2-998
Figure 2.7-46— CCNPP 197 ft February Wind Rose 2-999
Figure 2.7-47— CCNPP 197 ft March Wind Rose 2-1000
Figure 2.7-48— CCNPP 197 ft April Wind Rose 2-1001
Figure 2.7-49— CCNPP 197 ft May Wind Rose 2-1002
Figure 2.7-50— CCNPP 197 ft June Wind Rose 2-1003
Figure 2.7-51— CCNPP 197 ft July Wind Rose 2-1004
Figure 2.7-52— CCNPP 197 ft August Wind Rose 2-1005
Figure 2.7-53— CCNPP 197 ft September Wind Rose 2-1006
Figure 2.7-54— CCNPP 197 ft October Wind Rose 2-1007
Figure 2.7-55— CCNPP 197 ft November Wind Rose 2-1008
Figure 2.7-56— CCNPP 197 ft December Wind Rose 2-1009
Figure 2.7-57— BWI Annual Wind Rose 2-1010
Figure 2.7-58— Norfolk Annual Wind Rose 2-1011
Figure 2.7-59— Richmond Annual Wind Rose 2-1012
Figure 2.7-60— Maximum Terrain Heights 0-5 Miles Downwind of CCNPP by Compass Sector 2-1013
Figure 2.7-61— Maximum Terrain Heights 0-50 Miles Downwind of CCNPP by Compass Sector 2-1014
Figure 2.7-62— Detailed Topography Within 5 mi (8-km) 2-1015
Figure 2.7-63— Topography Within 50 mi (80 km) 2-1016
Figure 2.7-64— Baseline Sound Survey Measurement Locations 2-1017
Figure 2.7-65— Measured Hourly Residual (L90) Sound Levels at Potentially Sensitive Receptors 2-1018
Figure 2.7-66— Patuxent River NAS Wind Speed Class Frequency Distribution 2-1019

© 2007-2012 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.7-67— Patuxent River NAS Annual Wind Rose 2-1020
Figure 3.1-1— Site Area Topography Map 3-6
Figure 3.1-2— CCNPP Unit 3 Powerblock Layout 3-7
Figure 3.1-3— Aerial View of CCNPP Units 1 and 2 with CCNPP Unit 3 Superimposed 3-8
Figure 3.1-4— Ground Level View Looking South with CCNPP Unit 3 Structures Superimposed 3-9
Figure 3.1-5— Ground Level View Looking North with CCNPP Unit 3 Structures Superimposed 3-10
Figure 3.1-6— Ground Level View Looking East with CCNPP Unit 3 Structures Superimposed 3-11
Figure 3.1-7— Architectural Rendering of CCNPP Unit 3 3-12
Figure 3.2-1— Reactor Power Conversion System 3-16
Figure 3.3-1— Anticipated Water Use Diagram 3-26
Figure 3.4-1— General Cooling System Flow Diagram for CCNPP Unit 3 3-39
Figure 3.4-2— View of Retention Basin for CCNPP Unit 3 3-40
Figure 3.4-3— Circulating Water Intake/Discharge Structure Location Plan for CCNPP Unit 3 3-41
Figure 3.4-4— Plan View of Chesapeake Bay Intake System for CCNPP Unit 3 3-42
Figure 3.4-5— Section View of Chesapeake Bay Intake System for CCNPP Unit 3 3-43
Figure 3.4-6— View of Seal Well for Discharge System for CCNPP Unit 3 3-44
Figure 3.4-7— View of New Discharge Outfall for Discharge System for CCNPP Unit 3 3-45
Figure 3.4-8— Typical Mechanical Draft Tower Sectional View 3-46
Figure 3.5-1— Radwaste Effluent Flow Paths 3-113
Figure 3.5-2— Liquid Radwaste Storage and Processing 3-114
Figure 3.5-3— Liquid Waste Treatment Evaporator and Centrifuge 3-115
Figure 3.5-4— Liquid Waste Treatment Vendor Supplied Demineralizer System 3-116
Figure 3.5-5— Gaseous Waste Processing and Sources 3-117
Figure 3.5-6— Gas Waste Treatment 3-118
Figure 3.5-7— Controlled Area Ventilation Flow Diagram 3-119
Figure 3.5-8— Solid Waste System Flow Diagram 3-125
Figure 3.7-1— CCNPP Site 500 kV Circuit Corridors 3-143
Figure 3.7-2— CCNPP Site Topography and Generalized Transmission Line Corridor 3-144
Figure 4.1-1— CCNPP Site Zoning and Grading Layout 4-9
Figure 4.2-1— Final Site Grading Plan CCNPP Unit 3 4-30
Figure 4.3-1— CCNPP Vegetation Impacts July 2008 4-71
Figure 4.3-2— CCNPP Unit 3 Wetland Impacts 4-72
Figure 4.4-1— CCNPP Traffic Impact Assessment Study Area 4-102
Figure 4.4-2— Cumulative Overlapping 50 mi (80 km) Zones for Nuclear Power Plants Surrounding CCNPP Unit 3 4-103
Figure 4.5-1— Site Layout of CCNPP Units 1, 2, and 3 4-128
Figure 4.5-2— Sources on CCNPP Units 1 and 2 (Part 1 and 2) 4-129
Figure 4.5-3— Sources on CCNPP Units 1 and 2 (Part 2 of 2) 4-130
Figure 4.5-4— Historical ISFSI 2005 TLD Doses Versus Distance 4-131
Figure 4.5-5— Resin Area and ISFSI Historical TLD Readings 4-132
Figure 4.5-6— Resin Area Dose Rate for 2005 4-133
Figure 4.5-7— Dose Rate Estimated in 2015 in Units of mrem per 8760 Hours 4-134
Figure 4.5-8— Bounding Annual Average X/Q in CCNPP Unit 3 Direction 4-135
Figure 4.5-9— ISFSI TLD Locations 4-136
Figure 4.5-10— Annual Gamma Net ISFSI Dose Rate 4-138
Figure 4.5-11— Resin Area TLD Locations 4-139
Figure 5.3-1— CCNPP Unit 3 Thermal Plume Predictions 5-62
Figure 5.3-2— Highest Salt Deposition Rate (lbs/ac/mo) - Calvert Cliffs Nuclear Power Plant 5-63
Figure 5.8-1— Predicted Sound Contours Under Leaf-On Conditions 5-174
Figure 5.8-2— Predicted Sound Contours Under Leaf-Off Conditions 5-175
Figure 6.1-1— Existing Thermal Monitoring Stations for CCNPP 6-6

© 2007-2012 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 6.2-1— CCNPP Sampling Locations 0-2 mi (0-3.2 km) 6-29
Figure 6.2-2— CCNPP Sampling Locations 0-10 mi (0-16 km) 6-30
Figure 6.2-3— CCNPP Independent Spent Fuel Storage Installation Sampling Locations 6-31
Figure 6.2-4— Enlarged Map of CCNPP Independent Spent Fuel Storage Installation Sampling Locations 6-32
Figure 6.2-5— CCNPP Unit 3 Sampling Locations Inside the Protected Area Boundary 6-33
Figure 6.4-1— CCNPP Site Map with Meteorological Tower Location 6-49
Figure 6.4-2— Detailed Topography Within 5 mi (8 km) 6-50
Figure 8.1-1— Power Planning and Plant Construction Approval – Maryland 8-12
Figure 8.2-1— Summer Power Demand 8-18
Figure 9.3-1— Site Selection Process 9-132
Figure 9.3-2— Region of Interest 9-133
Figure 9.3-3— Candidate Area Exclusionary Criteria – Population Center 9-134
Figure 9.3-4— Candidate Area Exclusionary Criteria – Transmission Lines 9-135
Figure 9.3-5— Candidate Area Exclusionary Criteria – Dedicated Lands 9-136
Figure 9.3-6— Candidate Area Exclusionary Criteria – Waterway 9-137
Figure 9.3-7— Candidate Area Exclusionary Criteria – All 9-138
Figure 9.3-8— Candidate Areas 9-139
Figure 9.3-9— Locations of Sites within Candidate Areas 9-140
Figure 9.3-10— Candidate Sites 9-141
Figure 9.3-11— Alternative Sites and Proposed Site 9-142
Figure 9.3-12— Bainbridge Naval Training Center Site Location 9-143
Figure 9.3-13— Bainbridge Naval Training Center Site Vicinity 9-144
Figure 9.3-14— EASTALCO Aluminum Company Site Location 9-145
Figure 9.3-15— EASTALCO Aluminum Company Site Vicinity 9-146
Figure 9.3-16— Former Thiokol Site Location 9-147
Figure 9.3-17— Former Thiokol Site Vicinity 9-148

© 2007-2012 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED