

Michael H. Juba MS CIH
Vice President – Product Safety and Government Affairs



Er. 3

Koppers Inc.
436 Seventh Avenue, Suite 1800
Pittsburgh, Pa. 15219-1800
Tel 412-227-2882
Fax 412-227-2423
jubamh@koppers.com
www.koppers.com

Fax

Date: May 16, 2012

To: Licensing Assistance Team Nuclear Regulatory Commission Region 1 610-337-5269

From: Michael H. Juba

Pages: 11
Including cover

03029384

Subject: Koppers Inc. License Renewal Radioactive Material License #47-16933-02

Application materials for renewal of NRC License #47-16933-02 are attached.

Please contact Michael H. Juba at 412-227-2882 for clarification of information contained in this Application or with additional questions.

Sincerely

Michael H. Juba MS CIH
Vice President – Product Safety and Government Affairs
jubamh@koppers.com
www.koppers.com

577547

| | |
|--|---|
| <p>NRC FORM 313 U.S. NUCLEAR REGULATORY COMMISSION (05-2012) 10 CFR 30, 32, 33, 34, 35, 36, 39, and 40</p> <p style="text-align: center;">APPLICATION FOR MATERIALS LICENSE</p> | <p>APPROVED BY OMB: NO. 3150-0120 EXPIRES: (03/31/2012)</p> <p>Estimated burden per response to comply with this mandatory collection request: 4.3 hours. Submittal of the application is necessary to determine that the applicant is qualified and that adequate procedures exist to protect the public health and safety. Send comments regarding burden estimates to the Information Services Branch (T-5 F53), U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, or by internet e-mail to Infocollects.Resource@nrc.gov, and to the Desk Officer, Office of Information and Regulatory Affairs, NEOB-10202, (3150-0120), Office of Management and Budget, Washington, DC 20503. If a means used to impose an information collection does not display a currently valid OMB control number, the NRC may not conduct or sponsor, and a person is not required to respond to, the information collection.</p> |
|--|---|

INSTRUCTIONS: SEE THE APPROPRIATE LICENSE APPLICATION GUIDE FOR DETAILED INSTRUCTIONS FOR COMPLETING APPLICATION. SEND TWO COPIES OF THE ENTIRE COMPLETED APPLICATION TO THE NRC OFFICE SPECIFIED BELOW.

| | |
|--|---|
| <p>APPLICATION FOR DISTRIBUTION OF EXEMPT PRODUCTS FILE APPLICATIONS WITH:</p> <p>OFFICE OF FEDERAL & STATE MATERIALS AND ENVIRONMENTAL MANAGEMENT PROGRAMS DIVISION OF MATERIALS SAFETY AND STATE AGREEMENTS U.S. NUCLEAR REGULATORY COMMISSION WASHINGTON, DC 20555-0001</p> <p>ALL OTHER PERSONS FILE APPLICATIONS AS FOLLOWS:</p> <p>IF YOU ARE LOCATED IN:</p> <p>ALABAMA, CONNECTICUT, DELAWARE, DISTRICT OF COLUMBIA, FLORIDA, GEORGIA, KENTUCKY, MAINE, MARYLAND, MASSACHUSETTS, NEW HAMPSHIRE, NEW JERSEY, NEW YORK, NORTH CAROLINA, PENNSYLVANIA, PUERTO RICO, RHODE ISLAND, SOUTH CAROLINA, TENNESSEE, VERMONT, VIRGINIA, VIRGIN ISLANDS, OR WEST VIRGINIA,</p> <p>SEND APPLICATIONS TO:</p> <p>LICENSING ASSISTANCE TEAM DIVISION OF NUCLEAR MATERIALS SAFETY U.S. NUCLEAR REGULATORY COMMISSION, REGION I 2100 RENAISSANCE BOULEVARD, SUITE 100 KING OF PRUSSIA, PA 19406-2713</p> | <p>IF YOU ARE LOCATED IN:</p> <p>ILLINOIS, INDIANA, IOWA, MICHIGAN, MINNESOTA, MISSOURI, OHIO, OR WISCONSIN, SEND APPLICATIONS TO:</p> <p>MATERIALS LICENSING BRANCH U.S. NUCLEAR REGULATORY COMMISSION, REGION III 2443 WARRENVILLE ROAD, SUITE 210 LISLE, IL 60532-4352</p> <p>ALASKA, ARIZONA, ARKANSAS, CALIFORNIA, COLORADO, HAWAII, IDAHO, KANSAS, LOUISIANA, MISSISSIPPI, MONTANA, NEBRASKA, NEVADA, NEW MEXICO, NORTH DAKOTA, OKLAHOMA, OREGON, PACIFIC TRUST TERRITORIES, SOUTH DAKOTA, TEXAS, UTAH, WASHINGTON, OR WYOMING,</p> <p>SEND APPLICATIONS TO:</p> <p>NUCLEAR MATERIALS LICENSING BRANCH U.S. NUCLEAR REGULATORY COMMISSION, REGION IV 1600 E. LAMAR BOULEVARD ARLINGTON, TX 76011-4511</p> |
|--|---|

PERSONS LOCATED IN AGREEMENT STATES SEND APPLICATIONS TO THE U.S. NUCLEAR REGULATORY COMMISSION ONLY IF THEY WISH TO POSSESS AND USE LICENSED MATERIAL IN STATES SUBJECT TO U.S. NUCLEAR REGULATORY COMMISSION JURISDICTIONS.

| | |
|--|--|
| <p>1. THIS IS AN APPLICATION FOR (Check appropriate item)</p> <p><input type="checkbox"/> A. NEW LICENSE</p> <p><input type="checkbox"/> B. AMENDMENT TO LICENSE NUMBER</p> <p><input checked="" type="checkbox"/> C. RENEWAL OF LICENSE NUMBER <u>47-16933-20</u> <i>RLJ</i></p> | <p>2. NAME AND MAILING ADDRESS OF APPLICANT (Include ZIP code)</p> <p>Koppers Inc. 436 Seventh Avenue Pittsburgh, PA 15219</p> |
|--|--|

| | |
|---|---|
| <p>3. ADDRESS WHERE LICENSED MATERIAL WILL BE USED OR POSSESSED</p> <p>Koppers Inc. 100 Koppers Road Follansbee, WV 26037</p> | <p>4. NAME OF PERSON TO BE CONTACTED ABOUT THIS APPLICATION</p> <p>Michael H. Juba</p> <p>TELEPHONE NUMBER</p> <p style="text-align: right;">412 227-28</p> |
|---|---|

SUBMIT ITEMS 5 THROUGH 11 ON 8-1/2 X 11" PAPER. THE TYPE AND SCOPE OF INFORMATION TO BE PROVIDED IS DESCRIBED IN THE LICENSE APPLICATION GUIDE.

| | | | |
|---|---|--------------|--------------------|
| <p>5. RADIOACTIVE MATERIAL a. Element and mass number; b. chemical and/or physical form; and c. maximum amount which will be possessed at any one time.</p> <p>7. INDIVIDUAL(S) RESPONSIBLE FOR RADIATION SAFETY PROGRAM AND THEIR TRAINING EXPERIENCE.</p> <p>9. FACILITIES AND EQUIPMENT.</p> <p>11. WASTE MANAGEMENT.</p> | <p>6. PURPOSE(S) FOR WHICH LICENSED MATERIAL WILL BE USED.</p> <p>8. TRAINING FOR INDIVIDUALS WORKING IN OR FREQUENTING RESTRICTED AREAS.</p> <p>10. RADIATION SAFETY PROGRAM.</p> <p>12. LICENSE FEES (See 10 CFR 170 and Section 170.31)</p> <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:70%;">FEE CATEGORY</td> <td style="width:30%;">AMOUNT ENCLOSED \$</td> </tr> </table> | FEE CATEGORY | AMOUNT ENCLOSED \$ |
| FEE CATEGORY | AMOUNT ENCLOSED \$ | | |

13. CERTIFICATION. (Must be completed by applicant) THE APPLICANT UNDERSTANDS THAT ALL STATEMENTS AND REPRESENTATIONS MADE IN THIS APPLICATION ARE BINDING UPON THE APPLICANT.

THE APPLICANT AND ANY OFFICIAL EXECUTING THIS CERTIFICATION ON BEHALF OF THE APPLICANT, NAMED IN ITEM 2, CERTIFY THAT THIS APPLICATION IS PREPARED IN CONFORMITY WITH TITLE 10, CODE OF FEDERAL REGULATIONS, PARTS 30, 32, 33, 34, 35, 36, 39, AND 40, AND THAT ALL INFORMATION CONTAINED HEREIN IS TRUE AND CORRECT TO THE BEST OF THEIR KNOWLEDGE AND BELIEF.

WARNING: 18 U.S.C. SECTION 1001 ACT OF JUNE 25, 1948 62 STAT. 749 MAKES IT A CRIMINAL OFFENSE TO MAKE A WILLFULLY FALSE STATEMENT OR REPRESENTATION TO ANY DEPARTMENT OR AGENCY OF THE UNITED STATES AS TO ANY MATTER WITHIN ITS JURISDICTION.

| | | |
|--|---------------|-------------------|
| CERTIFYING OFFICER - TYPE/PRINTED NAME AND TITLE Michael H. Juba VP Product Safety, Health and Governmental Affairs | SIGNATURE | DATE 5/16/2012 |
|--|---------------|-------------------|

| FOR NRC USE ONLY | | | | | |
|------------------|---------|--------------|-----------------|--------------|----------|
| TYPE OF FEE | FEE LOG | FEE CATEGORY | AMOUNT RECEIVED | CHECK NUMBER | COMMENTS |
| | | | \$ | | |
| APPROVED BY | | | | DATE | |

APPENDIX I

**Application Materials for
Renewal of
NRC License #47-16933-02**

Appendix B: Suggested Format for Providing Information Requested in Items 5 Through 11 of NRC Form 313

Suggested Format for Providing Information Requested in Items 5 Through 11 of NRC Form 313

Table B.1 Items 5 & 6: Materials To Be Possessed and Proposed Uses

| Yes | No | Radioisotope | Manufacturer or Distributor Model No. | Quantity | Use As Listed on SSD Certificate | Specify Other Uses Not Listed on SSD Certificate |
|-----|----|--------------|---|---|--|--|
| | | Cobalt-60 | Sealed source manufacturer or distributor and model number: Device manufacturer or distributor and model number: | Not to exceed either the maximum activity per source or maximum activity per device as specified in Sealed Source and Device Registration Certificate | Yes <input type="checkbox"/> Specific description of the gauge use: | <input type="checkbox"/> Not applicable <input type="checkbox"/> Uses are: (Submit safety analysis supporting safe use) |
| | | Krypton-85 | Sealed source manufacturer or distributor and model number: Device manufacturer or distributor and model number: | Not to exceed either the maximum activity per source or maximum activity per device as specified in Sealed Source and Device Registration Certificate | Yes <input type="checkbox"/> Specific description of the gauge use: | <input type="checkbox"/> Not applicable <input type="checkbox"/> Uses are: (Submit safety analysis supporting safe use) |
| | | Strontium-90 | Sealed source manufacturer or distributor and model number: Device manufacturer or distributor and model number: | Not to exceed either the maximum activity per source or maximum activity per device as specified in Sealed Source and Device Registration Certificate | Yes <input type="checkbox"/> Specific description of the gauge use: | <input type="checkbox"/> Not applicable <input type="checkbox"/> Uses are: (Submit safety analysis supporting safe use) |
| | | Cesium-137 | Sealed source manufacturer or distributor and model number: Device manufacturer or distributor and model number: | Not to exceed either the maximum activity per source or maximum activity per device as specified in Sealed Source and Device Registration Certificate | Yes <input checked="" type="checkbox"/> Specific description of the gauge use: See Attached | <input checked="" type="checkbox"/> Not applicable <input type="checkbox"/> Uses are: (Submit safety analysis supporting safe use) |

| | | | | | | |
|--|--------------------------|---|-------------------------------|---|--|--|
| | | | distributor and model number: | Registration Certificate | _____ | supporting safe use) |
| | Americium-241 | Sealed source manufacturer or distributor and model number: | _____ | Not to exceed either the maximum activity per source or maximum activity per device as specified in Sealed Source and Device Registration Certificate | Yes <input type="checkbox"/> Specific description of the gauge use: | <input type="checkbox"/> Not applicable <input type="checkbox"/> Uses are: _____ (Submit safety analysis supporting safe use) |
| | Other Isotope (Specify): | Sealed source manufacturer or distributor and model number: | _____ | Not to exceed either the maximum activity per source or maximum activity per device as specified in Sealed Source and Device Registration Certificate | Yes <input type="checkbox"/> Specific description of the gauge use: | <input type="checkbox"/> Not applicable <input type="checkbox"/> Uses are: _____ (Submit safety analysis supporting safe use) |
| <i>Financial Assurance Required and Evidence of Financial Assurance Provided</i> | | | | | | |

Table B.2 Items 7 Through 11: Training and Experience, Facilities and Equipment, Radiation Safety Program, and Waste Disposal

| Item No. and Title | Suggested Response | Yes | Alternative Procedures Attached |
|---|---|-------------------------------------|---------------------------------|
| 7. Individual(s) Responsible for Radiation Safety Program and Their Training and Experience 7.1 Radiation Safety Officer Name: <u>Michael H. Juba</u> | Before obtaining licensed materials, the proposed RSO will have successfully completed the training described in Criteria in the section "Individual(s) Responsible for Radiation Safety Program and Their Training and Experience - Radiation Safety Officer" in NUREG-1556, Vol. 4, dated October 1998. AND Before being named as the RSO, future RSOs will have successfully completed the training described in Criteria in the section "Individual(s) Responsible for Radiation Safety Program and Their Training and Experience - Radiation Safety Officer" in NUREG-1556, Vol. 4, | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

| | | | |
|--|--|--|--------------------------|
| | dated October 1998. Within 30 days of naming a new RSO, we will submit the new RSO's name to NRC to include in our license. | | |
| 7. Individual(s) Responsible for Radiation Safety Program and Their Training and Experience 7.2 Authorized Users | PROPOSED AUTHORIZED USERS: Before using licensed materials, authorized users will have successfully completed the training described in Criteria in the section "Authorized Users" in NUREG-1556, Vol. 4, dated October 1998. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 8. Training for Individuals Who in the Course of Employment are Likely to Receive Occupational Doses of Radiation in Excess of 1 mSv (100 mrem) in a Year (Occupationally Exposed Workers) and Ancillary Personnel | The applicant is not required to, and should not, submit is training program, for individuals who in the course of employment are likely to receive occupational doses of radiation in excess of 1 mSv (100 mrem) in a year (occupationally exposed workers) and ancillary personnel, to the NRC for review during the licensing phase. | Need Not Be Submitted with Application | |
| 9. Facilities and Equipment | We will ensure that the location of each fixed gauge meets the Criteria in the section entitled "Facilities and Equipment" in NUREG-1556, Vol. 4, dated October 1998. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 10. Radiation Safety Program - Audit Program | The applicant is not required to, and should not, submit its audit program to the NRC for review during the licensing phase. | Need Not Be Submitted with Application | |
| 10. Radiation Safety Program - Survey Instruments | Surveys pursuant to 10 CFR 20.1501 will be performed by a person specifically authorized by the NRC or an Agreement State to perform these surveys. OR We will use instruments that meet the Criteria in the section entitled "Radiation Safety Program - Instruments," in NUREG-1556, Vol. 4, dated October 1998, and <i>one</i> of the following: Each survey meter will be calibrated by the manufacturer or other person authorized by the NRC or an Agreement State to perform survey meter | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

| | | | |
|--|---|--|--------------------------|
| | <p>calibrations.</p> <p>OR</p> <p>We will implement the model survey instrument calibration program in Appendix I to NUREG-1556, Vol. 4, dated October 1998.</p> | | |
| 10. Radiation Safety Program - Material Receipt and Accountability | Physical inventories will be conducted at intervals not to exceed 6 months or at other intervals approved by the NRC, to account for all sealed sources and devices received and possessed under the license. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 10. Radiation Safety Program - Occupational Dosimetry | We will perform a prospective evaluation demonstrating that unmonitored individuals are not likely to receive, in one year, a radiation dose in excess of 10% of the allowable limits in 10 CFR Part 20 or we will provide dosimetry that meets the Criteria in the section entitled "Radiation Safety Program - Occupational Dosimetry," in NUREG-1556, Vol. 4, dated October 1998. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 10. Radiation Safety Program - Public Dose | The applicant is not required to submit a response to the public dose section during the licensing phase. However, during NRC inspections, licensees must be able to provide documentation demonstrating, by measurement or calculation, that the total effective dose equivalent to the individual likely to receive the highest dose from the licensed operation does not exceed the annual limit for individual members of the public. | Need Not Be Submitted with Application | |
| 10. Radiation Safety Program - Operating and Emergency Procedures | If the gauge meets one or more of the safety conditions specified in "Discussion," in the section entitled "Radiation Safety Program-Operating Emergency Procedures," in NUREG-1556, Vol. 4, dated October 1998 state the following: | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| | Operating and emergency procedures will be developed, implemented, maintained, and distributed, and will meet the Criteria in the section entitled "Radiation Safety Program - Operating | | |

| | | | |
|---|---|---|--|
| | <p>and Emergency Procedures," in NUREG-1556, Vol. 4, dated October 1998.</p> | | |
| | <p>For each gauge requested that does not meet one or more of the safety conditions specified in "Discussion," in the section entitled "Radiation Safety Program-Operating Emergency Procedures," in NUREG 1556, Vol. 4, dated October 1998 provide your operating, emergency and lock-out (if applicable) procedures to NRC for review.</p> | <p><input type="checkbox"/> Procedures Attached</p> | |
| <p>10. Radiation Safety Program - Leak Test</p> | <p>Leak tests will be performed at intervals approved by the NRC or an Agreement State and specified in the Sealed Source and Device Registration Certificate. Leak tests will be performed by an organization authorized by NRC or an Agreement State to provide leak testing services for other licensees or using a leak test kit supplied by an organization authorized by NRC or an Agreement State to provide leak test kits to other licensees and according to the kit supplier's instructions.</p> | <p><input checked="" type="checkbox"/></p> | <p><input type="checkbox"/></p> |
| | <p>OR</p> | | |
| | <p>We will implement the model leak test program published in Appendix M to NUREG-1556, Vol. 4, dated October 1998.</p> | <p><input type="checkbox"/></p> | |
| <p>10. Radiation Safety Program - Maintenance</p> | <p>ROUTINE MAINTENANCE</p> <p>We will implement and maintain procedures for routine maintenance of our fixed gauges according to each manufacturer's or distributor's written recommendations and instructions.</p> | | <p><input type="checkbox"/></p> |
| | <p>NON-ROUTINE MAINTENANCE OPERATIONS</p> <p>The gauge manufacturer, distributor or other person authorized by NRC or an Agreement State will perform non-routine operations such as installation, initial radiation survey, repair, and maintenance of components related to the radiological safety of the gauge, gauge relocation, replacement, and</p> | <p><input checked="" type="checkbox"/></p> | <p><input type="checkbox"/> The information listed in Appendix N supporting a request to perform non-routing operations in-house is attached</p> |

| | | | |
|---|---|--|--------------------------|
| | disposal of sealed sources, alignment, or removal of a gauge from service. | | |
| 10. Radiation Safety Program - Transportation | The applicant is not required to submit its response to transportation during the licensing process; this issue will be reviewed during inspection. However, the licensee should develop, implement, and maintain transportation procedures according to NRC and DOT regulations. | Need Not Be Submitted with Application | |
| 10. Radiation Safety Program - Fixed Gauges Used at Temporary Job Sites | This is not applicable to our program. We will not use fixed gauges at temporary job sites. | <input checked="" type="checkbox"/> Not Applicable | <input type="checkbox"/> |
| | OR | | |
| | We will develop, implement, maintain and distribute procedures that meet the Criteria in the section entitled "Radiation Safety Program - Fixed Gauges Used at Temporary Job Sites" in NUREG-1556, Vol. 4, dated October 1998. | <input type="checkbox"/> | |
| 10. Radiation Safety Program - Minimization of Contamination | The applicant is not required to submit a response to minimization of contamination if the applicant's responses meet the criteria for the following sections: Radioactive Material - Sealed Sources and Devices, Facilities and Equipment, Radiation Safety Program - Operating and Emergency Procedures, Radiation Safety Program - Leak Testing, and Waste Management - Gauge Transfer and Disposal. | Need Not Be Submitted with Application | |
| 11. Waste Management - Gauge Disposal & Transfer | The applicant is not required to submit a response to waste management during the licensing process. However, the licensee should develop, implement, and maintain gauge transfer and disposal procedures in its radiation protection program. | Need Not Be Submitted with Application | |

5. RADIOACTIVE MATERIAL TO BE POSSESSED**ITEM (1)**

- A. Cesium 137
- B. Sealed Source, Nuclear Chicago Model #5178A- Serial #B-80
- C. One (1) source not to exceed 50 millicuries

ITEM (2)

- A. Cesium 137
- B. Sealed Source, Kay Ray Model #7062- Serial #13036
- C. One (1) source not to exceed 50 millicuries

ITEM (3)

- A. Cesium 137
- B. Sealed Sources, Texas Nuclear Model #5206- Serial #B-120 and #B-121
- C. Two (2) sources not to exceed 500 millicuries each

ITEM (4)

- A. Cesium 137
- B. Sealed Sources, Texas Nuclear Model #5205- Serial #B-238 and #B-796
- C. Two (2) sources not to exceed 50 millicuries each

ITEM (5)

- A. Cesium 137
- B. Sealed Sources, Texas Nuclear Model #5200- Serial# B2244, B2245 and #B2246
- C. Three (3) sources not to exceed 50 millicuries each

6. PURPOSE(S) FOR WHICH LICENSED MATERIALS WILL BE USED

- | | | |
|-----------------|---------------------------|---|
| ITEM (1) | LOCATION: DESCRIPTION: | Locked Storage Robertshaw Controls Model 570-57157C CAN Series Level Gauge Texas Nuclear 5178-A source holder Process Control Level Gauge |
| ITEM (2) | LOCATION: DESCRIPTION: | Locked Storage Kay-Ray Model 4800F Single Point Level System Kay-Ray Model 7062P Source Holder Kay-Ray Source Size Model 7700-C Series Process Control Level Gauge |
| ITEM (3) | LOCATION: DESCRIPTION: | #1 Batch Still Column Texas Nuclear CND Series Continuous Level System Texas Nuclear Model #5206 Source Holder Process Control Level Gauge |
| ITEM (4) | LOCATION: DESCRIPTION: | #1 Still Dehydrator and #1 Still Pitch Flash Texas Nuclear CND Series Continuous Level System Texas Nuclear Model #5205 Source Holder Process Control Level Gauge |
| ITEM (5) | LOCATION: DESCRIPTION: | #1 Still Fractionator (#B2245) High Level Gauge Permanent Locked Storage (#B2244 and #B2246) Texas Nuclear CND Series Continuous Level System Texas Nuclear Model #5200 Source Holder Process Control Level Gauge |

LICENSED SEALED SOURCES OF IONIZING RADIATION – PLANT SUMMARY

PLANT: Follansbee, WV

LICENSE #/EXPIRATION DATE: 47-16933-02/May 31, 2012

| Manufacturer | Serial/ Identification # | Isotope | Initial Activity (millicuries) | Current Activity (millicuries) | Location of Device | Current Operating Status | Assay Date |
|-----------------|---|------------|--------------------------------|--------------------------------|------------------------------------|--------------------------|------------|
| Texas Nuclear | Serial # B238 Model #5205 | Cesium 137 | 50 mCi | 28 | #1 Still Dehydrator | Active | 12/86 |
| Texas Nuclear | Serial # B796 Model #5205 | Cesium 137 | 50 mCi | 32 | #1 Still Pitch Flash | Active | 2/93 |
| Texas Nuclear | Serial # B2245 Model #5200 | Cesium 137 | 50 mCi | 31 | #1 Still Fractionator (high level) | Active | 10/91 |
| Texas Nuclear | Serial # B120 Model #5206 | Cesium 137 | 500 mCi | 280 | #1 Batch Still (high level) | Active | 12/86 |
| Texas Nuclear | Serial # B121 Model #5206 | Cesium 137 | 500 mCi | 280 | #1 Batch Still (low level) | Active | 12/86 |
| Texas Nuclear | Serial # B2244 Model #5200 | Cesium 137 | 50 mCi | 31 | LOCKED STORAGE | Inactive | 10/91 |
| Texas Nuclear | Serial # B2246 Model #5200 | Cesium 137 | 20 mCi | 13 | LOCKED STORAGE | Inactive | 7/92 |
| Nuclear Chicago | Serial #B80 Model 5178A Tag #1021 | Cesium 137 | 50 mCi | 22 | LOCKED STORAGE | Inactive | 4/76 |
| Kay Ray | Serial #13036 Model # 7062 | Cesium 137 | 50 mCi | 24 | LOCKED STORAGE | Inactive | 11/80 |

The total activity of all Cesium 137 sealed source level control gauges at the Koppers Follansbee WV Plant equals approximately 0.7 curies

This is to acknowledge the receipt of your letter application dated

5/16/12, and to inform you that the initial processing which includes an administrative review has been performed.

Renewal (47-16933-02)
There were no administrative omissions. Your application was assigned to a technical reviewer. Please note that the technical review may identify additional omissions or require additional information.

Please provide to this office within 30 days of your receipt of this card

A copy of your action has been forwarded to our License Fee & Accounts Receivable Branch, who will contact you separately if there is a fee issue involved.

Your action has been assigned **Mail Control Number** 577547.
When calling to inquire about this action, please refer to this control number.
You may call us on (610) 337-5398, or 337-5260.