

CCNPP3eRAIPEm Resource

From: Arora, Surinder
Sent: Wednesday, May 30, 2012 7:53 AM
To: Infanger, Paul; UNECC3Project@unistarnuclear.com
Cc: CCNPP3eRAIPEm Resource; Segala, John; Downey, Steven; Wilson, Anthony; Vrahoretis, Susan; Terao, David; Hearn, Peter; McLellan, Judith
Subject: CCNPP3 - Draft RAI 357 CIB 6518
Attachments: DRAFT RAI 357 CIB 6518.doc

Paul,

Attached is DRAFT RAI No. 357 (eRAI No. 6518) pertaining to section 5.3.2 of the Calvert Cliffs Unit 3 FSAR. You have until June 13, 2012 to review it and decide whether you need a conference call to discuss the RAI before the final issuance. After the phone call or after June 13, 2012, the RAI will be finalized and sent to you for your response. You will then have 30 days to provide a technically complete response or an expected response date for the RAI.

Thanks

SURINDER ARORA, PE
PROJECT MANAGER,
Office of New Reactors
US Nuclear Regulatory Commission

Phone: 301 415-1421
FAX: 301 415-6406
Email: Surinder.Arora@nrc.gov

Hearing Identifier: CalvertCliffs_Unit3Col_RAI
Email Number: 213

Mail Envelope Properties (B46615B367D1144982B324704E3BCEEDB085D573EF)

Subject: CCNPP3 - Draft RAI 357 CIB 6518
Sent Date: 5/30/2012 7:52:41 AM
Received Date: 5/30/2012 7:52:43 AM
From: Arora, Surinder

Created By: Surinder.Arora@nrc.gov

Recipients:

"CCNPP3eRAIEm Resource" <CCNPP3eRAIEm.Resource@nrc.gov>
Tracking Status: None
"Segala, John" <John.Segala@nrc.gov>
Tracking Status: None
"Downey, Steven" <Steven.Downey@nrc.gov>
Tracking Status: None
"Wilson, Anthony" <Anthony.Wilson@nrc.gov>
Tracking Status: None
"Vrahoretis, Susan" <Susan.Vrahoretis@nrc.gov>
Tracking Status: None
"Terao, David" <David.Terao@nrc.gov>
Tracking Status: None
"Hearn, Peter" <Peter.Hearn@nrc.gov>
Tracking Status: None
"McLellan, Judith" <Judith.McLellan@nrc.gov>
Tracking Status: None
"Infanger, Paul" <paul.infanger@unistarnuclear.com>
Tracking Status: None
"UNECC3Project@unistarnuclear.com" <UNECC3Project@unistarnuclear.com>
Tracking Status: None

Post Office: HQCLSTR01.nrc.gov

Files	Size	Date & Time
MESSAGE	687	5/30/2012 7:52:43 AM
DRAFT RAI 357 CIB 6518.doc		30202

Options

Priority: Standard
Return Notification: No
Reply Requested: No
Sensitivity: Normal
Expiration Date:
Recipients Received:

Request for Additional Information No. 357 (eRAI 6518)
DRAFT
5/30/2012

Calvert Cliffs Unit 3
UniStar

Docket No. 52-016

SRP Section: 05.03.02 - Pressure-Temperature Limits, Upper-Shelf Energy, and Pressurized Thermal Shock

Application Section: 05.03.02

QUESTIONS for Component Integrity Branch (CIB)

05.03.02-3

In a letter dated April 13, 2012, AREVA submitted revised technical report, ANP-10283P, Revision 2, which contains the pressure and temperature (P-T) limit curves based on bounding material properties, and a generic pressure and temperature limits report (PTLR) following the guidelines of Generic Letter 96-03.

The staff requests that the COL applicant confirm the use of the methodology provided in the latest revision of the generic PTLR for the U.S. EPR design (provided by AREVA in technical report ANP-10283P, Rev.2) and revise the Calvert Cliffs Unit 3 R-COLA accordingly.