



FirstEnergy Nuclear Operating Company

76 South Main Street
Akron, Ohio 44308

Peter P. Sena III
President and Chief Operating Officer

June 11, 2012
L-12-178

10 CFR 50.54(f)

ATTN: Document Control Desk
U.S. Nuclear Regulatory Commission
11555 Rockville Pike
Rockville, MD 20852

SUBJECT:

Beaver Valley Power Station, Unit Nos. 1 and 2
Docket No. 50-334, License No. DPR-66
Docket No. 50-412, License No. NPF-73
Davis-Besse Nuclear Power Station
Docket No. 50-346, License No. NPF-3
Perry Nuclear Power Plant
Docket No. 50-440, License No. NPF-58
FENOC Response to NRC Request for Information Pursuant to 10 CFR 50.54(f)
Regarding the Flooding Aspects of Recommendation 2.3 of the Near-Term Task Force
Review of Insights from the Fukushima Dai-ichi Accident

On March 12, 2012, the Nuclear Regulatory Commission (NRC) issued a letter titled, "Request for Information Pursuant to Title 10 of the *Code of Federal Regulations* 50.54(f) Regarding Recommendations 2.1, 2.3, and 9.3 of the Near-Term Task Force Review of Insights from the Fukushima Dai-ichi Accident," to all power reactor licensees and holders of construction permits in active or deferred status. Enclosure 4 of the 10 CFR 50.54(f) letter contains specific Requested Actions, Requested Information, and Required Responses associated with Recommendation 2.3 for Flooding Walkdowns. This letter provides FENOC's 90 day response to the 10 CFR 50.54(f) letter for Beaver Valley Power Station, Unit Nos. 1 and 2 (BVPS), Davis-Besse Nuclear Power Station (DBNPS), and Perry Nuclear Power Plant (PNPP).

For flooding Recommendation 2.3 (walkdowns), Enclosure 4 of the 10 CFR 50.54(f) letter states that each licensee will confirm that it intends to use the NRC-endorsed flooding walkdown procedure or provide a description of the process it will use.

Beaver Valley Power Station, Unit Nos. 1 and 2
Davis-Besse Nuclear Power Station
Perry Nuclear Power Plant
L-12-178
Page 2

FENOC confirms that it intends to use the flooding walkdown procedure (NEI 12-07, *Guidelines for Performing Verification Walkdowns of Plant Flood Protection Features*) endorsed by the NRC as the basis for the flooding walkdowns at BVPS, DBNPS, and PNPP.

This letter contains no new regulatory commitments. Should you have any questions concerning the content of this letter, please contact Mr. Phil H. Lashley, Supervisor – Fleet Licensing, at 330-315-6808.

I declare under penalty of perjury that the foregoing is true and correct. Executed on June 11, 2012.

Respectfully,



Peter P. Sena, III

cc: Director, Office of Nuclear Reactor Regulation (NRR)
NRC Region I Administrator
NRC Region III Administrator
NRC Resident Inspector (BVPS)
NRC Resident Inspector (DBNPS)
NRC Resident Inspector (PNPP)
NRR Project Manager (BVPS)
NRR Project Manager (DBNPS)
NRR Project Manager (PNPP)
Director BRP/DEP
Site BRP/DEP Representative
Utility Radiological Safety Board