

U.S. NUCLEAR REGULATORY COMMISSION

Date: 6/18/2012

TELEPHONE CONVERSATION RECORDMail Control
or Report No(s).

577417

License No(s).

29-13141-06

Docket No(s).

03030808

Name of Licensee: Department of Homeland Security

Name of Participant(s): Curtis Bell, RSO
Dennis Lawyer, R1, DNMS

Telephone No. 609-813-2753

Subject: RAI letter dated June 13, 2012

(NOTE: This will be used as the
Documents Title in ADAMS)

Dr. Bell called me about the Request for Information Letter dated June 13, 2012. He replied verbally to the letter. On item 1, he said that he understood that he needed to convert the generally licensed devices to specifically licensed devices before he changed anything associated with the instruments. On item 2, he stated that he would not need to violate License Condition No. 14 and would maintain the use of the electron capture devices within the specifications of the electron capture device. I then explained that he did not need any additional authorization and that he was already licensed to perform that activity. On number 3, he replied that he didn't have any tritium and that this work would only be with nickel 63 electron capture detector cells.

Action Required: Write Amendment

Document Availability:

 Publicly Available Non-Publicly Available Non-Sensitive
 Sensitive – Privacy Act/ PII
 Immediate Release Non-Sensitive Copyright
 Sensitive – Internal
Normal Release Date: 06/26/2012 Sensitive- Proprietary
 Sensitive – Security-Related
Delayed Release Date:SUNSI Review Completed By: Dennis Lawyer / RA /