

NRR-PMDA-ECapture Resource

From: Paige, Jason
Sent: Wednesday, June 20, 2012 2:22 PM
To: Tomonto, Bob
Subject: ACCEPTANCE REVIEW: Permanent Alternate Repair Criteria (H*) for Steam Generators (ME8715 and ME8716)

SUBJECT: ACCEPTANCE REVIEW: Permanent Alternate Repair Criteria (H*) for Steam Generators (ME8715 and ME8716)

By letter dated April 30, 2012, Florida Power & Light Co. submitted a license amendment for Turkey Point, Units 3 and 4. The purpose of this e-mail is to provide the official results of the U.S. Nuclear Regulatory Commission (NRC) staff's acceptance review of this amendment request, which was provided verbally to your staff on May 7, 2012. The acceptance review was performed to determine if there is sufficient technical information in scope and depth to allow the NRC staff to complete its detailed technical review. The acceptance review is also intended to identify whether the application has any readily apparent information insufficiencies in its characterization of the regulatory requirements or the licensing basis of the plant.

The NRC staff has reviewed your application and concluded that it does provide technical information in sufficient detail to enable the NRC staff to complete its detailed technical review and make an independent assessment regarding the acceptability of the proposed amendment in terms of regulatory requirements and the protection of public health and safety and the environment. Given the lesser scope and depth of the acceptance review as compared to the detailed technical review, there may be instances in which issues that impact the NRC staff's ability to complete the detailed technical review are identified despite completion of an adequate acceptance review. If additional information is needed, you will be advised by separate correspondence.

If you have any questions, please contact me.

Jason Paige, Turkey Point Project Manager
Plant Licensing Branch II-2
Division of Operating Reactor Licensing
Office of Nuclear Reactor Regulation
US Nuclear Regulatory Commission
Phone: (301) 415-5888