

January Rainfall Summary Data by County

Year	Levy	Marion	Citrus	Sumter	Hernando	Lake	Pasco	Polk	Pinellas	Hillsboro	Manatee	Hardee	Highlands	Sarasota	DeSoto	Charlotte
1915	2.20	1.97	0.72	1.52	3.91	1.43	3.74	5.85	5.48	5.03	7.12	6.40	6.70	6.26	5.87	4.68
1916	0.48	0.27	0.45	0.49	0.61	0.52	0.65	0.71	0.37	0.58	0.38	0.14	0.19	0.44	0.03	0.46
1917	0.74	0.58	0.42	0.57	0.74	0.72	1.00	1.10	0.77	1.03	0.69	0.67	0.77	0.61	0.50	0.47
1918	3.32	4.07	3.14	3.33	4.01	2.92	4.25	3.30	3.49	2.82	3.69	3.98	4.09	3.12	3.88	2.28
1919	2.17	2.24	2.17	2.46	2.82	2.72	3.37	2.45	2.62	2.73	2.72	2.14	2.34	2.31	1.90	1.48
1920	2.53	2.21	1.94	2.01	1.87	2.25	1.82	1.60	1.39	2.07	1.82	1.29	1.76	1.57	0.81	0.96
1921	2.46	1.65	1.66	1.44	1.15	1.05	1.36	0.79	1.23	1.21	1.14	0.55	0.63	1.14	0.45	0.95
1922	2.88	2.71	1.56	1.38	1.29	0.71	1.27	0.97	1.42	1.35	2.00	1.96	2.05	2.36	2.05	2.85
1923	1.29	1.40	1.23	1.12	1.38	0.33	1.89	1.28	1.46	1.27	2.86	0.89	0.87	2.11	0.74	0.42
1924	4.70	3.53	3.28	2.76	2.55	1.71	1.89	3.58	2.43	2.68	3.81	3.37	3.49	4.06	3.23	4.27
1925	4.36	3.56	3.95	4.24	5.01	4.49	5.07	5.45	5.72	5.15	4.66	3.67	3.09	4.28	3.87	3.57
1926	6.10	6.03	5.78	5.39	4.84	5.15	3.63	5.65	4.04	5.18	4.65	4.77	3.81	5.05	5.22	5.86
1927	0.16	0.20	0.26	0.22	0.15	0.11	0.24	0.07	0.16	0.08	0.01	0.06	0.10	0.08	0.03	0.20
1928	1.19	0.81	0.81	0.72	0.55	0.69	0.77	0.65	0.82	0.70	0.79	0.34	0.27	0.63	0.31	0.27
1929	5.26	3.20	1.67	2.07	2.71	2.30	3.94	1.92	2.17	3.17	1.83	2.27	1.48	1.95	1.70	2.73
1930	3.35	2.61	2.49	2.29	1.88	2.04	2.29	3.51	2.50	3.02	3.35	3.74	3.72	2.37	2.23	1.35
1931	3.24	3.03	2.90	2.95	2.91	3.05	3.17	2.89	3.36	3.33	3.17	3.90	3.81	3.77	4.51	4.93
1932	1.41	1.04	0.50	0.65	0.61	1.19	0.65	1.44	0.58	1.22	0.75	0.87	0.41	0.70	0.84	0.81
1933	2.57	1.81	1.73	1.77	1.26	2.67	0.94	1.58	0.55	1.01	0.54	1.03	1.77	0.47	0.62	0.64
1934	0.57	0.63	0.98	0.93	0.94	0.72	1.43	1.23	2.12	1.27	3.59	1.10	1.45	3.20	1.04	1.18
1935	1.61	1.70	1.46	1.31	2.03	0.19	1.19	0.48	0.83	0.52	0.59	0.33	0.59	0.54	0.44	0.37
1936	4.61	4.76	5.46	5.04	5.63	3.41	5.30	4.75	4.95	4.42	4.91	4.34	4.03	3.98	2.84	2.35
1937	2.77	2.03	1.29	1.03	0.60	0.00	0.45	0.59	1.15	0.88	0.53	1.83	1.51	0.45	1.36	0.69
1938	2.00	1.32	1.29	1.99	2.13	0.95	1.38	1.47	1.83	1.34	1.50	1.20	1.69	1.76	1.56	2.18
1939	1.56	1.07	1.34	1.43	1.54	0.96	1.26	1.04	1.14	1.13	1.20	1.17	1.18	0.94	1.39	0.48
1940	2.35	2.08	2.75	1.93	2.06	2.30	2.25	4.04	3.65	3.60	3.03	3.50	3.54	2.90	2.67	3.09
1941	3.41	2.85	3.68	4.31	4.95	5.31	6.67	3.70	4.48	3.39	3.05	3.74	4.13	3.02	4.53	3.30
1942	3.44	3.90	4.17	3.90	3.88	3.03	3.62	2.65	3.67	2.95	2.61	3.55	3.80	2.49	2.96	2.52
1943	0.94	0.50	0.28	0.50	0.41	0.93	0.45	0.91	0.42	0.57	0.90	1.40	1.42	0.68	1.99	0.66
1944	3.35	3.10	2.76	3.03	2.98	2.68	3.47	1.18	2.30	1.93	1.36	1.04	1.13	1.23	1.23	1.24
1945	4.41	4.29	3.39	3.01	2.79	2.76	3.49	3.58	3.41	3.43	2.76	2.46	1.70	1.92	1.61	1.80
1946	2.63	3.01	3.68	3.08	3.01	2.65	2.51	1.62	2.78	1.95	1.57	1.21	1.04	1.20	1.64	1.28
1947	1.33	1.13	0.74	0.53	0.60	0.48	0.68	0.84	1.35	1.02	1.11	1.73	1.31	0.95	1.60	1.05
1948	5.86	5.24	5.08	5.85	5.73	5.86	6.78	7.04	9.19	7.94	6.61	4.30	4.84	5.26	4.52	5.45
1949	1.13	0.89	0.76	0.71	0.78	0.25	0.56	0.15	0.47	0.24	0.35	0.18	0.10	0.27	0.02	0.00

January Rainfall Summary Data by County

Year	Levy	Marion	Citrus	Sumter	Hernando	Lake	Pasco	Polk	Pinellas	Hillsboro	Manatee	Hardee	Highlands	Sarasota	DeSoto	Charlotte
1950	0.06	0.04	0.00	0.02	0.00	0.05	0.01	0.04	0.00	0.03	0.01	0.05	0.00	0.00	0.00	0.00
1951	0.86	0.86	0.54	1.00	0.55	0.67	0.56	0.34	0.76	0.54	0.55	0.40	0.23	0.39	0.39	0.12
1952	0.70	0.74	0.62	0.64	0.67	1.06	0.88	0.84	1.21	0.93	0.99	1.29	1.31	0.77	1.55	1.22
1953	4.34	3.42	2.49	2.52	2.01	2.43	2.33	3.08	3.73	3.64	4.87	2.98	2.78	3.82	2.33	2.25
1954	1.02	1.15	1.47	0.99	0.86	0.85	0.68	1.41	1.85	1.33	2.63	1.54	1.00	2.35	0.81	0.41
1955	3.18	2.90	2.79	2.39	2.74	1.93	2.01	2.34	2.75	2.41	2.09	2.45	2.51	1.84	2.04	1.36
1956	2.95	2.46	2.31	2.97	3.07	1.73	1.68	0.90	0.79	1.29	0.65	0.57	0.54	1.39	1.18	0.96
1957	0.60	0.74	0.68	0.89	0.77	1.52	1.73	2.40	1.94	2.03	2.04	2.81	2.05	1.76	1.98	1.30
1958	4.35	4.73	6.21	5.74	5.68	4.29	5.61	6.03	5.53	5.51	7.05	7.49	7.07	8.09	7.66	7.12
1959	3.88	3.99	4.31	4.25	6.63	4.76	4.28	3.78	4.29	4.71	4.10	2.21	1.48	3.21	2.16	3.44
1960	2.42	1.73	1.74	1.68	1.64	1.25	1.57	1.15	1.68	1.52	1.27	0.71	0.56	1.27	0.86	1.06
1961	4.09	2.79	2.38	2.14	2.96	2.36	1.39	1.86	1.95	1.91	2.62	2.75	3.00	3.05	4.72	4.42
1962	1.47	1.46	1.71	1.83	1.79	2.37	1.75	1.47	1.78	1.43	1.53	1.16	1.06	1.69	1.09	1.09
1963	3.41	3.41	5.91	3.87	3.29	4.72	3.95	2.28	2.99	2.59	2.73	2.24	1.62	2.33	2.11	1.78
1964	10.86	7.65	6.32	6.52	7.39	7.69	5.45	5.08	4.40	5.20	3.77	3.09	2.63	3.40	2.51	1.98
1965	2.46	2.52	2.00	2.18	2.06	2.78	2.64	1.71	1.50	1.82	1.63	1.32	0.60	1.30	0.74	1.04
1966	3.57	3.20	3.43	3.88	4.09	5.44	4.86	5.94	4.14	4.99	6.02	5.82	4.51	6.18	4.01	5.14
1967	3.30	2.87	2.54	1.95	2.29	1.27	1.64	0.91	1.55	1.32	1.06	0.62	0.72	0.92	0.78	0.72
1968	0.77	0.90	1.38	0.88	0.90	0.75	1.61	0.40	0.69	0.46	0.31	0.56	0.66	0.18	0.35	0.16
1969	1.94	1.88	2.15	2.01	1.37	1.51	1.91	3.35	2.68	2.63	3.09	2.53	1.44	2.28	1.67	0.80
1970	4.87	4.13	4.06	4.35	4.62	4.64	4.12	2.76	3.23	2.93	2.45	3.02	3.60	3.00	4.36	4.74
1971	4.01	2.45	3.12	3.55	2.66	2.05	2.25	0.63	1.37	1.02	0.59	0.33	0.45	0.50	0.24	0.58
1972	3.45	3.11	2.66	2.34	1.79	1.41	1.30	1.39	1.44	1.31	1.04	0.76	1.18	1.13	0.47	0.68
1973	3.60	4.25	3.85	5.90	4.55	5.09	5.28	6.61	5.63	6.49	6.46	6.62	5.33	7.16	6.27	6.42
1974	0.17	0.13	0.36	0.31	0.71	0.52	0.57	0.67	0.22	0.53	0.04	0.13	0.45	0.19	0.09	0.82
1975	4.19	3.08	3.31	2.22	2.45	2.58	3.08	1.39	2.21	1.45	0.72	0.57	0.61	0.57	0.63	0.75
1976	2.31	2.02	2.19	1.87	1.92	0.60	1.60	0.58	0.60	0.57	1.02	0.75	0.31	0.90	0.36	0.18
1977	4.57	4.40	4.37	4.66	3.77	3.51	3.43	2.78	3.61	2.77	2.19	2.12	1.99	2.51	2.18	2.69
1978	8.62	7.16	5.83	4.36	5.39	3.39	4.19	2.95	3.67	3.39	3.36	2.64	2.32	3.37	2.62	2.78
1979	11.20	9.28	7.54	5.49	6.22	7.09	5.85	6.90	6.78	6.31	7.71	7.31	7.02	7.72	6.03	7.46
1980	7.31	6.82	5.35	3.75	2.81	1.71	2.28	3.22	2.45	2.61	2.93	2.59	2.52	2.91	2.23	2.68
1981	1.26	0.93	0.88	0.58	0.75	0.61	0.67	0.49	0.76	0.50	0.72	0.52	0.34	0.66	0.31	0.50
1982	3.05	2.42	3.20	3.29	3.59	2.75	4.26	1.58	2.50	2.42	1.54	1.36	1.78	1.62	1.57	1.45
1983	3.93	3.84	2.45	2.81	2.20	3.09	2.77	2.52	2.59	2.14	2.24	3.63	3.87	3.08	4.29	3.78
1984	2.69	3.15	2.24	2.07	2.17	1.73	2.44	1.30	2.28	1.79	1.38	0.90	0.76	1.12	0.79	1.20

January Rainfall Summary Data by County

Year	Levy	Marion	Citrus	Sumter	Hernando	Lake	Pasco	Polk	Pinellas	Hillsboro	Manatee	Hardee	Highlands	Sarasota	DeSoto	Charlotte
1985	2.21	1.75	1.85	1.51	2.07	1.33	1.73	1.15	1.91	2.09	2.33	0.87	0.68	1.46	0.48	1.26
1986	7.18	7.44	6.75	6.91	5.28	6.95	6.19	3.39	3.14	3.13	2.44	2.06	1.78	1.68	1.36	1.54
1987	3.12	3.40	3.68	4.32	3.82	2.90	4.38	2.10	3.87	3.16	2.57	2.82	2.86	3.02	2.05	2.63
1988	5.44	5.92	7.00	5.39	6.17	4.76	4.38	2.95	3.44	3.59	3.14	3.46	3.61	2.94	3.94	3.35
1989	1.54	1.68	1.94	2.59	3.00	3.90	3.31	2.96	3.08	3.03	2.38	1.93	2.64	2.30	1.98	2.45
1990	1.70	1.95	2.91	2.24	2.24	0.94	1.30	0.30	0.73	0.42	0.19	0.19	0.66	0.11	0.06	0.09
1991	6.36	4.76	3.70	3.01	3.13	4.27	3.25	2.87	4.08	3.20	4.00	3.06	4.30	5.73	4.64	7.03
1992	3.60	3.55	2.36	1.89	2.01	1.67	2.07	1.18	1.79	1.48	0.74	0.75	0.72	0.77	0.48	0.77
1993	3.52	4.39	4.20	4.18	3.96	5.36	3.91	5.72	4.44	5.77	7.17	5.85	5.12	6.62	4.94	5.04
1994	8.89	9.64	9.63	7.31	7.42	5.21	5.70	4.04	4.41	4.16	3.97	2.59	2.86	3.71	2.50	2.60
1995	4.33	4.43	5.65	3.49	4.34	2.54	3.99	2.70	4.55	3.43	3.12	2.58	2.28	3.12	2.32	3.25
1996	2.28	3.30	2.79	3.96	3.97	4.74	4.49	5.55	4.44	5.22	4.03	3.42	3.14	3.86	3.07	2.59
1997	2.52	2.01	1.82	1.79	2.10	1.15	1.92	1.34	1.26	1.40	1.53	1.65	1.88	1.60	1.70	1.43
1998	3.69	3.86	3.55	4.86	4.36	7.92	4.87	3.85	4.18	4.26	6.96	5.99	4.58	5.48	4.27	4.22
1999	4.97	5.51	4.73	4.70	4.44	4.11	3.57	3.88	3.40	3.69	3.87	3.55	2.81	4.35	2.88	2.77
2000	2.52	1.94	1.57	1.22	1.25	1.41	1.17	1.13	1.04	1.20	0.79	1.31	1.46	1.06	1.30	1.17
2001	1.89	2.17	2.73	1.90	2.47	1.57	1.35	0.59	0.67	0.63	0.27	0.39	0.32	0.19	0.21	0.18
2002	3.79	4.30	4.01	3.56	3.28	2.70	2.74	1.72	2.03	1.77	1.99	1.97	1.81	2.40	1.96	1.75
2003	0.15	0.17	0.17	0.18	0.11	0.30	0.10	0.31	0.02	0.06	0.10	0.19	0.37	0.05	0.22	0.23
2004	1.72	1.90	2.56	2.71	2.91	2.89	3.88	3.15	3.82	4.07	2.05	1.89	1.48	1.65	2.12	2.26
2005	1.00	0.99	1.08	1.39	1.35	1.07	1.36	2.27	1.25	1.52	2.02	2.05	1.31	1.79	1.63	1.33
2006	1.44	1.05	1.28	0.90	1.23	0.60	1.13	0.68	1.35	1.07	1.07	0.50	0.47	0.58	0.52	0.59
2007	3.76	2.61	1.68	1.28	1.16	1.65	1.39	1.66	1.92	2.16	2.05	1.58	0.99	1.53	1.17	1.05
2008	3.58	3.11	3.74	3.51	3.94	4.09	4.78	3.29	3.81	3.56	2.78	1.53	1.39	2.77	1.77	1.98
2009	3.10	2.69	2.16	1.58	1.52	1.91	1.78	1.98	1.86	2.03	1.61	1.49	0.98	0.81	0.61	0.61
2010	3.83	4.55	3.87	3.67	3.37	4.03	4.25	2.81	3.94	3.66	2.78	2.20	1.77	2.76	1.94	1.96
MIN	0.06	0.04	0.00	0.02	0.00	0.00	0.01	0.04	0.00	0.03	0.01	0.05	0.00	0.00	0.00	0.00
MEAN	3.15	2.89	2.77	2.62	2.68	2.49	2.64	2.34	2.50	2.42	2.41	2.15	2.04	2.28	2.00	2.02
MAX	11.20	9.64	9.63	7.31	7.42	7.92	6.78	7.04	9.19	7.94	7.71	7.49	7.07	8.09	7.66	7.46

February Rainfall Summary Data by County

Year	Levy	Marion	Citrus	Sumter	Hernando	Lake	Pasco	Polk	Pinellas	Hillsboro	Manatee	Hardee	Highlands	Sarasota	DeSoto	Charlotte
1915	2.90	2.43	0.98	2.47	5.34	3.59	6.37	5.00	4.33	5.09	6.39	3.59	4.01	4.85	2.71	1.62
1916	0.46	0.71	0.73	0.68	1.05	0.27	0.59	0.18	0.93	0.62	0.77	0.07	0.12	0.65	0.02	0.27
1917	2.09	1.76	1.11	1.32	1.46	1.33	2.70	1.67	1.90	1.99	1.29	1.60	1.17	1.12	1.95	1.04
1918	0.61	1.32	0.38	0.69	2.01	0.24	0.87	0.43	0.17	0.10	0.18	0.20	0.22	0.21	0.06	0.24
1919	3.93	3.28	3.39	3.74	3.50	4.90	4.45	5.01	4.79	6.08	4.01	4.15	4.18	3.72	3.88	3.34
1920	5.25	5.24	3.05	3.35	3.00	4.13	2.87	3.67	2.49	3.77	4.00	2.41	2.45	3.59	2.12	2.50
1921	1.11	1.52	1.73	1.66	1.95	1.11	1.98	2.14	2.08	2.70	3.94	3.27	2.44	2.98	3.93	1.45
1922	2.93	2.22	1.46	1.73	1.49	3.21	0.75	2.04	0.77	1.97	0.67	2.08	2.50	1.19	1.70	2.24
1923	1.51	1.73	1.23	1.21	1.30	0.95	1.14	1.03	1.33	0.69	1.06	1.30	1.30	1.01	1.29	1.00
1924	3.71	4.29	4.28	4.17	4.51	3.45	4.05	4.51	4.58	4.64	5.71	5.30	3.34	5.32	6.72	4.97
1925	2.26	1.65	1.22	1.25	1.18	1.51	1.36	1.46	1.97	1.69	2.73	2.23	3.11	2.54	1.62	1.93
1926	1.64	1.76	2.02	2.03	2.30	1.60	2.63	1.89	1.33	1.11	0.99	0.91	0.87	0.72	0.61	0.29
1927	4.33	3.48	2.68	2.98	3.03	3.75	3.29	2.59	3.96	3.59	2.55	1.98	1.89	2.38	2.07	2.03
1928	2.10	1.45	1.40	1.29	1.27	1.13	1.11	1.10	1.19	1.18	2.09	1.02	1.23	1.62	0.82	0.57
1929	1.73	1.76	1.13	1.10	1.54	0.57	1.34	1.98	1.65	1.81	3.53	1.05	0.83	2.71	0.46	0.11
1930	2.82	2.66	3.21	3.31	3.10	4.07	2.68	4.21	4.08	4.07	4.31	3.95	4.09	3.89	3.71	3.01
1931	2.09	1.26	1.14	1.28	1.71	1.35	1.79	1.62	1.87	1.73	2.66	2.19	2.23	3.62	2.25	4.72
1932	1.78	2.07	1.74	1.56	2.46	0.26	1.30	0.17	1.07	0.31	0.20	0.26	0.76	0.13	0.61	0.07
1933	3.54	4.02	3.24	3.23	3.21	3.18	3.63	2.88	4.11	3.58	3.74	2.15	2.29	3.11	1.53	1.37
1934	4.45	3.80	3.24	3.86	4.59	4.85	5.51	3.37	4.51	3.64	3.14	2.47	3.17	3.21	2.89	3.16
1935	2.08	2.27	2.91	3.00	2.90	3.82	1.61	0.99	0.88	1.54	1.13	1.71	1.45	1.40	2.57	2.03
1936	7.32	7.91	6.84	6.86	7.47	5.65	8.31	8.40	8.30	8.47	7.61	8.97	8.20	8.92	9.72	11.96
1937	5.03	5.22	5.55	5.48	5.85	5.67	8.60	6.33	10.00	8.74	6.25	5.63	4.35	5.71	6.64	5.06
1938	1.53	0.74	0.12	0.56	0.54	0.29	0.50	0.93	0.94	1.02	1.10	1.06	1.18	0.73	0.50	0.06
1939	3.47	2.13	1.45	0.66	0.53	1.14	0.74	0.81	0.78	0.78	0.71	1.05	1.08	0.69	0.97	0.75
1940	4.30	3.94	3.93	3.60	4.13	3.53	4.62	4.00	5.76	4.73	4.06	4.28	3.33	4.20	4.34	4.41
1941	3.65	4.37	4.56	4.54	4.26	4.76	3.64	3.43	2.70	3.13	2.78	2.65	3.08	3.26	2.66	3.93
1942	3.81	3.31	2.76	2.87	2.82	2.94	3.50	3.93	3.00	4.00	5.50	4.98	5.59	4.91	4.23	3.60
1943	0.54	0.79	1.37	0.62	0.59	0.55	1.02	0.80	0.99	0.89	1.09	0.60	0.44	1.02	0.60	0.64
1944	1.44	1.05	1.26	0.90	1.03	0.27	0.86	0.42	0.51	0.43	0.28	0.80	0.61	0.32	1.43	0.88
1945	1.03	0.54	0.23	0.32	0.47	0.17	0.36	0.15	0.50	0.43	0.30	0.21	0.08	0.36	0.39	0.27
1946	3.95	5.82	8.29	6.00	6.35	3.88	5.67	3.74	6.36	5.11	3.75	2.83	1.95	3.06	2.60	2.33
1947	4.99	4.89	5.81	5.45	4.75	4.27	4.14	4.40	4.11	4.73	5.10	3.70	3.75	4.13	3.18	2.55
1948	1.38	1.00	0.71	0.45	0.99	0.33	0.69	0.71	1.01	1.02	0.71	0.83	0.67	0.55	1.25	0.75
1949	4.30	2.20	1.32	1.19	2.31	0.85	1.23	0.42	0.66	0.43	0.25	0.34	0.08	0.23	0.23	0.27

February Rainfall Summary Data by County

Year	Levy	Marion	Citrus	Sumter	Hernando	Lake	Pasco	Polk	Pinellas	Hillsboro	Manatee	Hardee	Highlands	Sarasota	DeSoto	Charlotte
1950	0.62	0.67	0.72	0.46	0.60	0.29	0.27	0.34	0.41	0.25	0.26	0.35	0.64	0.10	0.17	0.01
1951	1.54	1.97	1.92	1.87	2.05	1.69	2.39	2.24	1.87	2.29	1.76	1.92	2.52	1.95	1.40	1.74
1952	7.70	8.72	9.99	7.66	9.09	5.32	6.03	4.51	4.87	4.26	4.29	4.94	4.56	4.41	4.63	4.51
1953	1.50	2.41	3.00	2.38	2.48	2.22	3.29	2.75	3.13	3.29	3.57	2.47	2.45	4.17	2.29	1.94
1954	1.37	1.81	2.32	1.55	1.64	2.12	1.58	1.88	2.18	1.84	1.96	2.63	2.20	1.72	2.70	2.07
1955	2.67	2.24	2.67	2.45	2.87	1.04	1.43	1.45	2.68	2.07	1.65	1.25	0.94	2.18	1.07	1.15
1956	3.05	2.42	1.06	1.92	1.42	1.71	3.08	1.10	1.85	2.19	2.02	1.14	0.90	1.65	0.60	2.38
1957	2.13	2.23	2.36	2.20	2.66	2.12	3.08	4.42	3.21	4.28	5.39	4.82	3.82	5.56	4.37	3.44
1958	4.47	3.35	3.39	4.55	3.33	4.20	4.22	3.71	4.44	4.21	3.93	3.61	2.76	3.72	2.00	1.78
1959	3.08	2.41	2.12	2.95	3.28	4.41	2.75	3.63	2.53	2.53	3.00	2.70	2.66	3.16	2.19	3.62
1960	4.24	5.58	6.14	6.04	5.26	5.47	4.93	5.31	4.11	4.67	5.22	5.46	5.58	4.67	4.93	4.43
1961	5.31	3.64	2.17	2.46	1.71	3.27	2.53	3.14	2.72	2.93	3.51	2.88	1.49	3.87	1.26	1.76
1962	0.75	1.20	2.30	3.26	2.60	2.23	1.00	1.21	1.33	1.54	0.87	0.90	1.00	0.94	1.41	0.71
1963	5.57	5.18	5.04	6.09	5.73	6.66	6.51	7.65	7.40	8.06	8.51	7.06	6.35	6.44	5.85	5.67
1964	6.60	5.64	5.20	4.79	4.21	5.22	5.00	4.74	5.64	5.32	5.29	5.22	3.98	4.88	6.49	4.99
1965	5.94	5.52	3.97	4.00	4.45	4.11	2.73	3.90	2.51	2.86	3.45	3.90	3.28	3.56	3.67	3.18
1966	6.37	5.60	4.00	5.88	5.08	6.79	5.49	4.41	3.12	3.27	2.28	4.74	5.65	2.88	3.82	2.89
1967	5.67	5.25	4.85	4.39	5.18	5.67	4.95	4.20	3.72	4.17	4.01	3.18	2.92	3.58	3.62	2.76
1968	2.26	2.40	2.54	1.89	2.61	2.24	2.02	2.12	1.70	1.87	1.74	1.83	1.51	1.25	1.84	1.82
1969	4.84	3.49	3.67	3.94	4.53	3.06	1.74	1.71	1.49	2.09	2.27	2.05	1.76	2.19	2.13	2.35
1970	7.65	5.91	5.45	5.69	5.58	4.92	5.40	2.79	4.97	3.63	2.51	2.59	2.73	2.03	2.76	1.52
1971	5.47	5.77	5.79	6.15	6.43	4.10	6.62	5.28	5.73	4.65	4.10	3.48	2.15	2.75	2.64	1.94
1972	4.51	4.05	5.45	5.42	5.22	5.28	5.38	6.15	6.84	6.54	5.89	4.26	3.49	4.87	2.43	2.33
1973	2.90	2.70	2.70	3.82	3.24	2.17	3.06	2.63	2.92	2.69	2.24	2.07	1.80	1.92	0.94	2.16
1974	2.13	2.11	2.33	2.01	2.88	1.20	1.90	1.65	1.20	1.21	1.68	1.35	1.83	1.68	1.42	0.20
1975	4.47	5.16	3.26	2.60	2.54	2.33	2.93	2.46	2.90	2.10	1.83	1.50	1.21	1.65	0.91	1.21
1976	1.21	0.87	0.81	0.64	0.77	0.57	0.63	0.98	0.58	0.44	0.38	0.85	0.92	0.80	1.21	1.40
1977	4.19	3.79	3.55	3.14	2.48	2.60	3.17	2.71	3.18	2.55	1.83	1.59	1.11	1.07	0.99	1.16
1978	8.61	10.21	6.98	6.54	5.92	7.22	6.34	4.69	6.53	5.35	5.02	3.33	3.75	4.99	3.97	3.84
1979	3.21	3.80	2.25	2.02	2.05	2.37	3.07	1.81	2.51	3.13	1.84	1.47	1.17	1.49	2.04	1.71
1980	1.48	1.51	1.49	1.37	1.26	1.63	1.52	2.47	2.29	2.20	3.17	3.11	3.50	1.99	1.90	1.91
1981	4.46	2.87	3.16	3.31	3.60	5.62	3.74	3.88	5.06	4.98	4.52	4.26	3.42	4.96	3.47	2.86
1982	3.03	2.97	3.54	4.80	3.63	5.50	3.43	2.04	2.13	3.02	2.59	2.72	1.83	2.07	3.49	3.67
1983	5.79	5.11	5.97	7.68	7.73	9.79	8.58	8.93	8.74	9.09	9.17	8.27	10.48	9.29	10.84	11.94
1984	5.17	5.06	4.81	4.27	5.67	4.19	4.87	3.53	4.08	3.53	2.80	3.25	3.90	3.02	3.87	3.74

February Rainfall Summary Data by County

Year	Levy	Marion	Citrus	Sumter	Hernando	Lake	Pasco	Polk	Pinellas	Hillsboro	Manatee	Hardee	Highlands	Sarasota	DeSoto	Charlotte
1985	1.86	1.25	0.94	1.33	1.27	1.64	1.59	1.24	2.13	1.88	1.14	0.78	0.50	0.91	0.84	1.34
1986	3.39	3.41	3.45	4.10	2.28	1.80	2.52	2.20	1.93	2.37	1.92	1.43	1.14	1.88	1.06	1.32
1987	4.71	4.49	3.53	3.45	2.45	2.82	2.48	1.87	1.71	2.13	1.72	1.59	1.09	1.68	1.13	2.23
1988	3.97	4.08	3.39	2.70	2.28	1.12	2.02	1.95	1.88	1.99	2.45	2.92	3.20	2.37	2.56	2.56
1989	0.78	1.04	0.73	0.64	0.75	0.27	0.63	0.14	0.31	0.16	0.17	0.35	0.61	0.25	0.79	0.80
1990	4.05	4.46	4.73	3.89	4.14	3.80	4.08	3.76	5.27	3.85	3.83	4.31	3.76	3.00	3.28	2.76
1991	1.12	1.23	1.41	0.81	0.92	0.76	0.70	0.85	0.64	0.74	1.48	1.29	1.84	2.60	2.31	2.29
1992	3.47	4.13	3.03	2.74	3.46	4.32	3.40	4.23	4.12	4.86	5.75	4.66	4.26	4.78	3.42	4.05
1993	5.00	4.80	3.81	2.90	2.72	2.75	2.71	2.19	2.56	2.55	2.45	2.36	3.07	2.85	2.92	2.52
1994	1.17	1.45	1.26	1.36	1.11	2.28	0.94	1.92	0.58	1.01	0.98	2.03	2.01	0.81	2.08	0.95
1995	1.06	1.38	1.26	1.41	1.36	1.29	1.40	1.86	1.95	1.83	2.52	1.86	2.67	2.33	2.26	2.96
1996	1.22	1.15	1.85	2.03	2.60	2.39	3.23	1.95	3.05	2.58	1.28	1.34	1.66	1.10	1.24	0.65
1997	1.00	1.20	1.28	0.96	1.11	0.75	1.08	1.17	0.33	0.76	1.09	0.52	1.47	0.99	1.04	1.65
1998	10.74	9.34	7.21	11.00	8.34	10.63	10.96	8.72	11.37	9.95	8.24	8.03	8.06	7.75	5.75	5.51
1999	1.17	0.95	0.55	0.53	0.58	0.62	0.31	0.71	0.14	0.30	0.24	2.02	0.66	0.11	0.11	0.05
2000	0.98	0.93	1.26	0.90	0.75	0.45	0.53	0.31	0.30	0.34	0.27	0.17	0.31	0.40	0.23	0.35
2001	0.88	0.84	0.40	0.40	0.48	0.69	0.73	0.29	0.72	0.50	0.02	0.03	0.08	0.01	0.01	0.01
2002	1.43	1.95	2.40	2.69	2.70	2.75	2.67	3.61	2.78	3.29	4.10	4.45	3.27	4.35	3.26	2.75
2003	4.65	5.16	6.24	4.65	5.46	2.74	4.27	2.59	3.71	3.23	2.01	1.28	0.72	1.18	0.61	0.41
2004	5.88	5.21	5.00	5.27	6.48	4.41	5.08	3.49	4.39	4.04	4.11	3.47	3.40	4.17	4.21	4.54
2005	2.04	2.03	1.77	1.57	1.88	1.74	2.23	3.24	2.04	2.23	4.35	4.13	2.92	3.73	2.42	2.32
2006	5.69	6.01	4.43	3.88	4.16	3.63	3.75	3.05	5.24	4.30	2.99	3.88	3.55	3.06	3.88	4.00
2007	5.01	4.51	2.84	1.93	1.73	1.50	1.47	2.16	1.71	2.06	1.97	1.70	1.44	2.03	1.50	1.15
2008	3.59	4.70	4.18	3.27	2.34	2.19	3.03	1.91	2.90	2.74	1.38	1.89	1.59	1.64	1.77	1.80
2009	1.42	1.31	1.05	0.87	0.73	0.93	0.90	0.66	0.78	0.74	0.58	0.50	0.58	0.50	0.47	0.45
2010	5.15	5.44	4.72	3.92	3.56	3.36	2.68	2.71	2.15	2.38	2.06	2.48	2.68	2.40	2.44	2.27
MIN	0.46	0.54	0.12	0.32	0.47	0.17	0.27	0.14	0.14	0.10	0.02	0.03	0.08	0.01	0.01	0.01
MEAN	3.35	3.24	2.98	2.97	3.03	2.86	2.99	2.73	2.93	2.89	2.79	2.59	2.45	2.63	2.43	2.31
MAX	10.74	10.21	9.99	11.00	9.09	10.63	10.96	8.93	11.37	9.95	9.17	8.97	10.48	9.29	10.84	11.96

March Rainfall Summary Data by County

Year	Levy	Marion	Citrus	Sumter	Hernando	Lake	Pasco	Polk	Pinellas	Hillsboro	Manatee	Hardee	Highlands	Sarasota	DeSoto	Charlotte
1915	2.98	2.13	0.28	0.73	1.33	1.23	1.71	1.77	2.02	1.94	2.77	1.93	1.80	1.79	1.94	0.10
1916	0.84	1.31	0.65	0.77	1.06	0.61	0.98	0.75	0.43	0.55	0.73	0.68	0.29	0.81	0.93	0.99
1917	1.27	1.28	0.61	0.76	0.75	1.31	0.53	1.91	0.44	1.72	0.58	0.95	0.53	0.30	0.85	0.04
1918	2.30	2.94	3.65	3.27	3.72	1.58	2.75	3.00	0.85	2.09	1.11	2.76	2.33	0.90	3.09	1.12
1919	5.13	4.94	4.43	4.54	4.16	4.86	4.74	5.45	4.68	5.17	4.41	2.87	1.72	4.46	3.29	4.37
1920	0.76	0.64	0.50	0.61	0.97	0.60	0.80	0.78	0.63	0.91	0.58	0.77	0.74	0.34	0.76	0.04
1921	0.91	1.37	1.12	1.10	0.68	0.94	2.26	0.85	1.57	1.53	3.05	0.87	0.20	2.05	1.43	0.07
1922	2.95	2.61	2.74	2.48	3.70	0.90	1.90	1.04	1.20	1.47	0.87	0.75	0.82	0.66	0.63	0.30
1923	1.53	1.05	0.30	0.94	1.46	2.43	1.54	1.31	1.34	1.15	1.18	1.17	1.05	0.80	1.24	0.26
1924	10.61	9.96	11.02	10.57	10.63	9.24	9.82	6.53	5.38	7.16	4.77	4.96	4.12	4.33	5.24	3.84
1925	1.42	2.30	1.31	1.37	0.71	1.68	1.52	1.31	1.17	0.71	1.98	1.50	1.16	1.90	1.97	1.72
1926	5.10	6.07	5.64	5.81	5.85	6.17	5.33	4.20	5.65	5.64	5.09	3.10	2.93	4.15	2.96	2.24
1927	2.04	2.07	2.40	2.70	3.12	2.99	3.59	2.98	2.63	2.52	3.16	2.33	2.24	3.87	2.48	4.71
1928	3.63	5.02	3.78	3.46	3.40	2.16	3.21	3.13	3.72	3.92	1.97	2.70	3.07	1.92	2.38	2.00
1929	3.24	2.29	1.88	1.93	2.56	1.72	1.54	1.28	2.06	1.58	0.81	1.19	1.40	0.91	1.43	1.19
1930	8.94	11.55	12.14	11.55	9.15	11.81	9.21	7.41	7.65	8.43	5.69	5.67	6.44	6.44	4.50	7.48
1931	5.30	6.37	5.75	6.31	5.95	7.93	6.68	5.34	7.49	6.35	5.52	5.09	3.92	5.45	6.66	5.41
1932	5.01	4.37	4.70	3.99	4.16	1.98	3.37	3.30	3.61	3.18	2.31	2.05	2.16	2.49	1.69	2.82
1933	3.47	3.65	4.41	4.40	3.56	4.85	4.44	3.29	3.07	4.35	3.07	2.10	1.96	3.11	2.77	3.02
1934	2.24	1.72	1.94	2.07	2.06	2.53	2.03	3.78	1.69	2.72	2.13	2.12	3.33	2.14	1.82	2.36
1935	0.60	0.63	0.54	0.63	1.00	0.53	0.70	0.94	0.56	0.51	0.31	0.30	0.93	0.23	0.16	0.10
1936	3.23	3.95	6.21	5.32	3.72	4.25	3.87	4.14	2.80	2.84	2.85	3.94	4.20	2.52	4.45	2.68
1937	3.32	3.85	4.38	4.09	5.06	2.69	4.62	3.77	3.85	3.53	4.65	4.19	3.27	4.18	3.91	3.37
1938	1.70	1.92	2.47	0.94	3.42	1.70	2.07	1.98	1.83	1.48	0.93	1.18	1.45	0.57	0.87	0.20
1939	1.19	2.02	1.40	0.54	1.26	1.10	1.83	1.58	0.58	2.03	0.11	0.64	3.37	0.13	0.76	0.30
1940	2.53	2.79	3.02	2.18	3.02	3.66	3.44	3.63	2.96	2.84	3.43	3.48	4.13	4.19	3.97	5.13
1941	2.55	3.45	3.21	3.47	4.20	3.39	4.02	3.33	4.54	3.74	2.43	2.39	3.00	2.31	1.44	2.33
1942	6.57	6.69	5.96	6.27	5.85	7.35	6.17	5.88	4.23	5.42	3.86	4.17	4.03	3.64	3.62	3.16
1943	4.12	4.58	5.23	5.75	5.86	3.91	5.27	3.99	5.08	3.94	5.24	4.70	4.50	5.07	5.10	4.21
1944	6.76	6.40	6.67	5.83	4.89	4.46	5.83	5.51	4.10	4.42	4.01	4.31	3.64	2.93	4.21	3.40
1945	0.13	0.33	0.49	0.43	0.22	0.54	0.60	0.43	0.45	0.35	0.15	0.23	0.47	0.14	0.25	0.11
1946	3.24	3.64	3.62	2.98	3.00	2.65	2.80	1.48	2.45	1.97	1.52	0.76	1.72	1.51	0.97	0.72
1947	7.56	7.36	6.39	6.47	7.39	6.67	7.05	6.69	6.26	6.68	8.02	6.92	7.54	7.62	8.29	9.81
1948	7.97	6.21	5.45	4.85	6.81	4.19	3.08	3.64	2.77	3.28	2.69	1.74	0.85	1.33	0.80	0.58
1949	1.80	1.53	0.79	1.15	0.69	0.80	0.25	1.48	0.23	0.50	0.43	0.82	0.95	0.87	0.98	1.79

March Rainfall Summary Data by County

Year	Levy	Marion	Citrus	Sumter	Hernando	Lake	Pasco	Polk	Pinellas	Hillsboro	Manatee	Hardee	Highlands	Sarasota	DeSoto	Charlotte
1950	4.26	3.95	3.68	3.40	4.21	3.85	4.57	2.66	4.06	3.63	3.94	2.55	1.52	2.50	1.03	1.67
1951	3.91	2.95	2.81	2.68	1.73	1.35	3.50	2.15	1.72	2.07	1.57	1.05	0.52	1.54	1.22	1.03
1952	3.01	3.83	5.23	6.11	5.20	4.19	5.31	5.97	6.78	6.18	4.72	4.36	4.59	4.56	4.05	2.71
1953	2.94	3.13	3.70	3.29	3.54	4.53	4.15	2.85	4.36	3.04	1.61	3.74	3.87	0.83	3.95	1.50
1954	2.91	2.77	2.57	1.79	1.88	1.28	1.95	1.24	2.51	1.64	1.52	1.32	1.65	1.81	1.36	0.99
1955	1.73	2.18	2.44	3.75	2.67	1.92	2.38	2.58	3.38	2.43	1.90	1.99	2.02	1.83	1.55	1.10
1956	0.64	0.62	0.01	0.17	0.05	0.15	0.26	0.66	0.13	0.31	0.17	0.82	1.30	0.15	0.09	0.02
1957	5.86	4.62	5.11	5.57	5.19	3.41	5.09	4.65	5.04	6.41	5.14	4.85	3.95	5.79	4.58	5.34
1958	7.23	8.15	8.01	8.63	8.18	7.88	8.00	5.25	7.08	5.55	8.19	7.07	4.72	7.86	6.96	6.47
1959	12.46	11.17	10.09	12.41	11.06	9.48	12.21	10.40	12.00	11.30	8.47	8.28	7.67	8.35	6.71	5.80
1960	9.94	12.17	16.13	14.53	17.43	12.95	15.83	9.38	10.34	11.04	5.12	4.72	4.66	4.73	4.71	6.59
1961	1.85	1.44	1.04	1.26	2.23	2.47	1.90	2.96	2.13	1.93	2.35	2.37	3.75	1.96	2.01	1.22
1962	3.11	2.42	2.46	2.57	2.23	5.20	3.87	3.73	5.51	4.25	4.31	3.74	4.01	3.54	2.63	4.11
1963	3.05	2.35	1.65	1.83	1.78	4.13	3.19	2.48	3.51	2.56	1.27	1.01	1.14	0.88	0.85	0.39
1964	3.81	4.91	7.50	5.96	5.06	7.99	4.20	3.73	4.44	4.13	4.28	3.78	2.31	3.84	2.71	1.11
1965	4.13	3.83	3.41	2.78	5.16	3.54	2.45	3.15	2.07	3.14	3.66	5.54	5.63	2.49	1.38	1.58
1966	1.73	0.69	0.91	0.60	1.06	2.36	1.45	1.74	2.17	1.27	0.76	0.85	0.97	0.61	0.87	0.67
1967	0.93	0.74	0.77	1.03	1.24	0.81	0.67	0.72	1.19	0.88	0.61	0.33	0.69	0.47	0.69	0.19
1968	2.24	2.54	2.80	2.81	1.96	1.36	2.28	1.13	1.32	1.44	1.34	1.22	1.36	1.52	1.34	0.66
1969	6.13	5.73	6.85	6.54	7.19	6.26	7.22	6.76	6.31	6.46	7.84	7.01	8.31	8.33	7.27	6.42
1970	6.94	5.86	4.24	4.56	5.26	4.58	6.61	6.47	7.48	6.93	7.59	6.18	6.53	7.26	6.95	9.10
1971	2.14	1.83	2.34	1.99	2.54	2.48	1.91	2.28	1.31	1.61	1.40	1.40	1.13	1.00	1.40	0.73
1972	8.13	6.75	8.72	7.32	7.64	4.49	3.36	3.07	3.64	3.04	4.25	4.50	2.92	3.86	4.60	3.22
1973	5.55	3.32	5.07	4.76	4.73	4.60	4.76	5.29	4.79	4.43	2.69	4.19	4.05	2.74	2.39	2.30
1974	4.23	3.94	4.45	3.74	3.95	3.84	4.92	1.70	3.12	2.12	0.53	0.30	0.12	0.46	0.30	0.35
1975	1.35	1.95	2.24	2.48	2.64	1.03	1.59	1.54	1.72	1.57	0.94	1.17	1.41	0.77	1.37	0.83
1976	1.08	1.20	0.96	2.00	1.51	1.10	2.05	1.83	1.49	1.50	0.55	0.78	2.27	0.58	0.56	0.45
1977	1.84	2.16	2.30	1.92	2.19	1.60	1.72	1.16	1.20	0.99	0.45	0.87	0.98	0.31	0.44	0.50
1978	7.64	6.94	5.71	3.30	3.09	2.49	3.18	2.93	3.49	2.87	2.74	2.63	2.70	3.47	2.88	3.48
1979	1.76	2.08	2.45	3.49	3.48	5.31	3.84	3.24	3.26	3.38	1.93	2.00	1.87	1.59	2.48	1.85
1980	4.99	3.21	2.72	3.67	3.74	2.74	4.37	2.31	3.66	3.39	2.05	3.00	2.11	2.01	2.54	4.06
1981	3.10	4.29	3.69	3.62	2.87	2.44	3.08	1.41	2.04	1.65	1.28	2.06	1.44	1.04	0.79	1.36
1982	6.72	6.98	8.27	8.32	7.21	5.95	6.20	6.26	5.87	5.52	6.19	5.74	6.49	5.48	6.05	4.22
1983	7.78	7.78	8.08	7.81	8.53	8.37	8.25	7.36	8.66	8.80	7.87	6.84	5.05	7.96	5.80	7.19
1984	2.43	2.26	2.07	1.85	2.06	1.36	2.14	2.19	2.23	2.16	3.59	3.12	4.21	5.17	7.62	6.59

March Rainfall Summary Data by County

	Year	Levy	Marion	Citrus	Sumter	Hernando	Lake	Pasco	Polk	Pinellas	Hillsboro	Manatee	Hardee	Highlands	Sarasota	DeSoto	Charlotte
	1985	2.16	2.06	2.25	1.96	2.43	3.90	2.54	2.61	2.17	2.11	2.65	2.31	2.65	2.93	2.12	1.70
	1986	4.99	4.15	4.93	3.96	4.54	3.68	4.52	4.15	4.90	4.63	4.86	5.36	5.83	5.03	6.51	5.83
	1987	10.53	9.43	11.49	12.70	13.55	13.09	14.38	9.96	12.96	12.20	10.36	6.73	6.56	10.14	8.49	8.21
	1988	7.47	6.61	6.38	5.91	8.50	7.61	6.90	5.70	4.98	5.33	5.51	5.25	5.16	6.12	5.41	4.96
	1989	3.74	3.89	3.19	2.40	2.02	1.79	2.39	2.55	2.51	2.09	2.53	3.11	3.36	2.18	2.05	2.62
	1990	1.67	2.84	1.62	2.01	1.91	2.15	1.61	1.42	1.41	1.24	1.47	1.58	2.64	1.34	1.92	2.06
	1991	10.17	6.93	6.75	7.12	7.10	6.39	5.54	4.84	4.34	5.17	4.12	3.89	3.91	4.22	3.10	3.33
	1992	4.60	4.82	1.93	2.25	1.31	2.42	1.33	1.28	1.73	1.56	2.93	2.52	2.10	2.56	3.30	2.78
	1993	4.61	4.47	5.00	6.20	5.40	5.79	5.77	4.97	4.58	4.48	3.68	5.67	5.87	5.25	5.08	4.56
	1994	2.92	3.13	2.72	1.94	2.57	1.84	1.80	2.39	1.24	1.63	2.81	3.06	2.24	2.52	2.52	2.11
	1995	2.06	3.44	3.22	3.26	3.59	2.71	2.75	2.19	1.77	1.77	1.61	1.95	2.57	1.42	2.34	2.01
	1996	7.84	7.79	8.21	8.68	8.32	9.23	7.64	6.09	4.91	5.44	5.52	4.36	4.68	4.93	3.73	3.65
	1997	2.38	2.44	3.62	1.98	2.49	1.48	2.02	2.02	2.07	1.93	2.44	1.78	1.76	2.00	1.80	1.88
	1998	3.41	3.79	5.02	4.87	4.57	5.31	6.79	6.61	6.03	6.82	8.74	10.00	6.68	9.75	6.75	5.74
	1999	1.88	2.19	2.09	1.40	1.62	0.77	1.58	0.96	1.41	0.89	0.66	0.97	0.96	1.62	1.56	1.18
	2000	1.14	1.56	1.24	1.05	0.63	0.39	0.44	0.67	0.79	0.74	1.49	0.88	1.17	1.43	1.44	1.46
	2001	6.39	7.31	7.29	7.00	5.97	6.64	5.43	6.31	6.09	7.14	7.95	6.85	5.45	6.93	5.30	6.42
	2002	2.21	2.36	2.39	1.84	1.78	1.15	1.21	0.46	0.59	0.74	0.54	0.25	0.42	0.34	0.44	0.39
	2003	6.89	7.39	5.85	6.06	5.20	5.43	4.58	3.76	3.67	4.58	3.04	3.13	3.40	2.44	3.05	3.78
	2004	1.34	1.89	1.66	1.63	1.33	1.24	1.01	1.88	1.19	1.45	0.96	1.08	0.59	0.80	0.56	0.71
	2005	6.32	5.95	6.27	4.62	3.88	4.06	3.99	4.48	3.73	4.32	5.04	4.29	3.85	4.76	4.39	5.34
	2006	0.21	0.14	0.03	0.08	0.15	0.01	0.07	0.31	0.23	0.12	0.64	0.62	0.54	0.44	0.92	0.63
	2007	2.07	2.61	1.72	1.34	1.31	0.85	0.96	0.60	0.90	0.61	0.62	0.65	1.18	0.43	0.71	0.32
	2008	6.52	4.46	4.53	3.31	3.73	2.93	3.48	3.19	3.81	3.49	2.64	2.49	3.30	3.14	3.41	3.21
	2009	1.26	1.65	1.38	0.93	1.04	0.81	0.75	0.94	0.83	1.05	0.86	1.07	1.34	1.18	1.12	1.08
	2010	6.26	7.89	9.34	7.28	6.09	7.08	7.17	7.39	6.18	6.79	5.69	5.67	6.19	7.21	7.21	8.30
MIN		0.13	0.14	0.01	0.08	0.05	0.01	0.07	0.31	0.13	0.12	0.11	0.23	0.12	0.13	0.09	0.02
MEAN		3.97	3.97	4.02	3.86	3.93	3.66	3.80	3.32	3.39	3.38	3.07	2.94	2.90	2.96	2.87	2.73
MAX		12.46	12.17	16.13	14.53	17.43	13.09	15.83	10.40	12.96	12.20	10.36	10.00	8.31	10.14	8.49	9.81

April Rainfall Summary Data by County

Year	Levy	Marion	Citrus	Sumter	Hernando	Lake	Pasco	Polk	Pinellas	Hillsboro	Manatee	Hardee	Highlands	Sarasota	DeSoto	Charlotte
1915	1.07	1.65	2.20	2.04	1.68	1.60	2.22	2.11	1.17	0.93	1.63	2.59	2.84	1.63	2.35	1.81
1916	1.39	1.94	1.57	1.93	2.64	1.67	3.72	2.76	2.98	2.43	4.57	3.86	4.34	3.85	3.52	2.46
1917	1.73	1.36	1.41	1.72	1.67	2.71	1.87	1.94	2.00	1.53	2.73	1.39	1.09	2.43	1.61	1.68
1918	5.25	6.27	5.77	5.82	6.03	6.09	3.41	3.60	1.96	2.78	2.12	2.59	2.63	1.98	2.37	1.88
1919	1.14	0.86	0.94	1.09	1.16	1.74	0.83	0.76	1.27	1.79	1.49	0.83	0.85	1.41	0.92	1.11
1920	6.94	5.88	5.19	5.50	5.22	7.08	4.91	8.33	7.65	9.54	9.05	6.98	7.37	9.14	6.04	8.57
1921	1.52	1.44	1.75	1.90	2.76	1.80	2.09	1.17	1.58	1.65	0.49	1.27	1.03	0.22	1.39	0.07
1922	1.44	1.45	1.39	1.03	0.76	0.23	0.07	0.13	0.26	0.17	0.10	0.10	0.17	0.07	0.07	0.03
1923	0.91	1.04	0.14	0.35	0.62	0.64	0.31	1.29	0.25	0.38	0.49	2.27	2.53	0.44	2.29	0.80
1924	4.26	5.35	1.52	2.07	2.52	2.40	2.37	2.72	3.56	1.68	2.36	2.10	1.50	2.02	2.48	1.64
1925	1.17	1.66	0.52	0.55	0.54	0.39	0.86	1.00	1.00	1.05	1.80	2.18	0.73	1.09	3.66	0.46
1926	4.78	4.31	5.56	5.18	5.96	3.89	4.66	5.27	4.92	5.49	4.07	5.17	5.88	3.78	4.48	3.49
1927	0.51	0.71	0.99	1.23	1.67	1.02	2.40	1.55	1.05	1.14	1.05	1.24	1.56	1.09	0.83	1.14
1928	8.26	8.76	11.26	11.29	14.03	9.40	9.89	5.63	5.48	5.61	3.95	2.71	3.48	3.69	1.55	2.77
1929	3.66	3.97	1.86	1.96	1.91	1.90	1.68	1.82	1.58	2.15	2.59	2.11	2.21	2.15	2.20	1.10
1930	2.07	1.90	2.60	2.42	1.61	2.85	1.93	3.37	4.04	3.83	5.38	4.66	3.96	4.80	5.25	3.67
1931	3.42	5.22	5.03	5.46	6.49	5.44	6.60	5.90	6.62	6.44	3.48	4.43	5.10	4.70	3.94	6.92
1932	1.01	0.65	0.50	0.41	0.22	0.31	0.54	0.75	0.68	0.72	0.84	2.01	2.33	1.33	2.47	2.58
1933	8.58	7.48	6.79	6.35	5.63	6.24	4.98	5.03	6.91	6.36	7.01	5.99	6.00	6.51	7.71	5.34
1934	5.28	4.92	5.00	5.95	5.62	8.94	6.69	6.69	4.14	4.39	2.02	5.10	3.25	1.99	2.11	2.82
1935	3.23	4.45	4.02	4.67	6.81	5.57	2.35	4.08	2.44	3.14	3.11	3.60	5.20	2.08	3.19	1.23
1936	1.40	3.30	4.06	3.23	1.89	1.42	2.10	1.62	0.95	1.78	0.94	1.38	1.75	0.61	1.51	0.48
1937	5.31	5.31	5.27	3.31	5.90	2.86	3.59	4.91	3.36	4.96	3.71	3.79	3.82	3.20	3.47	2.94
1938	0.70	0.69	0.69	0.69	0.69	0.51	0.72	0.46	0.58	0.42	0.44	0.69	0.98	0.48	1.43	0.84
1939	4.03	4.57	4.33	3.41	3.21	5.14	1.75	5.25	1.31	3.17	2.75	4.56	4.91	2.43	5.43	3.18
1940	4.35	1.91	2.54	1.95	2.02	2.07	2.15	2.26	1.97	2.48	1.93	1.69	1.40	2.25	2.24	2.81
1941	3.89	3.75	5.73	5.73	6.21	5.40	6.69	5.97	5.91	5.64	3.57	4.13	4.82	4.18	3.40	5.43
1942	0.72	0.86	0.85	1.57	2.49	2.73	4.34	2.65	5.20	3.04	4.07	3.27	2.60	4.43	3.61	4.94
1943	2.09	1.57	1.83	5.19	3.36	2.21	2.05	1.65	1.24	1.25	0.84	1.71	2.06	0.94	2.60	1.57
1944	3.95	3.43	2.11	2.98	3.04	2.22	1.39	2.33	0.51	1.57	1.41	2.38	5.45	1.04	1.45	1.17
1945	2.64	1.92	0.93	1.29	0.82	0.59	0.68	1.33	0.78	1.18	1.27	0.67	1.48	0.66	1.33	1.49
1946	1.58	1.62	1.85	1.86	1.17	1.00	0.73	0.49	0.51	0.37	0.15	0.47	0.18	0.07	0.13	0.01
1947	3.16	5.62	4.08	5.78	3.49	4.91	3.04	4.43	2.70	4.14	2.83	6.37	4.65	3.23	4.80	5.32
1948	1.76	2.57	1.63	2.56	3.29	2.94	2.55	3.83	4.37	3.27	5.03	3.55	5.56	6.29	4.81	5.07
1949	7.16	5.75	4.85	5.98	7.29	2.68	5.68	2.09	3.60	3.02	2.01	2.94	3.00	2.57	1.55	3.30

April Rainfall Summary Data by County

Year	Levy	Marion	Citrus	Sumter	Hernando	Lake	Pasco	Polk	Pinellas	Hillsboro	Manatee	Hardee	Highlands	Sarasota	DeSoto	Charlotte
1950	1.72	1.44	1.34	2.93	2.55	4.36	1.38	2.40	1.66	1.90	1.18	1.39	2.34	0.75	0.75	0.50
1951	2.50	2.48	3.01	4.36	3.12	6.91	4.98	7.59	6.75	5.75	7.86	8.49	8.32	6.70	7.38	4.33
1952	2.37	1.93	1.58	1.67	1.66	2.25	1.62	0.93	1.22	1.33	0.87	1.04	1.22	0.89	0.65	0.19
1953	9.20	9.14	7.82	6.61	7.52	6.81	10.81	4.77	5.51	4.27	3.99	5.78	4.43	3.86	2.57	2.71
1954	1.94	2.10	1.65	2.30	2.30	1.63	3.72	4.42	3.16	4.03	5.01	4.61	3.69	6.24	5.57	4.22
1955	1.40	1.13	0.90	2.02	1.20	2.49	1.23	1.92	1.55	1.28	1.94	1.91	2.41	1.80	1.09	1.80
1956	2.92	3.25	3.08	2.80	3.06	3.47	3.55	3.65	2.05	3.03	2.60	3.50	1.98	1.91	2.72	2.26
1957	4.86	3.42	2.78	3.73	4.89	5.24	6.09	6.16	6.85	6.45	6.71	4.96	4.89	10.52	5.92	8.14
1958	5.26	4.58	4.30	3.87	3.85	4.74	4.40	3.88	4.45	4.24	3.82	3.11	3.01	2.80	2.82	2.00
1959	4.95	6.82	5.22	5.71	5.20	5.88	4.57	4.96	4.99	4.53	2.90	2.65	2.95	1.62	1.77	0.57
1960	3.63	3.78	2.87	4.36	2.33	5.29	2.39	3.34	4.52	2.30	3.33	3.19	2.89	3.84	3.39	3.81
1961	4.92	3.04	2.17	1.63	1.41	1.35	1.56	2.00	2.57	1.88	2.07	2.14	2.31	2.96	2.76	1.48
1962	1.73	1.71	1.22	1.41	0.75	3.35	1.14	2.23	1.67	1.91	4.36	5.05	2.15	5.17	2.71	1.62
1963	0.71	1.49	1.24	2.28	2.23	2.46	0.26	0.39	0.30	0.25	0.26	0.97	0.44	0.20	4.12	0.24
1964	4.94	3.69	2.48	1.53	2.22	2.42	1.01	1.92	0.87	1.26	0.63	2.47	2.17	0.65	1.14	0.37
1965	1.99	2.92	2.73	1.55	2.32	2.43	3.55	2.18	1.73	1.54	2.09	1.69	2.97	1.62	2.25	4.62
1966	3.33	3.14	4.32	3.69	3.30	3.71	2.72	2.12	2.30	2.32	3.32	2.61	2.25	3.74	2.18	2.60
1967	0.12	0.06	0.01	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.08	1.12	0.00	0.17	0.00
1968	0.51	0.47	0.69	0.48	0.59	0.29	0.87	0.52	0.39	0.62	0.46	0.58	0.53	0.46	0.36	0.50
1969	0.80	1.53	1.03	1.72	0.57	2.56	1.91	1.32	0.53	0.71	0.93	1.60	2.29	0.94	0.51	0.97
1970	3.41	3.04	1.89	1.02	0.60	0.61	0.77	0.58	0.44	0.42	0.12	0.12	0.13	0.14	0.03	0.10
1971	3.32	3.56	3.37	2.80	3.73	1.27	2.29	1.07	1.43	1.58	0.36	0.15	0.18	0.38	0.17	0.62
1972	2.89	2.16	2.23	0.46	0.40	2.25	0.74	1.63	0.37	0.87	1.18	1.95	4.05	0.98	0.96	1.01
1973	3.99	3.33	3.81	3.60	3.15	2.80	3.47	4.88	4.09	3.85	3.57	3.70	4.21	2.77	2.93	2.92
1974	1.06	0.55	1.09	1.01	2.32	0.90	1.19	1.29	0.32	0.69	0.85	1.42	1.66	0.76	1.52	0.60
1975	2.78	2.58	2.59	2.04	1.42	2.50	0.97	1.16	0.95	0.67	0.49	0.33	0.96	0.27	0.55	0.07
1976	4.33	4.70	3.49	3.75	2.92	6.13	2.84	2.81	1.41	2.19	1.83	2.63	1.94	1.13	1.51	0.67
1977	0.69	0.93	0.39	0.32	0.50	0.14	0.73	0.34	0.43	0.67	0.66	0.34	0.38	0.95	0.42	0.46
1978	2.18	2.40	0.48	0.66	1.23	0.60	1.48	0.60	0.74	0.62	0.22	0.13	0.22	0.10	0.19	0.45
1979	5.87	5.52	3.35	3.24	1.87	3.93	1.14	2.73	1.11	1.02	1.40	1.94	2.20	1.16	2.43	1.70
1980	5.70	4.81	4.21	3.58	2.91	3.03	3.30	3.46	4.43	3.79	4.07	5.18	4.63	3.68	2.65	3.47
1981	1.53	1.12	0.31	0.04	0.22	0.01	0.07	0.03	0.01	0.05	0.01	0.05	0.20	0.03	0.06	0.10
1982	7.51	6.75	4.42	4.43	4.40	5.17	2.65	3.32	3.61	3.49	3.55	4.24	4.56	3.91	4.36	3.23
1983	3.72	4.16	4.49	5.18	4.85	3.27	3.28	2.56	2.48	2.47	2.43	2.65	2.72	2.49	2.13	2.74
1984	4.08	4.85	5.53	4.24	4.58	3.21	3.43	2.46	2.84	3.06	2.54	2.42	2.27	3.93	3.34	4.29

April Rainfall Summary Data by County

Year	Levy	Marion	Citrus	Sumter	Hernando	Lake	Pasco	Polk	Pinellas	Hillsboro	Manatee	Hardee	Highlands	Sarasota	DeSoto	Charlotte
1985	4.94	4.37	2.18	1.38	1.95	1.00	1.27	1.52	1.79	1.01	1.78	2.76	2.73	2.41	2.62	2.22
1986	1.74	1.57	1.47	0.91	1.08	0.89	1.10	0.69	1.23	1.13	0.96	0.64	0.27	0.70	0.53	0.56
1987	0.90	0.42	0.80	0.69	0.78	0.55	0.41	0.43	0.34	0.26	0.17	0.15	0.55	0.14	0.32	0.23
1988	0.92	0.95	1.96	1.80	1.34	0.72	0.96	1.47	1.65	1.83	1.55	1.34	0.94	2.85	1.80	2.48
1989	1.87	2.41	2.03	3.39	2.82	3.84	2.31	2.77	0.63	1.53	1.40	1.92	2.30	0.84	1.66	1.99
1990	3.09	2.39	1.34	1.62	1.21	1.50	1.57	1.98	0.73	1.49	0.95	1.92	1.53	0.79	1.55	1.55
1991	7.44	7.89	7.81	7.22	6.77	5.12	5.30	4.14	3.34	3.93	4.00	5.47	2.71	3.60	3.18	2.91
1992	2.89	4.20	4.52	3.54	3.90	3.43	3.62	4.77	2.58	3.64	3.25	4.98	4.84	3.32	3.55	3.07
1993	1.62	1.84	2.09	1.84	2.37	1.50	2.58	3.02	3.29	2.50	5.09	4.57	2.98	5.25	4.01	3.03
1994	1.84	1.35	1.93	1.11	3.39	1.43	2.76	2.90	2.17	3.74	4.29	2.36	3.00	4.31	3.45	3.67
1995	4.53	4.15	3.29	2.82	2.73	2.52	3.05	2.89	3.63	2.13	4.01	5.06	3.79	3.88	3.53	4.28
1996	3.77	2.43	1.84	1.95	2.37	2.95	2.72	1.82	2.77	3.24	1.83	1.72	1.47	1.90	1.48	2.61
1997	5.00	4.53	4.75	3.48	5.67	5.57	6.02	5.61	7.65	6.68	7.42	7.40	6.80	7.85	7.90	6.32
1998	0.35	0.44	0.19	0.22	0.28	0.12	0.20	1.03	0.12	0.43	0.37	1.34	1.79	0.24	0.90	0.47
1999	1.15	1.46	0.93	1.01	0.88	2.57	1.13	2.10	0.90	1.15	0.86	3.08	1.97	0.56	1.44	0.48
2000	0.60	0.70	0.91	1.20	0.75	1.06	0.62	1.17	0.59	0.83	1.37	1.66	1.38	1.93	1.79	1.42
2001	0.76	0.50	0.12	0.08	0.08	0.04	0.09	0.19	0.10	0.04	0.11	0.14	0.62	0.23	0.20	0.29
2002	1.81	1.29	1.18	1.48	2.21	1.13	2.44	1.80	1.39	2.77	1.90	2.60	1.59	1.87	2.57	2.14
2003	1.47	1.41	1.79	2.12	2.13	2.79	2.96	2.60	4.65	3.50	4.35	3.50	2.64	3.70	3.75	3.21
2004	2.02	1.62	1.85	2.62	2.50	4.72	3.82	3.60	4.10	4.57	3.91	4.00	2.72	3.92	4.16	3.81
2005	6.85	5.63	5.78	3.41	3.75	2.06	3.06	3.40	3.26	3.50	4.44	3.24	2.62	3.85	3.26	2.97
2006	2.36	2.03	1.17	1.32	0.79	1.89	1.18	1.16	1.08	0.65	0.54	0.24	0.44	0.29	0.62	0.17
2007	1.68	1.84	1.84	1.87	2.33	2.58	2.73	2.19	2.34	2.63	2.94	2.18	2.63	2.80	2.72	2.26
2008	1.78	2.67	2.34	3.52	2.76	5.18	4.56	5.27	3.11	3.95	4.28	4.00	3.69	3.96	3.90	3.59
2009	2.36	1.83	1.27	1.89	1.67	1.12	1.77	1.20	1.51	1.51	1.65	1.20	0.92	1.05	0.66	0.85
2010	1.18	1.20	2.01	3.13	3.71	3.29	4.61	3.38	4.11	4.08	2.03	2.10	2.48	2.93	2.90	4.66
MIN	0.12	0.06	0.01	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.05	0.13	0.00	0.03	0.00
MEAN	3.00	2.96	2.67	2.72	2.78	2.83	2.61	2.64	2.41	2.47	2.44	2.66	2.61	2.43	2.47	2.26
MAX	9.20	9.14	11.26	11.29	14.03	9.40	10.81	8.33	7.65	9.54	9.05	8.49	8.32	10.52	7.90	8.57

May Rainfall Summary Data by County

Year	Levy	Marion	Citrus	Sumter	Hernando	Lake	Pasco	Polk	Pinellas	Hillsboro	Manatee	Hardee	Highlands	Sarasota	DeSoto	Charlotte
1915	4.19	5.09	5.64	5.48	5.32	4.99	6.28	4.18	6.99	6.21	5.22	4.44	4.40	5.80	4.92	6.54
1916	3.85	3.06	3.18	4.02	4.20	6.94	2.75	4.75	1.82	2.78	3.45	3.54	3.26	3.06	3.46	2.51
1917	2.15	3.72	3.48	3.40	3.65	3.07	1.91	2.30	1.48	1.81	1.47	1.52	1.75	1.55	1.04	1.62
1918	2.53	2.45	1.84	2.11	2.53	2.69	1.75	3.16	2.28	2.95	4.55	1.66	0.67	3.72	2.17	1.86
1919	5.11	8.27	5.52	7.21	8.09	10.21	7.54	6.37	2.77	5.98	4.86	6.00	6.09	4.82	6.17	5.01
1920	4.92	5.47	3.48	3.66	2.35	5.09	3.59	3.14	4.54	2.56	2.16	1.83	1.70	2.50	1.88	2.99
1921	3.99	6.67	5.95	6.93	8.66	7.68	8.29	8.83	7.65	8.89	8.75	6.98	5.20	7.26	7.26	4.73
1922	7.41	8.40	8.46	8.10	7.84	6.88	7.03	8.22	4.11	5.57	5.32	7.14	8.28	5.33	5.58	5.48
1923	8.20	11.51	11.22	12.08	12.45	12.99	11.74	14.26	4.67	8.30	5.77	12.28	11.62	5.76	11.40	7.49
1924	1.45	1.90	2.81	3.12	2.44	4.71	3.33	4.33	3.74	5.57	0.64	1.66	1.67	0.95	1.35	1.73
1925	2.50	2.64	3.11	3.34	3.49	4.14	3.75	6.65	6.89	6.11	6.81	7.30	4.92	5.98	9.16	5.39
1926	1.53	1.75	0.80	0.93	0.57	0.76	2.70	3.96	1.64	3.02	3.47	5.37	6.40	3.26	4.96	3.23
1927	0.57	0.71	0.69	0.68	0.72	0.51	0.62	1.03	0.24	0.97	0.39	0.69	0.44	0.20	0.87	0.05
1928	3.04	2.79	1.96	2.65	2.44	4.23	4.01	3.46	3.23	3.36	2.62	3.75	3.56	2.86	4.07	3.61
1929	3.87	4.07	3.89	3.91	2.79	4.64	4.49	5.97	3.10	4.73	3.10	4.64	4.58	2.42	4.57	2.16
1930	4.28	3.90	5.03	4.87	5.78	3.67	4.71	7.31	4.55	6.37	4.85	7.19	7.86	4.86	6.63	6.20
1931	2.79	2.88	2.88	3.40	3.89	4.92	2.47	4.28	2.46	3.95	3.28	4.55	5.74	3.17	2.88	3.36
1932	2.36	4.48	3.87	3.83	3.16	3.41	4.03	7.17	3.73	5.56	4.29	6.80	7.81	4.70	7.40	7.17
1933	2.30	1.18	2.07	2.83	5.41	3.07	3.34	3.86	1.34	2.89	1.80	2.64	3.32	2.01	2.05	2.59
1934	6.89	9.99	10.02	8.22	3.64	6.31	4.04	6.97	4.10	4.09	6.62	6.79	6.44	7.09	4.63	6.82
1935	3.23	3.86	2.79	3.18	3.06	4.49	2.33	4.03	2.37	3.02	1.41	3.74	2.53	1.31	1.61	2.07
1936	2.98	4.88	3.14	3.48	3.84	3.62	3.27	2.93	4.24	3.05	4.27	2.24	3.22	4.88	2.64	4.72
1937	2.46	3.01	3.46	3.79	4.97	4.44	4.71	3.94	3.56	4.50	2.02	4.08	3.71	1.52	2.73	1.90
1938	5.21	4.27	3.88	2.81	4.29	2.97	6.12	4.21	1.59	4.34	2.97	3.40	2.80	3.35	1.64	3.76
1939	4.25	3.59	5.89	3.24	5.58	3.05	4.78	5.86	5.06	5.82	4.54	6.01	4.73	4.05	2.53	3.45
1940	2.01	1.57	0.43	1.69	1.55	1.10	1.36	1.66	0.83	0.92	0.56	2.62	4.80	0.82	1.16	1.55
1941	1.44	1.36	0.94	1.11	1.53	1.09	1.31	0.73	0.15	0.46	0.11	0.59	1.22	0.27	0.33	0.66
1942	1.90	3.28	3.50	3.31	2.66	3.26	3.44	3.18	3.69	1.76	1.64	3.05	4.07	1.57	1.84	1.78
1943	4.16	4.33	4.56	6.49	4.45	3.76	4.40	7.99	0.87	4.00	2.70	6.48	10.27	2.09	5.04	4.18
1944	1.81	1.90	2.70	3.05	3.68	2.46	2.22	3.96	2.29	3.18	2.97	2.45	2.30	3.56	3.22	1.73
1945	1.61	1.33	0.88	1.26	1.45	1.55	2.97	1.03	0.58	0.73	0.26	0.93	2.36	0.36	1.61	0.72
1946	7.59	7.76	7.95	5.90	5.26	9.08	6.02	6.76	5.32	3.87	3.77	4.54	5.96	5.15	6.88	9.93
1947	3.21	2.47	2.11	4.65	2.69	2.67	4.52	5.30	1.87	3.02	1.23	5.87	2.97	1.23	5.51	3.48
1948	2.12	1.63	0.38	0.37	0.55	0.65	1.34	1.88	1.02	0.82	3.09	1.96	2.83	2.30	2.96	3.23
1949	0.85	1.06	1.99	2.02	0.53	0.92	1.61	1.60	0.62	1.80	0.99	1.15	2.35	1.29	1.32	2.20

May Rainfall Summary Data by County

Year	Levy	Marion	Citrus	Sumter	Hernando	Lake	Pasco	Polk	Pinellas	Hillsboro	Manatee	Hardee	Highlands	Sarasota	DeSoto	Charlotte
1950	2.13	2.89	3.83	6.30	3.87	4.08	2.20	2.17	2.00	2.15	1.94	2.97	3.25	2.17	3.76	2.59
1951	1.41	1.09	0.34	0.96	0.67	2.92	1.70	1.06	0.69	0.79	0.40	1.65	0.62	0.52	1.33	0.74
1952	4.21	6.43	6.37	5.04	3.32	1.96	3.25	4.24	2.41	4.63	1.48	5.53	5.31	1.43	2.75	1.57
1953	1.76	1.59	1.76	0.70	1.03	1.57	0.26	1.41	0.08	0.48	0.22	0.59	1.54	0.27	0.91	0.47
1954	2.65	2.94	5.36	3.71	6.52	1.28	4.92	5.29	4.36	5.72	8.26	8.95	3.51	6.74	8.16	5.69
1955	1.84	2.21	1.77	2.44	3.85	4.72	2.25	2.48	1.05	1.63	0.49	1.87	3.66	0.53	3.38	2.22
1956	3.05	3.20	3.69	3.90	4.44	7.88	3.59	4.95	1.73	2.74	3.21	4.26	1.52	3.29	4.77	4.50
1957	5.78	7.25	6.64	8.69	8.34	5.00	7.20	9.42	6.48	6.97	3.94	9.15	7.22	3.85	7.22	5.79
1958	3.11	4.36	2.85	3.07	3.00	1.89	3.29	3.48	2.65	2.88	2.61	5.28	4.08	3.15	8.38	5.40
1959	7.21	7.29	9.79	5.52	6.57	4.88	4.61	5.65	7.89	6.77	10.19	5.52	5.76	9.83	8.08	7.82
1960	1.17	2.00	1.98	1.77	1.93	2.50	1.11	2.30	1.22	1.50	1.58	2.73	5.23	1.95	2.19	1.78
1961	2.29	2.32	2.68	2.35	3.75	3.00	2.61	3.90	3.14	2.52	3.11	4.59	4.79	3.82	3.98	5.20
1962	3.00	1.28	2.02	4.98	1.84	2.90	2.17	4.04	1.71	3.56	2.21	4.69	4.94	3.80	3.75	3.51
1963	4.42	4.96	6.03	3.86	5.58	3.23	7.42	6.82	4.21	4.50	4.87	10.01	9.60	3.52	7.81	7.84
1964	2.07	1.54	3.00	3.35	4.59	2.17	4.49	3.40	3.14	3.69	3.12	3.10	4.19	2.34	2.62	1.80
1965	0.76	0.87	0.72	0.67	1.95	0.33	0.40	0.41	0.19	0.61	0.49	0.30	0.88	1.32	0.12	0.41
1966	6.31	6.18	4.98	7.57	4.85	11.65	5.13	4.87	1.33	2.66	3.00	3.23	5.75	3.30	4.13	2.61
1967	3.71	3.41	1.47	1.90	2.16	1.89	1.11	1.44	0.80	1.06	0.85	1.48	1.14	0.66	4.62	0.76
1968	3.31	4.27	4.57	6.89	7.11	4.74	4.23	6.40	2.81	5.09	5.79	7.02	7.71	5.87	4.70	7.81
1969	5.75	8.64	4.12	2.54	4.49	1.45	4.49	2.33	6.80	3.74	4.32	2.12	3.36	6.96	3.63	6.11
1970	4.70	6.65	4.38	3.40	4.07	3.38	5.20	4.62	3.55	5.62	6.97	5.17	3.73	5.39	5.18	6.24
1971	1.97	1.89	2.31	3.25	2.70	4.91	3.39	5.09	3.14	4.81	2.98	4.53	1.87	2.14	2.83	0.93
1972	4.96	5.23	5.30	6.71	5.60	2.85	4.30	4.42	3.18	3.29	3.69	5.58	2.80	2.50	2.19	6.18
1973	2.12	2.95	2.73	3.76	2.89	4.70	1.72	2.74	0.44	0.95	1.10	1.92	4.12	0.49	2.44	0.63
1974	3.61	3.71	3.73	4.41	3.11	4.75	4.50	5.54	2.49	3.77	2.72	3.40	6.33	2.05	3.33	2.32
1975	3.23	3.38	4.03	5.30	3.66	6.81	5.85	5.53	2.74	4.90	5.11	6.02	5.17	5.66	4.83	3.64
1976	11.52	12.13	13.04	11.53	14.47	6.57	12.07	10.50	11.43	9.48	7.09	7.63	5.84	7.93	7.03	7.27
1977	2.46	2.91	1.53	2.28	0.86	1.69	1.44	3.01	0.75	1.80	3.14	4.09	4.94	2.45	2.97	4.26
1978	4.22	6.26	2.62	3.73	3.18	4.58	5.81	6.90	3.58	5.87	4.64	6.13	5.48	2.59	3.29	5.26
1979	4.73	7.02	9.45	9.84	8.64	7.46	13.13	12.63	13.58	11.49	6.37	6.41	6.20	4.24	6.43	5.47
1980	4.96	6.74	6.27	5.60	5.08	6.92	5.20	7.11	4.25	6.01	5.31	5.61	3.77	3.55	4.72	3.99
1981	0.90	1.21	1.17	1.56	1.72	1.95	1.41	2.26	1.70	2.06	2.60	3.54	2.53	2.46	2.56	1.96
1982	3.75	4.71	5.84	5.52	5.19	6.51	5.74	7.58	5.79	5.78	4.45	6.95	6.39	3.17	6.22	4.90
1983	0.91	0.94	1.42	1.68	1.61	2.36	1.81	1.78	3.19	2.38	1.57	1.70	1.17	1.54	1.28	0.93
1984	6.53	8.85	8.49	6.34	4.64	4.85	4.72	4.98	2.70	3.67	2.65	4.88	6.40	3.78	3.93	4.28

May Rainfall Summary Data by County

Year	Levy	Marion	Citrus	Sumter	Hernando	Lake	Pasco	Polk	Pinellas	Hillsboro	Manatee	Hardee	Highlands	Sarasota	DeSoto	Charlotte
1985	0.84	0.64	0.84	2.09	1.03	3.53	0.68	2.00	0.65	1.05	1.09	2.18	1.91	0.95	2.33	1.74
1986	1.01	1.56	1.70	1.96	1.67	1.59	2.20	1.12	2.22	2.26	2.06	2.07	2.10	1.98	1.93	2.92
1987	3.84	4.28	3.83	3.65	4.32	3.58	5.74	3.92	3.14	6.14	5.18	3.72	4.07	4.73	6.78	3.51
1988	3.09	2.64	2.24	2.18	1.68	2.51	1.91	2.43	1.79	2.00	1.56	2.02	2.59	1.11	2.12	2.49
1989	2.08	1.73	2.50	1.94	2.52	1.57	0.98	1.38	1.53	0.94	1.00	1.25	2.11	1.02	0.48	0.97
1990	2.18	2.55	2.01	1.29	2.53	1.94	3.45	2.42	2.02	2.36	2.43	2.88	3.08	3.31	5.41	4.44
1991	6.48	7.13	6.11	6.40	6.75	7.65	6.89	7.01	9.10	7.58	9.35	5.10	5.85	10.11	8.32	10.64
1992	1.24	1.67	1.15	1.75	0.90	1.49	0.81	1.64	0.39	0.70	0.65	1.07	1.29	1.16	0.43	0.32
1993	3.42	2.26	2.51	2.85	2.47	3.32	3.13	2.80	1.14	2.77	2.76	2.61	2.15	3.09	2.41	1.63
1994	3.89	2.76	1.40	3.24	1.35	3.43	1.34	2.66	0.38	1.67	1.22	2.07	3.25	0.40	1.68	0.50
1995	3.10	3.66	4.37	4.32	2.04	3.75	1.36	2.39	0.93	1.68	1.07	1.24	2.43	0.65	3.00	1.20
1996	1.94	3.22	1.52	1.82	1.87	3.58	1.75	3.05	1.60	2.87	4.58	3.76	5.61	5.21	5.65	5.38
1997	1.88	1.36	1.31	1.18	1.94	1.54	2.03	1.90	1.08	2.48	2.56	2.03	3.13	3.30	4.18	4.60
1998	0.75	0.53	0.66	1.18	0.85	1.26	1.10	1.40	1.30	2.07	2.43	2.48	3.31	1.81	3.55	2.74
1999	1.20	1.87	1.72	2.72	2.54	2.44	2.97	3.17	0.91	4.54	3.82	3.62	6.23	2.06	4.27	3.45
2000	0.19	0.28	0.78	0.91	0.60	0.67	0.20	0.50	0.04	0.16	0.28	0.34	1.20	0.63	0.30	0.54
2001	0.38	0.41	0.52	1.42	0.38	2.87	0.62	1.73	0.10	0.53	1.08	2.91	4.00	0.93	2.20	1.35
2002	1.02	0.76	0.59	1.07	1.42	1.74	1.95	2.91	1.50	2.51	2.94	2.68	2.71	2.86	3.40	3.44
2003	3.51	3.15	2.44	2.12	1.89	1.70	1.98	3.58	1.99	2.99	3.43	3.84	3.58	3.24	3.85	3.78
2004	1.12	2.05	2.70	1.82	2.13	2.41	1.67	2.09	2.19	2.17	1.65	2.33	0.84	1.24	1.78	0.94
2005	5.86	6.30	6.28	5.16	5.45	4.24	3.77	4.94	4.04	4.42	4.94	5.29	6.08	4.76	5.00	4.60
2006	2.54	1.74	1.86	2.79	1.89	2.32	1.86	2.38	1.70	1.99	1.99	1.73	1.73	1.82	1.97	2.26
2007	1.66	1.32	0.87	1.22	0.72	0.94	0.94	1.50	0.35	0.64	0.77	1.55	1.45	0.60	2.13	1.48
2008	0.41	0.42	0.20	1.09	0.71	1.12	0.59	0.73	0.56	0.93	1.71	1.09	1.16	1.87	1.75	1.71
2009	10.49	10.51	10.27	12.07	11.46	13.27	11.09	11.38	6.89	10.01	7.21	9.66	8.72	6.37	7.22	7.29
2010	5.55	5.66	4.22	2.30	2.87	2.18	3.22	3.26	2.07	2.49	1.96	3.60	3.74	1.56	3.67	2.44
MIN	0.19	0.28	0.20	0.37	0.38	0.33	0.20	0.41	0.04	0.16	0.11	0.30	0.44	0.20	0.12	0.05
MEAN	3.28	3.72	3.56	3.74	3.61	3.78	3.60	4.17	2.84	3.53	3.17	3.93	4.03	3.05	3.80	3.49
MAX	11.52	12.13	13.04	12.08	14.47	13.27	13.13	14.26	13.58	11.49	10.19	12.28	11.62	10.11	11.40	10.64

June Rainfall Summary Data by County

Year	Levy	Marion	Citrus	Sumter	Hernando	Lake	Pasco	Polk	Pinellas	Hillsboro	Manatee	Hardee	Highlands	Sarasota	DeSoto	Charlotte
1915	4.75	5.12	6.23	5.26	3.95	3.54	3.27	4.58	3.24	4.36	4.09	4.54	4.33	4.26	4.67	4.66
1916	6.39	7.87	6.43	6.17	6.49	4.58	5.17	6.39	3.31	7.29	4.70	7.54	8.75	4.09	6.58	3.63
1917	4.67	6.50	8.33	8.04	9.20	6.25	6.57	8.93	4.85	6.64	7.69	7.43	7.78	7.22	6.54	6.30
1918	5.37	6.47	8.02	7.35	4.03	7.94	5.34	7.52	3.01	3.53	2.28	6.13	5.93	2.91	5.37	4.89
1919	6.98	5.83	9.06	8.75	10.87	5.59	9.64	7.47	4.38	7.20	7.21	7.66	8.63	7.34	6.95	7.44
1920	5.65	6.96	9.44	10.14	12.53	11.25	7.31	8.58	5.39	3.49	5.43	6.11	7.35	5.45	4.78	5.38
1921	4.71	5.43	3.82	4.71	6.82	5.56	3.64	5.04	4.43	3.88	3.66	3.27	2.87	2.28	2.86	0.14
1922	5.01	6.32	7.21	6.76	7.92	4.92	3.91	6.43	3.29	2.13	5.37	6.20	7.11	4.88	5.54	4.20
1923	9.38	10.88	8.70	8.87	10.27	7.02	8.15	7.84	6.12	5.98	5.95	9.38	9.32	5.57	9.99	6.03
1924	5.95	7.76	8.28	8.14	7.38	8.17	6.07	9.72	3.59	8.44	4.99	9.02	7.58	3.94	8.99	3.64
1925	4.76	4.88	5.05	5.98	6.22	8.38	6.41	8.88	4.27	8.61	8.09	8.40	8.40	9.84	8.71	12.50
1926	7.74	9.46	6.82	7.50	6.84	8.91	7.68	10.55	6.27	8.01	3.14	9.76	11.18	4.09	7.94	7.00
1927	8.29	7.33	5.61	6.22	5.54	7.32	8.48	6.95	3.93	6.04	7.87	7.36	8.77	6.22	6.16	3.23
1928	6.68	8.11	8.84	8.57	11.74	3.49	10.91	7.17	7.62	10.63	7.35	7.37	7.00	8.47	7.42	10.24
1929	7.49	9.78	12.74	12.00	13.00	9.65	8.28	11.53	6.52	9.39	8.08	11.29	9.48	7.00	8.47	8.17
1930	11.47	12.85	14.53	12.69	9.59	10.22	7.41	10.99	5.13	9.51	7.38	10.36	11.89	7.68	9.71	9.41
1931	1.30	1.80	2.17	2.23	2.86	1.25	3.35	2.92	1.45	1.98	2.57	3.18	3.53	3.41	2.72	4.87
1932	8.73	7.72	8.29	8.04	7.13	8.82	6.10	9.20	6.38	7.62	6.56	6.60	8.57	6.12	3.89	4.90
1933	2.28	4.30	2.74	4.15	3.65	7.49	7.31	9.35	6.67	7.91	7.92	7.00	3.85	7.14	5.79	6.90
1934	10.26	13.95	14.00	14.75	15.50	12.93	21.11	15.82	12.16	14.18	10.61	11.59	9.01	10.36	7.77	9.70
1935	4.66	4.24	6.41	6.48	6.31	7.17	4.81	6.01	3.10	6.35	4.01	7.46	6.29	3.97	5.92	5.58
1936	6.52	7.34	7.19	7.66	7.47	8.74	7.89	7.80	5.38	5.88	7.16	9.14	12.06	8.02	8.59	8.90
1937	3.65	7.79	9.41	5.46	6.48	4.39	4.26	6.87	3.79	7.53	6.30	11.45	8.65	5.14	8.74	4.78
1938	10.76	11.55	12.09	13.08	10.30	6.76	7.83	6.52	6.32	7.53	6.87	8.96	6.37	8.09	8.38	10.07
1939	9.68	9.72	9.64	8.57	8.97	11.44	11.89	14.13	11.74	12.62	13.53	16.63	9.07	15.26	19.37	20.20
1940	5.68	6.85	9.27	9.86	10.85	7.03	8.28	6.16	5.58	6.44	7.05	8.18	7.76	7.05	8.11	7.13
1941	8.65	8.67	8.64	8.63	11.54	6.62	5.75	8.27	4.25	7.70	5.12	10.23	9.17	5.35	9.16	8.47
1942	9.02	10.96	13.17	12.34	11.40	10.58	10.25	10.31	8.51	8.27	11.31	10.60	9.17	11.85	17.18	13.51
1943	5.38	4.95	7.96	10.55	13.51	3.55	16.16	9.04	15.38	14.55	19.60	12.53	4.90	19.71	10.77	15.65
1944	4.99	6.84	4.66	6.75	7.48	7.86	10.68	7.76	6.06	6.55	5.18	8.22	7.90	6.59	6.15	9.43
1945	6.82	9.75	13.45	15.20	20.04	16.50	15.57	15.84	12.24	16.34	13.31	14.20	12.54	12.25	10.54	12.30
1946	9.16	8.70	8.03	8.19	7.55	4.23	8.67	6.63	7.66	7.85	4.97	8.52	6.55	6.17	13.74	15.32
1947	5.09	4.80	4.17	4.55	5.60	8.03	8.34	9.68	3.66	7.92	8.76	12.26	12.02	11.28	17.30	13.57
1948	4.58	5.91	6.60	2.74	5.06	1.70	3.22	2.64	2.49	3.83	2.79	3.52	3.99	2.68	3.54	4.16
1949	7.11	7.82	8.43	10.16	7.77	10.32	7.75	10.99	4.18	9.31	8.69	10.10	7.49	11.65	12.09	18.17

June Rainfall Summary Data by County

Year	Levy	Marion	Citrus	Sumter	Hernando	Lake	Pasco	Polk	Pinellas	Hillsboro	Manatee	Hardee	Highlands	Sarasota	DeSoto	Charlotte
1950	3.32	3.65	4.08	3.33	4.15	4.28	5.17	5.10	4.40	5.95	5.15	4.83	3.03	8.08	6.64	8.30
1951	5.88	7.40	7.14	5.69	5.34	7.05	3.72	6.48	4.05	3.26	3.26	5.27	5.76	4.96	4.48	4.20
1952	3.76	5.16	4.99	6.41	6.41	4.00	5.84	5.01	3.29	3.73	5.23	3.39	3.63	6.30	3.38	4.10
1953	9.32	10.34	7.88	8.03	8.94	9.26	8.73	10.81	8.88	8.17	10.60	14.91	16.20	11.35	13.76	7.00
1954	2.71	2.46	2.74	2.65	3.29	6.07	5.38	7.33	5.10	6.95	6.34	11.76	13.80	7.38	6.77	6.29
1955	5.77	7.15	7.58	7.45	8.47	6.21	5.84	6.23	5.13	5.31	5.30	8.50	5.26	4.35	5.66	5.67
1956	8.83	7.95	6.33	3.56	2.97	5.21	4.80	4.94	3.30	3.33	3.38	4.44	7.51	3.72	3.44	4.29
1957	7.05	8.29	5.65	8.62	6.61	7.75	10.42	5.93	9.91	9.03	11.39	6.50	7.00	9.28	5.23	6.67
1958	4.46	6.18	4.52	3.49	5.19	5.54	3.60	5.88	5.56	6.63	7.58	5.95	7.80	5.12	8.16	9.71
1959	5.61	7.31	6.74	7.28	8.16	7.81	7.42	9.98	8.77	9.47	10.21	13.09	11.58	8.82	11.48	12.33
1960	9.28	8.95	10.94	8.48	7.07	4.39	5.86	6.23	3.91	6.99	7.46	5.60	6.89	3.80	5.77	2.49
1961	6.05	4.56	5.59	5.08	6.00	5.59	5.24	5.59	3.71	4.58	5.36	5.81	6.93	3.77	5.80	7.59
1962	6.82	9.97	9.91	7.65	9.06	11.66	10.39	9.04	8.82	9.81	11.72	14.10	13.98	11.26	17.20	16.61
1963	3.45	4.22	4.38	5.47	4.78	11.27	7.34	7.49	5.09	6.97	9.15	9.14	8.14	7.57	7.04	11.41
1964	4.99	4.99	3.36	4.67	4.70	6.91	7.13	4.08	4.70	5.90	6.40	4.05	4.73	5.02	5.07	3.91
1965	12.46	10.59	11.47	8.86	9.15	9.57	10.13	9.31	8.01	9.45	10.40	9.41	8.97	10.06	9.38	8.44
1966	6.70	6.94	7.25	10.53	10.73	12.32	8.29	8.23	6.56	8.96	8.54	7.30	9.07	8.21	10.91	10.64
1967	6.90	8.34	9.74	8.53	8.87	6.17	4.88	8.68	5.40	7.20	11.23	10.84	9.96	8.75	7.79	8.80
1968	4.58	9.20	7.78	9.46	7.96	11.54	7.73	14.28	9.79	12.34	15.03	15.70	16.77	16.84	15.52	15.69
1969	3.89	2.77	4.60	5.23	4.39	6.62	6.08	6.42	3.06	6.73	9.69	8.83	9.38	9.66	10.80	10.56
1970	6.46	5.15	6.20	3.99	6.52	7.16	5.68	5.49	4.08	4.71	4.71	5.63	6.79	4.18	6.65	7.45
1971	4.13	5.85	7.82	5.95	6.13	5.24	5.23	7.10	3.35	5.42	4.16	5.61	6.52	3.58	5.54	5.72
1972	8.69	7.92	8.59	6.69	9.84	9.57	8.89	7.80	5.28	6.69	8.08	8.77	8.52	9.26	10.30	8.07
1973	4.24	5.13	6.34	4.68	2.87	5.34	2.91	5.23	2.43	4.41	3.84	4.76	4.67	5.96	6.22	6.46
1974	11.10	15.24	16.41	15.87	17.74	12.68	15.60	13.63	23.59	14.68	15.40	15.36	15.98	16.06	16.09	22.15
1975	6.23	5.13	6.90	8.31	8.11	6.49	9.42	6.24	7.91	8.87	7.78	6.73	8.05	7.32	5.79	3.97
1976	9.29	8.99	9.26	11.46	8.49	11.42	8.56	8.93	6.95	8.63	10.50	8.74	9.55	9.70	6.60	9.08
1977	5.02	3.86	2.25	3.16	2.50	3.93	3.91	5.87	3.01	5.01	4.83	6.39	4.14	4.99	4.26	4.16
1978	6.14	5.52	7.06	7.23	5.69	12.97	5.68	10.16	5.82	5.55	9.44	7.89	9.47	9.97	7.50	8.76
1979	5.75	3.42	3.50	2.62	2.05	2.47	2.48	4.00	1.16	3.13	3.49	5.23	4.50	3.12	5.97	3.04
1980	9.62	12.36	10.08	6.06	4.70	5.06	3.65	4.70	3.89	4.33	2.81	5.65	3.19	2.22	3.96	3.32
1981	3.22	3.95	4.25	4.20	5.40	8.42	8.44	6.77	6.46	7.42	7.27	7.55	7.41	8.96	9.21	9.22
1982	13.29	15.07	15.11	12.14	13.80	7.62	10.91	9.73	9.02	9.22	11.16	13.86	12.66	11.59	17.69	14.13
1983	8.44	9.57	8.12	9.57	6.99	12.63	8.46	9.10	5.91	7.84	6.79	8.92	9.29	8.56	8.29	10.22
1984	7.81	7.17	8.64	4.76	8.92	4.16	6.27	4.10	3.77	4.63	3.37	3.21	4.83	3.29	5.26	6.68

June Rainfall Summary Data by County

Year	Levy	Marion	Citrus	Sumter	Hernando	Lake	Pasco	Polk	Pinellas	Hillsboro	Manatee	Hardee	Highlands	Sarasota	DeSoto	Charlotte
1985	9.73	9.43	10.81	9.95	10.83	8.79	9.35	7.84	7.99	8.55	6.63	6.84	7.62	4.16	5.92	5.25
1986	6.75	8.08	8.66	8.32	7.98	9.28	7.94	10.43	6.63	10.24	9.33	11.79	12.35	9.20	13.11	12.17
1987	6.28	5.16	5.37	4.84	6.23	3.01	5.92	6.06	4.20	5.86	6.18	5.02	5.71	7.96	5.07	7.85
1988	6.69	7.16	5.33	4.76	3.50	5.61	4.24	4.03	2.11	3.66	3.31	5.72	5.73	2.92	4.82	4.81
1989	8.48	11.27	10.87	8.24	9.46	9.70	8.99	6.61	8.48	8.47	8.36	6.86	6.96	7.68	6.89	9.91
1990	7.59	8.38	7.29	7.39	5.66	9.74	6.32	6.75	3.87	6.53	7.45	5.75	6.96	4.90	5.04	5.55
1991	5.20	6.13	7.60	6.29	6.99	8.45	5.46	8.62	2.67	6.54	8.20	11.07	10.37	6.26	8.63	9.92
1992	6.31	10.48	9.31	7.24	7.97	9.18	8.54	10.16	7.28	12.09	19.96	13.39	13.76	22.45	19.58	22.99
1993	4.86	5.62	3.79	6.06	5.86	4.83	4.32	3.83	3.81	4.22	5.20	4.83	3.86	5.03	5.87	8.24
1994	6.65	7.24	6.57	8.76	6.26	14.38	6.86	11.29	4.02	8.65	10.92	10.03	11.74	6.41	9.00	6.40
1995	5.87	7.89	8.55	7.12	9.26	9.47	10.28	9.19	11.56	8.56	11.05	9.96	8.79	18.45	15.06	21.27
1996	5.24	5.68	5.67	6.48	7.46	6.39	6.79	7.69	5.17	7.40	6.83	7.10	7.00	5.44	8.28	7.78
1997	6.73	5.22	5.78	3.80	4.81	7.33	5.43	6.51	3.64	5.16	4.83	5.12	8.25	4.55	5.69	6.08
1998	2.58	2.25	0.82	1.37	0.92	1.10	1.21	1.53	1.97	2.29	2.11	2.41	1.76	2.63	3.18	4.24
1999	11.18	7.55	9.25	7.05	8.70	10.52	9.48	10.86	7.13	9.38	9.43	9.71	14.62	9.18	13.33	11.45
2000	8.85	9.33	9.22	6.42	8.58	5.17	6.18	5.39	5.27	6.63	6.56	4.74	4.94	6.88	4.73	6.21
2001	6.77	6.13	6.70	6.32	7.22	4.83	7.72	5.85	7.44	8.01	8.49	7.33	5.37	8.84	7.08	6.52
2002	8.43	10.47	10.68	13.51	12.25	12.46	11.65	13.94	8.07	10.52	10.39	14.15	13.73	8.35	12.76	11.72
2003	11.91	12.90	19.55	12.67	17.14	11.47	15.73	11.73	14.36	15.05	17.23	14.15	10.58	16.44	13.56	14.74
2004	8.61	8.77	9.07	10.32	9.16	12.05	10.37	9.84	5.66	10.47	10.19	9.76	8.98	8.73	11.75	8.88
2005	11.88	9.38	9.68	10.02	8.61	11.34	10.37	13.38	10.64	12.72	13.85	14.56	16.50	16.93	17.26	15.47
2006	6.45	6.41	6.48	6.32	5.56	6.52	5.77	6.03	5.61	7.34	7.08	6.10	5.39	6.76	5.34	8.13
2007	5.69	5.34	5.74	5.29	5.67	5.06	6.50	6.04	7.84	7.05	6.35	7.40	6.94	5.21	7.35	5.68
2008	10.20	7.48	8.20	7.53	7.03	7.39	6.43	7.58	6.97	8.05	8.76	9.53	9.34	6.24	8.38	8.15
2009	5.12	5.84	7.57	6.89	7.42	6.60	7.51	7.12	4.75	7.94	7.31	6.77	8.84	6.82	7.60	7.69
2010	5.72	5.65	4.65	5.52	6.18	7.48	5.59	6.36	5.48	5.83	5.92	6.68	5.32	5.69	6.92	5.71
MIN	1.30	1.80	0.82	1.37	0.92	1.10	1.21	1.53	1.16	1.98	2.11	2.41	1.76	2.22	2.72	0.14
MEAN	6.78	7.41	7.73	7.42	7.71	7.61	7.42	7.87	5.99	7.44	7.65	8.36	8.21	7.61	8.40	8.55
MAX	13.29	15.24	19.55	15.87	20.04	16.50	21.11	15.84	23.59	16.34	19.96	16.63	16.77	22.45	19.58	22.99

July Rainfall Summary Data by County

Year	Levy	Marion	Citrus	Sumter	Hernando	Lake	Pasco	Polk	Pinellas	Hillsboro	Manatee	Hardee	Highlands	Sarasota	DeSoto	Charlotte
1915	5.03	7.17	8.91	9.94	10.54	12.95	8.02	7.99	7.13	5.00	9.09	8.74	7.23	9.00	10.26	9.13
1916	5.77	5.84	4.02	4.50	5.46	4.55	5.24	6.22	4.54	4.97	5.11	6.94	7.96	6.51	6.60	8.89
1917	7.64	7.50	8.18	7.78	7.50	6.70	7.95	8.90	6.62	7.87	8.97	6.35	4.49	7.05	6.87	3.74
1918	5.71	7.07	7.96	7.58	7.93	6.10	6.90	5.51	4.10	5.21	5.14	5.40	5.74	5.11	5.02	5.02
1919	7.48	6.06	9.01	8.17	9.58	5.09	10.52	10.85	14.78	11.22	12.32	11.64	17.75	10.62	5.58	6.47
1920	6.13	6.20	5.72	6.33	8.77	4.88	9.70	7.51	10.33	11.12	12.28	11.64	13.78	12.10	10.79	11.30
1921	13.44	10.78	10.39	9.48	11.74	5.32	10.61	6.83	16.40	11.77	17.36	6.11	6.29	13.88	5.28	5.51
1922	6.96	7.98	7.75	8.56	11.29	8.07	10.71	8.50	11.62	8.84	9.69	7.78	6.75	10.09	8.86	10.53
1923	5.10	9.44	6.62	8.10	8.70	12.07	5.89	8.82	6.41	5.91	5.35	7.44	7.62	5.21	6.53	5.50
1924	12.90	11.55	15.13	13.45	15.95	7.65	9.44	13.53	9.46	10.88	9.44	12.21	12.14	11.34	11.49	14.92
1925	8.66	7.97	8.15	8.84	13.46	7.13	10.39	10.62	11.16	13.66	10.09	7.00	5.63	9.93	7.95	9.19
1926	6.06	6.49	6.95	7.58	8.47	8.74	6.95	10.61	5.00	6.95	7.83	7.68	8.23	6.76	5.88	4.84
1927	7.12	9.98	10.08	9.32	10.94	5.27	8.63	7.31	7.90	8.38	12.36	8.32	5.42	11.64	10.75	9.98
1928	8.59	8.97	7.25	7.88	9.29	9.17	7.44	9.40	7.42	8.04	8.71	11.35	12.40	8.35	9.89	8.07
1929	6.95	8.38	7.93	8.56	12.75	7.14	9.07	6.79	11.82	10.75	8.77	6.47	6.12	9.27	6.01	9.09
1930	3.89	3.94	2.87	3.63	2.07	7.69	4.12	4.67	4.81	4.53	3.43	4.70	4.51	2.70	4.30	2.50
1931	7.79	5.67	5.77	5.85	4.89	6.95	6.80	6.52	5.61	8.18	7.87	6.42	7.71	8.55	5.32	8.07
1932	3.59	2.96	3.61	3.60	5.28	2.18	3.91	3.65	5.56	3.36	3.97	3.53	4.39	3.22	2.10	1.77
1933	10.00	11.51	16.72	14.38	14.63	7.03	14.65	10.26	10.90	12.25	7.97	11.76	13.75	10.11	11.32	14.46
1934	6.38	7.28	9.39	9.31	11.69	7.30	8.87	8.40	7.61	7.72	8.97	4.83	4.80	7.22	7.06	3.71
1935	9.75	10.22	10.91	11.78	14.91	10.73	14.15	7.74	10.15	10.47	12.33	8.32	8.76	10.60	10.64	6.39
1936	7.24	7.42	8.68	7.36	5.21	4.98	6.57	4.92	6.91	6.94	7.60	6.07	5.52	9.45	6.16	11.59
1937	6.07	7.07	8.39	9.32	9.38	10.20	11.16	9.04	10.78	7.36	8.38	8.02	6.62	8.90	7.95	9.57
1938	5.88	8.33	9.74	8.38	9.66	12.33	9.77	8.97	10.21	9.31	12.08	10.41	8.35	12.16	9.69	11.40
1939	7.69	9.65	12.64	12.35	7.74	8.58	8.27	7.63	9.96	9.52	9.00	9.20	9.15	7.08	5.08	4.08
1940	7.34	6.91	11.75	9.04	10.29	9.09	5.47	8.37	4.29	6.25	5.33	8.47	12.62	4.51	7.77	4.33
1941	7.40	7.22	7.10	8.04	9.32	9.42	12.01	11.14	9.41	9.76	8.35	9.99	14.99	6.22	10.51	4.86
1942	4.12	6.17	7.26	6.21	5.75	3.48	5.42	5.56	5.22	5.62	4.74	6.43	7.50	5.01	4.53	6.51
1943	9.47	12.39	16.01	9.75	15.48	14.49	8.37	10.95	9.76	12.29	11.75	11.00	10.48	10.73	11.94	8.94
1944	9.14	7.75	9.19	7.88	8.75	16.55	6.04	8.94	5.95	6.83	6.50	8.89	8.76	6.54	9.34	6.27
1945	10.55	12.78	12.99	16.59	15.82	9.87	16.37	13.18	15.39	14.58	13.04	14.12	14.81	13.20	14.65	7.70
1946	10.00	9.74	9.83	9.78	7.11	9.14	8.69	10.13	7.97	9.24	7.49	12.95	10.34	6.87	8.87	4.91
1947	9.68	10.38	8.78	7.96	11.34	6.75	12.13	8.70	15.73	10.29	8.91	9.46	11.42	11.75	8.44	17.64
1948	12.04	13.11	15.44	15.13	12.48	13.01	12.64	12.69	10.65	9.57	7.36	14.31	15.94	8.54	13.85	12.97
1949	10.18	10.27	9.81	8.28	9.65	6.80	7.74	7.04	6.13	6.12	7.41	10.26	7.62	7.88	8.22	9.37

July Rainfall Summary Data by County

Year	Levy	Marion	Citrus	Sumter	Hernando	Lake	Pasco	Polk	Pinellas	Hillsboro	Manatee	Hardee	Highlands	Sarasota	DeSoto	Charlotte
1950	10.87	9.77	8.97	6.31	11.20	4.72	9.87	6.21	10.74	9.48	16.23	4.83	3.27	12.13	8.24	5.40
1951	8.21	7.13	6.96	7.30	7.26	7.71	7.87	9.80	8.59	9.25	10.01	9.57	9.42	11.40	15.40	9.83
1952	3.63	6.63	3.40	5.77	7.33	3.61	4.22	7.34	6.29	6.60	5.63	7.68	8.60	5.58	11.28	7.97
1953	8.79	9.66	10.40	9.04	5.98	10.16	9.18	7.96	8.55	8.32	6.13	8.04	6.44	5.55	7.82	6.43
1954	6.83	10.32	8.21	10.36	7.44	8.06	11.11	8.33	12.01	10.92	8.52	6.93	6.33	6.48	9.83	10.96
1955	10.40	9.22	8.77	6.72	5.05	6.53	8.60	7.49	10.31	8.86	9.21	6.55	5.26	10.57	4.15	5.41
1956	5.51	7.20	5.34	6.71	7.82	9.91	6.12	6.04	5.41	5.11	8.80	6.19	5.68	5.98	5.61	5.21
1957	8.79	9.04	9.50	7.58	9.01	10.71	6.45	6.95	10.68	7.97	9.22	8.96	6.77	6.78	9.17	9.50
1958	6.84	8.26	9.08	9.92	6.47	13.12	6.38	5.78	6.05	5.48	6.57	6.24	5.99	7.08	5.78	6.59
1959	8.91	9.56	10.83	12.56	11.53	8.54	10.80	9.37	10.98	10.03	9.74	10.48	10.89	8.39	10.47	5.89
1960	10.20	12.11	14.51	13.65	15.49	12.50	16.64	14.59	18.58	19.06	17.65	14.82	14.36	13.74	13.04	9.76
1961	9.06	9.16	7.30	7.98	5.95	7.47	6.93	4.43	8.22	6.73	6.44	4.76	3.18	8.19	3.56	8.12
1962	8.57	7.91	7.31	6.39	7.65	9.11	5.74	4.53	4.52	4.32	5.26	3.42	5.81	3.63	3.35	6.49
1963	10.02	8.58	10.72	7.74	9.36	6.95	10.32	7.27	9.70	7.88	7.74	6.63	5.05	4.91	6.13	2.49
1964	15.49	13.62	14.92	10.86	15.10	14.18	11.23	6.99	8.96	10.10	8.36	6.86	7.30	8.01	5.55	7.74
1965	11.44	11.63	12.30	12.87	10.38	15.18	11.73	9.77	13.62	12.66	15.79	14.40	11.15	12.65	16.00	9.00
1966	5.43	8.44	8.08	9.15	7.31	12.26	6.44	6.29	6.17	6.55	7.07	6.95	9.86	6.70	5.96	4.77
1967	8.19	9.63	9.62	11.74	10.42	12.62	10.72	8.70	7.43	9.27	10.85	11.44	10.25	3.95	10.69	7.80
1968	10.48	10.86	9.64	7.00	4.75	8.09	9.11	8.19	9.06	10.11	11.00	9.15	7.05	12.04	7.59	9.39
1969	7.80	7.39	6.26	6.15	6.07	7.22	7.10	7.72	8.82	7.58	6.62	5.94	4.14	6.76	7.34	8.27
1970	5.56	7.10	4.12	4.09	3.28	5.75	4.59	8.45	2.46	3.21	3.91	9.96	10.06	4.28	4.65	3.84
1971	7.22	5.17	6.30	6.19	7.28	10.90	8.59	9.67	8.27	9.26	8.51	7.96	5.30	9.74	7.30	6.39
1972	3.85	4.36	4.54	3.75	7.00	3.38	6.06	5.05	5.53	3.77	3.52	5.36	5.66	2.45	2.66	4.62
1973	7.57	6.58	9.11	7.68	6.83	9.28	8.44	10.27	9.26	8.03	12.67	11.06	8.71	10.59	13.55	9.26
1974	11.22	7.60	9.64	7.93	10.55	8.06	8.89	11.20	6.23	8.29	9.55	10.66	10.87	9.75	14.31	8.54
1975	10.01	7.36	8.31	8.59	10.09	7.66	12.30	7.46	11.37	9.90	12.60	8.33	7.01	10.34	10.01	7.96
1976	6.15	7.42	7.91	7.30	8.64	9.62	5.93	8.21	5.74	5.31	9.19	8.57	8.95	7.20	5.96	6.52
1977	8.65	9.85	7.05	8.57	8.82	9.83	8.38	7.89	10.29	8.60	9.90	9.38	6.39	8.73	8.48	9.63
1978	14.95	10.30	9.96	9.87	10.08	10.70	10.48	11.21	9.56	8.49	8.70	13.95	11.36	8.49	10.48	9.74
1979	6.39	5.61	5.02	5.77	5.57	5.11	4.25	6.90	4.37	6.12	5.04	6.58	6.77	5.98	8.06	7.17
1980	9.86	10.30	9.04	6.05	8.36	6.20	8.61	7.48	7.01	8.68	7.72	5.79	6.07	6.63	7.66	9.15
1981	10.94	9.08	5.82	5.55	6.71	5.92	6.25	5.66	4.25	6.21	6.50	4.08	6.66	6.47	5.21	7.84
1982	8.63	8.93	9.20	7.46	9.24	7.32	7.96	9.39	7.11	8.89	7.37	7.50	8.36	8.80	8.66	11.28
1983	5.97	6.78	6.17	4.96	7.83	4.42	6.13	7.16	6.92	7.01	7.32	6.19	6.30	7.15	5.20	5.80
1984	10.19	8.13	8.55	8.10	10.50	9.94	10.68	9.40	9.79	9.91	9.53	9.17	9.63	10.77	11.29	12.33

July Rainfall Summary Data by County

Year	Levy	Marion	Citrus	Sumter	Hernando	Lake	Pasco	Polk	Pinellas	Hillsboro	Manatee	Hardee	Highlands	Sarasota	DeSoto	Charlotte
1985	6.05	5.96	7.11	7.86	8.81	8.55	7.89	8.72	7.45	8.22	7.48	6.34	6.88	6.92	7.57	8.82
1986	8.25	6.70	6.42	4.67	7.88	4.84	7.48	5.77	6.96	7.41	6.91	7.61	5.78	7.19	7.13	8.77
1987	5.53	4.92	8.16	5.46	6.11	3.07	7.25	6.56	9.05	7.78	8.83	8.00	3.56	9.88	7.44	7.54
1988	6.50	6.14	6.11	5.29	7.68	6.10	6.39	8.25	5.95	6.01	8.35	11.68	9.26	5.91	6.40	9.59
1989	6.74	5.27	6.89	7.03	6.58	5.19	5.03	7.34	5.63	7.37	7.24	6.04	7.06	7.19	5.50	8.94
1990	8.92	7.91	9.27	6.71	11.46	7.71	8.27	8.89	9.96	9.23	9.80	8.60	10.70	8.87	7.12	6.39
1991	9.08	9.16	7.68	6.05	10.10	7.57	12.38	11.13	9.79	11.40	10.49	10.11	8.85	11.90	6.65	9.99
1992	6.19	5.32	5.19	3.51	4.84	3.78	4.00	4.52	4.20	3.99	6.07	3.95	3.55	5.16	3.75	5.75
1993	5.97	7.08	5.13	6.01	6.59	5.78	5.80	6.69	3.65	4.92	6.24	6.27	4.60	6.50	6.82	5.95
1994	7.91	8.11	6.07	7.68	8.11	9.11	9.37	7.99	8.19	8.49	9.85	8.82	6.58	9.96	5.72	9.30
1995	7.35	6.82	8.07	6.87	5.83	6.83	8.50	9.84	9.30	10.49	12.87	10.20	7.27	16.05	10.33	14.90
1996	9.52	5.70	5.68	3.45	4.86	4.41	4.28	4.35	4.59	4.36	3.69	4.73	3.93	3.88	4.16	4.55
1997	6.53	7.05	7.20	4.60	5.97	7.06	5.92	8.94	7.80	8.23	9.20	10.42	9.16	8.17	6.78	7.55
1998	7.94	7.44	5.86	10.34	6.94	8.12	8.38	8.50	6.95	8.78	6.97	6.15	7.34	6.64	8.17	8.88
1999	4.83	4.29	5.76	4.82	6.26	3.35	5.03	3.10	6.84	6.43	5.63	3.53	7.36	7.58	4.54	8.11
2000	6.79	5.53	9.42	6.03	7.66	7.70	8.08	6.15	11.43	7.93	8.74	5.60	6.24	7.53	7.78	7.43
2001	11.00	8.14	11.09	8.09	11.56	7.14	9.49	7.86	9.34	10.10	12.50	11.28	10.11	13.54	11.79	13.31
2002	8.72	8.16	10.34	9.71	9.20	7.37	8.47	5.70	8.59	7.51	7.80	7.20	5.63	6.19	7.50	6.20
2003	5.35	5.95	6.11	7.44	6.32	9.09	6.35	5.72	5.78	5.61	5.97	4.57	6.23	6.13	5.26	5.97
2004	11.01	9.03	9.64	6.20	9.16	5.56	10.02	8.53	13.23	11.41	10.52	8.38	6.65	9.38	7.84	8.59
2005	12.17	8.59	10.20	9.16	9.38	7.11	8.49	7.30	8.06	9.11	9.24	7.57	5.74	9.69	10.31	10.32
2006	6.04	7.31	7.59	4.50	6.98	4.66	6.01	6.61	8.67	8.46	9.78	7.42	5.51	12.48	8.16	10.25
2007	10.46	10.41	9.16	10.64	10.57	9.56	8.68	7.48	5.15	8.18	7.30	7.68	8.76	6.83	8.27	8.80
2008	11.08	10.22	11.10	9.11	10.88	9.42	11.58	9.51	10.50	9.49	8.22	10.35	12.50	9.81	9.57	10.21
2009	8.89	7.74	8.97	7.87	9.95	7.98	10.26	6.89	9.27	8.95	9.05	8.62	7.33	7.11	10.04	6.99
2010	7.68	6.61	6.04	5.97	5.42	4.89	6.39	6.37	9.31	7.20	6.39	6.99	8.49	5.70	6.38	6.92
MIN	3.59	2.96	2.87	3.45	2.07	2.18	3.91	3.10	2.46	3.21	3.43	3.42	3.18	2.45	2.10	1.77
MEAN	8.13	8.11	8.48	7.95	8.76	7.94	8.38	7.98	8.40	8.29	8.64	8.19	7.97	8.25	7.99	7.98
MAX	15.49	13.62	16.72	16.59	15.95	16.55	16.64	14.59	18.58	19.06	17.65	14.82	17.75	16.05	16.00	17.64

August Rainfall Summary Data by County

Year	Levy	Marion	Citrus	Sumter	Hernando	Lake	Pasco	Polk	Pinellas	Hillsboro	Manatee	Hardee	Highlands	Sarasota	DeSoto	Charlotte
1915	5.69	5.95	7.08	6.52	8.04	4.70	5.81	10.18	15.52	8.67	7.07	9.12	13.27	6.28	4.45	4.90
1916	5.82	7.29	7.09	6.66	4.72	4.71	9.09	7.40	5.49	7.87	8.33	7.23	8.29	8.53	6.14	8.25
1917	5.94	5.90	1.79	4.29	9.85	4.47	13.64	8.55	11.19	10.68	13.73	6.84	3.94	12.58	9.14	9.59
1918	7.88	9.18	4.55	5.81	8.40	5.22	10.25	7.04	9.23	9.31	10.80	8.57	9.44	10.27	8.08	8.66
1919	8.95	7.55	4.65	5.86	4.10	10.62	7.72	7.67	4.64	5.85	5.78	6.10	6.31	5.15	5.51	4.15
1920	7.10	8.29	5.62	6.42	5.95	9.33	5.84	8.44	7.91	6.66	5.85	4.57	2.23	6.89	5.75	8.64
1921	3.09	3.11	5.87	5.38	4.84	5.36	3.21	4.98	3.96	3.41	6.86	5.28	5.02	5.95	4.97	4.07
1922	6.60	6.07	8.78	9.22	9.37	10.89	11.31	7.20	14.94	9.76	17.05	7.99	7.41	16.63	9.35	13.73
1923	6.77	6.27	7.48	8.49	9.94	10.28	10.12	8.62	8.16	6.73	5.97	8.24	12.47	6.39	4.50	6.77
1924	4.57	5.48	6.63	5.83	7.14	2.74	4.25	5.28	4.36	5.18	6.82	7.16	7.68	6.30	6.96	5.42
1925	5.95	7.50	6.35	6.36	5.96	5.96	7.14	9.81	8.84	10.77	9.23	13.06	13.01	8.11	13.42	7.42
1926	8.08	9.74	10.98	10.87	12.15	10.31	7.46	7.91	6.66	7.48	9.63	9.62	10.26	8.69	9.65	7.11
1927	8.79	14.02	13.62	11.54	5.46	9.68	6.64	7.84	6.10	8.25	6.38	9.47	6.15	4.16	12.70	2.40
1928	10.03	9.62	9.86	11.09	16.53	10.35	13.80	12.39	14.40	11.50	16.87	11.25	9.83	18.30	12.86	19.23
1929	6.04	7.74	7.60	7.63	6.27	8.96	6.47	8.42	8.95	8.90	8.41	11.75	10.01	7.57	10.36	8.83
1930	4.54	5.72	5.64	5.00	4.11	4.26	2.19	3.94	4.13	4.99	3.12	5.52	7.43	3.75	5.79	5.23
1931	6.04	6.59	6.25	6.44	7.54	5.71	6.98	6.62	6.15	6.78	8.18	6.18	6.69	7.35	5.17	5.03
1932	8.29	7.87	8.84	8.92	9.71	8.94	10.59	6.95	12.48	10.72	12.76	5.82	7.73	11.75	8.41	7.30
1933	6.29	7.42	6.70	6.83	6.86	6.53	6.84	5.38	4.72	6.06	5.66	4.89	5.94	6.48	5.18	7.33
1934	5.40	5.43	8.05	6.55	4.97	3.05	5.80	5.24	4.08	5.15	4.18	5.14	6.44	4.44	3.95	4.97
1935	11.58	10.97	7.68	7.20	10.24	2.89	7.18	8.10	7.61	9.09	11.84	8.31	7.73	12.42	7.70	11.08
1936	6.11	5.01	6.86	6.10	6.09	4.50	5.21	5.67	5.74	6.98	5.20	7.72	7.53	4.17	5.44	3.02
1937	12.63	15.25	14.32	9.15	8.31	9.03	10.04	7.50	9.93	9.15	12.65	7.42	6.49	12.49	11.21	10.01
1938	5.94	3.99	3.57	3.86	5.12	4.00	4.40	4.91	2.82	3.57	2.93	3.29	3.64	2.37	2.87	2.13
1939	8.73	13.22	11.49	9.49	12.86	13.43	11.02	12.94	19.31	14.63	15.25	14.36	16.87	13.72	10.34	9.48
1940	6.62	5.40	3.99	5.66	6.06	5.98	8.93	6.62	9.86	8.26	10.62	6.50	4.20	10.88	6.54	9.07
1941	4.76	3.74	1.09	1.90	5.38	0.97	5.08	4.71	4.98	5.50	6.56	4.80	3.39	5.73	6.61	4.49
1942	6.05	6.86	6.49	7.35	9.63	6.16	12.71	5.00	6.87	6.81	6.74	6.26	4.57	6.28	5.45	5.25
1943	8.80	11.47	11.03	8.65	9.20	9.49	11.41	7.71	12.30	8.38	9.66	10.96	10.69	7.82	7.64	4.20
1944	7.19	7.45	11.81	9.37	11.35	4.51	7.76	7.66	6.50	7.32	4.82	6.38	9.47	4.72	6.87	4.42
1945	14.93	12.55	15.78	9.11	19.46	7.82	15.98	6.08	15.46	10.48	11.84	5.30	3.83	11.38	6.09	10.56
1946	6.36	8.82	6.55	7.91	7.44	8.06	8.72	6.19	5.54	6.32	6.56	5.54	6.14	6.48	7.13	4.30
1947	7.11	9.45	13.40	8.99	10.72	6.07	10.09	6.04	14.51	10.66	10.82	9.30	8.93	9.59	8.54	11.37
1948	9.23	8.58	9.77	10.55	9.00	7.61	7.51	10.45	8.73	9.25	6.36	8.72	6.95	5.76	6.80	7.59
1949	15.73	15.53	17.97	15.37	22.02	14.26	14.86	14.46	21.02	18.00	18.31	15.73	14.36	19.08	15.97	18.48

August Rainfall Summary Data by County

Year	Levy	Marion	Citrus	Sumter	Hernando	Lake	Pasco	Polk	Pinellas	Hillsboro	Manatee	Hardee	Highlands	Sarasota	DeSoto	Charlotte
1950	4.51	6.43	8.35	5.66	5.82	6.40	6.57	5.93	6.11	7.10	7.33	8.88	5.91	6.97	8.35	4.93
1951	7.95	6.74	4.28	5.64	4.26	4.69	6.85	7.27	5.34	6.92	9.60	6.00	7.89	8.04	8.92	10.44
1952	5.17	6.33	6.86	5.49	6.00	7.18	5.30	9.11	7.25	5.75	6.92	7.54	9.78	6.12	9.34	3.90
1953	11.94	11.78	14.85	10.91	10.67	12.05	8.08	9.72	7.56	10.03	8.29	10.62	9.30	7.25	6.10	6.85
1954	6.37	8.95	10.06	7.03	5.35	3.12	5.74	4.54	9.38	5.45	6.00	7.15	8.00	6.31	4.48	5.25
1955	5.25	5.22	4.37	4.96	3.01	4.85	5.03	5.68	10.81	8.57	9.79	6.72	3.76	7.36	5.16	4.00
1956	6.56	4.89	6.61	5.79	9.10	4.60	6.83	8.33	5.86	7.88	8.36	10.62	9.31	4.92	6.35	6.09
1957	10.79	8.32	9.94	8.30	13.86	5.36	11.98	9.08	13.22	10.89	10.39	6.08	8.55	10.61	8.48	7.65
1958	8.49	7.68	6.54	6.65	3.27	6.38	5.35	6.40	7.07	6.58	6.34	3.95	4.77	6.91	5.86	4.81
1959	8.93	8.09	9.00	7.04	11.75	5.72	10.84	6.90	12.17	12.08	16.04	9.45	8.45	15.00	10.30	13.17
1960	7.05	6.49	7.82	6.41	7.60	7.09	5.75	6.10	6.80	5.02	9.27	7.77	8.73	8.29	6.58	6.93
1961	13.99	11.60	15.49	9.62	11.37	5.01	8.13	8.16	10.48	8.53	10.78	7.92	7.13	6.66	6.04	6.08
1962	9.88	6.30	9.86	7.58	9.52	8.72	9.50	9.07	11.25	11.31	11.16	8.82	9.43	10.57	8.86	14.16
1963	4.72	5.51	1.94	3.56	2.94	6.11	4.48	6.05	6.95	5.77	8.15	5.96	5.89	8.79	6.20	9.56
1964	9.50	9.31	8.21	5.94	8.84	10.10	6.55	6.75	5.22	7.33	6.62	5.88	6.57	6.97	8.78	4.70
1965	10.31	9.49	13.27	12.38	14.56	15.25	13.59	8.34	6.81	9.38	7.54	4.92	6.69	9.71	8.76	10.32
1966	10.24	7.83	8.49	8.02	7.78	12.23	10.87	7.47	6.70	8.64	7.65	6.80	10.83	7.89	7.98	8.43
1967	8.54	8.57	11.40	12.57	12.28	16.22	13.83	12.15	14.63	13.78	14.37	10.08	8.20	15.34	15.75	12.87
1968	12.07	11.23	11.60	10.22	8.68	9.93	8.08	6.49	6.59	7.80	8.95	6.71	6.63	8.71	6.46	9.19
1969	7.88	9.62	10.41	10.13	8.41	11.36	13.55	8.30	13.79	11.70	9.58	8.70	6.95	7.63	9.12	7.05
1970	12.98	12.17	12.98	9.57	10.73	4.27	9.64	5.82	5.64	8.35	8.48	4.84	3.36	11.97	7.25	8.20
1971	15.57	8.41	10.22	9.03	8.72	7.32	9.51	7.78	17.72	9.32	14.45	7.99	8.70	15.04	6.84	9.22
1972	9.61	7.54	8.19	7.31	7.37	8.02	6.31	8.39	10.89	9.79	9.28	8.03	5.29	6.95	5.35	8.93
1973	6.06	6.30	7.44	5.77	6.13	7.60	7.22	8.17	8.32	8.52	9.05	7.17	10.00	7.20	9.06	9.09
1974	7.13	8.12	9.33	7.49	9.42	5.04	8.34	4.88	9.35	6.87	6.16	6.48	7.33	9.19	7.08	9.77
1975	6.83	5.28	8.29	8.78	8.25	8.62	8.18	10.27	5.03	7.79	7.61	5.83	5.78	5.02	4.99	4.79
1976	6.22	5.35	6.65	5.76	6.23	8.07	5.82	8.91	7.54	6.76	8.87	6.71	7.84	7.92	5.15	5.01
1977	14.38	12.93	12.13	7.13	11.84	2.36	10.08	7.23	12.76	7.84	9.55	7.06	6.58	8.22	6.90	11.76
1978	9.72	7.81	7.43	4.39	6.99	2.65	7.44	5.44	6.54	6.98	7.69	4.87	5.74	6.96	5.51	6.13
1979	15.05	11.18	10.44	7.29	13.14	5.81	15.30	9.92	14.72	12.94	12.19	8.87	8.09	10.79	8.35	8.38
1980	5.75	6.38	8.00	4.92	7.45	3.08	5.37	5.10	6.73	7.50	7.12	5.00	3.65	10.66	5.96	11.19
1981	9.36	8.62	7.62	8.53	10.26	7.32	9.93	9.88	14.47	11.35	14.28	10.28	8.33	16.98	12.89	16.63
1982	6.47	7.42	7.68	6.64	9.01	5.95	7.46	6.16	8.13	7.29	6.58	4.55	7.25	7.96	7.48	8.19
1983	9.52	7.66	9.12	6.60	9.22	6.38	8.41	7.34	8.91	8.47	7.89	6.05	6.65	8.30	11.41	10.74
1984	4.22	4.46	5.38	4.65	5.21	5.03	5.03	6.57	4.85	6.11	5.10	5.96	3.67	5.25	6.68	6.11

August Rainfall Summary Data by County

Year	Levy	Marion	Citrus	Sumter	Hernando	Lake	Pasco	Polk	Pinellas	Hillsboro	Manatee	Hardee	Highlands	Sarasota	DeSoto	Charlotte
1985	15.39	13.85	9.08	11.08	12.30	7.05	12.82	9.60	9.41	10.19	10.05	9.39	5.28	7.37	6.93	7.51
1986	12.69	9.82	7.99	7.50	8.69	8.80	8.19	8.42	8.30	8.82	10.17	7.27	6.12	7.52	7.26	8.99
1987	5.54	6.59	6.55	3.64	5.62	3.30	5.24	5.26	8.34	5.95	5.36	5.41	3.80	6.52	4.74	7.35
1988	8.96	7.80	9.74	8.54	9.42	7.70	9.17	7.75	10.29	10.19	12.42	8.48	10.03	11.28	8.62	11.77
1989	6.13	7.10	5.11	4.89	5.81	5.07	5.78	4.45	5.34	5.50	7.16	5.00	9.15	5.30	5.93	7.25
1990	5.51	6.52	6.37	6.61	6.21	8.49	7.65	6.68	5.50	6.07	6.73	8.85	11.21	6.01	7.87	6.94
1991	10.89	6.74	6.66	4.71	8.58	1.77	8.83	5.76	10.25	7.35	5.19	6.40	6.54	5.90	6.15	6.93
1992	10.89	11.62	9.68	10.55	10.53	6.20	10.50	9.67	6.74	10.21	8.86	10.28	11.97	8.38	7.99	8.36
1993	4.49	5.19	4.76	4.90	6.74	4.46	6.66	5.67	8.74	7.40	9.09	6.18	8.15	7.31	5.50	6.96
1994	8.05	8.54	8.64	8.16	9.71	8.53	8.13	7.52	8.16	9.16	9.89	8.52	6.47	10.52	12.53	9.49
1995	9.10	8.44	9.96	9.91	10.58	12.14	10.77	11.66	9.34	10.77	11.23	11.60	12.38	12.26	10.88	15.32
1996	8.62	8.02	8.29	6.07	7.08	5.72	5.85	5.31	5.73	4.06	4.68	4.26	3.69	5.45	4.19	4.67
1997	6.13	4.48	4.91	4.57	5.01	9.04	5.87	5.55	3.92	6.27	5.12	5.53	5.74	5.49	4.35	5.25
1998	6.47	7.84	5.89	4.31	6.13	6.50	5.68	4.72	4.23	6.19	4.87	5.60	7.83	6.46	6.46	7.62
1999	10.39	6.38	6.74	5.86	7.67	6.01	6.15	6.70	7.90	9.32	10.12	9.16	10.17	14.79	7.41	9.71
2000	5.42	4.88	5.24	4.98	6.01	5.51	6.35	5.63	6.21	6.55	6.60	5.38	3.90	6.94	6.50	8.78
2001	5.52	5.31	4.30	5.18	4.64	6.95	5.40	6.34	4.26	5.79	5.77	6.01	4.81	5.35	5.73	5.25
2002	8.03	8.43	7.90	8.72	8.30	10.57	8.86	8.89	10.24	9.88	11.08	8.43	7.13	11.58	6.58	9.37
2003	7.88	6.91	8.07	8.95	9.89	9.66	9.94	9.07	10.99	9.78	13.02	9.91	7.04	13.74	8.69	9.79
2004	7.82	6.37	7.37	8.50	8.40	14.22	9.90	12.43	12.91	12.91	13.34	13.38	13.23	12.04	13.19	12.33
2005	11.28	10.05	8.16	8.62	6.42	9.29	6.91	8.25	5.77	7.36	5.69	7.20	7.19	5.19	6.55	7.14
2006	7.47	6.79	6.81	5.46	6.27	5.78	6.91	6.18	8.15	7.82	8.65	7.43	7.92	8.53	10.30	11.12
2007	6.39	5.64	7.58	6.44	7.57	6.89	7.20	5.91	8.68	8.02	7.37	4.78	4.07	5.27	4.63	5.58
2008	12.79	13.54	12.54	10.45	9.25	10.67	7.07	8.27	6.84	6.95	8.24	8.84	12.11	8.29	11.66	12.00
2009	6.48	5.73	5.50	6.88	5.47	6.69	6.66	7.06	8.74	7.58	8.99	6.73	5.74	9.05	7.04	8.31
2010	10.16	10.99	12.19	8.31	9.30	9.48	10.71	9.22	11.84	10.43	10.92	9.37	9.74	11.22	9.61	11.42
MIN	3.09	3.11	1.09	1.90	2.94	0.97	2.19	3.94	2.82	3.41	2.93	3.29	2.23	2.37	2.87	2.13
MEAN	8.24	8.01	8.24	7.37	8.35	7.22	8.23	7.50	8.70	8.29	8.86	7.54	7.57	8.59	7.64	8.13
MAX	15.73	15.53	17.97	15.37	22.02	16.22	15.98	14.46	21.02	18.00	18.31	15.73	16.87	19.08	15.97	19.23

September Rainfall Summary Data by County

Year	Levy	Marion	Citrus	Sumter	Hernando	Lake	Pasco	Polk	Pinellas	Hillsboro	Manatee	Hardee	Highlands	Sarasota	DeSoto	Charlotte
1915	4.37	4.74	3.00	3.34	2.66	4.42	3.48	4.83	2.49	1.80	3.29	5.47	6.00	4.35	4.99	6.39
1916	3.87	3.48	2.75	3.54	4.76	4.41	7.19	4.27	9.11	5.02	4.92	4.36	5.29	5.96	3.73	7.26
1917	5.66	5.95	1.75	4.38	9.30	7.07	7.70	9.86	5.20	6.01	5.37	9.82	10.56	7.58	8.76	11.91
1918	6.07	7.81	6.22	6.10	5.63	5.70	4.82	8.87	5.31	5.56	4.69	8.18	8.11	5.67	8.03	8.12
1919	6.05	4.91	5.51	4.62	4.18	2.79	2.94	4.32	5.05	5.09	5.08	5.65	6.67	6.57	5.17	8.75
1920	11.17	8.42	9.20	8.79	8.35	8.73	8.82	8.12	8.69	6.54	9.07	8.12	7.62	7.42	7.99	4.67
1921	2.65	3.07	4.54	4.31	3.14	4.62	3.21	2.95	3.77	2.96	2.89	4.29	3.24	4.70	5.31	8.06
1922	5.30	8.67	7.71	8.47	11.89	6.38	11.44	9.33	10.05	9.51	10.72	9.80	8.14	11.69	11.60	13.34
1923	3.35	4.54	5.19	5.34	4.43	6.41	5.88	7.59	4.71	6.89	5.44	5.99	4.60	6.15	6.56	7.57
1924	6.35	6.50	4.82	5.18	5.88	5.10	7.24	4.42	8.05	7.31	7.88	5.24	3.80	7.76	7.36	7.28
1925	2.04	1.46	2.75	2.63	2.79	2.10	3.47	2.48	2.64	2.72	3.79	1.90	1.24	3.95	2.15	3.78
1926	5.67	6.07	7.19	6.05	3.99	4.53	5.00	7.92	9.81	7.74	13.83	8.93	11.55	14.43	6.61	13.42
1927	1.32	1.82	2.07	2.67	2.74	4.11	3.81	4.17	3.18	2.53	4.42	4.11	4.22	4.21	4.10	3.82
1928	10.91	10.75	9.53	10.32	9.84	12.71	12.52	13.74	12.88	10.74	15.53	10.17	10.96	15.53	8.74	13.88
1929	7.99	9.47	7.10	8.26	6.69	11.69	9.85	13.12	11.63	12.95	15.96	14.17	14.21	16.64	14.93	16.46
1930	8.80	10.99	8.54	9.58	9.58	12.02	8.51	10.91	6.85	7.79	7.56	15.72	17.66	6.65	15.16	8.71
1931	2.17	2.55	3.70	3.90	5.12	3.72	5.92	6.67	7.86	7.70	6.71	7.41	7.62	6.23	8.18	5.37
1932	3.28	3.76	2.55	3.22	3.93	4.41	5.21	5.89	7.69	6.55	6.68	4.30	5.55	7.13	3.52	7.02
1933	9.24	13.35	14.14	14.69	11.20	18.29	12.36	14.91	10.02	12.34	9.10	11.08	11.67	8.11	6.85	7.54
1934	2.27	3.55	2.68	3.19	3.14	4.33	3.87	5.29	6.26	6.93	8.37	6.80	4.91	9.87	9.05	11.80
1935	9.57	9.58	9.79	11.60	15.15	13.59	15.07	11.13	12.70	11.41	11.82	8.64	10.96	12.97	10.84	14.65
1936	3.04	2.75	4.11	3.84	3.56	3.86	4.04	6.10	7.29	5.51	8.64	8.65	9.11	7.77	8.48	5.82
1937	5.61	5.94	6.31	3.95	4.41	3.92	5.09	3.38	5.80	2.12	4.12	6.34	6.54	4.16	6.68	4.61
1938	6.09	7.94	10.21	9.55	12.82	4.27	6.18	5.65	6.09	5.43	6.60	5.74	3.00	6.24	7.99	6.15
1939	4.05	5.99	5.80	5.68	6.28	3.73	5.87	5.36	4.95	4.40	5.93	7.28	7.02	6.46	8.98	7.83
1940	3.18	4.21	6.30	5.56	3.51	4.57	3.93	5.30	5.15	3.94	8.22	10.28	10.80	9.70	16.85	12.64
1941	2.72	3.57	0.98	2.40	5.27	3.80	5.07	4.29	6.00	5.22	6.50	4.50	5.15	6.94	5.27	6.18
1942	6.10	7.89	6.14	5.99	7.24	3.33	7.54	4.85	8.16	5.46	4.58	6.29	5.64	5.38	5.42	6.91
1943	5.65	5.58	7.41	6.79	7.20	8.11	8.27	4.51	6.95	5.08	6.78	5.00	5.16	6.14	6.74	4.59
1944	3.83	3.34	4.90	4.63	6.00	5.41	3.74	2.69	2.92	2.13	3.62	4.01	2.69	5.73	3.93	6.17
1945	5.06	7.27	6.67	7.50	6.91	8.33	10.75	7.83	5.49	6.21	3.75	7.96	10.40	4.68	8.47	8.58
1946	5.80	7.92	6.82	6.26	3.79	3.49	5.38	5.89	9.36	7.66	7.66	6.62	7.82	6.87	3.97	5.98
1947	8.81	8.90	8.72	7.65	13.00	8.89	10.53	13.00	10.91	14.26	11.66	15.71	13.96	10.17	11.14	15.85
1948	3.69	4.69	5.68	5.98	4.80	5.32	5.58	11.89	5.33	7.22	10.84	13.74	18.33	9.84	11.69	10.32
1949	6.16	7.06	6.00	10.73	9.37	3.29	12.17	7.64	8.85	10.06	12.52	8.95	8.29	10.83	12.36	7.04

September Rainfall Summary Data by County

Year	Levy	Marion	Citrus	Sumter	Hernando	Lake	Pasco	Polk	Pinellas	Hillsboro	Manatee	Hardee	Highlands	Sarasota	DeSoto	Charlotte
1950	13.86	15.04	17.52	16.88	21.41	15.42	14.51	8.84	11.36	10.09	10.47	6.29	8.58	8.48	8.33	11.45
1951	7.17	8.02	5.97	8.12	6.64	9.42	6.21	7.72	9.15	8.86	8.59	7.36	4.96	7.31	6.71	4.76
1952	4.92	4.35	5.04	8.00	6.63	4.69	3.17	4.53	6.95	5.34	6.44	7.06	5.94	6.78	7.48	3.23
1953	6.69	6.17	8.49	9.66	12.17	6.57	12.85	10.22	14.48	11.88	12.37	13.61	15.94	11.92	11.39	11.07
1954	4.90	6.07	2.14	3.37	3.82	4.23	4.93	4.82	9.38	6.48	9.23	6.63	6.25	10.43	9.45	8.33
1955	6.13	8.29	7.36	3.86	4.36	4.80	6.17	5.62	8.98	6.98	6.82	6.69	6.22	6.65	5.51	10.39
1956	2.72	2.82	2.75	2.39	4.08	5.09	5.37	6.79	7.16	7.28	7.22	6.74	5.79	8.76	5.77	8.81
1957	8.74	8.26	7.79	6.81	9.00	6.51	6.41	7.86	9.63	8.64	10.50	9.10	8.32	10.64	11.25	6.86
1958	2.40	3.19	2.69	1.82	1.92	2.20	3.89	4.90	4.05	5.46	4.31	5.68	3.85	4.50	4.91	7.20
1959	7.19	5.57	5.34	6.27	5.96	9.67	8.62	8.66	10.19	8.47	9.20	9.19	9.98	8.98	8.85	15.30
1960	10.10	11.75	14.71	13.94	13.24	11.39	15.08	14.16	10.13	13.22	16.38	15.01	13.26	15.28	15.96	13.06
1961	2.18	1.98	0.97	1.54	2.16	1.37	3.70	1.80	5.05	2.27	3.79	1.64	3.19	3.58	1.92	5.05
1962	7.15	7.40	8.04	8.13	9.92	12.74	6.75	6.64	12.19	9.50	16.28	11.09	9.70	18.63	13.90	17.76
1963	4.74	5.98	8.17	7.32	4.98	12.87	5.78	6.43	6.15	5.65	8.38	8.69	10.78	9.07	6.79	6.98
1964	14.23	12.42	11.92	12.94	11.57	9.75	9.77	7.05	5.31	7.22	6.40	7.73	7.43	7.46	8.58	6.57
1965	7.22	6.53	5.88	4.62	4.73	4.67	6.01	6.60	5.48	7.20	7.23	5.98	7.98	5.37	4.18	3.83
1966	10.49	8.28	8.56	8.55	8.29	13.18	7.98	6.28	5.99	6.04	4.54	6.60	9.38	5.74	7.02	6.03
1967	1.74	1.33	1.51	4.15	3.30	6.20	3.12	4.28	1.65	2.56	5.38	4.74	7.23	8.34	5.71	4.33
1968	2.44	2.22	2.93	2.79	3.02	5.27	6.60	6.39	6.57	5.56	5.40	4.70	5.21	6.37	4.87	4.92
1969	6.44	6.26	7.12	6.85	8.70	9.28	8.28	7.18	5.26	7.15	8.76	8.58	7.62	7.81	7.33	6.32
1970	2.40	2.81	3.86	4.36	5.69	7.88	3.72	5.22	3.66	4.10	6.29	6.00	5.93	6.50	6.09	5.35
1971	4.93	3.94	7.55	7.28	7.49	5.32	10.12	5.55	11.59	8.62	8.45	7.24	8.42	9.60	7.35	7.38
1972	0.57	0.76	0.68	2.30	0.76	1.45	0.90	1.11	0.93	1.85	1.98	1.32	1.87	3.47	2.61	4.12
1973	6.08	5.17	6.49	6.34	6.48	8.82	8.18	9.12	6.17	7.24	7.38	7.47	8.80	7.43	5.59	5.22
1974	6.46	4.98	6.22	6.03	7.87	7.57	9.40	5.89	8.04	5.21	4.54	3.90	4.21	5.80	5.51	4.59
1975	9.28	7.38	7.10	6.29	7.85	7.05	9.51	8.36	10.88	8.34	6.30	9.30	8.28	8.46	9.58	9.56
1976	4.88	8.70	4.28	5.46	5.36	4.63	5.19	7.74	6.11	6.16	7.44	6.21	7.28	7.73	7.72	6.69
1977	6.27	7.17	6.38	6.18	6.62	3.96	7.53	8.14	6.85	8.99	9.19	6.56	6.58	9.13	6.94	10.47
1978	3.55	2.57	2.53	2.40	3.17	1.00	2.91	3.73	4.02	2.97	5.07	3.61	4.03	5.29	5.14	5.22
1979	14.02	14.94	12.75	13.29	14.12	13.44	13.16	13.75	14.15	15.29	15.37	11.97	14.63	13.71	14.20	14.09
1980	7.58	5.20	7.07	5.20	4.52	4.64	3.41	4.30	6.94	4.27	7.24	4.06	2.81	7.37	4.89	6.70
1981	6.21	3.53	4.10	4.11	5.09	1.60	5.76	5.23	4.64	7.08	5.44	6.79	6.55	4.54	6.01	4.91
1982	6.29	8.65	12.86	8.62	12.72	9.39	10.75	10.16	8.79	8.84	9.85	10.40	8.47	9.37	8.48	11.70
1983	10.69	10.12	8.89	5.48	8.34	5.54	9.03	6.27	10.57	8.50	8.35	7.50	3.54	10.70	5.84	10.91
1984	6.12	3.87	4.16	2.66	3.93	5.28	4.23	3.68	7.51	4.33	2.61	3.22	4.10	3.36	3.62	5.81

September Rainfall Summary Data by County

Year	Levy	Marion	Citrus	Sumter	Hernando	Lake	Pasco	Polk	Pinellas	Hillsboro	Manatee	Hardee	Highlands	Sarasota	DeSoto	Charlotte
1985	6.22	6.87	6.56	5.57	5.85	5.52	7.90	6.01	7.09	6.15	5.37	5.98	6.73	6.04	6.46	5.93
1986	4.49	3.40	4.17	2.85	5.68	2.93	4.84	3.61	3.98	3.31	4.42	5.18	5.14	3.36	6.63	4.63
1987	7.67	5.82	5.74	4.69	5.82	5.07	5.55	5.80	6.93	5.52	6.12	4.70	7.09	5.95	6.81	4.95
1988	14.41	12.21	15.33	8.78	14.83	8.23	14.09	8.58	17.61	15.06	12.45	7.98	4.78	11.04	5.95	8.87
1989	7.99	8.41	7.52	4.68	4.95	4.76	5.14	7.31	6.30	7.77	9.30	8.10	6.54	8.02	6.46	7.14
1990	2.60	2.44	2.05	2.30	3.04	3.94	2.52	3.06	3.11	2.61	3.18	5.25	4.14	3.56	3.95	4.29
1991	3.42	2.42	2.85	1.89	2.31	1.65	1.82	2.72	3.65	2.28	4.05	4.10	3.88	5.38	4.47	4.41
1992	5.09	5.26	5.01	4.75	4.95	2.24	4.89	4.39	5.63	5.47	5.60	4.55	4.44	7.08	5.06	6.70
1993	4.16	6.13	5.40	4.15	4.82	4.28	5.53	5.96	5.53	6.46	5.23	5.02	6.52	4.91	6.32	4.74
1994	6.47	7.29	7.94	7.69	8.51	8.62	8.89	10.92	7.35	10.65	11.42	14.52	9.91	11.25	13.20	11.07
1995	5.52	4.39	5.88	6.28	5.78	5.05	5.06	5.51	4.83	5.18	7.25	6.73	5.40	9.75	8.76	8.02
1996	3.24	3.57	3.91	2.68	4.49	4.00	4.83	5.04	3.69	5.65	4.53	4.18	3.74	4.90	4.99	6.59
1997	6.21	4.27	5.63	7.71	7.45	10.55	9.64	5.98	10.30	12.18	10.41	7.59	9.25	11.04	9.92	12.28
1998	14.37	10.49	8.18	10.74	10.94	12.41	13.48	9.67	10.01	12.92	9.94	10.84	9.10	9.73	9.93	8.63
1999	6.97	6.26	4.65	5.47	4.61	5.67	5.62	6.13	6.69	6.17	5.37	4.92	7.05	7.36	5.48	7.43
2000	6.04	5.70	5.27	5.57	5.74	5.42	6.05	6.51	6.47	7.62	8.94	7.41	6.90	6.88	6.86	7.37
2001	8.33	9.20	9.27	9.81	9.27	9.42	9.52	13.30	9.95	11.71	14.16	14.60	14.00	12.72	12.05	11.78
2002	3.89	5.19	3.87	5.19	4.61	5.92	5.36	5.37	5.87	5.95	6.05	5.60	5.09	4.48	4.57	5.10
2003	2.67	3.10	3.10	4.14	5.43	4.29	5.35	4.20	6.51	5.32	8.61	7.98	7.54	10.64	9.43	12.12
2004	18.52	18.08	17.26	15.46	17.30	16.93	15.95	15.93	11.60	14.64	12.05	13.07	13.80	7.63	10.68	7.29
2005	2.32	2.40	2.29	3.39	2.60	4.00	2.80	3.48	1.42	3.03	3.19	4.25	3.51	3.27	3.54	4.50
2006	4.20	4.81	5.55	4.35	6.61	5.08	6.14	5.38	8.45	6.85	8.36	6.86	5.04	8.80	6.64	6.62
2007	5.47	6.46	5.36	6.64	4.49	3.55	3.79	4.47	3.74	5.19	4.79	4.68	5.21	4.54	4.33	6.33
2008	3.03	2.08	1.84	1.24	1.70	0.94	1.21	1.55	1.93	1.77	2.44	3.12	3.41	5.17	3.67	5.40
2009	2.80	5.48	5.41	5.03	5.72	3.02	6.13	5.26	6.73	7.07	8.15	5.98	5.21	7.18	5.80	6.97
2010	2.58	2.88	3.32	3.08	3.69	4.30	4.41	4.57	3.81	2.90	3.33	4.69	3.91	4.68	5.35	6.13
MIN	0.57	0.76	0.68	1.24	0.76	0.94	0.90	1.11	0.93	1.77	1.98	1.32	1.24	3.27	1.92	3.23
MEAN	5.97	6.15	6.15	6.09	6.62	6.33	6.85	6.72	7.11	6.85	7.53	7.27	7.28	7.75	7.40	7.90
MAX	18.52	18.08	17.52	16.88	21.41	18.29	15.95	15.93	17.61	15.29	16.38	15.72	18.33	18.63	16.85	17.76

October Rainfall Summary Data by County

Year	Levy	Marion	Citrus	Sumter	Hernando	Lake	Pasco	Polk	Pinellas	Hillsboro	Manatee	Hardee	Highlands	Sarasota	DeSoto	Charlotte
1915	6.77	7.11	9.74	9.79	11.70	9.66	5.47	5.77	2.51	2.81	2.23	5.32	6.00	2.29	4.57	3.06
1916	2.66	3.01	3.08	2.83	2.71	2.64	1.03	2.74	0.81	1.63	2.19	2.83	2.73	1.83	2.76	1.43
1917	1.25	1.46	2.03	2.20	2.47	2.41	4.48	6.75	6.90	5.95	4.29	4.93	4.07	4.04	4.92	4.03
1918	2.91	3.71	3.27	3.31	5.83	1.20	3.41	3.06	6.55	3.20	7.48	5.95	4.01	6.64	8.48	5.46
1919	2.69	2.89	0.88	1.01	0.84	0.93	1.40	1.15	2.30	2.16	1.64	1.23	0.85	2.19	1.78	3.04
1920	0.31	0.19	0.27	0.23	0.36	0.00	0.51	1.87	0.72	1.13	0.87	2.67	2.39	1.01	2.91	1.75
1921	6.90	7.36	9.44	10.30	15.64	7.56	14.74	6.35	10.48	9.49	7.19	7.09	7.28	4.46	6.55	0.32
1922	6.52	6.48	6.49	6.72	8.73	5.51	7.70	7.90	9.31	9.79	11.10	8.48	9.46	10.66	7.85	9.11
1923	3.12	3.40	3.88	3.23	2.35	2.19	2.55	1.68	2.83	2.95	2.51	2.18	2.21	2.10	2.19	1.37
1924	3.97	4.00	4.54	5.83	4.33	9.73	8.05	8.01	3.80	6.76	7.73	8.40	7.07	9.84	10.00	13.52
1925	3.62	3.98	3.01	2.68	2.30	1.17	3.67	2.08	2.85	2.62	2.95	2.30	2.73	3.47	2.03	3.98
1926	1.03	0.81	0.86	1.22	1.46	1.03	4.67	0.94	2.12	1.07	1.18	1.23	1.18	1.06	1.26	0.90
1927	2.71	3.09	2.69	2.64	2.50	2.06	3.17	1.83	1.72	2.31	1.41	2.45	3.83	1.55	1.55	1.77
1928	1.62	2.21	1.01	0.98	1.03	0.58	1.40	1.47	1.82	2.20	2.81	1.86	1.92	2.68	1.79	2.18
1929	1.26	0.79	1.28	1.30	0.89	2.04	0.97	2.23	1.11	1.08	0.89	1.52	1.65	1.23	1.62	2.06
1930	1.19	1.15	1.47	1.81	1.94	3.04	1.12	1.56	1.00	1.12	1.75	1.87	2.74	2.17	1.94	2.58
1931	0.44	0.88	0.40	0.70	1.13	1.06	1.07	1.70	1.08	0.84	0.98	1.89	2.90	0.86	1.22	0.80
1932	1.53	1.88	1.87	1.79	2.28	1.01	2.43	2.08	3.13	2.19	3.00	3.96	4.33	4.90	4.73	7.86
1933	1.87	1.10	0.78	1.28	0.92	3.13	1.27	1.54	1.30	1.47	3.26	1.49	1.93	3.09	2.37	1.76
1934	4.59	4.11	6.05	4.60	2.89	1.69	3.95	0.72	4.82	3.58	2.29	0.81	2.52	3.21	2.29	3.94
1935	0.34	0.49	0.38	0.85	0.39	2.59	0.91	1.05	1.23	1.44	2.35	2.90	3.40	2.12	3.15	1.48
1936	7.09	7.57	6.18	6.43	7.24	6.55	5.54	4.23	4.75	4.12	4.06	3.72	5.08	3.53	2.87	2.41
1937	3.95	4.47	4.49	4.34	4.66	5.32	3.66	4.29	3.60	2.77	1.61	2.91	4.93	2.19	2.70	3.83
1938	8.58	5.87	4.63	4.21	5.51	2.60	8.15	7.74	9.91	9.98	10.53	8.47	5.62	7.40	5.61	3.28
1939	1.28	1.47	0.71	0.87	1.69	1.03	2.71	1.73	1.68	1.62	1.67	2.60	4.30	2.02	2.32	2.77
1940	0.21	0.18	0.19	0.04	0.88	0.04	0.10	0.44	0.21	0.07	0.10	0.16	0.66	0.07	0.21	0.02
1941	11.27	5.99	1.35	2.45	5.50	3.54	3.36	2.46	2.45	2.70	3.50	2.59	2.64	3.14	2.85	2.02
1942	1.39	0.55	0.32	0.37	0.63	0.39	0.30	0.31	0.05	0.38	0.03	0.39	0.17	0.00	0.02	0.00
1943	0.41	0.73	0.73	1.58	1.46	1.07	1.78	2.87	1.59	1.67	4.73	3.47	5.05	4.39	3.20	2.94
1944	8.48	8.31	8.53	8.67	9.37	9.33	6.97	6.05	6.97	5.26	3.52	2.41	4.38	3.38	2.83	3.37
1945	1.57	1.76	2.21	1.95	1.54	0.57	3.32	3.92	3.58	4.33	3.87	5.54	6.55	4.05	5.86	9.40
1946	4.44	5.37	4.01	3.53	3.21	1.56	3.79	2.66	3.54	3.26	2.82	2.33	3.60	2.37	1.46	2.18
1947	6.21	4.99	5.32	5.41	3.53	2.94	3.51	3.13	3.92	3.42	2.08	2.94	2.92	2.26	4.08	2.55
1948	5.22	4.25	4.17	4.20	3.62	2.04	2.64	2.37	1.45	1.88	3.52	2.56	5.15	2.42	3.44	3.12
1949	1.54	2.62	1.12	2.41	2.16	1.87	3.22	2.25	2.08	2.18	1.78	2.07	0.79	2.34	1.56	3.26

October Rainfall Summary Data by County

Year	Levy	Marion	Citrus	Sumter	Hernando	Lake	Pasco	Polk	Pinellas	Hillsboro	Manatee	Hardee	Highlands	Sarasota	DeSoto	Charlotte
1950	5.59	5.12	4.64	5.35	5.15	6.85	3.35	6.55	3.82	4.28	2.68	6.39	6.50	2.35	4.03	3.96
1951	3.09	2.85	2.66	1.23	0.53	1.65	0.73	2.00	1.51	1.27	4.75	4.98	10.23	8.14	8.08	9.89
1952	5.35	5.94	4.81	5.62	7.12	6.02	4.90	8.48	10.48	8.04	11.33	9.77	7.54	10.90	13.05	11.71
1953	2.76	3.85	3.48	2.90	2.97	2.47	3.33	4.52	3.72	3.20	4.51	7.01	7.77	5.66	10.08	8.31
1954	2.74	3.65	1.94	2.36	1.38	3.02	1.06	2.05	2.55	1.63	2.27	2.31	1.92	2.84	1.23	2.45
1955	1.51	1.82	2.09	1.98	1.21	1.84	2.09	2.02	3.15	2.95	1.83	1.49	2.72	1.34	0.91	0.98
1956	5.11	6.41	5.38	6.67	4.66	8.63	4.41	5.64	4.24	3.46	3.53	3.80	8.25	4.81	2.89	3.07
1957	2.46	1.22	1.06	2.27	1.50	1.00	2.38	1.82	3.61	2.31	4.70	2.96	2.05	5.72	4.25	3.84
1958	4.81	9.00	10.17	6.71	8.31	6.51	4.96	3.69	5.00	4.34	5.15	3.34	3.60	6.09	5.58	5.28
1959	6.52	4.41	5.47	6.06	5.49	4.88	6.95	7.74	7.45	7.58	6.87	6.36	10.35	8.45	8.64	10.89
1960	3.97	4.01	5.04	3.72	2.50	2.24	3.02	3.15	3.55	2.94	2.90	4.11	3.81	3.51	3.82	3.69
1961	0.66	0.78	0.19	1.44	0.93	2.99	0.35	1.26	0.26	0.46	0.56	0.68	1.10	0.86	0.20	0.36
1962	1.42	1.64	0.97	1.39	1.05	1.73	1.87	1.40	1.35	1.90	1.45	1.11	0.77	1.56	1.46	3.09
1963	0.38	0.15	0.20	0.26	0.21	0.48	0.19	0.44	0.23	0.22	0.24	0.38	0.35	0.21	0.78	1.26
1964	1.58	1.39	1.54	1.26	1.40	2.16	1.84	1.46	1.46	2.18	1.94	2.07	0.79	1.21	1.34	1.18
1965	1.61	2.34	1.89	2.40	2.15	4.07	2.23	2.55	1.37	2.07	2.75	4.06	4.76	3.63	6.06	5.20
1966	1.95	1.90	1.52	1.27	1.50	2.60	0.87	1.81	1.05	2.63	2.51	2.02	1.90	1.83	3.27	3.58
1967	0.77	0.50	0.66	0.59	0.71	0.26	0.70	0.98	2.02	1.75	1.85	1.64	2.58	5.83	4.35	5.49
1968	3.73	6.30	4.61	5.08	5.08	3.89	5.52	3.39	4.51	4.34	4.30	4.54	6.01	3.85	7.69	3.67
1969	2.19	4.01	4.63	6.82	5.47	6.61	5.20	5.87	4.92	5.06	4.94	5.82	7.44	5.67	7.32	4.95
1970	2.16	2.37	2.97	3.20	2.14	2.69	2.16	2.09	1.59	1.60	2.17	2.05	2.40	1.16	1.99	0.84
1971	6.00	3.81	4.70	5.21	3.73	4.60	4.50	6.40	3.86	5.96	5.77	5.12	5.22	4.30	5.83	3.89
1972	1.52	1.21	1.41	2.44	1.74	3.11	3.51	3.99	0.93	3.50	2.63	2.31	2.71	2.67	3.60	2.48
1973	0.81	1.21	0.87	0.71	0.98	1.12	1.99	1.84	2.12	1.81	0.84	1.43	3.46	0.61	1.33	0.28
1974	0.43	0.16	0.10	0.08	0.10	0.21	0.40	0.21	0.10	0.27	0.04	0.14	0.34	0.12	0.23	0.44
1975	3.47	5.58	6.34	4.63	6.01	2.52	5.69	5.37	7.34	5.68	6.65	8.46	4.71	5.55	5.58	6.20
1976	3.02	2.30	1.99	1.27	1.66	2.34	1.72	1.19	1.40	1.23	1.11	1.41	1.78	1.83	2.27	2.02
1977	0.42	0.68	0.58	1.24	1.04	0.37	1.07	1.53	0.90	0.80	1.54	2.63	1.85	0.65	1.06	2.07
1978	1.14	0.61	0.84	0.75	0.60	0.97	1.08	1.64	1.79	1.47	2.18	1.74	4.42	1.60	1.99	2.74
1979	0.37	0.66	0.85	0.46	0.61	0.47	0.71	0.82	1.09	0.35	1.50	0.82	0.61	1.22	0.62	1.02
1980	3.00	2.11	1.57	2.20	1.76	1.24	1.62	1.44	1.79	0.98	1.58	1.77	3.64	1.27	2.29	2.56
1981	0.92	2.08	1.07	1.52	1.28	2.05	1.24	1.33	0.70	1.23	1.46	0.39	1.14	1.24	0.31	0.78
1982	2.40	2.51	3.36	4.57	2.62	4.38	3.11	2.82	4.46	2.57	4.93	2.67	2.36	6.20	4.03	6.39
1983	3.14	4.32	3.53	3.97	2.88	5.04	2.99	3.68	4.01	2.51	3.42	2.81	4.11	5.50	3.63	5.44
1984	0.71	0.32	0.41	0.16	0.36	0.22	0.60	0.56	0.89	1.00	0.92	0.43	0.35	1.32	1.03	1.69

October Rainfall Summary Data by County

Year	Levy	Marion	Citrus	Sumter	Hernando	Lake	Pasco	Polk	Pinellas	Hillsboro	Manatee	Hardee	Highlands	Sarasota	DeSoto	Charlotte
1985	6.62	3.79	2.28	3.10	2.53	4.14	3.79	2.76	2.76	3.22	3.41	3.41	2.93	2.99	4.47	4.41
1986	3.26	3.26	2.37	1.80	3.15	1.82	3.45	3.17	8.11	4.36	3.70	3.98	2.29	5.51	5.21	4.87
1987	0.32	2.03	1.49	1.32	0.74	1.51	1.28	3.16	1.62	2.34	2.78	3.82	7.23	2.66	4.69	4.86
1988	1.11	1.30	0.88	0.78	1.19	0.80	0.70	1.15	0.60	0.58	1.30	1.33	1.42	1.56	0.87	1.64
1989	0.66	0.75	0.91	0.63	1.31	0.88	1.27	1.11	1.11	1.37	1.82	2.09	5.03	2.01	1.50	2.05
1990	5.15	3.49	6.03	2.86	4.48	2.87	3.32	2.61	2.47	3.41	5.35	2.12	1.81	4.83	1.41	2.64
1991	2.40	3.51	1.75	2.11	2.67	1.45	2.19	3.19	1.83	1.43	1.99	2.83	2.87	2.31	1.87	2.29
1992	6.78	6.94	8.70	4.81	5.94	4.43	5.16	2.54	5.61	2.81	3.16	2.78	2.15	3.65	2.17	2.51
1993	8.86	7.99	4.59	4.89	4.04	2.50	3.84	3.42	4.64	4.05	5.50	5.74	5.01	7.12	6.76	7.25
1994	5.14	3.55	3.94	3.04	3.40	2.95	3.95	3.21	4.68	3.60	3.52	3.41	3.00	4.83	2.92	2.93
1995	4.88	5.96	7.61	7.47	7.74	9.85	7.94	6.22	7.22	6.80	8.12	7.88	8.00	10.05	8.86	12.04
1996	2.34	3.43	2.56	2.27	2.18	1.97	2.77	2.95	3.67	3.49	3.61	4.26	3.97	5.11	5.75	6.55
1997	7.37	6.80	8.48	5.26	5.77	5.31	5.92	3.80	4.47	4.98	3.31	1.52	1.10	2.18	0.97	1.24
1998	0.51	1.64	0.92	0.93	0.68	1.56	1.19	0.67	0.25	0.76	1.22	1.39	1.96	1.40	1.43	0.84
1999	1.76	2.03	2.72	3.60	3.98	3.48	4.93	3.41	2.48	3.27	3.56	4.17	4.96	5.04	4.26	3.57
2000	0.17	0.12	0.08	0.11	0.08	0.21	0.07	0.12	0.12	0.23	0.35	0.58	0.58	0.29	0.63	0.28
2001	0.63	0.49	0.35	0.49	0.53	0.95	0.71	1.52	1.75	1.57	1.87	1.66	2.83	1.63	2.14	2.64
2002	2.63	2.22	2.49	2.04	3.23	1.99	3.28	3.68	3.12	3.38	2.19	2.67	2.16	1.66	2.22	1.73
2003	2.31	2.89	2.12	2.00	1.97	1.57	1.81	1.36	1.07	1.28	1.25	0.78	0.39	1.01	0.40	0.26
2004	2.04	2.01	1.42	1.28	1.55	0.79	1.42	1.13	1.77	1.33	1.74	1.25	1.53	2.00	0.94	2.00
2005	4.47	4.01	4.10	4.49	4.62	9.55	4.48	7.10	2.96	4.51	5.52	5.98	6.26	7.69	6.40	7.99
2006	1.43	1.11	1.09	1.20	1.18	1.00	1.12	0.87	1.25	1.20	1.23	0.92	1.10	1.61	1.67	1.40
2007	3.95	6.83	4.88	6.58	6.47	5.95	6.83	4.42	3.40	5.65	6.07	3.36	3.66	4.28	2.82	3.63
2008	0.83	1.20	2.08	2.93	2.64	4.63	2.91	2.61	3.92	2.12	2.96	2.30	4.30	2.59	2.51	2.08
2009	1.42	1.22	0.93	1.38	1.35	1.73	1.59	1.21	1.65	1.65	1.14	1.45	0.75	0.95	0.44	1.34
MIN	0.17	0.12	0.08	0.04	0.08	0.00	0.07	0.12	0.05	0.07	0.03	0.14	0.17	0.00	0.02	0.00
MEAN	2.99	3.05	2.90	2.91	2.99	2.90	3.02	2.91	3.01	2.87	3.14	3.10	3.51	3.32	3.36	3.46
MAX	11.27	9.00	10.17	10.30	15.64	9.85	14.74	8.48	10.48	9.98	11.33	9.77	10.35	10.90	13.05	13.52

November Rainfall Summary Data by County

Year	Levy	Marion	Citrus	Sumter	Hernando	Lake	Pasco	Polk	Pinellas	Hillsboro	Manatee	Hardee	Highlands	Sarasota	DeSoto	Charlotte
1915	2.62	2.27	2.63	2.85	2.61	3.60	3.99	2.73	4.64	3.37	2.81	1.92	1.67	2.52	2.00	1.94
1916	4.25	5.42	6.73	6.56	8.90	4.18	6.76	3.64	6.59	3.96	4.00	3.29	2.96	4.77	3.70	5.86
1917	0.56	0.37	0.43	0.44	0.43	0.50	0.57	0.23	0.41	0.32	0.74	0.55	0.64	0.57	0.53	0.23
1918	3.34	3.75	4.73	4.59	4.14	4.17	4.91	3.08	3.85	4.60	4.35	2.14	2.02	3.38	2.11	1.33
1919	2.55	3.62	3.67	3.20	2.50	2.05	3.68	2.50	3.45	3.43	2.82	2.17	1.73	2.24	2.71	1.34
1920	4.65	4.19	4.45	3.92	4.84	1.91	3.64	3.30	4.28	4.15	6.14	3.71	3.74	6.41	4.10	6.13
1921	3.50	2.88	1.80	1.75	2.44	0.97	1.71	1.94	1.55	2.41	1.56	3.12	3.51	2.51	3.15	4.25
1922	0.25	0.35	0.29	0.59	0.98	0.51	2.48	1.20	1.19	2.15	1.17	1.41	1.52	1.47	1.46	1.97
1923	0.27	0.24	0.28	0.26	0.44	0.05	0.49	0.34	0.67	0.32	0.33	0.29	0.39	0.37	0.23	0.40
1924	0.37	0.55	0.60	0.47	0.23	0.24	0.24	0.12	0.24	0.19	0.55	0.30	0.18	0.40	0.43	0.14
1925	2.04	2.19	3.58	3.59	4.31	3.19	4.40	2.65	5.02	4.04	5.30	2.14	2.24	4.42	1.77	2.20
1926	3.58	3.26	2.85	2.74	2.80	2.34	2.16	2.89	2.60	2.45	2.32	1.82	1.92	2.30	1.35	2.10
1927	0.81	0.78	0.81	0.77	0.92	0.59	0.44	0.43	0.38	0.28	0.72	0.82	0.39	0.54	1.25	0.37
1928	0.32	0.16	0.09	0.07	0.05	0.08	0.05	0.20	0.12	0.08	0.00	0.45	1.03	0.07	0.02	0.18
1929	0.34	0.47	0.61	0.99	0.89	2.17	1.15	1.93	0.36	0.56	0.42	0.83	1.13	0.24	0.72	0.13
1930	1.76	0.97	0.43	0.49	0.66	0.55	0.70	1.38	0.13	0.53	0.35	0.99	1.19	0.14	0.53	0.17
1931	0.29	0.27	0.01	0.05	0.00	0.18	0.02	0.07	0.00	0.03	0.02	0.10	0.17	0.00	0.01	0.00
1932	5.06	4.21	4.21	4.60	5.30	5.61	3.67	2.28	2.76	2.18	1.92	1.36	2.26	1.77	0.73	0.85
1933	1.01	1.52	0.67	1.06	1.00	2.38	0.34	1.48	0.15	0.71	1.26	2.16	2.76	0.98	2.16	0.77
1934	0.49	0.47	0.40	0.54	0.60	1.01	0.33	0.47	0.23	0.31	0.40	0.86	0.73	0.48	0.24	0.57
1935	0.74	0.35	0.36	0.32	0.43	0.14	0.82	0.85	1.50	1.00	1.30	0.79	0.83	1.15	0.52	0.56
1936	0.46	1.07	1.14	0.89	0.42	0.32	0.97	1.46	1.10	1.18	2.08	2.23	1.36	1.63	1.78	0.73
1937	4.38	4.82	5.50	6.80	6.55	3.70	4.43	4.69	3.83	3.76	3.22	3.86	4.76	2.94	3.56	3.03
1938	0.60	0.69	0.76	0.73	1.28	0.55	1.17	1.43	0.47	1.19	0.80	1.91	2.62	1.72	1.88	3.79
1939	1.33	1.28	1.15	0.41	0.34	0.13	0.31	0.53	0.18	0.38	0.86	0.77	1.01	1.55	1.74	2.63
1940	0.26	0.23	0.21	0.15	0.18	0.16	0.18	0.10	0.25	0.15	0.02	0.03	0.07	0.03	0.01	0.08
1941	3.26	3.74	4.47	4.45	4.52	4.46	3.75	3.77	3.58	4.00	4.48	2.94	2.43	3.84	2.60	2.12
1942	0.44	0.29	0.22	0.24	0.34	0.12	0.55	0.34	0.05	0.24	0.69	0.28	0.14	0.63	0.62	0.38
1943	0.66	1.71	0.64	0.49	1.01	0.48	1.14	1.17	1.33	1.04	1.01	0.93	1.31	1.04	1.33	1.26
1944	0.58	0.53	0.75	0.66	0.76	0.34	1.34	0.42	0.83	0.68	0.28	0.28	0.73	0.23	0.56	0.26
1945	1.15	0.71	0.36	0.35	0.58	1.13	0.25	0.86	0.23	0.58	0.33	0.44	0.53	0.32	0.41	0.29
1946	0.80	0.80	0.47	0.71	0.91	2.82	0.49	1.33	0.36	0.57	0.56	0.75	2.16	0.67	0.60	2.02
1947	3.21	3.06	2.82	2.34	3.96	1.56	2.02	3.32	2.17	3.04	4.33	3.26	3.18	4.68	5.24	2.23
1948	1.57	2.35	2.95	2.02	1.53	1.32	1.55	0.92	2.21	1.36	1.49	0.78	1.59	1.55	0.69	0.20
1949	2.98	2.31	1.22	0.70	1.77	1.23	1.73	1.40	1.58	1.25	1.81	2.81	1.73	1.68	2.47	1.62

November Rainfall Summary Data by County

Year	Levy	Marion	Citrus	Sumter	Hernando	Lake	Pasco	Polk	Pinellas	Hillsboro	Manatee	Hardee	Highlands	Sarasota	DeSoto	Charlotte
1950	0.15	0.09	0.06	0.15	0.26	0.20	0.64	0.19	0.83	0.25	0.17	0.38	0.61	0.08	0.14	0.15
1951	6.56	6.24	7.20	4.60	7.91	4.72	6.54	4.33	4.29	3.24	2.20	3.05	3.67	2.15	4.15	4.15
1952	0.87	0.54	0.50	0.52	0.78	1.08	0.91	2.02	1.52	1.58	2.57	2.54	0.93	2.90	2.23	1.07
1953	3.30	3.47	3.69	3.54	4.56	3.59	4.40	5.70	5.91	5.70	6.92	5.67	4.93	5.36	1.56	1.96
1954	1.48	2.41	1.59	1.83	1.93	2.30	2.85	2.76	4.33	3.74	4.23	2.31	2.77	4.03	2.40	1.45
1955	1.65	1.25	0.94	3.00	3.23	2.95	4.02	1.67	3.26	2.58	1.45	0.71	0.35	1.00	0.35	0.31
1956	0.17	0.24	0.26	0.26	0.31	0.51	1.02	0.48	0.59	0.41	0.44	0.35	0.32	0.45	0.97	1.18
1957	1.43	1.16	0.70	0.83	0.56	0.58	0.96	1.32	1.62	1.78	2.86	1.92	1.00	3.08	1.62	1.71
1958	3.53	1.91	1.34	1.18	1.55	1.90	2.20	1.64	2.33	1.59	2.39	2.30	0.94	3.02	1.61	0.55
1959	1.45	1.24	1.32	0.93	1.05	0.88	0.83	0.83	1.23	1.03	1.64	1.31	1.50	2.52	2.43	2.11
1960	1.40	0.54	0.38	0.13	0.21	0.14	0.15	0.02	0.27	0.00	0.48	0.24	1.17	0.96	0.37	1.02
1961	1.91	2.72	3.27	3.42	2.59	3.36	1.45	0.83	1.53	0.94	0.86	0.69	0.71	0.78	1.36	0.35
1962	1.97	1.96	1.64	1.56	1.46	3.07	1.53	2.54	1.73	2.11	2.41	2.63	3.72	2.48	3.45	3.67
1963	4.18	3.61	3.18	4.92	4.39	7.13	6.17	6.03	5.87	5.91	5.00	5.18	3.74	5.05	3.59	3.71
1964	1.98	0.95	0.39	0.72	0.33	0.83	0.28	0.78	0.58	0.45	1.03	1.18	0.74	0.72	2.31	0.33
1965	1.53	1.30	1.14	0.89	0.78	0.92	0.87	0.55	1.16	0.62	0.50	0.99	1.27	0.75	0.55	0.33
1966	0.70	0.29	0.36	0.25	0.25	0.52	0.42	0.14	0.33	0.43	0.55	0.30	0.17	0.48	0.39	0.22
1967	0.76	0.31	0.22	0.20	0.06	0.22	0.59	0.25	0.36	0.46	0.60	0.28	0.35	0.64	0.70	0.97
1968	2.86	2.88	2.51	3.03	2.19	3.74	3.55	2.96	3.83	3.45	3.14	2.86	2.93	3.43	3.91	4.71
1969	2.88	1.77	1.76	2.68	2.11	2.11	1.46	2.23	1.77	2.09	2.07	2.27	2.61	2.42	3.52	1.45
1970	0.38	0.45	0.99	0.88	0.84	0.81	1.01	0.69	1.64	0.85	1.00	0.65	0.29	1.13	0.30	0.36
1971	1.63	1.55	1.26	1.34	1.71	1.67	2.36	2.22	2.11	2.93	2.06	1.11	0.89	1.94	1.18	1.16
1972	8.10	7.17	8.57	6.01	6.51	3.80	5.99	3.60	6.01	4.64	3.88	4.50	4.22	4.96	4.19	4.43
1973	0.95	0.28	0.49	1.67	0.85	1.12	1.94	0.85	2.05	2.91	1.08	0.87	0.52	0.72	1.02	0.14
1974	1.18	0.87	0.67	0.35	0.31	0.25	0.43	0.28	0.11	0.13	0.34	0.18	0.41	0.87	0.21	0.91
1975	0.79	1.94	1.77	1.84	2.02	2.57	1.34	1.25	0.60	0.84	0.59	0.44	0.23	0.38	0.71	0.34
1976	3.58	3.90	3.74	3.45	2.76	4.32	2.11	2.86	2.29	2.11	2.69	2.48	2.07	2.97	1.89	2.19
1977	5.40	6.19	3.94	2.98	2.21	1.80	2.46	2.64	3.13	2.05	2.62	2.42	4.33	2.24	2.84	2.10
1978	0.46	0.70	0.03	1.00	0.03	0.34	0.03	0.61	0.05	0.13	0.48	0.95	0.98	0.82	1.09	2.02
1979	1.68	1.95	1.77	1.91	1.91	2.28	2.36	2.20	1.43	1.64	0.93	1.49	0.75	1.00	1.28	1.11
1980	3.48	4.99	5.60	3.90	5.53	4.09	3.81	3.99	4.23	3.63	3.46	3.23	3.22	4.43	3.81	4.20
1981	4.49	2.69	1.98	2.23	1.51	1.66	1.45	1.35	1.09	0.90	1.62	0.71	1.25	2.47	1.47	2.46
1982	1.30	1.42	0.69	0.89	1.17	0.50	1.22	1.24	0.81	1.31	1.02	1.05	2.66	0.96	1.55	1.39
1983	5.04	4.48	4.20	3.42	3.10	2.17	2.90	2.75	2.81	2.54	3.73	2.77	2.06	4.73	2.90	4.08
1984	3.21	2.83	2.54	1.38	2.07	1.61	1.48	1.82	0.87	2.16	3.01	2.08	2.55	2.33	2.94	2.34

November Rainfall Summary Data by County

Year	Levy	Marion	Citrus	Sumter	Hernando	Lake	Pasco	Polk	Pinellas	Hillsboro	Manatee	Hardee	Highlands	Sarasota	DeSoto	Charlotte
1985	1.82	3.02	1.40	1.57	1.48	1.17	1.42	0.85	1.75	1.40	1.65	1.23	1.66	2.18	1.75	3.56
1986	3.49	4.40	3.00	1.97	1.79	0.94	1.55	0.69	1.67	1.16	1.35	1.25	0.60	1.68	1.20	1.83
1987	5.30	6.25	4.42	7.01	4.93	8.31	4.66	7.11	5.13	4.77	4.64	6.69	5.50	3.40	5.53	6.95
1988	4.76	4.84	4.60	5.59	6.04	8.90	8.74	6.45	8.41	7.04	3.90	3.35	3.89	3.60	3.76	3.88
1989	2.41	2.25	2.46	1.73	2.19	1.78	2.33	2.25	2.03	1.98	0.97	0.86	1.18	1.17	0.94	0.56
1990	1.06	1.36	1.24	2.26	1.31	1.06	1.27	0.90	1.23	1.24	1.19	0.37	0.83	0.58	0.24	0.30
1991	0.61	0.81	0.63	0.31	0.50	0.10	0.67	0.20	0.44	0.53	0.32	0.57	0.80	0.15	0.88	1.01
1992	2.60	3.19	2.66	4.06	2.71	2.66	4.04	2.72	3.50	2.40	1.25	1.88	2.79	0.95	2.52	1.69
1993	0.81	0.62	0.19	0.29	0.49	0.18	0.45	0.66	0.43	0.76	1.04	0.56	0.44	0.31	0.61	0.33
1994	1.76	2.46	2.09	2.81	1.70	3.32	1.98	3.02	0.48	1.03	1.36	2.07	2.75	1.39	2.31	1.78
1995	1.65	0.96	0.92	0.83	0.69	0.97	0.80	1.83	1.86	1.83	2.48	1.64	0.96	1.32	0.77	0.83
1996	0.90	0.69	0.78	0.74	0.96	0.77	0.83	0.66	0.51	0.79	0.54	0.24	0.37	0.48	0.25	0.49
1997	7.38	5.05	4.90	3.85	4.14	2.74	3.53	4.13	4.14	4.02	7.70	9.45	7.03	6.71	4.91	3.31
1998	0.73	1.78	1.27	1.60	1.00	1.23	1.23	2.35	1.52	1.93	3.11	3.27	4.69	3.65	3.61	4.44
1999	1.60	2.18	2.33	2.68	3.46	1.47	2.09	2.01	0.89	2.28	0.97	1.88	1.18	0.72	1.29	1.18
2000	1.40	1.38	1.59	1.17	1.49	1.21	1.17	0.91	1.26	1.20	0.98	0.67	0.25	0.72	0.29	0.44
2001	0.77	0.89	0.42	0.49	0.12	0.82	0.19	0.27	0.04	0.19	0.05	0.19	0.34	0.10	0.27	0.27
2002	4.06	2.82	1.86	1.58	1.83	1.76	1.94	3.18	2.23	2.91	3.98	3.93	4.17	4.33	5.56	6.15
2003	1.27	1.07	0.94	1.38	1.42	0.73	1.45	0.97	1.41	1.33	1.14	1.01	1.06	1.00	1.33	1.32
2004	2.17	2.07	1.39	1.66	1.71	2.45	1.74	1.14	1.96	1.68	1.73	0.93	0.84	1.41	1.24	1.44
2005	3.34	3.05	3.72	2.42	2.88	2.21	1.99	1.81	1.48	2.15	2.61	2.33	3.12	3.12	3.26	3.01
2006	1.70	1.61	1.27	1.49	1.67	1.83	2.01	1.29	2.11	1.92	1.07	0.44	0.54	0.83	0.67	0.87
2007	1.02	0.74	0.64	0.22	0.40	0.09	0.25	0.31	0.31	0.14	0.26	0.24	0.41	0.47	0.29	0.16
2008	1.70	1.14	0.76	0.33	0.57	0.57	0.68	1.01	0.66	0.99	0.71	0.51	0.42	0.47	0.48	0.41
2009	3.47	2.84	2.34	1.88	1.34	1.67	1.44	1.47	1.79	2.11	2.18	1.09	0.77	2.36	1.17	1.43
MIN	0.15	0.09	0.01	0.05	0.00	0.05	0.02	0.02	0.00	0.00	0.00	0.03	0.07	0.00	0.01	0.00
MEAN	2.11	2.06	1.90	1.88	1.94	1.83	1.92	1.78	1.87	1.80	1.87	1.70	1.73	1.86	1.72	1.69
MAX	8.10	7.17	8.57	7.01	8.90	8.90	8.74	7.11	8.41	7.04	7.70	9.45	7.03	6.71	5.56	6.95

December Rainfall Summary Data by County

Year	Levy	Marion	Citrus	Sumter	Hernando	Lake	Pasco	Polk	Pinellas	Hillsboro	Manatee	Hardee	Highlands	Sarasota	DeSoto	Charlotte
1915	4.51	4.70	4.00	3.19	2.66	0.95	2.46	1.76	2.74	2.49	2.43	2.46	2.69	2.40	2.46	2.35
1916	6.31	5.83	4.41	4.28	4.33	3.28	4.97	2.82	3.43	2.21	2.09	1.85	1.87	2.56	1.90	3.22
1917	2.05	2.74	2.58	2.07	1.71	0.64	1.33	0.37	0.75	0.44	0.84	0.81	0.50	0.65	1.14	0.42
1918	3.97	4.01	3.33	2.98	3.24	1.78	2.80	2.11	3.63	2.38	2.35	1.67	1.19	2.09	1.86	1.63
1919	2.35	3.22	2.37	2.75	1.74	4.58	2.52	2.74	2.16	3.49	2.98	1.82	1.48	2.62	1.97	1.79
1920	4.03	3.39	3.42	2.88	2.56	1.93	1.79	1.75	1.70	1.61	1.86	2.29	2.12	1.80	2.38	1.83
1921	1.89	2.31	4.14	4.25	4.84	4.25	4.57	2.72	3.37	2.42	1.70	1.55	0.87	1.60	1.79	1.54
1922	3.69	3.00	2.62	2.39	2.87	1.62	1.40	2.44	3.15	3.17	1.53	1.30	1.33	1.34	0.96	1.02
1923	1.58	1.77	1.45	1.30	0.96	1.16	0.57	0.55	0.68	0.49	0.29	0.38	0.43	0.31	0.29	0.35
1924	1.14	0.52	0.99	0.95	1.09	0.93	1.18	0.32	0.93	0.58	0.85	0.62	0.11	0.73	1.10	0.60
1925	7.71	8.36	7.30	6.94	6.64	6.17	4.58	5.66	3.95	4.94	4.14	5.41	5.87	4.96	4.85	6.39
1926	1.27	1.15	0.78	0.70	0.65	0.47	0.45	0.45	0.85	0.58	0.38	0.16	0.20	0.29	0.06	0.09
1927	2.02	1.94	2.27	2.09	2.41	1.18	2.61	1.00	2.51	1.84	2.40	1.58	1.60	1.95	1.57	1.03
1928	1.04	1.04	0.19	0.40	0.80	0.68	0.29	0.42	0.75	0.74	0.80	0.59	0.35	0.60	0.82	0.30
1929	4.47	4.72	5.03	4.33	3.87	2.56	3.49	1.76	3.13	2.32	1.03	1.04	1.02	0.97	0.85	0.97
1930	5.42	6.99	7.16	6.95	7.95	5.53	5.74	5.03	6.26	5.83	5.69	4.40	3.98	5.09	4.25	3.62
1931	1.08	1.22	1.29	1.71	2.15	2.70	1.84	1.46	1.47	1.18	1.40	1.80	1.38	1.47	2.25	1.86
1932	0.28	0.16	0.18	0.17	0.31	0.04	0.31	0.10	0.46	0.27	0.28	0.09	0.05	0.25	0.06	0.12
1933	0.67	0.86	0.94	0.83	1.34	0.26	0.24	0.20	0.40	0.21	0.04	0.15	0.22	0.00	0.07	0.01
1934	0.80	0.45	0.40	0.54	0.78	0.77	0.84	0.60	0.84	0.79	0.57	0.50	0.96	0.73	0.87	1.06
1935	2.20	2.35	2.89	3.12	4.02	3.18	3.87	3.19	3.88	3.25	3.02	2.98	2.34	2.60	2.88	1.93
1936	2.81	2.91	2.65	2.47	2.46	1.58	2.72	1.55	1.42	1.68	1.38	1.99	1.71	1.49	2.21	1.85
1937	1.33	1.06	0.78	0.80	1.08	1.12	1.02	1.23	1.12	1.14	1.10	0.66	0.82	1.07	0.69	0.93
1938	0.50	0.50	0.49	0.23	0.47	0.16	0.19	0.18	0.17	0.27	0.24	0.12	0.15	0.21	0.10	0.07
1939	2.73	1.85	1.77	1.62	1.87	1.56	1.73	1.12	1.55	1.24	1.16	0.96	0.58	1.05	0.62	0.72
1940	7.65	6.35	4.58	4.61	4.27	8.29	4.01	3.87	4.20	3.62	4.56	4.10	4.47	5.01	3.64	5.32
1941	5.05	4.63	3.90	3.73	2.59	3.90	3.43	4.27	4.43	5.51	3.93	2.73	1.93	3.22	4.87	2.15
1942	3.99	3.11	2.65	2.81	2.38	3.74	3.02	3.14	3.25	2.39	3.42	2.61	2.92	3.52	3.39	3.23
1943	1.56	1.10	0.67	0.39	1.11	0.66	1.73	0.50	0.89	0.57	0.78	0.71	0.47	0.70	0.36	0.43
1944	0.86	0.61	0.47	0.44	0.48	0.00	0.47	0.17	0.72	0.31	0.44	0.42	0.59	0.49	0.53	0.72
1945	8.14	7.10	5.12	4.41	4.28	4.21	4.26	2.76	3.65	3.47	2.71	2.02	2.32	2.49	3.01	3.19
1946	0.35	0.22	0.19	0.35	0.33	0.45	0.37	0.83	0.36	0.37	0.44	0.56	1.18	0.58	0.62	1.02
1947	1.43	1.71	1.35	1.29	1.45	0.91	1.34	1.74	1.78	1.49	1.44	1.69	1.69	1.80	1.26	2.15
1948	2.99	2.83	2.18	2.88	3.39	1.58	2.39	1.95	2.49	1.86	1.05	1.25	1.14	0.87	0.74	1.25
1949	0.52	0.93	1.31	1.46	1.76	2.39	1.58	2.62	0.35	1.83	0.14	0.13	0.66	0.24	0.24	0.56

December Rainfall Summary Data by County

Year	Levy	Marion	Citrus	Sumter	Hernando	Lake	Pasco	Polk	Pinellas	Hillsboro	Manatee	Hardee	Highlands	Sarasota	DeSoto	Charlotte
1950	3.24	3.53	3.96	3.90	4.31	4.29	4.92	4.23	5.39	5.44	4.85	3.28	1.72	4.00	1.68	2.60
1951	3.00	3.63	2.94	2.14	2.22	2.00	2.40	1.73	2.61	2.17	1.12	0.90	0.67	0.73	0.54	0.89
1952	1.63	1.37	1.34	0.79	1.10	0.70	1.06	1.27	1.18	1.08	1.88	1.59	0.76	1.81	2.13	1.13
1953	8.05	8.30	7.79	5.87	7.72	5.21	6.24	4.48	6.18	4.96	4.35	3.05	2.19	3.47	2.28	1.46
1954	2.00	2.14	2.49	1.27	1.82	1.69	1.95	1.44	2.32	1.69	2.04	2.11	1.92	2.39	2.22	1.57
1955	0.24	0.42	0.75	0.39	0.08	0.96	0.71	1.25	0.86	0.85	1.35	1.06	1.46	1.11	1.45	0.58
1956	0.08	0.18	0.26	0.38	0.35	0.29	0.47	0.30	0.71	0.40	0.65	0.26	0.37	0.65	0.62	0.45
1957	1.16	1.28	1.95	4.35	3.87	2.89	2.49	2.33	2.38	2.14	2.05	2.53	3.36	2.00	2.16	1.69
1958	3.77	3.46	3.79	3.88	3.93	3.67	3.72	3.57	4.39	4.10	5.72	4.43	3.46	5.37	3.57	4.83
1959	1.46	1.47	1.84	1.56	2.09	1.20	1.83	1.86	2.70	2.19	2.39	1.75	2.21	2.45	1.99	2.25
1960	2.13	2.96	2.38	2.28	2.57	1.08	1.84	1.38	1.56	1.78	2.04	1.40	1.03	1.49	1.28	1.34
1961	2.06	1.49	2.35	2.16	2.02	2.66	3.65	2.04	3.56	3.42	1.15	1.37	0.45	0.71	1.48	0.45
1962	2.01	1.67	1.50	1.31	1.07	1.09	0.85	0.44	0.96	0.46	0.32	0.58	1.03	0.29	0.40	0.31
1963	3.66	2.98	3.17	2.57	3.48	3.73	2.49	2.53	3.48	2.42	3.02	2.61	2.70	2.94	2.08	2.08
1964	7.31	5.26	4.20	5.22	4.02	5.49	3.89	2.22	2.42	3.03	1.82	1.22	1.74	1.93	1.09	1.21
1965	4.01	2.92	2.50	2.08	2.39	4.10	2.55	2.92	2.05	2.74	2.13	2.40	1.71	1.55	1.43	1.40
1966	1.32	0.92	1.14	1.04	1.24	2.42	0.87	1.42	0.80	0.83	0.78	0.89	0.86	0.94	1.08	0.95
1967	5.22	3.06	2.48	2.67	2.27	2.19	3.33	2.30	2.49	2.17	2.20	2.74	2.98	2.76	3.83	4.35
1968	1.34	2.13	1.31	2.14	2.66	1.54	0.78	0.46	0.75	0.49	1.02	0.56	0.39	1.03	0.65	0.57
1969	5.84	5.64	5.57	5.60	6.38	5.66	6.97	4.16	6.82	5.37	4.78	3.44	4.27	3.96	3.21	4.39
1970	1.72	1.52	1.20	0.64	1.39	1.50	0.78	0.82	1.16	0.71	0.66	0.77	0.47	0.62	0.54	0.69
1971	2.85	1.72	1.24	1.81	1.41	1.27	1.32	1.35	1.11	1.10	1.87	1.20	1.25	2.68	1.31	0.51
1972	3.73	4.24	4.66	3.44	4.55	2.40	3.45	2.97	2.29	2.92	3.43	2.78	2.27	3.43	2.93	2.64
1973	5.04	5.47	6.91	6.65	6.52	4.12	6.71	3.15	8.47	4.92	3.01	1.91	1.59	2.42	1.61	2.01
1974	3.15	2.06	2.26	1.97	2.05	1.82	2.61	2.10	2.71	2.54	3.32	2.42	2.43	3.13	2.89	1.98
1975	2.39	1.79	1.05	1.00	1.02	1.04	2.01	0.73	1.51	1.05	0.62	0.54	0.41	0.72	0.68	0.99
1976	6.09	6.85	5.50	4.96	3.62	4.25	2.54	3.15	3.43	2.53	1.87	1.68	1.64	1.87	1.41	1.11
1977	7.44	8.34	4.67	5.29	3.41	2.44	3.65	4.10	4.38	3.96	5.29	3.99	3.50	4.77	4.88	5.18
1978	3.32	3.05	4.28	3.67	4.46	3.69	4.95	3.71	4.75	4.43	3.12	3.49	3.36	3.58	4.13	4.27
1979	3.47	2.66	2.35	1.55	1.26	1.34	1.18	1.96	1.84	1.87	2.30	2.30	1.74	3.37	2.44	3.34
1980	0.55	0.28	0.40	0.42	0.43	0.39	0.46	0.86	0.79	0.65	0.71	1.01	1.39	0.88	0.76	0.93
1981	3.16	2.23	4.37	4.75	6.24	5.91	5.32	2.00	4.79	3.21	1.77	0.76	0.44	1.04	0.76	0.48
1982	1.73	0.98	1.34	1.02	0.88	0.58	0.82	0.88	1.73	0.92	0.73	0.86	0.81	0.90	0.68	0.58
1983	3.82	4.50	4.90	5.08	6.89	5.45	7.06	6.21	6.09	6.57	5.70	3.80	3.67	6.09	5.58	4.28
1984	0.12	0.03	0.13	0.30	0.27	0.83	0.09	0.19	0.10	0.21	0.26	0.83	0.67	0.22	0.63	1.00

December Rainfall Summary Data by County

Year	Levy	Marion	Citrus	Sumter	Hernando	Lake	Pasco	Polk	Pinellas	Hillsboro	Manatee	Hardee	Highlands	Sarasota	DeSoto	Charlotte
1985	2.60	1.45	1.98	1.90	2.05	1.81	2.57	2.27	1.61	1.50	1.16	0.70	0.93	0.71	0.58	0.75
1986	5.60	4.09	3.10	2.77	2.88	3.03	2.30	3.51	2.81	2.76	3.79	5.27	3.37	5.64	5.04	5.16
1987	1.15	1.06	1.12	0.74	0.70	0.63	0.37	0.27	0.30	0.31	0.47	0.57	0.47	0.54	0.25	0.64
1988	1.17	1.25	1.31	1.48	1.82	1.39	1.74	1.09	1.28	1.20	1.19	1.00	1.08	1.34	1.33	1.76
1989	4.27	3.60	4.26	4.42	5.06	4.88	5.22	4.49	4.25	4.66	3.95	3.84	3.43	3.39	2.03	3.36
1990	0.55	0.55	0.56	0.17	0.47	0.21	0.33	0.63	0.34	0.30	0.92	0.87	0.90	0.77	0.74	0.66
1991	1.21	0.95	0.77	0.93	0.92	0.36	0.85	0.53	0.74	0.80	0.43	0.63	0.61	0.12	0.43	0.37
1992	0.80	0.72	0.50	0.52	0.58	0.54	0.74	0.68	0.69	0.68	0.93	0.74	0.68	0.85	0.60	1.05
1993	2.81	2.62	2.34	1.63	1.68	1.26	1.69	1.12	1.42	1.39	1.16	1.04	0.91	1.11	0.92	0.69
1994	2.07	3.21	2.57	2.02	2.01	2.31	1.82	3.64	2.16	2.24	2.82	2.83	3.48	2.44	2.56	2.84
1995	2.18	1.89	2.64	2.22	1.89	0.74	1.01	0.70	1.26	0.82	0.85	0.86	0.53	1.20	0.57	1.01
1996	4.65	2.76	3.46	2.08	3.08	2.78	2.08	2.62	3.10	2.76	1.87	2.20	1.59	1.72	1.15	1.05
1997	12.07	10.68	10.88	11.30	11.70	16.68	12.56	10.23	13.50	13.67	9.31	8.00	6.33	9.29	7.29	6.48
1998	1.72	1.05	0.83	0.89	0.80	0.98	0.95	1.18	0.91	0.95	1.20	0.73	0.85	1.15	0.60	0.85
1999	1.39	1.09	0.91	1.09	0.96	1.63	1.07	2.24	1.01	1.54	1.87	2.07	1.36	1.76	1.26	1.22
2000	0.91	0.74	0.81	1.05	0.68	0.40	0.44	0.48	0.39	0.67	0.80	0.89	0.65	0.85	0.53	0.29
2001	1.02	1.37	0.55	0.55	0.65	0.76	0.90	0.79	0.96	1.15	0.88	0.49	0.66	0.52	0.83	1.19
2002	7.32	7.95	9.13	9.84	10.08	12.42	12.57	11.98	16.86	16.07	10.36	7.66	7.00	6.42	5.39	4.57
2003	0.58	0.84	0.98	1.58	1.40	1.64	1.54	2.29	1.29	1.94	3.29	3.58	3.40	3.87	3.93	3.70
2004	1.70	1.75	1.65	1.43	1.08	1.50	1.12	2.37	1.20	1.78	3.25	3.67	3.07	3.38	3.28	2.99
2005	5.18	3.79	3.12	3.10	3.37	2.50	2.92	1.50	1.64	1.43	0.83	0.68	0.49	0.64	0.30	0.39
2006	4.40	3.74	2.88	2.44	2.47	2.29	2.78	3.30	2.65	2.55	2.14	2.70	2.04	2.27	2.16	2.13
2007	2.32	2.06	2.66	2.62	2.95	1.87	2.72	0.86	1.87	1.39	0.88	0.96	0.68	1.09	1.43	1.43
2008	0.74	0.76	0.94	1.11	0.96	0.87	0.99	0.91	1.28	1.06	1.04	1.02	0.80	1.20	1.14	1.15
2009	2.75	3.23	3.34	3.89	4.06	3.83	4.32	4.28	3.24	3.00	4.02	5.08	3.99	4.77	4.54	4.38
MIN	0.08	0.03	0.13	0.17	0.08	0.00	0.09	0.10	0.10	0.21	0.04	0.09	0.05	0.00	0.06	0.01
MEAN	2.92	2.73	2.61	2.51	2.62	2.45	2.50	2.15	2.52	2.30	2.10	1.87	1.70	2.02	1.81	1.79
MAX	12.07	10.68	10.88	11.30	11.70	16.68	12.57	11.98	16.86	16.07	10.36	8.00	7.00	9.29	7.29	6.48