Kootenai Cancer Center

A Heart for Excellence

700 Ironwood Drive, Suite 103
Coeur d'Alene, Idaho 83814
208.666.3800 tel
208.666.3833 fax
www.kootenaihealth.org

June 28, 2012

Lizette Roldan-Otero, Ph.D.
Health Physicist
U.S. Nuclear Regulatory Commission
1600 E. Lamar Blvd.
Arlington, TX 76011-4511

Subject: RE: Request for additional information regarding renewal item number 5 of 5

License No.: 11-27307-01
Docket No.: 030-32264
Control No.: 576628

Dear Dr. Roldan-Otero:

I confirm that that Arne Michalson, M.D. was trained in the operation of the delivery system, safety procedures and clinical use for the type of Y-90 requested on the renewal application and was according to Australian Isotopes, now known as Sirtex Medical, training program who is the manufacturer of the model Sir-Spheres Y-90 microsheres.

Thank you for the opportunity to provide assistance in the license renewal process and your diligent review of information provided.

Sincerely,

David E. Davenport, M.D.
Radiation Oncologist

Roldan, Lizette

From: Matthews, Robert J. [rmatthews@kmc.org]
Sent: Thursday, June 28, 2012 11:14 AM
To: Roldan, Lizette
Subject: Re: REQUEST FOR ADDITIONAL INFORMATION REGARDING RENEWAL CONTROL 576628
Attachments: NRCletter 6.28.12.pdf

Dr. Roldan:

I have attached Dr. Davenport's confirmation of Dr. Michalson's training regarding item 5 of your request for additional information. Thank you.

Robert J. Matthews, Ph.D., DABR
Medical Physicist

----- Original Message -----
From: "Lizette Roldan" <Lizette.Roldan@nrc.gov>
To: "Robert J. Matthews" <rmatthews@kmc.org>
Sent: Tuesday, June 26, 2012 4:16:14 AM
Subject: RE: REQUEST FOR ADDITIONAL INFORMATION REGARDING RENEWAL CONTROL 576628

I can wait until Thursday for Dr. Davenport's letter. It's a minor addition to the license once I receive the letter.

Lizette Roldán-Otero, Ph.D.
Health Physicist
U.S. Nuclear Regulatory Commission
1600 E. Lamar Blvd.
Arlington, TX 76011-4511
Office: 817-200-1596
Fax: 817-200-1188

-----Original Message-----
From: Matthews, Robert J. [mailto:rmatthews@kmc.org]
Sent: Monday, June 25, 2012 5:47 PM
To: Roldan, Lizette
Subject: Re: REQUEST FOR ADDITIONAL INFORMATION REGARDING RENEWAL CONTROL 576628

License No.: 11-27307-01

Docket No.: 030-32264

Control No.: 576628

Dr. Rodan-Otero:

I have attached a letter in which I have attempted to address the first four items in your request for additional information. Dr. Davenport, who has retired, still does locums work and he will be available in my clinic this Thursday and Friday, and I can request he address the fifth item early Thursday morning. He lives about thirty miles distant and if you need his affirmation of Dr. Michalson's training on the Y-90 delivery system before Thursday, and if Dr. Davenport is available, I can get his signed attestation perhaps tomorrow or Wedneday.