



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION III
2443 WARRENVILLE ROAD, SUITE 210
LISLE, IL 60532-4352
July 5, 2012

Mr. William L. Berg
President and Chief Executive Officer
Dairyland Power Cooperative
3200 East Avenue South
P.O. Box 817
La Crosse, WI 54602-0817

SUBJECT: LA CROSSE BOILING WATER REACTOR (PERMANENTLY SHUT DOWN) AND
INDEPENDENT SPENT FUEL STORAGE INSTALLATION – NRC SECURITY
INSPECTION REPORT NOS. 05000409/2012007(DNMS), AND
07200046/2011401(DNMS)

Dear Mr. Berg:

On June 6, 2012, the U.S. Nuclear Regulatory Commission (NRC) completed a security inspection at the permanently shut down La Crosse Boiling Water Reactor (LACBWR) with the spent fuel in Safe Storage (SAFSTOR), and an initial security inspection of the physical security program for the Independent Spent Fuel Storage Installation (ISFSI) located near the La Crosse Boiling Water Reactor (LACBWR), Genoa, Wisconsin. The purpose of the inspection was to evaluate whether the protection of the spent fuel in SAFSTOR was in compliance with the LACBWR Physical Security Plan (PSP), NRC regulations and the NRC Interim Compensatory Measures (ICM) Order EA-02-077, and Security Orders EA-03-099, EA-06-243, and EA-06-244. In addition, the inspectors also verified that the security protection for the ISFSI was in compliance with the ISFSI PSP (Addendum III of the LACBWR PSP), NRC regulations, and NRC Security Order EA-09-118 before fuel transfer to the ISFSI pad occurs. At the conclusion of the on-site inspection on June 6, 2012, the inspectors discussed the inspection findings with your plant manager, and members of your security and ISFSI project management staff.

The inspection also examined activities conducted under your license as they relate to security and compliance with the NRC's rules and regulations and with the conditions of your license. The inspectors reviewed selected procedures and records, observed activities, and interviewed personnel. The enclosed inspection report documents the inspection results.

Based on the results of this inspection, no findings of significance were identified.

Enclosure Contains Sensitive Unclassified
Non-Safeguards Information. When
separated from enclosure, this transmittal
document is decontrolled.

W. Berg

-2-

In accordance with Title 10 of the Code of Federal Regulations (CFR) 2.390 of the NRC's "Rules of Practice," a copy of this letter will be available electronically for public inspection in the NRC Public Document Room or from the NRC's Agencywide Documents Access and Management System (ADAMS), accessible from the NRC Web site at [http://www.nrc.gov/ reading-rm/adams.html](http://www.nrc.gov/reading-rm/adams.html). However, because of the security-related discussion contained in the enclosure, and in accordance with 10 CFR 2.390, a copy of this letter's enclosure will not be available for public inspection.

We will gladly discuss any questions you may have regarding this inspection.

Sincerely,

/RA/

Christine A. Lipa, Chief
Materials Control, ISFSI, and
Decommissioning Branch

Docket No. 050-00409, 072-00046
License No. DPR-45, General License (ISFSI)

Enclosures:

IR 05000409/2012007(DNMS) (Non Public)
IR 07200046/2011401(DNMS) (Non Public)

cc w/encl: D. Egge, Plant Manager,
Dairyland Power Cooperative

cc w/o encl: T. Zaremba, Wheeler, Van Sickle and Anderson
J. Kitsebel, Chairman, Wisconsin Public
Service Commission
S. Burmaster, Coulee Region Energy Coalition
G. Kruck, Chairman, Town of Genoa
P. Schmidt, Manager, Radiation Protection,
Wisconsin Department of Health Services
J. McRill, Technical Support Engineer
Chief, Radiation Protection Section, Wisconsin
Department of Health
State Liaison Officer, State of Wisconsin

~~OFFICIAL USE ONLY - SECURITY RELATED INFORMATION~~

W. Berg

-2-

In accordance with Title 10 of the Code of Federal Regulations (CFR) 2.390 of the NRC's "Rules of Practice," a copy of this letter will be available electronically for public inspection in the NRC Public Document Room or from the NRC's Agencywide Documents Access and Management System (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>. However, because of the security-related discussion contained in the enclosure, and in accordance with 10 CFR 2.390, a copy of this letter's enclosure will not be available for public inspection.

We will gladly discuss any questions you may have regarding this inspection.

Sincerely,

/RA/

Christine A. Lipa, Chief
Materials Control, ISFSI, and
Decommissioning Branch

Docket No. 050-00409, 072-00046
License No. DPR-45, General License (ISFSI)

Enclosures:

IR 05000409/2012007(DNMS) (Non Public)
IR 07200046/2011401(DNMS) (Non Public)

cc w/encl: D. Egge, Plant Manager,
Dairyland Power Cooperative

cc w/o encl: T. Zaremba, Wheeler, Van Sickle and Anderson
J. Kitsebel, Chairman, Wisconsin Public
Service Commission
S. Burmaster, Coulee Region Energy Coalition
G. Kruck, Chairman, Town of Genoa
P. Schmidt, Manager, Radiation Protection,
Wisconsin Department of Health Services
J. McRill, Technical Support Engineer
Chief, Radiation Protection Section, Wisconsin
Department of Health
State Liaison Office, State of Wisconsin

DISTRIBUTION:

See next page

ADAMS Accession Number: ML12188A586

DOCUMENT NAME: G:\DNMSIII\Work in progress\IR- Security- LACBWR 2012 ISFSI OUO-SRIcover_ltr_only.docx

Publicly Available Non-Publicly Available Sensitive Non-Sensitive

To receive a copy of this document, indicate in the concurrence box "C" = Copy without attach/encl "E" = Copy with attach/encl "N" = No copy

OFFICE	R III DNMS	E	R III DNNMS					
NAME	EABonano: jm EAB		CALipa CAL					
DATE	07/05/12		07/05/12					

OFFICIAL RECORD COPY

~~OFFICIAL USE ONLY - SECURITY RELATED INFORMATION~~

Letter to William L. Berg from Christine A. Lipa dated July 5, 2012

SUBJECT: LA CROSSE BOILING WATER REACTOR (PERMANENTLY SHUT DOWN) AND INDEPENDENT SPENT FUEL STORAGE INSTALLATION – NRC SECURITY INSPECTION REPORT NOS. 05000409/2012007(DNMS), AND 07200046/2011401(DNMS)

DISTRIBUTION w/encl:

D. Garner, NSIR/DSP/DDMS/MWISB
C. Lipa, RIII
MCID Branch

DISTRIBUTION w/o encl:

R. Wharton, NMSS
B. Watson, FSME
J. Hickman, FSME
C. Pederson, RIII
S. Reynolds, RIII
A. Boland, RIII
J. Giessner, RIII
H. Logaras, RIII
C. Ariano, RIII
L. Linn, RIII
P. Buckley, RIII
T. Tomczak, RIII