

From: Wimmer, Brian J [brian.wimmer@abbott.com]
Sent: Monday, July 09, 2012 10:42 AM
To: Struckmeyer, Richard
Subject: RE: Exempt distribution license 42-23864-01E, mail control No. 577644

Mr. Struckmeyer,

Please send the letter to myself as I am the RSO for the facility. Let me know if you have any questions.

Thanks,

Brian

Brian J Wimmer, CSP
Global EHS&E
[Regional Support-Ergonomics](#)

Abbott
200 Abbott Park Road
AP52-S Dept. 05G5
Abbott Park, IL 60064

Phone 847-935-8254
Cell 847-393-6369
Fax 847-937-2916
brian.wimmer@abbott.com



This communication may contain information that is proprietary, confidential, or exempt from disclosure. If you are not the intended recipient, please note that any other dissemination, distribution, use or copying of this communication is strictly prohibited. Anyone who receives this message in error should notify the sender immediately by telephone or by return e-mail and delete it from his or her computer.

From: Struckmeyer, Richard [<mailto:Richard.Struckmeyer@nrc.gov>]
Sent: Monday, July 02, 2012 9:02 AM
To: Wimmer, Brian J
Subject: RE: Exempt distribution license 42-23864-01E, mail control No. 577644

Mr. Wimmer:

We will terminate your exempt-distribution license 42-23864-01E (docket number 030-34883) and issue a new license number 12-24014-01E (docket number 030-38556).

A letter transmitting your terminated license and your new license will be sent to both your Texas location and your Illinois location. Our intention is to send all future correspondence regarding your exempt-distribution license to your Illinois location.

Please provide the name of the person at the Illinois location to whom our letter should be addressed, as well as the name of the RSO at that facility. Let me know as soon as possible if any of this does not fit with your expectations so that we can work out any unresolved details before transmitting the licenses.

Thank you,

Richard K. Struckmeyer
Division of Materials Safety and State Agreements
Office of Federal and State Materials and Environmental Management Programs
U.S. Nuclear Regulatory Commission
301-415-5477

From: Wimmer, Brian J [<mailto:brian.wimmer@abbott.com>]
Sent: Thursday, June 28, 2012 4:15 PM
To: Struckmeyer, Richard
Subject: RE: Exempt distribution license 42-23864-01E, mail control No. 577644

Mr. Struckmeyer,

Thank you for the clarification. Yes, the IEMA license reflects the entity with control of activities. Please have condition read as you wrote, with both facilities listed.

Again, thank you very much for your help in completing this change.

Regards,

Brian

Brian J Wimmer, CSP
Global EHS&E
[Regional Support-Ergonomics](#)

Abbott
200 Abbott Park Road
AP52-S Dept. 05G5
Abbott Park, IL 60064

Phone 847-935-8254
Cell 847-393-6369
Fax 847-937-2916
brian.wimmer@abbott.com



This communication may contain information that is proprietary, confidential, or exempt from disclosure. If you are not the intended recipient, please note that any other dissemination, distribution, use or copying of this communication is strictly prohibited. Anyone who receives this message in error should notify the sender immediately by telephone or by return e-mail and delete it from his or her computer.

From: Struckmeyer, Richard [<mailto:Richard.Struckmeyer@nrc.gov>]
Sent: Thursday, June 28, 2012 3:02 PM
To: Wimmer, Brian J
Subject: RE: Exempt distribution license 42-23864-01E, mail control No. 577644

Mr. Wimmer:

Assuming this accurately reflects the entity that has control over your licensed activities, we will use the same address as the IEMA license. Let us know if this is not the case.

As long as your Texas possession and use license remains valid, you can distribute from one or both locations. Given that you plan to have some overlap, your exempt-distribution license should show both. Condition 11 on the license can be written as follows:

“The licensee is authorized to distribute only from its facilities located at Route 41 and Martin Luther King Jr. Drive, North Chicago, Illinois, and at 1921 Hurd Drive, Irving, Texas.”

If you anticipate making any distributions from the Texas location in the future, it would not be necessary to remove it from your exempt-distribution license. If you want to remove the Texas location (or if your Texas license is allowed to expire), then you should submit another amendment request. This is a simple process; you need only send us a request to amend your license to “...remove the distribution location at 1921 Hurd Drive, Irving, Texas...” or words to that effect.

I hope this adequately responds to your questions. Let me know if you need additional information.

Thank you,

Richard K. Struckmeyer
Division of Materials Safety and State Agreements
Office of Federal and State Materials and Environmental Management Programs
U.S. Nuclear Regulatory Commission
301-415-5477

From: Wimmer, Brian J [<mailto:brian.wimmer@abbott.com>]
Sent: Thursday, June 28, 2012 3:39 PM
To: Struckmeyer, Richard
Subject: RE: Exempt distribution license 42-23864-01E, mail control No. 577644

Mr. Struckmeyer,

Our IEMA license address is as written below. However, the actual address of where the material would be distributed from will be different. That address is Route 41 and Martin Luther King Jr. Drive, North Chicago, IL 60064. If possible could we have the address below be the licensee address and the North Chicago address be a condition of the license? Also, presuming that we will be given authorization to distribute from Illinois, is there a overlap time for the license where we can distribute from Texas until we transfer the material to Illinois? Or how do we handle the interim? It will take us several weeks to move the operation to Illinois.

Thanks,
Brian

Abbott Laboratories
Abbott Diagnostic Division
100 Abbott Park Road
Abbott Park, IL 60064

Brian J Wimmer, CSP
Global EHS&E
[Regional Support-Ergonomics](#)

Abbott
200 Abbott Park Road
AP52-S Dept. 05G5
Abbott Park, IL 60064

Phone 847-935-8254
Cell 847-393-6369
Fax 847-937-2916
brian.wimmer@abbott.com



This communication may contain information that is proprietary, confidential, or exempt from disclosure. If you are not the intended recipient, please note that any other dissemination, distribution, use or copying of this communication is strictly prohibited. Anyone who receives this message in error should notify the sender immediately by telephone or by return e-mail and delete it from his or her computer.

From: Struckmeyer, Richard [<mailto:Richard.Struckmeyer@nrc.gov>]
Sent: Thursday, June 28, 2012 10:05 AM
To: Wimmer, Brian J
Subject: RE: Exempt distribution license 42-23864-01E, mail control No. 577644

Mr. Wimmer:

Please let me know how your company name and address should appear on your license and in our records.

Currently we have only "Abbott Laboratories" and a simple form of your address:

200 Abbott Park Road
Abbott Park, IL 60064

However, your letterhead shows the following:

Global Environmental Health,
Safety & Energy
200 Abbott Park Road
Dept. OSGS, Bldg. APS2S
Abbott Park, IL 60064-6214

The license only has room for five lines, so it looks like something would have to be left out if you opt for the longer address.

Thank you,

Richard K. Struckmeyer
Division of Materials Safety and State Agreements
Office of Federal and State Materials and Environmental Management Programs
U.S. Nuclear Regulatory Commission
301-415-5477

From: Wimmer, Brian J [<mailto:brian.wimmer@abbott.com>]
Sent: Friday, June 22, 2012 3:04 PM
To: Struckmeyer, Richard
Subject: Exempt distribution license 42-23864-01E, mail control No. 577644

Mr. Struckmeyer,

Please find attached our response to your letter of June 11, 2012. Let me know if you have any questions.

Thanks,

Brian

Brian J Wimmer, CSP
Global EHS&E
[Regional Support-Ergonomics](#)

Abbott
200 Abbott Park Road
AP52-S Dept. 05G5
Abbott Park, IL 60064

Phone 847-935-8254
Cell 847-393-6369
Fax 847-937-2916
brian.wimmer@abbott.com



This communication may contain information that is proprietary, confidential, or exempt from disclosure. If you are not the intended recipient, please note that any other dissemination, distribution, use or copying of this communication is strictly prohibited. Anyone who receives this message in error should notify the sender immediately by telephone or by return e-mail and delete it from his or her computer.