

Well ID	Sample Name	Sample #	Sample Date	Sample Time	Result	3S Error	MDC	Radionuclide
B-6	B-6-(016)	16	1/23/2012	12:58	-3.33E+00	7.05E+00	7.77E+00	Co-60
I-2	I-2-(005)	5	1/24/2012	9:52	6.39E-01	1.12E+01	1.41E+01	Co-60
MH-5	MH-5-(029)	29	1/17/2012	9:10	2.81E+00	9.96E+00	1.44E+01	Co-60
MW-111	MW-111-(037)	37	1/30/2012	14:56	3.25E+00	8.43E+00	1.25E+01	Co-60
MW-30-69	MW-30-69-(043)	43	2/1/2012	12:23	-2.23E+00	9.21E+00	1.11E+01	Co-60
MW-30-84	MW-30-84-(034)	34	2/1/2012	12:30	2.69E-01	7.23E+00	8.00E+00	Co-60
MW-31-49	MW-31-49-(035)	35	1/31/2012	14:53	-8.46E-01	8.40E+00	1.08E+01	Co-60
MW-31-63	MW-31-63-(035)	35	1/31/2012	15:18	1.92E-01	7.98E+00	1.02E+01	Co-60
MW-31-85	MW-31-85-(035)	35	1/31/2012	15:28	-4.96E-01	8.46E+00	1.08E+01	Co-60
MW-32-149	MW-32-149-(029)	29	1/31/2012	11:31	3.05E+00	8.13E+00	1.17E+01	Co-60
MW-32-173	MW-32-173-(027)	27	1/31/2012	11:38	-1.88E+00	9.75E+00	1.18E+01	Co-60
MW-32-190	MW-32-190-(031)	31	1/31/2012	11:34	2.34E+00	8.97E+00	1.22E+01	Co-60
MW-32-59	MW-32-59-(029)	29	1/31/2012	13:31	6.84E+00	9.75E+00	1.49E+01	Co-60
MW-32-85	MW-32-85-(032)	32	1/31/2012	14:17	6.48E+00	1.04E+01	1.52E+01	Co-60
MW-33	MW-33-(029)	29	1/30/2012	14:33	2.50E-01	6.63E+00	8.92E+00	Co-60
MW-36-24	MW-36-24-(025)	25	2/24/2012	9:57	6.66E+00	7.08E+00	9.79E+00	Co-60
MW-36-41	MW-36-41-(019)	19	2/24/2012	11:21	-4.30E+00	5.85E+00	6.19E+00	Co-60
MW-36-52	MW-36-52-(024)	24	2/24/2012	9:57	8.18E-03	4.71E+00	6.02E+00	Co-60
MW-37-22	MW-37-22-(025)	25	2/29/2012	10:21	-4.43E+00	6.84E+00	7.12E+00	Co-60
MW-37-32	MW-37-32-(025)	25	2/29/2012	10:23	2.13E+00	6.18E+00	8.29E+00	Co-60
MW-37-40	MW-37-40-(025)	25	2/29/2012	11:04	4.22E-01	4.53E+00	5.42E+00	Co-60
MW-37-57	MW-37-57-(025)	25	2/29/2012	10:40	-1.17E+00	3.66E+00	4.24E+00	Co-60
MW-39-102	MW-39-102-(015)	15	2/2/2012	13:52	-1.57E+00	8.10E+00	9.65E+00	Co-60
MW-39-124	MW-39-124-(015)	15	2/2/2012	11:30	1.86E+00	8.01E+00	1.15E+01	Co-60
MW-39-183	MW-39-183-(015)	15	2/2/2012	11:17	1.28E-02	6.06E+00	8.14E+00	Co-60
MW-39-195	MW-39-195-(015)	15	2/2/2012	11:14	7.26E+00	8.67E+00	1.37E+01	Co-60
MW-39-67	MW-39-67-(015)	15	2/2/2012	13:43	8.94E-02	6.72E+00	8.92E+00	Co-60
MW-39-84	MW-39-84-(015)	15	2/2/2012	14:02	-3.27E-01	8.31E+00	1.07E+01	Co-60
MW-40-100	MW-40-100-(021)	21	3/1/2012	10:24	8.29E-01	3.51E+00	4.43E+00	Co-60
MW-40-127	MW-40-127-(021)	21	3/1/2012	10:40	-2.20E-02	6.15E+00	7.67E+00	Co-60
MW-40-162	MW-40-162-(019)	19	3/1/2012	11:07	1.11E+00	7.44E+00	9.85E+00	Co-60
MW-40-27	MW-40-27-(018)	18	3/1/2012	12:04	1.93E+00	4.11E+00	5.10E+00	Co-60
MW-40-46	MW-40-46-(019)	19	3/1/2012	12:52	-4.13E+00	7.95E+00	8.87E+00	Co-60
MW-40-81	MW-40-81-(019)	19	3/1/2012	10:18	-2.94E+00	4.14E+00	4.40E+00	Co-60
MW-41-40	MW-41-40-(024)	24	2/3/2012	14:28	1.20E+00	8.49E+00	1.10E+01	Co-60
MW-41-63	MW-41-63-(023)	23	2/3/2012	13:17	-1.87E+00	6.96E+00	8.57E+00	Co-60
MW-42-49	MW-42-49-(029)	29	1/19/2012	11:45	-8.15E-01	6.63E+00	8.61E+00	Co-60
MW-42-78	MW-42-78-(024)	24	1/19/2012	11:59	1.18E+00	6.90E+00	9.70E+00	Co-60
MW-43-28	MW-43-28-(022)	22	2/17/2012	10:56	7.88E-01	5.94E+00	8.53E+00	Co-60
MW-43-62	MW-43-62-(023)	23	2/17/2012	10:14	1.81E+00	6.36E+00	9.10E+00	Co-60
MW-44-102	MW-44-102-(025)	25	2/21/2012	10:50	7.43E-01	8.61E+00	1.10E+01	Co-60
MW-44-66	MW-44-66-(024)	24	2/21/2012	13:43	8.33E+00	9.00E+00	1.43E+01	Co-60
MW-45-42	MW-45-42-(028)	28	2/3/2012	13:50	1.45E+00	8.22E+00	1.15E+01	Co-60
MW-45-61	MW-45-61-(028)	28	2/3/2012	10:12	2.54E-01	8.10E+00	1.08E+01	Co-60
MW-46	MW-46-(028)	28	2/13/2012	11:32	4.02E-01	9.15E+00	1.17E+01	Co-60
MW-47-56	MW-47-56-(009)	9	1/25/2012	13:35	2.65E+00	7.68E+00	1.09E+01	Co-60
MW-47-80	MW-47-80-(008)	8	1/25/2012	13:05	-6.74E-01	5.49E+00	7.23E+00	Co-60
MW-49-26	MW-49-26-(027)	27	2/22/2012	11:23	-1.65E+00	8.28E+00	9.86E+00	Co-60
MW-49-42	MW-49-42-(027)	27	2/22/2012	11:10	-2.64E+00	6.66E+00	7.37E+00	Co-60
MW-49-65	MW-49-65-(027)	27	2/22/2012	11:09	-4.06E+00	6.87E+00	7.35E+00	Co-60
MW-50-42	MW-50-42-(029)	29	2/24/2012	11:47	-4.91E-01	4.02E+00	4.79E+00	Co-60
MW-50-66	MW-50-66-(034)	34	2/24/2012	11:56	-4.87E+00	8.40E+00	8.82E+00	Co-60
MW-51-104	MW-51-104-(020)	20	3/2/2012	8:50	3.01E+00	8.10E+00	1.11E+01	Co-60
MW-51-135	MW-51-135-(020)	20	3/2/2012	9:23	1.35E+00	6.36E+00	8.84E+00	Co-60
MW-51-163	MW-51-163-(020)	20	3/2/2012	9:26	3.54E+00	9.78E+00	1.35E+01	Co-60
MW-51-189	MW-51-189-(020)	20	3/2/2012	9:26	-3.24E+00	9.51E+00	1.10E+01	Co-60
MW-51-40	MW-51-40-(022)	22	3/2/2012	10:34	8.66E-01	8.37E+00	1.09E+01	Co-60
MW-51-79	MW-51-79-(022)	22	3/2/2012	10:52	6.02E+00	7.86E+00	1.19E+01	Co-60
MW-53-120	MW-53-120-(027)	27	2/17/2012	13:19	-3.11E+00	7.98E+00	9.11E+00	Co-60
MW-53-82	MW-53-82-(023)	23	2/17/2012	14:02	2.94E-01	7.68E+00	1.02E+01	Co-60
MW-54-123	MW-54-123-(021)	21	2/16/2012	11:17	-1.86E+00	8.46E+00	1.05E+01	Co-60
MW-54-144	MW-54-144-(021)	21	2/16/2012	13:32	1.40E+00	5.52E+00	8.18E+00	Co-60
MW-54-173	MW-54-173-(021)	21	2/16/2012	13:43	1.28E+00	8.28E+00	1.14E+01	Co-60
MW-54-190	MW-54-190-(021)	21	2/16/2012	13:49	4.74E+00	8.25E+00	1.17E+01	Co-60
MW-54-37	MW-54-37-(021)	21	2/16/2012	10:31	1.60E+00	7.83E+00	1.09E+01	Co-60
MW-54-58	MW-54-58-(021)	21	2/16/2012	11:03	1.75E+00	8.31E+00	1.13E+01	Co-60

IPEC00261760

MW-55-24	MW-55-24-(020)	20	1/30/2012	11:28	1.10E+00	1.09E+01	1.37E+01	Co-60
MW-55-35	MW-55-35-(019)	19	1/30/2012	11:39	1.91E+00	7.47E+00	1.06E+01	Co-60
MW-55-54	MW-55-54-(020)	20	1/30/2012	11:33	-1.73E+00	7.02E+00	8.29E+00	Co-60
MW-56-53	MW-56-53-(014)	14	1/20/2012	11:37	6.77E+00	7.89E+00	1.21E+01	Co-60
MW-56-83	MW-56-83-(016)	16	1/20/2012	11:02	-2.12E+00	9.69E+00	1.17E+01	Co-60
MW-60-135	MW-60-135-(020)	20	2/14/2012	10:29	3.27E+00	5.55E+00	7.21E+00	Co-60
MW-60-154	MW-60-154-(020)	20	2/14/2012	10:10	4.46E+00	7.41E+00	1.11E+01	Co-60
MW-60-176	MW-60-176-(020)	20	2/14/2012	10:38	-1.36E+00	9.54E+00	1.13E+01	Co-60
MW-60-35	MW-60-35-(020)	20	2/14/2012	13:48	-5.95E-01	8.94E+00	1.13E+01	Co-60
MW-60-53	MW-60-53-(020)	20	2/14/2012	13:37	-3.74E-01	8.43E+00	1.05E+01	Co-60
MW-60-72	MW-60-72-(020)	20	2/14/2012	10:22	1.37E+00	4.77E+00	7.60E+00	Co-60
MW-62-138	MW-62-138-(021)	21	2/23/2012	13:42	-5.87E-01	6.24E+00	8.25E+00	Co-60
MW-62-18	MW-62-18-(021)	21	2/23/2012	12:33	4.27E+00	9.48E+00	1.32E+01	Co-60
MW-62-182	MW-62-182-(021)	21	2/23/2012	14:24	-5.84E+00	7.65E+00	8.36E+00	Co-60
MW-62-37	MW-62-37-(021)	21	2/23/2012	12:16	1.75E+00	3.69E+00	4.78E+00	Co-60
MW-62-53	MW-62-53-(020)	20	2/23/2012	12:37	-1.70E+00	4.32E+00	4.82E+00	Co-60
MW-62-71	MW-62-71-(021)	21	2/23/2012	12:06	5.87E-01	4.20E+00	5.13E+00	Co-60
MW-62-92	MW-62-92-(021)	21	2/23/2012	12:14	-9.05E-01	6.84E+00	8.59E+00	Co-60
MW-63-112	MW-63-112-(021)	21	2/9/2012	13:09	-8.44E-01	7.26E+00	9.46E+00	Co-60
MW-63-121	MW-63-121-(021)	21	2/9/2012	10:13	3.33E-01	7.62E+00	1.00E+01	Co-60
MW-63-163	MW-63-163-(021)	21	2/9/2012	10:17	-3.20E+00	7.71E+00	8.80E+00	Co-60
MW-63-174	MW-63-174-(021)	21	2/9/2012	10:17	2.50E+00	9.93E+00	1.38E+01	Co-60
MW-63-18	MW-63-18-(021)	21	2/9/2012	10:47	5.35E+00	6.96E+00	1.13E+01	Co-60
MW-63-34	MW-63-34-(021)	21	2/9/2012	10:37	-5.57E-01	9.12E+00	1.14E+01	Co-60
MW-63-50	MW-63-50-(021)	21	2/9/2012	12:46	-6.31E+00	8.55E+00	8.43E+00	Co-60
MW-63-93	MW-63-93-(022)	22	2/9/2012	13:14	-7.38E-02	5.13E+00	6.51E+00	Co-60
MW-66-21	MW-66-21-(020)	20	2/28/2012	11:18	-3.64E+00	8.97E+00	1.01E+01	Co-60
MW-66-36	MW-66-36-(019)	19	2/28/2012	11:06	5.91E-02	8.91E+00	1.14E+01	Co-60
MW-67-105	MW-67-105-(019)	19	2/15/2012	13:37	-1.31E+00	9.84E+00	1.18E+01	Co-60
MW-67-173	MW-67-173-(020)	20	2/15/2012	13:56	5.34E-01	9.12E+00	1.19E+01	Co-60
MW-67-219	MW-67-219-(019)	19	2/15/2012	10:18	-6.39E-01	4.74E+00	5.52E+00	Co-60
MW-67-276	MW-67-276-(019)	19	2/15/2012	10:36	-1.80E-01	3.81E+00	4.43E+00	Co-60
MW-67-323	MW-67-323-(019)	19	2/15/2012	11:11	3.64E+00	4.05E+00	5.24E+00	Co-60
MW-67-340	MW-67-340-(019)	19	2/15/2012	10:42	-3.69E+00	4.17E+00	4.24E+00	Co-60
MW-67-39	MW-67-39-(020)	20	2/15/2012	13:04	-2.60E+00	8.25E+00	9.89E+00	Co-60
U3-4D	U3-4D-(032)	32	2/8/2012	12:10	1.54E+00	8.64E+00	1.13E+01	Co-60
U3-4S	U3-4S-(007)	7	2/8/2012	10:41	2.63E+00	8.70E+00	1.16E+01	Co-60
U3-T1	U3-T1-(035)	35	1/17/2012	12:08	3.54E+00	9.81E+00	1.30E+01	Co-60
U3-T2	U3-T2-(041)	41	1/27/2012	13:51	5.30E+00	8.07E+00	1.18E+01	Co-60

IPEC00261761

Well ID	Sample Name	Sample #	Sample Date	Sample Time	Result	3S Error	MDC	Radionuclide
B-6	B-6-(016)	16	1/23/2012	12:58	6.02E+00	1.45E+01	9.55E+00	Cs-137
I-2	I-2-(005)	5	1/24/2012	9:52	3.01E+00	9.06E+00	1.17E+01	Cs-137
MH-5	MH-5-(029)	29	1/17/2012	9:10	2.27E+00	9.54E+00	1.22E+01	Cs-137
MW-111	MW-111-(037)	37	1/30/2012	14:56	1.06E+00	8.64E+00	1.10E+01	Cs-137
MW-30-69	MW-30-69-(043)	43	2/1/2012	12:23	-4.30E+00	9.09E+00	1.01E+01	Cs-137
MW-30-84	MW-30-84-(034)	34	2/1/2012	12:30	7.43E-01	6.42E+00	7.24E+00	Cs-137
MW-31-49	MW-31-49-(035)	35	1/31/2012	14:53	5.13E-01	7.35E+00	9.47E+00	Cs-137
MW-31-63	MW-31-63-(035)	35	1/31/2012	15:18	-2.72E+00	7.86E+00	8.84E+00	Cs-137
MW-31-85	MW-31-85-(035)	35	1/31/2012	15:28	5.49E+00	1.04E+01	1.30E+01	Cs-137
MW-32-149	MW-32-149-(029)	29	1/31/2012	11:31	-3.26E+00	9.24E+00	1.05E+01	Cs-137
MW-32-173	MW-32-173-(027)	27	1/31/2012	11:38	4.06E+00	8.25E+00	1.11E+01	Cs-137
MW-32-190	MW-32-190-(031)	31	1/31/2012	11:34	-9.60E-01	9.57E+00	1.20E+01	Cs-137
MW-32-59	MW-32-59-(029)	29	1/31/2012	13:31	1.59E+00	8.34E+00	1.09E+01	Cs-137
MW-32-85	MW-32-85-(032)	32	1/31/2012	14:17	8.13E-01	1.44E+01	1.84E+01	Cs-137
MW-33	MW-33-(029)	29	1/30/2012	14:33	-1.08E+00	7.74E+00	9.28E+00	Cs-137
MW-36-24	MW-36-24-(025)	25	2/24/2012	9:57	-5.49E-01	6.06E+00	6.96E+00	Cs-137
MW-36-41	MW-36-41-(019)	19	2/24/2012	11:21	2.41E+00	6.66E+00	8.07E+00	Cs-137
MW-36-52	MW-36-52-(024)	24	2/24/2012	9:57	-1.43E+00	5.37E+00	6.23E+00	Cs-137
MW-37-22	MW-37-22-(025)	25	2/29/2012	10:21	3.69E+00	6.33E+00	8.06E+00	Cs-137
MW-37-32	MW-37-32-(025)	25	2/29/2012	10:23	-1.22E+00	5.46E+00	6.40E+00	Cs-137
MW-37-40	MW-37-40-(025)	25	2/29/2012	11:04	3.56E+00	4.62E+00	5.70E+00	Cs-137
MW-37-57	MW-37-57-(025)	25	2/29/2012	10:40	-5.94E-01	4.11E+00	4.79E+00	Cs-137
MW-39-102	MW-39-102-(015)	15	2/2/2012	13:52	1.06E+00	7.44E+00	9.29E+00	Cs-137
MW-39-124	MW-39-124-(015)	15	2/2/2012	11:30	-2.01E+00	9.15E+00	1.09E+01	Cs-137
MW-39-183	MW-39-183-(015)	15	2/2/2012	11:17	1.58E+00	7.23E+00	9.34E+00	Cs-137
MW-39-195	MW-39-195-(015)	15	2/2/2012	11:14	2.08E+00	2.02E+01	1.10E+01	Cs-137
MW-39-67	MW-39-67-(015)	15	2/2/2012	13:43	5.52E+00	6.78E+00	9.60E+00	Cs-137
MW-39-84	MW-39-84-(015)	15	2/2/2012	14:02	5.85E+00	7.38E+00	1.06E+01	Cs-137
MW-40-100	MW-40-100-(021)	21	3/1/2012	10:24	7.14E-01	3.63E+00	4.38E+00	Cs-137
MW-40-127	MW-40-127-(021)	21	3/1/2012	10:40	-5.47E+00	1.07E+01	1.17E+01	Cs-137
MW-40-162	MW-40-162-(019)	19	3/1/2012	11:07	3.69E-01	7.41E+00	9.03E+00	Cs-137
MW-40-27	MW-40-27-(018)	18	3/1/2012	12:04	5.33E-01	3.90E+00	4.52E+00	Cs-137
MW-40-46	MW-40-46-(019)	19	3/1/2012	12:52	-3.70E+00	1.01E+01	1.11E+01	Cs-137
MW-40-81	MW-40-81-(019)	19	3/1/2012	10:18	7.24E-01	4.14E+00	4.93E+00	Cs-137
MW-41-40	MW-41-40-(024)	24	2/3/2012	14:28	6.55E-01	8.37E+00	1.01E+01	Cs-137
MW-41-63	MW-41-63-(023)	23	2/3/2012	13:17	-3.28E+00	8.82E+00	9.60E+00	Cs-137
MW-42-49	MW-42-49-(029)	29	1/19/2012	11:45	1.22E+04	1.56E+03	2.17E+01	Cs-137
MW-42-78	MW-42-78-(024)	24	1/19/2012	11:59	-1.72E+00	9.30E+00	1.16E+01	Cs-137
MW-43-28	MW-43-28-(022)	22	2/17/2012	10:56	-7.59E-01	9.39E+00	1.08E+01	Cs-137
MW-43-62	MW-43-62-(023)	23	2/17/2012	10:14	3.09E-01	6.18E+00	7.91E+00	Cs-137
MW-44-102	MW-44-102-(025)	25	2/21/2012	10:50	-2.33E+00	7.95E+00	9.02E+00	Cs-137
MW-44-66	MW-44-66-(024)	24	2/21/2012	13:43	2.76E+00	1.75E+01	9.21E+00	Cs-137
MW-45-42	MW-45-42-(028)	28	2/3/2012	13:50	-9.35E-01	9.42E+00	1.13E+01	Cs-137
MW-45-61	MW-45-61-(028)	28	2/3/2012	10:12	-2.67E+00	8.67E+00	9.89E+00	Cs-137
MW-46	MW-46-(028)	28	2/13/2012	11:32	-1.94E+00	9.30E+00	1.06E+01	Cs-137
MW-47-56	MW-47-56-(009)	9	1/25/2012	13:35	1.68E+01	1.19E+01	9.17E+00	Cs-137
MW-47-80	MW-47-80-(008)	8	1/25/2012	13:05	-2.70E+00	6.69E+00	7.64E+00	Cs-137
MW-49-26	MW-49-26-(027)	27	2/22/2012	11:23	2.05E+00	7.50E+00	9.60E+00	Cs-137
MW-49-42	MW-49-42-(027)	27	2/22/2012	11:10	-2.24E-01	7.71E+00	9.25E+00	Cs-137
MW-49-65	MW-49-65-(027)	27	2/22/2012	11:09	-3.25E+00	9.15E+00	1.02E+01	Cs-137
MW-50-42	MW-50-42-(029)	29	2/24/2012	11:47	-1.20E+00	4.11E+00	4.59E+00	Cs-137
MW-50-66	MW-50-66-(034)	34	2/24/2012	11:56	-3.18E+00	9.12E+00	1.02E+01	Cs-137
MW-51-104	MW-51-104-(020)	20	3/2/2012	8:50	-1.85E+00	8.01E+00	9.22E+00	Cs-137
MW-51-135	MW-51-135-(020)	20	3/2/2012	9:23	-1.19E+00	6.60E+00	7.63E+00	Cs-137
MW-51-163	MW-51-163-(020)	20	3/2/2012	9:26	5.05E+00	8.16E+00	1.12E+01	Cs-137
MW-51-189	MW-51-189-(020)	20	3/2/2012	9:26	1.29E+00	7.47E+00	9.64E+00	Cs-137
MW-51-40	MW-51-40-(022)	22	3/2/2012	10:34	2.23E+00	7.11E+00	9.25E+00	Cs-137
MW-51-79	MW-51-79-(022)	22	3/2/2012	10:52	-8.61E-01	7.08E+00	8.59E+00	Cs-137
MW-53-120	MW-53-120-(027)	27	2/17/2012	13:19	-3.20E+00	9.39E+00	1.13E+01	Cs-137
MW-53-82	MW-53-82-(023)	23	2/17/2012	14:02	-5.65E-03	8.46E+00	1.04E+01	Cs-137
MW-54-123	MW-54-123-(021)	21	2/16/2012	11:17	-1.76E+00	7.59E+00	9.09E+00	Cs-137
MW-54-144	MW-54-144-(021)	21	2/16/2012	13:32	-2.78E-01	5.97E+00	7.50E+00	Cs-137
MW-54-173	MW-54-173-(021)	21	2/16/2012	13:43	8.65E+00	1.92E+01	1.00E+01	Cs-137
MW-54-190	MW-54-190-(021)	21	2/16/2012	13:49	2.45E-01	8.52E+00	1.02E+01	Cs-137
MW-54-37	MW-54-37-(021)	21	2/16/2012	10:31	1.48E+00	8.67E+00	1.08E+01	Cs-137
MW-54-58	MW-54-58-(021)	21	2/16/2012	11:03	-5.13E+00	9.06E+00	9.51E+00	Cs-137

IPEC00261762

MW-55-24	MW-55-24-(020)	20	1/30/2012	11:28	1.37E+00	9.24E+00	1.13E+01	Cs-137
MW-55-35	MW-55-35-(019)	19	1/30/2012	11:39	3.73E+00	9.24E+00	1.20E+01	Cs-137
MW-55-54	MW-55-54-(020)	20	1/30/2012	11:33	3.34E+00	7.59E+00	9.81E+00	Cs-137
MW-56-53	MW-56-53-(014)	14	1/20/2012	11:37	4.14E+00	6.15E+00	8.63E+00	Cs-137
MW-56-83	MW-56-83-(016)	16	1/20/2012	11:02	2.51E+00	8.67E+00	1.13E+01	Cs-137
MW-60-135	MW-60-135-(020)	20	2/14/2012	10:29	2.37E+00	4.98E+00	5.94E+00	Cs-137
MW-60-154	MW-60-154-(020)	20	2/14/2012	10:10	-7.40E-01	7.38E+00	8.98E+00	Cs-137
MW-60-176	MW-60-176-(020)	20	2/14/2012	10:38	-6.88E-01	7.08E+00	8.31E+00	Cs-137
MW-60-35	MW-60-35-(020)	20	2/14/2012	13:48	5.36E+00	7.41E+00	1.05E+01	Cs-137
MW-60-53	MW-60-53-(020)	20	2/14/2012	13:37	-1.87E+00	8.04E+00	9.23E+00	Cs-137
MW-60-72	MW-60-72-(020)	20	2/14/2012	10:22	1.04E-01	9.21E+00	1.16E+01	Cs-137
MW-62-138	MW-62-138-(021)	21	2/23/2012	13:42	-7.33E+00	8.91E+00	9.81E+00	Cs-137
MW-62-18	MW-62-18-(021)	21	2/23/2012	12:33	-5.31E-01	8.70E+00	1.03E+01	Cs-137
MW-62-182	MW-62-182-(021)	21	2/23/2012	14:24	-3.42E-01	8.16E+00	9.31E+00	Cs-137
MW-62-37	MW-62-37-(021)	21	2/23/2012	12:16	-9.49E-01	3.96E+00	4.52E+00	Cs-137
MW-62-53	MW-62-53-(020)	20	2/23/2012	12:37	5.33E-01	7.17E+00	4.48E+00	Cs-137
MW-62-71	MW-62-71-(021)	21	2/23/2012	12:06	-6.35E-02	4.35E+00	5.05E+00	Cs-137
MW-62-92	MW-62-92-(021)	21	2/23/2012	12:14	2.38E+00	8.34E+00	1.06E+01	Cs-137
MW-63-112	MW-63-112-(021)	21	2/9/2012	13:09	3.43E+00	7.08E+00	9.69E+00	Cs-137
MW-63-121	MW-63-121-(021)	21	2/9/2012	10:13	3.37E+00	6.87E+00	9.33E+00	Cs-137
MW-63-163	MW-63-163-(021)	21	2/9/2012	10:17	9.15E-01	7.56E+00	9.65E+00	Cs-137
MW-63-174	MW-63-174-(021)	21	2/9/2012	10:17	-3.41E+00	9.33E+00	1.07E+01	Cs-137
MW-63-18	MW-63-18-(021)	21	2/9/2012	10:47	-1.77E+00	7.77E+00	9.24E+00	Cs-137
MW-63-34	MW-63-34-(021)	21	2/9/2012	10:37	2.17E+00	7.71E+00	9.93E+00	Cs-137
MW-63-50	MW-63-50-(021)	21	2/9/2012	12:46	-7.46E-01	7.98E+00	9.41E+00	Cs-137
MW-63-93	MW-63-93-(022)	22	2/9/2012	13:14	2.93E+00	5.97E+00	7.68E+00	Cs-137
MW-66-21	MW-66-21-(020)	20	2/28/2012	11:18	-2.86E+00	9.96E+00	1.20E+01	Cs-137
MW-66-36	MW-66-36-(019)	19	2/28/2012	11:06	6.47E+00	9.27E+00	1.26E+01	Cs-137
MW-67-105	MW-67-105-(019)	19	2/15/2012	13:37	6.52E-01	8.76E+00	1.06E+01	Cs-137
MW-67-173	MW-67-173-(020)	20	2/15/2012	13:56	3.16E+00	1.03E+01	1.28E+01	Cs-137
MW-67-219	MW-67-219-(019)	19	2/15/2012	10:18	-1.61E-01	4.47E+00	5.16E+00	Cs-137
MW-67-276	MW-67-276-(019)	19	2/15/2012	10:36	1.68E+00	3.66E+00	4.35E+00	Cs-137
MW-67-323	MW-67-323-(019)	19	2/15/2012	11:11	1.77E-02	3.90E+00	4.47E+00	Cs-137
MW-67-340	MW-67-340-(019)	19	2/15/2012	10:42	-6.99E-01	3.90E+00	4.50E+00	Cs-137
MW-67-39	MW-67-39-(020)	20	2/15/2012	13:04	-1.58E+00	8.19E+00	9.59E+00	Cs-137
U3-4D	U3-4D-(032)	32	2/8/2012	12:10	2.75E+00	7.65E+00	9.83E+00	Cs-137
U3-4S	U3-4S-(007)	7	2/8/2012	10:41	2.40E+00	8.49E+00	1.05E+01	Cs-137
U3-T1	U3-T1-(035)	35	1/17/2012	12:08	-2.32E+00	7.80E+00	8.87E+00	Cs-137
U3-T2	U3-T2-(041)	41	1/27/2012	13:51	5.14E+00	8.07E+00	1.08E+01	Cs-137

IPEC00261763

Well ID	Sample Name	Sample #	Sample Date	Sample Time	Result	3S Error	MDC	Radionuclide
B-1	B-1-(014)	14	2/22/2012	8:10	7.31E+03	6.99E+02	3.58E+02	H-3
B-6	B-6-(016)	16	1/23/2012	12:58	2.60E+02	3.57E+02	3.85E+02	H-3
I-2	I-2-(005)	5	1/24/2012	9:52	1.67E+02	3.51E+02	3.89E+02	H-3
MH-5	MH-5-(029)	29	1/17/2012	9:10	1.57E+03	5.49E+02	4.79E+02	H-3
MW-111	MW-111-(037)	37	1/30/2012	14:56	4.52E+03	7.47E+02	4.84E+02	H-3
MW-30-69	MW-30-69-(043)	43	2/1/2012	12:23	8.69E+04	2.66E+03	4.37E+02	H-3
MW-30-84	MW-30-84-(034)	34	2/1/2012	12:30	6.20E+03	7.95E+02	4.36E+02	H-3
MW-31-49	MW-31-49-(035)	35	1/31/2012	14:53	5.50E+02	4.71E+02	4.85E+02	H-3
MW-31-63	MW-31-63-(035)	35	1/31/2012	15:18	1.70E+04	1.27E+03	4.83E+02	H-3
MW-31-85	MW-31-85-(035)	35	1/31/2012	15:28	2.59E+03	5.91E+02	4.39E+02	H-3
MW-32-149	MW-32-149-(029)	29	1/31/2012	11:31	1.97E+02	4.32E+02	4.80E+02	H-3
MW-32-173	MW-32-173-(027)	27	1/31/2012	11:38	3.25E+02	4.05E+02	4.34E+02	H-3
MW-32-190	MW-32-190-(031)	31	1/31/2012	11:34	1.54E+03	5.07E+02	4.32E+02	H-3
MW-32-59	MW-32-59-(029)	29	1/31/2012	13:31	6.46E+03	8.52E+02	4.85E+02	H-3
MW-32-85	MW-32-85-(032)	32	1/31/2012	14:17	8.96E+03	9.24E+02	4.35E+02	H-3
MW-33	MW-33-(029)	29	1/30/2012	14:33	1.57E+04	1.22E+03	4.75E+02	H-3
MW-36-24	MW-36-24-(025)	25	2/24/2012	9:57	1.18E+02	3.12E+02	3.52E+02	H-3
MW-36-41	MW-36-41-(019)	19	2/24/2012	11:21	2.82E+02	2.70E+02	2.84E+02	H-3
MW-36-52	MW-36-52-(024)	24	2/24/2012	9:57	2.17E+03	3.96E+02	2.87E+02	H-3
MW-37-22	MW-37-22-(025)	25	2/29/2012	10:21	6.05E+03	5.64E+02	2.84E+02	H-3
MW-37-32	MW-37-32-(025)	25	2/29/2012	10:23	3.84E+03	5.94E+02	3.38E+02	H-3
MW-37-40	MW-37-40-(025)	25	2/29/2012	11:04	4.52E+03	6.30E+02	3.35E+02	H-3
MW-37-57	MW-37-57-(025)	25	2/29/2012	10:40	4.26E+03	6.27E+02	3.45E+02	H-3
MW-39-102	MW-39-102-(015)	15	2/2/2012	13:52	6.55E+02	4.38E+02	4.36E+02	H-3
MW-39-124	MW-39-124-(015)	15	2/2/2012	11:30	9.66E+01	3.81E+02	4.33E+02	H-3
MW-39-183	MW-39-183-(015)	15	2/2/2012	11:17	4.19E+02	3.66E+02	3.78E+02	H-3
MW-39-195	MW-39-195-(015)	15	2/2/2012	11:14	2.20E+03	4.77E+02	3.53E+02	H-3
MW-39-67	MW-39-67-(015)	15	2/2/2012	13:43	5.83E+02	4.32E+02	4.36E+02	H-3
MW-39-84	MW-39-84-(015)	15	2/2/2012	14:02	6.20E+01	3.81E+02	4.36E+02	H-3
MW-40-100	MW-40-100-(021)	21	3/1/2012	10:24	1.47E+02	3.06E+02	3.40E+02	H-3
MW-40-127	MW-40-127-(021)	21	3/1/2012	10:40	-1.59E+02	2.75E+02	3.47E+02	H-3
MW-40-162	MW-40-162-(019)	19	3/1/2012	11:07	0.00E+00	2.92E+02	3.44E+02	H-3
MW-40-27	MW-40-27-(018)	18	3/1/2012	12:04	5.94E+01	3.09E+02	3.54E+02	H-3
MW-40-46	MW-40-46-(019)	19	3/1/2012	12:52	2.32E+02	3.12E+02	3.34E+02	H-3
MW-40-81	MW-40-81-(019)	19	3/1/2012	10:18	9.06E+01	3.00E+02	3.41E+02	H-3
MW-41-40	MW-41-40-(024)	24	2/3/2012	14:28	-1.45E+02	3.24E+02	3.96E+02	H-3
MW-41-63	MW-41-63-(023)	23	2/3/2012	13:17	5.99E+02	3.84E+02	3.80E+02	H-3
MW-42-49	MW-42-49-(029)	29	1/19/2012	11:45	6.97E+02	4.47E+02	4.40E+02	H-3
MW-42-78	MW-42-78-(024)	24	1/19/2012	11:59	2.80E+02	3.75E+02	4.04E+02	H-3
MW-43-28	MW-43-28-(022)	22	2/17/2012	10:56	1.30E+02	3.36E+02	3.75E+02	H-3
MW-43-62	MW-43-62-(023)	23	2/17/2012	10:14	1.57E+02	3.33E+02	3.70E+02	H-3
MW-44-102	MW-44-102-(025)	25	2/21/2012	10:50	8.01E+02	4.02E+02	3.81E+02	H-3
MW-44-66	MW-44-66-(024)	24	2/21/2012	13:43	5.57E+02	3.48E+02	3.43E+02	H-3
MW-45-42	MW-45-42-(028)	28	2/3/2012	13:50	1.84E+03	4.53E+02	3.52E+02	H-3
MW-45-61	MW-45-61-(028)	28	2/3/2012	10:12	1.94E+03	4.86E+02	3.80E+02	H-3
MW-46	MW-46-(028)	28	2/13/2012	11:32	1.68E+03	4.56E+02	3.70E+02	H-3
MW-47-56	MW-47-56-(009)	9	1/25/2012	13:35	1.67E+03	4.41E+02	3.54E+02	H-3
MW-47-80	MW-47-80-(008)	8	1/25/2012	13:05	4.27E+04	1.69E+03	3.73E+02	H-3
MW-49-26	MW-49-26-(027)	27	2/22/2012	11:23	5.10E+03	7.77E+02	4.85E+02	H-3
MW-49-42	MW-49-42-(027)	27	2/22/2012	11:10	4.98E+03	8.07E+02	4.56E+02	H-3
MW-49-65	MW-49-65-(027)	27	2/22/2012	11:09	5.01E+03	7.71E+02	4.82E+02	H-3
MW-50-42	MW-50-42-(029)	29	2/24/2012	11:47	2.78E+02	4.14E+02	4.50E+02	H-3
MW-50-66	MW-50-66-(034)	34	2/24/2012	11:56	6.87E+03	8.67E+02	4.85E+02	H-3
MW-51-104	MW-51-104-(020)	20	3/2/2012	8:50	2.46E+01	3.03E+02	3.54E+02	H-3
MW-51-135	MW-51-135-(020)	20	3/2/2012	9:23	1.01E+02	3.09E+02	3.49E+02	H-3
MW-51-163	MW-51-163-(020)	20	3/2/2012	9:26	5.95E+01	3.09E+02	3.55E+02	H-3
MW-51-189	MW-51-189-(020)	20	3/2/2012	9:26	5.88E+01	3.06E+02	3.51E+02	H-3
MW-51-40	MW-51-40-(022)	22	3/2/2012	10:34	7.73E+00	2.84E+02	3.34E+02	H-3
MW-51-79	MW-51-79-(022)	22	3/2/2012	10:52	1.38E+02	3.24E+02	3.61E+02	H-3
MW-53-120	MW-53-120-(027)	27	2/17/2012	13:19	7.20E+03	8.88E+02	4.88E+02	H-3
MW-53-82	MW-53-82-(023)	23	2/17/2012	14:02	1.80E+03	5.79E+02	4.61E+02	H-3
MW-54-123	MW-54-123-(021)	21	2/16/2012	11:17	4.64E+03	7.92E+02	4.62E+02	H-3
MW-54-144	MW-54-144-(021)	21	2/16/2012	13:32	6.09E+03	8.34E+02	4.89E+02	H-3
MW-54-173	MW-54-173-(021)	21	2/16/2012	13:43	2.48E+03	6.18E+02	4.82E+02	H-3
MW-54-190	MW-54-190-(021)	21	2/16/2012	13:49	7.32E+03	9.48E+02	4.59E+02	H-3
MW-54-37	MW-54-37-(021)	21	2/16/2012	10:31	1.79E+04	1.31E+03	4.87E+02	H-3

IPEC00261764

MW-54-58	MW-54-58-(021)	21	2/16/2012	11:03	5.84E+03	8.55E+02	4.52E+02	H-3
MW-55-24	MW-55-24-(020)	20	1/30/2012	11:28	1.27E+03	4.98E+02	4.40E+02	H-3
MW-55-35	MW-55-35-(019)	19	1/30/2012	11:39	1.60E+03	5.25E+02	4.42E+02	H-3
MW-55-54	MW-55-54-(020)	20	1/30/2012	11:33	6.50E+03	8.19E+02	4.34E+02	H-3
MW-56-53	MW-56-53-(014)	14	1/20/2012	11:37	2.91E+02	3.45E+02	3.68E+02	H-3
MW-56-83	MW-56-83-(016)	16	1/20/2012	11:02	3.45E+04	1.58E+03	3.99E+02	H-3
MW-60-135	MW-60-135-(020)	20	2/14/2012	10:29	8.29E+01	3.75E+02	4.30E+02	H-3
MW-60-154	MW-60-154-(020)	20	2/14/2012	10:10	4.88E+02	4.17E+02	4.29E+02	H-3
MW-60-176	MW-60-176-(020)	20	2/14/2012	10:38	9.68E+02	4.68E+02	4.34E+02	H-3
MW-60-35	MW-60-35-(020)	20	2/14/2012	13:48	8.36E+01	3.78E+02	4.33E+02	H-3
MW-60-53	MW-60-53-(020)	20	2/14/2012	13:37	1.70E+02	4.35E+02	4.87E+02	H-3
MW-60-72	MW-60-72-(020)	20	2/14/2012	10:22	-1.10E+02	3.51E+02	4.27E+02	H-3
MW-62-138	MW-62-138-(021)	21	2/23/2012	13:42	4.51E+03	5.04E+02	2.85E+02	H-3
MW-62-18	MW-62-18-(021)	21	2/23/2012	12:33	3.48E+02	3.33E+02	3.46E+02	H-3
MW-62-182	MW-62-182-(021)	21	2/23/2012	14:24	4.14E+02	4.20E+02	4.39E+02	H-3
MW-62-37	MW-62-37-(021)	21	2/23/2012	12:16	2.21E+02	3.90E+02	4.29E+02	H-3
MW-62-53	MW-62-53-(020)	20	2/23/2012	12:37	2.89E+02	3.90E+02	4.21E+02	H-3
MW-62-71	MW-62-71-(021)	21	2/23/2012	12:06	6.42E+02	4.38E+02	4.34E+02	H-3
MW-62-92	MW-62-92-(021)	21	2/23/2012	12:14	6.33E+02	4.26E+02	4.22E+02	H-3
MW-63-112	MW-63-112-(021)	21	2/9/2012	13:09	2.48E+03	5.52E+02	3.89E+02	H-3
MW-63-121	MW-63-121-(021)	21	2/9/2012	10:13	4.16E+03	7.26E+02	4.85E+02	H-3
MW-63-163	MW-63-163-(021)	21	2/9/2012	10:17	7.19E+02	4.08E+02	3.89E+02	H-3
MW-63-174	MW-63-174-(021)	21	2/9/2012	10:17	6.07E+02	3.99E+02	3.90E+02	H-3
MW-63-18	MW-63-18-(021)	21	2/9/2012	10:47	3.18E+02	3.57E+02	3.79E+02	H-3
MW-63-34	MW-63-34-(021)	21	2/9/2012	10:37	4.96E+02	3.72E+02	3.80E+02	H-3
MW-63-50	MW-63-50-(021)	21	2/9/2012	12:46	2.58E+02	3.54E+02	3.81E+02	H-3
MW-63-93	MW-63-93-(022)	22	2/9/2012	13:14	5.66E+02	3.81E+02	3.81E+02	H-3
MW-66-21	MW-66-21-(020)	20	2/28/2012	11:18	1.61E+02	4.20E+02	4.70E+02	H-3
MW-66-36	MW-66-36-(019)	19	2/28/2012	11:06	3.90E+03	7.02E+02	4.67E+02	H-3
MW-67-105	MW-67-105-(019)	19	2/15/2012	13:37	2.46E+03	6.03E+02	4.64E+02	H-3
MW-67-173	MW-67-173-(020)	20	2/15/2012	13:56	5.37E+02	4.47E+02	4.58E+02	H-3
MW-67-219	MW-67-219-(019)	19	2/15/2012	10:18	9.11E+02	4.89E+02	4.70E+02	H-3
MW-67-276	MW-67-276-(019)	19	2/15/2012	10:36	1.21E+03	5.10E+02	4.63E+02	H-3
MW-67-323	MW-67-323-(019)	19	2/15/2012	11:11	4.23E+02	4.41E+02	4.66E+02	H-3
MW-67-340	MW-67-340-(019)	19	2/15/2012	10:42	5.45E+02	4.59E+02	4.73E+02	H-3
MW-67-39	MW-67-39-(020)	20	2/15/2012	13:04	3.88E+03	7.02E+02	4.71E+02	H-3
U3-4D	U3-4D-(032)	32	2/8/2012	12:10	9.65E+02	5.10E+02	4.89E+02	H-3
U3-4S	U3-4S-(007)	7	2/8/2012	10:41	1.92E+03	5.76E+02	4.80E+02	H-3
U3-T1	U3-T1-(035)	35	1/17/2012	12:08	1.47E+03	5.49E+02	4.87E+02	H-3
U3-T2	U3-T2-(041)	41	1/27/2012	13:51	3.13E+03	5.97E+02	3.89E+02	H-3

IPEC00261765

Well ID	Sample Name	Sample #	Sample Date	Sample Time	Result	3S Error	MDC	Radionuclide
MW-42-49	MW-42-49-(029)	29	1/19/2012	11:45	1.76E+02	2.59E+01	2.23E+01	Ni-63
MW-42-78	MW-42-78-(024)	24	1/19/2012	11:59	-1.24E+00	2.06E+01	2.32E+01	Ni-63
MW-49-26	MW-49-26-(027)	27	2/22/2012	11:23	2.22E+00	1.49E+01	1.69E+01	Ni-63
MW-49-42	MW-49-42-(027)	27	2/22/2012	11:10	7.93E-02	1.42E+01	1.63E+01	Ni-63
MW-49-65	MW-49-65-(027)	27	2/22/2012	11:09	7.16E-02	1.28E+01	1.47E+01	Ni-63
MW-50-42	MW-50-42-(029)	29	2/24/2012	11:47	1.62E+01	1.70E+01	1.83E+01	Ni-63
MW-50-66	MW-50-66-(034)	34	2/24/2012	11:56	-7.13E-01	1.28E+01	1.46E+01	Ni-63
MW-53-120	MW-53-120-(027)	27	2/17/2012	13:19	3.71E+00	1.36E+01	1.52E+01	Ni-63
MW-53-82	MW-53-82-(023)	23	2/17/2012	14:02	-3.54E+00	1.42E+01	1.65E+01	Ni-63
MW-54-123	MW-54-123-(021)	21	2/16/2012	11:17	6.12E+00	1.43E+01	1.59E+01	Ni-63
MW-54-144	MW-54-144-(021)	21	2/16/2012	13:32	2.04E+00	1.23E+01	1.40E+01	Ni-63
MW-54-173	MW-54-173-(021)	21	2/16/2012	13:43	-1.43E+00	1.21E+01	1.40E+01	Ni-63
MW-54-190	MW-54-190-(021)	21	2/16/2012	13:49	-3.21E+00	1.38E+01	1.61E+01	Ni-63
MW-54-37	MW-54-37-(021)	21	2/16/2012	10:31	1.57E+00	1.49E+01	1.69E+01	Ni-63
MW-54-58	MW-54-58-(021)	21	2/16/2012	11:03	-4.38E+00	1.25E+01	1.47E+01	Ni-63
MW-55-24	MW-55-24-(020)	20	1/30/2012	11:28	7.21E+00	2.03E+01	2.24E+01	Ni-63
MW-55-35	MW-55-35-(019)	19	1/30/2012	11:39	-3.79E+00	2.01E+01	2.28E+01	Ni-63
MW-55-54	MW-55-54-(020)	20	1/30/2012	11:33	1.97E+00	1.98E+01	2.21E+01	Ni-63
MW-60-53	MW-60-53-(020)	20	2/14/2012	13:37	5.60E+00	1.74E+01	1.95E+01	Ni-63
MW-66-21	MW-66-21-(020)	20	2/28/2012	11:18	5.49E+00	1.59E+01	1.78E+01	Ni-63
MW-66-36	MW-66-36-(019)	19	2/28/2012	11:06	5.01E+00	1.45E+01	1.63E+01	Ni-63
MW-67-105	MW-67-105-(019)	19	2/15/2012	13:37	-4.86E+00	2.00E+01	2.25E+01	Ni-63
MW-67-173	MW-67-173-(020)	20	2/15/2012	13:56	-1.05E+00	1.61E+01	1.86E+01	Ni-63
MW-67-219	MW-67-219-(019)	19	2/15/2012	10:18	1.25E+01	1.58E+01	1.70E+01	Ni-63
MW-67-276	MW-67-276-(019)	19	2/15/2012	10:36	1.33E+01	1.53E+01	1.75E+01	Ni-63
MW-67-323	MW-67-323-(019)	19	2/15/2012	11:11	4.63E+00	1.50E+01	1.69E+01	Ni-63
MW-67-340	MW-67-340-(019)	19	2/15/2012	10:42	1.34E+01	1.54E+01	1.77E+01	Ni-63
MW-67-39	MW-67-39-(020)	20	2/15/2012	13:04	-5.38E-01	1.84E+01	2.10E+01	Ni-63

IPEC00261766

Well ID	Sample Name	Sample #	Sample Date	Sample Time	Result	3S Error	MDC	Radionuclide
B-1	B-1-(014)	14	2/22/2012	8:10	7.24E-01	1.44E+00	1.60E+00	Sr-90
B-6	B-6-(016)	16	1/23/2012	12:58	2.74E-01	1.51E+00	1.83E+00	Sr-90
I-2	I-2-(005)	5	1/24/2012	9:52	5.89E-02	1.40E+00	1.81E+00	Sr-90
MH-5	MH-5-(029)	29	1/17/2012	9:10	2.35E-02	1.45E+00	1.87E+00	Sr-90
MW-111	MW-111-(037)	37	1/30/2012	14:56	3.19E+00	2.13E+00	1.76E+00	Sr-90
MW-30-69	MW-30-69-(043)	43	2/1/2012	12:23	3.69E-01	1.60E+00	1.90E+00	Sr-90
MW-30-84	MW-30-84-(034)	34	2/1/2012	12:30	2.31E-01	1.72E+00	1.96E+00	Sr-90
MW-31-49	MW-31-49-(035)	35	1/31/2012	14:53	2.40E-01	1.07E+00	1.32E+00	Sr-90
MW-31-63	MW-31-63-(035)	35	1/31/2012	15:18	-1.05E-01	1.64E+00	1.95E+00	Sr-90
MW-31-85	MW-31-85-(035)	35	1/31/2012	15:28	4.89E-01	1.70E+00	1.98E+00	Sr-90
MW-32-149	MW-32-149-(029)	29	1/31/2012	11:31	1.72E+00	1.88E+00	1.99E+00	Sr-90
MW-32-173	MW-32-173-(027)	27	1/31/2012	11:38	4.66E-01	1.64E+00	1.90E+00	Sr-90
MW-32-190	MW-32-190-(031)	31	1/31/2012	11:34	1.88E+00	1.99E+00	1.95E+00	Sr-90
MW-32-59	MW-32-59-(029)	29	1/31/2012	13:31	-1.49E-01	1.49E+00	1.94E+00	Sr-90
MW-32-85	MW-32-85-(032)	32	1/31/2012	14:17	-1.29E-01	1.62E+00	1.93E+00	Sr-90
MW-33	MW-33-(029)	29	1/30/2012	14:33	-4.95E-01	1.40E+00	1.92E+00	Sr-90
MW-36-24	MW-36-24-(025)	25	2/24/2012	9:57	6.40E-01	1.65E+00	1.90E+00	Sr-90
MW-36-41	MW-36-41-(019)	19	2/24/2012	11:21	1.45E+00	1.85E+00	1.96E+00	Sr-90
MW-36-52	MW-36-52-(024)	24	2/24/2012	9:57	1.66E+00	1.82E+00	1.91E+00	Sr-90
MW-37-22	MW-37-22-(025)	25	2/29/2012	10:21	1.16E+01	3.63E+00	1.99E+00	Sr-90
MW-37-32	MW-37-32-(025)	25	2/29/2012	10:23	8.98E+00	2.50E+00	2.11E+00	Sr-90
MW-37-40	MW-37-40-(025)	25	2/29/2012	11:04	1.52E+01	3.12E+00	1.91E+00	Sr-90
MW-37-57	MW-37-57-(025)	25	2/29/2012	10:40	1.64E+01	2.96E+00	1.94E+00	Sr-90
MW-39-102	MW-39-102-(015)	15	2/2/2012	13:52	6.25E-01	1.68E+00	1.95E+00	Sr-90
MW-39-124	MW-39-124-(015)	15	2/2/2012	11:30	-8.04E-01	1.27E+00	1.99E+00	Sr-90
MW-39-183	MW-39-183-(015)	15	2/2/2012	11:17	3.80E-01	1.58E+00	1.87E+00	Sr-90
MW-39-195	MW-39-195-(015)	15	2/2/2012	11:14	-1.54E-01	1.51E+00	1.96E+00	Sr-90
MW-39-67	MW-39-67-(015)	15	2/2/2012	13:43	1.95E+00	1.97E+00	1.97E+00	Sr-90
MW-39-84	MW-39-84-(015)	15	2/2/2012	14:02	2.08E-01	1.57E+00	1.97E+00	Sr-90
MW-40-100	MW-40-100-(021)	21	3/1/2012	10:24	8.36E-01	1.70E+00	1.90E+00	Sr-90
MW-40-127	MW-40-127-(021)	21	3/1/2012	10:40	1.88E-01	1.54E+00	1.91E+00	Sr-90
MW-40-162	MW-40-162-(019)	19	3/1/2012	11:07	-5.66E-02	1.22E+00	1.63E+00	Sr-90
MW-40-27	MW-40-27-(018)	18	3/1/2012	12:04	-3.29E-01	1.46E+00	1.95E+00	Sr-90
MW-40-46	MW-40-46-(019)	19	3/1/2012	12:52	-5.49E-02	1.41E+00	1.87E+00	Sr-90
MW-40-81	MW-40-81-(019)	19	3/1/2012	10:18	6.16E-01	1.70E+00	1.96E+00	Sr-90
MW-41-40	MW-41-40-(024)	24	2/3/2012	14:28	4.14E-01	1.60E+00	1.93E+00	Sr-90
MW-41-63	MW-41-63-(023)	23	2/3/2012	13:17	1.26E+00	1.72E+00	1.84E+00	Sr-90
MW-42-49	MW-42-49-(029)	29	1/19/2012	11:45	1.49E+01	4.02E+00	1.96E+00	Sr-90
MW-42-78	MW-42-78-(024)	24	1/19/2012	11:59	-7.89E-02	1.60E+00	1.99E+00	Sr-90
MW-43-28	MW-43-28-(022)	22	2/17/2012	10:56	1.28E-01	1.57E+00	1.89E+00	Sr-90
MW-43-62	MW-43-62-(023)	23	2/17/2012	10:14	1.23E+00	1.81E+00	1.96E+00	Sr-90
MW-44-102	MW-44-102-(025)	25	2/21/2012	10:50	8.85E-01	1.68E+00	1.86E+00	Sr-90
MW-44-66	MW-44-66-(024)	24	2/21/2012	13:43	2.06E-01	1.53E+00	1.77E+00	Sr-90
MW-45-42	MW-45-42-(028)	28	2/3/2012	13:50	1.32E+00	1.69E+00	1.81E+00	Sr-90
MW-45-61	MW-45-61-(028)	28	2/3/2012	10:12	1.35E+00	1.70E+00	1.82E+00	Sr-90
MW-46	MW-46-(028)	28	2/13/2012	11:32	6.57E-01	1.07E+00	1.16E+00	Sr-90
MW-47-56	MW-47-56-(009)	9	1/25/2012	13:35	1.41E+00	1.57E+00	1.68E+00	Sr-90
MW-47-80	MW-47-80-(008)	8	1/25/2012	13:05	3.20E+00	2.03E+00	1.99E+00	Sr-90
MW-49-26	MW-49-26-(027)	27	2/22/2012	11:23	1.02E+01	3.21E+00	1.73E+00	Sr-90
MW-49-42	MW-49-42-(027)	27	2/22/2012	11:10	1.34E+01	3.09E+00	1.90E+00	Sr-90
MW-49-65	MW-49-65-(027)	27	2/22/2012	11:09	1.10E+01	3.27E+00	1.65E+00	Sr-90
MW-50-42	MW-50-42-(029)	29	2/24/2012	11:47	3.03E+00	2.33E+00	2.19E+00	Sr-90
MW-50-66	MW-50-66-(034)	34	2/24/2012	11:56	1.72E+01	3.99E+00	1.71E+00	Sr-90
MW-51-104	MW-51-104-(020)	20	3/2/2012	8:50	-5.28E-01	1.39E+00	1.93E+00	Sr-90
MW-51-135	MW-51-135-(020)	20	3/2/2012	9:23	6.15E-01	1.68E+00	1.92E+00	Sr-90
MW-51-163	MW-51-163-(020)	20	3/2/2012	9:26	1.55E-01	1.66E+00	1.92E+00	Sr-90
MW-51-189	MW-51-189-(020)	20	3/2/2012	9:26	1.33E-01	1.59E+00	1.97E+00	Sr-90
MW-51-40	MW-51-40-(022)	22	3/2/2012	10:34	9.51E-02	1.62E+00	1.97E+00	Sr-90
MW-51-79	MW-51-79-(022)	22	3/2/2012	10:52	9.55E-01	1.74E+00	1.91E+00	Sr-90
MW-53-120	MW-53-120-(027)	27	2/17/2012	13:19	3.37E+01	5.46E+00	1.84E+00	Sr-90
MW-53-82	MW-53-82-(023)	23	2/17/2012	14:02	2.14E-01	1.61E+00	1.98E+00	Sr-90
MW-54-123	MW-54-123-(021)	21	2/16/2012	11:17	1.46E+00	1.91E+00	1.99E+00	Sr-90
MW-54-144	MW-54-144-(021)	21	2/16/2012	13:32	6.96E+00	2.72E+00	1.66E+00	Sr-90
MW-54-173	MW-54-173-(021)	21	2/16/2012	13:43	5.58E+00	2.65E+00	1.76E+00	Sr-90
MW-54-190	MW-54-190-(021)	21	2/16/2012	13:49	1.59E+01	3.93E+00	1.83E+00	Sr-90
MW-54-37	MW-54-37-(021)	21	2/16/2012	10:31	7.32E-01	1.48E+00	1.66E+00	Sr-90

IPEC00261767

MW-54-58	MW-54-58-(021)	21	2/16/2012	11:03	2.56E+00	1.99E+00	1.77E+00	Sr-90
MW-55-24	MW-55-24-(020)	20	1/30/2012	11:28	1.11E+01	3.27E+00	1.94E+00	Sr-90
MW-55-35	MW-55-35-(019)	19	1/30/2012	11:39	1.88E+01	4.35E+00	1.96E+00	Sr-90
MW-55-54	MW-55-54-(020)	20	1/30/2012	11:33	1.27E+01	3.30E+00	1.96E+00	Sr-90
MW-56-53	MW-56-53-(014)	14	1/20/2012	11:37	7.64E-01	1.75E+00	1.96E+00	Sr-90
MW-56-83	MW-56-83-(016)	16	1/20/2012	11:02	3.82E+00	1.97E+00	1.94E+00	Sr-90
MW-60-135	MW-60-135-(020)	20	2/14/2012	10:29	8.37E-01	1.54E+00	1.69E+00	Sr-90
MW-60-154	MW-60-154-(020)	20	2/14/2012	10:10	-3.89E-01	1.40E+00	1.93E+00	Sr-90
MW-60-176	MW-60-176-(020)	20	2/14/2012	10:38	-3.03E-02	1.47E+00	1.92E+00	Sr-90
MW-60-35	MW-60-35-(020)	20	2/14/2012	13:48	1.28E-01	1.36E+00	1.72E+00	Sr-90
MW-60-53	MW-60-53-(020)	20	2/14/2012	13:37	4.33E-01	1.65E+00	1.95E+00	Sr-90
MW-60-72	MW-60-72-(020)	20	2/14/2012	10:22	4.73E-01	1.58E+00	1.89E+00	Sr-90
MW-62-138	MW-62-138-(021)	21	2/23/2012	13:42	1.97E+00	1.95E+00	1.90E+00	Sr-90
MW-62-18	MW-62-18-(021)	21	2/23/2012	12:33	-4.83E-01	1.57E+00	1.92E+00	Sr-90
MW-62-182	MW-62-182-(021)	21	2/23/2012	14:24	3.33E-01	1.66E+00	1.99E+00	Sr-90
MW-62-37	MW-62-37-(021)	21	2/23/2012	12:16	1.55E+00	1.84E+00	1.97E+00	Sr-90
MW-62-53	MW-62-53-(020)	20	2/23/2012	12:37	3.68E-01	1.55E+00	1.85E+00	Sr-90
MW-62-71	MW-62-71-(021)	21	2/23/2012	12:06	-6.46E-02	1.26E+00	1.68E+00	Sr-90
MW-62-92	MW-62-92-(021)	21	2/23/2012	12:14	1.08E+00	1.77E+00	1.91E+00	Sr-90
MW-63-112	MW-63-112-(021)	21	2/9/2012	13:09	7.88E-01	1.74E+00	1.97E+00	Sr-90
MW-63-121	MW-63-121-(021)	21	2/9/2012	10:13	6.39E-01	1.64E+00	1.90E+00	Sr-90
MW-63-163	MW-63-163-(021)	21	2/9/2012	10:17	6.51E-01	1.54E+00	1.77E+00	Sr-90
MW-63-174	MW-63-174-(021)	21	2/9/2012	10:17	3.16E-01	1.47E+00	1.79E+00	Sr-90
MW-63-18	MW-63-18-(021)	21	2/9/2012	10:47	-1.66E-01	1.42E+00	1.93E+00	Sr-90
MW-63-34	MW-63-34-(021)	21	2/9/2012	10:37	-9.35E-02	1.40E+00	1.86E+00	Sr-90
MW-63-50	MW-63-50-(021)	21	2/9/2012	12:46	8.26E-01	1.72E+00	1.93E+00	Sr-90
MW-63-93	MW-63-93-(022)	22	2/9/2012	13:14	6.61E-01	1.62E+00	1.86E+00	Sr-90
MW-66-21	MW-66-21-(020)	20	2/28/2012	11:18	6.96E-01	1.41E+00	1.57E+00	Sr-90
MW-66-36	MW-66-36-(019)	19	2/28/2012	11:06	8.88E+00	2.61E+00	1.96E+00	Sr-90
MW-67-105	MW-67-105-(019)	19	2/15/2012	13:37	1.50E+00	1.72E+00	1.81E+00	Sr-90
MW-67-173	MW-67-173-(020)	20	2/15/2012	13:56	-3.09E-01	1.47E+00	1.80E+00	Sr-90
MW-67-219	MW-67-219-(019)	19	2/15/2012	10:18	3.92E-01	1.54E+00	1.74E+00	Sr-90
MW-67-276	MW-67-276-(019)	19	2/15/2012	10:36	2.03E-01	1.65E+00	1.93E+00	Sr-90
MW-67-323	MW-67-323-(019)	19	2/15/2012	11:11	1.22E+00	1.79E+00	1.95E+00	Sr-90
MW-67-340	MW-67-340-(019)	19	2/15/2012	10:42	1.35E+00	1.79E+00	1.92E+00	Sr-90
MW-67-39	MW-67-39-(020)	20	2/15/2012	13:04	9.85E+00	2.62E+00	1.93E+00	Sr-90
U3-4D	U3-4D-(032)	32	2/8/2012	12:10	-4.02E-01	1.24E+00	1.80E+00	Sr-90
U3-4S	U3-4S-(007)	7	2/8/2012	10:41	-6.87E-01	9.72E-01	1.64E+00	Sr-90
U3-T1	U3-T1-(035)	35	1/17/2012	12:08	-5.74E-01	1.17E+00	1.78E+00	Sr-90
U3-T2	U3-T2-(041)	41	1/27/2012	13:51	1.25E-01	1.40E+00	1.78E+00	Sr-90

IPEC00261768