

U.S. NUCLEAR REGULATORY COMMISSION

**MATERIALS LICENSE**

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

<p style="text-align: center;">Licensee</p> <p>1. Middlesex Cardiology Associates, P.C.</p> <p>2. 520 Saybrook Road Middletown, Connecticut 06457</p>	<p>In accordance with the application dated February 8, 2012,</p> <p>3. License number 06-23559-01 is amended in its entirety to read as follows:</p> <hr/> <p>4. Expiration date July 31, 2022</p> <hr/> <p>5. Docket No. 030-28939 Reference No.</p>
---	--

- |   |                                  |  |
|---|----------------------------------|--|
| 6. Byproduct, source, and/or special nuclear material | 7. Chemical and/or physical form | 8. Maximum amount that licensee may possess at any one time under this license |
| A. Any byproduct material permitted by 10 CFR 35.200  | A. Any                           | A. As needed   |

9. Authorized use:
- A. Any imaging and localization study permitted by 10 CFR 35.200.

CONDITIONS

10. Licensed material may be used or stored only at the licensee's facilities located at 520 Saybrook Road, Middletown, Connecticut; 14 Jones Hollow Road, Marlborough, Connecticut; and 51 Main Street, Old Saybrook, Connecticut.
11. The Radiation Safety Officer for this license is Joseph J. Corning, M.D.
12. Licensed material is only authorized for use by, or under the supervision of:
- A. Individuals permitted to work as an authorized user in accordance with 10 CFR 35.13 and 35.14.
- B. The following individuals are authorized users for medical use as indicated:

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**

License Number  
06-23559-01

Docket or Reference Number  
030-28939

Amendment No. 17

<u>Authorized Users</u>	<u>Material and Use</u>
H. Keshava Aithal, M.D.	35.200
Joseph J. Corning, M.D.	35.200
David S. Gallo, M.D.	35.200
Mojca Lorbar, M.D.	35.200
Joseph Longhitano, M.D.	35.200
John E. Rogan, M.D.	35.200
Eran Shani, M.D.	35.200
Subramanian Krishnan, MBBS	35.200

13. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35(d) for establishing decommissioning financial assurance.
14. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."

15. Except as specifically provided otherwise in this license, the licensee shall conduct its program in

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**License Number  
06-23559-01Docket or Reference Number  
030-28939

Amendment No. 17

accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. This license condition applies only to those procedures that are required to be submitted in accordance with the regulations. Additionally, this license condition does not limit the licensee's ability to make changes to the radiation protection program as provided for in 10 CFR 35.26. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.

- A. Letter dated July 6, 2012 [ML12193A377]



For the U.S. Nuclear Regulatory Commission

Date July 23, 2012

By

***Original signed by Tara L. Weidner***

Tara L. Weidner  
Medical Branch  
Division of Nuclear Materials Safety  
Region I  
King of Prussia, Pennsylvania 19406