



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION I
2100 RENAISSANCE BOULEVARD, SUITE 100
KING OF PRUSSIA, PENNSYLVANIA 19406-2713

August 7, 2012

Docket No. 03013661

License No. 47-17929-01

Robert C. Marquardt
President & Chief Executive Officer
Fairmont General Hospital
1325 Locust Avenue
Fairmont, WV 26554-1435

SUBJECT: NRC INSPECTION REPORT NO. 03013661/2012001, FAIRMONT GENERAL HOSPITAL

Dear Mr. Marquardt:

This letter refers to your July 10, 2012, correspondence, in response to our June 18, 2012, letter. Thank you for informing us of the corrective and preventive actions documented in your letter. Upon review, we noted that you have assigned alternates to represent authorized users on your Radiation Safety Committee when the authorized user is unable to attend. Please note, that while alternates may be assigned periodically, these authorized users should attend meetings whenever possible and be kept informed of meeting discussions when unable to attend. These actions will be examined during a future inspection of your licensed program.

In addition, we noted that you submitted your prostate brachytherapy procedures as additional information. A cursory review of these procedures appear to indicate that the medical consultant's concern that "a radiograph will show the location of the seeds in the left-right and cranio-caudad directions, but not in the anterior-posterior directions" was not resolved. To resolve this concern, the medical consultant suggested that "the authorized user identify and note the location of the seeds in relation to the prostate or clinical target volume in the post-implant CT scan". While these procedures were not required to be submitted as part of your response, you should review your prostate brachytherapy procedures to ensure that your procedures provide high-confidence that the prescribed dose is delivered as intended and that any deviations are reviewed against the medical event reporting criteria, as applicable.

Your cooperation with us is appreciated.

Sincerely,

/RA/

Original signed by James P. Dwyer

James P. Dwyer, Chief

Medical Branch

Division of Nuclear Materials Safety

cc:

Mark Perna, Radiation Safety Officer
State of West Virginia

August 7, 2012

Docket No. 03013661

License No. 47-17929-01

Robert C. Marquardt
President & Chief Executive Officer
Fairmont General Hospital
1325 Locust Avenue
Fairmont, WV 26554-1435

SUBJECT: NRC INSPECTION REPORT NO. 03013661/2012001, FAIRMONT GENERAL HOSPITAL

Dear Mr. Marquardt:

This letter refers to your July 10, 2012, correspondence, in response to our June 18, 2012, letter. Thank you for informing us of the corrective and preventive actions documented in your letter. Upon review, we noted that you have assigned alternates to represent authorized users on your Radiation Safety Committee when the authorized user is unable to attend. Please note, that while alternates may be assigned periodically, these authorized users should attend meetings whenever possible and be kept informed of meeting discussions when unable to attend. These actions will be examined during a future inspection of your licensed program.

In addition, we noted that you submitted your prostate brachytherapy procedures as additional information. A cursory review of these procedures appear to indicate that the medical consultant's concern that "a radiograph will show the location of the seeds in the left-right and cranio-caudad directions, but not in the anterior-posterior directions" was not resolved. To resolve this concern, the medical consultant suggested that "the authorized user identify and note the location of the seeds in relation to the prostate or clinical target volume in the post-implant CT scan". While these procedures were not required to be submitted as part of your response, you should review your prostate brachytherapy procedures to ensure that your procedures provide high-confidence that the prescribed dose is delivered as intended and that any deviations are reviewed against the medical event reporting criteria, as applicable.

Your cooperation with us is appreciated.

Sincerely,
/RA/
James P. Dwyer, Chief
Medical Branch
Division of Nuclear Materials Safety

cc:
Mark Perna, Radiation Safety Officer
State of West Virginia

DOCUMENT NAME: G:\WordDocs\Current\Insp Letter\L47-17929-01.2012001.doc

SUNSI Review Complete: PLanzisera

After declaring this document "An Official Agency Record" it **will** be released to the Public.

To receive a copy of this document, indicate in the box: "C" = Copy w/o attach/encl "E" = Copy w/ attach/encl "N" = No copy

OFFICE	DNMS/RI	N	DNMS/RI	DNMS/RI		
NAME	PLanzisera/pl		JDwyer/jd			
DATE	8/7/12		8/7/12			