

EDO Principal Correspondence Control

FROM: DUE: / / EDO CONTROL: G20120598
DOC DT: 08/04/12
FINAL REPLY:

Bob Leyse

TO:

Chairman Macfarlane

FOR SIGNATURE OF : ** GRN ** CRC NO: 12-0403

DESC:

Status of Decision on Filtering Vents and
SECY-12-0025 - Proposed Orders and Requests for
Information in Response to Lessons Learned from
Japan's 3/11/11 Great Tohoku Earthquake and
Tsunami (EDATS: SECY-2012-0410)

ROUTING:

Borchardt
Weber
Johnson
Ash
Mamish
OGC/GC
Merzke, OEDO

DATE: 08/16/12

ASSIGNED TO: CONTACT:
NRR Leeds

SPECIAL INSTRUCTIONS OR REMARKS:


For Appropriate Action. If response is determined,
please be sure to create an ADAMS Package to
include the incoming (version we forward to you
from DPC), with response and process accordingly.
Copies should be provided to RidsEdoMailCenter and
RidsSecyMailCenter.

Template: SECY-017

E-RMS: SECY-01

EDATS

Electronic Document and Action Tracking System



EDATS Number: SECY-2012-0410

Source: SECY

General Information

Assigned To: NRR

OEDO Due Date: NONE

Other Assignees:

SECY Due Date: NONE

Subject: Status of Decision on Filtering Vents and SECY-12-0025 - Proposed Orders and Requests for Information in Response to Lessons Learned from Japan's March 11, 2011 Great Tohoku Earthquake and Tsunami

Description:

CC Routing: NONE

ADAMS Accession Numbers - Incoming: NONE

Response/Package: NONE

Other Information

Cross Reference Number: G20120598, LTR-12-0403

Staff Initiated: NO

Related Task:

Recurring Item: NO

File Routing: EDATS

Agency Lesson Learned: NO

OEDO Monthly Report Item: NO

Process Information

Action Type: Appropriate Action

Priority: Medium

Sensitivity: None

Signature Level: No Signature Required

Urgency: NO

Approval Level: No Approval Required

OEDO Concurrence: NO

OCM Concurrence: NO

OCA Concurrence: NO

Special Instructions: For Appropriate Action. If response is determined, please be sure to create an ADAMS Package to include the incoming with response and process accordingly. Copies should be provided to RidsEdoMailCenter and RidsSecyMailCenter.

Document Information

Originator Name: Bob Leyse

Date of Incoming: 8/4/2012

Originating Organization: Citizens

Document Received by SECY Date: 8/7/2012

Addressee: Chairman Macfarlane

Date Response Requested by Originator: NONE

Incoming Task Received: E-mail

OFFICE OF THE SECRETARY
CORRESPONDENCE CONTROL TICKET

Date Printed: Aug 06, 2012 12:26

PAPER NUMBER: LTR-12-0403 **LOGGING DATE:** 08/06/2012
ACTION OFFICE: EDO
AUTHOR: Bob Leyse
AFFILIATION:
ADDRESSEE: Chairman Resource
SUBJECT: Concerns status of decision on filtering vents and the July policy paper
ACTION: Appropriate
DISTRIBUTION:
LETTER DATE: 08/04/2012
ACKNOWLEDGED No
SPECIAL HANDLING:
NOTES: Ref: LTR-12-0364
FILE LOCATION: ADAMS
DATE DUE: **DATE SIGNED:**

EDO --G20120598

Joosten, Sandy

From: Bobleuse@aol.com
Sent: Saturday, August 04, 2012 2:49 PM
To: CHAIRMAN Resource
Cc: OPA Resource
Subject: Status of decision on filtered venting? Where is the July policy paper?

You are the new Chair. What is going on?

SECY-12-0025 and Filtered Venting

<http://www.nrc.gov/reading-rm/doc-collections/commission/secys/2012/2012-0025scy.pdf>

From page 16 of 176:

The staff has determined that there are technical and policy issues to be resolved before regulatory action can be taken to require licensees to install filtered vents. One policy issue that needs further study is whether containment vents, with or without filters, should be required to operate under severe accident conditions. The staff will also take into consideration regulatory action to require controlled venting of structures other than the reactor building, such as those housing spent fuel pools. The staff plans to provide the Commission a notation vote paper on these policy issues in July 2012.

Jaczko and Filtered Venting

On February 27, 2012, NRC Chairman Jaczko said, "... important that the Commission make a decision on the topic of filtered vents this summer"

A policy paper from the staff was expected during July 2012. Here is Jaczko's NOTATION VOTE

<http://pbadupws.nrc.gov/docs/ML1206/ML120610153.pdf>

Following is paragraph four from page 2 of 3:

I support the staff's evaluation regarding waiting until February 2013, to require submission of licensee plans for implementing their hardened vent designs to allow time for a Commission decision on the topic of filtered vents. As noted in the SECY, the staff plans to send a policy paper to the Commission in July 2012 which will outline considerations for the addition of filters to the hardened vent designs. I believe it is important that the Commission make a decision on the topic of filtered vents this summer so that licensees will have more certainty and can move forward with implementing their vent designs without fear of NRC changing the requirements.

However, no policy paper has appeared during July 2012