

From: IVAN USERO [ivanusero@prtc.net]
Sent: Monday, August 06, 2012 5:20 PM
To: Seeley, Shawn
Subject: RE: Response to NOV
Attachments: NRC_Inspection.pdf

52-31446-01/2.012001
03038463

From: Seeley, Shawn [mailto:Shawn.Seeley@nrc.gov]
Sent: Friday, July 27, 2012 10:18 AM
To: ivanusero@prtc.net
Subject: Response to NOV

Just a reminder that we are due an official response to the Notice of Violation that was dated July 2, 2012, by August 1, 2012. If you have any questions, please email or call. Thank you for your response to this matter.
Shawn

Shawn W. Seeley, Health Physicist
US Nuclear Regulatory Commission
Region 1, DNMS
2100 Renaissance Boulevard
King of Prussia, PA 19406
610-337-5102

- * 3 yr HAZ MAT TRAINING Taken 08-04-2012, Mr. David Rhoe
- * Survey Instrument Calibration - Annual Done
- * Audit of Program - Annual Started
- * Inventory - A record every 6 months Started
- * Leak Test - 6 months or at frequency determined by
Seaman Nuclear Done
- OK Certificate of Competent Authority - for Sealed Sources OK
- Post Notice to Employees Done
- Post Notice where regulations + license are located Done
- o Shipping Paper/Bill of Lading updated to reflect
Correct UN# Done