

UFSAR Table of Contents

Chapter 1 — Introduction and General Description of the Plant

Chapter 2 — Site Characteristics

Chapter 3 — Design of Structures, Components, Equipment and Systems

Chapter 4 — Reactor

Chapter 5 — Reactor Coolant System and Connected Systems

Chapter 6 — Engineered Safety Features

Chapter 7 — Instrumentation and Controls

Chapter 8 — Electric Power

Chapter 9 — Auxiliary Systems

Chapter 10 — Steam and Power Conversion

Chapter 11 — Radioactive Waste Management

Chapter 12 — Radiation Protection

Chapter 13 — Conduct of Operation

Chapter 14 — Initial Test Program

Chapter 15 — Accident Analyses

Chapter 16 — Technical Specifications

Chapter 17 — Quality Assurance

Chapter 18 — Human Factors Engineering

Chapter 19 — Probabilistic Risk Assessment

UFSAR Formatting Legend






Color	Description
	Original Westinghouse AP1000 DCD Revision 19 content
	Departures from AP1000 DCD Revision 19 content
	Standard FSAR content
	Site-specific FSAR content
	Linked cross-references (chapters, appendices, sections, subsections, tables, figures, and references)

TABLE OF CONTENTS

<u>Section</u>	<u>Title</u>	<u>Page</u>
2.0	Site Characteristics	2.0-1
2.1	Geography and Demography	2.1-1
2.1.1	Site Location and Description	2.1-1
	2.1.1.1 Site Location	2.1-1
	2.1.1.2 Site Description	2.1-1
	2.1.1.3 Boundary for Establishing Effluent Release Limits	2.1-2
2.1.2	Exclusion Area Authority and Control	2.1-2
	2.1.2.1 Authority	2.1-2
	2.1.2.2 Control of Activities Unrelated to Plant Operation	2.1-2
	2.1.2.3 Arrangements for Traffic Control	2.1-3
2.1.3	Population Distribution	2.1-3
	2.1.3.1 Resident Population Within 10 Mi	2.1-3
	2.1.3.2 Resident Population Between 10 and 50 Mi	2.1-4
	2.1.3.3 Transient Population	2.1-4
	2.1.3.4 Low Population Zone	2.1-4
	2.1.3.5 Population Center	2.1-5
	2.1.3.6 Population Density	2.1-5
2.1.4	Combined License Information for Geography and Demography	2.1-5
2.1.5	References	2.1-5
2.2	Identification of Potential Hazards in Site Vicinity	2.2-1
2.2.1	Location of Nearby Industrial, Transportation, and Military Facilities	2.2-1
2.2.2	Descriptions	2.2-1
	2.2.2.1 Industrial Facilities	2.2-1
	2.2.2.2 Mining Activities	2.2-3
	2.2.2.3 Roads	2.2-3
	2.2.2.4 Railroads	2.2-4
	2.2.2.5 Waterways	2.2-4
	2.2.2.6 Airports, Airways, and Military Training Routes	2.2-4
	2.2.2.7 Natural Gas or Petroleum Pipelines	2.2-6
	2.2.2.8 Military Facilities	2.2-6
	2.2.2.9 VEGP Units 1 and 2 Storage Tanks/Chemicals	2.2-6
2.2.3	Evaluation of Potential Accidents	2.2-6
	2.2.3.1 Explosion and Flammable Vapor Clouds	2.2-8
	2.2.3.2 Hazardous Chemicals	2.2-12
	2.2.3.3 Fires	2.2-18
	2.2.3.4 Radiological Hazards	2.2-20
2.2.4	Combined License Information for Identification of Site-Specific Potential Hazards	2.2-21
2.2.5	References	2.2-21
2.3	Meteorology	2.3-1
2.3.1	Regional Climatology	2.3-1
	2.3.1.1 Data Sources	2.3-1
	2.3.1.2 General Climate	2.3-3
	2.3.1.3 Severe Weather	2.3-4
	2.3.1.4 Meteorological Data for Evaluating the Ultimate Heat Sink	2.3-11

TABLE OF CONTENTS (CONTINUED)

<u>Section</u>	<u>Title</u>	<u>Page</u>
	2.3.1.5 Design Basis Dry- and Wet-Bulb Temperatures	2.3-11
	2.3.1.6 Restrictive Dispersion Conditions	2.3-14
	2.3.1.7 Climate Changes	2.3-15
2.3.2	Local Meteorology	2.3-17
	2.3.2.1 Data Sources	2.3-17
	2.3.2.2 Normal, Mean, and Extreme Values of Meteorological Parameters	2.3-17
	2.3.2.3 Potential Influence of the Plant and Related Facilities on Meteorology	2.3-21
	2.3.2.4 Current and Projected Site Air Quality	2.3-22
	2.3.2.5 Topographic Description	2.3-22
2.3.3	Onsite Meteorological Measurements Program	2.3-23
	2.3.3.1 Onsite Meteorological Measurements Program	2.3-23
	2.3.3.2 General Program Description	2.3-23
	2.3.3.3 Location, Elevation, and Exposure of Instruments ..	2.3-24
	2.3.3.4 VEGP Meteorological Monitoring Program Compliance	2.3-24
2.3.4	Short-Term (Accident) Diffusion Estimates	2.3-25
	2.3.4.1 Basis	2.3-26
	2.3.4.2 PAVAN Modeling Results	2.3-28
	2.3.4.3 Radiological Accident Dispersion Estimates at the Control Room	2.3-28
	2.3.4.4 Dispersion Estimates Associated with Accidental Onsite and Offsite Hazardous Material Releases	2.3-31
2.3.5	Long-Term (Routine) Diffusion Estimates	2.3-32
	2.3.5.1 Basis	2.3-32
	2.3.5.2 XOQDOQ Modeling Results	2.3-33
2.3.6	Combined License Information	2.3-34
	2.3.6.1 Regional Climatology	2.3-34
	2.3.6.2 Local Meteorology	2.3-34
	2.3.6.3 Onsite Meteorological Measurements Program	2.3-34
	2.3.6.4 Short-Term Diffusion Estimates	2.3-34
	2.3.6.5 Long-Term Diffusion Estimates	2.3-34
2.3.7	References	2.3-34
2.4	Hydrologic Engineering	2.4-1
	2.4.1 Hydrologic Description	2.4-1
	2.4.1.1 Site and Facilities	2.4-1
	2.4.1.2 Hydrosphere	2.4-2
2.4.2	Floods	2.4-7
	2.4.2.1 Flood History	2.4-7
	2.4.2.2 Flood Design Considerations	2.4-9
	2.4.2.3 Effects of Local Intense Precipitation	2.4-10
2.4.3	Probable Maximum Flood	2.4-13
	2.4.3.1 Review of Studies for Units 1 and 2	2.4-14
	2.4.3.2 Estimation of PMF by Approximate Methods	2.4-15
	2.4.3.3 Estimation of Flood Stage at VEGP Site for PMF ...	2.4-15
	2.4.3.4 Conclusions	2.4-16
2.4.4	Potential Dam Failures	2.4-17

TABLE OF CONTENTS (CONTINUED)

<u>Section</u>	<u>Title</u>	<u>Page</u>
	2.4.4.1 Dam Failure Permutations	2.4-17
	2.4.4.2 Unsteady Flow Analysis of Potential Dam Failures ..	2.4-18
	2.4.4.3 Water Level at the Plant Site	2.4-23
2.4.5	Probable Maximum Surge and Seiche Flooding	2.4-24
2.4.6	Probable Maximum Tsunami Flooding	2.4-24
2.4.7	Ice Effects	2.4-25
	2.4.7.1 Ice Conditions and Historical Ice Formation	2.4-25
	2.4.7.2 Ice Jam Events	2.4-25
	2.4.7.3 Description of the Cooling Water System	2.4-25
2.4.8	Cooling Water Canals and Reservoirs	2.4-26
	2.4.8.1 Cooling Water Canals	2.4-26
	2.4.8.2 Reservoirs	2.4-27
2.4.9	Channel Diversions	2.4-27
2.4.10	Flood Protection Requirements	2.4-28
2.4.11	Low Water Considerations	2.4-29
	2.4.11.1 Low Flow in Streams	2.4-29
	2.4.11.2 Low Water Resulting from Surges, Seiches, Tsunamis, or Ice Effects	2.4-33
	2.4.11.3 Historical Low Water	2.4-33
	2.4.11.4 Future Controls	2.4-34
	2.4.11.5 Plant Requirements	2.4-34
	2.4.11.6 Heat Sink Dependability Requirements	2.4-34
2.4.12	Groundwater	2.4-34
	2.4.12.1 Regional and Local Groundwater Aquifers and Conceptual Model Description	2.4-35
	2.4.12.2 Regional and Local Groundwater Use	2.4-51
	2.4.12.3 Monitoring or Safeguard Requirements	2.4-52
	2.4.12.4 Design Basis for Subsurface Hydrostatic Loading ...	2.4-53
2.4.13	Accidental Releases of Liquid Effluents in Ground and Surface Waters	2.4-53
	2.4.13.1 Groundwater	2.4-53
	2.4.13.2 Surface Water	2.4-60
2.4.14	Technical Specifications and Emergency Operation Requirements	2.4-60
2.4.15	Combined License Information	2.4-60
	2.4.15.1 Hydrological Description	2.4-60
	2.4.15.2 Floods	2.4-60
	2.4.15.3 Cooling Water Supply	2.4-61
	2.4.15.4 Groundwater	2.4-61
	2.4.15.5 Accidental Release of Liquid Effluents in Ground and Surface Water	2.4-61
	2.4.15.6 Emergency Operation Requirement	2.4-61
2.4.16	References	2.4-61
APPENDIX 2.4A	— OBSERVATION WELL INSTALLATION AND DEVELOPMENT REPORT	2.4A-1
APPENDIX 2.4B	— GROUNDWATER MODEL DEVELOPMENT & ANALYSIS	2.4B-1

TABLE OF CONTENTS (CONTINUED)

<u>Section</u>	<u>Title</u>	<u>Page</u>
2.5	Geology, Seismology, and Geotechnical Engineering	2.5-1
2.5.1	Basic Geologic and Seismic Information	2.5-2
2.5.1.1	Regional Geology (200 mi radius)	2.5-2
2.5.1.2	Site Area Geology	2.5-44
2.5.2	Vibratory Ground Motion	2.5-62
2.5.2.1	Seismicity	2.5-63
2.5.2.2	Geologic Structures and EPRI Seismic Source Model for the Site Region	2.5-65
2.5.2.3	Correlation of Seismicity with Geologic Structures and EPRI Sources	2.5-87
2.5.2.4	Probabilistic Seismic Hazard Analysis and Controlling Earthquakes	2.5-87
2.5.2.5	Seismic Wave Transmission Characteristics of the Site	2.5-93
2.5.2.6	Horizontal Ground Motion	2.5-100
2.5.2.7	Vertical GMRS Spectrum	2.5-102
2.5.2.8	Operating Basis Earthquake Ground Motion	2.5-106
2.5.2.9	Sensitivity Studies	2.5-106
2.5.3	Surface Faulting	2.5-112
2.5.3.1	Geological, Seismological, and Geophysical Investigations	2.5-112
2.5.3.2	Geological Evidence, or Absence of Evidence, for Surface Deformation	2.5-117
2.5.3.3	Correlation of Earthquakes With Capable Tectonic Sources	2.5-119
2.5.3.4	Ages of Most Recent Deformations	2.5-121
2.5.3.5	Relationships of Tectonic Structures in the Site Area to Regional Tectonic Structures	2.5-121
2.5.3.6	Characterization of Capable Tectonic Sources	2.5-122
2.5.3.7	Designation of Zones of Quaternary Deformation Requiring Detailed Fault Investigation	2.5-123
2.5.3.8	Potential for Tectonic or Non-Tectonic Deformation at the Site	2.5-123
2.5.4	Stability of Subsurface Materials and Foundations	2.5-127
2.5.4.1	Geologic Features	2.5-127
2.5.4.2	Properties of Subsurface Materials	2.5-127
2.5.4.3	Exploration	2.5-142
2.5.4.4	Geophysical Surveys	2.5-148
2.5.4.5	Excavation and Backfill	2.5-152
2.5.4.6	Groundwater Conditions	2.5-159
2.5.4.7	Response of Soil and Rock to Dynamic Loading ...	2.5-160
2.5.4.8	Liquefaction Potential	2.5-167
2.5.4.9	Earthquake Design Basis	2.5-171
2.5.4.10	Static Stability	2.5-171
2.5.4.11	Design Criteria	2.5-176
2.5.4.12	Techniques to Improve Subsurface Conditions	2.5-177
2.5.4.13	Heavy Lift Derrick Counterweight and Ring Foundation	2.5-178

TABLE OF CONTENTS (CONTINUED)

<u>Section</u>	<u>Title</u>	<u>Page</u>
2.5.5	Stability of Slopes	2.5-179
2.5.5.1	Review of Existing Slopes	2.5-179
2.5.5.2	New Slopes	2.5-179
2.5.6	Embankments and Dams	2.5-180
2.5.6.1	Review of Existing Embankments and Dams	2.5-180
2.5.6.2	New Embankments and Dams	2.5-180
2.5.7	Combined License Information	2.5-181
2.5.7.1	Basic Geologic and Seismic Information	2.5-181
2.5.7.2	Seismic and Tectonic Characteristics Information ..	2.5-181
2.5.7.3	Geoscience Parameters	2.5-181
2.5.7.4	Surface Faulting	2.5-181
2.5.7.5	Site and Structures	2.5-181
2.5.7.6	Properties of Underlying Materials	2.5-181
2.5.7.7	Excavation and Backfill	2.5-181
2.5.7.8	Ground Water Conditions	2.5-181
2.5.7.9	Liquefaction Potential	2.5-181
2.5.7.10	Bearing Capacity	2.5-181
2.5.7.11	Earth Pressures	2.5-181
2.5.7.12	Soil Properties for Seismic Analysis of Buried Pipes	2.5-182
2.5.7.13	Static and Dynamic Stability of Facilities	2.5-182
2.5.7.14	Subsurface Instrumentation	2.5-182
2.5.7.15	Stability of Slopes	2.5-182
2.5.7.16	Embankments and Dams	2.5-182
2.5.7.17	Settlement of Nuclear Island	2.5-182
2.5.7.18	Waterproofing System	2.5-182
2.5.8	References	2.5-183
APPENDIX 2.5A	— GEOTECHNICAL INVESTIGATION AND LABORATORY TESTING DATA REPORT — ESP	2.5A-1
APPENDIX 2.B	— HIGH RESOLUTION COMPRESSIONAL SEISMIC SURVEY FIELD REPORT	2.5B-1
APPENDIX 2.5C	— GEOTECHNICAL INVESTIGATION AND LABORATORY TESTING DATA REPORT — COL	2.5C-1
APPENDIX 2.5D	— ENGINEERED FILL BELOW GRADE TEST PAD, PHASE 1.....	2.5D-1
APPENDIX 2.5E	— AP1000 VOGTLE SITE SPECIFIC SEISMIC EVALUATION REPORT	2.5E-1

LIST OF TABLES

<u>Table Number</u>	<u>Title</u>	<u>Page</u>
2-1	Not Used	2.0-2
2.0-201	Comparison of AP1000 DCD Site Parameters and Vogtle Electric Generating Plant Units 3 & 4 Site Characteristics	2.0-3
2.0-202	Comparison of Control Room Atmospheric Dispersion Factors for Accident Analysis for AP1000 DCD and VEGP Units 3 & 4	2.0-12
2.0-203	Site Characteristics, Design Parameters, and Site Interface Values	2.0-14
2.2-1	AP1000 OnSite Explosion Safe Distances	2.2-24
2.2-201	Nearby Largest Employers	2.2-25
2.2-202	Description of Products and Materials: Chem-Nuclear Systems, Inc.	2.2-25
2.2-203	Burke County, Georgia, Transportation Accident Data Within 5 Miles of the VEGP Site	2.2-25
2.2-204	Bush Field (Augusta) Terminal Area Forecast Fiscal Years 1990–2025 Total Flights	2.2-26
2.2-205	VEGP Units 1 and 2 Onsite Chemical Storage	2.2-27
2.2-206	Not Used	2.2-28
2.3-201	ARCON96 X/Q Values at the Control Room HVAC Intake	2.3-38
2.3-202	ARCON96 X/Q Values at the Annex Building Access Door	2.3-39
2.3-203	NWS and Cooperative Observing Stations Near the VEGP Site	2.3-40
2.3-204	Local Climatological Data Summary for Augusta, Georgia	2.3-41
2.3-205	Climatological Extremes at Selected NWS and Cooperative Observing Stations in the VEGP Site Area	2.3-42
2.3-206	Mean Seasonal and Annual Morning and Afternoon Mixing Heights and Wind Speeds for Athens, Georgia	2.3-43
2.3-207	Climatological Normals (Means) at Selected NWS and Cooperative Observing Stations in the VEGP Site Area	2.3-44
2.3-208	Seasonal and Annual Mean Wind Speeds for the VEGP Site (1998–2002) and the Augusta, Georgia, NWS Station (1971–2000, Normals)	2.3-45
2.3-209	Wind Direction Persistence/Wind Speed Distributions for the VEGP Site – 10-m Level	2.3-46
2.3-210	Wind Direction Persistence/Wind Speed Distributions for the VEGP Site – 60-m Level	2.3-52
2.3-211	Seasonal and Annual Vertical Stability Class and Mean 10-Meter Level Wind Speed Distributions for the VEGP Site (1998–2002)	2.3-58
2.3-212	Joint Frequency Distribution of Wind Speed and Wind Direction (10-m Level) by Atmospheric Stability Class for the VEGP Site (1998–2002)	2.3-59
2.3-213	Joint Frequency Distribution of Wind Speed and Wind Direction (60-m Level) by Atmospheric Stability Class for the VEGP Site (1998–2002)	2.3-67
2.3-214	VEGP Onsite Weather Instruments	2.3-75
2.3-215	Annual Data Recovery Statistics - VEGP Primary Meteorological Tower (1998-2002)	2.3-76
2.3-216	PAVAN Output – χ/Q Values at the Dose Calculation EAB	2.3-77
2.3-217	PAVAN Output – χ/Q Values at the LPZ	2.3-78
2.3-218	Shortest Distances Between the VEGP Units 3 and 4 Power Block Area and Receptors of Interest by Downwind Direction Sector	2.3-79

LIST OF TABLES (CONTINUED)

<u>Table Number</u>	<u>Title</u>	<u>Page</u>
2.3-219	XOQDOQ-Predicted Maximum χ/Q and D/Q Values at Receptors of Interest	2.3-80
2.3-220	(Sheet 1 of 4) XOQDOQ-Predicted Annual Average χ/Q and D/Q Values at the Standard Radial Distances and Distance-Segment Boundaries	2.3-81
2.4-201	Rainfall Depths Used as Input for Frequency Storm HEC-HMS Module	2.4-69
2.4-202	Subbasin Parameters for Entry in Unit 3 & 4 Drainage System HEC-HMS Model	2.4-70
2.4-203	Routing Parameters for Reaches in South-Side Drainage System Model	2.4-71
2.4-204	Summary Results of HEC-HMS Model of Unit 3 & 4 PMP Drainage System	2.4-72
2.4-205	Location of Main Channel Discharge Points in HEC-RAS Model	2.4-74
2.4-206	Location of Main Channel Discharge Points in HEC-RAS Model	2.4-75
2.4-207	Summary of HEC-RAS output for PMP Profile	2.4-76
2.4-208	Savannah River Subbasins and Drainage Areas above VEGP Site	2.4-79
2.4-209	River Miles for Key Landmarks Along the Savannah River	2.4-80
2.4-210	USGS Gage Data for the Savannah River	2.4-81
2.4-211	Daily Mean Flow Data for the Savannah River at Calhoun Falls, South Carolina (USGS Gage 2189000)	2.4-82
2.4-212	Daily Mean Flow Data for the Savannah River at Augusta, Georgia (USGS Gage 2197000)	2.4-83
2.4-213	Daily Mean Flow Data for the Savannah River at Jackson, South Carolina (USGS Gage 2197320)	2.4-84
2.4-214	Approximate Lengths and Slopes of Local Streams	2.4-85
2.4-215	Inventory of Savannah River Watershed Water Control Structures	2.4-86
2.4-216	Surface Water Users on the Savannah River Near or Downstream of Proposed Units	2.4-87
2.4-217	Plant Water Use	2.4-88
2.4-218	Annual Peak Discharge for USGS Gage 2197000 on the Savannah River at Augusta, Georgia	2.4-90
2.4-219	Comparison of Annual Peak Discharges on the Savannah River at Augusta, Georgia and Jackson, South Carolina for 1972 to 2002	2.4-91
2.4-220	Probable Maximum Precipitation Values for Point Rainfall at VEGP Site	2.4-92
2.4-221	Results of Previous PMF Modeling Efforts	2.4-92
2.4-222	PMF Values for an Area-PMF Relationship at the VEGP Site	2.4-92
2.4-223	PMF Flood Stages for Cross-Section Nearest VEGP Site	2.4-93
2.4-224	Estimated Probable Maximum Flood Stage at VEGP Site	2.4-93
2.4-225	Normal Pool Storage Volumes	2.4-93
2.4-226	Breach Parameter Estimation Formulas	2.4-94
2.4-227	J. Strom Thurmond Dam Input Variables	2.4-95
2.4-228	J. Strom Thurmond Dam Breach Parameters	2.4-95
2.4-229	Richard B. Russell Dam Input Variables	2.4-96
2.4-230	Richard B. Russell Dam Breach Parameters	2.4-96
2.4-231	Estimated Probable Maximum Surge at the Savannah River Mouth	2.4-97
2.4-232	Variation in Lowest Average Daily Temperatures and Number of Days with Average Daily Temperature Below Freezing	2.4-98
2.4-233	Variation in the Minimum Water Temperatures at Five Locations on the Savannah River	2.4-99

LIST OF TABLES (CONTINUED)

<u>Table Number</u>	<u>Title</u>	<u>Page</u>
2.4-234	Summary of Action Levels for Drought Management in the Savannah River Basin	2.4-100
2.4-235	Locations, Catchment Areas, and Data Availability of the USGS Gage Stations	2.4-101
2.4-236	Variation of Annual Minimum Daily-mean Flow in the Savannah River at Augusta, Jackson, and Burtons Ferry Gages	2.4-102
2.4-237	Summary of Statistical Parameters for Different Probability Density Functions Calculated with Annual Minimum Daily-mean Streamflow Values at Augusta for the Water Years 1884–1952	2.4-106
2.4-238	Summary of Low Flow Statistics for Log-Pearson Type 3 Distribution with Annual Minimum Daily-Mean and 7-Day Moving-average Streamflow Values at Augusta and Jackson for Different Water Years	2.4-107
2.4-239	Summary of Streamflow Measurement at USGS Station No. 021973269 Savannah River Near Waynesboro	2.4-108
2.4-240	Summary of Proposed Modifications in Action Levels for Drought Management in the Savannah River Basin	2.4-109
2.4-241	Monthly Groundwater Level Elevations in the Water Table Aquifer (ft msl)	2.4-110
2.4-242	Monthly Groundwater Level Elevations in the Tertiary Aquifer (ft msl)	2.4-111
2.4-243	Hydraulic Conductivity Values	2.4-112
2.4-244	Summary of Laboratory Test Results on Grain Size, Moisture Content and Specific Gravity for the Barnwell Formation	2.4-114
2.4-245	Summary of Laboratory Test Results on Grain Size, Moisture Content, and Porosity for the Lisbon Formation	2.4-116
2.4-246	Summary of Laboratory Test Results on Grain Size, Moisture Content, and Specific Gravity for the Still Branch and Congaree Formations	2.4-117
2.4-247	Georgia EPD Permitted Municipal and Industrial Groundwater Users within 25 miles of the VEGP Site	2.4-119
2.4-248	Georgia EPD Permitted Agricultural Groundwater Users within 25 miles of the VEGP Site	2.4-120
2.4-249	SDWIS Listed Public Water Systems Supplied From Groundwater Within 25 Miles of the VEGP Site in Georgia	2.4-122
2.4-250	Water-Supply Wells for the Existing VEGP Plant	2.4-123
2.4-251	Groundwater Use of the existing VEGP Plant from January 1, 2005, to December 31, 2005, gpm (Thousands of Gallons)	2.4-124
2.4-252	Projected Groundwater Use for Two AP1000 Units	2.4-125
2.4-253	Presence of Utley Limestone in the VEGP ESP and COL Site Borings	2.4-126
2.4-254	Summary of Holes Drilled at the Site for the Installation of Observation Wells	2.4-132
2.4-255	Historical Groundwater Levels for the Water Table Aquifer	2.4-133
2.4-256	Minimum and Maximum Water Levels Recorded at Observation Wells 802A, 805A, 808, LT-7A, LT-12, and LT-13	2.4-141
2.4-257	Radionuclide Concentrations in the AP1000 Effluent Holdup Tanks	2.4-142
2.4-258	Water Table Aquifer Results of Transport Analysis Considering Radioactive Decay Only	2.4-144
2.4-259	Results of kd Analysis	2.4-146

LIST OF TABLES (CONTINUED)

<u>Table Number</u>	<u>Title</u>	<u>Page</u>
2.4-260	Water Table Aquifer Results of Transport Analysis Considering Radioactive Decay and Adsorption	2.4-147
2.4-261	Results of Transport Analysis Considering Radioactive Decay, Adsorption, and Dilution	2.4-148
2.4-262	Tertiary Aquifer Results of Transport Analysis Considering Radioactive Decay Only	2.4-149
2.4-263	Water Table Aquifer Compliance with 10 CFR Part 20	2.4-151
2.4-264	Tertiary Aquifer Compliance with 10 CFR Part 20	2.4-153
2.5-1	Limits of Acceptable Settlement Without Additional Evaluation	2.5-215
2.5-201	Definitions of Classes Used in the Compilation of Quaternary Faults, Liquefaction Features, and Deformation in the Central and Eastern United States	2.5-216
2.5-202	Earthquakes 1985–2005, Update to the EPRI (NP-4726-A 1988) Seismicity Catalog with $M_b \geq 3.0$, Within a 30° to 37° N, 78° to 86° W Latitude-Longitude Window, Incorporating the 200 mi (320 km) Radius Site Region	2.5-217
2.5-203	Summary of Bechtel Seismic Sources	2.5-219
2.5-204	Summary of Dames & Moore Seismic Sources	2.5-221
2.5-205	Summary of Law Engineering Seismic Sources	2.5-223
2.5-206	Summary of Rondout Seismic Sources	2.5-225
2.5-207	Summary of Weston Seismic Sources	2.5-227
2.5-208	Summary of Woodward-Clyde Seismic Sources	2.5-230
2.5-209	Summary of USGS Seismic Sources (Frankel et al. 2002)	2.5-232
2.5-210	Chapman and Talwani (2002) Seismic Source Zone Parameters	2.5-233
2.5-211	Local Charleston-Area Tectonic Features	2.5-234
2.5-212	Geographic Coordinates (Latitude and Longitude) of Corner Points of Updated Charleston Seismic Source (UCSS) Geometries	2.5-235
2.5-213	Comparison of Post-EPRI NP-6395-D 1989 Magnitude Estimates for the 1886 Charleston Earthquake	2.5-236
2.5-214	Comparison of Talwani and Schaeffer (2001) and UCSS Age Constraints on Charleston-Area Paleoliquefaction Events	2.5-237
2.5-215	Seismic Sources Used for Each 1986 EPRI Team	2.5-238
2.5-216	Comparison of Seismic Hazard at VEGP ESP	2.5-239
2.5-217	Hard Rock Mean UHS Results (in g) for VEGP ESP	2.5-240
2.5-218	Computed and Recommended M_{bar} and D_{bar} Values Used for Development of High and Low Frequency Target Spectra	2.5-240
2.5-219	Candidate High-Frequency (M5.6, R = 12km) Time Histories for Spectral Matching	2.5-241
2.5-220	Candidate Low-Frequency (M7.2, R = 130 km) Time Histories for Spectral Matching	2.5-242
2.5-221	Site Response Analyses Performed	2.5-242
2.5-222	Amplification Factors as a Function of Input Hard Rock Motion at Top of Blue Bluff Marl (depth 86 feet), as Developed from Site Response Analysis using SRS and EPRI Soil Degradation Models, for High-frequency Rock Motions	2.5-243

LIST OF TABLES (CONTINUED)

<u>Table Number</u>	<u>Title</u>	<u>Page</u>
2.5-223	Amplification Factors as a Function of Input Hard Rock Motion at Top of Blue Bluff Marl (depth 86 feet), as Developed from Site Response Analysis using SRS and EPRI Soil Degradation Models, for Low-frequency Rock Motions	2.5-244
2.5-224	Amplification Factors as a Function of Input Hard Rock Motion at 40-ft Depth Horizon (FIRS), as Developed from Site Response Analysis using SRS and EPRI Soil Degradation Models, for High-Frequency Rock Motions	2.5-245
2.5-225	Amplification Factors as a Function of Input Hard Rock Motion at 40-ft Depth Horizon (FIRS), as Developed from Site Response Analysis Using SRS and EPRI Soil Degradation Models, for Low-Frequency Rock Motions	2.5-246
2.5-226	Amplification Factors as a Function of Input Hard Rock Motion at Ground Surface (GMRS), as Developed from Site Response Analysis Using SRS and EPRI Soil Degradation Models, for High-Frequency Rock Motions	2.5-247
2.5-227	Amplification Factors as a Function of Input Hard Rock Motion at Ground Surface (GMRS), as Developed from Site Response Analysis Using SRS and EPRI Soil Degradation Models, for Low-Frequency Rock Motions	2.5-248
2.5-228	Spectral Accelerations (SA, in g) for Hard Rock Conditions and for Hypothetical Outcrop of Highest Competent In Situ Layer (Top of Blue Bluff Marl)	2.5-249
2.5-229	Spectral Accelerations (SA, in g) for Hard Rock Conditions and for Hypothetical Outcrop at 40-ft Depth Horizon (FIRS)	2.5-250
2.5-230	Spectral Accelerations (SA, in g) for Hard Rock Conditions and for Ground Surface Motions (GMRS)	2.5-251
2.5-231	Amplitudes (g) for the Hypothetical Outcrop of Highest Competent In Situ Layer (Top of Blue Bluff Marl)	2.5-252
2.5-232	FIRS Amplitudes (g) for the Hypothetical Outcrop at 40-ft Depth Horizon	2.5-253
2.5-233	SSE Amplitudes (g) for the Ground Surface (GMRS)	2.5-254
2.5-234	Conversion Between Body-Wave (mb) and Moment (M) Magnitudes	2.5-255
2.5-235	Summary of Bedrock Faults Mapped Within the 5-Mile VEGP Site Radius	2.5-256
2.5-236	Static Engineering Properties of Subsurface Materials (ESP)	2.5-257
2.5-237	Static Engineering Properties of Subsurface Materials (COL)	2.5-258
2.5-238	Design Dynamic Shear Modulus (ESP)	2.5-259
2.5-239	Types and Numbers of Laboratory Tests Completed for the ESP Application	2.5-260
2.5-240	Types and Numbers of Completed Laboratory Tests in the Powerblock Footprint for the COL Investigation	2.5-260
2.5-241	Summary of Laboratory Tests Performed on Selected Soils Samples from ESP Borings	2.5-261
2.5-242	Summary of SPT N-Values Measured at the ESP Borings	2.5-265
2.5-243	Typical Shear Wave Velocity Values for Existing Strata (ESP)	2.5-266
2.5-244	Summary of ESP Borings and CPTs	2.5-267
2.5-245	Summary of COL Borings, CPTs, and Test Pits	2.5-268

LIST OF TABLES (CONTINUED)

<u>Table Number</u>	<u>Title</u>	<u>Page</u>
2.5-246	Summary of Undisturbed Samples of the Blue Bluff Marl (ESP)	2.5-274
2.5-247	Summary of SPT Hammer Energy Transfer Efficiency from ESP Investigation	2.5-275
2.5-248	Summary of SPT Hammer Energy Transfer Efficiency from COL Investigation	2.5-275
2.5-249	Estimated Shear Wave Velocity and Dynamic Shear Modulus Values for the Compacted Backfill (ESP)	2.5-276
2.5-250	Shear Wave Velocity Values for the Compacted Backfill (COL)	2.5-276
2.5-251	Shear Wave Velocity Values for Site Amplification Analysis Part A: Soil Shear-Wave Velocities (ESP)	2.5-277
2.5-252	Shear Wave Velocity Values for Site Amplification Analysis Part B: Rock Shear-Wave Velocities - Six Alternate Profiles	2.5-278
2.5-253	Shear Wave Velocity Values for Site Amplification Analysis Part A: Soil Shear-Wave Velocities (COL Soil Column)	2.5-279
2.5-254	Summary of Modulus Reduction and Damping Ratio Values – EPRI-Base	2.5-280
2.5-255	Summary of Modulus Reduction and Damping Ratio Values - Site Specific	2.5-281
2.5-256	Summary of Modulus Reduction and Damping Ratio Values – SRS-Based	2.5-282
2.5-257	Acceptable Gradation Envelope for Compacted Backfill	2.5-283
2.5-258	Criteria for Evaluation of Borrow Material from Outside of the Three Designated Category 1 and 2 Borrow Areas	2.5-283

LIST OF FIGURES

Figure Number	Title	Page
2.1-201	10-Mile Surrounding Area	2.1-7
2.1-202	50-Mile Surrounding Area	2.1-8
2.1-203	10-Mile Resident and Transient Population Distribution – 2000	2.1-9
2.1-204	10-Mile Resident and Transient Population Distribution – 2010	2.1-10
2.1-205	10-Mile Resident and Transient Population Distribution – 2020	2.1-11
2.1-206	10-Mile Resident and Transient Population Distribution – 2030	2.1-12
2.1-207	10-Mile Resident and Transient Population Distribution – 2040	2.1-13
2.1-208	10-Mile Resident and Transient Population Distribution – 2070	2.1-14
2.1-209	Population Grid Out to 50 Miles	2.1-15
2.1-210	10 to 50-Mile Resident Population Distribution 2000	2.1-16
2.1-211	10 to 50-Mile Resident Population Distribution 2010	2.1-17
2.1-212	10 to 50-Mile Resident Population Distribution 2020	2.1-18
2.1-213	10 to 50-Mile Resident Population Distribution 2030	2.1-19
2.1-214	10 to 50-Mile Resident Population Distribution 2040	2.1-20
2.1-215	10 to 50-Mile Resident Population Distribution 2070	2.1-21
2.1-216	Population Compared to NRC Siting Criteria	2.1-22
2.1-217	Low Population Zone	2.1-23
2.2-201	Site Vicinity Map	2.2-29
2.2-202	Airports Within 30 Miles of VEGP	2.2-30
2.2-203	Industrial Facilities Within 25 Miles of VEGP	2.2-31
2.2-204	Corridor Analysis	2.2-32
2.3-201	Climatological Observing Stations Near the VEGP Site	2.3-85
2.3-202	VEGP 10-m Level Annual Wind Rose (1998-2002)	2.3-86
2.3-203	VEGP 10-m Level Winter Wind Rose (1998-2002)	2.3-87
2.3-204	VEGP 10-m Level Spring Wind Rose (1998-2002)	2.3-88
2.3-205	VEGP 10-m Level Summer Wind Rose (1998-2002)	2.3-89
2.3-206	VEGP 10-m Level Autumn Wind Rose (1998-2002)	2.3-90
2.3-207	(Sheet 1 of 12) VEGP 10-m Level January Wind Rose (1998–2002)	2.3-91
2.3-208	VEGP 60-m Level Annual Wind Rose (1998-2002)	2.3-103
2.3-209	VEGP 60-m Level Winter Wind Rose (1998-2002)	2.3-104
2.3-210	VEGP 60-m Level Spring Wind Rose (1998-2002)	2.3-105
2.3-211	VEGP 60-m Level Summer Wind Rose (1998-2002)	2.3-106
2.3-212	VEGP 60-m Level Autumn Wind Rose (1998-2002)	2.3-107
2.3-213	(Sheet 1 of 12) VEGP 60-m Level January Wind Rose (1998–2002)	2.3-108
2.3-214	Topographic Features Within a 5-Mile Radius of the VEGP Site	2.3-120
2.3-215	(Sheet 1 of 4) Terrain Elevation Profiles Within 50 Miles of the VEGP Site	2.3-121
2.4-201	Site Plan with PMP Drainage Boundaries and Flow Paths	2.4-155
2.4-201a	Cross-Section Location Map for HEC-RAS Model of Local PMF for Units 3 and 4	2.4-156
2.4-202	PMP Hyetograph Determined in Frequency Storm Module of HEC-HMS	2.4-157
2.4-203	HEC-HMS PMP Runoff Hydrographs at Points along Main Ditch	2.4-158
2.4-204	Savannah River Watershed and HUCs (No Scale)	2.4-159
2.4-205	Mean Daily Discharge for the Year – Selected Gages of the Savannah River	2.4-160
2.4-206	Site Drainage	2.4-161

LIST OF FIGURES (CONTINUED)

Figure Number	Title	Page
2.4-207	Unregulated and Regulated Peak Discharge Frequency Curves for the Savannah River at Augusta, Georgia (02197000)	2.4-162
2.4-208	Correlation of Annual Peak Discharges on the Savannah River at Augusta, Georgia (02197000), and Jackson, South Carolina (2197320), for Years with Annual Peak Derived from Same Storm Event	2.4-163
2.4-209	Unregulated and Regulated Annual Peak Discharge Frequency Curves for the Savannah River at Augusta, Georgia	2.4-164
2.4-210	Probable Maximum Precipitation Values as a Function of Duration for Point Rainfall at VEGP Site	2.4-165
2.4-211	Area-PMF Plot for VEGP Site per Approximate Method from RG 1.59)	2.4-166
2.4-212	Longitudinal Profiles of the Savannah River from Steady-State HEC-RAS Model Run	2.4-167
2.4-213	HEC-RAS Model Section at VEGP Site (Looking Downstream)	2.4-168
2.4-214	Savannah River Basin Dam Locations	2.4-169
2.4-215	J. Strom Thurmond Area Capacity Curve	2.4-170
2.4-216	Richard B. Russell Area Capacity Curve	2.4-171
2.4-217	Hartwell Dam and Reservoir Area Capacity	2.4-172
2.4-218	Keowee Area Capacity Curve	2.4-173
2.4-219	Jocassee Area Capacity Curve	2.4-174
2.4-220	J. Strom Thurmond Dam Cross Section	2.4-175
2.4-221	Richard B. Russell Dam Cross Section	2.4-176
2.4-222	Dam Breach Flood Flow and Stage Hydrograph at the VEGP Site	2.4-177
2.4-223	Savannah River SPF Water Surface Profile	2.4-178
2.4-224	Savannah River Dam Breach Flood Maximum Water Surface Profile	2.4-179
2.4-225	Savannah River Dam Breach Flood Water Surface Profile for Peak Discharge at VEGP Site	2.4-180
2.4-226	Maximum Fetch Length	2.4-181
2.4-227	Lowest Temperature Observed at the VEGP Site in 1985	2.4-182
2.4-228	Variation in Daily Mean Streamflow Rates at Augusta, Georgia, on the Savannah River (USGS Stream Gauging Station 02197000, Savannah River at Augusta, Georgia), Showing Streamflow Modulation After the Construction of the Dams	2.4-183
2.4-229	Variation in Annual Minimum Daily-mean Stream Flow in the Savannah River at Augusta, Jackson, and Burtons Ferry Gages	2.4-184
2.4-230	Change in Annual Minimum Daily-mean Flow at Jackson and Burtons Ferry Corresponding to that at Augusta for the Period of 1940-2003	2.4-185
2.4-231	Log-Pearson Type 3 Distribution with Annual Minimum Daily-Mean Flow Data from Augusta for the Water Years 1884–1952	2.4-186
2.4-232	Log-Pearson Type 3 Distribution with Annual Minimum Daily-Mean Flow Data from Augusta for the Water Years 1953–2003	2.4-187
2.4-233	Log-Pearson Type 3 Distribution with Annual Minimum Daily-Mean Flow Data from Augusta for the Water Years 1985–2003	2.4-188
2.4-234	Log-Pearson Type 3 Distribution with Annual Minimum Daily-Mean Streamflow from Jackson for the Water Years 1985–2002	2.4-189

LIST OF FIGURES (CONTINUED)

Figure Number	Title	Page
2.4-235	River Stage-Discharge Rating Relationship at USGS Waynesboro Gage Station Near the VEGP Site Using Data for the Years 2005, 1988, 1987 and 1986	2.4-190
2.4-236	Comparison of Estimated River Stage Corresponding to Zero Discharge (H0) with Measured River Thalweg Levels Near the Intake Location	2.4-191
2.4-237	Schematic Hydrostratigraphic Classification for VEGP Site	2.4-192
2.4-238	Hydrogeologic Cross-Section of the Water Table Aquifer at the VEGP Site	2.4-193
2.4-239	Hydrogeologic Cross-Section of the Tertiary Aquifer at the VEGP Site	2.4-194
2.4-240	Observation Well Locations	2.4-195
2.4-241	Water Table Aquifer: Piezometric Contour Map for June 2005	2.4-196
2.4-242	Water Table Aquifer: Piezometric Contour Map for October 2005	2.4-197
2.4-243	Water Table Aquifer: Piezometric Contour Map for December 2005	2.4-198
2.4-244	Water Table Aquifer: Piezometric Contour Map for March 2006	2.4-199
2.4-245	Water Table Aquifer: Piezometric Contour Map for June 2006	2.4-200
2.4-246	Tertiary Aquifer: 1971–1985 Hydrographs	2.4-201
2.4-247	Tertiary Aquifer: Piezometric Contour Map for June 2005	2.4-202
2.4-248	Tertiary Aquifer: Piezometric Contour Map for October 2005	2.4-203
2.4-249	Tertiary Aquifer: Piezometric Contour Map for December 2005	2.4-204
2.4-250	Tertiary Aquifer: Piezometric Contour Map for March 2006	2.4-205
2.4-251	Tertiary Aquifer: Piezometric Contour Map for June 2006	2.4-206
2.4-252	Locations of Agricultural, Industrial, Municipal, and Public Water Supply Wells Within 25 Miles of the VEGP Site	2.4-207
2.4-253	Locations of Existing Supply Wells at the VEGP Site	2.4-208
2.4-254	Water Table Aquifer: 1979–2007 Hydrographs	2.4-209
2.4-255	Average Annual PDSI and PHDI for Georgia and Total Annual Precipitation for the Period 1979–2006	2.4-210
2.4-256	Water Table Aquifer: June 2005 – July 2007 Hydrographs	2.4-211
2.4-257	Water Table Aquifer: Piezometric Contour Map for November 2006	2.4-212
2.4-258	Tertiary Aquifer: June 2005 – July 2007 Hydrographs.	2.4-213
2.4-259	Tertiary Aquifer: Piezometric Contour Map for November 2006	2.4-214
2.4-260	Proposed Locations of VEGP Units 3 and 4 Water Supply Wells	2.4-215
2.4-261	Water Table Aquifer — Piezometric Contour Map for March 2007	2.4-216
2.4-262	Water Table Aquifer — Piezometric Contour Map for June 2007	2.4-217
2.4-263	Tertiary Aquifer — Piezometric Contour Map for March 2007	2.4-218
2.4-264	Tertiary Aquifer — Piezometric Contour Map for June 2007	2.4-219
2.4-265	Conceptual Model for Evaluating Radionuclide Transport in the Water Table Aquifer	2.4-220
2.4-266	Conceptual Model for Evaluating Radionuclide Transport in the Tertiary Aquifer	2.4-220
2.5-201	Vogtle Site-Specific At-Rest Lateral Earth Pressure Diagrams for Rigid Below Grade Nuclear Island (NI) Walls	2.5-284
2.5-202	Comparison of Vogtle Site-Specific Total At-Rest Lateral Earth Pressure Diagrams and AP1000 Maximum Design Envelopes	2.5-285
2.5-203	Heavy Lift Derrick Foundation Location	2.5-286
2.5-204	Physiographic Provinces of the Southeastern United States	2.5-287

LIST OF FIGURES (CONTINUED)

Figure Number	Title	Page
2.5-205	Conceptual Section Linking Dunbarton Basin with South Georgia Basin Complex	2.5-288
2.5-206	Regional Geologic Map (200-Mile Radius)	2.5-289
2.5-207	Regional Geologic Map (200-Mile Radius) Explanation	2.5-290
2.5-208	Simplified Geologic Map of Western Piedmont Terrane in Relation to Blue Ridge and Carolina Terranes	2.5-291
2.5-209	Map of Carolina Terrane and Modoc Zone	2.5-292
2.5-210	Triassic Basins in the Eastern United States	2.5-293
2.5-211	Stratigraphic Correlation Chart	2.5-294
2.5-212	Location Map Showing SRS Boundary and VEGP Site	2.5-295
2.5-213	Evolution of the Appalachian Orogen	2.5-296
2.5-214	Regional Cross Section – DNAG E-5	2.5-297
2.5-215	Tectonic Features of the Southeastern United States	2.5-298
2.5-216	Regional Tectonic Features Map (200-Mile Radius)	2.5-299
2.5-217	Terrains and Physiographic Provinces of Site Region	2.5-300
2.5-218	Seismic Source Zones and Seismicity in Central and Eastern North America	2.5-301
2.5-219	Site Vicinity Tectonic Features and Seismicity	2.5-302
2.5-220	Potential Quaternary Features Map	2.5-303
2.5-221	Regional Charleston Tectonic Features	2.5-304
2.5-222	Local Charleston Tectonic Features	2.5-305
2.5-223	Local Charleston Seismicity	2.5-306
2.5-224	SRS Faults from Stieve and Stephenson (1995)	2.5-307
2.5-225	SRS Faults from Cumbest et al. (1998)	2.5-308
2.5-226	SRS Faults—First-Order Faults of Cumbest et al. (2000)	2.5-309
2.5-227	Gravity Field in the Vicinity of the VEGP Site	2.5-310
2.5-228	Northwest–Southeast Gravity Profile Through the VEGP Site	2.5-311
2.5-229	Magnetic Field in the Vicinity of the VEGP Site	2.5-312
2.5-230	Northwest–Southeast Profile of Magnetic Intensity Through the VEGP Site	2.5-313
2.5-231	Site Vicinity Geologic Map (25-Mile Radius)	2.5-314
2.5-232	Site Area Geologic Map (5-Mile Radius)	2.5-315
2.5-233	Site Area Topographic Map (5-Mile Radius)	2.5-316
2.5-234	Site Geologic Map (0.6-Mile Radius)	2.5-317
2.5-235	Site Topographic Map (0.6-Mile Radius)	2.5-318
2.5-236	Site Borings Location Map	2.5-319
2.5-237	Location of Pen Branch Fault	2.5-320
2.5-238	Seismic Reflection Array	2.5-321
2.5-239	Seismic Refraction Array	2.5-322
2.5-240	(A) Seismic Reflection Line 4 (Time Section; Display Velocity = 12,000 fps) (B) Interpretation (Blue Line Represents Top of Basement)	2.5-323
2.5-241	Site Stratigraphic Column	2.5-324
2.5-242	Location of the Pen Branch Fault at Top of Basement Beneath the Overlying Monocline in the Blue Bluff Marl	2.5-325
2.5-243	Northwest–Southeast Cross Section Showing Pen Branch Fault Beneath VEGP Site	2.5-326
2.5-244	East–West Cross Section Showing Pen Branch Fault Beneath VEGP Site	2.5-327

LIST OF FIGURES (CONTINUED)

Figure Number	Title	Page
2.5-245	VEGP Site Plant Layout	2.5-328
2.5-246	Geologic Map of Qte Terrace Study Area	2.5-329
2.5-247	Geomorphic Map Showing Best-Preserved Remnants of Qte Terrace Surface (Red Shading) in Study Area at the SRS. Yellow Ds Indicate Dissolution Collapse-Related Depressions. Base Image is 1943 Aerial Photograph.	2.5-330
2.5-248	Longitudinal Profile A-A' from SRS Qte Terrace Surface. Points Interpreted as Representing the Best-Preserved Remnant of the Qte Surface are Shown in Red, all Other Points that Do Not Represent the Terrace Surface are Shown in Gray.	2.5-331
2.5-249	Transect and Borehole Location Map	2.5-332
2.5-250	Stratigraphic Structure Contour Map: Top of Blue Bluff Marl	2.5-333
2.5-251	Geologic Cross section of Transect A-A'	2.5-334
2.5-252	Geologic Cross Section of Transect B-B'	2.5-335
2.5-253	Geologic Cross Section of Transect C-C'	2.5-336
2.5-254	Isopach Map: Thickness of the Blue Bluff Marl	2.5-337
2.5-255	Stratigraphic Structure Contour Map: Top of the Utley Limestone	2.5-338
2.5-256	Isopach Map: Thickness of the Utley Limestone	2.5-339
2.5-257	Bechtel EPRI Zones	2.5-340
2.5-258	Dames and Moore EPRI Zones	2.5-341
2.5-259	Law EPRI Zones	2.5-342
2.5-260	Rondout EPRI Zones	2.5-343
2.5-261	Woodward-Clyde EPRI Zones	2.5-344
2.5-262	Weston EPRI Zones	2.5-345
2.5-263	USGS Model	2.5-346
2.5-264	SCDOT Model	2.5-347
2.5-265	UCSS Map	2.5-348
2.5-266	EPRI All Charleston Map	2.5-349
2.5-267	Updated Charleston Seismic Source (USGS) Logic Tree with Weights for each Branch Shown in Italics	2.5-350
2.5-268	Map of ZRA-S from Marple and Talwani (2000)	2.5-351
2.5-269	Geographic Distribution of Liquefaction Features Associated with Charleston Earthquakes	2.5-352
2.5-270	PGA Mean Seismic Hazard Curves for Current (2005) Calculation and for EPRI-SOG	2.5-353
2.5-271	PGA Median Seismic Hazard Curves for Current (2005) Calculation and for EPRI-SOG	2.5-353
2.5-272	PGA 85 Percent Seismic Hazard Curves for Current (2005) Calculation and for EPRI-SOG	2.5-354
2.5-273	Map Showing Two Areas Used To Examine Effect of New Seismicity Information	2.5-355
2.5-274	Comparison of Recurrence Rates for Rectangular Charleston Source	2.5-356
2.5-275	Comparison of Recurrence Rates for Triangular South Carolina Source ..	2.5-356
2.5-276	Geometry of Four New Charleston Sources	2.5-357
2.5-277	Original Rondout Source 26	2.5-357
2.5-278	New Rondout Source 26-A that Surrounds Charleston Source A	2.5-358
2.5-279	New Rondout Source 26-B that Surrounds Charleston Source B	2.5-358
2.5-280	New Rondout Source 26-B' that Surrounds Charleston Source B	2.5-359

LIST OF FIGURES (CONTINUED)

Figure Number	Title	Page
2.5-281	New Rondout Source 26-C that Surrounds Charleston Source C	2.5-359
2.5-282	Mean Uniform Hazard Spectra, Hard Rock Conditions, for VEGP ESP	2.5-360
2.5-283	Hard Rock Magnitude-Distance Deaggregation for High Frequencies, 10 ⁻⁴ Mean Annual Frequency of Exceedance	2.5-361
2.5-284	Hard Rock Magnitude-Distance Deaggregation for Low Frequencies, 10 ⁻⁴ Mean Annual Frequency of Exceedance	2.5-362
2.5-285	Hard Rock Magnitude-Distance Deaggregation for High Frequencies, 10 ⁻⁵ Mean Annual Frequency of Exceedance	2.5-363
2.5-286	Hard Rock Magnitude-Distance Deaggregation For Low Frequencies, 10 ⁻⁵ Mean Annual Frequency of Exceedance	2.5-364
2.5-287	Hard Rock Magnitude-Distance Deaggregation for High Frequencies, 10 ⁻⁶ Mean Annual Frequency of Exceedance	2.5-365
2.5-288	Hard Rock Magnitude-Distance Deaggregation for Low Frequencies, 10 ⁻⁶ Mean Annual Frequency of Exceedance	2.5-366
2.5-289	Magnitude Deaggregation for High Frequencies for Three Mean Annual Frequencies of Exceedance	2.5-367
2.5-290	Magnitude Deaggregation for Low Frequencies for Three Mean Annual Frequencies of Exceedance	2.5-367
2.5-291	Hard Rock Distance Deaggregation for High Frequencies for Three Mean Annual Frequencies of Exceedance	2.5-368
2.5-292	Hard Rock Magnitude Deaggregation for Low Frequencies for Three Mean Annual Frequencies of Exceedance	2.5-368
2.5-293	10 Hz Hard Rock Seismic Hazard Curves by Seismic Source for Rondout Team	2.5-369
2.5-294	1 Hz Hard Rock Seismic Hazard Curves by Seismic Source for the Rondout Team	2.5-370
2.5-295	Summary Statistics Calculated from the 60 Shear-Wave Velocity Profiles	2.5-371
2.5-296	ESP and COL plus ESP Soil Models	2.5-372
2.5-297	High Frequency Hard Rock Target Spectra for the Three Annual Probability Levels of 10 ⁻⁴ , 10 ⁻⁵ , and 10 ⁻⁶	2.5-373
2.5-298	Low Frequency Hard Rock Target Spectra for the Three Annual Probability Levels of 10 ⁻⁴ , 10 ⁻⁵ , and 10 ⁻⁶	2.5-374
2.5-299	High Frequency (10 ⁻⁶) Match for the 30 Time Histories	2.5-375
2.5-300	Low Frequency (10 ⁻⁶) Match for the 30 Time Histories	2.5-376
2.5-301	High Frequency (10 ⁻⁵) Match for the 30 Time Histories	2.5-377
2.5-302	Low Frequency (10 ⁻⁵) Match for the 30 Time Histories	2.5-378
2.5-303	High Frequency (10 ⁻⁴) Match for the 30 Time Histories	2.5-379
2.5-304	Low Frequency (10 ⁻⁴) Match for the 30 Time Histories	2.5-380
2.5-305	Typical Results of Spectral Amplification at 86-ft Depth (Top of Blue Bluff Marl) Using EPRI Degradation Curves for High Frequency Time Histories of 10 ⁻⁴ MAFE Input Motion Level	2.5-381
2.5-306	Typical Results of Spectral Amplification at 40-ft Horizon Outcrop Motion Using EPRI Degradation Curves for High-Frequency Time Histories of 10 ⁻⁴ MAFE Input Motion Level	2.5-382
2.5-307	Typical Results of Spectral Amplification Ground Surface using EPRI Degradation Curves for High Frequency Time Histories of 10 ⁻⁴ MAFE Input Motion Level	2.5-383

LIST OF FIGURES (CONTINUED)

Figure Number	Title	Page
2.5-308	Horizontal Raw and Smoothed, Top of Blue Bluff Marl	2.5-384
2.5-309	Horizontal Raw and Smoothed FIRS, 40-ft Depth Horizon	2.5-385
2.5-310	Horizontal Raw and Smoothed GMRS, Ground Surface	2.5-386
2.5-311	Plots of V/HWUS, Soil, Empirical Term of Equation 2.5.2-6 for “Near” [M5.6 at a Distance of 12 km] and “Far” [M7.2 at a Distance of 130 km] Events Using the Attenuation Relation of Abrahamson and Silva (1997)	2.5-387
2.5-312	Plots of [V/HCEUS, Soil, Model / V/HWUS, Soil, Model] Term of Equation 2.5.2-6 for M6.5 and Distances of 10, 20, and 40 km, as Available in NUREG/CR-6728 (McGuire et al 2001)	2.5-388
2.5-313	Plots of Recommended V/HCEUS, Soil from Equation 2.5.2-6 for “Near” and “Far” Events Using Results from NUREG/CR-6728 (McGuire et al 2001)	2.5-389
2.5-314	Plots of Recommended V/HCEUS, Soil from Equation 2.5.2-6 for “Near” and “Far” Events Using Results from Lee (2001)	2.5-390
2.5-315	Plots of V/HCEUS, Soil (Blue Patterned) Derived from Results from NUREG/CR-6728 (McGuire et al 2001) and Lee (2001)	2.5-391
2.5-316	VEGP ESP Horizontal and Vertical Top of Blue Bluff Marl (5% Damping)	2.5-392
2.5-317	VEGP ESP Horizontal and Vertical FIRS Spectra, at the 40-ft Depth Horizon	2.5-393
2.5-318	VEGP ESP Horizontal and Vertical GMRS Spectra (5% Damping)	2.5-394
2.5-319	Example of Initial Seed Input Time Acceleration, Velocity, and Displacement Time Histories (One of Thirty) for High Frequency Target Spectrum	2.5-395
2.5-320	Final Modified Spectrum-Compatible Acceleration, Velocity, and Displacement Time Histories (One of Thirty) for 10^{-6} High Frequency Target Spectrum	2.5-396
2.5-321	Comparison of 10^{-6} High Frequency Target Spectrum (Thick Grey Line), Response Spectrum from Initial Seed Input Acceleration Time History Scaled to Target PGA (Thin Blue Line), and Acceleration Response Spectrum for Final Modified Spectrum Compatible Time History (Thin Red Line)	2.5-397
2.5-322	Comparison of Normalized Arias Intensity from Initial Seed Input Time History (Thick Grey Line) and Final Modified Spectrum Compatible (10^{-6} High Frequency Target Spectrum) Time History (Thin Red Line) for an Example Case	2.5-398
2.5-323	Horizontal Component 1 Modified Spectrum Compatible Time Acceleration, Velocity, and Displacement Time Histories for FIRS Horizontal Target Spectrum Prior to Application of 1.01 Scale Factor	2.5-399
2.5-324	Comparison of Horizontal FIRS Target Spectrum (Thick Grey Line), 1.3*FIRS Target Spectrum (Dashed Black Line), 0.9*FIRS Target Spectrum (Dashed Green Line), and Acceleration Response Spectrum for Final Modified Spectrum Compatible Time History (Thin Red Line) Including Application of 1.01 Scale Factor for Horizontal Component 1	2.5-400

LIST OF FIGURES (CONTINUED)

Figure Number	Title	Page
2.5-325	Comparison of Normalized Arias Intensity from Initial Seed Input Time History (Thick Grey Line) and Final Modified Spectrum Compatible Time History (Thin Red Line) Including Application of 1.01 Scale Factor for Horizontal Component 1	2.5-401
2.5-326	Horizontal Component 2 Modified Spectrum Compatible Time Acceleration, Velocity, and Displacement Time Histories for FIRS Horizontal Target Spectrum Prior to Application of 1.01 Scale Factor	2.5-402
2.5-327	Comparison of Horizontal FIRS Target Spectrum (Thick Grey Line), 1.3*FIRS Target Spectrum (Dashed Black Line), 0.9*FIRS Target Spectrum (Dashed Green Line), and Acceleration Response Spectrum for Final Modified Spectrum Compatible Time History (Thin Red Line) Including Application of 1.01 Scale Factor for Horizontal Component 2	2.5-403
2.5-328	Comparison of Normalized Arias Intensity from Initial Seed Input Time History (Thick Grey Line) and Final Modified Spectrum Compatible Time History (Thin Red Line) Including Application of 1.01 Scale Factor for Horizontal Component 2	2.5-404
2.5-329	Vertical Component Modified Spectrum Compatible Time Acceleration, Velocity, and Displacement Time Histories for FIRS Vertical Target Spectrum Prior to Application of 1.01 Scale Factor	2.5-405
2.5-330	Comparison of Vertical FIRS Target Spectrum (Thick Grey Line), 1.3*FIRS Target Spectrum (Dashed Black Line), 0.9*FIRS Target Spectrum (Dashed Green Line), and Acceleration Response Spectrum for Final Modified Spectrum Compatible Time History (Thin Red Line) Including Application of 1.01 Scale Factor for Vertical Component	2.5-406
2.5-331	Comparison of Normalized Arias Intensity from Initial Seed Input Time History (Thick Grey Line) and Final Modified Spectrum Compatible Time History (Thin Red Line) Including Application of 1.01 Scale Factor for Vertical Component	2.5-407
2.5-332	Low Strain Backfill Shear Wave Velocity (ft/sec)	2.5-408
2.5-333	Plant Layout	2.5-409
2.5-334	Cross Section A	2.5-410
2.5-335	SASSI 2D-Model	2.5-411
2.5-336	Amplification at 0 ft (GMRS Horizon)	2.5-412
2.5-337	Transfer Functions at 0 ft (GMRS Horizon)	2.5-413
2.5-338	Amplification at 40 ft depth (FIRS horizon)	2.5-414
2.5-339	Transfer Functions at 40 ft (FIRS Horizon)	2.5-415
2.5-340	Amplification at 86 ft depth (Top of Blue Bluff Marl)	2.5-416
2.5-341	2D SASSI Backfill Model	2.5-417
2.5-342	Node 4041 — EL 99.00 NI at Reactor Vessel Support Elevation	2.5-418
2.5-343	Node 4061 — EL 116.5 Auxiliary Shield Building at Control Room Floor	2.5-419
2.5-344	Node 4120 — EL 179.56 ASB Auxiliary Building Roof Area	2.5-420
2.5-345	Node 4310 — EL 327.41 ASB Shield Building Roof Area	2.5-421
2.5-346	Node 4412 — EL 224 Steel Containment Vessel Near Polar Crane	2.5-422
2.5-347	Node 4335 — EL 135.25 Containment Internal Structure at Operating Deck	2.5-423
2.5-348	Amplification at 40-ft Outcrop Depth (FIRS Horizon)	2.5-424

LIST OF FIGURES (CONTINUED)

Figure Number	Title	Page
2.5-349	Vogtle Strain Compatible Profiles (S-Wave Velocity)	2.5-425
2.5-350	Vogtle Strain Compatible Profiles (S-Wave Damping)	2.5-426
2.5-351	Envelope at 40 ft Depth (FIRS Horizon)	2.5-427
2.5-352	Low Strain Shear Wave Velocity Profile Cases (LB, BE, UB) - Study for Material Over Excavation Slopes	2.5-428
2.5-353	Strain Compatible BE Shear Wave Velocity Profiles Cases-for Material Over Excavation Slopes (2D SASSI SSI Bathtub Analyses)	2.5-429
2.5-354	Comparison of SASSI 2D Bathtub Model Site Response: Amplification at 0 ft (GMRS horizon)	2.5-430
2.5-355	Comparison of SASSI 2D Bathtub Model Site Response: Amplification at 40 ft depth (FIRS horizon)	2.5-431
2.5-356	Comparison of SASSI 2D Bathtub Model Site Response: Amplification at 86 ft depth (Top of Blue Bluff Marl)	2.5-432
2.5-357	Comparison of SASSI 2D Bathtub NI Model SSI Responses: Node 4041-EL 99 NI at Reactor Vessel Support Elevation	2.5-433
2.5-358	Comparison of SASSI 2D Bathtub NI Model SSI Responses: Node 4061-EL 116.5 Auxiliary Shield Building at Control Room Floor	2.5-434
2.5-359	Comparison of SASSI 2D Bathtub NI Model SSI Responses: Node 4120-EL 179.56 ASB Auxiliary Building Roof Area	2.5-435
2.5-360	Comparison of SASSI 2D Bathtub NI Model SSI Responses: Node 4310-EL 327.41 ASB Shield Building Roof Area	2.5-436
2.5-361	Comparison of SASSI 2D Bathtub NI Model SSI Responses: Node 4412-EL 224 Steel Containment Vessel Near Polar Crane	2.5-437
2.5-362	Comparison of SASSI 2D Bathtub NI Model SSI Responses: Node 4535-EL 135.25 Containment Internal Structure at Operating Deck	2.5-438
2.5-363	Contorted Bedding in Garbage Trench at VEGP Site	2.5-439
2.5-364	West Wall of Garbage Trench Showing Small Offsets (1–24 inches) (Upper) and Arcuate Fractures and Clastic Dikes Over Center of Depression (Lower)	2.5-440
2.5-365	Surface Geometry of Unit F Illustrating Localized Nature of Deformation...	2.5-441
2.5-366	ESP Study Boring Location Plan	2.5-442
2.5-367	COL Site Boring Location Plan	2.5-443
2.5-368	COL Power Block — Cooling Tower Boring Location	2.5-444
2.5-369	Subsurface Profile Legend	2.5-445
2.5-370	Subsurface Profile A–A'	2.5-446
2.5-371	Subsurface Profile D–D'	2.5-447
2.5-372	Subsurface Profile B–B'	2.5-448
2.5-373	Subsurface Profile C–C'	2.5-449
2.5-374	Subsurface Profile E–E'	2.5-450
2.5-375	Subsurface Profile F–F'	2.5-451
2.5-376	Shear Wave Velocity Measurements	2.5-452
2.5-377	Shear Wave Velocity Measurements in the Upper Sand Stratum as Measured by COL SCPT	2.5-453
2.5-378	Shear Wave Velocity Profile for SHAKE Analysis	2.5-454
2.5-379	Shear Wave Velocity Profile — ESP and COL Soil Columns	2.5-455

LIST OF FIGURES (CONTINUED)

<u>Figure Number</u>	<u>Title</u>	<u>Page</u>
2.5-380	Rock shear-wave velocities for three SRS sites [DRB] (SRS 2005) and B-1003 [Figure 2.5.4-6]. The DRB data has been shifted in depth so that the depth to top of rock is consistent with B-1003.	2.5-456
2.5-381	Shear Modulus Reduction Curves for SHAKE Analysis – EPRI Curves	2.5-457
2.5-382	Site-Specific Shear Modulus Reduction Curves	2.5-458
2.5-383	Shear Modulus Reduction Curves for SHAKE Analysis – SRS Curves	2.5-459
2.5-384	Damping Ratio Curves for SHAKE Analysis – EPRI Curves	2.5-460
2.5-385	Site-Specific Damping Ratio Curves	2.5-461
2.5-386	Damping Ratio Curves for SHAKE Analysis – SRS Curves	2.5-462
2.5-387	Allowable Bearing Capacity of Typical Foundation	2.5-463
2.5-388	Power Block Excavation and Switchyard Borrow Area	2.5-464
2.5-389	Power Block Excavation Sections	2.5-465
2.5-390	Nuclear Island Temporary Retaining Wall	2.5-466
2.5-391	Distribution of SPT N60–Value with Elevation (COL)	2.5-467
2.5-392	Comparison of Shear Modulus Reduction Curves - Backfill Soils	2.5-468
2.5-393	Comparison of Shear Modulus Reduction Curves - Blue Bluff Marl	2.5-469
2.5-394	Comparison of Shear Modulus Reduction Curves - Lower Sands	2.5-470
2.5-395	Comparison of Damping Ratio Curves - Backfill Soils	2.5-471
2.5-396	Comparison of Damping Ratio Curves - Blue Bluff Marl	2.5-472
2.5-397	Comparison of Damping Ratio Curves - Lower Sands	2.5-473