

U.S. NUCLEAR REGULATORY COMMISSION

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

03620

577844

<p>Licensee</p> <p>1. University of Evansville</p> <p>2. 1800 Lincoln Avenue Evansville, IN 47722</p>	<p>In accordance with application dated June 25, 2012,</p> <p>3. License number 13-09810-01 is amended in its entirety to read as follows:</p> <hr/> <p>4. Expiration date November, 30, 2021</p> <hr/> <p>5. Docket No. 030-00707 Reference No.</p>
---	--

<p>6. Byproduct, source, and/or special nuclear material</p> <p>A. Carbon-14</p> <p>B. Cesium-137</p> <p>C. Americium-241</p> <p>D. Strontium-90</p> <p>E. Cobalt-60</p> <p>F. Nickel-63</p>	<p>7. Chemical and/or physical form</p> <p>A. Any</p> <p>B. Sealed source</p> <p>C. Sealed sources</p> <p>D. Sealed disk sources (for calibration)</p> <p>E. Any</p> <p>F. Foil source (Perkin-Elmer Detector Cell Model No. 330-0119)</p>	<p>8. Maximum amount that licensee may possess at any one time under this license</p> <p>A. 256.1 microcuries</p> <p>B. 1 millicurie</p> <p>C. 10.26 microcuries</p> <p>D. 3 microcuries</p> <p>E. 2.0 microcuries</p> <p>F. 15 millicuries</p>
--	--	---

9. Authorized Use:

A. through E. To be used for laboratory experiments and student instruction.

F. To be used in Perkin Elmer gas chromatograph for sample analysis.

CONDITIONS

10. Licensed material shall be used only at the licensee's facilities located at Kock Center for Engineering and Science, University of Evansville, 1800 Lincoln Avenue, Evansville, Indiana.
11. **A. The Radiation Safety Officer for this license is John Stamm, Ph.D.**
- B. Licensed material shall be used by, or under the supervision of, Mark Davis, Ph.D. and John Stamm, Ph.D.**

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License Number

13-09810-01

Docket or Reference Number

030-00707

Amendment No. 20

12. A. Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State.
- B. In the absence of a certificate from a transferor indicating that a leak test has been made, within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement state, prior to the transfer, a sealed source received from another person shall not be put into use until tested and the test results received.
- C. Sealed sources need not be leak tested if they contain only hydrogen-3; or they contain only a radioactive gas; or the half-life of the isotope is 30 days or less; or they contain no more than 100 microcuries of beta and/or gamma emitting material or not more than 10 microcuries of alpha emitting material.
- D. Sealed sources need not be tested if they are in storage, and are not being used. However, when they are removed from storage for use or transferred to another person, and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
- E. The leak test shall be capable of detecting the presence of 0.005 microcurie (185 becquerels) of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie (185 becquerels) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.
- F. Tests for leakage and/or contamination, limited to leak test sample collection, shall be performed by the licensee or by other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.
- G. Records of leak test results shall be kept in units of microcuries and shall be maintained for 3 years.
13. Sealed sources or detector cells containing licensed material shall not be opened or the sources removed from the detector cell by the licensee.
14. The licensee shall not acquire licensed material in a sealed source or device that contains a sealed source unless the source or device has been registered with the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or with an Agreement State.
15. The licensee is authorized to transport licensed material only in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
13-09810-01Docket or Reference Number
030-00707

Amendment No. 20

16. The licensee shall conduct a physical inventory every 6 months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 5 years from the date of each inventory, and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.
17. Except as otherwise specified in this license, the licensee shall have available and follow the instructions contained in the manufacturer's instruction manual for the chromatography device.
18. Licensed material shall not be used in or on humans except as provided otherwise by specific condition of this license.
19. The licensee shall not use licensed material in field applications where activity is released except as provided otherwise by specific condition of this license.
20. Maintenance, repair, cleaning, replacement, and disposal of foils contained in detector cells shall be performed only by the device manufacturer or other persons specifically authorized by the Commission or an Agreement State to perform such services.
21. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
 - A. Applications dated April 21, 2011 (excluding all references to the "Pu-Be neutron source"); and
 - B. Facsimiles dated October 17, 2011 and October 20, 2011.

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

Date SEP 06 2012

By

Toye L. Simmons
Materials Licensing Branch
Region III