

**Table I-Cross-references of the current 10 CFR 50.54, 50.55, and 50.55a regulations vs  
the proposed 10 CFR 50.54, 50.55, and 50.55a regulations**

<b>Current Regulation</b>	<b>Proposed Regulation</b>	<b>Heading of Proposed Regulation</b>	<b>Description of proposed changes</b>
50.54 introductory statement	50.54 introductory statement	<i>Conditions of licenses.</i>	Revise the introductory to include reference to 50.55a.
50.54	50.54(ii)	Reserved	Add and reserve for future use.
50.55 introductory statement	50.55 introductory statement	Conditions of construction permits, early site permits, combined licenses, and manufacturing licenses	Revise introductory paragraph to include reference to 50.55a.
50.55	50.55(g)	Reserved	Relocate current 50.55a(1) to a newly created paragraph 50.54(jj) to enable removal of the current regulation from current 50.55a(a)(1) in compliance with Office of <i>Federal Register</i> (OFR) revised guidelines.
50.55a introductory statement	50.54 introductory statement	<i>Codes and standards</i>	Relocate to other paragraphs in 50.54, 50.55, and 50.55a. Relocation is made for incorporation by reference statement per OFR revised guidelines.
50.55(a)(1)	50.54(jj)	NA	Add and reserve for future use.
50.55	50.55(h)	Reserved	Add and reserve for future use.
50.55(a)(1)	50.55(i)	NA	Relocate current 50.55a(1) to a newly created paragraph 50.54(jj) and 50.55(i) to enable removal of the current regulation from the current 50.55a(a)(1) in compliance with OFR revised guidelines.
50.55(a)(2)	50.55a(b) and 50.55a(h)	NA	Information from current 50.55a(a)(2) moved to paragraphs 50.55a(b) and (h).
50.55a(b)	50.55a	<i>Documents approved for incorporation by reference.</i>	Incorporation by reference paragraph moved from 50.55a(b) to proposed 50.55a(a). Modify current paragraphs (b) through (h) to make conditions clearer. Add heading for clarity and easy tracking.

<b>Current Regulation</b>	<b>Proposed Regulation</b>	<b>Heading of Proposed Regulation</b>	<b>Description of proposed changes</b>
50.55a(a)(3)	50.55a(z)	<i>Alternatives to codes and standards requirements.</i>	Move to 50.55a(z) to make room for IBR statement per OFR revised guidelines. Add heading for clarity.
50.55a(a)(3)(i)	50.55a(z)(1)	<i>Acceptable level of quality and safety.</i>	Move to 50.55a(z)(1) to make room for IBR statement per OFR revised guidelines. Add heading for clarity.
50.55a(a)(3)(ii)	50.55a(z)(2)	<i>Hardship without a compensating increase in quality and safety.</i>	Move to 50.55a(z)(2) to make room for IBR statement per OFR revised guidelines. Added heading for clarity.
50.55a(b)	50.55a(a)	<i>Documents approved for incorporation by reference.</i>	Revise heading and add introductory text in 50.55a(a) for authorizing incorporation by reference.
50.55a(b)	50.55a(a)(1)	<i>American Society of Mechanical Engineers (ASME).</i>	Added to group all ASME sections.
50.55a(b)	50.55a(a)(1)(i)	<i>ASME Boiler and Pressure Vessel Code Section III.</i>	Move from (b)(1) (in part) for compliance with OFR revised guidelines.
50.55a(b)(1) in part	50.55a(a)(1)(i)(A)	<i>“Rules for Construction of Nuclear Vessels”</i>	Move from (b)(1) (in part) for compliance with OFR revised guidelines.
50.55a(b)(1) in part	50.55a(a)(1)(i)(B)	<i>“Rules for Construction of Nuclear Power Plant Components”</i>	Move from (b)(1) (in part) for compliance with OFR revised guidelines.
50.55a(b)(1) in part	50.55a(a)(1)(i)(C)	<i>“Division I Rules for Construction of Nuclear Power Plant Components”</i>	Move from (b)(1) (in part) for compliance with OFR revised guidelines.
50.55a(b)(1) in part	50.55a(a)(1)(i)(D)	<i>“Rules for Construction of Nuclear Power Plant Components - Division I”</i>	Move from (b)(1) (in part) for compliance with OFR revised guidelines.
50.55a(b)(1) in part	50.55a(a)(1)(i)(E)	<i>“Rules for Construction of Nuclear Facility Components - Division I”</i>	Move from (b)(1) (in part) for compliance with OFR revised guidelines.
50.55a(b)(2) in part	50.55a(a)(1)(ii)	<i>ASME Boiler and</i>	Move from (b)(2) (in part) for compliance with OFR

<b>Current Regulation</b>	<b>Proposed Regulation</b>	<b>Heading of Proposed Regulation</b>	<b>Description of proposed changes</b>
		<i>Pressure Vessel Code, Section XI.</i>	revised guidelines.
50.55a(b)(2) in part	50.55a(a)(1)(ii)(A)	<i>“Rules for Inservice Inspection of Nuclear Reactor Coolant Systems”</i>	Move from (b)(2) (in part) for compliance with OFR revised guidelines.
50.55a(b)(2) in part	50.55a(a)(1)(ii)(B)	<i>Rules for Inservice Inspection of Nuclear Power Plant Components</i>	Move from (b)(2) (in part) for compliance with OFR revised guidelines.
50.55a(b)(2) in part	50.55a(a)(1)(ii)(C)	<i>“Rules for Inservice Inspection of Nuclear Power Plant Components - Division 1”</i>	Move from (b)(in part) for compliance with OFR revised guidelines.
50.55a(b) in part	50.55a(a)(1)(iii)	<i>ASME Code Cases: Nuclear Components</i>	Move from (b) (in part) for compliance with OFR revised guidelines.
50.55a(b) in part	50.55a(a)(1)(iii)(A)	<i>ASME Code Case N-722-1.</i>	Move from (b) (in part) for compliance with OFR revised guidelines.
50.55a(b) in part	50.55a(a)(1)(iii)(B)	<i>ASME Code Case N-729-1.</i>	Move from (b) (in part) for compliance with OFR revised guidelines.
50.55a(b) in part	50.55a(a)(1)(iii)(C)	<i>ASME Code Case N-770-1.</i>	Move from (b) (in part) for compliance with OFR revised guidelines.
50.55a(b) in part	50.55a(a)(1)(iv)	<i>ASME Operation and Maintenance Code.</i>	Move from (b) (in part) for compliance with OFR revised guidelines.
50.55a(b) in part	50.55a(a)(1)(iv)(A)	<i>Code for Operation and Maintenance of Nuclear Power Plants</i>	Added to group all the individual standards referenced regarding the subject matter discussed in current paragraph (b).
50.55a(b) in part	50.55a(a)(1)(iv)(B)	Reserved	Reserve for future use.
50.55a(h) in part	50.55a(a)(2)	<i>Institute of Electrical and Electronics Engineers (IEEE).</i>	Move from (h) (in part) for compliance with OFR revised guidelines.
50.55a(h) in part	50.55a(a)(2)(i)	<i>IEEE standard 603-1991</i>	Move from (h)(in part) for compliance with OFR revised guidelines.
50.55a(h) in part	50.55a(a)(2)(ii)	<i>IEEE standard 603-1991.</i>	Move from (h)(in part) for compliance with OFR revised guidelines.

<b>Current Regulation</b>	<b>Proposed Regulation</b>	<b>Heading of Proposed Regulation</b>	<b>Description of proposed changes</b>
50.55a(h) in part	50.55a(a)(2)(iii)	<i>IEEE standard 603-1991, correction sheet.</i>	Move from (h)(in part) for compliance with OFR revised guidelines.
50.55a(b) in part	50.55a(a)(3)	<i>U.S. Nuclear Regulatory Commission (NRC) Reproduction and Distribution Services Section.</i>	Revised heading to list all regulatory guides being incorporated by reference.
50.55a(b) in part	50.55a(a)(3)(i)	<i>NRC Regulatory Guide 1.84, Revision 36.</i>	Move from (b) (in part) for compliance with OFR revised guidelines.
50.55a(b)	50.55a(a)(3)(ii)	<i>NRC Regulatory Guide 1.147, Revision 17.</i>	Move from (b)(in part) for compliance with OFR revised guidelines.
50.55a(b)	50.55a(a)(3)(iii)	<i>NRC Regulatory Guide 1.192, Revision 1.</i>	Move from (b) (in part) for compliance with OFR revised guidelines.
50.55a(2)	50.55a(b)	<i>Use and conditions on the use of standards</i>	Move from (a) (in part) for compliance with OFR revised guidelines.
50.55a(b)(1)	50.55a(b)(1)	<i>Conditions on ASME BPV Code Section III.</i>	Add heading as part of reorganization.
50.55a(b)(1)(i)	50.55a(b)(1)(i)	<i>Section III condition: Section III materials.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(1)(ii)	50.55a(b)(1)(ii)	<i>Section III condition: Weld leg dimensions.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(1)(iii)	50.55a(b)(1)(iii)	<i>Section III condition: Seismic design of piping.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(1)(iii)(A)	50.55a(b)(1)(iii)(A)	<i>Seismic design of piping: first provision.</i>	Revise for clarity and easy tracking.
50.55a(b)(1)(iii)(B)	50.55a(b)(1)(iii)(B)	<i>Seismic design of piping: second provision.</i>	Revise for clarity and easy tracking.
50.55a(b)(1)(iv)	50.55a(b)(1)(iv)	<i>Section III condition: Quality assurance.</i>	Revise heading for clarity and easy tracking.
50.55a(b)(1)(v)	50.55a(b)(1)(v)	<i>Section III condition: Independence of inspection.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(1)(vi)	50.55a(b)(1)(vi)	<i>Section III condition: Subsection NH.</i>	Add prefix to heading for clarity and easy tracking.

<b>Current Regulation</b>	<b>Proposed Regulation</b>	<b>Heading of Proposed Regulation</b>	<b>Description of proposed changes</b>
50.55a(b)(1)(vii)	50.55a(b)(1)(vii)	<i>Section III condition: Capacity certification and demonstration of function of incompressible-fluid pressure-relief valves.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(2)	50.55a(b)(2)	<i>Conditions on ASME BPV Code Section XI.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(i)	50.55a(b)(2)(i)	Reserved	No change.
50.55a(b)(2)(ii)	50.55a(b)(2)(ii)	<i>Section XI condition: Pressure-retaining welds in ASME Code Class 1 piping (applies to Table IWB-2500 and IWB-2500-1 and Category B-J).</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(2)(iii)-(v)	50.55a(b)(2)(iii)-(v)	Reserved	No change.
50.55a(b)(2)(vi)	50.55a(b)(2)(vi)	<i>Section XI condition: Effective edition and addenda of Subsection IWE and Subsection IWL.</i>	Revise heading for clarity and easy tracking.
50.55a(b)(2)(vii)	50.55a(b)(2)(vii)	<i>Section XI condition: Section XI references to OM Part 4, OM Part 6, and OM Part 10 (Table IWA-1600-1).</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(2)(viii)	50.55a(b)(2)(viii)	<i>Section XI condition: Concrete containment examinations.</i>	Revise heading for clarity and easy tracking.
50.55a(b)(2)(viii)(A)	50.55a(b)(2)(viii)(A)	<i>Concrete containment examinations: first provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(viii)(B)	50.55a(b)(2)(viii)(B)	<i>Concrete containment examinations: second</i>	Add heading for clarity and easy tracking.

<b>Current Regulation</b>	<b>Proposed Regulation</b>	<b>Heading of Proposed Regulation</b>	<b>Description of proposed changes</b>
50.55a(b)(2)(viii)(C)	50.55a(b)(2)(viii)(C)	<i>Concrete containment examinations: third provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(viii)(D)	50.55a(b)(2)(viii)(D)	<i>Concrete containment examinations: fourth provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(viii)(E)	50.55a(b)(2)(viii)(E)	<i>Concrete containment examinations: fifth provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(viii)(F)	50.55a(b)(2)(viii)(F)	<i>Concrete containment examinations: sixth provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(viii)(G)	50.55a(b)(2)(viii)(G)	<i>Concrete containment examinations: seventh provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(ix)	50.55a(b)(2)(ix)	<i>Section XI condition: Metal containment examinations.</i>	Revise heading for clarity and easy tracking.
50.55a(b)(2)(ix)(A)	50.55a(b)(2)(ix)(A)	<i>Metal containment examinations: first provision.</i>	Add heading descriptor for clarity and easy tracking.
50.55a(b)(2)(ix)(B)	50.55a(b)(2)(ix)(B)	<i>Metal containment examinations: second provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(ix)(C)	50.55a(b)(2)(ix)(C)	<i>Metal containment examinations: third provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(ix)(D)	50.55a(b)(2)(ix)(D)	<i>Metal containment examinations: fourth provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(ix)(E)	50.55a(b)(2)(ix)(E)	<i>Metal containment examinations: fifth provision.</i>	Add heading for clarity and easy tracking.

<b>Current Regulation</b>	<b>Proposed Regulation</b>	<b>Heading of Proposed Regulation</b>	<b>Description of proposed changes</b>
50.55a(b)(2)(ix)(F)	50.55a(b)(2)(ix)(F)	<i>Metal containment examinations: sixth provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(ix)(G)	50.55a(b)(2)(ix)(G)	<i>Metal containment examinations: seventh provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(ix)(H)	50.55a(b)(2)(ix)(H)	<i>Metal containment examinations: eighth provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(ix)(I)	50.55a(b)(2)(ix)(I)	<i>Metal containment examinations: ninth provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(ix)(J)	50.55a(b)(2)(ix)(J)	<i>Metal containment examinations: tenth provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(x)	50.55a(b)(2)(x)	<i>Section XI condition: Quality assurance.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(2)(xi)	50.55a(b)(2)(xi)	Reserved	No change.
50.55a(b)(2)(xii)	50.55a(b)(2)(xii)	<i>Section XI condition: Underwater welding.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(2)(xiii)	50.55a(b)(2)(xiii)	Reserved	No change.
50.55a(b)(2)(xiv)	50.55a(b)(2)(xiv)	<i>Section XI condition: Appendix VIII personnel qualification.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(2)(xv)	50.55a(b)(2)(xv)	<i>Section XI condition: Appendix VIII specimen set and qualification requirements.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(2)(xv)(A)	50.55a(b)(2)(xv)(A)	<i>Specimen set and qualification: first provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(xv)(B)	50.55a(b)(2)(xv)(B)	<i>Specimen set and qualification: second provision.</i>	Add heading for clarity and easy tracking.

<b>Current Regulation</b>	<b>Proposed Regulation</b>	<b>Heading of Proposed Regulation</b>	<b>Description of proposed changes</b>
50.55a(b)(2)(xv)(C)	50.55a(b)(2)(xv)(C)	<i>Specimen set and qualification: third provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(xv)(D)	50.55a(b)(2)(xv)(D)	<i>Specimen set and qualification: fourth provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(xv)(E)	50.55a(b)(2)(xv)(E)	<i>Specimen set and qualification: fifth provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(xv)(F)	50.55a(b)(2)(xv)(F)	<i>Specimen set and qualification: sixth provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(xv)(G)	50.55a(b)(2)(xv)(G)	<i>Specimen set and qualification: seventh provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(xv)(H)	50.55a(b)(2)(xv)(H)	<i>Specimen set and qualification: eighth provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(xv)(I)	50.55a(b)(2)(xv)(I)	<i>Specimen set and qualification: ninth provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(xv)(J)	50.55a(b)(2)(xv)(J)	Reserved	No change.
50.55a(b)(2)(xv)(K)	50.55a(b)(2)(xv)(K)	<i>Specimen set and qualification: eleventh provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(xv)(L)	50.55a(b)(2)(xv)(L)	<i>Specimen set and qualification: twelfth provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(xv)(M)	50.55a(b)(2)(xv)(M)	<i>Specimen set and qualification: thirteenth provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(xvi)	50.55a(b)(2)(xvi)	<i>Section XI condition: Appendix VIII single side ferritic vessel and piping</i>	Add prefix to heading for clarity and easy tracking.



<b>Current Regulation</b>	<b>Proposed Regulation</b>	<b>Heading of Proposed Regulation</b>	<b>Description of proposed changes</b>
		<i>and stainless steel piping examinations.</i>	
50.55a(b)(2)(xvi)(A)	50.55a(b)(2)(xvi)(A)	<i>Ferritic and stainless steel piping examinations: first provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(xvi)(B)	50.55a(b)(2)(xvi)(B)	<i>Ferritic and stainless steel piping examinations: second provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)	50.55a(b)(2)(xvii)	<i>Section XI condition: Reconciliation of quality requirements.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(2)(xvii)	50.55a(b)(2)(xviii)	<i>Section XI condition: NDE personnel certification.</i>	Revise heading for clarity and easy tracking.
50.55a(b)(2)(xviii)(A)	50.55a(b)(2)(xviii)(A)	<i>NDE personnel Certification: first provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(xviii)(B)	50.55a(b)(2)(xviii)(B)	<i>NDE personnel certification: second provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(xviii)(C)	50.55a(b)(2)(xviii)(C)	<i>NDE personnel certification: third provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(xix)	50.55a(b)(2)(xix)	<i>Section XI condition: Substitution of alternative methods.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(2)(xx)	50.55a(b)(2)(xx)	<i>Section XI condition: System leakage tests.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(2)(xx)(A)	50.55a(b)(2)(xx)(A)	<i>System leakage tests: first provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(xx)(B)	50.55a(b)(2)(xx)(B)	<i>System leakage tests: second provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(xxi)	50.55a(b)(2)(xxi)	<i>Section XI condition: Table IWB-2500-1</i>	Add prefix to heading for clarity and easy tracking.

<b>Current Regulation</b>	<b>Proposed Regulation</b>	<b>Heading of Proposed Regulation</b>	<b>Description of proposed changes</b>
		<i>examination requirements.</i>	
50.55a(b)(2)(xxi)(A)	50.55a(b)(2)(xxi)(A)	<i>Table IWB-2500-1 examination requirements: first provision.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(2)(xxi)(B)	50.55a(b)(2)(xxi)(B)	Reserved	No change.
50.55a(b)(2)(xxii)	50.55a(b)(2)(xxii)	<i>Section XI condition: Surface examination.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(2)(xxiii)	50.55a(b)(2)(xxiii)	<i>Section XI condition: Evaluation of thermally cut surfaces.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(2)(xxiv)	50.55a(b)(2)(xxiv)	<i>Section XI condition: Incorporation of the performance demonstration initiative and addition of ultrasonic examination criteria.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(2)(xxv)	50.55a(b)(2)(xxv)	<i>Section XI condition: Mitigation of defects by modification.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(2)(xxvi)	50.55a(b)(2)(xxvi)	<i>Section XI condition: Pressure testing Class 1, 2, and 3 mechanical joints.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(2)(xxvii)	50.55a(b)(2)(xxvii)	<i>Section XI condition: Removal of insulation.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(2)(xxviii)	50.55a(b)(2)(xxviii)	<i>Section XI condition: Analysis of flaws.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(2)(xxix)	50.55a(b)(2)(xxix)	<i>Section XI condition: Nonmandatory Appendix R.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(3)	50.55a(b)(3)	<i>Conditions on ASME OM Code.</i>	Add heading for clarity and easy tracking.

<b>Current Regulation</b>	<b>Proposed Regulation</b>	<b>Heading of Proposed Regulation</b>	<b>Description of proposed changes</b>
50.55a(b)(3)(i)	50.55a(b)(3)(i)	<i>OM condition: Quality assurance.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)	50.55a(b)(3)(ii)	<i>OM condition: Motor Operated Valve (MOV) testing.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(3)(iii)	50.55a(b)(3)(iii)	Reserved	No change.
50.55a(b)(3)(iv)	50.55a(b)(3)(iv)	<i>OM condition: Check valves (Appendix II).</i>	Revise heading for clarity and easy tracking.
50.55a(b)(3)(iv)(A)	50.55a(b)(3)(iv)(A)	<i>Check valves: first provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(3)(iv)(B)	50.55a(b)(3)(iv)(B)	<i>Check valves: second provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(3)(iv)(C)	50.55a(b)(3)(iv)(C)	<i>Check valves: third provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(3)(iv)(D)	50.55a(b)(3)(iv)(D)	<i>Check valves: fourth provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(3)(v)	50.55a(b)(3)(v)	<i>OM condition: Snubbers ISTD.</i>	Add heading for clarity and easy tracking.
50.55a(b)(3)(v)(A)	50.55a(b)(3)(v)(A)	<i>Snubbers: first provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(3)(v)(B)	50.55a(b)(3)(v)(B)	<i>Snubbers: second provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(3)(vi)	50.55a(b)(3)(vi)	<i>OM condition: Exercise interval for manual valves.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(4)	50.55a(b)(4)	<i>Conditions on Design, Fabrication, and Materials Code Cases.</i>	Revise for clarity and easy tracking. Referenced to the revision number for RG 1.84 would be changed from "Revision 35" to "Revision 36."
50.55a(b)(4)(i)	50.55a(b)(4)(i)	<i>Design, Fabrication, and Materials Code Case condition: Applying Code Cases.</i>	Add heading for clarity and easy tracking.
50.55a(b)(4)(ii)	50.55a(b)(4)(ii)	<i>Design, Fabrication, and Materials Code Case condition: Applying</i>	Add heading for clarity and easy tracking.

<b>Current Regulation</b>	<b>Proposed Regulation</b>	<b>Heading of Proposed Regulation</b>	<b>Description of proposed changes</b>
		<i>different revisions of Code Cases.</i>	
50.55a(b)(4)(iii)	50.55a(b)(4)(iii)	<i>Design, Fabrication, and Materials Code Case condition: Applying annulled Code Cases.</i>	Add heading for clarity and easy tracking.
50.55a(b)(5)	50.55a(b)(5)	<i>Conditions on inservice inspection Code Cases.</i>	Revise for clarity and easy tracking. References to the revision number for RG 1.147 would be changed from "Revision 16" to Revision 17."
50.55a(b)(5)(i)	50.55a(b)(5)(i)	<i>ISI Code Case condition: Applying Code Cases.</i>	Add heading for clarity and easy tracking.
50.55a(b)(5)(ii)	50.55a(b)(5)(ii)	<i>ISI Code Case condition: Applying different revisions of Code Cases.</i>	Add heading for clarity and easy tracking.
50.55a(b)(5)(iii)	50.55a(b)(5)(iii)	<i>ISI Code Case condition: Applying annulled Code Cases.</i>	Add heading for clarity and easy tracking.
50.55a(b)(6)	50.55a(b)(6)	<i>Conditions on Operations and Maintenance of Nuclear Power Plants Code Cases.</i>	Revise title for clarity and easy tracking.
50.55a(b)(6)(i)	50.55a(b)(6)(i)	<i>OM Code Case condition: Applying Code Cases.</i>	Add heading for clarity and easy tracking.
50.55a(b)(6)(ii)	50.55a(b)(6)(ii)	<i>OM Code Case condition: Applying different revisions of Code Cases.</i>	Add heading for clarity and easy tracking.
50.55a(b)(6)(iii)	50.55a(b)(6)(iii)	<i>OM Code Case condition: Applying annulled Code Cases.</i>	Add heading for clarity and easy tracking.
50.55a(c)	50.55a(c)	<i>Reactor coolant pressure boundary.</i>	No change in the heading. Added introductory statement to define the scope of this regulation.
50.55a(c)(1)	50.55a(c)(1)	<i>Standards requirement for reactor coolant pressure boundary</i>	Add heading for clarity and easy tracking.

<b>Current Regulation</b>	<b>Proposed Regulation</b>	<b>Heading of Proposed Regulation</b>	<b>Description of proposed changes</b>
50.55a(c)(2)	50.55a(c)(2)	<i>components. Exceptions to reactor coolant pressure boundary standards requirement.</i>	Revise heading for clarity and easy tracking.
50.55a(c)(2)(i)	50.55a(c)(2)(i)	<i>Exceptions: Shutdown and cooling capability.</i>	Add heading for clarity and easy tracking.
50.55a(c)(2)(ii)	50.55a(c)(2)(ii)	<i>Exceptions: Isolation capability.</i>	Add heading for for clarity and easy tracking.
50.55a(c)(3)	50.55a(c)(3)	<i>Applicable Code and Code Cases and conditions on their use.</i>	Add heading for clarity and easy tracking
50.55a(c)(3)(i)	50.55a(c)(3)(i)	<i>Reactor coolant pressure boundary condition: Code edition and addenda.</i>	Add heading for clarity and easy tracking.
50.55a(c)(3)(ii)	50.55a(c)(3)(ii)	<i>Reactor coolant pressure boundary condition: Earliest edition and addenda for pressure vessel.</i>	Add heading for clarity and easy tracking.
50.55a(c)(3)(iii)	50.55a(c)(3)(iii)	<i>Reactor coolant pressure boundary condition: Earliest edition and addenda for piping, pumps, and valves.</i>	Add heading for clarity and easy tracking.
50.55a(c)(3)(iv)	50.55a(c)(3)(iv)	<i>Reactor coolant pressure boundary condition: Use of Code Cases.</i>	Add heading for clarity and easy tracking.
50.55a(c)(4)	50.55a(c)(4)	<i>Standards requirement for components in older plants.</i>	Add heading for clarity and easy tracking.
50.55a(d)	50.55a(d)	<i>Quality Group B components.</i>	No change.

<b>Current Regulation</b>	<b>Proposed Regulation</b>	<b>Heading of Proposed Regulation</b>	<b>Description of proposed changes</b>
50.55a(d)(1)	50.55a(d)(1)	<i>Standards requirement for Quality Group B components.</i>	Add heading for clarity and easy tracking.
50.55a(d)(2)	50.55a(d)(2)	<i>Applicable Code and Code Cases and conditions on their use.</i>	Add heading for clarity and easy tracking.
50.55a(d)(2)(i)	50.55a(d)(2)(i)	<i>Quality Group B condition: Code edition and addenda.</i>	Add heading for clarity and easy tracking.
50.55a(d)(2)(ii)	50.55a(d)(2)(ii)	<i>Quality Group B condition: Earliest edition and addenda for components.</i>	Add heading for clarity and easy tracking.
50.55a(d)(2)(iii)	50.55a(d)(2)(iii)	<i>Quality Group B condition: Use of Code Cases.</i>	Add heading for clarity and easy tracking.
50.55a(e)	50.55a(e)	<i>Quality Group C components.</i>	No change to heading. Add introductory text for clarity.
50.55a(e)(1)	50.55a(e)(1)	<i>Standards requirement for Quality Group C components.</i>	Add heading for clarity and easy tracking.
50.55a(e)(2)	50.55a(e)(2)	<i>Applicable Code and Code Cases and conditions on their use.</i>	Add heading for clarity and easy tracking.
50.55a(e)(2)(i)	50.55a(e)(2)(i)	<i>Quality Group C condition: Code edition and addenda.</i>	Add heading for clarity and easy tracking.
50.55a(e)(2)(ii)	50.55a(e)(2)(ii)	<i>Quality Group C condition: Earliest edition and addenda for components.</i>	Add heading for clarity and easy tracking.
50.55a(e)(2)(iii)	50.55a(e)(2)(iii)	<i>Quality Group C condition: Use of Code Cases.</i>	Add heading for clarity and easy tracking.

<b>Current Regulation</b>	<b>Proposed Regulation</b>	<b>Heading of Proposed Regulation</b>	<b>Description of proposed changes</b>
50.55a(f)	50.55a(f)	<i>Inservice testing requirements.</i>	No change to heading. Revise introductory text for clarity.
50.55a(f)(1)	50.55a(f)(1)	<i>Inservice testing requirements for older plants (pre-1971 CPs).</i>	Add heading for clarity and easy tracking.
50.55a(f)(2)	50.55a(f)(2)	<i>Design and accessibility requirements for performing inservice testing in plants with CPs issued between 1971 and 1974.</i>	Add heading for clarity and easy tracking. References to the revision number for RG 1.147 would be changed from “Revision 16” to “Revision 17.” or Regulatory Guide 1.192, Revision “revision 0” to “Revision 1.”
50.55a(f)(3)	50.55a(f)(3)	<i>Design and accessibility requirements for performing inservice testing in plants with CPs issued after 1974.</i>	Add heading for clarity and easy tracking.
50.55a(f)(3)(i)	50.55a(f)(3)(i)	Reserved	No change.
50.55a(f)(3)(ii)	50.55a(f)(3)(ii)	Reserved	No change.
50.55a(f)(3)(iii)	50.55a(f)(3)(iii)	<i>IST design and accessibility requirements: Class 1 pumps and valves.</i>	Add heading clarity and easy tracking.
50.55a(f)(3)(iii)(A)	50.55a(f)(3)(iii)(A)	<i>Class 1 pumps and valves: first provision.</i>	Add heading for clarity and easy tracking. References to the revision number for RG 1.147 would be changed from “Revision 16” to “Revision 17.”
50.55a(f)(3)(iii)(B)	50.55a(f)(3)(iii)(B)	<i>Class 1 pumps and valves: second provision.</i>	Add heading for clarity and easy tracking.
50.55a(f)(3)(iv)	50.55a(f)(3)(iv)	<i>IST design and accessibility requirements: Class 2 and 3 pumps and valves.</i>	Add heading for clarity and easy tracking.

<b>Current Regulation</b>	<b>Proposed Regulation</b>	<b>Heading of Proposed Regulation</b>	<b>Description of proposed changes</b>
50.55a(f)(3)(iv)(A)	50.55a(f)(3)(iv)(A)	<i>Class 2 and 3 pumps and valves: first provision.</i>	Add heading for clarity and easy tracking.
50.55a(f)(3)(iv)(B)	50.55a(f)(3)(iv)(B)	<i>Class 2 and 3 pumps and valves: second provision.</i>	Add heading for clarity and easy tracking.
50.55a(f)(3)(v)	50.55a(f)(3)(v)	<i>IST design and accessibility requirements: Meeting later IST requirements.</i>	Add heading for clarity and easy tracking.
50.55a(f)(4)	50.55a(f)(4)	<i>Inservice testing standards requirement for operating plants.</i>	Add heading for clarity and easy tracking.
50.55a(f)(4)(i)	50.55a(f)(4)(i)	<i>Applicable IST Code: Initial 120-month interval.</i>	Add heading for clarity and easy tracking.
50.55a(f)(4)(ii)	50.55a(f)(4)(ii)	<i>Applicable IST Code: Successive 120-month intervals.</i>	Add heading for clarity and easy tracking.
50.55a(f)(4)(iii)	50.55a(f)(4)(iii)	Reserved	No change.
50.55a(f)(4)(iv)	50.55a(f)(4)(iv)	<i>Applicable IST Code: Use of later Code editions and addenda.</i>	Add heading for clarity and easy tracking.
50.55a(f)(5)	50.55a(f)(5)	<i>Requirements for updating IST programs.</i>	Add heading for clarity and easy tracking.
50.55a(f)(5)(i)	50.55a(f)(5)(i)	<i>IST program update: Applicable IST Code editions and addenda.</i>	Add heading for clarity and easy tracking.
50.55a(f)(5)(ii)	50.55a(f)(5)(ii)	<i>IST program update: Conflicting IST Code requirements with technical specifications.</i>	Add heading for clarity and easy tracking.
50.55a(f)(5)(iii)	50.55a(f)(5)(iii)	<i>IST program update: Notification of impractical IST Code</i>	Add heading or for clarity and easy tracking.



Current Regulation	Proposed Regulation	Heading of Proposed Regulation	Description of proposed changes
50.55a(f)(5)(iv)	50.55a(f)(5)(iv)	<i>requirements.</i> <i>IST program update: Schedule for completing impracticality determinations.</i>	Add heading for clarity and easy tracking.
50.55a(f)(6)	50.55a(f)(6)	<i>Actions by the Commission for evaluating impractical IST Code requirements.</i>	Add heading for clarity and easy tracking.
50.55a(f)(6)(i)	50.55a(f)(6)(i)	<i>Impractical IST requirements: Granting of relief.</i>	Add heading for clarity and easy tracking.
50.55a(b)	50.55a(f)(6)(ii)	<i>Impractical IST requirements: Augmented IST requirements.</i>	Add heading for clarity and easy tracking.
50.55a(g)	50.55a(g)	<i>Inservice inspection requirements.</i>	No change to heading. Revise introductory text for clarity.
50.55a(g)(1)	50.55a(g)(1)	<i>Inservice inspection requirements for older plants (pre-1971 CPs).</i>	Add heading for clarity and easy tracking.
50.55a(g)(2)	50.55a(g)(2)	<i>Design and accessibility requirements for performing inservice inspection in plants with CPs issued between 1971 and 1974.</i>	Add heading for clarity and easy tracking. References to the revision number for RG 1.147 would be changed from Revision 16” to “Revision 17.”
50.55a(g)(3)	50.55a(g)(3)	<i>Design and accessibility requirements for performing inservice inspection in plants with CPs issued after 1974.</i>	Add heading for clarity and easy tracking.
50.55a(g)(3)(i)	50.55a(g)(3)(i)	<i>ISI design and accessibility requirements: Class 1</i>	Add heading for clarity and easy tracking. References to the revision number for RG 1.147 would be changed from Revision 16” to “Revision 17.”

<b>Current Regulation</b>	<b>Proposed Regulation</b>	<b>Heading of Proposed Regulation</b>	<b>Description of proposed changes</b>
50.55a(g)(3)(ii)	50.55a(g)(3)(ii)	<i>components and supports. ISI design and accessibility requirements: Class 2 and 3 components and supports.</i>	Add heading for clarity and easy tracking. References to the revision number for RG 1.147 would be changed from Revision 16” to “Revision 17.”
50.55a(g)(3)(iii)	50.55a(g)(3)(iii)	Reserved	No change.
50.55a(g)(3)(iv)	50.55a(g)(3)(iv)	Reserved	No change.
50.55a(g)(3)(v)	50.55a(g)(3)(v)	<i>ISI design and accessibility requirements: Meeting later ISI requirements.</i>	Add heading for clarity and easy tracking.
50.55a(g)(4)	50.55a(g)(4)	<i>Inservice inspection standards requirement for operating plants.</i>	Add heading for clarity and easy tracking. 1`
50.55a(g)(4)(i)	50.55a(g)(4)(i)	<i>Applicable ISI Code: Initial 120-month interval.</i>	Add heading for clarity and easy tracking. References to the revision number for RG 1.147 would be changed from Revision 16” to “Revision 17.”
50.55a(g)(4)(ii)	50.55a(g)(4)(ii)	<i>Applicable ISI Code: Successive 120-month intervals.</i>	Add heading for clarity and easy tracking. References to the revision number for RG 1.147 would be changed from Revision 16” to “Revision 17.”
50.55a(b)	50.55a(g)(4)(iii)	<i>Applicable ISI Code: Optional surface examination requirement.</i>	Add heading for clarity and easy tracking.
50.55a(g)(4)(iv)	50.55a(g)(4)(iv)	<i>Applicable ISI Code: Use of subsequent Code editions and addenda.</i>	Add heading for clarity and easy tracking.
50.55a(g)(4)(v)	50.55a(g)(4)(v)	<i>Applicable ISI Code: Metal and concrete containments.</i>	Add heading for clarity and easy tracking.
50.55a(g)(4)(v)(A)	50.55a(g)(4)(v)(A)	<i>Metal and concrete containments: first</i>	Add heading for clarity and easy tracking.

<b>Current Regulation</b>	<b>Proposed Regulation</b>	<b>Heading of Proposed Regulation</b>	<b>Description of proposed changes</b>
50.55a(g)(4)(v)(B)	50.55a(g)(4)(v)(B)	<i>Metal and concrete containments: second provision.</i>	Add heading for clarity and easy tracking.
50.55a(g)(4)(v)(C)	50.55a(g)(4)(v)(C)	<i>Metal and concrete containments: third provision.</i>	Add heading for clarity and easy tracking.
50.55a(g)(5)	50.55a(g)(5)	<i>Requirements for updating ISI programs.</i>	Add heading for clarity and easy tracking.
50.55a(g)(5)(i)	50.55a(g)(5)(i)	<i>ISI program update: Applicable ISI Code editions and addenda.</i>	Add heading for clarity and easy tracking.
50.55a(g)(5)(ii)	50.55a(g)(5)(ii)	<i>ISI program update: Conflicting ISI Code requirements with technical specifications.</i>	Add heading for clarity and easy tracking.
50.55a(g)(5)(iii)	50.55a(g)(5)(iii)	<i>ISI program update: Notification of impractical ISI Code requirements.</i>	Add heading for clarity and easy tracking.
50.55a(g)(5)(iv)	50.55a(g)(5)(iv)	<i>ISI program update: Schedule for completing impracticality determinations.</i>	Add heading for clarity and easy tracking.
50.55a(g)(6)	50.55a(g)(6)	<i>Actions by the Commission for evaluating impractical and augmented ISI Code requirements.</i>	Add heading for clarity and easy tracking.
50.55a(g)(6)(i)	50.55a(g)(6)(i)	<i>Impractical ISI requirements: Granting of relief.</i>	Add heading for clarity and easy tracking.
50.55a(g)(6)(ii)	50.55a(g)(6)(ii)	<i>Augmented ISI program.</i>	Add heading for clarity and easy tracking.

<b>Current Regulation</b>	<b>Proposed Regulation</b>	<b>Heading of Proposed Regulation</b>	<b>Description of proposed changes</b>
50.55a(g)(6)(ii)(A)	50.55a(g)(6)(ii)(A)	Reserved	No change.
50.55a(g)(6)(ii)(B)	50.55a(g)(6)(ii)(B)	<i>Augmented ISI requirements: Submitting containment ISI programs.</i>	Add heading for clarity and easy tracking.
50.55a(g)(6)(ii)(C)	50.55a(g)(6)(ii)(C)	<i>Augmented ISI requirements: Implementation of Appendix VIII to Section XI.</i>	Add heading for clarity and easy tracking.
50.55a(g)(6)(ii)(D)	50.55a(g)(6)(ii)(D)	<i>Augmented ISI requirements: Reactor vessel head inspections.</i>	Add heading for clarity and easy tracking.
50.55a(g)(6)(ii)(D)	50.55a(g)(6)(ii)(D)	<i>Augmented ISI requirements: Reactor coolant pressure boundary visual inspections.</i>	Add heading for clarity and easy tracking.
50.55a(g)(6)(ii)(F)	50.55a(g)(6)(ii)(F)	<i>Augmented ISI requirements: Examination requirements for Class 1 piping and nozzle dissimilar-metal butt welds.</i>	Add heading for clarity and easy tracking.
50.55a(h)	50.55a(h)	<i>Protection and safety systems.</i>	No change to heading. Add introductory text for clarity.
50.55a(h)(1)	50.55a(h)(1)	Reserved	Reserve for future use. Informational content from (h)(1) would be moved to proposed paragraph (a)(2).
50.55a(h)(2)	50.55a(h)(2)	<i>Protection systems.</i>	No change.

Current Regulation	Proposed Regulation	Heading of Proposed Regulation	Description of proposed changes
50.55a(h)(3)	50.55a(h)(3)	<i>Safety systems.</i>	No change.
50.55a	50.55a(i)-(y)	Reserved	Add and reserve for future use.

**Table II- Cross-references of the proposed 10 CFR 50.54, 50.55, and 50.55a regulations vs  
the current 10 CFR 50.54, 50.55, and 50.55a regulations**

<b>Proposed regulation</b>	<b>Current Regulation</b>	<b>Heading of Proposed Regulation</b>	<b>Description of proposed changes</b>
50.54 introductory statement	50.54 Introductory statement	<i>Conditions of licenses.</i>	Revise the introductory statement to include reference to 50.55a.
50.54(ii)	50.54	Reserved	Add and reserve for future use.
50.54(jj)	50.55(a)(1)	NA	Relocate current 50.55a(a)(1) to a newly created paragraph 50.54(jj) enable removal of the current regulation from the current 50.55a(a)(1) in compliance with the OFR revised guidelines.
50.55 introductory statement	50.55 introductory statement	<i>Conditions of construction, early site permits, combined licenses, and manufacturing licenses.</i>	Revise introductory statement to include references to 50.55a.
50.55(g)	NA	Reserved	Add and reserve for future use.
50.55(h)	NA	Reserved	Add and reserve for future use.
50.55a introductory statement	50.55a introductory statement	<i>Codes and standards.</i>	Relocate current 50.55a(a)(1) introductory statement to other paragraphs in 50.54, 50.55, and 50.55a. Relocation is made to make room for incorporation by reference statement per OFR guidelines.
50.55a(a)	50.55a(b)(h)	<i>Documents approved for incorporation by reference.</i>	Incorporation by reference paragraph moved from 50.55a(b) to proposed 50.55a (a). Modify current paragraphs 50.55a(b) through (h) to make conditions clearer. Add heading for clarity and easy tracking
50.55a(a)(1)	50.55a(b)	<i>American Society of Mechanical Engineers (ASME)</i>	Added to group all ASME sections.
50.55a(a)(1)(i)	50.55a(b)(1) (in part)	<i>ASME Boiler and Pressure Vessel Code, Section III.</i>	Move from (b) (in part) for compliance with OFR revised guidelines.
50.55a(a)(1)(i)(A)	50.55a(b)(1) (in part)	<i>"Rules for Construction of Nuclear Vessels: "</i>	Move from (b) (in part) for compliance with OFR revised guidelines. Add heading for clarity.
50.55a(a)(1)(i)(B)	50.55a(b)(1) (in part)	<i>"Rules for Construction of Nuclear Power Plant</i>	Move from (b) (in part) for compliance with OFR revised guidelines. Add heading for clarity.

<b>Proposed regulation</b>	<b>Current Regulation</b>	<b>Heading of Proposed Regulation</b>	<b>Description of proposed changes</b>
		<i>Components:”</i>	
50.55a(a)(1)(i)(C)	50.55a(b)(1) (in part)	<i>“Division 1 Rules for Construction of Nuclear Power Plant Components:”</i>	Move from (b)(1) (in part) for compliance with OFR revised guidelines. Add heading for clarity.
50.55a(a)(1)(i)(D)	50.55a(b)(1) (in part)	<i>“Rules for Construction of Nuclear Power Plant Components - Division 1:”</i>	Move from (b)(1) (in part) for compliance with OFR revised guidelines. Add heading for clarity.
50.55a(a)(1)(i)(E)	50.55a(b)(1) (in part)	<i>“Rules for Construction of Nuclear Facility Components - Division 1:”</i>	Move from (b)(1) (in part) for compliance with OFR revised guidelines. Add heading for clarity.
50.55a(a)(1)(ii)	50.55a(b)(2) (in part)	<i>ASME Boiler and Pressure Vessel Code, Section XI.</i>	Move from (b)(2) (in part) for compliance with OFR revised guidelines.
50.55a(a)(1)(ii)(A)	50.55a(b)(2) (in part)	<i>“Rules for Inservice Inspection of Nuclear Reactor Coolant Systems:”</i>	Move from (b)(2) (in part) for compliance with OFR revised guidelines. Add heading for clarity.
50.55a(a)(1)(ii)(B)	50.55a(b)(2) (in part)	<i>“Rules for Inservice Inspection of Nuclear Power Plant Components:”</i>	Move from (b)(2) (in part) for compliance with OFR revised guidelines. Add heading for clarity.
50.55a(a)(1)(ii)(C)	50.55a(b)(2) (in part)	<i>Rules for Inservice Inspection of Nuclear Power Plant Components - Division 1</i>	Move from (b)(2) (in part) for compliance with OFR revised guidelines. Add heading for clarity.
50.55a(a)(1)(iii)	50.55a(b) (in part)	<i>ASME Code Cases: Nuclear Components</i>	Move from (b)(in part) for compliance with OFR revised guidelines.
50.55a(a)(1)(iii)(A)	50.55a(b)(1) (in part)	<i>ASME Code Case N-722-1.</i>	Move from (b)(1) (in part) for compliance with OFR revised guidelines.
50.55a(a)(1)(iii)(B)	50.55a(b)(1) (in part)	<i>ASME Code Case N-729-1.</i>	Move from (b)(1) (in part) for compliance with OFR revised guidelines.
50.55a(a)(1)(iii)(C)	50.55a(b)(1) (in part)	<i>ASME Code Case N-770-1.</i>	Move from (b)(1) (in part) for compliance with OFR revised guidelines.
50.55a(a)(1)(iv)	50.55a(b)(1) (in part)	<i>ASME Operation and Maintenance Code.</i>	Move from (b)(3) (in part) for compliance with OFR revised guidelines.
50.55a(a)(1)(iv)(A)	50.55a(b)(3) (in part)	<i>Code for Operation and Maintenance of Nuclear Power Plants</i>	Move from (b)(1) (in part) for compliance with OFR revised guidelines.

Proposed regulation	Current Regulation	Heading of Proposed Regulation	Description of proposed changes
50.55a(a)(1)(iv)(B)	-----	Reserved	Reserve for future use.
50.55a(a)(2)	50.55a(b)(1) (in part)	<i>Institute of Electrical and Electronics Engineers (IEEE) Service Center</i>	Move from (h) (in part) for compliance with OFR revised guidelines.
50.55a(a)(2)(i)	50.55a(h)(1) (in part)	<i>IEEE standard 279-1991.</i>	Move from (h)(1) for compliance with OFR revised guidelines.
50.55a(a)(2)(ii)	50.55a(h)(2) (in part)	<i>IEEE standard 603-1991</i>	Move from (h)(2) for compliance with OFR revised guidelines.
50.55a(a)(2)(iii)	50.55a(h)(2) (in part)	<i>IEEE standard 603-1991 Correction Sheet</i>	Move from (h)(2) for compliance with OFR revised guidelines.
50.55a(a)(3)	50.55a(b)(1) (in part)	<i>U.S. Nuclear Regulatory Commission (NRC) Reproduction and Distribution Service Section</i>	Revised heading to list all Regulatory Guides in one place.
50.55a(a)(3)(i)	50.55a(b)(1) (in part)	<i>NRC Regulatory Guide 1.84, Revision 36.</i>	Move from (b) (in part) for compliance with OFR revised guidelines.
50.55a(a)(3)(ii)	50.55a(b)(1) (in part)	<i>NRC Regulatory Guide 1.147, Revision 17.</i>	Move from (b) (in part) for compliance with OFR revised guidelines.
50.55a(a)(3)(iii)	50.55a(b)(1) (in part)	<i>NRC Regulatory Guide 1.192, Revision 1.</i>	Move from (b) (in part) for compliance with OFR revised guidelines.
50.55a(b)	50.55a(b)	<i>Use and conditions on the use of standards.</i>	Revise heading as part of reorganization.
50.55a(b)(1)	50.55a(b)(1)	<i>Conditions on ASME BPV Code Section III.</i>	Add heading as part of reorganization.
50.55a(b)(1)(i)	50.55a(b)(1)(i)	<i>Section III condition: Section III materials.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(1)(ii)	50.55a(b)(1)(ii)	<i>Section III condition: Weld leg dimensions.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(1)(iii)	50.55a(b)(1)(iii)	<i>Section III condition: Seismic design of piping.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(1)(iii)(A)	50.55a(b)(1)(iii)(A)	<i>Seismic design of piping: first provision.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(1)(iii)(B)	50.55a(b)(1)(iii)(B)	<i>Seismic design of piping: second</i>	Revise heading for clarity and easy tracking.



Proposed regulation	Current Regulation	Heading of Proposed Regulation	Description of proposed changes
		<i>provision.</i>	
50.55a(b)(1)(iv)	50.55a(b)(1)(iv)	<i>Section III condition: Quality assurance.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(1)(v)	50.55a(b)(1)(v)	<i>Section III condition: Independence of inspection.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(1)(vi)	50.55a(b)(1)(vi)	<i>Section III condition: Subsection NH.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(1)(vii)	50.55a(b)(1)(vii)	<i>Section III condition: Capacity certification and demonstration of function of incompressible-fluid pressure-relief valves.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(2)	50.55a(b)(2)	<i>Conditions on ASME BPV Code Section XI.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(i)	50.55a(b)(2)(i)	Reserved	No change.
50.55a(b)(2)(ii)	50.55a(b)(2)(ii)	<i>Section XI condition: Pressure-retaining welds in ASME Code Class 1 piping (applies to Table IWB-2500 and IWB-2500-1 and Category B-).</i>	Revise heading for clarity and easy tracking.
50.55a(b)(2)(iii)	50.55a(b)(2)(iii)	Reserved	No change.
50.55a(b)(2)(iv)	50.55a(b)(2)(iv)	Reserved	No change.
50.55a(b)(2)(v)	50.55a(b)(2)(v)	Reserved	No change.
50.55a(b)(2)(vi)	50.55a(b)(2)(vi)	<i>Section XI condition: Effective edition and addenda of Subsection IWE and Subsection IWL.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(2)(vii)	50.55a(b)(2)(vii)	<i>Section XI condition: Section XI references to OM Part 4, OM Part 6, and OM Part 10 (Table IWA-1600-1).</i>	Revise heading for clarity and easy tracking.
50.55a(b)(2)(viii)	50.55a(b)(2)(viii)	<i>Section XI condition: Concrete containment examinations.</i>	Revise heading for clarity and easy tracking.
50.55a(b)(2)(viii)(A)	50.55a(b)(2)(viii)(A)	<i>Concrete containment examinations: first provision.</i>	Add heading for clarity and easy tracking.

<b>Proposed regulation</b>	<b>Current Regulation</b>	<b>Heading of Proposed Regulation</b>	<b>Description of proposed changes</b>
50.55a(b)(2)(viii)(B)	50.55a(b)(2)(viii)(B)	<i>Concrete containment examinations: second provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(viii)(C)	50.55a(b)(2)(viii)(C)	<i>Concrete containment examinations: third provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(viii)(D)	50.55a(b)(2)(viii)(D)	<i>Concrete containment examinations: fourth provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(viii)(E)	50.55a(b)(2)(viii)(E)	<i>Concrete containment examinations: fifth provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(viii)(F)	50.55a(b)(2)(viii)(F)	<i>Concrete containment examinations: sixth provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(viii)(G)	50.55a(b)(2)(viii)(G)	<i>Concrete containment examinations: seventh provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(ix)	50.55a(b)(2)(ix)	<i>Section XI condition: Metal containment examinations.</i>	Revise heading for clarity and easy tracking.
50.55a(b)(2)(ix)(A)	50.55a(b)(2)(ix)(A)	<i>Metal containment examinations: first provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(ix)(B)	50.55a(b)(2)(ix)(B)	<i>Metal containment examinations: second provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(ix)(C)	50.55a(b)(2)(ix)(C)	<i>Metal containment examinations: third provision.</i>	Add heading criptor for clarity and easy tracking.
50.55a(b)(2)(ix)(D)	50.55a(b)(2)(ix)(D)	<i>Metal containment examinations: fourth provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(ix)(E)	50.55a(b)(2)(ix)(E)	<i>Metal containment examinations: fifth provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(ix)(F)	50.55a(b)(2)(ix)(F)	<i>Metal containment examinations: sixth provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(ix)(G)	50.55a(b)(2)(ix)(G)	<i>Metal containment examinations: seventh provision.</i>	Revise heading for clarity and easy tracking.
50.55a(b)(2)(ix)(H)	50.55a(b)(2)(ix)(H)	<i>Metal containment examinations: eighth provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(ix)(I)	50.55a(b)(2)(ix)(I)	<i>Metal containment examinations: ninth provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(ix)(J)	50.55a(b)(2)(ix)(J)	<i>Metal containment examinations: tenth provision.</i>	Add heading for clarity and easy tracking.

<b>Proposed regulation</b>	<b>Current Regulation</b>	<b>Heading of Proposed Regulation</b>	<b>Description of proposed changes</b>
50.55a(b)(2)(x)	50.55a(b)(2)(x)	<i>Section XI condition: Quality assurance.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(2)(xi)	50.55a(b)(2)(xi)	Reserved	No change.
50.55a(b)(2)(xii)	50.55a(b)(2)(xii)	<i>Section XI condition: Underwater welding.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(2)(xiii)	50.55a(b)(2)(xiii)	Reserved	No change.
50.55a(b)(2)(xiv)	50.55a(b)(2)(xiv)	<i>Section XI condition: Appendix VIII personnel qualification.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(2)(xv)	50.55a(b)(2)(xv)	<i>Section XI condition: Appendix VIII specimen set and qualification requirements.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(2)(xv)(A)	50.55a(b)(2)(xv)(A)	<i>Specimen set and qualification: first provision.</i>	Add heading clarity and easy tracking.
50.55a(b)(2)(xv)(B)	50.55a(b)(2)(xv)(B)	<i>Specimen set and qualification: second provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(xv)(C)	50.55a(b)(2)(xv)(C)	<i>Specimen set and qualification: third provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(xv)(D)	50.55a(b)(2)(xv)(D)	<i>Specimen set and qualification: fourth provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(xv)(E)	50.55a(b)(2)(xv)(E)	<i>Specimen set and qualification: fifth provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(xv)(F)	50.55a(b)(2)(xv)(F)	<i>Specimen set and qualification: sixth provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(xv)(G)	50.55a(b)(2)(xv)(G)	<i>Specimen set and qualification: seventh provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(xv)(H)	50.55a(b)(2)(xv)(H)	<i>Specimen set and qualification: eighth provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(xv)(I)	50.55a(b)(2)(xv)(I)	<i>Specimen set and qualification: ninth provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(xv)(J)	50.55a(b)(2)(xv)(J)	Reserved	No change.
50.55a(b)(2)(xv)(K)	50.55a(b)(2)(xv)(K)	<i>Specimen set and qualification: eleventh provision.</i>	Add heading for clarity and easy tracking.

<b>Proposed regulation</b>	<b>Current Regulation</b>	<b>Heading of Proposed Regulation</b>	<b>Description of proposed changes</b>
50.55a(b)(2)(xv)(L)	50.55a(b)(2)(xv)(L)	<i>Specimen set and qualification: twelfth provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(xv)(M)	50.55a(b)(2)(xv)(M)	<i>Specimen set and qualification: thirteenth provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(xvi)	50.55a(b)(2)(xvi)	<i>Section XI condition: Appendix VIII single side ferritic vessel and piping and stainless steel piping examinations.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(2)(xvi)(A)	50.55a(b)(2)(xvi)(A)	<i>Ferritic and stainless steel piping examinations: first provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(xvi)(B)	50.55a(b)(2)(xvi)(B)	<i>Ferritic and stainless steel piping examinations: second provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(xvii)	50.55a(b)(2)(xvii)	<i>Section XI condition: Reconciliation of quality requirements.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(2)(xviii)	50.55a(b)(2)(xviii)	<i>Section XI condition: NDE personnel Certification.</i>	Revise heading for clarity and easy tracking.
50.55a(b)(2)(xviii)(A)	50.55a(b)(2)(xviii)(A)	<i>NDE personnel certification: first provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(xviii)(B)	50.55a(b)(2)(xviii)(B)	<i>NDE personnel certification: second provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(xviii)(C)	50.55a(b)(2)(xviii)(C)	<i>NDE personnel Certification: third provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(xix)	50.55a(b)(2)(xix)	<i>Section XI condition: Substitution of alternative methods.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(2)(xx)	50.55a(b)(2)(xx)	<i>Section XI condition: System leakage tests.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(2)(xx)(A)	50.55a(b)(2)(xx)(A)	<i>System leakage tests: first provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(xx)(B)	50.55a(b)(2)(xx)(B)	<i>System leakage tests: second provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(2)(xxi)	50.55a(b)(2)(xxi)	<i>Section XI condition: Table IWB-2500-1 examination requirements.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(2)(xxi)(A)	50.55a(b)(2)(xxi)(A)	<i>Table IWB-2500-1 examination</i>	Add heading for clarity and easy tracking.

Proposed regulation	Current Regulation	Heading of Proposed Regulation	Description of proposed changes
		<i>requirements: first provision.</i>	
50.55a(b)(2)(xxi)(B)	50.55a(b)(2)(xxi)(B)	Reserved	No change.
50.55a(b)(2)(xxii)	50.55a(b)(2)(xxii)	<i>Section XI condition: Surface examination.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(2)(xxiii)	(b)(2)(xxiii)	<i>Section XI condition: Evaluation of thermally cut surfaces.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(2)(xxiv)	50.55a(b)(2)(xxiv)	<i>Section XI condition: Incorporation of the performance demonstration initiative and addition of ultrasonic examination criteria.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(2)(xxv)	50.55a(b)(2)(xxv)	<i>Section XI condition: Mitigation of defects by modification.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(2)(xxvi)	50.55a(b)(2)(xxvi)	<i>Section XI condition: Pressure testing of Class 1, 2, and 3 mechanical joints.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(2)(xxvii)	50.55a(b)(2)(xxvii)	<i>Section XI conditions: Removal of insulation.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(2)(xxviii)	(b)(2)(xxviii)	<i>Section XI condition: Analysis of flaws.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(2)(xxix)	(b)(2)(xxix)	<i>Section XI condition: Nonmandatory Appendix R.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(3)	50.55a(b)(3)	<i>Conditions on ASME OM Code.</i>	Add heading for clarity and easy tracking.
50.55a(b)(3)(i)	(b)(3)(i)	<i>OM condition: Quality assurance.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(3)(ii)	(b)(3)(ii)	<i>OM condition: Motor Operated-Valve (MOV) testing.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(3)(iii)	50.55a (b)(3)(iii)	Reserved	No change.
50.55a(b)(3)(iv)	50.55a(b)(3)(iv)	<i>OM condition: Check valves (Appendix II).</i>	Revise heading for clarity and easy tracking.
50.55a(b)(3)(iv)(A)	50.55a(b)(3)(iv)(A)	<i>Check valves: first provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(3)(iv)(B)	50.55a(b)(3)(iv)(B)	<i>Check valves: second provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(3)(iv)(C)	50.55a(b)(3)(iv)(C)	<i>Check valves: third provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(3)(iv)(D)	50.55a(b)(3)(iv)(D)	<i>Check valves: fourth provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(3)(v)	50.55a(b)(3)(v)	<i>OM condition: Snubbers ISTD.</i>	Revised heading for clarity and easy tracking.

<b>Proposed regulation</b>	<b>Current Regulation</b>	<b>Heading of Proposed Regulation</b>	<b>Description of proposed changes</b>
50.55a(b)(3)(v)(A)	50.55a(b)(3)(v)(A)	<i>Smubbers: first provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(3)(v)(B)	50.55a(b)(3)(v)(B)	<i>Smubbers: second provision.</i>	Add heading for clarity and easy tracking.
50.55a(b)(3)(vi)	50.55a(b)(3)(vi)	<i>OM condition: Exercise interval for manual valves.</i>	Add prefix to heading for clarity and easy tracking.
50.55a(b)(4)	50.55a(b)(4)	<i>Conditions on Design, Fabrication, and Materials Code Cases.</i>	Revise heading for clarity and easy tracking.
50.55a(b)(4)(i)	50.55a(b)(4)(i)	<i>Design, Fabrication, and Materials Code Case condition: Applying Code Cases.</i>	Add heading for clarity and easy tracking.
50.55a(b)(4)(ii)	50.55a (b)(4)(ii)	<i>Design, Fabrication, and Materials Code Case condition: Applying different revisions of Code Cases.</i>	Add heading for clarity and easy tracking.
50.55a(b)(4)(iii)	50.55a(b)(4)(iii)	<i>Design, Fabrication, and Materials Code Case condition: Applying annulled Code Cases.</i>	Add heading for clarity and easy tracking.
50.55a(b)(5)	50.55a (b)(5)	<i>Conditions on in-service inspection Code Cases.</i>	Revise heading for clarity and easy tracking.
50.55a(b)(5)(i)	50.55a (b)(5)(i)	<i>ISI Code Case condition: Applying Code Cases.</i>	Add heading for clarity and easy tracking.
50.55a(b)(5)(ii)	50.55a(b)(5)(ii)	<i>ISI Code Case condition: Applying different revisions of Code Cases.</i>	Add heading for clarity and easy tracking.
50.55a(b)(5)(iii)	50.55a(b)(5)(iii)	<i>ISI Code Case condition: Applying annulled Code Cases.</i>	Add heading for clarity and easy tracking.
50.55a(b)(6)	50.55a(b)(6)	<i>Conditions on Operations and Maintenance of Nuclear Power Plants Code Cases.</i>	Revise heading for clarity and easy tracking.
50.55a(b)(6)(i)	50.55a(b)(6)(i)	<i>OM Code Case condition: Applying Code Cases.</i>	Add heading for clarity and easy tracking.

<b>Proposed regulation</b>	<b>Current Regulation</b>	<b>Heading of Proposed Regulation</b>	<b>Description of proposed changes</b>
50.55a(b)(6)(ii)	50.55a(b)(6)(ii)	<i>OM Code Case conditions: Applying different revisions of Code Cases.</i>	Add heading for clarity and easy tracking.
50.55a(b)(6)(iii)	50.55a(b)(6)(iii)	<i>OM Code Case conditions: Applying annulled Code Cases.</i>	Add heading for clarity and easy tracking.
50.55a(c)	50.55a(c)	<i>Reactor Coolant Pressure Boundary.</i>	No change.
50.55a(c)(1)	50.55a(c)(1)	<i>Standards requirement for reactor coolant pressure boundary components.</i>	Add heading for clarity and easy tracking.
50.55a(c)(2)	50.55a (c)(2)	<i>Exceptions to reactor coolant pressure boundary standards requirement.</i>	Add heading for clarity and easy tracking.
50.55a(c)(2)(i)	50.55a (c)(2)(i)	<i>Exceptions: Shutdown and cooling capability.</i>	Add heading for clarity and easy tracking.
50.55a(c)(2)(ii)	50.55a (c)(2)(ii)	<i>Exceptions: Isolation capability.</i>	Add heading for clarity and easy tracking.
50.55a(c)(3)	50.55a (c)(3)	<i>Applicable Code and Code Cases and conditions on their use.</i>	Add heading for clarity and easy tracking.
50.55a(c)(3)(i)	50.55a (c)(3)(i)	<i>Reactor coolant pressure boundary condition: Code edition and addenda.</i>	Add heading for clarity and easy tracking.
50.55a(c)(3)(ii)	50.55a (c)(3)(ii)	<i>Reactor coolant pressure boundary condition: Earliest edition and addenda for pressure vessel.</i>	Add heading for clarity and easy tracking.
50.55a(c)(3)(iii)	50.55a(c)(3)(iii)	<i>Reactor coolant pressure boundary condition: Earliest edition and addenda for piping, pumps, and valves.</i>	Add heading for clarity and easy tracking.
50.55a(c)(3)(iv)	50.55a(c)(3)(iv)	<i>Reactor coolant pressure boundary condition: Use of Code Cases.</i>	Add heading for clarity and easy tracking.

<b>Proposed regulation</b>	<b>Current Regulation</b>	<b>Heading of Proposed Regulation</b>	<b>Description of proposed changes</b>
50.55a(c)(4)	50.55a(c)(4)	<i>Standards requirement for components in older plants.</i>	Add heading for clarity and easy tracking.
50.55a(d)	50.55a(d)	<i>Quality Group B components</i>	No change to heading. Add introductory text for clarity.
50.55a(d)(1)	50.55a(d)(1)	<i>Standards requirement for Quality Group B components.</i>	Add heading for clarity and easy tracking.
50.55a(d)(2)	50.55a(d)(2)	<i>Applicable Code and Code Cases and conditions on their use.</i>	Add heading for clarity and easy tracking.
50.55a(d)(2)(i)	(d)(2)(i)	<i>Quality Group B condition: Code edition and addenda.</i>	Add heading for clarity and easy tracking.
50.55a(d)(2)(ii)	(d)(2)(ii)	<i>Quality Group B condition: Earliest edition and addenda for components.</i>	Add heading for clarity and easy tracking.
50.55a(d)(2)(iii)	(d)(2)(iii)	<i>Quality Group B condition: Use of Code Cases.</i>	Add heading for clarity and easy tracking.
50.55a(e)	50.55a(e)	<i>Quality Group C components.</i>	No change to heading. Add introductory text for clarity.
50.55a(e)(1)	50.55a(e)(1)	<i>Standards requirement for Quality Group C components.</i>	Add heading for clarity and easy tracking.
50.55a(e)(2)	50.55a(e)(2)	<i>Applicable Code and Code Cases and conditions on their use.</i>	Add heading for clarity and easy tracking.
50.55a(e)(2)(i)	50.55a(e)(2)(i)	<i>Quality Group C condition: Code edition and addenda.</i>	Add heading for clarity and easy tracking.
50.55a(e)(2)(ii)	50.55a(e)(2)(ii)	<i>Quality Group C condition: Earliest edition and addenda for components.</i>	Add heading for clarity and easy tracking.
50.55a(e)(2)(iii)	50.55a(e)(2)(iii)	<i>Quality Group C condition: Use of Code Cases.</i>	Add heading for clarity and easy tracking.
50.55a(f)	50.55a(f)	<i>Inservice testing requirements.</i>	No change to heading. Revise introductory text for clarity.
50.55a(f)(1)	50.55a(f)(1)	<i>Inservice testing requirements for older plants (pre-1971 CPs).</i>	Add heading for clarity and easy tracking.
50.55a(f)(2)	50.55a(f)(2)	<i>Design and accessibility requirements for performing inservice testing in plants with CPs issued between 1971 and</i>	Add heading for clarity and easy tracking. Add introductory text for clarity.



Proposed regulation	Current Regulation	Heading of Proposed Regulation	Description of proposed changes
50.55a(f)(3)	50.55a(f)(3)	1974. <i>Design and accessibility requirements for performing inservice testing in plants with CPs issued after 1974.</i>	Add heading and 2nd level descriptor for clarity and easy tracking.
50.55a(f)(3)(i)	50.55a(f)(3)(i)	R	No change.
50.55a(f)(3)(ii)	50.55a (f)(3)(ii)	Reserved	No change.
50.55a(f)(3)(iii)	50.55a (f)(3)(iii)	<i>IST design and accessibility requirements: Class 1 pumps and valves.</i>	Add heading for clarity and easy tracking.
50.55a(f)(3)(iii)(A)	50.55a(f)(3)(iii)(A)	<i>Class 1 pumps and valves: first provision.</i>	Add heading for clarity and easy tracking.
50.55a(f)(3)(iii)(B)	50.55a(f)(3)(iii)(B)	<i>Class 1 pumps and valves: second provision.</i>	Add heading for clarity and easy tracking.
50.55a(f)(3)(iv)	50.55a (f)(3)(iv)	<i>IST design and accessibility requirements: Class 2 and 3 pumps and valves.</i>	Add heading for clarity and easy tracking.
50.55a(f)(3)(iv)(A)	50.55a(f)(3)(iv)(A)	<i>Class 2 and 3 pumps and valves: first provision.</i>	Add heading for clarity and easy tracking.
50.55a(f)(3)(iv)(B)	50.55a(f)(3)(iv)(B)	<i>Class 2 and 3 pumps and valves: second provision.</i>	Add heading for clarity and easy tracking.
50.55a(f)(3)(v)	50.55a (f)(3)(v)	<i>IST design and accessibility requirements: Meeting later IST requirements.</i>	Add heading for clarity and easy tracking.
50.55a(f)(4)	50.55a(f)(4)	<i>Inservice testing standards requirement for operating plants.</i>	Add heading for clarity and easy tracking.
50.55a(f)(4)(i)	50.55a(f)(4)(i)	<i>Applicable IST Code: Initial 120-month interval.</i>	Add heading for clarity and easy tracking.
50.55a(f)(4)(ii)	50.55a(f)(4)(ii)	<i>Applicable IST Code: Successive 120-month intervals.</i>	Add heading for clarity and easy tracking.
50.55a(f)(4)(iii)	50.55a(f)(4)(iii)	Reserved.	No change.
50.55a(f)(4)(iv)	50.55a(f)(4)(iv)	<i>Applicable IST Code: Use of later Code editions and addenda.</i>	Add heading for clarity and easy tracking.
50.55a(f)(5)	50.55a(f)(5)	<i>Requirement for updating IST</i>	Add heading for clarity and easy tracking.

Proposed regulation	Current Regulation	Heading of Proposed Regulation	Description of proposed changes
50.55a(f)(5)(i)	(f)(5)(i)	<i>programs.</i>	
50.55a(f)(5)(ii)	(f)(5)(ii)	<i>IST program update: Applicable IST Code editions and addenda.</i>	Add heading for clarity and easy tracking.
50.55a(f)(5)(iii)	(f)(5)(iii)	<i>IST program update: Conflicting IST Code requirements with technical specifications.</i>	Add heading for clarity and easy tracking.
50.55a(f)(5)(iv)	(f)(5)(iv)	<i>IST program update: Notification of impractical IST Code requirements.</i>	Add heading for clarity and easy tracking.
50.55a(f)(6)	50.55a(f)(6)	<i>IST program update: Schedule for completing impracticality determinations.</i>	Add heading for clarity and easy tracking.
50.55a(f)(6)(i)	50.55a(f)(6)(i)	<i>Actions by the Commission for evaluating impractical IST Code requirements.</i>	Add heading for clarity and easy tracking.
50.55a(f)(6)(ii)	50.55a(f)(6)(ii)	<i>Impractical IST requirements: Granting of relief.</i>	Add heading for clarity and easy tracking.
50.55a(g)	50.55a(g)	<i>Impractical IST requirements: Augmented IST requirements.</i>	Add heading for clarity and easy tracking.
50.55a(g)(1)	50.55a(g)(1)	<i>Inservice inspection requirements for older plants (pre-1971 CPs).</i>	No change to heading. Revise introductory text for clarity.
50.55a(g)(2)	50.55a(g)(2)	<i>Design and accessibility requirements for performing inservice inspection in plants with CPs issued between 1971 and 1974.</i>	Add heading for clarity and easy tracking.
50.55a(g)(3)	50.55a(g)(3)	<i>Design and accessibility requirements for performing inservice inspection in plants with CPs issued after 1974.</i>	Add heading for clarity and easy tracking.
50.55a(g)(3)(i)	50.55a(g)(3)(i)	<i>ISI design and accessibility requirements: Class I</i>	Add heading for clarity and easy tracking.

<b>Proposed regulation</b>	<b>Current Regulation</b>	<b>Heading of Proposed Regulation</b>	<b>Description of proposed changes</b>
50.55a(g)(3)(ii)	50.55a(g)(3)(ii)	<i>components and supports.</i>	
50.55a(g)(3)(iii)	50.55a(g)(3)(iii)	<i>ISI design and accessibility requirements: Class 2 and 3 components and supports.</i>	Add heading for clarity and easy tracking.
50.55a(g)(3)(iv)	50.55a(g)(3)(iv)	Reserved	No change.
50.55a(g)(3)(v)	50.55a(g)(3)(v)	Reserved	No change.
50.55a(g)(4)	50.55a(g)(4)	<i>ISI design and accessibility requirements: Meeting later ISI requirements.</i>	Add heading for clarity and easy tracking.
50.55a(g)(4)(i)	50.55a(g)(4)(i)	<i>Inservice inspection standards requirement for operating plants.</i>	Add heading for clarity and easy tracking.
50.55a(g)(4)(ii)	50.55a(g)(4)(ii)	<i>Applicable ISI Code: Initial 120-month interval.</i>	Add heading for clarity and easy tracking.
50.55a(g)(4)(iii)	50.55a(g)(4)(iii)	<i>Applicable ISI Code: Successive 120-month intervals.</i>	Add heading for clarity and easy tracking.
50.55a(g)(4)(iv)	50.55a(g)(4)(iv)	<i>Applicable ISI Code: Optional surface examination requirement.</i>	Add heading for clarity and easy tracking.
50.55a(g)(4)(v)	50.55a(g)(4)(v)	<i>Applicable ISI Code: Metal and concrete containments.</i>	Add heading for clarity and easy tracking.
50.55a(g)(4)(v)(A)	50.55a(g)(4)(v)(A)	<i>Metal and concrete containments: first provision.</i>	Add heading for clarity and easy tracking.
50.55a(g)(4)(v)(B)	50.55a(g)(4)(v)(B)	<i>Metal and concrete containments: second provision.</i>	Add heading for clarity and easy tracking.
50.55a(g)(4)(v)(C)	50.55a(g)(4)(v)(C)	<i>Metal and concrete containments: third provision.</i>	Add heading for clarity and easy tracking.
50.55a(g)(5)	50.55a(g)(5)	<i>Requirements for updating ISI programs.</i>	Add heading for clarity and easy tracking.
50.55a(g)(5)(i)	50.55a(g)(5)(i)	<i>ISI program update: Applicable ISI Code editions and addenda.</i>	Add heading for clarity and easy tracking.

<b>Proposed regulation</b>	<b>Current Regulation</b>	<b>Heading of Proposed Regulation</b>	<b>Description of proposed changes</b>
50.55a(g)(5)(ii)	50.55a(g)(5)(ii)	<i>ISI program update: Conflicting ISI Code requirements with technical specifications.</i>	Add heading for clarity and easy tracking.
50.55a(g)(5)(iii)	50.55a(g)(5)(iii)	<i>ISI program update: Notification of impractical ISI Code requirements.</i>	Add heading for clarity and easy tracking.
50.55a(g)(5)(iv)	50.55a(g)(5)(iv)	<i>ISI program update: Schedule for completing impracticality determinations.</i>	Add heading for clarity and easy tracking.
50.55a(g)(6)	50.55a(g)(6)	<i>Actions by the Commission for evaluating impractical and augmented ISI Code requirements.</i>	Add heading for clarity and easy tracking.
50.55a(g)(6)(i)	50.55a(g)(6)(i)	<i>Impractical ISI requirements: Granting of relief.</i>	Add heading for clarity and easy tracking.
50.55a(g)(6)(ii)	50.55a(g)(6)(ii)	<i>Augmented ISI program.</i>	Add heading for clarity and easy tracking.
50.55a(g)(6)(ii)(A)	50.55a(g)(6)(ii)(A)	Reserved.	No Change.
50.55a(g)(6)(ii)(B)	50.55a(g)(6)(ii)(B)	<i>Augmented ISI requirements: Submitting containment ISI programs.</i>	Add heading for clarity and easy tracking.
50.55a(g)(6)(ii)(C)	50.55a(g)(6)(ii)(C)	<i>Augmented ISI requirements: Implementation of Appendix VIII to Section XI.</i>	Add heading for clarity and easy tracking.
50.55a(g)(6)(ii)(D)	50.55a(g)(6)(ii)(D)	<i>Augmented ISI requirements: Reactor vessel head inspections.</i>	Add heading for clarity and easy tracking.
50.55a(g)(6)(ii)(E)	50.55a(g)(6)(ii)(E)	<i>Augmented ISI requirements: Reactor coolant pressure boundary visual inspections.</i>	Add heading
50.55a(g)(6)(ii)(F)	50.55a(g)(6)(ii)(F)	<i>Augmented ISI requirements: Examination requirements for Class 1 piping and nozzle dissimilar-metal butt welds.</i>	Add heading

<b>Proposed regulation</b>	<b>Current Regulation</b>	<b>Heading of Proposed Regulation</b>	<b>Description of proposed changes</b>
50.55a(i-y)	NA	Reserved	Add and Reserve for future use.
50.55a(z)	50.55a(a)(3)	<i>Alternatives to codes and standards requirements.</i>	Move from 50.55a(a)(3)(i) to 50.55a(z)(1) for compliance with OFR guidelines of IBR of multiple standards. Add headings for clarity and easy tracking.
50.55a(z)(1)	50.55a(a)(3)(i)	<i>Acceptable level of quality and safety.</i>	Move from 50.55a(a)(3)(i) to 50.55a(z)(1) for compliance with OFR guidelines of IBR of multiple standards. Add headings for clarity and easy tracking.
50.55a(z)(2)	50.55a(a)(3)(ii)	<i>Hardship without a compensating increase in quality and safety.</i>	Move from 50.55a(a)(3)(ii) to 50.55a(z)(1) for compliance with OFR guidelines of IBR of multiple standards. Add headings for clarity and easy tracking.