

October 18, 2012

Robert G. Smith, P.E.
Site Vice PresidentATTN: Document Control Desk
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001SUBJECT: Pilgrim Nuclear Power Station (PNPS) Followup to Completion of
Activities to Support Entry into the Period of Extended Operation
Entergy Nuclear Operations Inc.
Pilgrim Nuclear Power Station
Docket No. 50-293
License No. DPR-35

- REFERENCE: 1. NRC Letter dated June 28, 2007, "Safety Evaluation Report
-
- Related to the License Renewal of Pilgrim Nuclear Power Station"
-
- (PNPS Letter 1.07.089)
-
2. NRC Letter dated May 29, 2012, "Issuance of Renewed Facility
-
- Operating License No. DPR-35 for the Pilgrim Nuclear Power
-
- Station" (PNPS Letter 1.12.032)
-
3. Entergy Letter to NRC dated June 8, 2012, "Pilgrim Nuclear
-
- Power Station (PNPS) Completion of Activities to Support Entry
-
- into the Period of Extended Operation", (PNPS 2.12.047)
-
4. Entergy Letter to NRC dated January 7, 2011, "Pilgrim Nuclear
-
- Power Station (PNPS) License Renewal Application (LRA)
-
- Supplemental Information", (PNPS 2.11.001)

LETTER NUMBER 2.12.070

Dear Sir or Madam:

References 1 and 4 identified the commitments that were required to be completed prior to Pilgrim Nuclear Power Station (PNPS) entering into the period of extended operation (PEO) on June 8, 2012. License Condition 8 of the Renewed Facility Operating License in Reference 2 states that Entergy Nuclear Operations, Inc. (Entergy) shall notify the NRC in writing when implementation of these activities is complete.

Reference 3 provided notification that Entergy had completed implementation of these activities with the following minor exceptions:

- Commitment 36 – Ultrasonic testing of the Condensate Storage Tank (CST) "A" bottom surface
- Commitment 49 – Inspection and testing of a Metamic coupon

The purpose of this letter is to provide notification that Entergy has completed implementation of all activities. The CST tank testing has been completed with results meeting the established acceptance criteria. The Metamic sampling has been completed with results meeting the established acceptance criteria.

A001
LRR


There are no regulatory commitments being made in this submittal.

Should you have any questions or require additional information concerning this submittal, please contact Mr. Joseph R. Lynch at 508-830-8403.

I declare under penalty of perjury that the foregoing is true and correct. Executed on October 18, 2012.

Sincerely,



Robert G. Smith
Site Vice President

[RGS/rmb]

cc:

Nathaniel B. Ferrer
Project Manager
Office of Nuclear Reactor Regulation
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Susan L. Uttal, Esq.
Office of the General Counsel
U.S. Nuclear Regulatory Commission
Mail Stop O-15 D21
Washington, DC 20555-0001

Mr. Richard Guzman
Office of Nuclear Reactor Regulation
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Sheila Slocum Hollis, Esq.
Duane Morris L.L.P.
505 9th Street N.W., Suite 1000
Washington, DC 20004-2166

Catherine Haney, Director
Office of Nuclear Material and Safeguards
U.S. Nuclear Regulatory Commission
Washington, DC 20555-00001

Mr. Matthew Brock, Esq.
Commonwealth of Massachusetts
Assistant Attorney General
Environmental Protection Division
One Ashburton Place
Boston, MA 02108

Diane Curran, Esq.
Harmon, Curran, and Eisenberg, L.L.P.
1726 M Street N.W., Suite 600
Washington, DC 20036

Mr. Robert Gallagher, Acting Director
Massachusetts Department of Public Health
Radiation Control Program
Schrafft Center, Suite 1M2A
529 Main Street
Charlestown, MA 02129

Mr. John Giarrusso Jr.
Planning, Preparedness & Nuclear Section Chief
Mass. Emergency Management Agency
400 Worcester Road
Framingham, MA 01702

Mr. Eric J. Leeds, Director
Office of Nuclear Reactor Regulation
U.S. Nuclear Regulatory Commission
Washington, DC 20555-00001

PNPS Letter 2.12.070
Page 3 of 3

Mr. William Dean, Administrator
Region I
U.S. Nuclear Regulatory Commission
2100 Renaissance Boulevard, Suite 100
King of Prussia, PA 19406

NRC Resident Inspector
Pilgrim Nuclear Power Station