


- NOTES**
1. FOR ARCHITECTURAL GENERAL NOTES SEE DWG. 8-55-A1.
 2. ALL WORK ON THIS DRAWING SHALL BE PERFORMED AND INSPECTED BY THE CONTRACTOR IN ACCORDANCE WITH THE SPECIFICATIONS AND DRAWINGS INDICATED IN ARCHITECTURAL NOTES CONCERNING THIS PROJECT.
 3. WHERE JOINTS OF CONCRETE BLOCK ARE FILLED WITH LUTER INSULATION, HEIGHT OF BLOCK SHALL BE 16" TO 18" TO INSURE PROPER INSULATION. ALL JOINTS SHALL BE REINFORCED WITH 1/2" REBAR. ALL JOINTS SHALL BE REINFORCED WITH 1/2" REBAR. ALL JOINTS SHALL BE REINFORCED WITH 1/2" REBAR.
 4. MATERIALS DESIGNATED TRADE # SHALL BE PROVIDED IN ACCORDANCE WITH SPEC. NO. X-2392.
 5. REINFORCING SHALL BE 6" TRUSS TYPE CONTINUOUS EVERY SECOND COURSE AND CONT. IN FIRST TWO COURSES.

- REFERENCE DRAWINGS**
- 8-55-A1 SOUTH ELEVATION
 - 8-55-A2 EAST ELEVATION
 - 8-55-A3 WEST ELEVATION
 - 8-55-A4 NORTH ELEVATION
 - 8-55-A5 PLAN
 - 8-55-A6 VALVE ENCLOSURE PLAN & DETAILS
 - 8-55-A7 CONCRETE HOUSE ELEVATIONS



TYPICAL MASONRY WALL DETAILS
ZION STATION UNIT 1 & 2
COMMONWEALTH EDISON CO.
CHICAGO, ILLINOIS

Rev.	Date	Description
1	11-10-87	ISSUED
2	12-10-87	ISSUED
3	01-14-88	ISSUED
4	02-11-88	ISSUED
5	03-04-88	ISSUED
6	03-17-88	ISSUED
7	04-07-88	ISSUED
8	07-24-88	ISSUED

SCALE: 1" = 8" AND 1/2" NOTES
 DRAWN: J.P. WILSON
 CHECKED: J.P. WILSON
 APPROVED: J.P. WILSON
 JOB NO.: 8782
 DATE: 7-26-88

REVISED FOR RECORD PER FCN Z-875-07
 D.P. WILSON

D42