



ENERGY NORTHWEST

David A. Swank
Columbia Generating Station
P.O. Box 968, PE04
Richland, WA 99352-0968
Ph. 509-377-2309 | F. 509-377-2354
daswank@energy-northwest.com

November 12, 2012
GO2-12-164

10 CFR 50.54(f)

U.S. Nuclear Regulatory Commission
ATTN: Document Control Desk
11555 Rockville Pike
Rockville, MD 20852

**Subject: COLUMBIA GENERATING STATION, DOCKET NO. 50-397
FLOODING WALKDOWN REPORT**

- References: 1) Letter dated March 12, 2012, from EJ Leeds (NRC) to All Power Reactor Licensees and Holders of Construction Permits in Active or Deferred Status, "Request for Information Pursuant to Title 10 of the Code of Federal Regulations 50.54(f) Regarding Recommendations 2.1, 2.3 and 9.3 of the Near-Term Task Force Review of Insights from the Fukushima Dai-ichi Accident"
- 2) Letter, GO2-12-082, dated June 11, 2012, AL Javorik (Energy Northwest) to NRC, "Energy Northwest's 90 Day Response to the March 12, 2012 Information Request Related to Recommendations 2.1 and 2.3 for Flooding Evaluations and Walkdowns"

Dear Sir or Madam:

In Reference 1, the NRC issued the Request for Information for Near-Term Task Force Recommendations related to the Fukushima Dai-ichi accident. In Reference 2, Energy Northwest committed to submit a final report documenting the results of the flooding walkdowns no later than November 27, 2012. The enclosure to this letter provides the Flood Protection Final Report. It is noted that inspections of the necessary areas were completed during the walkdown activities. There were no inaccessible areas and no additional walkdowns are required.

This letter contains no new regulatory commitments. If you have any questions or require additional information, please contact Mr. Z. K. Dunham at (509) 377-4735.


I declare under penalty of perjury that the foregoing is true and correct. Executed on the date of this letter.

ADD
NRR

FLOODING WALKDOWN REPORT

Page 2 of 2

Respectfully,

A handwritten signature in black ink, appearing to read "D. A. Swank". The signature is fluid and cursive, with a long horizontal stroke at the end.

D. A. Swank

Assistant Vice President, Engineering

Enclosure: As stated

cc: NRC Region IV Administrator
NRC NRR Project Manager
NRC Senior Resident Inspector/988C
AJ Rapacz – BPA/1399