

U.S. NUCLEAR REGULATORY COMMISSION

Amendment No. 18

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

03620 *578075*

<p>Licensee</p> <p>1. Southeast Missouri State University College of Science, Technology and Agriculture</p> <p>2. One University Plaza Cape Girardeau, MO 63701</p>	<p>In accordance with letter dated August 6, 2012,</p> <p>3. License number 24-09296-02 is amended in its entirety to read as follows:</p> <p>4. Expiration date April 30, 2020</p> <p>5. Docket No. 030-33508 Reference No.</p>
---	---

6. Byproduct, source, and/or special nuclear material	7. Chemical and/or physical form	8. Maximum amount that licensee may possess at any one time under this license
A. Phosphorus-32	A. Any	A. 10 millicuries
B. Sulfur-35	B. Any	B. 10 millicuries
C. Carbon-14	C. Any	C. 25 millicuries
D. Hydrogen-3	D. Bound/Non-volatile	D. 25 millicuries
E. Phosphorus-33	E. Any	E. 2 millicuries
F. Thorium-230	F. Electroplated source on a stainless steel disk (Isotope Products Laboratory Model No. AFSS-230)	F. One source limited to 13 nanocuries
G. Americium-241	G. Americium-241 (residual contamination on equipment, materials, or building surfaces, or in soil)	G. 1 millicurie

9. Authorized Use:

A. through E. To be used for laboratory research and development as described in application dated August 12, 2009.

F. To be used for calibration of Zinc Sulfide detector equipped survey meters.

G. Possession incident to the decontamination of equipment, materials, rooms and soil as described in "Decontamination and Survey Plan for Magill and Rhodes Halls," dated August 2010, Revision 1, and storage pending disposal.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License Number
24-09296-02

Docket or Reference Number
030-33508

Amendment No. 18

CONDITIONS

10. Licensed material shall be used only at the licensee's facilities located at Southeast Missouri State University, Rhodes and Magill Halls of Science, One University Plaza, Cape Girardeau, MO.
11. **A. Licensed material listed in Item 6 above is only authorized for use by, or under the supervision of, the following individuals for the materials and uses indicated:**

Authorized Users

Material and Use

Walt W. Lilly, Ph.D.

All

John C. Kraemer, Ph.D.

All

B. Radiation Safety Officer: Walt W. Lilly, Ph.D.

C. Alternate Radiation Safety Officer: John C. Kraemer, Ph.D.

12. **A. Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State.**
- B. In the absence of a certificate from a transferor indicating that a leak test has been made, within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement state, prior to the transfer, a sealed source received from another person shall not be put into use until tested and the test results received.**
- C. Sealed sources need not be leak tested if they contain only hydrogen-3; or they contain only a radioactive gas; or the half-life of the isotope is 30 days or less; or they contain no more than 100 microcuries of beta and/or gamma emitting material or not more than 10 microcuries of alpha emitting material.**
- D. Sealed sources need not be tested if they are in storage, and are not being used. However, when they are removed from storage for use or transferred to another person, and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.**
- E. The leak test shall be capable of detecting the presence of 0.005 microcurie (185 becquerels) of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie (185 becquerels) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.**

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
24-09296-02Docket or Reference Number
030-33508

Amendment No. 18

- F. Tests for leakage and/or contamination, limited to leak test sample collection, shall be performed by the licensee or by other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.
- G. Records of leak test results shall be kept in units of microcuries and shall be maintained for 3 years.
13. The licensee is authorized to hold radioactive material with a physical half-life of less than or equal to 120 days for decay-in-storage before disposal in ordinary trash provided:
- A. Before disposal as ordinary trash, byproduct material shall be surveyed at the container surface with the appropriate survey meter set on its most sensitive scale and with no interposed shielding to determine that its radioactivity cannot be distinguished from background. All radiation labels shall be removed or obliterated.
- B. A record of each disposal permitted under this License Condition shall be retained for three years. The record must include the date of disposal, the date on which the byproduct material was placed in storage, the radionuclides disposed, the survey instrument used, the background dose rate, the dose rate measured at the surface of each waste container, and the name of the individual who performed the disposal.
14. Sealed sources containing licensed material shall not be opened or sources removed from source holders by the licensee.
15. The licensee shall not use licensed material in field applications where activity is released except as provided otherwise by specific condition of this license.
16. Licensed material shall not be used in or on humans except as provided by specific condition of this license.
17. The licensee shall conduct a physical inventory every 6 months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 5 years from the date of each inventory, and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.
18. The licensee is authorized to transport licensed material only in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."
19. The licensee shall not acquire licensed material in a sealed source or device that contains a sealed source unless the source or device has been registered with the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or with an Agreement State.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
24-09296-02Docket or Reference Number
030-33508


Amendment No. 18

20. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
- A. Application dated August 12, 2009 (including Decontamination and Survey Plan for Rhodes and Magill Halls dated November 2006); and
- B. Letters dated May 28, 2010, June 2, 2010, June 18, 2010, and August 16, 2010 (with attached table of soil survey plan), and September 7, 2010 (including Decontamination and Survey Plan for Magill and Rhodes Halls dated August 2010, Revision 1), August 25, 2011, with attached "Final Status Survey Evaluation for Soils Adjacent to MaGill Hall at Southeast Missouri State University, Cape Girardeau, Missouri, August 25, 2011" and **August 6, 2012**.

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

Date NOV 07 2012

By


Toy L. Simmons
Materials Licensing Branch
Region III