



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION IV
1600 EAST LAMAR BOULEVARD
ARLINGTON, TEXAS 76011-4511

November 26, 2012

Terracon Consultants, Inc.
ATTN: Gary A. Ganson, CIH, CSP
Radiation Safety Officer
18001 W. 106th Street, Suite 300
Olathe, Kansas 66061

SUBJECT: LICENSE AMENDMENT

Please find enclosed Amendment Number 38 to NRC License Number 15-27070-01. **On letter dated October 17, 2012, you notified the NRC that your company was changing the leak test frequency of moisture density gauges to an annual basis. Please note that license condition 13.A. requires leak test frequencies not to exceed the interval specified in the corresponding sealed source and device registration (SSDR) certificate for a particular device. A review of the devices authorized in this license, as well as their corresponding SSDRs, shows a leak test frequency of 12 months for all of the devices except for Seaman Nuclear Model C-200 and Model C-75. Seaman Nuclear Model C-200 and Model C-75 have a leak test frequency of 6 months. Therefore, your request as described in letter dated October 17, 2012 is not approved. Condition 13.A. of this license will continue to govern the interval for leak test frequencies.**

Please note that this license has been amended to correct the maximum possession limits in accordance with the information contained in the corresponding SSDRs. These changes are identified in boldface. An environmental assessment for this licensing action is not required since this action is categorically excluded under 10 CFR 51.22(c)(14)(viii). You should review the enclosed document carefully and be sure that you understand all conditions. You can contact me at 817-200-1189 if you have any questions about this license.

The NRC's Safety Culture Policy Statement became effective in June 2011. While a policy statement and not a regulation, it sets forth the agency's expectations for individuals and organizations to establish and maintain a positive safety culture. You can access the policy statement and supporting material that may benefit your organization on NRC's safety culture Web site at <http://www.nrc.gov/about-nrc/regulatory/enforcement/safety-culture.html>. We strongly encourage you to review this material and adapt it to your particular needs in order to develop and maintain a positive safety culture as you engage in NRC-regulated activities.

NRC's Regulatory Issue Summary (RIS) 2005-31, provides criteria to identify security-related sensitive information and guidance for handling and marking of such documents. This ensures that potentially sensitive information is not made publicly available through ADAMS, NRC's electronic document repository. The RIS may be located on the NRC Web site at: <http://www.nrc.gov/reading-rm/doc-collections/gen-comm/reg-issues/2005/>. Pursuant to NRC's RIS 2005-31, the enclosed license will not be made publicly available.

NRC expects licensees to conduct their programs with meticulous attention to detail and a high standard of compliance. Because of the serious consequences to employees and the public that can result from failure to comply with NRC requirements, you must conduct your radiation safety program according to the conditions of your NRC license, representations made in your license application, and NRC regulations. In particular, note that you must:

1. Operate by NRC regulations 10 CFR Part 19, "Notices, Instructions and Reports to Workers: Inspection and Investigations," 10 CFR Part 20, "Standards for Protection Against Radiation," and other applicable regulations.
2. Notify NRC in writing of any change in mailing address.
3. By 10 CFR 30.36(d) and/or license condition, notify NRC, promptly, in writing, and request termination of the license:
 - a. When you decide to terminate all activities involving materials authorized under the license whether at the entire site or any separate building or outdoor area;
 - b. If you decide not to acquire or possess and use authorized material; or
 - c. When no principal activities under the license have been conducted for a period of 24 months.
4. Request and obtain a license amendment before you:
 - a. Change Radiation Safety Officers;
 - b. Order byproduct material in excess of the amount, radionuclide or form authorized on the license;
 - c. Add or change the areas or address(es) of use identified in the license application or on the license; or
 - d. Change the name or ownership of your organization.
5. Submit a complete renewal application or termination request at least 30 days before the expiration date on your license. You will receive a reminder notice approximately 90 days before the expiration date. Possession of radioactive material after your license expires is a violation of NRC regulations.

NRC will periodically inspect your radiation safety program. Failure to conduct your program according to NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC may result in enforcement action against you. This could include issuance of a notice of violation; imposition of a civil penalty; or an order suspending, modifying, or revoking your license as specified in the NRC Enforcement Policy. The NRC Enforcement Policy is available on the following internet address:
<http://www.nrc.gov/about-nrc/regulatory/enforcement/enforce-pol.html>.

An electronic version of the NRC's regulations is available on the NRC Web site at www.nrc.gov. Additional information regarding use of radioactive materials may be obtained on the NRC Web site at <http://www.nrc.gov/materials/miau/mat-toolkits.html>. This site also provides the link to the toolbox for updated information on the revised regulations for naturally-occurring and accelerator-produced radioactive materials (NARM).

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter will be available electronically for public inspection in the NRC Public Document Room or from the NRC's document system (ADAMS). ADAMS is accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

Thank you for your cooperation.

Sincerely,

/RA/

Roberto J. Torres, Senior Health Physicist
Nuclear Materials Safety Branch B

Docket: 030-32176
License: 15-27070-01
Control: 579361

Enclosure: As stated