

**MATERIALS LICENSE**

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

<p>Licensee</p> <p>1. Dewberry Engineers Inc.</p> <p>2. 59 Elm Street, Suite 101 New Haven, CT 06510</p>	<p>In accordance with the letter dated January 3, 2013,</p> <p>3. License number 06-31414-01 is amended in its entirety to read as follows:</p> <hr/> <p>4. Expiration date January 31, 2015</p> <hr/> <p>5. Docket No. 030-38324 Reference No.</p>
--	---

- |  |  |   |
|--|--|---|
| <p>6. Byproduct, source, and/or special nuclear material</p> <p>A. Cesium 137</p> <p>B. Radium 226</p> | <p>7. Chemical and/or physical form</p> <p>A. Sealed Sources (QSA Global Models CDC.800, CDC.804, CDC805; DuPont Merck Model NER-550; 3M Model 4P6M; Nuclear Sources and Services Model GT-GHP; 3M Model 4P6M; Gammatron Model GT-GHP; Isotopes Products Laboratories Model HEG-137)</p> <p>B. Sealed Sources (QSA Global Model RAN.C1; Nuclear Sources and Services Models AN-HPG, GT-GHP; Gammatron Model GT-GHP; Radium Chemical Company Drawing No. 21.94)</p> | <p>8. Maximum amount that licensee may possess at any one time under this license</p> <p>A. 10 millicuries total and no single source to exceed the maximum activity specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission or an Agreement State</p> <p>B. 11 millicuries total and no single source to exceed the maximum activity specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission or an Agreement State</p> |
|--|--|---|

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**

License Number  
06-31414-01

Docket or Reference Number  
030-38324

Amendment No. 02

- |   |  |   |
|---|--|---|
| 6. Byproduct, source, and/or special nuclear material | 7. Chemical and/or physical form   | 8. Maximum amount that licensee may possess at any one time under this license  |
| C. Americium 241                                      | C. Sealed Sources (QSA Global Models AMN.6002, AMN.Q1954, AMN.PE5, AMN.V997; DuPont Merck Model NER-550; Gammatron Models GT-GHP, AN-HP; Nuclear Sources and Services Models AN-HPG, AN-HP, GT-GHP; Isotope Products Laboratories Model AM1.NO2) | C. 50 millicuries total and no single source to exceed the maximum activity specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission or an Agreement State |

9. Authorized use:

- A. through C. Possession and storage only in Seaman Nuclear Corporation Models C-75, C-200 and C-300 series portable gauging devices for measuring physical properties of materials.

CONDITIONS

10. Licensed material may be stored only at the licensee's facilities located at 59 Elm Street, New Haven, Connecticut.
11. Licensed material shall be used by, or under the supervision of, individuals who have received the training described in the application dated July 13, 2010, and have been designated, in writing, by the Radiation Safety Officer. The licensee shall maintain records of individuals designated as users for 3 years following the last use of licensed material by the individual.
12. Sealed sources or source rods containing licensed material shall not be opened or sources removed or detached from source rods or gauges by the licensee, except as specifically authorized.
13. A. Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed six months or at the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State.
- B. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State, prior to the transfer, a sealed source received from another person shall not be put into use until tested and the test results received.

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**License Number  
06-31414-01Docket or Reference Number  
030-38324

Amendment No. 02

- C. Sealed sources need not be tested if they are in storage and are not being used; however, when they are removed from storage for use or transferred to another person and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
- D. The leak test shall be capable of detecting the presence of 0.005 microcurie (185 becquerels) of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie (185 becquerels) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.
- E. Tests for leakage and/or contamination, limited to leak test sample collection, shall be performed by the licensee or by other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services. The licensee is not authorized to perform the analysis; analysis of leak test samples must be performed by persons specifically licensed by U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.
- F. Records of leak test results shall be kept in units of microcuries and shall be maintained for 5 years.
14. The licensee shall conduct a physical inventory every six months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 5 years from the date of each inventory and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.
15. Each portable nuclear gauge shall have a lock or outer locked container designed to prevent unauthorized or accidental removal of the sealed source from its shielded position. The gauge or its container must be locked when in transport or storage, or when not under the direct surveillance of an authorized user.
16. Any cleaning, maintenance, or repair of the gauges that requires detaching the source or source rod from the gauge shall be performed only by the manufacturer or by other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."
17. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**License Number  
06-31414-01Docket or Reference Number  
030-38324

Amendment No. 02

18. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
- A. Application dated July 13, 2010 (ML102080086)
  - B. Letter dated January 3, 2013 (ML13016A421)



For the U.S. Nuclear Regulatory Commission

Date January 24, 2013

By

***Original signed by Kathy Modes***Kathy Modes  
Decommissioning Branch  
Division of Nuclear Materials Safety  
Region I  
King of Prussia, Pennsylvania 19406