


# AMBER

Russell Walke

August 2012



### Outline




- What is AMBER?
- Philosophy
- Approach
- Flexibility
- AMBER and Quintessa
- Developments
- LLW Examples

## What is AMBER?

A

- Compartment modelling software
- Models trace contaminants in environmental systems
- Highly flexible, widely applicable
- Fast and robust solvers can model complex problems



### Quintessa

## AMBER: Philosophy

- Recognise importance of confidence building
- No 'black box' in-built models or data
  - User responsible for developing <u>their own</u> model
  - Encourages
    - Development of models that are appropriate
    - Transparent documentation of models and data
- Aim to provide maximum flexibility
  - Provide all tools necessary for implementing
- Transparency and auditability
  - Nothing is hidden
  - Text based files for comparison and QA



## AMBER: Approach




- Discretise system into compartments and transfers
  - Use parameters to specify initial amounts, transfer rates etc.
  - AMBER solves for evolving amounts in compartments
  - Use parameters to calculate concentrations, doses, risks etc.
- Any number of user defined parameters
  - Data and expressions
  - Deterministic, probabilistic and/or time-dependent
  - Comprehensive range of mathematical functions
  - Efficient data handling via flexible indexing and 'mapping', e.g.
    - Mapping radionuclides to elements
    - Mapping compartments to 'media' (concrete, backfill, soil etc.)
- Comprehensive documentation, training and support
- Including knowledge base of reports describing AMBER models
  <sup>5 of 11</sup>

## AMBER: Flexibility

- Can represent non-linearities
  - E.g. solubility limitation, irreversible sorption
- No limitations on size of model
  - Scoping through to regulatory applications
- Flexible 2D model layout
  - Can use sub-models to organise more complex systems
- Interface with other codes
  - Can import/export data with a range of layouts
- Can be driven externally

uintegga

- Run in batch mode with full range of commands
- Use as a transparent 'engine' behind other codes








### AMBER: Uncertainty


- Scenario uncertainty
  - Data and models for different scenarios can be included in one case
  - Efficient for cases with common inputs and models
- Model uncertainty

interra

- Flexibility to implement different models
- Units 'awareness' provides confidence
- Parameter uncertainty
  - Full Monte Carlo or Latin hypercube
  - Full or partial sampling
  - Multiple deterministic runs



🗛 NameSet Option Parameters		
Corrosion_Models	Failure_Models	^
Congruent	Progressive_Failure	•
Release_Models	Retention_Models	
Both	Dual_Porosity	▼





#### 8 of 11

## AMBER and Quintessa

- Quintessa:
  - UK and Japanese scientific consultancy
  - Employee owned, long term stability
  - Safety assessment, decision support, maths and software
- AMBER is software product and a consultancy tool
  - We sell and support licences
  - We also develop it for our own use
- Committed to long-term support
  - Focus on PA and safety assessment
  - On-going development and annual releases
    - Continuing to invest
- Accredited software development process uintessa







## AMBER: Developments

- Recent
  - Expression editor
    - Greater ease of development and checking of expressions
  - Annotation of data/expression entries
    - Aids transparency and QA checking
- Forthcoming

(Duintessa

- Self-referencing parameters
  - E.g. facilitates simple water-balance calculations
- History files
  - Full track of case file development
- Multi-platform interface



	Soils
<default></default>	
Н	0
С	0.005
Тс	0.01





## AMBER: LLW Examples

A


- IAEA
  - ISAM cases and training
  - Waste acceptance criteria
- UK
  - Dounreay LLW, VLLW, LLW Pits
  - Hunterston near-surface graphite
  - LLWR 2002 Safety Case
- Canada
  - OPG assessment of options
  - DGR licence application
- Sweden
  - SFR near-surface L&ILW facility
- Italy
  - National siting for surface facility

- Japan
  - Rokkasho surface LLW facility
- China
  - Nuclear Safety Centre assessments
- Russia
  - RADON near-surface facilities
- Lithuania
  - Near-surface LLW facility
- Slovenia
  - Assessment of options
  - L&ILW silo
- Romania
  - Baita Bihor geological LLW facility
- South Africa
  - Pelindaba surface LLW facility

### Quíntessa



### Thank you for your attention



www.quintessa.org/amber russellwalke@quintessa.org

### Quintessa