



PO Box 571, Jackson, MS 39205-0571
601-576-6850 • Fax 601-576-6975
mdah.state.ms.us
H.T. Holmes, Director

February 8, 2013

Mr. Michael J. Case, Director Division of Engineering
Office of Nuclear Regulatory Research
Attn: Document Control Desk
US Nuclear Regulatory Commission
Washington, DC 20555-0001

RE: Section 106 Review of NRC Earthquake Reconnaissance along Cutbanks of the
Coldwater and Yocana Rivers, MDAH Project Log #01-078-13, Washington
County

Dear Mr. Case:

We have reviewed your request for a cultural resources assessment and concurrence of a No Adverse Effect finding, received on January 15, 2013, for the above referenced project in accordance with our responsibilities under Section 106 of the National Historic Preservation Act and 36 CFR Part 800. After review, while there are cultural resources within the project area, we concur that it is unlikely the sampling and reconnaissance will result in any adverse effects to historic properties. As such, we have no reservations with the undertaking.

If you have any questions, please call me at (601) 576-6538.

Sincerely,

Greg Williamson
Review and Compliance Officer

FOR: H.T. Holmes
State Historic Preservation Officer

[Faint, mostly illegible typed text]

4801

Add: Michael Case to
ERIOS