Figure 1.2-21R	Radwaste Building Plan At Elevation –9350	1-13
Figure 1.2-22R	Radwaste Building Plan At Elevation –2350	1-14
Figure 1.2-23R	Radwaste Building Plan At Elevation 4650	1-15
Figure 1.2-24R	Radwaste Building Plan At Elevation 10650	1-16
Figure 1.2-25R	Radwaste Building Plan At Elevation Section A-A And Section B-B	1-17
Figure 2.0-201	Comparison of Horizontal CSDRS with the Unit 3 FIRS for the RB/FB and CB	2-40
Figure 2.0-202	Comparison of Vertical CSDRS with the Unit 3 FIRS for the RB/FB and CE	3.2-41
Figure 2.0-203	Comparison of Horizontal CSDRS with the Unit 3 FIRS for the FWSC	2-42
Figure 2.0-204	Comparison of Vertical CSDRS with the Unit 3 FIRS for the FWSC	2-43
Figure 2.1-201	Site Location and Vicinity Within 80 km (50 Mi)	2-85
Figure 2.1-202	Site Location and Vicinity Within 12 km (7.5 Mi)	2-86
Figure 2.1-203	Fermi Property Boundary	2-87
Figure 2.1-204	Fermi 3 Site Plan	2-88
Figure 2.1-205	U.S. Counties/ CA Counties wholly or partly within 80-km (50-mi) Radius of 3 (latitude: 41° 57' 39" N, longitude: 83° 15' 43" W)	
Figure 2.1-206	Segment Resident Population Distribution 0-16 km (10 mi) (Segmented Concentric Circles) from Fermi 3, 2000	2-90
Figure 2.1-207	Regional Segment Population Distribution 0-80 km (50 mi) (Segmented Concentric Circles) from Fermi 3, 2000	2-91
Figure 2.1-208	Census Block Points within Monroe County, MI	2-92
Figure 2.1-209	Census Block Points within Each Segment	2-93
Figure 2.1-210	Resident and Transient Regional Segment Population Distribution, 0-16 kmi) (Segmented Concentric Circles) from Fermi 3, 2000	
Figure 2.1-211	Resident and Transient Regional Segment Population Distribution 0-80 km mi) (Segmented Concentric Circles) from Fermi 3, 2000	•
Figure 2.1-212	Example Sectional Population Growth Rate Calculation	2-96
Figure 2.1-213	Industrial Facilities, Parks and Other Facilities within the LPZ (3 mi) and 5 Fermi 3	

Figure 2.2-201	Industries and Transportation Routes Within 8 Km (5 Mi)	2-129
Figure 2.2-202	Nearby Airports and Aviation Routes	2-130
Figure 2.3-201	Climatological Observing Stations near the Fermi Site	2-456
Figure 2.3-202	Total Reports of Severe Hail for the Five-County Area (1955-2007)	2-457
Figure 2.3-203	Total Hail Reports for the Five-County Area (1955-2007)	2-458
Figure 2.3-204	Detroit Metropolitan Airport Annual Precipitation Rose (2003-2007)	2-459
Figure 2.3-205	Detroit Metropolitan Airport January Precipitation Rose (2003-2007)	2-460
Figure 2.3-206	Detroit Metropolitan Airport February Precipitation Rose (2003-2007)	2-461
Figure 2.3-207	Detroit Metropolitan Airport March Precipitation Rose (2003-2007)	2-462
Figure 2.3-208	Detroit Metropolitan Airport April Precipitation Rose (2003-2007)	2-463
Figure 2.3-209	Detroit Metropolitan Airport May Precipitation Rose (2003-2007)	2-464
Figure 2.3-210	Detroit Metropolitan Airport June Precipitation Rose (2003-2007)	2-465
Figure 2.3-211	Detroit Metropolitan Airport July Precipitation Rose (2003-2007)	2-466
Figure 2.3-212	Detroit Metropolitan Airport August Precipitation Rose (2003-2007)	2-467
Figure 2.3-213	Detroit Metropolitan Airport September Precipitation Rose (2003-2007)	2-468
Figure 2.3-214	Detroit Metropolitan Airport October Precipitation Rose (2003-2007)	2-469
Figure 2.3-215	Detroit Metropolitan Airport November Precipitation Rose (2003-2007)	2-470
Figure 2.3-216	Detroit Metropolitan Airport December Precipitation Rose (2003-2007)	2-471
Figure 2.3-217	Detroit Metropolitan Airport Annual Wind Rose (2003-2007)	2-472
Figure 2.3-218	Detroit Metropolitan Airport January Wind Rose (2003-2007)	2-473
Figure 2.3-219	Detroit Metropolitan Airport February Wind Rose (2003-2007)	2-474
Figure 2.3-220	Detroit Metropolitan Airport March Wind Rose (2003-2007)	2-475

Figure 2.3-221	Detroit Metropolitan Airport April Wind Rose (2003-2007)	2-476
Figure 2.3-222	Detroit Metropolitan Airport May Wind Rose (2003-2007)	2-477
Figure 2.3-223	Detroit Metropolitan Airport June Wind Rose (2003-2007)	2-478
Figure 2.3-224	Detroit Metropolitan Airport July Wind Rose (2003-2007)	2-479
Figure 2.3-225	Detroit Metropolitan Airport August Wind Rose (2003-2007)	2-480
Figure 2.3-226	Detroit Metropolitan Airport September Wind Rose (2003-2007)	2-481
Figure 2.3-227	Detroit Metropolitan Airport October Wind Rose (2003-2007)	2-482
Figure 2.3-228	Detroit Metropolitan Airport November Wind Rose (2003-2007)	2-483
Figure 2.3-229	Detroit Metropolitan Airport December Wind Rose (2003-2007)	2-484
Figure 2.3-230	Fermi Site 10-m Annual Wind Rose (2003-2007)	2-485
Figure 2.3-231	Fermi Site 10-m January Wind Rose (2003-2007)	2-486
Figure 2.3-232	Fermi Site 10-m February Wind Rose (2003-2007)	2-487
Figure 2.3-233	Fermi Site 10-m March Wind Rose (2003-2007)	2-488
Figure 2.3-234	Fermi Site 10-m April Wind Rose (2003-2007)	2-489
Figure 2.3-235	Fermi Site 10-m May Wind Rose (2003-2007)	2-490
Figure 2.3-236	Fermi Site 10-m June Wind Rose (2003-2007)	2-491
Figure 2.3-237	Fermi Site 10-m July Wind Rose (2003-2007)	2-492
Figure 2.3-238	Fermi Site 10-m August Wind Rose (2003-2007)	2-493
Figure 2.3-239	Fermi Site 10-m September Wind Rose (2003-2007)	2-494
Figure 2.3-240	Fermi Site 10-m October Wind Rose (2003-2007)	2-495
Figure 2.3-241	Fermi Site 10-m November Wind Rose (2003-2007)	2-496
Figure 2.3-242	Fermi Site 10-m December Wind Rose (2003-2007)	2-497

Figure 2.3-243	Fermi Site 60-m Annual Wind Rose (2003-2007)	2-498
Figure 2.3-244	Fermi Site 60-m January Wind Rose (2003-2007)	2-499
Figure 2.3-245	Fermi Site 60-m February Wind Rose (2003-2007)	2-500
Figure 2.3-246	Fermi Site 60-m March Wind Rose (2003-2007)	2-501
Figure 2.3-247	Fermi Site 60-m April Wind Rose (2003-2007)	2-502
Figure 2.3-248	Fermi Site 60-m May Wind Rose (2003-2007)	2-503
Figure 2.3-249	Fermi Site 60-m June Wind Rose (2003-2007)	2-504
Figure 2.3-250	Fermi Site 60-m July Wind Rose (2003-2007)	2-505
Figure 2.3-251	Fermi Site 60-m August Wind Rose (2003-2007)	2-506
Figure 2.3-252	Fermi Site 60-m September Wind Rose (2003-2007)	2-507
Figure 2.3-253	Fermi Site 60-m October Wind Rose (2003-2007)	2-508
Figure 2.3-254	Fermi Site 60-m November Wind Rose (2003-2007)	2-509
Figure 2.3-255	Fermi Site 60-m December Wind Rose (2003-2007)	2-510
Figure 2.3-256	Topographic Features within 5 Miles of the Fermi Site	2-511
Figure 2.3-257	Topographic Features within 50 Miles of the Fermi Site	2-512
Figure 2.3-258	Terrain Elevation Profiles Within 5 Miles of the Fermi Site (Sheet 1 of 2).	2-513
Figure 2.3-259	Terrain Elevation Profiles Within 50 Miles of the Fermi Site (Sheet 1 of 2)	) 2-515
Figure 2.3-260	Process Flow Diagram of the Fermi Onsite Meteorological Monitoring Program	2-517
Figure 2.3-261	Hourly Dry Bulb Temperature from Detroit Metropolitan Airport During Ju 24-26, 1988	
Figure 2.3-262	Hourly Dry Bulb Temperature from Detroit Metropolitan Airport During Ja 20-22,1984	
Figure 2.3-263	Hourly Dry Bulb and Wet Bulb Temperature from Detroit Metropolitan Air During July 11-17, 1995	•
Figure 2.4-201	Central, Eastern and Western Basin Areas of Lake Erie	2-692
Figure 2.4-202	Bathymetry of Lake Erie and Lake Saint Clair	2-693
Figure 2.4-203	Major Tributaries of Lake Erie	2-694
Figure 2.4-204	The Great Lakes Region	2-695

Figure 2.4-205	Site Location and Vicinity Within 12 Km (7.5 Mi)	2-696
Figure 2.4-206	Hydrology of the Great Lakes Water System	2-697
Figure 2.4-207	Total Water Withdrawals by Sector in Michigan (MGD) 2000-2004	2-698
Figure 2.4-208	Swan Creek and Stony Creek Watershed Basins	2-699
Figure 2.4-209	Topographic Map for 12 km Vicinity around the Fermi Property (Base map 1:100,000 Scale Metric Topographic Map Series)	
Figure 2.4-210	Topographic Map Showing Fermi Property Boundary (Base map: USGS 1 7.5 Minute Topographic Series)	
Figure 2.4-211	Fermi 3 Site Plan	2-702
Figure 2.4-212	Lake Erie Extreme Water Levels (1970-2007) NAVD 88	2-703
Figure 2.4-213	Fermi 3 Site PMP Duration-Intensity Curve	2-704
Figure 2.4-214	Existing Sub-Basin Drainage Areas	2-705
Figure 2.4-215	Final Grade Drainage Areas	2-706
Figure 2.4-216	NRCS Dimensional Unit Hydrograph Q Results for One Square Mi PMF Fermi 3	
Figure 2.4-217	Final Grade Drainage Areas Assuming Clogged Underground Storm Dra	
Figure 2.4-218	Swan Creek Cross-Sections	2-709
Figure 2.4-219	Hydrograph Results	2-710
Figure 2.4-220	Alternative II - Swan Creek Profile from Station 0+00.00 to 111+83.75	2-711
Figure 2.4-221	Alternative II - Swan Creek Profile at Station 5+30.7749 (East Side of Fermi Site)	2-712
Figure 2.4-222	Alternative II - Swan Creek Profile at Station 19+36.913 (West Side of Fermi Site)	2-713
Figure 2.4-223	Profile of Swan Creek for Alternative I from Station 0+00.00 to 111+83.75	2-714
Figure 2.4-224	Alternative I - Swan Creek Profile at Station 5+30.7749 (East Side of Fermi Site)	2-715
Figure 2.4-225	Alternative I - Swan Creek Profile at Station 19+36.913 (West Side of Fermi Site)	2-716

Figure 2.4-226	Profile of Swan Creek for Alternative III from Station 0+00.00 to 111+83.75	. 2-717
Figure 2.4-227	Alternative III - Swan Creek Profile at Station 5+30.7749 (East Side of Fermi Site)	. 2-718
Figure 2.4-228	Alternative III - Swan Creek Profile at Station 19+36.913 (West Side of Fermi Site)	. 2-719
Figure 2.4-229	Water Level Gauging Stations in Lake Erie	. 2-720
Figure 2.4-230	Wave Run-up and Overtopping on Impermeable Structures (Example)	. 2-721
Figure 2.4-231	Site Map	. 2-722
Figure 2.4-232	Regional Aquifer System	. 2-723
Figure 2.4-233	Conceptual Cross-Section of Regional Aquifer System	. 2-724
Figure 2.4-234	Sole Source Aquifers	. 2-725
Figure 2.4-235	Quarries of Monroe County, Michigan	. 2-726
Figure 2.4-236	All Wells Within 2 Mi	. 2-727
Figure 2.4-237	All Wells Within 5 Mi	. 2-728
Figure 2.4-238	All Wells Within 25 Mi	. 2-729
Figure 2.4-239	Simulated Pre-Development Water Levels in Bedrock Aquifer	. 2-730
Figure 2.4-240	1993 Bedrock Aquifer Potentiometric Surface in Monroe County, MI	. 2-731
Figure 2.4-241	2008 Bedrock Aquifer Potentiometric Surface in Monroe County, MI	. 2-732
Figure 2.4-242	Overburden Water Table Map 06/29/2007	. 2-733
Figure 2.4-243	Overburden Water Table Map 09/28/2007-09/29/2007	. 2-734
Figure 2.4-244	Overburden Water Table Map 12/29/2007	. 2-735
Figure 2.4-245	Overburden Water Table Map 03/21/2008	. 2-736
Figure 2.4-246	Bass Islands Aquifer Potentiometric Surface Map 06/29/2007	. 2-737
Figure 2.4-247	Bass Islands Aquifer Potentiometric Surface Map 09/28/2007- 09/29/2007	2-738
Figure 2.4-248	Bass Islands Aquifer Potentiometric Surface Map 12/29/2007	. 2-739
Figure 2.4-249	Bass Islands Aquifer Potentiometric Surface Map 03/29/2008	. 2-740

Figure 2.4-250	Fermi 3 Paired Hydrographs	2-741
Figure 2.4-251	Monroe County Water Level Hydrographs	2-742
Figure 2.4-252	Fermi 3 Overburden Hydraulic Conductivity	2-743
Figure 2.4-253	Fermi 3 Bedrock Hydraulic Conductivity	2-744
Figure 2.4-254	Groundwater Model Grid Refinement	2-745
Figure 2.4-255	Dewatering Bass Islands Group: Drawdown Contours - Reinforced Diaph Concrete Wall With Grouted Base Combination	•
Figure 2.4-256	Dewatering Bass Islands Group: Drawdown Contours – Grout Curtain/Fre Wall Combination with a Grouted Base	
Figure 2.4-257	Effective Monitoring Intervals For Bedrock Wells At The Fermi Site	2-748
Figure 2.4-258	Watershed Boundary	2-749
Figure 2.4-259	PMP Hyetograph	2-750
Figure 2.4-260	Results of the Snowmelt Analysis - Total Depth of Rain and Snowmelt Available for Runoff	2-751
Figure 2.4-261	Summary of HEC-HMS Results	2-752
Figure 2.4-262	Water Surface Elevation at Plant	2-753
Figure 2.4-263	Still Water Elevations	2-754
Figure 2.4-264	Wave Height and Bathymetry – Fermi Site	2-755
Figure 2.4-265	Wave Run-Up (Vertical exaggeration is approximately 5 to 1)	2-756
Figure 2.4-266	Conceptual Model for Groundwater Transport Analysis	2-757
Figure 2.5.1-201	Fermi 3 Site Region and Site Vicinity Planametric Maps	2-913
Figure 2.5.1-202	Fermi 3 Site Regional Physiographic Map	2-914
Figure 2.5.1-203	Fermi 3 Site Region Map of Tectonic Structures	2-915
Figure 2.5.1-204	Geologic Map of the Fermi 3 Site Region	2-916
Figure 2.5.1-205	Quaternary Geology Map of the Fermi 3 Site Region	2-917
Figure 2.5.1-206	Basement Crustal Provinces in the Fermi 3 Site Region	2-918
Figure 2.5.1-207	Regional Seismicity and Tectonic Features in the Fermi 3 Site Region	2-919
Figure 2.5.1-208	Paleozoic Basins and Arches in the Fermi 3 Site Region	2-922

Figure 2.5.1-209	Geologic Timescale	2-923
Figure 2.5.1-210	Map and Schematic History of Penokean Orogeny	2-924
Figure 2.5.1-211	Hypothetical Model for the Nature and Continuity of Structures of the Midco Rift System	
Figure 2.5.1-212	Schematic History of the Grenville Orogeny	2-926
Figure 2.5.1-213	Map Showing Locations of Seismic Lines	2-927
Figure 2.5.1-214	Late Wisconsin Glacial Lobes, Sublobes, and Inferred Ice Flow Pathways	. 2-928
Figure 2.5.1-215	Wisconsinan Stadial Interstadial Terminology	2-929
Figure 2.5.1-216	Summary Diagram of Lake Levels, Outlets, Inflows, Phases, and "Age" vs Radiocarbon Age for the Northern Huron Basin	
Figure 2.5.1-217	Stratigraphic Column for Michigan	2-931
Figure 2.5.1-218	Geologic Cross-Section of the (320 km [200 mi] Radius) Site Region	2-932
Figure 2.5.1-219	World Stress Map Showing Maximum Horizontal Stress Trajectory in the F Site Region	
Figure 2.5.1-220	Bouguer Gravity Map of the Fermi 3 Site Region	2-934
Figure 2.5.1-221	Magnetic Anomaly Map of the Fermi 3 Site Region	2-935
Figure 2.5.1-222	Interpretation of COCORP Lines OH-1 and OH-2	2-936
Figure 2.5.1-223	Summary of Displacement History of Bowling Green Fault	2-937
Figure 2.5.1-224	Photograph and Cross-Section of an Exposure of the Bowling Green Faul Waterville Quarry	
Figure 2.5.1-225	Structure Contour Maps Showing the Howell Anticline and the Lucas-Mor Monocline	roe 2-939
Figure 2.5.1-226	Geologic Cross-Section of Howell Anticline	2-940
Figure 2.5.1-227	Landslide Hazard Map for the Fermi 3 Site Region	2-941
Figure 2.5.1-228	Engineering Aspects of Karst Map for the Fermi 3 Site Region	2-942
Figure 2.5.1-229	Topography of the Fermi 3 Site Location	2-943
Figure 2.5.1-230	Geologic Map of the Fermi 3 Site Vicinity	2-944
Figure 2.5.1-231	Geologic Map Showing Quaternary Features of the Fermi 3 Site Vicinity	2-945
Figure 2.5.1-232	Map Showing Quaternary Features of the Erie Basin	2-946

Figure 2.5.1-233	Chart Showing the Lake Phases and Levels and Ice Margin Positions for t Quaternary	he . 2-947
Figure 2.5.1-234	Maps Showing Late Wisconsinan Ice Margins and Proglacial Lake Shoreli (~18 ka to 5ka)	
Figure 2.5.1-235	Site Exploration Plan	. 2-949
Figure 2.5.1-236	Enlargement of Site Exploration Plan	. 2-950
Figure 2.5.1-237	Geologic Cross Section A-A	. 2-951
Figure 2.5.1-238	Geologic Cross Section B-B	. 2-952
Figure 2.5.1-239	Geologic Cross Section C-C	. 2-953
Figure 2.5.1-240	Geologic Cross Section D-D	. 2-954
Figure 2.5.1-241	Geologic Map of the Fermi 3 Site Area	. 2-955
Figure 2.5.1-242	Natural Gamma Log of Fermi 3 Boring RB-C8	. 2-956
Figure 2.5.1-243	Photograph of Erosion Surface in Salina Unit F, Fermi 3 Boring CB-C2	. 2-957
Figure 2.5.1-244	Quaternary Geologic Map of the Site Area	. 2-958
Figure 2.5.1-245	Map Showing Soils of the Fermi 3 Site Location	. 2-959
Figure 2.5.1-246	Tectonic Structures in the Fermi 3 Site Vicinity	. 2-960
Figure 2.5.1-247	Structure Contour Maps from Monroe County, Michigan	. 2-961
Figure 2.5.1-248	Structural Contour Maps Showing Bedrock Elevation of the Ordovician Tre Group and the Silurian Bass Islands Formation	enton . 2-962
Figure 2.5.1-249	Structural Contour Map on the Top of the Bass Islands Group, Oolitic Dolomite Marker Horizon	. 2-963
Figure 2.5.1-250	Fermi 3 Site Vicinity Physiographic Map	. 2-964
Figure 2.5.1-251	Plot of Elevation Versus Distance of Raised and Uptilted Shorelines of the Whittlesey and Subsequent Lake Phases	
Figure 2.5.1-252	Lakes Whittlesey and Saginaw, and the Port Huron Stade Ice Barriers	. 2-966
Figure 2.5.1-253	GPS Motions	. 2-967
Figure 2.5.1-254	GPS Horizontal Velocities with Motion of Rigid North America Removed	. 2-968
Figure 2.5.1-255	Composite Cross Sections of Strandlines in Northern Ohio	. 2-969
Figure 2.5.1-256	Paleo-shorelines and Structural Features in the Vicinity of Fermi 3 Site	. 2-970

Figure 2.5.1-257	Topographic Profile AA' Relative to Published Elevations of Mapped Paleo-shoreline Features	2-971
Figure 2.5.1-258	Denniston Quarry: Quaternary Excavations, Soil Profile Locations and Ma	
Figure 2.5.1-259	Denniston Quarry: Soil Profile SP-1 in Quaternary Excavation QE-1	. 2-973
Figure 2.5.1-260	Denniston Quarry: Stratigraphy Exposed in Quaternary QE-2	. 2-974
Figure 2.5.1-261	Denniston Quarry: Quaternary Excavation QE-3 and Soil Profiles SP-2 and SP-3	
Figure 2.5.1-262	Denniston Quarry: North Wall of Quaternary Excavation QE-3	. 2-976
Figure 2.5.1-263	Index Map of Western Lake Erie Showing Names of Geographic Features	2-977
Figure 2.5.1-264	Index Map of Eastern Lake Erie Showing Names of Geographic Features	. 2-978
Figure 2.5.1-265	Map Showing Locations of the Oil and Gas Wells Near the Sumpter and Newson Pool Possible Faults	
Figure 2.5.1-266	Earthquake and Inferred Fault Planes in the Ashtabula, Ohio, Area	. 2-980
Figure 2.5.1-267	Plot Showing Elevations of Bedrock Surfaces Based on Oil Wells across to Sumpter Pool and New Boston Pool Possible Faults	
Figure 2.5.2-201	Earthquake Catalog for Mid-Continent Region	2-1103
Figure 2.5.2-202	Location of Earthquakes within 320 km (200 mi.) of the Fermi 3 Site	2-1104
Figure 2.5.2-203	Location of Earthquakes within 80 km (50 mi.) of the Fermi 3 Site	2-1105
Figure 2.5.2-204	Bechtel EPRI-SOG Seismic Sources	2-1106
Figure 2.5.2-205	Dames & Moore EPRI-SOG Seismic Sources	2-1107
Figure 2.5.2-206	Law Engineering EPRI-SOG Seismic Sources	2-1108
Figure 2.5.2-207	Rondout Associates EPRI-SOG Seismic Sources	2-1109
Figure 2.5.2-208	Weston Geophysical EPRI-SOG Seismic Sources	2-1110
Figure 2.5.2-209	Woodward-Clyde Consultants EPRI-SOG Seismic Sources	2-1111
Figure 2.5.2-210	USGS National Seismic Hazard Mapping Project Source Mode	2-1112
Figure 2.5.2-211	Source Characterization Logic Tree for Repeating Large-Magnitude New Madrid Earthquakes	2-1113
Figure 2.5.2-212	Central Fault System of New Madrid Seismic Zone	2-1114

Figure 2.5.2-213	Location of New Madrid Seismic Zone as Illuminated by Seismicity between 1974 and 19962-1115
Figure 2.5.2-214	Earthquake Recurrence Rates for New Madrid Seismic Sources2-1116
Figure 2.5.2-215	Distributions for Mean Repeat Time for Repeating Large-Magnitude New Madrid Earthquakes
Figure 2.5.2-216	Earthquake Rupture Sequences for Repeating Large-Magnitude New Madrid Earthquakes2-1118
Figure 2.5.2-217	EPRI-SOG Catalog Completeness Regions
Figure 2.5.2-218	Effect of Updated Catalog on Earthquake Occurrence Rates within Completeness Region 4
Figure 2.5.2-219	Effect of Updated Catalog on Earthquake Occurrence Rates within Completeness Region 5
Figure 2.5.2-220	Ground Motion Characterization Logic Tree Used in the PSHA for the Fermi 3 Site
Figure 2.5.2-221	Comparison of Median Ground Motion Models Used in the PSHA with Recently Published Models
Figure 2.5.2-222	Mean Hazard Curves for the Bechtel Team Sources Computed using Subset of EPRI (2004, 2006) Ground Motion Models
Figure 2.5.2-223	Mean Hazard Curves for the Dames & Moore Team Sources Computed using Subset of EPRI (2004, 2006) Ground Motion Models2-1125
Figure 2.5.2-224	Mean Hazard Curves for the Law Engineering Team Sources Computed using Subset of EPRI (2004, 2006) Ground Motion Models
Figure 2.5.2-225	Mean Hazard Curves for the Rondout Associates Team Sources Computed using Subset of EPRI (2004, 2006) Ground Motion Models2-1127
Figure 2.5.2-226	Mean Hazard Curves for the Weston Geophysical Team Sources Computed using Subset of EPRI (2004, 2006) Ground Motion Models2-1128
Figure 2.5.2-227	Mean Hazard Curves for the Woodward-Clyde Consultants Team Sources Computed using Subset of EPRI (2004, 2006) Ground Motion Models2-1129
Figure 2.5.2-228	Effect of Update of EPRI-SOG and Additional Sources on the Seismic Hazard for the Fermi 3 Site. Hazard computed using Subset of EPRI (2004, 2006) Ground Motion Models
Figure 2.5.2-229	Generic CEUS Hard Rock Hazard Results for 0.5-Hz Spectral Accelerations for the Fermi 3 Site

Generic CEUS Hard Rock Hazard Results for 1-Hz Spectral Accelerations for the Fermi 3 Site
Generic CEUS Hard Rock Hazard Results for 2.5-Hz Spectral Accelerations for the Fermi 3 Site
Generic CEUS Hard Rock Hazard Results for 5-Hz Spectral Accelerations for the Fermi 3 Site
Generic CEUS Hard Rock Hazard Results for 10-Hz Spectral Accelerations for the Fermi 3 Site
Generic CEUS Hard Rock Hazard Results for 25-Hz Spectral Accelerations for the Fermi 3 Site
Generic CEUS Hard Rock Hazard Results for 100-Hz Spectral Accelerations for the Fermi 3 Site
Contribution of the Updated EPRI-SOG Model and the New Madrid/Wabash, Valley Sources to the Total Mean Hazard at the Fermi 3 Site2-1138
Effect of Alternative EPRI (2004) Ground Motion Cluster Median Models on the Hazard Computed for the Fermi 3 Site
Effect of Uncertainty in the EPRI (2004) Ground Motion Cluster Median Models on the Hazard Computed for the Fermi 3 Site2-1140
Effect of Alternative m <sub>b</sub> -M Conversion Relationships on the Hazard Computed for the Fermi 3 Site2-1141
Uncertainty in the Hazard for the Fermi 3 Site from the Updated EPRI-SOG Seismic Sources and Comparison of Individual Team Mean Hazard Results
Uniform Hazard Response Spectra for the Fermi 3 Site and Generic Hard Rock Conditions
Deaggregation of Mean 10 <sup>-3</sup> Hazard2-1144
Deaggregation of Mean 10 <sup>-4</sup> Hazard2-1145
Deaggregation of Mean 10 <sup>-5</sup> Hazard
Deaggregation of Mean 10 <sup>-6</sup> Hazard2-1147
Mean 10 <sup>-3</sup> UHRS, RE, and DE Spectra2-1148
Mean 10 <sup>-4</sup> UHRS, RE, and DE Spectra2-1149
Mean 10 <sup>-5</sup> UHRS, RE, and DE Spectra2-1150
Mean 10 <sup>-6</sup> UHRS, RE, and DE Spectra2-1151

Figure 2.5.2-250	Extension of Response Spectra to 0.1 Hz	2-1152
Figure 2.5.2-251	Shear Wave Velocity Data for Boring TB-C5	2-1153
Figure 2.5.2-252	Shear Wave Velocity Data for Boring RB-C8	2-1154
Figure 2.5.2-253	Shear Wave Velocity Data for Boring CB-C3	2-1155
Figure 2.5.2-254	Shear Wave Velocity Data for Boring RB-C4	2-1156
Figure 2.5.2-255	Geometric Mean Velocity Profile for Fermi 3 Site	2-1157
Figure 2.5.2-256	Modulus Reduction and Damping Relationships Used for the Glacial Till a Concrete Backfill	
Figure 2.5.2-257	Estimation of Scattering κ	2-1159
Figure 2.5.2-258	Randomized Shear Wave Velocity Profiles 1–30	2-1160
Figure 2.5.2-259	Randomized Shear Wave Velocity Profiles 31–60	2-1161
Figure 2.5.2-260	Statistics of Randomized Shear Wave Velocity Profiles	2-1162
Figure 2.5.2-261	Randomized Shear Modulus (G) Reduction and Damping Relationships Clayey Soils with a PI of 15 for Glacial Till with Dynamic Laboratory Test Results	
Figure 2.5.2-262	Randomized Shear Modulus (G) Reduction and Damping Relationships Clayey Soils with a PI of 50 for Glacial Till with Dynamic Laboratory Test Results	
Figure 2.5.2-263	Randomized Shear Modulus (G) Reduction and Damping Relationships Lean Concrete Backfill	
Figure 2.5.2-264	Example Response Spectra of Time Histories Used for Site Response Analyses	2-1166
Figure 2.5.2-265	Statistics of Site Amplification for the Fermi 3 GMRS Profile	2-1167
Figure 2.5.2-266	Site Response Logic Tree	2-1168
Figure 2.5.2-267	Sensitivity of GMRS Profile Mean Site Amplification to Damping Assigned Rock Layers	
Figure 2.5.2-268	Sensitivity of GMRS Profile Mean Site Amplification to Modulus Reduction Damping Relationships for Glacical Till	
Figure 2.5.2-269	Sensitivity of GMRS Profile Mean Site Amplification to Deaggregation Ear Motions	•
Figure 2.5.2-270	GMRS Amplification Functions for the Fermi 3 Site	2-1172

Figure 2.5.2-271	Statistics of Effective Strain for the GMRS Profile and 10 <sup>-4</sup> Motions2-1173
Figure 2.5.2-272	Statistics of Effective Strain for the GMRS Profile and 10 <sup>-5</sup> Motions2-1174
Figure 2.5.2-273	RB/FB FIRS Amplification Functions for the Fermi 3 Site2-1175
Figure 2.5.2-274	CB FIRS Amplification Functions for the Fermi 3 Site2-1176
Figure 2.5.2-275	FWSC FIRS Amplification Functions for the Fermi 3 Site
Figure 2.5.2-276	Development of 10 <sup>-4</sup> Surface UHRS for the GMRS Profile2-1178
Figure 2.5.2-277	Development of 10 <sup>-4</sup> Surface UHRS for the RB/FB FIRS Profile2-1179
Figure 2.5.2-278	Surface Hazard Curves for the GMRS Profile Computed with and without CAV for 0.5-Hz Spectral Acceleration
Figure 2.5.2-279	Surface Hazard Curves for the GMRS Profile Computed with and without CAV for 1-Hz Spectral Acceleration
Figure 2.5.2-280	Surface Hazard Curves for the GMRS Profile Computed with and without CAV for 2.5-Hz Spectral Acceleration
Figure 2.5.2-281	Surface Hazard Curves for the GMRS Profile Computed with and without CAV for 5-Hz Spectral Acceleration
Figure 2.5.2-282	Surface Hazard Curves for the GMRS Profile Computed with and without CAV for 10-Hz Spectral Acceleration
Figure 2.5.2-283	Surface Hazard Curves for the GMRS Profile Computed with and without CAV for 25-Hz Spectral Acceleration
Figure 2.5.2-284	Surface Hazard Curves for the GMRS Profile Computed with and without CAV for 100-Hz Spectral Acceleration
Figure 2.5.2-285	Surface UHRS for the GMRS Profile Computed with and without CAV 2-1187
Figure 2.5.2-286	Horizontal GMRS for the Fermi 3 Site2-1188
Figure 2.5.2-287	Vertical to Horizontal Spectral Ratios for Generic CEUS Hard Rock 2-1189
Figure 2.5.2-288	Fermi 3 GMRS (5% damping)
Figure 2.5.2-289	Fermi 3 RB/FB FIRS (5% damping)2-1191
Figure 2.5.2-290	Fermi 3 CB FIRS (5% damping)2-1192
Figure 2.5.2-291	Fermi 3 CB FIRS (5% damping)2-1193
Figure 2.5.3-201	Map Showing Mapped Structures and Seismicity in the Site Vicinity2-1209

Figure 2.5.3-202	Map Showing Field Reconnaissance Sites, Quarries, and Aerial Reconnaissance Route
Figure 2.5.3-203	Interpreted Hillshade Model (10-m DEM) Showing Lineaments in the Site Vicinity
Figure 2.5.3-204	Uninterpreted Hillshade Model (10-m DEM) of the Site Vicinity2-1212
Figure 2.5.3-205	Interpreted 1955 1:20,000-scale Aerial Photograph Mosaic Showing Lineaments in the Site Area
Figure 2.5.3-206	Uninterpreted 1955 1:20,000-scale Aerial Photograph Mosaic of the Site Area
Figure 2.5.3-207	2006 2-m resolution Color Infrared Photograph Showing Interpreted Lineaments in the Site Area
Figure 2.5.3-208	Uninterpreted 2006 2-m resolution Color Infrared Photograph of Site Area2-1216
Figure 2.5.3-209	Uninterpreted 2006 2-m resolution Color Infrared Photograph of the Site Location
Figure 2.5.3-210	Colored Contour Interval (0.5-m Increments) Map Highlighting Surfaces Associated with the Arkona Lake Level (Elevation 212 - 216 m)
Figure 2.5.3-211	Topographic Profiles 1, 2, 3, and 5 Across the Sumpter Pool Possible Fault
Figure 2.5.3-212	Topographic Profiles 4, 6, and 7 Across the Boston Pool Possible Fault 2-1220
Figure 2.5.3-213	Colored Contour Interval (0.5-m Increments) Map Highlighting Surfaces Associated with the Lake Grassmere Lake Level (Elevation 195 m) 2-1221
Figure 2.5.3-214	Topographic Profiles 8. 9, and 10 across the New Boston Pool and Sumpter Pool Possible Faults
Figure 2.5.4-201	Excavation Site Plan2-1336
Figure 2.5.4-202	Excavation Cross Section D-D'
Figure 2.5.4-203	Excavation Cross Section C-C'
Figure 2.5.4-204	Excavation Cross Section B-B'2-1339
Figure 2.5.4-205	Comparison of measured Vs and Vp with RQD for Boring TB-C52-1340
Figure 2.5.4-206	Comparison of measured Vs and Vp with RQD for Boring RB-C82-1341
Figure 2.5.4-207	Comparison of measured Vs and Vp with RQD for Boring CB-C32-1342
Figure 2.5.4-208	Comparison of measured Vs and Vp with RQD for Boring RB-C42-1343

Figure 2.5.4-209	Influence of geologic features within Bass Islands Group on measured seismic wave velocities in Borehole TB-C52-1344
Figure 2.5.4-210	Influence of geologic features within Bass Islands Group on measured seismic wave velocities in Borehole RB-C8
Figure 2.5.4-211	Influence of geologic features within Bass Islands Group on measured seismic wave velocities in Borehole CB-C3
Figure 2.5.4-212	Influence of geologic features within Bass Islands Group on measured seismic wave velocities in Borehole RB-C4
Figure 2.5.4-213	Influence of shale or claystone content within Salina Group Unit F on measured seismic wave velocities in Boring TB-C52-1348
Figure 2.5.4-214	Influence of shale or claystone content within Salina Group Unit F on measured seismic wave velocities in Boring CB-C3
Figure 2.5.4-215	Compression wave velocity measurements using both P-S and Downhole methods in Borings TB-C5, RB-C8, CB-C3, and RB-C42-1350
Figure 2.5.4-216	Shear wave velocity measurements using both P-S and Downhole Methods in Borings TB-C5, RB-C8, CB-C3, and RB-C42-1351
Figure 2.5.4-217	Comparison of measured shear and compression wave velocity profile using P-S suspension method in Boring RB-C6 with measured N-values within overburden
Figure 2.5.4-218	Comparison of measured shear and compression wave velocity profile using P-S suspension method in Boring RB-C6 with gravel content within overburden
Figure 2.5.4-219	Measured shear wave velocity profile using SASW method in the overburden near Borings RB-C4, RW-C1, MW-381 and MW-3932-1354
Figure 2.5.4-220	Measured shear and compression wave velocity profiles using P-S Suspension method in Boring TB-C52-1356
Figure 2.5.4-221	Measured shear and compression wave velocity profiles using P-S Suspension and Downhole Seismic methods in Boring RB-C8
Figure 2.5.4-222	Measured shear and compression wave velocity profiles using P-S Suspension and Downhole Seismic methods in Boring CB-C3
Figure 2.5.4-223	Measured shear and compression wave velocity profiles using P-S Suspension and Downhole Seismic methods in Boring RB-C4
Figure 2.5.4-224	Measured shear and compression wave velocity profiles in the overburden using P-S Suspension Logger in Boring RB-C62-1360

Figure 2.5.4-225	Measured shear and compression wave velocity profiles in the overburden using SASW method near Borings RB-C4 and RW-C12-1361
Figure 2.5.4-226	Selected Shear Modulus Reduction and Damping Curves for Glacial Till 2-1362
Figure 2.5.4-227	Total vertical displacement at end of excavation stage (Rebound due to Excavation)2-1363
Figure 2.5.4-228	Net Settlement at Base of Seismic Category I at End of Loading Stage 2-1364
Figure 2.5.4-229	Lateral Earth Pressure on Reactor Building Walls2-1365
Figure 2.5.4-230	Lateral Earth Pressure on Control Building Walls2-1366
Figure 3.7.1-201	Shear Wave Velocity Profiles for Site Response Analysis Representing the Intermediate and Bounding Estimates
Figure 3.7.1-202	Modulus Reduction and Damping Relationships Used for the Engineered Granular Backfill Material
Figure 3.7.1-203	Randomized Shear Wave Velocity Profiles 1-30 for the Intermediate Range Site Response Analysis Profile
Figure 3.7.1-204	Randomized Shear Wave Velocity Profiles 31-60 for the Intermediate Range Site Response Analysis Profile
Figure 3.7.1-205	Statistics of Randomized Shear Wave Velocity Profiles for the Intermediate Range Site Response Analysis Profile
Figure 3.7.1-206	Randomized Shear Modulus Reduction and Damping Relationships Used for 0 to 20 Feet Depth Engineered Granular Backfill Material
Figure 3.7.1-207	Randomized Shear Modulus Reduction and Damping Relationships Used for 20 to 50 Feet Depth Engineered Granular Backfill Material
Figure 3.7.1-208	Site Response Logic Tree for Full Soil Column Profile
Figure 3.7.1-209	PBSRS Amplification Functions for the Fermi 3 Site
Figure 3.7.1-210	RB/FB SCOR Amplification Functions for the Fermi 3 Site
Figure 3.7.1-211	CB SCOR Amplification Function for the Fermi 3 Site
Figure 3.7.1-212	Development of 10 <sup>-4</sup> Surface UHRS at the Finished Ground Level Grade for the Full Soil Column Profile
Figure 3.7.1-213	Development of 10 <sup>-4</sup> SCOR UHRS at the RB/FB Foundation Level for the Full Soil Column Profile
Figure 3.7.1-214	Surface Hazard Curves at Finished Ground Level Grade for the Full Soil Column Profile Computed With and Without CAV for 0.5 Hz Spectral Acceleration 3-68

Figure 3.7.1-215	Surface Hazard Curves at Finished Ground Level Grade for the Full Soil Column Profile Computed With and Without CAV for 1 Hz Spectral Acceleration 3-69
Figure 3.7.1-216	Surface Hazard Curves at Finished Ground Level Grade for the Full Soil Column Profile Computed With and Without CAV for 2.5 Hz Spectral Acceleration 3-70
Figure 3.7.1-217	Surface Hazard Curves at Finished Ground Level Grade for the Full Soil Column Profile Computed With and Without CAV for 5 Hz Spectral Acceleration 3-71
Figure 3.7.1-218	Surface Hazard Curves at Finished Ground Level Grade for the Full Soil Column Profile Computed With and Without CAV for 10 Hz Spectral Acceleration 3-72
Figure 3.7.1-219	Surface Hazard Curves at Finished Ground Level Grade for the Full Soil Column Profile Computed With and Without CAV for 25 Hz Spectral Acceleration 3-73
Figure 3.7.1-220	Surface Hazard Curves at Finished Ground Level Grade for the Full Soil Column Profile Computed With and Without CAV for 100 Hz Spectral Acceleration 3-74
Figure 3.7.1-221	Surface UHRS at the Finished Ground Level Grade Computed With and Without CAV
Figure 3.7.1-222	Horizontal PBSRS for the Fermi 3 Site
Figure 3.7.1-223	Vertical to Horizontal Spectral Ratios Developed for Fermi 3 Full Soil Column Profile
Figure 3.7.1-224	Fermi 3 PBSRS at Finished Ground Level Grade (5% Damping)
Figure 3.7.1-225	Lower Bound, Best Estimate, and Upper Bound Shear Wave Velocity Profiles for the Full Soil Column
Figure 3.7.1-226	Fermi 3 RB/FB SCOR FIRS (5% Damping)
Figure 3.7.1-227	Fermi 3 CB SCOR FIRS (5% Damping)
Figure 3.7.1-228	Fermi 3 Horizontal RB/FB SCOR FIRS and Enhanced SCOR FIRS (5% Damping)
Figure 3.7.1-229	Fermi 3 Horizontal CB SCOR FIRS and Enhanced SCOR FIRS (5% damping)
Figure 3.7.1-230	Comparison with Envelopes of the Response Spectra of Computed Horizontal Component Surface Motions for Full Soil Column Profiles Using the RB/FB Enhanced SCOR FIRS Input Motions with the Horizontal PBSRS
Figure 3.7.1-231	Comparison with Envelopes of the Response Spectra of Computed Horizontal Component Surface Motions for Full Soil Column Profiles Using the CB Enhanced SCOR FIRS Input Motions with the Horizontal PRSRS

Figure 3.7.1-232	Fermi 3 Vertical RB/FB SCOR FIRS and Enhanced SCOR FIRS (5% Damping)
Figure 3.7.1-233	Fermi 3 Vertical CB SCOR FIRS and Enhanced SCOR FIRS (5% Damping)
Figure 3.7.1-234	Comparison of the Envelope of the Response Spectra of Computed Vertical Component Surface Motions for Full Soil Column Profiles Using the RB/FB Enhanced SCOR FIRS Input Motions with the Vertical PBSRS
Figure 3.7.1-235	Comparison of the Envelope of the Response Spectra of Computed Vertical Component Surface Motions for Full Soil Column Profiles Using the CB Enhanced SCOR FIRS Input Motions with the Vertical PBSRS
Figure 3.7.1-236	Development of Horizontal Fermi 3 SSI FIRS for the RB/FB
Figure 3.7.1-237	Development of Horizontal Fermi 3 SSI FIRS for the CB
Figure 3.7.1-238	Development of Vertical Fermi 3 SSI FIRS for the RB/FB
Figure 3.7.1-239	Development of Vertical Fermi 3 SSI FIRS for the CB
Figure 3.7.1-240	Horizontal and Vertical Fermi 3 SSI FIRS for the RB/FB
Figure 3.7.1-241	Horizontal and Vertical Fermi 3 SSI FIRS for the CB
Figure 3.7.1-242	Response Spectrum for Spectrally Matched Horizontal (H1) Component for the Fermi 3 RB/FB SSI FIRS
Figure 3.7.1-243	Response Spectrum for Spectrally Matched Horizontal (H2) Component for the Fermi 3 RB/FB SSI FIRS
Figure 3.7.1-244	Response Spectrum for Spectrally Matched Vertical (V) Component for the Fermi 3 RB/FB SSI FIRS
Figure 3.7.1-245	Response Spectrum for Spectrally Matched Horizontal (H1) Component for the Fermi 3 CB SSI FIRS
Figure 3.7.1-246	Response Spectrum for Spectrally Matched Horizontal (H2) Component for the Fermi 3 CB SSI FIRS
Figure 3.7.1-247	Response Spectrum for Spectrally Matched Vertical (V) Component for the Fermi 3 CB SSI FIRS
Figure 3.7.1-248	Acceleration, Velocity, and Displacement Time Histories for the SSI FIRS Horizontal (H1) Component Compatible with the RB/FB Horizontal SSI FIRS
Figure 3.7.1-249	Acceleration, Velocity, and Displacement Time Histories for the SSI FIRS Horizontal (H2) Component Compatible with the RB/FB Horizontal SSI FIRS

Figure 3.7.1-250	Acceleration, Velocity, and Displacement Time Histories for the SSI FIRS Vertical (V) Component Compatible with the RB/FB Vertical SSI FIRS3-104
Figure 3.7.1-251	Acceleration, Velocity, and Displacement Time Histories for the SSI FIRS Horizontal (H1) Component Compatible with the CB Horizontal SSI FIRS3-105
Figure 3.7.1-252	Acceleration, Velocity, and Displacement Time Histories for the SSI FIRS Horizontal (H2) Component Compatible with the CB Horizontal SSI FIRS 3-106
Figure 3.7.1-253	Acceleration, Velocity and Displacement Time Histories for the SSI FIRS Vertical (V) Component Compatible with the CB Vertical SSI FIRS
Figure 3.7.1-254	Comparison of the Envelope of the Response Spectra of Computed Horizontal (H1 and H2) Component Surface Motions Using the RB/FB SSI FIRS Input Motion with the Horizontal PBSRS
Figure 3.7.1-255	Comparison of the Envelope of the Response Spectra of Computed Vertical (V) Component Surface Motions Using the RB/FB SSI FIRS Input Motion with the Vertical PBSRS
Figure 3.7.1-256	Comparison of the Envelope of the Response Spectra of Computed Horizontal (H1 and H2) Component Surface Motions Using the CB SSI FIRS Input Motion with the Horizontal PBSRS
Figure 3.7.1-257	Comparison of the Envelope of the Response Spectra of Computed Vertical (V) Component Surface Motions Using the CB SSI FIRS Input Motion with the Vertical PBSRS
Figure 3.7.1-258	Lower Bound, Best Estimate and Upper Bound Shear Wave Velocity Profiles for the Fermi 3 Site-Specific SSI Analyses
Figure 3.7.1-259	Comparison of Fermi 3 RB/FB and CB SSI FIRS with the NUREG/CR-0098 (Reference 3.7.1-210) median rock spectral shape and enveloping NUREG/CR-6728 (Reference 2.5.2-255) CEUS spectral shape, both scaled to a minimum PGA of 0.1g. All spectra are for 5% damping
Figure 3.7.2-201	SASSI2000 Plate Element for RB/FB Basemat
Figure 3.7.2-202	SASSI2000 Plate Elements for RB/FB Exterior Walls
Figure 3.7.2-203	Overview of SASSI2000 SSI RB/FB Model3-152
Figure 3.7.2-204	
	SASSI2000 Plate Elements for CB Basemat
Figure 3.7.2-205	SASSI2000 Plate Elements for CB Exterior Walls
Figure 3.7.2-206	Overview of CB SASSI2000 SSI Model

Figure 3.7.2-207a	Comparison of Floor Response Spectra - RB/FB Refueling Floor in X-Direction	3-156
Figure 3.7.2-207b	Comparison of Floor Response Spectra - RCCV Top Slab in X-Direction	3-157
Figure 3.7.2-207c	Comparison of Floor Response Spectra - Vent Wall Top in X-Direction	3-158
Figure 3.7.2-207d	Comparisonof Floor Response Spectra - RSW Top in X-Direction	3-159
Figure 3.7.2-207e	Comparison of Floor Response Spectra - RPV Top in X-Direction	3-160
Figure 3.7.2-207f	Comparison of Floor Response Spectra - RB/FB Basemat in X-Direction	3-161
Figure 3.7.2-208a	Comparison of Floor Response Spectra - RB/FB Refueling Floor in Y-Direction	3-162
Figure 3.7.2-208b	Comparison of Floor Response Spectra - RCCV Top Slab in Y-Direction	3-163
Figure 3.7.2-208c	Comparison of Floor Response Spectra - Vent Wall Top in Y-Direction	3-164
Figure 3.7.2-208d	Comparison of Floor Response Spectra - RSW Top in Y-Direction	3-165
Figure 3.7.2-208e	Comparison of Floor Response Spectra - RPV Top in Y-Direction	3-166
Figure 3.7.2-208f	Comparison of Floor Response Spectra - RB/FB Basemat in Y-Direction	3-167
Figure 3.7.2-209a	Comparison of Floor Response Spectra - RB/FB Refueling Floor in Z-Direction	3-168
Figure 3.7.2-209b	Comparison of Floor Response Spectra - RCCV Top Slab in Z-Direction	3-169
Figure 3.7.2-209c	Comparison of Floor Response Spectra - Vent Wall Top in Z-Direction	3-170
Figure 3.7.2-209d	Comparison of Floor Response Spectra - RSW Top in Z-Direction	3-171
Figure 3.7.2-209e	Comparison of Floor Response Spectra - RPV Top in Z-Direction	3-172
Figure 3.7.2-209f	Comparison of Floor Response Spectra - RB/FB Basemat in Z-Direction	3-173
Figure 3.7.2-210a	Comparison of Floor Response Spectra - CB Top in X-Direction	3-174
Figure 3.7.2-210b	Comparison of Floor Response Spectra - CB Basemat in X-Direction	3-175
Figure 3.7.2-211a	Comparison of Floor Response Spectra - CB Top in Y-Direction	3-176
Figure 3.7.2-211b	Comparison of Floor Response Spectra - CB Basemat in Y-Direction	3-177
Figure 3.7.2-212a	Comparison of Floor Response Spectra - CB Top in Z-Direction	3-178
Figure 3.7.2-212b	Comparison of Floor Response Spectra - CB Basemat in Z-Direction	3-179
Figure 8.2-201	345 kV Switchyard Single-Line Diagram	8-11

Figure 8.2-202	This page is intentionally left blank	8-12
Figure 8.2-203	Transmission Line Map	8-13
Figure 9.2-201	Potable Water System Simplified Diagram	9-19
Figure 9.2-202	Sanitary Waste Discharge System Simplified Diagram	9-20
Figure 9.2-203	Station Water System – Plant Cooling Tower Makeup System (PCTMS)	9-21
Figure 9.2-204	Station Water System – Pretreated Water Supply System (PWSS)	9-22
Figure 9.2-205	Plant Service Water System Simplified Diagram	9-23
Figure 9.5-201	Fire Protection System Yard Main Loop	9-42
Figure 9.A-2-20R	Radwaste Building Fire Protection Zones EL –9350	9-57
Figure 9.A-2-21R	Radwaste Building Fire Protection Zones EL –2350	9-58
Figure 9.A-2-22R	Radwaste Building Fire Protection Zones EL 4650	9-59
Figure 9.A-2-23R	Radwaste Building Fire Protection Zones EL 10650	9-60
Figure 9.A-2-24R	Radwaste Building Fire Protection Zones Section A-A and Section B-B	9-61
Figure 9A.2-33R	Site Fire Protection Zone ESBWR Plot Plan	9-62
Figure 9A.2-201	Fire Zones - Station Water Intake Building	9-63
Figure 10.4-201	CIRC Natural Cooling Tower and Pump	10-11
Figure 10.4-202	Condenser and Ball Cleaning System	10-12
Figure 11.4-1R	Solid Waste Management System Process Diagram	11-19
Figure 11.4-2R	SWMS Collection Subsystem	11-20
Figure 12.3-19R	RADWASTE BUILDING RADIATION ZONES EL –9350	12-47
Figure 12.3-20R	RADWASTE BUILDING RADIATION ZONES EL –2350	12-48
Figure 12.3-21R	RADWASTE BUILDING RADIATION ZONES EL 4650	12-49
Figure 12.3-22R	RADWASTE BUILDING RADIATION ZONES EL 10650	12-50
Figure 12.3-39R	RADWASTE BUILDING AREA RADIATION MONITORS EL -9350	12-51
Figure 12.3-40R	RADWASTE BUILDING AREA RADIATION MONITORS EL -2350	12-52
Figure 12.3-41R	RADWASTE BUILDING AREA RADIATION MONITORS EL 4650	12-53
Figure 12.3-42R	RADWASTE BUILDING AREA RADIATION MONITORS EL 10650	12-54

Figure 12.3-61R	RADWASTE BUILDING ACCESS AND EGRESS ROUTES EL -9350	12-55
Figure 12.3-62R	RADWASTE BUILDING ACCESS AND EGRESS ROUTES EL -2350	12-56
Figure 12.3-63R	RADWASTE BUILDING ACCESS AND EGRESS ROUTES EL 4650	. 12-57
Figure 12.3-64R	RADWASTE BUILDING ACCESS AND EGRESS ROUTES EL 10650	. 12-58
Figure 13.1-201	Design and Construction Organization	. 13-35
Figure 13.1-202	Nominal Plant Staff Hiring and Training Schedule	. 13-36
Figure 13.1-203	Shift Operations	. 13-37
Figure 13.1-204	Fermi 3 Site Organization (Operations)	. 13-38
Figure 13.1-205	Fermi 3 Site Organization (Technical Support)	. 13-39
Figure 14AA-201	Preoperational and Startup Test Organization (Typical)	. 14-43