



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION I
2100 RENAISSANCE BOULEVARD, SUITE 100
KING OF PRUSSIA, PENNSYLVANIA 19406-2713

March 4, 2013

Docket No. 03032940
Control No. 579931

License No. 52-24908-02

José L. Irizarry-Rosa, P.E.
Partner
PIM Engineering Laboratory, Inc.
3009 San Cristóbal Avenue
Coto Laurel, PR 00780-2802

SUBJECT: PIM ENGINEERING LABORATORY, INC., LICENSE RENEWAL, CONTROL
NO. 579931

Dear Mr. Irizarry-Rosa:

This refers to your application dated January 11, 2013, for renewal of your NRC license. Enclosed with this letter is the renewed license. In accordance with your application and based on the additional information that you provided in your letter dated February 25, 2013, your facilities in Río Piedras and Mayagüez, PR, are removed from Condition 10 of your license.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region I Office, Licensing Assistance Team, (610) 337-5239, so that we can provide appropriate corrections and answers.

The NRC expects licensees to conduct their programs with meticulous attention to detail and high standards of safety and compliance. Serious consequences to employees and the public may result from failure to comply with NRC requirements, therefore you must conduct your program according to NRC regulations, the conditions of your NRC license, and the representations made in your application. In particular, note that you must:

1. Operate in accordance with NRC regulations 10 CFR Part 19, "Notices, Instructions and Reports to Workers; Inspections," 10 CFR Part 20, "Standards for Protection Against Radiation," and other applicable regulations.
2. Notify the NRC in writing of any change in mailing address.
3. In accordance with 10 CFR 30.36(d), notify the NRC, promptly, in writing, and request termination of the license when you decide to permanently cease all activities involving materials authorized under the license.
4. Request and obtain a license amendment before you:
 - a) change Radiation Safety Officer;

- b) order byproduct material in excess of the amount, or radionuclide, or form different than authorized on the license;
 - c) add or change the areas of use, or addresses of use identified in the license application or on the license; or
 - d) change the name or ownership of your organization.
5. Submit a complete renewal application or termination request at least 30 days before the expiration date of your license. You may receive a reminder notice approximately 90 days before the expiration date. Possession of byproduct material after your license expires is a violation of NRC regulations.

You will be periodically inspected by the NRC. Failure to conduct your program safely and in accordance with NRC regulations, license conditions, and the representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, imposition of a civil penalty, or an order suspending, modifying or revoking your license.

An environmental assessment for this action is not required, since this action is categorically excluded under 10 CFR 51.22(c)(14).

Current NRC regulations and guidance are included on the NRC's website at www.nrc.gov; select **Nuclear Materials; Med, Ind, & Academic Uses**; then **Licensee Toolkits**, see our **toolkit index page**. You may also obtain these documents by contacting the Government Printing Office (GPO) toll-free at 1-866-512-1800. The GPO is open from 8:00 a.m. to 5:30 p.m. EST, Monday through Friday (except Federal holidays).

The NRC's Safety Culture Policy Statement became effective in June 2011. While a policy statement and not a regulation, it sets forth the agency's *expectations* for individuals and organizations to establish and maintain a positive safety culture. You can access the policy statement and supporting material that may benefit your organization on NRC's safety culture Web site at <http://www.nrc.gov/about-nrc/regulatory/enforcement/safety-culture.html>. We strongly encourage you to review this material and adapt it to your particular needs in order to develop and maintain a positive safety culture as you engage in NRC-regulated activities.

Thank you for your cooperation.

Sincerely,

Original signed by Sattar Lodhi, Ph.D.

Sattar Lodhi, Ph.D.
Senior Health Physicist
Materials Security and Industrial Branch
Division of Nuclear Materials Safety

J. Irizarry-Rosa

3

Enclosure:
Amendment No. 07

DOCUMENT NAME: G:\WordDocs\Current\Lic Cvr Letter\L52-24908-02.579931.doc

SUNSI Review Complete: SLodhi

After declaring this document "An Official Agency Record" it will be released to the Public.

To receive a copy of this document, indicate in the box: "C" = Copy w/o attach/encl "E" = Copy w/ attach/encl "N" = No copy

OFFICE	DNMS/RI	N	DNMS/RI	DNMS/RI			
NAME	SLodhi /SL/						
DATE	3/4/2013						

OFFICIAL RECORD COPY