

CHAPTER 3—DESIGN OF STRUCTURES, SYSTEMS, COMPONENTS, AND EQUIPMENT LIST OF TABLES

Table 3.2.2-1	Classification Summary	3.2-10
Table 3.4-1	Water-Carrying Piping in the Reactor Building	3.4-18
Table 3.5-1	Spectrum of Design Basis Tornado Missiles	3.5-20
Table 3.5-2	Minimum Concrete Barrier Thickness Requirements for Local Damage Prediction against Tornado Generated Missiles	3.5-20
Table 3.5-3	Allowable Ductility Ratios.....	3.5-21
Table 3.6.1-1	High-Energy and Moderate-Energy Fluid Systems Considered for Protection of Essential Systems	3.6-12
Table 3.6.1-2	Building, Room, and Postulated Pipe Ruptures.....	3.6-14
Table 3.6.1-3	Building, Room, Break, Target, and Protection Required	3.6-19
Table 3.6.3-1	Main Coolant System Piping Dimensions and Operating Condition	3.6-78
Table 3.6.3-2	Surge Line Piping Dimensions and Operating Condition.....	3.6-79
Table 3.6.3-3	Main Steam Line Dimensions and Operating Condition	3.6-79
Table 3.6.3-4	Tensile Properties of Materials at Various Locations of Main Coolant Loop Piping	3.6-80
Table 3.6.3-5	Tensile Properties for the Surge Line Piping	3.6-81
Table 3.6.3-6	Surge Line Piping Locations Based on Key Geometry, Operating Conditions & Lower Bound Material Toughness.....	3.6-82
Table 3.6.3-7	Tensile Properties for the Main Steam Line Piping.....	3.6-82
Table 3.6.3-8	Minimum Moment versus Circumferential Crack Leakage Sizes for 5 gpm at Various Main Coolant Loop Piping Locations	3.6-83
Table 3.6.3-9	Axial Through-Wall Leakage Crack Sizes for 5 gpm at Various Main Coolant Loop Piping Locations	3.6-84
Table 3.6.3-10	Minimum Moment versus Circumferential Leakage Crack Sizes for 5 gpm at Two Surge Line Piping Locations	3.6-85
Table 3.6.3-11	Axial Through-Wall Leakage Crack Sizes for 5 gpm at Three Surge Line Piping Locations.....	3.6-85
Table 3.6.3-12	Minimum Moment versus Circumferential Leakage Crack Sizes for 1 gpm in the Main Steam Line Piping	3.6-86

Table 3.6.3-13	Main Coolant Loop Piping Locations based on Key Geometry, Operating Conditions and Lower Bound Material Toughness	3.6-87
Table 3.6.3-14	ALL for RV Outlet Nozzle Region at the Hot Leg (Location 1).....	3.6-88
Table 3.6.3-15	ALL for Hot Leg Pipe (Location 2).....	3.6-89
Table 3.6.3-16	ALL for SG Inlet Nozzle at Hot Leg (Location 3).....	3.6-90
Table 3.6.3-17	ALL for SG Outlet Nozzle (Location 4).....	3.6-91
Table 3.6.3-18	ALL for Crossover & Cold Leg Pipe (Locations 5 & 8).....	3.6-92
Table 3.6.3-19	ALL for RCP Inlet Nozzle (Location 6)	3.6-93
Table 3.6.3-20	Critical Axial Crack Size at Main Coolant Loop Piping Locations .	3.6-94
Table 3.6.3-21	ALL for Pressurizer Surge Nozzle at Alloy 52 Weld.....	3.6-95
Table 3.6.3-22	ALL for Surge Line Piping	3.6-97
Table 3.6.3-23	ALL for Hot Leg Nozzle	3.6-98
Table 3.6.3-24	Critical Axial Crack Size at Surge Line Piping Locations	3.6-99
Table 3.6.3-25	ALL for the Main Steam Line Piping with Safety Factor of 2 on Flaw Size (Base Metal).....	3.6-99
Table 3.6.3-26	Air Fatigue Crack Morphology Parameters	3.6-99
Table 3.6.3-27	ALL for RCP Outlet Nozzle (Location 7)	3.6-100
Table 3.6.3-28	ALL for RV Inlet Nozzle (Location 9).....	3.6-101
Table 3.7.1-1	Damping Values for Safe Shutdown Earthquake.....	3.7-15
Table 3.7.1-2	U.S. EPR Design Response Spectra – Amplification Factors for Control Points (as taken from the European Utility Requirements Document)....	3.7-18
Table 3.7.1-3	Strong Motion Duration of Synthetic Time Histories	3.7-19
Table 3.7.1-4	Values of V/A and AD/V ² for Synthetic Time Histories	3.7-20
Table 3.7.1-5	Cross-Correlation Coefficients Among Synthetic Time Histories..	3.7-21
Table 3.7.1-6	Soil Profiles for the U.S. EPR Standard Plant - NI Common Basemat Structures SSI Analysis Cases	3.7-22
Table 3.7.1-7	Criteria for Cable Tray System Similarity with Bechtel-ANCO Test Program	3.7-23
Table 3.7.1-8	Soil Profiles for the U.S. EPR Standard Plant - EPGB SSI Analysis Cases.....	3.7-25
Table 3.7.1-9	Soil Profiles for the U.S. EPR Standard Plant - ESWB SSI Analysis Cases.....	3.7-26
Table 3.7.2-1	Frequencies and Modal Mass Ratios for NI Common Basemat Structures with All Masses Included	3.7-125

Table 3.7.2-2	Deleted.....	3.7-129
Table 3.7.2-3	Frequency and Modal Mass Ratios for Reactor Building Internal Structures STICK-1T with All Masses Included.....	3.7-130
Table 3.7.2-4	Modal Frequencies of the Simplified Stick Model of Reactor Coolant Loop	3.7-132
Table 3.7.2-5	Deleted.....	3.7-133
Table 3.7.2-6	Modal Frequencies of the Stick Model of NAB	3.7-134
Table 3.7.2-7	Modal Frequencies of 3D FEM of Emergency Power Generating Building	3.7-135
Table 3.7.2-8	Modal Frequencies of 3D FEM of Essential Service Water Building (EUR Motions)	3.7-141
Table 3.7.2-9	Soil Properties Associated with Different Shear Wave Velocities.....	3.7-151
Table 3.7.2-10	NI Common Basemat Structures ZPAs	3.7-153
Table 3.7.2-11	Deleted.....	3.7-155
Table 3.7.2-12	Deleted.....	3.7-155
Table 3.7.2-13	Deleted.....	3.7-155
Table 3.7.2-14	Deleted.....	3.7-155
Table 3.7.2-15	Deleted.....	3.7-155
Table 3.7.2-16	Deleted.....	3.7-155
Table 3.7.2-17	Deleted.....	3.7-155
Table 3.7.2-18	Deleted.....	3.7-155
Table 3.7.2-19	Deleted.....	3.7-155
Table 3.7.2-20	Deleted.....	3.7-155
Table 3.7.2-21	Deleted.....	3.7-155
Table 3.7.2-22	Deleted.....	3.7-155
Table 3.7.2-23	Deleted.....	3.7-155
Table 3.7.2-24	Deleted.....	3.7-155
Table 3.7.2-25	Deleted.....	3.7-155
Table 3.7.2-26	Deleted.....	3.7-155
Table 3.7.2-27	Deleted.....	3.7-155
Table 3.7.2-28	Maximum Accelerations in EPGB	3.7-156
Table 3.7.2-29	Maximum Accelerations in ESWB	3.7-156
Table 3.7.2-30	Seismic Structural Interaction Criteria for Building Structures	3.7-157

Table 3.7.2-31	Deleted.....	3.7-157
Table 3.7.2-32	Modal Frequencies of 3D FEM of Essential Service Water Building (HF Motion).....	3.7-158
Table 3.8-1	Thermal Properties for Heat Transfer Analysis-Reactor Containment Building	3.8-151
Table 3.8-2	Material Properties – Reactor Containment Building	3.8-151
Table 3.8-3	Tendon Frictional Losses.....	3.8-151
Table 3.8-4	Thermal Properties – Reactor Containment Building.....	3.8-151
Table 3.8-5	Tendon Losses and Effective Forces with Time	3.8-152
Table 3.8-6	Containment Ultimate Pressure Capacity (P_u) at Accident Temperature of 309°F	3.8-153
Table 3.8-7	ISI Schedule for the U.S. EPR.....	3.8-154
Table 3.8-8	Materials for Structural Steel Shapes and Plates	3.8-155
Table 3.8-9	Structural Bolting Materials.....	3.8-157
Table 3.8-10	Structural Bolting Nut and Washer Materials.....	3.8-158
Table 3.8-11	Minimum Required Factors of Safety Against Overturning, Sliding, and Flotation for Foundations	3.8-158
Table 3.8-12	Deleted.....	3.8-158
Table 3.8-13	Static Spring Distribution.....	3.8-159
Table 3.8-14	Deleted.....	3.8-159
Table 3.8-15	Deleted.....	3.8-159
Table 3.8-16	Deleted.....	3.8-159
Table 3.8-17	Design Report Cross-Reference Table.....	3.8-160
Table 3.8-18	Reactor Containment Building Doors.....	3.8-165
Table 3.8-19	Static Foundation Modulus Values for EPGB Soil Cases	3.8-172
Table 3.9.1-1	Summary of Design Transients.....	3.9-20
Table 3.9.2-1	Deleted.....	3.9-36
Table 3.9.2-2	Deleted.....	3.9-36
Table 3.9.2-3	Deleted.....	3.9-36
Table 3.9.2-4	Deleted.....	3.9-36
Table 3.9.2-5	Deleted.....	3.9-36
Table 3.9.3-1	Load Combinations and Acceptance Criteria for ASME Class 1 Components.....	3.9-49

Table 3.9.3-2	Load Combinations and Acceptance Criteria for ASME Class 2 and 3 Components.....	3.9-55
Table 3.9.3-3	Load Combinations and Acceptance Criteria for ASME Core Support Structures.....	3.9-56
Table 3.9.3-4	Load Combinations and Acceptance Criteria for ASME Class 1, 2, and 3 Component Supports	3.9-61
Table 3.9.4-1	Control Rod Withdrawal Sequence	3.9-70
Table 3.9.5-1	Component Classification	3.9-83
Table 3.9.6-1	Inservice Pump Testing Program Requirements	3.9-117
Table 3.9.6-2	Inservice Valve Testing Program Requirements.....	3.9-121
Table 3.10-1	List of Seismically and Dynamically Qualified Mechanical and Electrical Equipment.....	3.10-14
Table 3.10-2	List of U.S. EPR Important-to-Safety Systems Screened for the Seismic Qualification Program	3.10-213
Table 3.11-1	List of Environmentally Qualified Electrical/I&C Equipment.....	3.11-25
Table 3.11-2	List of U.S. EPR Important to Safety Systems Screened for the EQ Program	3.11-160
Table 3.11-3	Equipment Distribution in Safeguard Buildings.....	3.11-165
Table 3.11-4	Summary Comparison of IEEE Endorsed Standards versus Latest IEEE Standards.....	3.11-166
Table 3.11-5	Summary of IEEE Non-Endorsed Standards.....	3.11-167
Table 3.13-1	ASME BPV Code Section III Criteria for Selection and Testing of Bolted Materials	3.13-5
Table 3.13-2	ASME BPV Code Section XI Examination Categories for Inservice Inspections of Mechanical Joints in ASME Code Class 1, 2, and 3 Systems that are Secured by Threaded Fasteners	3.13-6
Table 3A-1	HVAC Ductwork Load Combinations	3A-14
Table 3A-2	HVAC Support and Restraint Load Combinations	3A-14
Table 3A-3	Deflection Limits.....	3A-15
Table 3A-4	Load Combinations for Cable Trays, Conduits and Supports.....	3A-15
Table 3D-1	Typical Mild Environment Parameter Limits.....	3D-21
Table 3D-2	Equipment Post-Accident Operability Times.....	3D-22
Table 3D-3	EQ Program Margin Requirements.....	3D-23
Table 3D-4	Normal Operating Environments.....	3D-24
Table 3D-5	Pressure Requirements of Controlled Buildings	3D-29

Table 3D-6	Operating Temperature Ranges for Selected Components.....	3D-30
Table 3D-7	Abnormal Room Conditions	3D-30
Table 3D-8	Bounding Normal EQ Radiation Dose	3D-31
Table 3D-9	Accident EQ Radiation Dose	3D-32
Table 3D-10	Mechanical Equipment Components Requiring Environmental Qualification	3D-33
Table 3E.1-1	Independent Loads Considered in the FEM	3E-31
Table 3E.1-2	Independent Loads Not Considered in the FEM.....	3E-32
Table 3E.1-3	Summary of Governing Design Data for the Wall to Foundation Connection.....	3E-33
Table 3E.1-4	Summary of Typical Gusset Reinforcement	3E-35
Table 3E.1-5	Governing Design Data for the Equipment Hatch Area (Factored Loads)	3E-36
Table 3E.1-6	Governing Design Data for the Equipment Hatch Area (Service Loads)	3E-36
Table 3E.1-7	Summary of Typical Reinforcement for the Equipment Hatch Area	3E-37
Table 3E.1-8	Accidental Torsion Loadings for the Typical Cylinder Wall and Buttress Section	3E-38
Table 3E.1-9	Reduction of Thermal Bending Moments Due to Cracked Concrete for the Typical Cylinder Wall and Buttress Section	3E-38
Table 3E.1-10	Governing Design Data for Tangential Shear Design (Typical RCB Wall Section).....	3E-39
Table 3E.1-11	Governing Design Data for Membrane and Bending Design (Typical RCB Wall Section)	3E-40
Table 3E.1-12	Governing Design Data for Radial Shear Design (Typical RCB Wall Section).....	3E-40
Table 3E.1-13	Reinforcing Summary (Typical RCB Wall Section).....	3E-41
Table 3E.1-14	Governing Design Data for Tangential Shear Design (Typical RCB Narrow Buttress Section).....	3E-42
Table 3E.1-15	Governing Design Data for Combined Membrane and Bending Design (Typical RCB Narrow Buttress Section).....	3E-43
Table 3E.1-16	Governing Design Data for Radial Shear Design (Typical RCB Narrow Buttress Section).....	3E-43
Table 3E.1-17	Reinforcing Summary (Typical RCB Narrow Buttress Section)	3E-44
Table 3E.1-18	Governing Design Data for Tangential Shear Design (Typical RCB Wide Buttress Section).....	3E-45

Table 3E.1-19	Governing Design Data for Combined Membrane and Bending Design (Typical RCB Wide Buttress Section)	3E-46
Table 3E.1-20	Governing Design Data for Radial Shear Design (Typical RCB Wide Buttress Section).....	3E-46
Table 3E.1-21	Reinforcing Summary (Typical RCB Wide Buttress Section).....	3E-47
Table 3E.1-22	Governing Design Cases for the SG and RCP Supports and Typical Cavity Wall	3E-48
Table 3E.1-23	Summary of Reinforcement for SG and RCP Floor Slab.....	3E-50
Table 3E.1-24	Typical SG and RCP Cavity Wall Reinforcement	3E-51
Table 3E.1-25	Summary of Governing Design Data	3E-53
Table 3E.1-26	Summary of Typical PZR Cubical Reinforcement.....	3E-54
Table 3E.1-27	Summary of Governing Design Data for the Operating Floor Area.....	3E-55
Table 3E.1-28	Summary of Typical Reinforcement for the Operating Floor Area	3E-56
Table 3E.1-29	Controlling Nodal Forces and Moments for FB Roof	3E-57
Table 3E.1-30	Controlling Nodal Forces and Moments for SB 2 and 3 Roof.....	3E-58
Table 3E.1-31	Controlling Nodal Forces and Moments for RSB Wall below FB Roof and SB 2 and 3 Roof.....	3E-59
Table 3E.1-32	Controlling Nodal Forces and Moments for RSB Wall above FB Roof and SB 2 and 3 Roof.....	3E-60
Table 3E.1-33	Specified Reinforcement Pattern for RSB Wall to Roof Connection.....	3E-61
Table 3E.1-34	Summary of Governing Design Data for SB External Walls Below Grade	3E-62
Table 3E.1-35	Reinforcement Design for SG Walls Below Grade (A13001, A13003, A33008, and A33003).....	3E-65
Table 3E.1-36	Governing Design Data for the NI Foundation Basemat and RB Internal Structures Base Slab	3E-66
Table 3E.1-37	Reinforcement Summary for the NI Foundation Basemat and RB Internal Structures Base Slab	3E-68
Table 3E.1-38	Floor Dead and Live Loads.....	3E-70
Table 3E.1-39	Minimum Factors of Safety for the Nuclear Island Common Basemat Structure	3E-97
Table 3E.1-40	Maximum Static and Dynamic Bearing Pressures for the NI Common Basemat Structure	3E-98
Table 3E.1-41	Nuclear Island Critical Sections	3E-99

Table 3E.2-1	Governing Forces and Moments for the EPGB Basemat Foundation 3E-185
Table 3E.2-2	Governing Forces and Moments for EPGB Typical Wall at Column Line 11 for Vertical Reinforcement (Local Cut)..... 3E-187
Table 3E.2-3	Governing Forces and Moments for EPGB Typical Wall at Column Line 11 for Vertical Reinforcement (Shear Friction)..... 3E-188
Table 3E.2-4	Governing Forces and Moments for EPGB Typical Wall at Column Line 11 for Horizontal Reinforcement (Local Cut)..... 3E-189
Table 3E.2-5	Governing Forces and Moments for EPGB Typical Wall at Column Line 11 for Horizontal Reinforcement (In-Plane Shear)..... 3E-190
Table 3E.2-6	Summary of Reinforcement for EPGB Wall along Column Line 11 3E-191
Table 3E.2-7	Minimum Factors of Safety for the Emergency Power Generating Building 3E-192
Table 3E.2-8	Maximum Static and Dynamic Bearing Pressures for the Emergency Power Generating Building 3E-193
Table 3E.2-9	Emergency Power Generating Building Critical Sections 3E-194
Table 3E.3-1	Governing Forces and Moments for the ESWB Basemat Foundation.... 3E-214
Table 3E.3-2	Governing Design Data for ESWB Wall at Column Line 4 (Local Section Cut for Vertical Reinforcement)..... 3E-216
Table 3E.3-3	Governing Design Data for ESWB Wall at Column Line 4 (Local Section Cut for Horizontal Reinforcement) 3E-217
Table 3E.3-4	Governing Design Data for ESWB Wall at Column Line 4 (Local Section Cut for Shear Friction Design) 3E-218
Table 3E.3-5	Governing Design Data for ESWB Wall at Column Line 4 (Long Section Cut for Horizontal Reinforcement) 3E-219
Table 3E.3-6	Governing Design Data for ESWB Fan Deck Slab at Elevation 63 ft – 0 in (Out-of-Plane Design, X-Axis)..... 3E-220
Table 3E.3-7	Governing Design Data for ESWB Fan Deck Slab at Elevation 63 ft – 0 in (Out-of-Plane Design, Z-Axis)..... 3E-220
Table 3E.3-8	Governing Design Data for ESWB Fan Deck Slab at Elevation 63 ft – 0 in (Tension)..... 3E-221
Table 3E.3-9	Governing Design Data for ESWB Fan Deck Slab at Elevation 63 ft – 0 in (In-Plane Shear)\..... 3E-221
Table 3E.3-10	Essential Service Water Building Critical Sections 3E-221