

Calvert Cliffs Nuclear Power Plant Unit 3

Combined License Application

Part 2: Final Safety Analysis Report

Revision 9 |
March 2013 |

This page intentionally left blank.

Table of Contents

1.0	Introduction And General Description of the Plant	1-1
1.1	Introduction	1-2
1.1.1	Plant Location	1-3
1.1.2	Containment Type	1-4
1.1.3	Reactor Type	1-4
1.1.4	Power Output	1-5
1.1.5	Schedule	1-5
1.1.6	Format and Content	1-5
1.1.7	References	1-6
1.2	General Plant Description	1-17
1.2.1	Principal Design Criteria, Operating Characteristics, and Safety Considerations	1-17
1.2.2	Site Description	1-17
1.2.3	Plant Description	1-18
1.3	Comparisons with Similar Facility Designs	1-21
1.4	Identification of Agents and Contractors	1-22
1.4.1	Applicant – Program Manager	1-22
1.4.2	Other Contractors and Participants	1-22
1.5	Requirements for Further Technical Information	1-24
1.6	Material Referenced	1-25
1.7	Drawings and Other Detailed Information	1-27
1.7.1	Electrical and Instrumentation and Control Drawings	1-27
1.7.2	Piping and Instrumentation Diagrams	1-27
1.8	Interfaces with Standard Designs and Early Site Permits	1-30
1.8.1	COL Information Items	1-30
1.8.2	Departures	1-31
1.9	Conformance with Regulatory Criteria	1-55
1.9.1	Conformance with Regulatory Guides	1-55
1.9.2	Conformance with the Standard Review Plan	1-56
1.9.3	Generic Issues	1-56
1.9.4	Operational Experience (Generic Communications)	1-56
1.9.5	Advanced and Evolutionary Light-Water Reactor Design Issues	1-56
1.9.6	References	1-56
1A	Negation Action Plan	1A-1
1A.1	Introduction	1-2
1A.2	Governance of UniStar Nuclear Energy, LLC	1-4
1A.2.1	UNE Board of Directors	1-4
1A.2.2	Security Subcommittee	1-5
1A.2.3	Executive Personnel	1-7
1A.2.4	Nuclear Advisory Committee	1-9
1A.3	Summary	1-11
1A.4	Implementing Documents	1-12
2.0	Site Characteristics	2-1
2.1	Geography and Demography	2-9
2.1.1	Site Location and Description	2-9

2.1.2	Exclusion Area Authority and Control	2-11
2.1.3	Population Distribution	2-12
2.1.4	References	2-17
2.2	Nearby Industrial, Transportation And Military Facilities	2-58
2.2.1	Location and Routes	2-58
2.2.2	Descriptions	2-59
2.2.3	Evaluation of Potential Accidents	2-68
2.2.4	References	2-87
2.3	Meteorology	2-115
2.3.1	Regional Climatology	2-115
2.3.2	Local Meteorology	2-131
2.3.3	Onsite Meteorological Measurement Program	2-141
2.3.4	Short Term Atmospheric Dispersion Estimates for Accident Releases	2-149
2.3.5	Long-term Atmospheric Dispersion Estimates for Routine Releases	2-152
2.3.6	References	2-156
2.4	Hydrologic Engineering	2-364
2.4.1	Hydrologic Description	2-364
2.4.2	Floods	2-373
2.4.3	Probable Maximum Flood (PMF) on Streams and Rivers	2-382
2.4.4	Potential Dam Failures	2-389
2.4.5	Probable Maximum Surge and Seiche Flooding	2-390
2.4.6	Probable Maximum Tsunami Flooding	2-399
2.4.7	Ice Effects	2-413
2.4.8	Cooling Water Canals and Reservoirs	2-421
2.4.9	Channel Diversions	2-422
2.4.10	Flooding Protection Requirements	2-426
2.4.11	Low Water Considerations	2-428
2.4.12	Groundwater	2-437
2.4.13	Pathways of Liquid Effluents in Ground and Surface Waters	2-475
2.4.14	Technical Specification and Emergency Operation Requirements	2-498
2.5	Geology, Seismology, and Geotechnical Engineering	2-790
2.5.1	Basic Geologic and Seismic Information	2-791
2.5.2	Vibratory Ground Motion	2-911
2.5.3	Surface Faulting	2-953
2.5.4	Stability of Subsurface Materials and Foundations	2-966
2.5.5	Stability of Slopes	2-1035
2.5.6	References	2-1043
3.0	Design of Structures, Components, Equipment and Systems	3-1
3.1	Compliance with Nuclear Regulatory Commission General Design Criteria	3-2
3.1.1	Overall Requirements	3-2
3.1.2	Protection by Multiple Fission Product Barriers	3-3
3.1.3	Protection and Reactivity Control Systems	3-3
3.1.4	Fluid Systems	3-3
3.1.5	Reactor Containment	3-3
3.1.6	Fuel and Reactivity Control	3-3
3.1.7	References	3-3
3.2	Classification of Structures, Systems, and Components	3-4
3.2.1	Seismic Classification	3-4
3.2.2	System Quality Group Classification	3-4

3.2.3	References	3-5
3.3	Wind and Tornado Loadings	3-16
3.3.1	Wind Loadings	3-16
3.3.2	Tornado Loadings	3-17
3.3.3	References	3-18
3.4	Water Level (Flood) Design	3-19
3.4.1	Internal Flood Protection	3-19
3.4.2	External Flood Protection	3-19
3.4.3	Analysis of Flooding Events	3-20
3.4.4	Analysis Procedures	3-21
3.4.5	References	3-22
3.5	Missile Protection	3-23
3.5.1	Missile Selection and Description	3-23
3.5.2	Structures, Systems, and Components to Be Protected From Externally Generated Missiles	3-29
3.5.3	Barrier Design Procedures	3-29
3.5.4	References	3-29
3.6	Protection Against Dynamic Effects Associated with Postulated Rupture of Piping	3-31
3.6.1	Plant Design for Protection Against Postulated Piping Failures in Fluid Systems Outside of Containment	3-31
3.6.2	Determination of Rupture Locations and Dynamic Effects Associated with the Postulated Rupture of Piping	3-31
3.6.3	Leak-Before-Break Evaluation Procedures	3-32
3.7	Seismic Design	3-33
3.7.1	Seismic Design Parameters	3-33
3.7.2	Seismic System Analysis	3-39
3.7.3	Seismic Subsystem Analysis	3-64
3.7.4	Seismic Instrumentation	3-66
3.8	Design of Category I Structures	3-167
3.8.1	Concrete Containment	3-167
3.8.2	Steel Containment	3-168
3.8.3	Concrete and Steel Internal Structures of Concrete Containment	3-168
3.8.4	Other Seismic Category I Structures	3-169
3.8.5	Foundations	3-182
3.8.6	References	3-193
3.9	Mechanical Systems and Components	3-207
3.9.1	Special Topics for Mechanical Components	3-207
3.9.2	Dynamic Testing and Analysis of Systems, Components, and Equipment	3-208
3.9.3	ASME Code Class 1, 2, and 3 Components, Component Supports, and Core Support Structures	3-210
3.9.4	Control Rod Drive System	3-212
3.9.5	Reactor Pressure Vessel Internals	3-212
3.9.6	Functional Design, Qualification, and Inservice Testing Programs for Pumps, Valves, and Dynamic Restraints	3-212
3.10	Seismic and Dynamic Qualification of Mechanical And Electrical Equipment	3-223
3.10.1	Seismic Qualification Criteria	3-224
3.10.2	Methods and Procedures for Qualifying Mechanical, Electrical and I&C Equipment	3-225
3.10.3	Methods and Procedures for Qualifying Supports of Mechanical and Electrical Equipment and Instrumentation	3-225

3.10.4	Test and Analysis Results and Experience Database	3-225
3.10.5	References	3-225
3.11	Environmental Qualification Of Mechanical And Electrical Equipment	3-244
3.11.1	Equipment Identification and Environmental Conditions	3-244
3.11.2	Qualification Tests and Analysis	3-245
3.11.3	Qualification Test Results	3-246
3.11.4	Loss of Ventilation	3-247
3.11.5	Estimated Chemical and Radiation Environment	3-247
3.11.6	Qualification of Mechanical Equipment	3-247
3.11.7	References	3-248
3.12	ASME Code Class 1, 2, And 3 Piping Systems, Piping Components, And Their Associated Supports	3-260
3.12.1	Introduction	3-260
3.12.2	Codes and Standards	3-260
3.12.3	Piping Analysis Methods	3-260
3.12.4	PIPING MODELING TECHNIQUES	3-260
3.12.5	Piping Stress Analysis Criteria	3-261
3.12.6	Piping Support Design Criteria	3-264
3.12.7	References	3-264
3.13	Threaded Fasteners (ASME Code Class 1, 2, and 3)	3-265
3.13.1	Design Considerations	3-265
3.13.2	Inservice Inspection Requirements	3-265
3.13.3	References	3-265
3A	Criteria for Distribution System Analysis and Support	3-1
3B	Dimensional Arrangement Drawings	3-1
3C	Reactor Coolant System Structural Analysis Methods	3-1
3D	Methodology for Qualifying Safety-Related Electrical and Mechanical Equipment	3-1
3E	Design Details and Critical Sections for Safety-Related Category I Structures	3-1
3E.1	Nuclear Island Structures	3-2
3E.2	Emergency Power Generating Buildings	3-3
3E.3	Essential Service Water Buildings	3-4
3E.4	{FOREBAY AND UHS MAKEUP WATER INTAKE STRUCTURE	3-5
3E.4.1	Structural Description and Geometry	3-5
3E.4.2	Material Properties	3-5
3E.4.3	Structural Loads and Load Combinations	3-6
3E.4.4	Structural Analysis and Design	3-6
3E.4.5	Summary of Results	3-8
3E.4.6	Conclusions	3-8
3E.4.7	References	3-8
3E.5	{BURIED UTILITIES – SEISMIC CATEGORY I BURIED PIPING	3-9
3E.5.1	Structural Description and Geometry	3-9
3E.5.2	Material Properties	3-9
3E.5.3	Structural Loads and Load Combinations	3-9
3E.5.4	Structural Analysis and Design	3-12
3E.5.5	Summary of Results	3-12
3E.5.6	Conclusions	3-12
3E.5.7	References	3-13
3E.6	{BURIED UTILITIES – SEISMIC CATEGORY I BURIED DUCT BANKS	3-14

3E.6.1	Structural Description and Geometry	3-14
3E.6.2	Material Properties	3-14
3E.6.3	Structural Loads and Load Combinations	3-14
3E.6.4	Structural Analysis and Design	3-16
3E.6.5	Summary of Results	3-16
3E.6.6	Conclusions	3-16
3E.6.7	References	3-16
3F	{SITE RESPONSE ANALYSIS AND SSI ANALYSIS INPUT FOR EPGB, ESWB, AND CBIS	3-1
3F.1	FOUNDATION INPUT RESPONSE SPECTRA (FIRS)	3-2
3F.1.1	DYNAMIC SOIL PROFILE AND STOCHASTIC SIMULATION	3-2
3F.1.2	SITE RESPONSE ANALYSIS	3-3
3F.1.3	FIRS ADJUSTMENT	3-4
3F.1.4	SSSI EFFECTS AND COMPARISON TO SSE	3-5
3F.2	SITE SSE STRAIN-COMPATIBLE SOIL PROPERTY PROFILES	3-7
3F.3	SITE SSE "WITHIN" ACCELERATION TIME HISTORIES	3-8
3F.4	COMPUTER CODES	3-9
3F.4.1	SOIL PROFILE SIMULATION (SPS) PROGRAM	3-9
3F.4.2	SHAKE2000	3-9
3F.4.3	P-SHAKE	3-9
3F.5	REFERENCES	3-11
4.0	Reactor	4-1
4.1	Summary Description	4-2
4.2	Fuel System Design	4-3
4.3	Nuclear Design	4-4
4.4	Thermal-Hydraulic Design	4-5
4.5	Reactor Materials	4-6
4.6	Functional Design of Reactivity Control Systems	4-7
5.0	Reactor Coolant System and Connected Systems	5-1
5.1	Summary Description	5-2
5.2	Integrity of the Reactor Coolant Pressure Boundary	5-3
5.2.1	Compliance with Codes and Code Cases	5-3
5.2.2	Overpressure Protection	5-3
5.2.3	Reactor Coolant Pressure Boundary Materials	5-3
5.2.4	Inservice Inspection and Testing of the RCPB	5-3
5.2.5	RCPB Leakage Detection	5-4
5.2.6	References	5-4
5.3	Reactor Vessel	5-5
5.3.1	Reactor Vessel Materials	5-5
5.3.2	Pressure-Temperature Limits, Pressurized Thermal Shock, and Charpy Upper-Shelf Energy Data and Analyses	5-6
5.3.3	Reactor Vessel Integrity	5-6
5.3.4	References	5-6
5.4	Component and Subsystem Design	5-7
5.4.1	Reactor Coolant Pumps	5-7
5.4.2	Steam Generators (PWR)	5-7
5.4.3	Reactor Coolant Piping	5-8

5.4.4	Not Used in U.S. EPR Design	5-9
5.4.5	Not Used in U.S. EPR Design	5-9
5.4.6	Not Used in U.S. EPR Design	5-9
5.4.7	Residual Heat Removal System	5-9
5.4.8	Not Used in U.S. EPR Design	5-9
5.4.9	Not Used in U.S. EPR Design	5-9
5.4.10	Pressurizer	5-9
5.4.11	Pressurizer Relief Tank	5-9
5.4.12	Reactor Coolant System High Point Vents	5-9
5.4.13	Safety and Relief Valves	5-9
5.4.14	Component Supports	5-9
5.4.15	References	5-9
6.0	Engineered Safety Features	6-1
6.1	Engineered Safety Features Materials	6-2
6.1.1	Metallic Materials	6-2
6.1.2	Organic Materials	6-2
6.1.3	References	6-4
6.2	Containment Systems	6-5
6.2.1	Containment Functional Design	6-5
6.2.2	Containment Heat Removal Systems	6-5
6.2.3	Secondary Containment Functional Design	6-5
6.2.4	Containment Isolation System	6-5
6.2.5	Combustible Gas Control in Containment	6-5
6.2.6	Containment Leakage Testing	6-5
6.2.7	Fracture Prevention of Containment Pressure Vessel	6-5
6.2.8	References	6-5
6.3	Emergency Core Cooling System	6-6
6.3.1	Design Bases	6-6
6.3.2	System Design	6-6
6.3.3	Performance Evaluation	6-7
6.3.4	Tests and Inspections	6-7
6.3.5	Instrumentation Requirements	6-7
6.3.6	References	6-8
6.4	Habitability Systems	6-9
6.4.1	Design Basis	6-9
6.4.2	System Design	6-9
6.4.3	System Operational Procedures	6-9
6.4.4	Design Evaluations	6-10
6.4.5	Testing and Inspection	6-11
6.4.6	Instrumentation Requirements	6-11
6.4.7	References	6-11
6.5	Fission Product Removal and Control Systems	6-13
6.6	Inservice Inspection of Class 2 and 3 Components	6-14
6.6.1	Components Subject to Examination	6-14
6.6.2	Accessibility	6-14
6.6.3	Examination Techniques and Procedures	6-14
6.6.4	Inspection Intervals	6-15
6.6.5	Examination Categories and Requirements	6-15
6.6.6	Evaluation of Examination Results	6-15

6.6.7	System Pressure Tests	6-15
6.6.8	Augmented ISI to Protect Against Postulated Piping Failures	6-15
6.6.9	References	6-15
6.7	Main Steamline Isolation Valve Leakage Control System (BWRS)	6-16
6.8	Extra Borating System	6-17
7.0	Instrumentation and Controls	7-1
7.1	Introduction	7-2
7.1.1	U.S. EPR I&C Systems	7-3
7.2	Reactor Trip System	7-5
7.3	Engineered Safety Features Systems	7-6
7.4	Systems Required for Safe Shutdown	7-7
7.4.1	Description	7-7
7.4.2	References	7-8
7.5	Information Systems Important to Safety	7-11
7.5.1	Description	7-11
7.5.2	Analysis	7-11
7.5.3	References	7-11
7.6	Interlock Systems Important to Safety	7-13
7.7	Control Systems Not Required For Safety	7-14
7.7.1	Description	7-14
7.7.2	Design Basis Information	7-14
7.8	Diverse I&C Systems	7-17
7.9	Data Communication Systems	7-18
8.0	Electric Power	8-1
8.1	Introduction	8-2
8.1.1	Offsite Power Description	8-2
8.1.2	Onsite Power System Description	8-2
8.1.3	Safety-Related Loads	8-2
8.1.4	Design Bases	8-3
8.1.5	References	8-3
8.2	Offsite Power System	8-9
8.2.1	Description	8-9
8.2.2	Analysis	8-15
8.2.3	References	8-23
8.3	Onsite Power System	8-28
8.3.1	Alternating Current Power Systems	8-28
8.3.2	DC Power Systems	8-32
8.3.3	References	8-32
8.4	Station Blackout	8-45
8.4.1	Description	8-45
8.4.2	Analysis	8-45
8.4.3	References	8-48

9.0	Auxiliary Systems	9-1
9.1	Fuel Storage and Handling	9-2
9.1.1	Criticality Safety of New and Spent Fuel Storage and Handling	9-2
9.1.2	New and Spent Fuel Storage	9-2
9.1.3	Spent Fuel Pool Cooling and Purification System	9-2
9.1.4	Fuel Handling System	9-2
9.1.5	Overhead Heavy Load Handling System	9-2
9.2	Water Systems	9-6
9.2.1	Essential Service Water System	9-6
9.2.2	Component Cooling Water System	9-8
9.2.3	Demineralized Water Distribution System	9-8
9.2.4	Potable and Sanitary Water Systems (PSWS)	9-8
9.2.5	Ultimate Heat Sink	9-13
9.2.6	Condensate Storage Facilities	9-34
9.2.7	Seal Water Supply System	9-34
9.2.8	Safety Chilled Water System	9-34
9.2.9	Raw Water Supply System	9-34
9.2.10	Turbine Building Closed Cooling Water System	9-37
9.3	Process Auxiliaries	9-50
9.4	Air Conditioning, Heating, Cooling and Ventilation Systems	9-51
9.4.1	Main Control Room Air Conditioning System	9-51
9.4.2	Fuel Building Ventilation System	9-51
9.4.3	Nuclear Auxiliary Building Ventilation System	9-51
9.4.4	Turbine Island Ventilation System	9-51
9.4.5	Safeguard Building Controlled-Area Ventilation System	9-55
9.4.6	Electrical Division of Safeguard Building Ventilation System (SBVSE)	9-55
9.4.7	Containment Building Ventilation System	9-55
9.4.8	Radioactive Waste Building Ventilation System	9-55
9.4.9	Emergency Power Generating Building Ventilation System	9-55
9.4.10	Station Blackout Room Ventilation System	9-55
9.4.11	Essential Service Water Pump Building Ventilation System	9-55
9.4.12	Main Steam and Feedwater Valve Room Ventilation System	9-56
9.4.13	Smoke Confinement System	9-56
9.4.14	Access Building Ventilation System	9-56
9.4.15	{UHS MAKEUP WATER INTAKE STRUCTURE Ventilation System	9-56
9.4.16	FIRE PROTECTION BUILDING VENTILATION SYSTEM	9-60
9.5	Other Auxiliary Systems	9-67
9.5.1	Fire Protection	9-67
9.5.2	Communication System	9-75
9.5.3	Lighting System	9-76
9.5.4	Diesel Generator Fuel Oil Storage and Transfer System	9-76
9.5.5	Diesel Generator Cooling Water System	9-77
9.5.6	Diesel Generator Starting Air System	9-77
9.5.7	Diesel Generator Lubricating System	9-77
9.5.8	Diesel Generator Air Intake and Exhaust System	9-77
9A	Fire Protection Analysis	9A-1
9B	Fire Protection Analysis - Plant Specific Supplement	9B-1
9B.1	Introduction	9-2
9B.1.1	Regulatory Bases	9-2

9B.1.2	Defense-In-Depth	9-3
9B.1.3	Scope	9-3
9B.2	Fire Protection Analysis Methodology	9-5
9B.2.1	General Design Criteria	9-5
9B.2.2	Specific Elements	9-5
9B.2.3	Assumptions	9-9
9B.3	Fire Area-by-Fire Area Evaluation	9-13
9B.3.1	Turbine Building	9-13
9B.3.2	Switchgear Building	9-15
9B.3.3	Auxiliary Power Transformer Area	9-17
9B.3.4	Generator Transformer Area	9-19
9B.3.5	{Warehouse Building	9-20
9B.3.6	Security Access Facility	9-20
9B.3.7	Central Gas Supply Building	9-21
9B.3.8	{Grid Systems Control Building	9-21
9B.3.9	Fire Protection Building	9-22
9B.3.10	{Circulating Water System Cooling Tower Structure	9-22
9B.3.11	Circulating Water System Pump Building	9-23
9B.3.12	Ultimate Heat Sink Makeup Water Intake Structure	9-23
9B.3.13	Circulating Water System Makeup Intake Structure	9-25
9B.3.14	Desalinization/Water Treatment Building	9-26
9B.4	References	9-27
10.0	Steam and Power Conversion System	10-1
10.1	Summary Description	10-2
10.2	Turbine-Generator	10-3
10.2.1	Design Bases	10-3
10.2.2	General Description	10-3
10.2.3	Turbine Rotor Integrity	10-4
10.2.4	Safety Evaluation	10-6
10.2.5	References	10-6
10.3	Main Steam Supply System	10-7
10.3.1	Design Bases	10-7
10.3.2	System Description	10-7
10.3.3	Safety Evaluation	10-7
10.3.4	Inspection and Testing Requirements	10-7
10.3.5	Secondary Side Water Chemistry Program	10-7
10.3.6	Steam and Feedwater System Materials	10-7
10.3.7	References	10-9
10.4	Other Features Of Steam And Power Conversion System	10-10
10.4.1	Main Condensers	10-10
10.4.2	Main Condenser Evacuation System	10-10
10.4.3	Turbine Gland Sealing System	10-10
10.4.4	Turbine Bypass System	10-11
10.4.5	Circulating Water System	10-11
10.4.6	Condensate Polishing System	10-22
10.4.7	Condensate and Feedwater System	10-22
10.4.8	Steam Generator Blowdown System (PWR)	10-22
10.4.9	Emergency Feedwater System	10-22

11.0 Radioactive Waste Management	11-1
11.1 Source Terms	11-2
11.2 Liquid Waste Management System	11-3
11.2.1 Design Basis	11-3
11.2.2 System Description	11-3
11.2.3 Radioactive Effluent Releases	11-3
11.2.4 Liquid Waste Management System Cost-Benefit Analysis	11-7
11.2.5 References	11-9
11.3 Gaseous Waste Management Systems	11-19
11.3.1 Design Basis	11-19
11.3.2 System Description	11-19
11.3.3 Radioactive Effluent Releases	11-19
11.3.4 Gaseous Waste Management System Cost-Benefit Analysis	11-23
11.3.5 References	11-24
11.4 Solid Waste Management Systems	11-46
11.4.1 Design Basis	11-46
11.4.2 System Description	11-47
11.4.3 Radioactive Effluent Releases	11-47
11.4.4 Solid Waste Management System Cost-Benefit Analysis	11-49
11.4.5 Failure Tolerance	11-49
11.4.6 Quality Assurance	11-49
11.4.7 References	11-49
11.5 Process and Effluent Radiological Monitoring and Sampling Systems	11-50
11.5.1 Design Basis	11-50
11.5.2 System Description	11-50
11.5.3 Effluent Monitoring and Sampling	11-51
11.5.4 Process Monitoring and Sampling	11-51
11.5.5 References	11-52
12.0 Radiation Protection	12-1
12.1 Ensuring that Occupational Radiation Exposures are As Low As is Reasonably Achievable	12-2
12.1.1 Policy Considerations	12-2
12.1.2 Design Considerations	12-2
12.1.3 Operational Considerations	12-2
12.1.4 References	12-2
12.2 Radiation Sources	12-3
12.2.1 Contained Sources	12-3
12.2.2 Airborne Radioactive Material Sources	12-4
12.2.3 References	12-4
12.3 Radiation Protection Design Features	12-5
12.3.1 Facility Design Features	12-5
12.3.2 Shielding	12-7
12.3.3 Ventilation	12-7
12.3.4 Area Radiation and Airborne Radioactivity Monitoring Instrumentation	12-7
12.3.5 Dose Assessment	12-10
12.3.6 Minimization of Contamination	12-18
12.3.7 References	12-19
12.4 Dose Assessment	12-47

12.5	Operational Radiation Protection Program	12-48
12.5.1	References	12-48
13.0	Conduct of Operations	13-1
13.1	Organizational Structure of Applicant	13-2
13.1.1	Management and Technical Support Organization	13-2
13.1.2	Operating Organization	13-21
13.1.3	Qualifications of Nuclear Plant Personnel	13-33
13.1.4	References	13-34
13.2	Training	13-50
13.2.1	References	13-50
13.3	Emergency Planning	13-51
13.3.1	References	13-52
13.4	Operational Program Implementation	13-53
13.4.1	References	13-53
13.5	Plant Procedures	13-60
13.5.1	Administrative Procedures	13-60
13.5.2	Operating and Maintenance Procedures	13-63
13.5.3	References	13-67
13.6	Security	13-68
13.6.1	References	13-69
13.7	Fitness For Duty	13-70
13.7.1	References	13-71
13.8	References	13-72
14.0	Verification Programs	14-1
14.1	Specific Information to be Addressed for the Initial Plant Test Program	14-2
14.2	Initial Plant Test Program	14-3
14.2.1	Summary of Test Program and Objectives	14-3
14.2.2	Organization and Staffing	14-3
14.2.3	Test Procedures	14-9
14.2.4	Conduct of Test Program	14-11
14.2.5	Review, Evaluation, and Approval of Test Results	14-11
14.2.6	Test Records	14-14
14.2.7	Conformance of Test Programs with Regulatory Guides	14-14
14.2.8	Utilization of Reactor Operating and Testing Experience in Development of Initial Test Program	14-14
14.2.9	Trial Use of Plant Operating and Emergency Procedures	14-14
14.2.10	Initial Fuel Loading and Initial Criticality	14-15
14.2.11	Test Program Schedule	14-15
14.2.12	Individual Test Descriptions	14-16
14.2.13	References	14-17
14.2.14	COL Applicant Site-Specific Tests	14-17
14.3	Inspections, Tests, Analyses, and Acceptance Criteria	14-38
14.3.1	Tier 1, Chapter 1, Introduction	14-38
14.3.2	Tier 1, Chapter 2, Structural and Systems Engineering - Inspections, Tests, Analyses, and Acceptance Criteria	14-38
14.3.3	Tier 1, Chapter 3, Non-System Based Design Descriptions and ITAAC	14-39
14.3.4	Tier 1, Chapter 4, Interface Requirements	14-39

14.3.5	Tier 1, Chapter 5, Site Parameters	14-39
14.3.6	Design Acceptance Criteria	14-39
14.3.7	References	14-40
15.0	Transient and Accident Analysis	15-1
15.0	15-1
15.0.1	Radiological Consequence Analysis	15-1
15.0.2	Computer Codes Used in Analysis	15-1
15.0.3	Radiological Consequences of Design Basis Accidents	15-1
15.0.4	PLANT COOLDOWN	15-5
15.0.5	Compliance with Section C.I.15, "Transient and Accident Analyses," of Regulatory Guide 1.206	15-5
15.0.6	References	15-5
15.1	Increase in Heat Removal by the Secondary System	15-8
15.2	Decrease in Heat Removal by the Secondary System	15-9
15.3	Decrease in Reactor Coolant System Flow Rate	15-10
15.4	Reactivity and Power Distribution Anomalies	15-11
15.4.1	15-11
15.5	Increase in Reactor Coolant Inventory	15-12
15.6	Decrease in Reactor Coolant Inventory Events	15-13
15.7	Radioactive Release from a Subsystem or Component	15-14
15.8	Anticipated Transients Without Scram	15-15
15.9	Boiling Water Reactor Stability	15-16
15.10	Spent Fuel Pool Criticality and Boron Dilution Analysis	15-17
16.0	TECHNICAL SPECIFICATIONS	16-1
17.0	Quality Assurance and Reliability Assurance	17-1
17.1	Quality Assurance During Design	17-2
17.2	Quality Assurance During the Operations Phase	17-3
17.3	Quality Assurance Program Description	17-4
17.4	Reliability Assurance Program	17-5
17.4.1	Reliability Assurance Program Scope, Stages, and Goals	17-5
17.4.2	Reliability Assurance Program Implementation	17-5
17.4.3	Organization, Design Control, Procedures and Instructions, Corrective Actions, and Audit Plans	17-6
17.4.4	Reliability Assurance Program Information Needed in a COL Application	17-6
17.4.5	References	17-17
17.5	Quality Assurance Program Description	17-19
17.5.1	QA Program Responsibilities	17-19
17.5.2	SRP Section 17.5 and the QA Program Description	17-19
17.5.3	Evaluation of the QAPD Against the SRP and QAPD Submittal Guidance	17-19
17.5.4	References	17-19
17.6	Description of Applicant's Program for Implementation of 10 CFR 50.65, the Maintenance Rule	17-21
17.6.1	Scoping Per 10 CFR 50.65(b)	17-21
17.6.2	Monitoring Per 10 CFR 50.65(a)	17-21

17.6.3	Periodic Evaluation Per 10 CFR 50.65(a)(3)	17-22
17.6.4	Risk Assessment and Management Per 10 CFR 50.65(a)(4)	17-22
17.6.5	Maintenance Rule Training and Qualification	17-22
17.6.6	Maintenance Rule Program Role in Implementation of Reliability Assurance Program (RAP) in the Operations Phase	17-22
17.6.7	MAINTENANCE RULE PROGRAM RELATIONSHIP WITH INDUSTRY OPERATING EXPERIENCE ACTIVITIES	17-23
17.6.8	Maintenance Rule Program Implementation	17-23
17.6.9	References	17-23
17.7	Maintenance Rule Program	17-24
18.0	Human Factors Engineering	18-1
18.1	Human Factors Engineering Program Management	18-2
18.1.1	Human Factors Engineering Program Goals, Assumptions and Constraints, and Scope	18-2
18.1.2	Human Factors Engineering and Control Room Design Team Organization	18-3
18.1.3	Human Factors Engineering Processes and Procedures	18-3
18.1.4	Human Factors Engineering Issues Tracking	18-3
18.1.5	Technical Program	18-3
18.1.6	References	18-3
18.2	Operating Experience Review	18-4
18.3	Functional Requirements Analysis and Functional Allocation	18-5
18.4	Task Analysis	18-6
18.5	Staffing and Qualifications	18-7
18.6	Human Reliability Analysis	18-8
18.7	Human System Interface Design	18-9
18.8	Procedure Development	18-10
18.9	Training Program Development	18-11
18.10	Verification and Validation	18-12
18.11	Design Implementation	18-13
18.12	Human Performance Monitoring	18-14
18.12.1	Objectives and Scope	18-14
18.12.2	Methodology	18-15
18.12.3	Results Summary	18-17
18.12.4	References	18-17
19.0	Probabilistic Risk Assessment and Severe Accident Evaluation	19-1
19.1	Probabilistic Risk Assessment	19-2
19.1.1	Uses and Application of the PRA	19-2
19.1.2	Quality of PRA	19-3
19.1.3	Special Design/Operational Features	19-5
19.1.4	Safety Insights from the Internal Events PRA for Operations at Power	19-5
19.1.5	Safety Insights from the External Events PRA for Operations at Power	19-7
19.1.6	Safety Insights from the PRA for Other Modes of Operation	19-20
19.1.7	PRA-Related Input to Other Programs and Processes	19-20
19.1.8	Conclusions and Findings	19-20
19.1.9	References	19-20

19.2	Severe Accident Evaluations	19-24
19.2.1	Introduction	19-24
19.2.2	Severe Accident Prevention	19-24
19.2.3	Severe Accident Mitigation	19-24
19.2.4	Containment Performance Capability	19-24
19.2.5	Accident Management	19-24
19.2.6	Consideration of Potential Design Improvements under 10 CFR 50.34(f)	19-24
19.2.7	Beyond Design Basis Large Commercial Aircraft Impact Assessment	19-24
19.2.8	References	19-24
19.3	Open, Confirmatory, and COL Action Items Identified as Unresolved	19-25

List of Tables

Table 1.1-1— {Acronyms Used in this Document}	1-8
Table 1.6-1— {Reports Referenced}	1-26
Table 1.7-1— {I&C Functional and Electrical One Line Diagrams}	1-28
Table 1.7-2— {Piping and Instrumentation Diagrams}	1-29
Table 1.8-1— FSAR Sections that Demonstrate Conformance to U.S. EPR FSAR Interface Requirements	1-32
Table 1.8-2— FSAR Sections that Address COL Items	1-34
Table 1.9-1— {Conformance with Regulatory Guides}	1-57
Table 2.0-1— {U.S. EPR Site Design Envelope Comparison}	2-2
Table 2.1-1— {CCNPP Unit 3 Specific Location}	2-19
Table 2.1-2— {Population Within 10 mi (16 km) Radius (2000 – 2060)}	2-20
Table 2.1-3— {Population Within 50 mi (80 km) Radius (2000 – 2060)}	2-21
Table 2.1-4— {Transient Population Facilities - Population Facilities - Major Employers Within the 10 mi (16 km) Zone}	2-22
Table 2.1-5— {Transient Population Facilities - Major Recreational Areas and Attractions Within the 10 mi (16 km) Zone}	2-23
Table 2.1-6— {Transient Population Facilities - Marinas Within the 10 mi (16 km) Zone}	2-24
Table 2.1-7— {Transient Population Distribution for the 10 mi (16 km) Radius (2000)}	2-25
Table 2.1-8— {Commuting Patterns To and From the Calvert County and St. Mary's County Area (2000)}	2-26
Table 2.1-9— {Population Within the LPZ (2000 – 2060)}	2-27
Table 2.1-10— {Special Facilities – Schools Within the 10 mi (16 km) Zone}	2-28
Table 2.1-11— {Special Facilities - Nursing Homes Within the 10 mi (16 km) Zone}	2-29
Table 2.2-1— {Description of Facilities, Products, and Materials}	2-92
Table 2.2-2— {CCNPP Units 1, 2 and 3 Onsite Chemical Storage}	2-93
Table 2.2-3— {Hazardous Chemical Waterway Freight, Port of Baltimore}	2-96
Table 2.2-4— {Aircraft Operations - Significant Factors}	2-97
Table 2.2-5— {Onsite Chemicals Disposition}	2-98
Table 2.2-6— {Hazardous Material, Roadway Transportation, Disposition}	2-101
Table 2.2-7— {Hazardous Material, Navigable Waterway Transportation, Disposition}	2-103
Table 2.2-8— {Explosion Event Analysis}	2-105
Table 2.2-9— {Flammable Vapor Cloud Events (Delayed Ignition) and Vapor Cloud Explosion Analysis}	2-107
Table 2.2-10— {Toxic Vapor Cloud Analysis}	2-110
Table 2.3-1— {National Ambient Air Quality Standards}	2-157
Table 2.3-2— {Total and Average Numbers of Tropical Storms and Hurricanes}	2-158
Table 2.3-3— {Monthly Mean Number of Days with Thunderstorms}	2-159
Table 2.3-4— {High Winds by Storm Type for Calvert County}	2-160
Table 2.3-5— {Hail Events in Calvert County}	2-161
Table 2.3-6— {Ice Storm Events Within the General Region of the Site}	2-162
Table 2.3-7— {Snow Storm Events within the General Region of the Site}	2-168
Table 2.3-8— {Probable Maximum Winter Precipitation (PMWP) Values}	2-178
Table 2.3-9— {Design Basis Tornado Characteristics for CCNPP Unit 3}	2-179
Table 2.3-10— {CCNPP 33 ft (10 m) Annual JFD}	2-180
Table 2.3-11— {CCNPP 197 ft (60 m) Annual JFD}	2-188
Table 2.3-12— {CCNPP 33 Feet Wind Direction Persistence Summary for Year 2000}	2-196
Table 2.3-13— {CCNPP 33 Feet Wind Direction Persistence Summary for Year 2001}	2-198
Table 2.3-14— {CCNPP 33 Feet Wind Direction Persistence Summary for Year 2002}	2-200
Table 2.3-15— {CCNPP 33 Feet Wind Direction Persistence Summary for Year 2003}	2-202

Table 2.3-16— {CCNPP 33 Feet Wind Direction Persistence Summary for Year 2004}	2-204
Table 2.3-17— {CCNPP 33 Feet Wind Direction Persistence Summary for Year 2005}	2-206
Table 2.3-18— {CCNPP 33 Feet Average Wind Direction Persistence Summary for Years 2000-2005}	2-208
Table 2.3-19— {CCNPP 197 Feet Wind Direction Persistence Summary for Year 2000}	2-210
Table 2.3-20— {CCNPP 197 Feet Wind Direction Persistence Summary for Year 2001}	2-212
Table 2.3-21— {CCNPP 197 Feet Wind Direction Persistence Summary for Year 2002}	2-214
Table 2.3-22— {CCNPP 197 Feet Wind Direction Persistence Summary for Year 2003}	2-216
Table 2.3-23— {CCNPP 197 Feet Wind Direction Persistence Summary for Year 2004}	2-218
Table 2.3-24— {CCNPP 197 Feet Wind Direction Persistence Summary for Year 2005}	2-220
Table 2.3-25— {CCNPP 197 Feet Average Wind Direction Persistence Summary for Years 2000-2005}	2-222
Table 2.3-26— {CCNPP Monthly Mean Temperatures (2000-2005)}	2-224
Table 2.3-27— {CCNPP Highest Monthly Mean Maximum Temperatures (2000 - 2005)}	2-225
Table 2.3-28— {CCNPP Lowest Monthly Mean Minimum Temperatures (2000-2005)}	2-226
Table 2.3-29— {CCNPP Monthly Mean Daily Maximum Temperatures (2000-2005)}	2-227
Table 2.3-30— {CCNPP Monthly Mean Daily Minimum Temperatures (2000-2005)}	2-228
Table 2.3-31— {CCNPP Maximum Hourly Temperatures (2000-2005)}	2-229
Table 2.3-32— {CCNPP Minimum Hourly Temperatures (2000-2005)}	2-230
Table 2.3-33— {CCNPP Number of Hourly Temperature Values Greater Than or Less Than Indicated Value (2000-2005)}	2-231
Table 2.3-34— {Monthly Mean Temperatures (1971-2000) at Sites Around CCNPP}	2-232
Table 2.3-35— {Monthly Mean Maximum Temperatures (1971-2000) at Sites Around CCNPP}	2-233
Table 2.3-36— {Monthly Mean Minimum Temperatures (1971-2000) at Sites Around CCNPP}	2-234
Table 2.3-37— {Monthly Mean Wet Bulb Temperatures (1983-2000) at Sites Around CCNPP}	2-235
Table 2.3-38— {Monthly Mean Dew Point Temperatures (1983-2000) at Sites Around CCNPP}	2-236
Table 2.3-39— {Number of Days with Maximum Hourly Temperature Value Greater Than or Equal to 90° F at Sites Around CCNPP}	2-237
Table 2.3-40— {Number of Days with Maximum Hourly Temperature Value Less Than or Equal to 32° F at Sites Around CCNPP}	2-238
Table 2.3-41— {Number of Days with Minimum Hourly Temperature Value Less Than or Equal to 32° F at Sites Around CCNPP}	2-239
Table 2.3-42— {Number of Days with Minimum Hourly Temperature Value Less Than or Equal to 0° F at Sites Around CCNPP}	2-240
Table 2.3-43— {Monthly Mean Relative Humidity at Sites Around CCNPP}	2-241
Table 2.3-44— {CCNPP Monthly and Annual Precipitation (2000-2005)}	2-242
Table 2.3-45— {CCNPP Monthly and Annual Percent Frequency of Precipitation Occurrence (2000-2005)}	2-243
Table 2.3-46— {CCNPP Hourly Rainfall Rate Distribution (2000-2005)}	2-244
Table 2.3-47— {CCNPP Measured Extreme Precipitation Hourly Values (2000-2005)}	2-245
Table 2.3-48— {Mean Monthly and Annual Precipitation (1971-2000) At Sites Around CCNPP}	2-246
Table 2.3-49— {Mean Monthly and Annual Snowfall (1961-1990)At Sites Around CCNPP}	2-247
Table 2.3-50— {Monthly Mean Number of Days with Precipitation (1961-1990) At Sites Around CCNPP}	2-248
Table 2.3-51— {Monthly Mean Number of Days with Heavy Fog (1971-2000) At Sites Around CCNPP}	2-249
Table 2.3-52— {CCNPP 33 ft (10m) Annual Stability Persistence Summary for Year 2000}	2-250
Table 2.3-53— {CCNPP 33 ft (10m) Annual Stability Persistence Summary for Year 2001}	2-251
Table 2.3-54— {CCNPP 33 ft (10m) Annual Stability Persistence Summary for Year 2002}	2-252
Table 2.3-55— {CCNPP 33 ft (10m) Annual Stability Persistence Summary for Year 2003}	2-253
Table 2.3-56— {CCNPP 33 ft (10m) Annual Stability Persistence Summary for Year 2004}	2-254

Table 2.3-57— {CCNPP33 ft (10m) Annual Stability Persistence Summary for Year 2005}	2-255
Table 2.3-58— {CCNPP 33 ft (10m) Average Annual Stability Persistence Summary for Years 2000-2005}	2-256
Table 2.3-59— {CCNPP 197 ft (60m) Annual Stability Persistence Summary for Year 2000}	2-257
Table 2.3-60— {CCNPP 197 ft (60m) Annual Stability Persistence Summary for Year 2001}	2-258
Table 2.3-61— {CCNPP 197 ft (60m) Annual Stability Persistence Summary for Year 2002}	2-259
Table 2.3-62— {CCNPP 197 ft (60m) Annual Stability Persistence Summary for Year 2003}	2-260
Table 2.3-63— {CCNPP 197 ft (60m) Annual Stability Persistence Summary for Year 2004}	2-261
Table 2.3-64— {CCNPP 197 ft (60m) Annual Stability Persistence Summary for Year 2005}	2-262
Table 2.3-65— {CCNPP 197 ft (60m) Average Annual Stability Persistence Summary for Years 2000-2005}	2-263
Table 2.3-66— {Monthly and Annual Average Mixing Height Values (m)}	2-264
Table 2.3-67— {Temperature Inversion Frequency and Persistence, Year 2000}	2-266
Table 2.3-68— {Temperature Inversion Frequency and Persistence, Year 2001}	2-267
Table 2.3-69— {Temperature Inversion Frequency and Persistence, Year 2002}	2-268
Table 2.3-70— {Temperature Inversion Frequency and Persistence, Year 2003}	2-269
Table 2.3-71— {Temperature Inversion Frequency and Persistence, Year 2004}	2-270
Table 2.3-72— {Temperature Inversion Frequency and Persistence, Year 2005}	2-271
Table 2.3-73— {Tower Instrument Specifications and Accuracies for Meteorological Monitoring Program (Preoperational and Operational)}	2-272
Table 2.3-74— {Distances from Meteorological Tower to Nearby Obstructions to Air Flow}	2-273
Table 2.3-75— {Site-Specific EAB/LPZ Accident x/Q Values for Ground Level Release}	2-274
Table 2.3-76— {Control Room/TSC x/Q Values for Vent Stack Release}	2-275
Table 2.3-77— {Control Room/TSC x/Q Values for Main Steam Relief Valve Release}	2-276
Table 2.3-78— {Control Room/TSC x/Q Values for Safeguards Building Roof Release (via Safeguards Building Canopies)}	2-277
Table 2.3-79— {Control Room/TSC x/Q Values for Equipment Hatch Release}	2-278
Table 2.3-80— {Control Room/TSC x/Q Values for Safeguards Building Depressurization Shaft Release}	2-279
Table 2.3-81— {AEOLUS3 Design Input}	2-280
Table 2.3-82— {ARCON96 Design Inputs}	2-281
Table 2.3-83— {Normal Effluent Annual Average, Undecayed, Undepleted x/Q Values for Mixed Mode Release Using 242,458 cfm Flow Rate for Grid Receptors}	2-282
Table 2.3-84— {Normal Effluent Annual Average, Undecayed, Undepleted x/Q Values for Mixed Mode Release Using 242,458 cfm Flow Rate for Special and Additional Receptors}	2-284
Table 2.3-85— {Normal Effluent Annual Average, Depleted x/Q Values for Mixed Mode Release Using 242,458 cfm Flow Rate for Grid Receptors}	2-285
Table 2.3-86— {Normal Effluent Annual Average, Depleted x/Q Values for Mixed Mode Release Using 242,458 cfm Flow Rate for Grid Receptors 7.5 mi to 50 mi}	2-286
Table 2.3-87— {Normal Effluent Annual Average, Depleted x/Q Values for Mixed Mode Release Using 242,458 cfm Flow Rate for Special and Additional Receptors}	2-287
Table 2.3-88— {CCNPP Unit 3 Normal Effluent Annual Average, Gamma x/Q Values for Mixed Mode Release Using 242,458 cfm Flow Rate for Grid Receptors}	2-288
Table 2.3-89— {CCNPP Unit 3 Normal Effluent Annual Average, Gamma x/Q Values for Mixed Mode Release Using 242,458 cfm Flow Rate for Grid Receptors}	2-289
Table 2.3-90— {Normal Effluent Annual Average, Gamma x/Q Values for Mixed Mode Release Using 242,458 cfm Flow Rate for Special and Additional Receptors}	2-290
Table 2.3-91— {Normal Effluent Annual Average, D/Q Values for Mixed Mode Release Using 242,458 cfm Flow Rate for Grid Receptors}	2-291
Table 2.3-92— {Normal Effluent Annual Average, D/Q Values for Mixed Mode Release Using 242,458 cfm Flow Rate for Grid Receptors}	2-292

Table 2.3-93— {Normal Effluent Annual Average, D/Q Values for Mixed Mode Release Using 242,458 cfm Flow Rate for Special and Additional Receptors}	2-293
Table 2.3-94— {Specific Locations of Receptors of Interest}	2-294
Table 2.3-95— Calvert Cliffs Nuclear Power Station Monthly Mean Temperatures (1987-2006)	2-295
Table 2.3-96— Calvert Cliffs Nuclear Power Station Monthly and Annual Precipitation (1992-2006)	2-296
Table 2.3-97— Monthly Atmospheric Stability Summary (2000 through 2005)	2-297
Table 2.3-98— {CCNPP 33' (10-m) 2000-2006 Annual Joint Frequency Distribution Table}	2-298
Table 2.3-99— {CCNPP 197' (60-m) 2000-2006 Annual Joint Frequency Distribution Table}	2-306
Table 2.3-100— {100-Year Return Period and Historical Maximum Snowfall Events}	2-314
Table 2.3-101— {Highest Daily Snow Depth}	2-315
Table 2.3-102— {Tropical Cyclone-Related Extreme Rainfall Events}	2-316
Table 2.3-103— Record 1-Day Snowfall Events within 50 mile (80 km) of the Site	2-317
Table 2.4-1— {Monthly Streamflow for the Patuxent River at Bowie, MD, USGS Station No. 01594440, Patuxent River near Bowie, MD (1977 through 2005)}	2-501
Table 2.4-2— {Mean Daily Streamflow for the Patuxent River at Bowie, MD, USGS Station No. 01594440, Patuxent River near Bowie, MD (1977 through 2005)}	2-502
Table 2.4-3— {Maximum Daily Streamflow for the Patuxent River at Bowie, MD, USGS Station No. 01594440, Patuxent River near Bowie, MD (1977 through 2005)}	2-503
Table 2.4-4— {Minimum Daily Streamflow for the Patuxent River at Bowie, MD, USGS Station No. 01594440, Patuxent River near Bowie, MD (1977 through 2005)}	2-504
Table 2.4-5— {Monthly Streamflow for St. Leonard Creek at St. Leonard, MD, USGS Station No. 01594800, St. Leonard Creek near St. Leonard, MD (1956 through 2003)}	2-505
Table 2.4-6— {Mean Daily Streamflow for St. Leonard Creek at St. Leonard, MD, USGS Station No. 01594800, St. Leonard Creek near St. Leonard, MD (1956 through 2003)}	2-506
Table 2.4-7— {Maximum Daily Streamflow for St. Leonard Creek at St. Leonard, MD, USGS Station No. 01594800, St. Leonard Creek near St. Leonard, MD (1956 through 2003)}	2-507
Table 2.4-8— {Minimum Daily Streamflow for St. Leonard Creek at St. Leonard, MD, USGS Station No. 01594800, St. Leonard Creek Near St. Leonard, MD (1956 through 2003)}	2-508
Table 2.4-9— {Estimated Monthly Mean Inflow to the Chesapeake Bay Based on Three Reference Stations (1951 through 2000)}	2-509
Table 2.4-10— {Details of Brighton and Rocky Gorge Dams}	2-511
Table 2.4-11— {Permitted Surface Water Withdrawals in Calvert County}	2-512
Table 2.4-12— {Sub-Basin Drainage Areas}	2-513
Table 2.4-13— {HEC-HMS Sub-Basin Site PMP Peak Discharges}	2-514
Table 2.4-14— {HEC-RAS PMP Peak Discharges}	2-515
Table 2.4-15— {PMP Maximum Water Levels}	2-516
Table 2.4-16— {Safety-Related Facility Entrance Elevation Summary}	2-517
Table 2.4-17— {Bio-Retention Ditch Dimensions}	2-518
Table 2.4-18— {PMP Peak Discharges}	2-519
Table 2.4-19— {Manning's n Values}	2-520
Table 2.4-20— {Boundary Conditions}	2-521
Table 2.4-21— {Maximum Water Surface Elevations and Channel Velocities}	2-522
Table 2.4-22— {Point (1 mi ²) Probable Maximum Precipitation Depths}	2-523
Table 2.4-23— {PMP Peak Flow Rates}	2-524
Table 2.4-24— {PMF Flow Rates}	2-525
Table 2.4-25— {Johns Creek PMF Water Surface Elevations}	2-526
Table 2.4-26— {Five Highest Historical Water Levels at Baltimore and Annapolis}	2-527
Table 2.4-27— PMH Parameters	2-528
Table 2.4-28— {Comparison of Surge Results}	2-529
Table 2.4-29— {Historical Tsunamis Arriving at the Shores of the Eastern U.S. and Canada}	2-530

Table 2.4-30— {Tsunami Wave Characteristics at the Entrance of the Chesapeake Bay}	2-531
Table 2.4-31— {Summary of Numerical Analysis for the Tsunami Propagation}	2-532
Table 2.4-32— {Simulated Maximum and Minimum Tsunami Magnitude}	2-533
Table 2.4-33— {Estimated Peak Freezing Degree-Days and Ice Thickness from 1946 to 2006}	2-534
Table 2.4-34— {Summary of Negative Surges of Major Hurricane Events}	2-535
Table 2.4-35— {Summary of Information of the Stations and Range of Data Used}	2-536
Table 2.4-36— {Annual Minimum Water Levels at Annapolis Station}	2-537
Table 2.4-37— {Annual Minimum Water Level at Solomons Island Station}	2-538
Table 2.4-38— {CCNPP Unit 3 Observation Wells Construction Details}	2-539
Table 2.4-39— {CCNPP Unit 3 Observation Wells Water Level Elevations}	2-542
Table 2.4-40— {CCNPP Unit 3 Observation Wells Used in Hydrologic Evaluation}	2-549
Table 2.4-41— {CCNPP Unit 3 Observation Wells – Hydraulic Conductivities from Slug Tests}	2-555
Table 2.4-42— {Listing of Maryland Department of the Environment (MDE) Water Appropriations Permits for Calvert County, Maryland}	2-557
Table 2.4-43— {Listing of U.S. Environmental Protection Agency (EPA) SDWIS Community, Non- Transient Non-Community, and Transient Non-Community Water Systems in Calvert County, Maryland}	2-600
Table 2.4-44— {Maryland Department of the Environment (MDE) Water Appropriation Permits for the Calvert Cliffs Nuclear Power Plant}	2-611
Table 2.4-45— {Calvert Cliffs Nuclear Power Plant – Water Use Report (in gallons), Maryland Department of Environment (MDE) Water Appropriation Permit CA69G010 (05)}	2-612
Table 2.4-46— {Calvert County Ground-Water-Level Monitoring Network – Selected Water Level Monitoring Wells}	2-613
Table 2.4-47— {Reactor Coolant Storage Tank Radionuclide Inventory}	2-614
Table 2.4-48— {Summary of the Radionuclide K_d Values for 20 Soils (mean of two replicates) and Averages (units: ml/g)}	2-616
Table 2.4-49— {Progeny Nuclides with Activity Concentrations > 1% of ECLs After Accounting for Advection, Decay, Adsorption, and Dilution}	2-618
Table 2.4-50— {Calculated Hydraulic Gradients, Groundwater Velocities, and Travel Times	2-619
Table 2.4-51— {Summary of Results for the Transport Analysis Considering Only Advection and Radioactive Decay	2-620
Table 2.4-52— {Retardation Factors Calculated Using Site-Specific Distribution Coefficients}	2-621
Table 2.4-53— {Summary of Results for the Transport Analysis Considering Advection, Radioactive Decay, and Adsorption}	2-622
Table 2.4-54— {Simulated Maximum Tsunami Magnitude at Site for Various Cutoff Depths for Case 1}	2-623
Table 2.4-55— {Dimensions of the Contaminant Slug}	2-624
Table 2.4-56— {Calculation of Effluent Discharge Rates and Dilution Factors}	2-625
Table 2.4-57— {Summary of Results for the Transport Analysis Considering Advection, Radioactive Decay, Adsorption, and Dilution in Surface Water}	2-626
Table 2.4-58— {Estimated Longitudinal Dispersivities}	2-627
Table 2.4-59— {Summary of Results for the Transport Analysis Considering Advection, Radioactive Decay, Adsorption, and Dilution}	2-628
Table 2.4-60— {Sum of Radionuclide Activity Concentration / ECL Ratios for each Pathway}	2-629
Table 2.4-61— {Transport Analysis for Pathway to Chesapeake Bay (1)}	2-630
Table 2.4-62— {Transport Analysis for Pathway to Branch 2}	2-633
Table 2.4-63— {Transport Analysis for Pathway to Branch 1}	2-636
Table 2.4-64— {Transport Analysis for Pathway to Branch 3}	2-639
Table 2.4-65— {Transport Analysis for Pathway to Johns Creek}	2-642
Table 2.4-66— {Transport Analysis for Pathway to Branch 2 through Fill}	2-645

Table 2.5-1— {Definitions of Classes Used in the Compilation of Quaternary Faults, Liquefaction Features, and Deformation in the Central and Eastern United States}	2-1044
Table 2.5-2— {Seismotectonic Source Zones for the CEUS SSC model}	2-1045
Table 2.5-3— {Alternative Seismic Source Models and Associated Weights}	2-1046
Table 2.5-4— {Alternative Cases of Magnitude-Dependent Weights for the Estimation of Seismicity Parameters for Distributed Seismicity Sources}	2-1047
Table 2.5-5— {Alternative earthquake recurrence parameters for distributed seismicity sources}	2-1048
Table 2.5-6— {Maximum magnitude distribution for the sources of distributed seismicity in Source Model I, II and III}	2-1050
Table 2.5-7— {Maximum magnitude distributions for the distributed source zones in Source Model IV, V and VI}	2-1051
Table 2.5-8— {Aleatory distribution for characterization of earthquake rupture for distributed seismicity}	2-1052
Table 2.5-9— {Alternative seismogenic crustal thickness values and weights for distributed seismicity sources}	2-1054
Table 2.5-10— {Aleatory distribution for characterization of earthquake rupture for RLME sources}	2-1055
Table 2.5-11— {Alternative seismogenic crustal thickness values and weights for RLME sources}	2-1058
Table 2.5-12— {Temporal Clustering and Tectonic Features for RLME Sources}	2-1059
Table 2.5-13— {Alternative recurrence parameters for the Charleston RLME source}	2-1060
Table 2.5-14— {Alternative RLME recurrence parameters for the NMFS RLME source}	2-1067
Table 2.5-15— {Alternative RLME recurrence parameters for the ERM-S RLME source}	2-1069
Table 2.5-16— {Alternative RLME recurrence parameters for the ERM-N RLME source}	2-1070
Table 2.5-17— {Alternative RLME recurrence parameters for the Marianna Zone RLME source}	2-1071
Table 2.5-18— {Alternative RLME recurrence parameters for the Commerce RLME source}	2-1072
Table 2.5-19— {Alternative RLME recurrence parameters for the Wabash Valley RLME source}	2-1073
Table 2.5-20— {Maximum magnitude distributions for RLME sources}	2-1074
Table 2.5-21— {Mean Magnitudes and Distances from Deaggregations}	2-1076
Table 2.5-22— {HF and LF Rock Smooth Spectra}	2-1077
Table 2.5-23— {Horizontal and Vertical GMRS Amplitudes and Common V/H Ratios}	2-1078
Table 2.5-24— {Calvert Cliffs Site Amplification Factors for 10^{-4} and 10^{-5} Input Motions and HF and LF Rock Spectra}	2-1079
Table 2.5-25— {Input Rock Motions and Associated Parameters}	2-1080
Table 2.5-26— {Values of UHS (Hard Rock Conditions)}	2-1081
Table 2.5-27— {Summary Thickness and Termination Elevation}	2-1082
Table 2.5-28— {Summary of Field Tests}	2-1083
Table 2.5-29— {Summary of As-Conducted Boring Information}	2-1084
Table 2.5-30— {Summary of Standard Penetration Test Data}	2-1089
Table 2.5-31— {Summary Undisturbed Tube Samples}	2-1090
Table 2.5-32— {Summary of Hammer Rod Energy Measurements}	2-1099
Table 2.5-33— {Summary As-Conducted CPT Information}	2-1100
Table 2.5-34— {Summary of As-Conducted Observation Well Information}	2-1102
Table 2.5-35— {In-Situ Hydraulic Conductivity (Slug) Test Results}	2-1104
Table 2.5-36— {Summary As-Conducted Test Pit Information}	2-1105
Table 2.5-37— {Summary of Field Electrical Resistivity Information}	2-1106
Table 2.5-38— {Field Electrical Resistivity}	2-1107
Table 2.5-39— {Geophysical Data from CCNPP Units 1 and 2 UFSAR}	2-1108
Table 2.5-40— {Pressuremeter Test Results, PM-301}	2-1109
Table 2.5-41— {Pressuremeter Test Results, PM-701}	2-1111
Table 2.5-42— {Summary of Laboratory Tests and Quantities}	2-1112
Table 2.5-43— {Index Properties, Powerblock Area}	2-1113
Table 2.5-44— {Index Properties, Intake Area}	2-1114

Table 2.5-45— {Summary of Soils Chemical Testing Data}	2-1115
Table 2.5-46— {Consolidation Test Results, Powerblock Area}	2-1116
Table 2.5-47— {Consolidation Test Results, Intake Area}	2-1117
Table 2.5-48— {Shear Strength Laboratory Testing Data, Powerblock Area}	2-1118
Table 2.5-49— {Shear Strength Laboratory Testing Data, Intake Area}	2-1119
Table 2.5-50— {Modified Proctor Tests on Backfill Samples}	2-1120
Table 2.5-51— {RCTS Testing Samples}	2-1121
Table 2.5-52— {Low Strain Results for Backfill Samples}	2-1122
Table 2.5-53— {USCS Classification and Index Properties}	2-1123
Table 2.5-54— {Guidelines for Soil Chemistry Evaluation}	2-1124
Table 2.5-55— {Performance Properties under Static Loading}	2-1125
Table 2.5-56— {Strength Properties of Soils}	2-1126
Table 2.5-57— {Estimation of Elastic Modulus}	2-1127
Table 2.5-58— {Basis for Recommendation of $E_{u/r}/E$ Ratio}	2-1128
Table 2.5-59— {Elastic Properties Under Static Conditions}	2-1129
Table 2.5-60— {Earth Pressure Coefficients}	2-1130
Table 2.5-61— {Dynamic Properties for Powerblock Area}	2-1131
Table 2.5-62— {Dynamic Properties for Intake Area}	2-1132
Table 2.5-63— {Strain Dependant Properties for Powerblock Area}	2-1133
Table 2.5-64— {Strain Dependant Properties for Intake Area}	2-1134
Table 2.5-65— {Strain Dependant Properties for Backfill}	2-1135
Table 2.5-66— {Building Elevation, Depth, Area, and Load}	2-1136
Table 2.5-67— {Bearing Capacity}	2-1137
Table 2.5-68— {Heave after Excavation}	2-1138
Table 2.5-69— {Foundation Loading Sequence}	2-1139
Table 2.5-70— {Building Center Point Settlement Estimates}	2-1140
Table 2.5-71— {Maximum Tilt at End of Construction}	2-1141
Table 2.5-72— {Settlement and Tilt for UHS Facilities}	2-1142
Table 2.5-73— {Material Properties for Slope Stability}	2-1143
Table 2.5-74— {Computed Factors of Safety for Critical Slip Surface}	2-1144
Table 2.5-75— {Building Points with Associated Differential Settlements}	2-1145
Table 2.5-76— {Seismic Bearing Capacity Results}	2-1147
Table 3.2-1— {Classification Summary for Site-Specific SSCs}	3-6
Table 3.7-1— {Site SSE (Horizontal and Vertical) Spectral Accelerations at 5% Damping}	3-69
Table 3.7-2— {CCNPP Unit 3 Best Estimate Soil for SSI Analysis of NI Common Basemat Structure}	3-70
Table 3.7-3— {CCNPP Unit 3 Lower Bound Soil for SSI Analysis of NI Common Basemat Structure}	3-72
Table 3.7-4— {CCNPP Unit 3 Upper Bound Soil for SSI Analysis of NI Common Basemat Structure}	3-75
Table 3.7-5— {Frequencies and Mass Participation Factors for Common Basemat Intake Structures with Symmetric Boundary Conditions – Fixed Base Analysis}	3-77
Table 3.7-6— {Frequencies and Mass Participation Factors for Common Basemat Intake Structures with Anti-Symmetric Boundary Conditions – Fixed Base Analysis}	3-79
Table 3.7-7— {Boundary Conditions for Nodes in Plane of Symmetry of the CBIS Finite Element Model}	3-81
Table 3.7-8— {Worst Case Accelerations in Emergency Power Generating Building}	3-82
Table 3.7-9— {Worst Case Accelerations in Essential Services Water Building}	3-83
Table 3.7-10— {Worst Case Accelerations in Common Basemat Intake Structures}	3-84
Table 3.7-11— {Criteria for Seismic Interaction of Site-Specific Non-Seismic Category I Structures with Seismic Category I Structures}	3-85
Table 3.8-1— {Static Frictional Parameters}	3-195
Table 3.8-2— {Stability Evaluation Results for the CBIS}	3-196
Table 3.8-3— {Bearing Capacity Evaluation Results for the CBIS}	3-197

Table 3.8-4— {Factors of Safety for NI Common Basemat Structure, EPGB, and ESWB under SSE Loading}	3-198
Table 3.8-5— {Observed Chemical Properties of Groundwater}	3-199
Table 3.9-1— {Site -Specific Inservice Pump Testing Program Requirements}	3-216
Table 3.9-2— {Site-Specific Inservice Valve Testing Program Requirements}	3-217
Table 3.10-1— {Seismic and Dynamic Qualifications of Mechanical and Electrical Equipment}	3-226
Table 3.10-2— Seismic Qualification Implementation Program	3-243
Table 3.11-1— {Site-Specific Environmentally Qualified Electrical/I&C Equipment}	3-249
Table 3E-1— {Demand and Capacity for In-Plane Shear}	3-17
Table 3E-2— {Demand and Capacity for Out-of-Plane Shear}	3-18
Table 3E-3— {Demand and Capacity for Combined Moment and Axial Force}	3-19
Table 3E-4— {Demand and Capacity for Shear Friction}	3-22
Table 3E-5— {Demand and Capacity Evaluation for Long, Straight Segments of Seismic Category I Buried Piping}	3-23
Table 3E-6— {Demand and Capacity Evaluation for Pipe Bends of Seismic Category I Buried Piping}	3-24
Table 3E-7— {Demand and Capacity Moment Evaluation of Seismic Category I Duct Banks}	3-25
Table 3E-8— {Demand and Capacity Shear Evaluation of Seismic Category I Duct Banks}	3-26
Table 3F-1— {Bottom of Foundation Depths and Elevations}	3-12
Table 3F-2— {Input Rock Motions and Associated Parameters}	3-13
Table 3F-3— {Best Estimate Site SSE Strain-Compatible Profiles for the NI Area}	3-14
Table 3F-4— {Lower Bound Site SSE Strain-Compatible Profiles for the NI Area}	3-16
Table 3F-5— {Upper Bound Site SSE Strain-Compatible Profiles for the NI Area}	3-18
Table 3F-6— {Best Estimate Site SSE Strain-Compatible Profiles for the Intake Area}	3-20
Table 3F-7— {Lower Bound Site SSE Strain-Compatible Profiles for the Intake Area}	3-22
Table 3F-8— {Upper Bound Site SSE Strain-Compatible Profiles for the Intake Area}	3-24
Table 6.4-1— {Unit 2 LOCA Accident Atmospheric Dispersion Factors (χ/Q) for CCNPP Unit 3 MCR Habitability Analysis}	6-12
Table 7.1-1— {SAS Automatic Safety Function (Site-Specific) Sheet 1 of 1}	7-3
Table 7.4-1— Site-Specific Component Controls for Shutdown	7-9
Table 7.4-2— Site-Specific Indication for Shutdown	7-10
Table 7.5-1— {Inventory of Post Accident Monitoring Variables}	7-12
Table 8.1-1— {Division 1 Emergency Diesel Generator Nominal Loads}	8-4
Table 8.1-2— {Division 2 Emergency Diesel Generator Nominal Loads}	8-5
Table 8.1-3— {Division 3 Emergency Diesel Generator Nominal Loads}	8-6
Table 8.1-4— {Division 4 Emergency Diesel Generator Nominal Loads}	8-7
Table 8.2-1— {BGE Transmission System Circuits Connected to the CCNPP Site}	8-25
Table 8.3-1— {CCNPP Unit 3 AC Power System Component Data Nominal Values}	8-33
Table 8.3-2— {CCNPP Unit 3 EPSS Switchgear, Load Center, and Motor Control Center Numbering and Nominal Voltage}	8-34
Table 8.3-3— {CCNPP Unit 3 Normal Power Supply System Switchgear, and Load Center Numbering and Nominal Voltage}	8-35
Table 9.2-1— {Design Parameters UHS Makeup Water System}	9-38
Table 9.2-2— {UHS Makeup Water System Alarm Summary}	9-39
Table 9.5-1— {Fire Protection Program Compliance with Regulatory Guide 1.189}	9-78
Table 9B-1— Predefined Severities for Common Plant Ignition Source Fires	9-28
Table 9B-2— {Fire Area Parameters}	9-29
Table 10.4-1— {Circulating Water System Cooling Tower Design Specifications}	10-23
Table 11.2-1— {LADTAP II Input Parameters used in Maximum Exposed Individual Dose Calculation}	11-10

Table 11.2-2— {Detailed Dose Commitment Results By Age Group and Organs Due to Liquid Effluent Releases}	11-11
Table 11.2-3— {Dose Commitment Due To Liquid Releases}	11-13
Table 11.2-4— {Annual Historical Dose Compliance with 40 CFR 190 for CCNPP Units 1 and 2 ¹ }	11-14
Table 11.2-5— {40 CFR 190 Annual Site Dose Compliance}	11-15
Table 11.2-6— {Input Parameters for the LADTAP II Computer Code used in Liquid Waste Cost-Benefit Analysis}	11-16
Table 11.2-7— {Population Doses from Liquid Effluents ¹ }	11-17
Table 11.2-8— {Comparison of Annual Average Liquid Release Concentrations with 10 CFR Part 20 Concentration Limits}	11-18
Table 11.3-1— {Locations and Atmospheric Dispersion/Deposition Factors for Gaseous Effluent Maximum Dose Evaluations ^(c) }	11-26
Table 11.3-2— {Gaseous Pathway Parameters}	11-27
Table 11.3-3— {Gaseous Pathway Consumption Factors for MEI ¹ }	11-28
Table 11.3-4— {Distance to Nearest Gaseous Dose Receptors ⁽¹⁾⁽³⁾ }	11-29
Table 11.3-5— {Detailed Dose Commitment Results By Age Group and Organs Due to Gaseous Effluent Releases}	11-30
Table 11.3-6— {Gaseous Pathway Doses for Maximally Exposed Individuals (MEI) ⁽¹⁾⁽²⁾ }	11-32
Table 11.3-7— {CCNPP Unit 3 Gaseous Effluent MEI Dose Summary}	11-33
Table 11.3-8— {Population Doses from Gaseous Effluents ¹ }	11-34
Table 11.3-9— {Population within 50 mi of the CCNPP Site for Year 2080 (Projected) ¹ }	11-35
Table 11.3-10— {Bounding 50-mile Dispersion Factors (sec/m ³) for CCNPP Site}	11-36
Table 11.3-11— {Cow Milk Production (kg/yr) ¹ within 50 miles of CCNPP Site}	11-38
Table 11.3-12— {Beef Production (kg/yr) within 50 miles of CCNPP Site}	11-39
Table 11.3-13— {Poultry Production (kg/yr) within 50 miles of CCNPP Site}	11-40
Table 11.3-14— {Meat (Beef and Poultry) Production (kg/yr) within 50 miles of CCNPP Site}	11-41
Table 11.3-15— {Grain Production (kg/yr) within 50 miles of CCNPP Site}	11-42
Table 11.3-16— {Leafy Vegetable Production (kg/yr) within 50 miles of CCNPP Site}	11-43
Table 11.3-17— {Vegetable (Grain and Leafy) Production (kg/yr) within 50 miles of CCNPP Site}	11-44
Table 11.3-18— {Comparison of Annual Average Gaseous Release Concentrations with 10 CFR Part 20 Concentration Limits}	11-45
Table 12.3-1— {Source List for CCNPP Units 1 and 2}	12-21
Table 12.3-2— {Historical All-Source Compliance for Offsite General Public}	12-22
Table 12.3-3— {Mean Historical ISFSI Exposures by Year}	12-23
Table 12.3-4— {Historical ISFSI Net Trend}	12-24
Table 12.3-5— {Historical Resin Storage Area TLD Readings for 2001 through 2005}	12-25
Table 12.3-6— {Historical Annual Average χ/Q (sec/m ³) In CCNPP Unit 3 Directions}	12-26
Table 12.3-7— {Historical Gaseous Releases for 2002 through 2006}	12-27
Table 12.3-8— {Historical Liquid Releases 2001 through 2006}	12-28
Table 12.3-9— {Projected Dose Rates from all Sources by Construction Zone}	12-30
Table 12.3-10— {Projected Construction Worker Census}	12-31
Table 12.3-11— {Projected Construction Worker Occupancy by Zone}	12-32
Table 12.3-12— {FTE for CCNPP Unit 3 Construction Workers}	12-33
Table 12.3-13— {Average Dose Rates to CCNPP Unit 3 Construction Workers}	12-34
Table 12.3-14— {Projected Collective Dose for Construction Worker by Zone}	12-35
Table 13.1-1— {Generic Position/Site Specific Position Cross Reference}	13-36
Table 13.1-2— {Minimum Shift Crew Composition} ⁽⁵⁾⁽⁶⁾	13-41
Table 13.1-3— {Consortium General Division of Responsibilities}	13-42
Table 13.4-1— {Operational Programs Required by NRC Regulations and Program Implementation}	13-54
Table 14.3-1— {Site Specific Analyses (Safety Significant Features)}	14-41

Table 14.3-2— {Site Specific SSC ITAAC Screening Summary}	14-42
Table 14.3-3— {Interface Requirements Screening Summary}	14-44
Table 15.0-1— {CCNPP Unit 3 LPZ Atmospheric Dispersion Factors}	15-6
Table 15.0-2— {CCNPP Unit 3 LPZ Radiological Consequences of U.S. EPR Design Basis Accidents}	15-7
Table 17.4-1— {Site Specific Systems and Structures Included Within RAP}	17-18
Table 19.1-1— {Summary of External Events Evaluated for CCNPP Unit 3}	19-22

List of Figures

Figure 1.1-1— {50 mi (80 km) Surrounding Area}	1-14
Figure 1.1-2— {10 mi (16 km) Surrounding Area}	1-15
Figure 1.1-3— {Site Area Map}	1-16
Figure 1.2-1— {CCNPP Unit 3 Nuclear and Turbine Building Island Layout}	1-20
Figure 2.1-1— {Site Area Map}	2-30
Figure 2.1-2— {50 mi (80 km) Surrounding Area}	2-31
Figure 2.1-3— {10 mi (16 km) Surrounding Area}	2-32
Figure 2.1-4— {Enlarged Site Map}	2-33
Figure 2.1-5— {CCNPP Unit 3 Enlargement}	2-34
Figure 2.1-6— {Division of Site Parcels}	2-35
Figure 2.1-7— {10 mi (16 km) Radius Map}	2-36
Figure 2.1-8— {10 mi (16 km) 2000 Population Distribution}	2-37
Figure 2.1-9— {10 m (16 km) 2010 Population Distribution}	2-38
Figure 2.1-10— {10 mi (16 km) 2020 Population Distribution}	2-39
Figure 2.1-11— {10 mi (16 km) 2030 Population Distribution}	2-40
Figure 2.1-12— {10 mi (16 km) 2040 Population Distribution}	2-41
Figure 2.1-13— {10 mi (16 km) 2050 Population Distribution}	2-42
Figure 2.1-14— {10 mi (16 km) 2060 Population Distribution}	2-43
Figure 2.1-15— {50 mi (80 km) Vicinity}	2-44
Figure 2.1-16— {50 mi (80 km) 2000 Population Distribution}	2-45
Figure 2.1-17— {50 mi (80 km) 2010 Population Distribution}	2-46
Figure 2.1-18— {50 mi (80 km) 2020 Population Distribution}	2-47
Figure 2.1-19— {50 mi (80 km) 2030 Population Distribution}	2-48
Figure 2.1-20— {50 mi (80 km) 2040 Population Distribution}	2-49
Figure 2.1-21— {50 mi (80 km) 2050 Population Distribution}	2-50
Figure 2.1-22— {50 mi (80 km) 2060 Population Distribution}	2-51
Figure 2.1-23— {CCNPP Units 1, 2, and 3 Low Population Zone}	2-52
Figure 2.1-24— {10 mi (16 km) 2015 Population Distribution}	2-53
Figure 2.1-25— {10 mi (16 km) 2055 Population Distribution}	2-54
Figure 2.1-26— {50 mi (80 km) 2015 Population Distribution}	2-55
Figure 2.1-27— {50 mi (80 km) 2055 Population Distribution}	2-56
Figure 2.1-28— {Population Compared to NRC Siting Criteria}	2-57
Figure 2.2-1— {5 mi (8 km) Site Vicinity Map}	2-113
Figure 2.2-2— {Airports/Airways Within 10 mi (16 km) of Site}	2-114
Figure 2.3-1— {Annual Average Number of Tornadoes, 1950 - 1995}	2-318
Figure 2.3-2— {Annual Average Number of Tornadoes, 1950 - 1995}	2-319
Figure 2.3-3— {Average Number of Strong-Violent (F2-F5) Tornadoes, 1950 - 1995}	2-320
Figure 2.3-4— {Date of Maximum Tornado Threat}	2-321
Figure 2.3-5— {5-Year Lightning Flash Density Map}	2-322
Figure 2.3-6— {Ozone Concentration for Maryland Counties}	2-323
Figure 2.3-7— {CCNPP 33' (10 m) Annual Wind Rose (2000-2005)}	2-324
Figure 2.3-8— {CCNPP 197' (60 m) Annual Wind Rose (2000-2005)}	2-325
Figure 2.3-9— {CCNPP 33' (10 m) January Wind Rose (2000-2005)}	2-326
Figure 2.3-10— {CCNPP 33' (10 m) February Wind Rose (2000-2005)}	2-327
Figure 2.3-11— {CCNPP 33' (10 m) March Wind Rose (2000-2005)}	2-328
Figure 2.3-12— {CCNPP 33' (10 m) April Wind Rose (2000-2005)}	2-329
Figure 2.3-13— {CCNPP 33' (10 m) May Wind Rose (2000-2005)}	2-330
Figure 2.3-14— {CCNPP 33' (10 m) June Wind Rose (2000-2005)}	2-331
Figure 2.3-15— {CCNPP 33' (10 m) July Wind Rose (2000-2005)}	2-332

Figure 2.3-16— {CCNPP 33' (10 m) August Wind Rose (2000-2005)}	2-333
Figure 2.3-17— {CCNPP 33' (10 m) September Wind Rose (2000-2005)}	2-334
Figure 2.3-18— {CCNPP 33' (10 m) October Wind Rose (2000-2005)}	2-335
Figure 2.3-19— {CCNPP 33' (10 m) November Wind Rose (2000-2005)}	2-336
Figure 2.3-20— {CCNPP 33' (10 m) December Wind Rose (2000-2005)}	2-337
Figure 2.3-21— {CCNPP 197' (60 m) January Wind Rose (2000-2005)}	2-338
Figure 2.3-22— {CCNPP 197' (60 m) February Wind Rose (2000-2005)}	2-339
Figure 2.3-23— {CCNPP 197' (60 m) March Wind Rose (2000-2005)}	2-340
Figure 2.3-24— {CCNPP 197' (60m) April Wind Rose (2000-2005)}	2-341
Figure 2.3-25— {CCNPP 197' (60 m) May Wind Rose (2000-2005)}	2-342
Figure 2.3-26— {CCNPP 197' (60 m) June Wind Rose (2000-2005)}	2-343
Figure 2.3-27— {CCNPP 197' (60 m) July Wind Rose (2000-2005)}	2-344
Figure 2.3-28— {CCNPP 197' (60 m) August Wind Rose (2000-2005)}	2-345
Figure 2.3-29— {CCNPP 197' (60 m) September Wind Rose (2000-2005)}	2-346
Figure 2.3-30— {CCNPP 197' (60 m) October Wind Rose (2000-2005)}	2-347
Figure 2.3-31— {CCNPP 197' (60 m) November Wind Rose (2000-2005)}	2-348
Figure 2.3-32— {CCNPP 197' (60 m) December Wind Rose (2000-2005)}	2-349
Figure 2.3-33— {BWI Annual Wind Rose}	2-350
Figure 2.3-34— {Norfolk Annual Wind Rose}	2-351
Figure 2.3-35— {Richmond Annual Wind Rose}	2-352
Figure 2.3-36— {CCNPP 33' (10 m) Annual Precipitation Wind Rose (2000-2005)}	2-353
Figure 2.3-37— {CCNPP 197' (60 m) Annual Precipitation Wind Rose (2000-2005)}	2-354
Figure 2.3-38— {Monthly Average Mixing Heights}	2-355
Figure 2.3-39— {Topography Within a 1 Mile (1.6 km) Radius of the Site}	2-356
Figure 2.3-40— {Topography Within a 5 Mile (8 km) Radius of the Site}	2-357
Figure 2.3-41— {Topography Within a 50 Mile (80 km) Radius of the Site}	2-358
Figure 2.3-42— {Maximum Terrain Heights 0-50 Miles Downwind of CCNPP Site by Compass Sector (*)}	2-359
Figure 2.3-43— {CCNPP Unit 3 Control Room Location}	2-360
Figure 2.3-44— {PMWP Values for CCNPP from HMR 53}	2-361
Figure 2.3-45— {Patuxent River NAS Annual Wind Rose (2000 through 2005)}	2-362
Figure 2.3-46— {Patuxent River NAS Wind Speed Class Frequency Distribution (2000 through 2006)}	2-363
Figure 2.4-1— {Site Area Topography and Drainage}	2-649
Figure 2.4-2— {Site Utilization Plot Plan}	2-650
Figure 2.4-3— {Chesapeake Bay Sub-Watershed and CCNPP Unit 3 Site Locations}	2-651
Figure 2.4-4— {Mean, Maximum and Minimum Monthly Streamflows for the Patuxent River at Bowie, MD, USGS Station No. 01594440, Patuxent River Near Bowie, MD (1977-06-01 Through 2005-09-30)}	2-652
Figure 2.4-5— {Sub-Watershed Delineation of the Lower Patuxent River Watershed}	2-653
Figure 2.4-6— {Mean, Max and Min Monthly Streamflows for St. Leonard Creek at St. Leonard, MD, USGS Station No. 01594800, St. Leonard Creek Near St. Leonard, MD (1956-12-01 Through 2003-09-30)}	2-654
Figure 2.4-7— {CCNP UNIT 3 Sub-Basin Drainage Boundaries}	2-655
Figure 2.4-8— {Calvert Cliffs Unit 3 Utility Corridor (with UHS Makeup Water Buried Piping)}	2-656
Figure 2.4-9— {Upstream Reach of Haul Road Swales}	2-657
Figure 2.4-10— {Downstream Reach of Haul Road Swales}	2-658
Figure 2.4-11— {Local Drainage Boundaries}	2-659
Figure 2.4-12— {HEC-HMS Basin Model}	2-660
Figure 2.4-13— {HEC-RAS Cross Section Location Plan}	2-661
Figure 2.4-14— {Water Surface Profile Plot for Concrete Lined Swales}	2-662

Figure 2.4-15— {HEC-HMS Hydrologic Diagram}	2-663
Figure 2.4-16— {CCNPP Unit 3 Drainage Ditch Cross Sections}	2-664
Figure 2.4-17— {Site Location}	2-665
Figure 2.4-18— {Johns Creek Watershed}	2-666
Figure 2.4-19— {HEC-HMS Watershed Schematic}	2-667
Figure 2.4-20— {Storage And Inflow & Outflow Hydrographs at Maryland Route 2-4 Culvert}	2-668
Figure 2.4-21— {Sub-Basin 1 Hydrograph}	2-669
Figure 2.4-22— {Sub-Basin 2 Hydrograph}	2-670
Figure 2.4-23— {Sub-Basin 3 Hydrograph}	2-671
Figure 2.4-24— {Sub-Basin 4 Hydrograph}	2-672
Figure 2.4-25— {HEC-RAS Cross Section Locations}	2-673
Figure 2.4-26— {Johns Creek PMF Water Surface Profiles}	2-674
Figure 2.4-27— {Patuxent River Watershed And Dam Locations}	2-675
Figure 2.4-28— {SLOSH Chesapeake Bay Model Grid (SLOSH Basin cp2) and the Location of CCNPP Unit 3}	2-676
Figure 2.4-29— {Selected Storm Track and the Envelop of Resulting Surge Elevation in the SLOSH Chesapeake Bay Basin for the PMH}	2-677
Figure 2.4-30— {SLOSH Model Simulated Time History of Surge Elevation at the Site (Grid Cell 31, 59) for the Selected PMH Conditions}	2-678
Figure 2.4-31— {SLOSH Model Simulated Time History of Wind Speed at the Site (grid cell 31, 59) for the Selected PMH Conditions}	2-679
Figure 2.4-32— {Schematic Description of UHS Makeup Water Intake Location and Exposure for Wind Wave Estimation}	2-680
Figure 2.4-33— {Schematic Diagram Wave Runup on the UHS Makeup Water Intake Structure (MWIS)}	2-681
Figure 2.4-34— {Storm Surge Heights at Different Locations in the Chesapeake Bay During Hurricane Isabel 2003}	2-682
Figure 2.4-35— {Map Of Tsunami Source Generators}	2-683
Figure 2.4-36— {Staggered Grid for Leap-Frog Scheme}	2-684
Figure 2.4-37— {Time Grid Scheme for Assignment of Variables}	2-685
Figure 2.4-38— {Spatial Grid Scheme for Assignment of Variables}	2-686
Figure 2.4-39— {Computational Domain and Model Bathymetry for Tsunami Simulation in Chesapeake Bay}	2-687
Figure 2.4-40— {Water Levels Along Internal Boundary for Case 1, Nonlinear Model}	2-688
Figure 2.4-41— {Water Levels Along Internal Boundary Case 2, Nonlinear Model}	2-689
Figure 2.4-42— {Water Levels Along Internal Boundary for Case 3, Nonlinear Model}	2-690
Figure 2.4-43— {Water Levels Along Internal Boundary for Case 3, Linear Model}	2-691
Figure 2.4-44— {Time History Of Tsunami Water Levels Case 1 through 3, Nonlinear Model}	2-692
Figure 2.4-45— {Time History Of Tsunami Water Levels Case 1 through 3 Linear Model}	2-693
Figure 2.4-46— {General Site Region}	2-694
Figure 2.4-47— {South Chesapeake Bay Ice Analysis- January 28, 2000}	2-695
Figure 2.4-48— {South Chesapeake Bay Ice Analysis- February 01, 2004}	2-696
Figure 2.4-49— {South Chesapeake Bay Ice Analysis- January 24, 2005}	2-697
Figure 2.4-50— {South Chesapeake Bay Ice Analysis- January 26, 2005}	2-698
Figure 2.4-51— {EGG Code}	2-699
Figure 2.4-52— {EGG Code: Stages Of Ice Development}	2-700
Figure 2.4-53— {EGG Code: Predominant Forms Of Ice}	2-701
Figure 2.4-54— {Change In The Chesapeake Bay Shoreline Position Near The CCNPP Unit 3 Site Between 1848, 1942 and 1993}	2-702
Figure 2.4-55— {Chesapeake Bay Shoreline Erosion Rates Near The CCNPP Unit 3 Site Estimated By Maryland Department Of Natural Resources}	2-703

Figure 2.4-56— {UHS Make-Up Intake Structure}	2-704
Figure 2.4-57— {Shoreline Area and Bathymetry}	2-705
Figure 2.4-58— {Riprap Protection}	2-706
Figure 2.4-59— {Unit 3 Forebay Cover}	2-707
Figure 2.4-60— {Track Of The Probable Maximum Hurricane}	2-708
Figure 2.4-61— {CCNPP Unit 3 Site Location}	2-709
Figure 2.4-62— {Low Water Level Data Of Annapolis Station And The Curve Fitted By Visual Inspection}	2-710
Figure 2.4-63— {Location of CCNPP 200-Mile (320-Km) Radius From the Plant Site}	2-711
Figure 2.4-64— {Mid-Atlantic Regional Physiographic Provinces and Hydrostratigraphic Units}	2-712
Figure 2.4-65— {Schematic Geologic Cross Section Through the Mid-Atlantic Region}	2-713
Figure 2.4-66— {Southern Maryland Schematic Hydrostratigraphic Section}	2-714
Figure 2.4-67— {Schematic Cross-Section of Southern Maryland Hydrostratigraphic Units}	2-715
Figure 2.4-68— {Potentiometric Surface of the Aquia Aquifer in Southern MD, September 2003}	2-716
Figure 2.4-69— {Potentiometric Surface of the Magothy Aquifer in Southern MD, September 2003}	2-717
Figure 2.4-70— {Potentiometric Surface of the Upper Patapsco Aquifer in Southern MD, September 2003}	2-718
Figure 2.4-71— {Potentiometric Surface of the Lower Patapsco Aquifer in Southern MD, September 2003}	2-719
Figure 2.4-72— {CCNPP Site Area Topography and Drainage}	2-720
Figure 2.4-73— {Cross-Section and Soil Boring Locations in the Vicinity of CCNPP Unit 3}	2-721
Figure 2.4-74— {Cross-Section A-A' Through Proposed Unit 3 Power Block Area}	2-722
Figure 2.4-75— {Cross-Section B-B' Through Proposed Unit 3 Power Block Area}	2-723
Figure 2.4-76— {Groundwater Observation Wells and Cross-Section Locations in the Vicinity of CCNPP Unit 3}	2-724
Figure 2.4-77— {Ground Water Elevations for the Surficial Aquifer, July 2006 Through October 2009}	2-725
Figure 2.4-78— {Water Table Elevation Map and Groundwater Flow Direction for the Surficial Aquifer, July 2006}	2-726
Figure 2.4-79— {Water Table Elevation Map and Groundwater Flow Direction for the Surficial Aquifer, September 2006}	2-727
Figure 2.4-80— {Water Table Elevation Map and Groundwater Flow Direction for the Surficial Aquifer, December 2006}	2-728
Figure 2.4-81— {Water Table Elevation Map and Groundwater Flow Direction for the Surficial Aquifer, March 2007}	2-729
Figure 2.4-82— {Groundwater Elevations for the Upper Chesapeake Unit, July 2006 Through October 2009}	2-730
Figure 2.4-83— {Potentiometric Surface Elevation Map and Groundwater Flow Directions for the Upper Chesapeake Unit, July 2006}	2-732
Figure 2.4-84— {Potentiometric Surface Elevation Map and Groundwater Flow Directions for the Upper Chesapeake Unit, Sept 2006}	2-733
Figure 2.4-85— {Potentiometric Surface Elevation Map and Groundwater Flow Directions for the Upper Chesapeake Unit, Dec 2006}	2-734
Figure 2.4-86— {Potentiometric Surface Elevation Map and Groundwater Flow Directions for the Upper Chesapeake Unit, March 2007}	2-735
Figure 2.4-87— {Groundwater Elevations for the Lower Chesapeake Unit, July 2006 Through October 2009}	2-736
Figure 2.4-88— {Potentiometric Surface Elevation Map and Groundwater Flow Directions for the Lower Chesapeake Unit, July 2006}	2-737

Figure 2.4-89— {Potentiometric Surface Elevation Map and Groundwater Flow Directions for the Lower Chesapeake Unit, Sept 2006}	2-738
Figure 2.4-90— {Potentiometric Surface Elevation Map and Groundwater Flow Directions for the Lower Chesapeake Unit, Dec 2006}	2-739
Figure 2.4-91— {Potentiometric Surface Elevation Map and Groundwater Flow Directions for the Lower Chesapeake Unit, March 2007}	2-740
Figure 2.4-92— {US EPA Region 3 Sole Source Aquifers}	2-741
Figure 2.4-93— {Projected Location of Nearest Off-Site Groundwater Well and Community Water Supply System}	2-742
Figure 2.4-94— {CCNPP Water Production Wells}	2-743
Figure 2.4-95— {The Differences Between the Potentiometric Surfaces of the Aquia Aquifer, September 1982 and September 2003, in Southern Maryland}	2-744
Figure 2.4-96— {The Differences Between the Potentiometric Surfaces of the Magothy Aquifer, September 1975 and September 2003, in Southern Maryland}	2-745
Figure 2.4-97— {The Differences Between the Potentiometric Surfaces of the Upper Patapsco Aquifer, September 1990 and September 2003, in Southern Maryland}	2-746
Figure 2.4-98— {The Differences Between the Potentiometric Surfaces of the Lower Patapsco Aquifer, September 1990 and September 2003, in Southern Maryland}	2-747
Figure 2.4-99— {Calvert County Ground-Water-Level Monitoring Network, Location of Selected Water Level Monitoring Wells}	2-748
Figure 2.4-100— {Well Hydrograph for Monitoring Well CA Fd 51 Screened in the Piney Point - Nanjemoy Aquifer at Calvert Cliffs State Park}	2-749
Figure 2.4-101— {Well Hydrograph for Monitoring Well CA Ed 42 Screened in the Aquia Aquifer at CCNPP}	2-750
Figure 2.4-102— {Well Hydrograph for Monitoring Well CA Dc 35 Screened in the Magothy Aquifer at Scientists Cliffs}	2-751
Figure 2.4-103— {Well Hydrograph for Monitoring Well CA Db 96 Screened in the Upper Patapsco Aquifer at Prince Frederick}	2-752
Figure 2.4-104— {Well Hydrograph for Monitoring Well CA Fd 85 Screened in the Lower Patapsco Aquifer at Chesapeake Ranch Estates}	2-753
Figure 2.4-105— {Modeled Post-Construction Depth to the Water Table around the Unit 3 Power Block Area}	2-754
Figure 2.4-106— {Modeled Post-Construction Elevation of the Water Table around the Unit 3 Power Block Area}	2-755
Figure 2.4-107— {Water Table Elevation Map and Groundwater Flow Direction for the Surficial Aquifer, June 2007}	2-756
Figure 2.4-108— {Potentiometric Surface Elevation Map and Groundwater Flow Directions for the Upper Chesapeake Unit, June 2007}	2-757
Figure 2.4-109— {Potentiometric Surface Elevation Map and Groundwater Flow Directions for the Lower Chesapeake Unit, June 2007}	2-758
Figure 2.4-110— {Conceptual Model of Subsurface Pathways through the Upper Chesapeake Unit To Surface Streams}	2-759
Figure 2.4-111— {Plan View of Subsurface Contaminant Pathways}	2-760
Figure 2.4-112— {Upper Chesapeake Unit Flow Direction from the Nuclear Auxiliary Building to Branch 2, December 2006}	2-761
Figure 2.4-113— {Potentiometric Surface Countours from Groundwater Model of Post-Construction Conditions}	2-762
Figure 2.4-114— {Cross Section Showing Pathlines through the Upper Chesapeake Unit in the Post-Construction Groundwater Model}	2-763
Figure 2.4-115— {Topography of the Post-Construction Groundwater Flow Model Domain}	2-764
Figure 2.4-116— {Proposed Post Construction Observation Well Locations}	2-765

Figure 2.4-117— {Cross-Section Showing Pathlines through Engineered Fill in Post-Construction Groundwater Model, for the Simulation Using the Maximum Hydraulic Conductivity of the Fill Material}	2-766
Figure 2.4-118— {Pathlines from Nuclear Auxiliary Building Obtained from Groundwater Model of Post-Construction Conditions}	2-767
Figure 2.4-119— {Water Table Elevation Map for the Surficial Aquifer, December 2007}	2-768
Figure 2.4-120— {Water Table Elevation Map for the Surficial Aquifer, July 2008}	2-769
Figure 2.4-121— {Water Table Elevation Map for the Surficial Aquifer, January 2009}	2-770
Figure 2.4-122— {Water Table Elevation Map for the Surficial Aquifer, July 2009}	2-771
Figure 2.4-123— {Potentiometric Surface Elevation Map for the Upper Chesapeake Unit, December 2007}	2-772
Figure 2.4-124— {Potentiometric Surface Elevation Map for the Upper Chesapeake Unit, July 2008}	2-773
Figure 2.4-125— {Potentiometric Surface Elevation Map for the Upper Chesapeake Unit, October 2008}	2-774
Figure 2.4-126— {Potentiometric Surface Elevation Map for the Upper Chesapeake Unit, April 2009}	2-775
Figure 2.4-127— {Potentiometric Surface Elevation Map for the Upper Chesapeake Unit, October 2009}	2-776
Figure 2.4-128— {Potentiometric Surface Elevation Map for the Lower Chesapeake Unit, December 2007}	2-777
Figure 2.4-129— {Potentiometric Surface Elevation Map for the Lower Chesapeake Unit, April 2008}	2-778
Figure 2.4-130— {Potentiometric Surface Elevation Map for the Lower Chesapeake Unit, October 2008}	2-779
Figure 2.4-131— {Potentiometric Surface Elevation Map for the Lower Chesapeake Unit, April 2009}	2-780
Figure 2.4-132— {Potentiometric Surface Elevation Map for the Lower Chesapeake Unit, October 2009}	2-781
Figure 2.4-133— {Chesapeake Bay Digital Elevation Model from NOAA}	2-782
Figure 2.4-134— {Comparison of Simulated Water Levels at the Site for Different Grid Sizes for Case 1, Nonlinear Model}	2-783
Figure 2.4-135— {Water Levels along Internal Boundary for Case 1, Linear Model}	2-784
Figure 2.4-136— {Water Levels along Internal Boundary for Case 2, Linear Model}	2-785
Figure 2.4-137— {Contour of Maximum Water Levels for Case 1, Nonlinear Model}	2-786
Figure 2.4-138— Contour of Maximum Water Levels for Case 1, Linear Model}	2-787
Figure 2.4-139— {Time History of Tsunami Water Levels at Site for Different Cutoff Depths, Case 1, Nonlinear Option}	2-788
Figure 2.4-140— {Time History of Tsunami Water Levels at Site for Different Cutoff Depths, Case 1, Linear Option}	2-789
Figure 2.5-1— {Map of Physiographic Province}	2-1148
Figure 2.5-2— {Site Vicinity Topographic Map 25-Mile (40-Km) Radius}	2-1149
Figure 2.5-3— {Site Area Topographic Map 5-Mile (8-Km) Radius}	2-1150
Figure 2.5-4— {Site Topographic Map 0.6-Mile (1-Km) Radius}	2-1151
Figure 2.5-5— {Regional Geologic Map 200-Mile (320-Km) Radius}	2-1152
Figure 2.5-6— {Regional Geologic Map 200-Mile (320-Km) Radius Explanation}	2-1153
Figure 2.5-7— {Physiographic Map of Maryland}	2-1154
Figure 2.5-8— {Evolution of the Appalachian Orogen}	2-1155
Figure 2.5-9— {General Technostatigraphic Terrane Map 200-mile (320 km) Radius (modified from Horton 1991)}	2-1156
Figure 2.5-10— {Map of Mesozoic Basins}	2-1157

Figure 2.5-11— {Lithologies of Basement Rocks from Coastal Plain Wells}	2-1158
Figure 2.5-12— {Tectonic Features of the Mid-Atlantic Passive Margin}	2-1159
Figure 2.5-13— {Stratigraphic Cross-Section Through Anne Arundel, Calvert and St. Mary's Counties}	2-1160
Figure 2.5-14— {Structure-Contour Map of the Top of the Piney Point-Nanjemoy Aquifer}	2-1161
Figure 2.5-15— {Tectonic Age of Crust}	2-1162
Figure 2.5-16— {Regional Strip Maps Showing Tectonostratigraphic Divisions and Regional Cross- Section Lines}	2-1163
Figure 2.5-17— {Crustal-Scale Cross Section Through the Appalachian Orogen and Coastal Plain} ...	2-1164
Figure 2.5-18— {Crustal-Scale Cross Section Across the Mid-Atlantic Continental Shelf, Slope and Rise}	2-1165
Figure 2.5-19— {Crustal-Scale Cross Section of the Mid-Atlantic Passive Margin}	2-1166
Figure 2.5-20— {Regional Magnetic Anomaly Map}	2-1167
Figure 2.5-21— {Regional Gravity Anomaly Map}	2-1168
Figure 2.5-22— {Chesapeake Bay Region Magnetic Anomalies with Mesozoic Basins}	2-1169
Figure 2.5-23— {Late Proterozoic and Paleozoic Tectonic Features}	2-1170
Figure 2.5-24— {Seismic Zones and Seismicity in CEUS}	2-1171
Figure 2.5-25— {Map of Tertiary Tectonic Features}	2-1172
Figure 2.5-26— {LiDAR Data for Calvert and St. Mary's Counties}	2-1173
Figure 2.5-27— {Site Vicinity Geologic Map 25-Mile (40-Km) Radius}	2-1174
Figure 2.5-28— {Site Vicinity Geologic Map 25-Mile (40-Km) Radius Unit Descriptions}	2-1175
Figure 2.5-29— {Map of Seismic Lines (A) and Channels (B)}	2-1176
Figure 2.5-30— {Location Map (A) and Cross Section (B) of Calvert Cliffs, Maryland}	2-1177
Figure 2.5-31— {Potential Quaternary Features in the Site Region}	2-1178
Figure 2.5-32— {Site Area Geologic Map 5-Mile (8-Km) Radius}	2-1179
Figure 2.5-33— {Site Area Geologic Cross Sections A-A' and B-B' 5-Mile (8-Km) Radius}	2-1180
Figure 2.5-34— {Site Geologic Map 0.6-mi (1-km) Radius}	2-1181
Figure 2.5-35— {Boring Location Map CCNPP 3 from 2007 Drilling Program}	2-1182
Figure 2.5-36— {CCNPP Site Specific Stratigraphic Column}	2-1183
Figure 2.5-37— {Boring B-301, Caliper, Natural Gamma, Resistivity and SP Logs}	2-1184
Figure 2.5-38— {Boring B-401, Caliper, Natural Gamma, Resistivity and SP Logs}	2-1185
Figure 2.5-39— {Subsurface Profile E-E'}	2-1186
Figure 2.5-40— {Cross Section}	2-1187
Figure 2.5-41— {Geologic Section C-C'}	2-1188
Figure 2.5-42— {Geologic Section D-D'}	2-1189
Figure 2.5-43— {Subsurface Profile E-E'}	2-1190
Figure 2.5-44— {View of Calvert Cliffs Toward the Southwest from the Barge}	2-1191
Figure 2.5-45— {Study Region of the CEUS SSC model}	2-1192
Figure 2.5-46— {Seismicity in the 200-mile CCNPP Unit 3 Site Region (CEUS SSC catalog)}	2-1193
Figure 2.5-47— {Master Logic Tree of the CEUS SSC Model}	2-1194
Figure 2.5-48— {Mesozoic Extended (MESE-W) and Non-Extended (NMESE-W) Mmax Zones for the "Wide" Interpretation}	2-1195
Figure 2.5-49— {Mesozoic Extended (MESE-N) and Non-Extended (NMESE-N) Mmax Zones for the "Narrow" Interpretation}	2-1196
Figure 2.5-50— {Seismotectonic Zones Showing the Case where the Rough Creek Graben is not Part of the Reelfoot Rift (RR) and the Paleozoic Extended Zone is Narrow (PEZ-N)}	2-1197
Figure 2.5-51— {Seismotectonic Zones Showing the Case where the Rough Creek Graben is Part of the Reelfoot Rift (RR-RCG) and the Paleozoic Extended Zone is Narrow (PEZ-N)}	2-1198
Figure 2.5-52— {Seismotectonic Zones Showing the Case where the Rough Creek Graben is not Part of the Reelfoot Rift (RR) and the Paleozoic Extended Zone is Wide (PEZ-W)}	2-1199

Figure 2.5-53— {Seismotectonic Zones Showing the Case where the Rough Creek Graben is Part of the Reelfoot Rift (RR-RCG) and the Paleozoic Extended Zone is Wide (PEZ-W)}	2-1200
Figure 2.5-54— {RLME Sources Considered for the PSHA of the CCNPP Unit 3 Site}	2-1201
Figure 2.5-55— {Alternative geometries of Charleston RLME Source}	2-1202
Figure 2.5-56— {New Madrid Fault System RLME Source}	2-1203
Figure 2.5-57— {Eastern Rift Margin, Wabash Valley, Marianna, and Commerce RLMEs}	2-1204
Figure 2.5-58— {Uniform Hazard Spectra for Rock Conditions at Seven Structural Frequencies for which Ground Motion Equations are Available}	2-1205
Figure 2.5-59— {Mean 10^{-4} Rock Deaggregation for 1 and 2.5Hz}	2-1206
Figure 2.5-60— {Mean 10^{-4} Rock Deaggregation for 5 and 10 Hz}	2-1207
Figure 2.5-61— {Mean 10^{-5} Rock Deaggregation for 1 and 2.5 Hz}	2-1208
Figure 2.5-62— {Mean 10^{-5} Rock Deaggregation for 5 and 10 Hz}	2-1209
Figure 2.5-63— { 10^{-4} Rock UHS Values and Smooth Spectra Fit to HF and LF Spectral Shapes}	2-1210
Figure 2.5-64— { 10^{-5} Rock UHS Values and Smooth Spectra Fit to HF and LF Spectral Shapes}	2-1211
Figure 2.5-65— { 10^{-6} Rock UHS Values and Smooth Spectra Fit to HF and LF Spectral Shapes}	2-1212
Figure 2.5-66— {Low-Strain Best Estimate (BE) Shear Wave Velocity Profile}	2-1213
Figure 2.5-67— {Log-Standard Deviation for Low-Strain Shear Wave Velocity Profile}	2-1214
Figure 2.5-68— {Shear Wave Velocity for Simulated Profiles 1 to 10 – (Halfspace at first occurrence of $V_s = 9200$ ft/sec)}	2-1215
Figure 2.5-69— {Shear Wave Velocity for 60 Simulated Profiles – (Halfspace at first occurrence of $V_s = 9200$ ft/sec)}	2-1216
Figure 2.5-70— {Fill 1 Shear Modulus Reduction Curves for 60 Simulated Profiles}	2-1217
Figure 2.5-71— {Fill 1 Damping Ratio Curves for 60 Simulated Profiles}	2-1218
Figure 2.5-72— {5% Damping ARS Amplification Functions – HF 1E-4}	2-1219
Figure 2.5-73— {Maximum Shear Strain Profiles – HF 1E-4}	2-1220
Figure 2.5-74— {5% Damping ARS Amplification Functions – LF 1E-4}	2-1221
Figure 2.5-75— {Maximum Shear Strain Profiles – LF 1E-4}	2-1222
Figure 2.5-76— {5% Damping ARS Amplification Functions – HF 1E-5}	2-1223
Figure 2.5-77— {Maximum Shear Strain Profiles – HF 1E-5}	2-1224
Figure 2.5-78— {5% Damping ARS Amplification Functions – LF 1E-5}	2-1225
Figure 2.5-79— {Maximum Shear Strain Profiles – LF 1E-5}	2-1226
Figure 2.5-80— {5% Damping HF and LF Spectra for 1E-4 and 1E-5}	2-1227
Figure 2.5-81— {Recommended Horizontal and Vertical GMRS}	2-1228
Figure 2.5-82— {V/H Ratios from Several Publications and Recommended V/H Ratios}	2-1229
Figure 2.5-83— {Mean 10^{-6} Rock Deaggregation Plot for 5 and 10 Hz}	2-1230
Figure 2.5-84— {Mean 10^{-6} Rock Deaggregation Plot for 1 and 2.5 Hz}	2-1231
Figure 2.5-85— {Mean and Fractile Rock Hazard Curves for Peak Ground Acceleration}	2-1232
Figure 2.5-86— {Mean and Fractile Rock Hazard Curves for 25 Hz Spectral Acceleration}	2-1233
Figure 2.5-87— {Mean and Fractile Rock Hazard Curves for 10 Hz Spectral Acceleration}	2-1234
Figure 2.5-88— {Mean and Fractile Rock Hazard Curves for 5 Hz Spectral Acceleration}	2-1235
Figure 2.5-89— {Mean and Fractile Rock Hazard Curves for 2.5 Hz Spectral Acceleration}	2-1236
Figure 2.5-90— {Mean and Fractile Rock Hazard Curves for 1 HZ Spectral Acceleration}	2-1237
Figure 2.5-91— {Mean and Fractile Rock Hazard Curves for 0.5 Hz Spectral Acceleration}	2-1238
Figure 2.5-92— {Site Utilization Plan with Boring Locations}	2-1239
Figure 2.5-93— {Powerblock Area Profile Locations}	2-1240
Figure 2.5-94— {Intake Area Profile Location}	2-1241
Figure 2.5-95— {Generalized CCNPP Soil Column}	2-1242
Figure 2.5-96— {Subsurface Profile A-A'}	2-1243
Figure 2.5-97— {Subsurface Profile B-B'}	2-1244
Figure 2.5-98— {Subsurface Profile C-C'}	2-1245
Figure 2.5-99— {Subsurface Profile D-D'}	2-1246

Figure 2.5-100— {Subsurface Profile E-E'}	2-1247
Figure 2.5-101— {Subsurface Profile F-F'}	2-1248
Figure 2.5-102— {SPT Data for Powerblock Area}	2-1249
Figure 2.5-103— {SPT Data for Intake Area}	2-1250
Figure 2.5-104— {CPT Tip Resistance, Powerblock Area}	2-1251
Figure 2.5-105— {CPT Tip Resistance, Intake Area}	2-1252
Figure 2.5-106— { V_p Measurements from Suspension P-S Velocity Logging}	2-1253
Figure 2.5-107— { V_s Measurements from Suspension P-S Velocity Logging}	2-1254
Figure 2.5-108— {PS Logging Test at Intake Area B-773}	2-1255
Figure 2.5-109— {Uphole Seismic Survey Results from CCNPP Units 1 and 2 UFSAR}	2-1256
Figure 2.5-110— {Pressuremeter Data}	2-1257
Figure 2.5-111— {Moisture Content and Atterberg Limits, Powerblock Area}	2-1258
Figure 2.5-112— {Moisture Content and Atterberg Limits, Intake Area}	2-1259
Figure 2.5-113— {Plasticity Chart, Powerblock Area}	2-1260
Figure 2.5-114— {Plasticity Chart, Intake Area}	2-1261
Figure 2.5-115— {RCTS Testing Sample B-437-6, Powerblock Area}	2-1262
Figure 2.5-116— {RCTS Testing Sample B-301-10, Powerblock Area}	2-1263
Figure 2.5-117— {RCTS Testing Sample B-305-17, Powerblock Area}	2-1264
Figure 2.5-118— {RCTS Testing Sample B-404-14, Powerblock Area}	2-1265
Figure 2.5-119— {RCTS Testing Sample B-401-31, Powerblock Area}	2-1266
Figure 2.5-120— {RCTS Testing Sample B-401-67, Powerblock Area}	2-1267
Figure 2.5-121— {RCTS Testing Sample B-401-48, Powerblock Area}	2-1268
Figure 2.5-122— {RCTS Testing Sample B-301-78, Powerblock Area}	2-1269
Figure 2.5-123— {RCTS Testing Sample B-306-17, Powerblock Area}	2-1270
Figure 2.5-124— {RCTS Testing Sample B-409-15, Powerblock Area}	2-1271
Figure 2.5-125— {RCTS Testing Sample B-404-22, Powerblock Area}	2-1272
Figure 2.5-126— {RCTS Testing Sample B-401-42, Powerblock Area}	2-1273
Figure 2.5-127— {RCTS Testing Sample B-409-39, Powerblock Area}	2-1274
Figure 2.5-128— {RCTS Testing Sample B-773-2, Intake Area}	2-1275
Figure 2.5-129— {RCTS Testing Sample B-773-3, Intake Area}	2-1276
Figure 2.5-130— {RCTS Testing Sample B-773-4, Intake Area}	2-1277
Figure 2.5-131— {RCTS Testing Sample B-773-5, Intake Area}	2-1278
Figure 2.5-132— {RCTS Testing Sample B-773-6, Intake Area}	2-1279
Figure 2.5-133— {RCTS Testing Sample B-773-7, Intake Area}	2-1280
Figure 2.5-134— {RCTS Testing Sample B-773-9, Intake Area}	2-1281
Figure 2.5-135— {RCTS Testing Sample B-773-11, Intake Area}	2-1282
Figure 2.5-136— {RCTS Testing Sample B-773-13, Intake Area}	2-1283
Figure 2.5-137— {RCTS Testing Sample B-773-15, Intake Area}	2-1284
Figure 2.5-138— {RCTS Testing Sample CR6 Blend, Backfill}	2-1285
Figure 2.5-139— {RCTS Testing Sample GAB Blend, Backfill}	2-1286
Figure 2.5-140— {RCTS Testing Sample CR6 Vulcan Average, Backfill}	2-1287
Figure 2.5-141— {Proximity of Chester and Lexington Park Sites to CCNPP}	2-1288
Figure 2.5-142— {Shear Wave Velocity Based on Chester (Kent Island) Measurements}	2-1289
Figure 2.5-143— {Shear Wave Velocity Based on Lexington Park Measurements}	2-1290
Figure 2.5-144— {Smoothed and Averaged V_s Log for Chester and Lexington Park Measurements}	2-1291
Figure 2.5-145— {Average V_s , Chester, Lexington Park, Maryland and Deep Measurements in Coastal Plain Soils}	2-1292
Figure 2.5-146— {Bedrock V_s Log for Chester (Kent Island), Maryland}	2-1293
Figure 2.5-147— {Bedrock V_s Log for Lexington Park, Maryland}	2-1294
Figure 2.5-148— {Interpretation of Bedrock Velocity Gradient for Chester Measurement}	2-1295

Figure 2.5-149— {Excavation Profile AA', Powerblock Area}	2-1296
Figure 2.5-150— {Excavation Profile BB', Powerblock Area}	2-1297
Figure 2.5-151— {Excavation Profile CC', Powerblock Area}	2-1298
Figure 2.5-152— {Excavation Profile DD', Powerblock Area}	2-1299
Figure 2.5-153— {Excavation Profile EE', Powerblock Area}	2-1300
Figure 2.5-154— {Excavation Profile FF, Intake Area}	2-1301
Figure 2.5-155— {Best Estimate Velocity Profiles, In-Situ condition, Powerblock Area}	2-1302
Figure 2.5-156— {Best Estimate Velocity Profiles with Fill Placement, Powerblock Area}	2-1303
Figure 2.5-157— {Best Estimate Velocity Profiles, In-Situ Condition, Intake Area}	2-1304
Figure 2.5-158— {Best Estimate Velocity Profiles with Fill Placement, Intake Area}	2-1305
Figure 2.5-159— {Strain Dependant Properties for Powerblock Area}	2-1306
Figure 2.5-160— {Strain Dependant Properties for Intake Area}	2-1307
Figure 2.5-161— {Strain Dependant Properties for Backfill}	2-1308
Figure 2.5-162— {Site Grading Plan}	2-1309
Figure 2.5-163— {Elevation Contours of Top of Stratum IIb Cemented Sand}	2-1310
Figure 2.5-164— {Topography in Powerblock Area}	2-1311
Figure 2.5-165— {FOS against Liquefaction Based on SPT Data, Powerblock}	2-1312
Figure 2.5-166— {FOS against Liquefaction Based on SPT Data, Intake Area}	2-1313
Figure 2.5-167— {FOS against Liquefaction Based on V_s Data, Powerblock}	2-1314
Figure 2.5-168— {FOS against Liquefaction Based on V_s Data, Intake Area}	2-1315
Figure 2.5-169— {FOS against liquefaction based on CPT Data, Powerblock Area}	2-1316
Figure 2.5-170— {FOS against liquefaction based on CPT Data, Intake Area}	2-1317
Figure 2.5-171— {FOS against Liquefaction for Backfill, Powerblock Area}	2-1318
Figure 2.5-172— {Building Areas, Loads, and Foundation Elevation}	2-1319
Figure 2.5-173— {PLAXIS 3D Subsurface Representation}	2-1320
Figure 2.5-174— {Subdivision of ED Model to Account for Variable Surface Topography}	2-1321
Figure 2.5-175— {Heave After Excavation}	2-1322
Figure 2.5-176— {Building Load Construction Sequence}	2-1323
Figure 2.5-177— {Surface Topography Plan and Cross Section}	2-1324
Figure 2.5-178— {Contour Plots of Incremental Settlements}	2-1325
Figure 2.5-179— {NI Settlement Estimate}	2-1326
Figure 2.5-180— {Settlement at Center Point of Safety Related Buildings}	2-1327
Figure 2.5-181— {Settlement Tracking Cross Sections}	2-1328
Figure 2.5-182— {Foundation Settlement across NI and TB Footprint}	2-1329
Figure 2.5-183— {Settlement at Center of Facilities After Adjustment for Topography}	2-1330
Figure 2.5-184— {UHS FEM Model}	2-1331
Figure 2.5-185— {Earth Pressure Representative Diagrams}	2-1332
Figure 2.5-186— {Site Grading Plan with Slope Cross-Sections}	2-1333
Figure 2.5-187— {Cross-sections in Powerblock Area}	2-1334
Figure 2.5-188— {Cross-sections in Intake Area and Utility Corridor}	2-1335
Figure 2.5-189— {Location of Excavation Cross-sections in CCNPP Unit 3}	2-1336
Figure 2.5-190— {Excavation Cross-sections in CCNPP Unit 3}	2-1337
Figure 2.5-191— {Static and Pseudo-Static Stability Analyses of Slope Section A - Case a}	2-1338
Figure 2.5-192— {Static and Pseudo-Static Stability Analyses of Slope Section A - Case b}	2-1339
Figure 2.5-193— {Static and Pseudo-Static Stability Analyses of Slope Section B - Case a}	2-1340
Figure 2.5-194— {Static and Pseudo-Static Stability Analyses of Slope Section B - Case b}	2-1341
Figure 2.5-195— {Static and Pseudo-Static Stability Analyses of Slope Section C}	2-1342
Figure 2.5-196— {Static and Pseudo-Static Stability Analyses of Slope Section D}	2-1343
Figure 2.5-197— {Static and Pseudo-Static Stability Analyses of Slope Section E}	2-1344
Figure 2.5-198— {Static and Pseudo-Static Stability Analyses of Slope Section F (Utility Corridor)}	2-1345

Figure 2.5-199— {Static and Pseudo-Static Stability Analyses of Slope Section G (Intake Area)}	2-1346
Figure 2.5-200— {Outline of the Appalachian Orogen and its Major Subdivisions along the Eastern North American Continent}	2-1347
Figure 2.5-201— {Appalachian Orogen}	2-1348
Figure 2.5-202— {Laurentian-Margin Subdivision and other Tectonic Elements of the Southeast of the Blue Mountain Front}	2-1349
Figure 2.5-203— {Schematic Map Showing the Relative Positions of Exotic Terranes}	2-1350
Figure 2.5-204— {Rifts Formed during the Breakup of Rodinia}	2-1351
Figure 2.5-205— {Reconstruction of part of Rodinia at the end of the Neoproterozoic, showing the relative positions of Laurentia, Baltica, and West Gondwana}	2-1352
Figure 2.5-206— {Cross section of the carbonate shelf, shelf/slope/basin/transition, and proximal basin (Octorara seaway) during the Middle Ordovician, from Erie (NW) to the present Atlantic coastline(SE)}	2-1353
Figure 2.5-207— {Brandywine Microcontinent}	2-1354
Figure 2.5-208— {Catskill clastic wedge Structure and Stratigraphy during the Acadian Orogeny}	2-1355
Figure 2.5-209— {Precambrian through Ordovician Regional Stratigraphy}	2-1356
Figure 2.5-210— {Legend for Figure 2.5-214 (Precambrian through Ordovician Regional Stratigraphy)}	2-1357
Figure 2.5-211— {Silurian through Permian Regional Stratigraphy}	2-1358
Figure 2.5-212— {Upper Mesozoic to Cenozoic}	2-1359
Figure 2.5-213— {Ramapo Seismic Zone}	2-1360
Figure 2.5-214— {Ramapo Seismicity Cross Section}	2-1361
Figure 2.5-215— {Field and Aerial Reconnaissance Map for CCNPP Unit 3}	2-1362
Figure 2.5-216— {(A) Generalized Geological Map and (B) Schematic Cross Section of the Northern Chesapeake Bay}	2-1363
Figure 2.5-217— {LiDAR Elevation Showing Trace of Pazzaglia’s Fault}	2-1364
Figure 2.5-218— {Seismic Reflection Line St. M-1 Showing Hillville Fault of Hansen (1978)}	2-1365
Figure 2.5-219— {Geologic Map of the Ramapo Fault and Vicinity with Seismicity}	2-1366
Figure 2.5-220— {Geologic Map of Kingston Fault}	2-1367
Figure 2.5-221— {Explanation of Map Units and Cross Section A- A’ for the Geologic Map of the Kingston Fault}	2-1368
Figure 2.5-222— {Selection of Shear Modulus and Damping Ratios for Soils Deeper than 400 Feet}	2-1369
Figure 2.5-223— {Calculated Maximum Strains Based on Initially Adopted EPRI Curves}	2-1370
Figure 2.5-224— {Settlement Monitoring Instrumentation in the Powerblock Area}	2-1371
Figure 2.5-225— {Settlement Monitoring Instrumentation at the Intake Area}	2-1372
Figure 2.5-226— Comparison of Plots of Shear Wave Velocity Beneath Structural Fill for B-301	2-1374
Figure 3.7-1— {CCNPP Unit 3 Site SSE Spectrum (0.15g PGA), 5% damping}	3-86
Figure 3.7-2— {CCNPP Unit 3 GMRS (Horizontal) and CCNPP Unit 3 Site SSE Spectrum, 5% damping}	3-87
Figure 3.7-3— {CCNPP Unit 3 GMRS (Vertical) and CCNPP Unit 3 Site SSE Spectrum, 5% damping}	3-88
Figure 3.7-4— {CCNPP Unit 3 GMRS and EUR (Horizontal) for the Nuclear Island Common Basemat Structures}	3-89
Figure 3.7-5— {CCNPP Unit 3 GMRS and EUR CSDRS (Vertical) for the Nuclear Island Common Basemat Structures}	3-90
Figure 3.7-6— {CCNPP Unit 3 Site SSE, Site OBE and EUR CSDRS}	3-91
Figure 3.7-7— {Comparison of CSDRS, Site SSE and Horizontal RG 1.60 scaled to 0.10 g to Adjusted FIRS for ESWB and EPGB}	3-92
Figure 3.7-8— {Comparison of Site SSE and Horizontal RG 1.60 scaled to 0.10 g to Adjusted FIRS for ESWB and EPGB}	3-93

Figure 3.7-9— {Comparison of Site SSE and Horizontal RG 1.60 scaled to 0.10 g to Adjusted FIRS for CBIS}	3-94
Figure 3.7-10— {Site SSE Spectrum Compatible Acceleration, Velocity, and Displacement Time Histories for Horizontal Component S1}	3-95
Figure 3.7-11— {Site SSE Spectrum Compatible Acceleration, Velocity, and Displacement Time Histories for Horizontal Component S2}	3-96
Figure 3.7-12— {Site SSE Spectrum Compatible Acceleration, Velocity, and Displacement Time Histories for Vertical Component S3}	3-97
Figure 3.7-13— {SSI "Within" Acceleration Time Histories for Input at ESWB Foundation (LB Soil Case) NI Area (22 ft Depth)}	3-98
Figure 3.7-14— {SSI "Within" Acceleration Time Histories for Input at ESWB Foundation (BE Soil Case)- NI Area (22 ft Depth)}	3-99
Figure 3.7-15— {SSI "Within" Acceleration Time Histories for Input at ESWB Foundation (UB Soil Case)- NI Area (22 ft Depth)}	3-100
Figure 3.7-16— {SSI "Within" Acceleration Time Histories for Input at CBIS Foundation (LB Soil Case)- Intake Area (37.5 ft Depth)}	3-101
Figure 3.7-17— {SSI "Within" Acceleration Time Histories for Input at CBIS Foundation (BE Soil Case)- Intake Area (37.5 ft Depth)}	3-102
Figure 3.7-18— {SSI "Within" Acceleration Time Histories for Input at CBIS Foundation (UB Soil Case)- Intake Area (37.5 ft Depth)}	3-103
Figure 3.7-19— {CCNPP Unit 3 Strain-Compatible Soil Profiles for NI Common Basemat Structures}	3-104
Figure 3.7-20— {EPR DC Soil Cases vs. CCNPP Unit 3 Soil Cases for SSI Analysis}	3-105
Figure 3.7-21— {CCNPP Unit 3 Strain-Compatible profiles at the NI Area for EPG and ESWB}	3-106
Figure 3.7-22— {CCNPP Unit 3 Strain-Compatible profiles at the Intake Area for CBIS}	3-107
Figure 3.7-23— {Isometric View of the Common Basemat Intake Structures}	3-108
Figure 3.7-24— {Soil-Structure Interaction (SSI) model for the Common Basemat Intake Structures (Elevations and plant coordinate system refer to CCNPP Unit 3)}	3-109
Figure 3.7-25— {Reactor Bldg Internal Structure, Elev. 5.15m, X(E-W) Direction, 5% Damping}	3-110
Figure 3.7-26— {Reactor Bldg Internal Structure, Elev. 5.15m, Y(N-S) Direction, 5% Damping}	3-111
Figure 3.7-27— {Reactor Bldg Internal Structure, Elev. 5.15m, Z(Vert) Direction, 5% Damping}	3-112
Figure 3.7-28— {Reactor Bldg Internal Structure, Elev. 19.5m, X(E-W) Direction, 5% Damping}	3-113
Figure 3.7-29— {Reactor Bldg Internal Structure, Elev. 19.5 m, Y(N-S) Direction, 5% Damping}	3-114
Figure 3.7-30— {Reactor Bldg Internal Structure, Elev. 19.5 m, Z(Vert) Direction, 5% Damping}	3-115
Figure 3.7-31— {Safeguard Building 1, Elev. 8.1m, X(E-W) Direction, 5% Damping}	3-116
Figure 3.7-32— {Safeguard Building 1, Elev. 8.1m, Y(N-S) Direction, 5% Damping}	3-117
Figure 3.7-33— {Safeguard Building 1, Elev. 8.1m, Z(Vert) Direction, 5% Damping}	3-118
Figure 3.7-34— {Safeguard Building 1, Elev. 21.0 m, X(E-W) Direction, 5% Damping}	3-119
Figure 3.7-35— {Safeguard Building 1, Elev. 21.0 m, Y(N-S) Direction, 5% Damping}	3-120
Figure 3.7-36— {Safeguard Building 1, Elev. 21.0 m, Z(Vert) Direction, 5% Damping}	3-121
Figure 3.7-37— {Safeguard Building 2/3, Elev. 8.1m, X(E-W) Direction, 5% Damping}	3-122
Figure 3.7-38— {Safeguard Building 2/3, Elev. 8.1m, Y(N-S) Direction, 5% Damping}	3-123
Figure 3.7-39— {Safeguard Building 2/3, Elev. 8.1m, Z(Vert) Direction, 5% Damping}	3-124
Figure 3.7-40— {Safeguard Building 2/3, Elev. 15.4 m, X(E-W) Direction, 5% Damping}	3-125
Figure 3.7-41— {Safeguard Building 2/3, Elev. 15.4 m, Y(N-S) Direction, 5% Damping}	3-126
Figure 3.7-42— {Safeguard Building 2/3, Elev. 15.4 m, Z(Vert) Direction, 5% Damping}	3-127
Figure 3.7-43— {Safeguard Building 4, Elev. 21.0 m, X(E-W) Direction, 5% Damping}	3-128
Figure 3.7-44— {Safeguard Building 4, Elev. 21.0m, Y(N-S) Direction, 5% Damping}	3-129
Figure 3.7-45— {Safeguard Building 4, Elev. 21.0m, Z(Vert) Direction, 5% Damping}	3-130
Figure 3.7-46— {Containment Building, Elev. 37.6 m, X(E-W) Direction, 5% Damping}	3-131
Figure 3.7-47— {Containment Building, Elev. 37.6m, Y(N-S) Direction, 5% Damping}	3-132

Figure 3.7-48— {Containment Building, Elev. 37.6 m, Z(Vert) Direction, 5% Damping}	3-133
Figure 3.7-49— {Containment Building, Elev. 58.0 m, X(E-W) Direction, 5% Damping}	3-134
Figure 3.7-50— {Containment Building, Elev. 58.0 m, Y(N-S) Direction, 5% Damping}	3-135
Figure 3.7-51— {Containment Building, Elev. 58.0 m, Z(Vert) Direction, 5% Damping}	3-136
Figure 3.7-52— {CCNPP Unit 3 NAB Basemat X(E-W) Direction Spectra (5% Damping)}	3-137
Figure 3.7-53— {CCNPP Unit 3 NAB Basemat Y(N-S) Direction Spectra (5% Damping)}	3-138
Figure 3.7-54— {CCNPP Unit 3 NAB Basemat Z(Vert) Direction Spectra (5% Damping)}	3-139
Figure 3.7-55— {Design Certification NAB Basemat X(E-W) Direction Spectra (5% Damping)}	3-140
Figure 3.7-56— {Design Certification NAB Basemat Y(N-S) Direction Spectra (5% Damping)}	3-141
Figure 3.7-57— {Design Certification NAB Basemat Z(Vert) Direction Spectra (5% Damping)}	3-142
Figure 3.7-58— {CCNPP Unit 3 Radioactive Waste Processing Building Basemat X-Direction Spectra (5% Damping)}	3-143
Figure 3.7-59— {CCNPP Unit 3 Radioactive Waste Processing Building Basemat Y-Direction Spectra (5% Damping)}	3-144
Figure 3.7-60— {CCNPP Unit 3 Radioactive Waste Processing Building Basemat Z-Direction Spectra (5% Damping)}	3-145
Figure 3.7-61— {Design Certification Radioactive Waste Processing Building Basemat X-Direction Spectra (5% Damping)}	3-146
Figure 3.7-62— {Design Certification Radioactive Waste Processing Building Basemat Y-Direction Spectra (5% Damping)}	3-147
Figure 3.7-63— {Design Certification Radioactive Waste Processing Building Basemat Z-Direction Spectra (5% Damping)}	3-148
Figure 3.7-64— {Emergency Power Generating Building (EPGB), Elev. 0.0 ft (0.0 m), X (E-W) Direction ISRS, 5% Damping. Elevations and plant coordinate system refer to U.S EPR FSAR.}	3-149
Figure 3.7-65— {Emergency Power Generating Building (EPGB), Elev. 0.0 ft (0.0 m), Y (N-S) Direction ISRS, 5% Damping. Elevations and plant coordinate system refer to U.S EPR FSAR.}	3-150
Figure 3.7-66— {Emergency Power Generating Building (EPGB), Elev. 0.0 ft (0.0 m), Z (Vert) Direction Spectra, 5% Damping. Elevations and plant coordinate system refer to U.S EPR FSAR.}	3-151
Figure 3.7-67— {Essential Service Water Building (ESWB), Elev. 63.0 ft (19.2 m), X (N-S) Direction Spectra, 5% Damping. Elevations and plant coordinate system refer to U.S EPR FSAR.}	3-152
Figure 3.7-68— {Essential Service Water Building (ESWB), Elev. 63.0 ft (19.2 m), Y (E-W) Direction Spectra, 5% Damping. Elevations and plant coordinate system refer to U.S EPR FSAR.}	3-153
Figure 3.7-69— {Essential Service Water Building (ESWB), Elev. 63.0 ft (19.2 m), Z (Vert) Direction Spectra, 5% Damping. Elevations and plant coordinate system refer to U.S EPR FSAR.}	3-154
Figure 3.7-70— {Essential Service Water Building (ESWB), Elev. 14.0 ft (4.3 m), X (N-S) Direction Spectra, 5% Damping. Elevations and plant coordinate system refer to U.S EPR FSAR.}	3-155
Figure 3.7-71— {Essential Service Water Building (ESWB), Elev. 14.0 ft (4.3 m), Y (E-W) Direction Spectra, 5% Damping. Elevations and plant coordinate system refer to U.S EPR FSAR.}	3-156
Figure 3.7-72— {Essential Service Water Building (ESWB), Elev. 14.0 ft (4.3 m), Z (Vert) Direction Spectra, 5% Damping. Elevations and plant coordinate system refer to U.S EPR FSAR.}	3-157

Figure 3.7-73— {ISRS for UHS Makeup Water Intake Structure at location at Elev. -22.5 ft (-6.86 m), North-South Direction. Elevations and plant coordinate system refer to CCNPP Unit 3}	3-158
Figure 3.7-74— {ISRS for UHS Makeup Water Intake Structure at Elev. -22.5 ft (-6.86 m), East-West Direction. Elevations and plant coordinate system refer to CCNPP Unit 3}	3-159
Figure 3.7-75— {ISRS for UHS Makeup Water Intake Structure at Elev. -22.5 ft (-6.86 m), Vertical Direction. Elevations and plant coordinate system refer to CCNPP Unit 3}	3-160
Figure 3.7-76— {ISRS for UHS Makeup Water Intake Structure at Elev. 11.5 ft (3.5 m), North-South Direction. Elevations and plant coordinate system refer to CCNPP Unit 3}	3-161
Figure 3.7-77— {ISRS for Makeup Water Intake Structure at Elev. 11.5 ft (3.5 m), East-West Direction. Elevations and plant coordinate system refer to CCNPP Unit 3}	3-162
Figure 3.7-78— {ISRS for Makeup Water Intake Structure at Elev. 11.5 ft (3.5 m), Vertical Direction. Elevations and plant coordinate system refer to CCNPP Unit 3}	3-163
Figure 3.7-79— {ISRS for Makeup Water Intake Structure at Elev. 26.5 ft (8.08 m), North-South Direction. Elevations and plant coordinate system refer to CCNPP Unit 3}	3-164
Figure 3.7-80— {ISRS for Makeup Water Intake Structure at Elev. 26.5 ft (8.08 m), East-West Direction. Elevations and plant coordinate system refer to CCNPP Unit 3}	3-165
Figure 3.7-81— {ISRS for Makeup Water Intake Structure at Elev. 26.5 ft (8.08 m), Vertical Direction. Elevations and plant coordinate system refer to CCNPP Unit 3}	3-166
Figure 3.8-1— {Schematic Site Plan of Seismic Category I Buried Utilities (Electrical Duct Banks)}	3-200
Figure 3.8-2— {Schematic Site Plan of Seismic Category I Buried Utilities at the NI (Electrical Duct Banks)}	3-201
Figure 3.8-3— {Schematic Site Plan of Seismic Category I Buried Utilities (Underground Piping)}	3-202
Figure 3.8-4— {Schematic Site Plan of Seismic Category I Buried Utilities (Underground Piping)}	3-203
Figure 3.8-5— {Isometric View of the Basemat Finite Element Mesh (STAAD Pro Static Analysis Model) for the CWS Makeup Water Intake Structure, Forebay and UHS Makeup Water Intake Structure}	3-204
Figure 3.8-6— {Conceptual Configuration of Waterproofing Membrane}	3-205
Figure 3.8-7— {Conceptual Configuration of Dampproofing Membrane}	3-206
Figure 3E-1— {Foundation Plan for the Forebay and UHS Makeup Water Intake Structure @ Elevation -22.5 ft (-6.86 m)}	3-27
Figure 3E-2— {Reinforcement for Forebay and UHS Makeup Water Intake Structure Basemat}	3-28
Figure 3E-3— {Reinforcement for Forebay and UHS Makeup Water Intake Structure Walls - UHS Makeup Water Intake Structure Side Wall (Section B)}	3-29
Figure 3E-4— {Reinforcement for Forebay and UHS Makeup Water Intake Structure Walls - Forebay Long Wall (Section C)}	3-30
Figure 3E-5— {Isometric View of the Common Basemat Intake Structures STAAD Pro Model for Static Analyses}	3-31
Figure 3E-6— {Cross Section of Seismic Category I Buried Piping in the Nuclear Island}	3-32
Figure 3E-7— {Cross Section of Seismic Category I Buried Utilities in the Utility Corridor}	3-33
Figure 3E-8— {Cross Section of Seismic Category I Buried Pipe in Intake Area}	3-34
Figure 3E-9— {Cross Section of Seismic Category I Buried Duct Banks in the Nuclear Island}	3-35
Figure 3E-10— {Reinforcement Arrangement for Seismic Category I Buried Duct Banks}	3-36
Figure 3F-1— {Low-Strain Shear Wave Velocity Profile at the NI Area}	3-26
Figure 3F-2— {Low-Strain Shear Wave Velocity Profile at the Intake Area}	3-27
Figure 3F-3— {Log-Standard Deviation for Low-Strain Shear Wave Velocity Profile at the NI Area}	3-28

Figure 3F-4— {Log-Standard Deviation for Low-Strain Shear Wave Velocity Profile at the Intake Area}	3-29
Figure 3F-5— {Shear Wave Velocity for 60 Simulated Profiles – NI Area (Halfspace at first occurrence of $V_s = 9200$ ft/sec)}	3-30
Figure 3F-6— {Shear Wave Velocity for 60 Simulated Profiles – Intake Area (Halfspace at first occurrence of $V_s = 9200$ ft/sec)}	3-31
Figure 3F-7— {Fill 1 Shear Modulus Reduction Curves for 60 Simulated Profiles – NI Area}	3-32
Figure 3F-8— {Fill 1 Damping Ratio Curves for 60 Simulated Profiles – NI Area}	3-33
Figure 3F-9— {5% Damping ARS Amplification Functions at 22 ft Depth – NI Area}	3-34
Figure 3F-10— {Log-Mean Strain Profiles - NI Area}	3-35
Figure 3F-11— {Log-Mean Strain Profiles - Intake Area}	3-36
Figure 3F-12— {5% Damping Horizontal and Vertical FIRS – NI Area}	3-37
Figure 3F-13— {5% Damping Horizontal and Vertical FIRS – Intake Area}	3-38
Figure 3F-14— {Shear-Wave Velocity Profiles Strain-Compatible with FIRS for the NI Area}	3-39
Figure 3F-15— {Damping Profiles Strain-Compatible with FIRS for the NI Area}	3-40
Figure 3F-16— {FIRS P-Wave Velocity Profiles for the NI Area}	3-41
Figure 3F-17— {Shear-Wave Velocity Profiles Strain-Compatible with FIRS for the Intake Area}	3-42
Figure 3F-18— {Damping Profiles Strain-Compatible with FIRS for the Intake Area}	3-43
Figure 3F-19— {FIRS P-Wave Velocity Profiles for the Intake Area}	3-44
Figure 3F-20— {NEI Check for Horizontal FIRS at 37.5 ft Depth at the Intake Area}	3-45
Figure 3F-21— {NEI Check for Vertical FIRS at 37.5 ft Depth at the Intake Area}	3-46
Figure 3F-22— {Envelope Horizontal Smooth Adjusted FIRS – EPGB and ESWB (No Adjustment Necessary for FIRS at 22 ft Depth)}	3-47
Figure 3F-23— {Envelope Vertical Smooth Adjusted FIRS – EPGB and ESWB (No Adjustment Necessary for FIRS at 22 ft Depth)}	3-48
Figure 3F-24— {Envelope Horizontal Smooth Adjusted FIRS – Intake Area}	3-49
Figure 3F-25— {Envelope Vertical Smooth Adjusted FIRS – Intake Area}	3-50
Figure 3F-26— {SSSI Effect 5% Damping ARS Amplification Functions for EPGB and ESWB}	3-51
Figure 3F-27— {Site SSE Comparison with Adjusted FIRS (including NI SSSI Effects) and RG 1.60 – EPGB and ESWB}	3-52
Figure 3F-28— {Site SSE Comparison with Adjusted FIRS and RG 1.60 – Intake Area}	3-53
Figure 3F-29— {Shear Wave Velocity Profiles Strain-Compatible with Site SSE for the NI Area}	3-54
Figure 3F-30— {Damping Profiles Strain-Compatible with Site SSE for the NI Area}	3-55
Figure 3F-31— {Site SSE P-Wave Velocity Profiles for the NI Area}	3-56
Figure 3F-32— {Shear Wave Velocity Profiles Strain-Compatible with Site SSE for the Intake Area}	3-57
Figure 3F-33— {Damping Profiles Strain-Compatible with Site SSE for the Intake Area}	3-58
Figure 3F-34— {Site SSE P-Wave Velocity Profiles for the Intake Area}	3-59
Figure 3F-35— {SSI "Within" Acceleration Time Histories for Input at ESWB Foundation (LB Soil Case) – NI Area (22 ft Depth)}	3-60
Figure 3F-36— {SSI "Within" Acceleration Time Histories for Input at ESWB Foundation (BE Soil Case) – NI Area (22 ft Depth)}	3-61
Figure 3F-37— {SSI "Within" Acceleration Time Histories for Input at ESWB Foundation (UB Soil Case) – NI Area (22 ft Depth)}	3-62
Figure 3F-38— {SSI "Within" Acceleration Time Histories for Input at CBIS Foundation (LB Soil Case) – Intake Area (37.5 ft Depth)}	3-63
Figure 3F-39— {SSI "Within" Acceleration Time Histories for Input at CBIS Foundation (BE Soil Case) – Intake Area (37.5 ft Depth)}	3-64
Figure 3F-40— {SSI "Within" Acceleration Time Histories for Input at CBIS Foundation (UB Soil Case) – Intake Area (37.5 ft Depth)}	3-65

Figure 3F-41— {5% Damping within ARS at ESWB Foundation Horizontal Direction (S1) – NI Area (22 ft Depth)}	3-66
Figure 3F-42— {5% Damping within ARS at ESWB Foundation Horizontal Direction (S2) – NI Area (22 ft Depth)}	3-67
Figure 3F-43— {5% Damping within ARS at ESWB Foundation Vertical Direction (S3) – NI Area (22 ft Depth)}	3-68
Figure 3F-44— {5% Damping within ARS at CBIS Foundation Horizontal Direction (S1) – Intake Area (37.5 ft Depth)}	3-69
Figure 3F-45— {5% Damping within ARS at CBIS Foundation Horizontal Direction (S2) – Intake Area (37.5 ft Depth)}	3-70
Figure 3F-46— {5% Damping within ARS at CBIS Foundation Vertical Direction (S3) – Intake Area (37.5 ft Depth)}	3-71
Figure 8.1-1— {CCNPP Site 500 kV Circuit Corridors}	8-8
Figure 8.2-1— {CCNPP Unit 3 500kV Switchyard and Transmission Line Layout}	8-26
Figure 8.2-2— {CCNPP Unit 3 500kV Switchyard Single Line Diagram}	8-27
Figure 8.3-1— {CCNPP Unit 3 Emergency Power Supply System Single Line Drawing}	8-36
Figure 8.3-2— {CCNPP Unit 3 Normal Power Supply System Single Line Drawing}	8-39
Figure 8.3-3— {CCNPP Unit 3 Transformer 30BBT04 Distribution System Single Line Drawing}	8-44
Figure 9.2-1— {Potable Water System}	9-40
Figure 9.2-2— {Sanitary Waste Water System}	9-41
Figure 9.2-3— {Normal Makeup, Emergency Makeup, Blowdown & Chemical Treatment}	9-42
Figure 9.2-4— {General Area - UHS Makeup Water Intake Structure, CW Intake Structure, and Forebay}	9-43
Figure 9.2-5— {UHS Makeup Water Intake Structure - Plan View at Elevation 11'- 6"}	9-44
Figure 9.2-6— {UHS Makeup Water Intake Structure - Plan View at Elevation 26'- 6"}	9-45
Figure 9.2-7— {Raw Water and Desalinated Water Supply}	9-46
Figure 9.2-8— {UHS Makeup Water Intake Structure - Section View}	9-47
Figure 9.2-9— {UHS Makeup Water System}	9-48
Figure 9.2-10— {ESWS Emergency Makeup Water System Piping and Instrumentation Diagram}	9-49
Figure 9.4-1— Turbine Building Ventilation System	9-65
Figure 9.4-2— {UHS Makeup Water Intake Structure Ventilation System }	9-66
Figure 9.5-1— {CCNPP Unit 3 Fire Water Distribution System – Cooling Tower Loop}	9-86
Figure 9.5-2— {CCNPP Unit 3 Fire Water Distribution System – Intake Structure Loop}	9-87
Figure 9.5-3— {CCNPP Unit 3 UHS Makeup Water Intake Structure}	9-88
Figure 9B-1— {CCNPP Unit 3 Fire Barrier Location, Turbine Building Plan at Elevation (-)23 Feet}	9-47
Figure 9B-2— {CCNPP Unit 3 Fire Barrier Location, Turbine Building Plan at Elevation +/- 0 Feet}	9-48
Figure 9B-3— {CCNPP Unit 3 Fire Barrier Location, Turbine Building Plan at Elevation +38 Feet}	9-49
Figure 9B-4— {CCNPP Unit 3 Fire Barrier Location, Turbine Building Plan at Elevation +65 Feet}	9-50
Figure 9B-5— {CCNPP Unit 3 Fire Barrier Location, Turbine Building Plan at Elevation (-)43 Feet}	9-51
Figure 9B-6— {CCNPP Unit 3 Fire Barrier Location, Turbine Building Roof Plan}	9-52
Figure 9B-7— {CCNPP Unit 3 Fire Barrier Location, Turbine Building Section A-A}	9-53
Figure 9B-8— {CCNPP Unit 3 Fire Barrier Location, Turbine Building Section B-B}	9-54
Figure 9B-9— {CCNPP Unit 3 Fire Barrier Location, Turbine Building Section C-C}	9-55
Figure 9B-10— {CCNPP Unit 3 Fire Barrier Location, SWGR/SBO Buildings Plan View at Elevation (-)13'-0"}	9-56
Figure 9B-11— {CCNPP Unit 3 Fire Barrier Location, SWGR/SBO/AUX BLR Buildings Plan View at Elevation 0'-0"}	9-57
Figure 9B-12— {CCNPP Unit 3 Fire Barrier Location, SWGR/SBO/AUX BLR Buildings Plan View at Elevation 13'-0"}	9-58
Figure 9B-13— {CCNPP Unit 3 Fire Barrier Location, SWGR/SBO/AUX BLR Buildings Plan View at Elevation 24'-6"}	9-59

Figure 9B-14— {CCNPP Unit 3 Fire Barrier Location, SWGR/SBO/AUX BLR Buildings, Plan View Section A-A}	9-60
Figure 9B-15— {CCNPP Unit 3 Fire Barrier Location, Transformer Area Plan View at Elevation 0'-0" }	9-61
Figure 9B-16— {CCNPP Unit 3 Fire Barrier Location, Warehouse Building Plan View at Elevation 85'-0"}	9-62
Figure 9B-17— {CCNPP Unit 3 Fire Barrier Location, Security Access Facility Plan View at Elevation 85'-0"}	9-63
Figure 9B-18— {CCNPP Unit 3 Fire Barrier Location, Central Gas Supply Building Plan View at Elevation 85'0"}	9-64
Figure 9B-19— {CCNPP Unit 3 Fire Barrier Location, Grid Systems Control Building Plan View at Elevation 85'0"}	9-65
Figure 9B-20— {CCNPP Unit 3 Fire Barrier Location, Fire Protection Building Plan View at Elevation 85'0"}	9-66
Figure 9B-21— {CCNPP Unit 3 Fire Barrier Location, Cooling Tower Structure, Plan View and Section A-A}	9-67
Figure 9B-22— {CCNPP Unit 3 Fire Barrier Location, Circulating Water Pump Building, Plan View and Section A-A}	9-68
Figure 9B-23— {CCNPP Unit 3 Fire Barrier Location, UHS Makeup Water Intake Structure, Plan View and Section A-A}	9-69
Figure 9B-24— {CCNPP Unit 3 Fire Barrier Location, CW Makeup Intake Structure, Plan View and Section A-A}	9-70
Figure 9B-25— {CCNPP Unit 3 Fire Barrier Location, Desalinization / Water Treatment Building Plan View at Elevation 100'0"}	9-71
Figure 10.4-1— {Circulating Water System P & ID (Circulating Water Pump Building)}	10-24
Figure 10.4-2— {Circulating Water System P & ID (Turbine Building)}	10-25
Figure 10.4-3— {Circulating Water System Makeup System P&ID}	10-26
Figure 10.4-4— {Circulating Water System Makeup Pump Intake Structure (Plan View)}	10-27
Figure 10.4-5— {Circulating Water System Makeup Pump Intake Structure (Section View)}	10-28
Figure 10.4-6— {Circulating Water System Blowdown Flowpath}	10-29
Figure 10.4-7— {Circulating Water System Plant Discharge}	10-30
Figure 12.3-1— {Site Layout of CCNPP Units 1, 2, and 3}	12-36
Figure 12.3-2— {Sources on CCNPP Units 1 and 2 (Part 1 and 2)}	12-37
Figure 12.3-3— {Sources on CCNPP Units 1 and 2 (Part 2 of 2)}	12-38
Figure 12.3-4— {Historical ISFSI 2005 TLD Doses Versus Distance}	12-39
Figure 12.3-5— {Resin Area and ISFSI Historical TLD Readings}	12-40
Figure 12.3-6— {Resin Area Dose Rate for 2005}	12-41
Figure 12.3-7— {Average Dose Rate Contours Assuming an ISFSI Filled to License Capacity}	12-42
Figure 12.3-8— {Bounding Annual Average X/Q in CCNPP Unit 3 Direction}	12-43
Figure 12.3-9— {ISFSI TLD Locations}	12-44
Figure 12.3-10— {Annual Gamma Net ISFSI Dose Rate}	12-45
Figure 12.3-11— {Resin Area TLD Locations}	12-46
Figure 13.1-1— {UniStar Ownership}	13-43
Figure 13.1-2— Organizational Structure for Items and Issues Related to Nuclear Safety, Security and Reliability, Pursuant to the Negation Action Plan	13-44
Figure 13.1-3— {Project Delivery Organization}	13-45
Figure 13.1-4— {UNE Corporate Organization}	13-46
Figure 13.1-5— {UNO Corporate Organization}	13-47
Figure 13.1-6— {Planned UniStar Nuclear Operating Services, LLC Site Organization - Operational Phase}	13-48
Figure 13.1-7— {Hiring and Training Schedule for Plant Staff}	13-49