



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

VELAN VALVE CORPORATION
ATTN: BRYAN PRESTON
GRISWOLD INDUSTRIAL PARK
94 AVENUE "C"
WILLISTON, VT 05495-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-708159)

This letter is to confirm that we have received your response to the registration package for GL-708159-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

SVC MANUFACTURING INC
ATTN: EDWIN WILEY
HSE DEPARTMENT
5858 DECATUR BLVD.
INDIANAPOLIS, IN 46241-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-707871)

This letter is to confirm that we have received your response to the registration package for GL-707871-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

WELCH FOODS INC.
ATTN: STEPHANIE TREVARROW
400 WALKER STREET
LAWTON, MI 49065-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-707775)

This letter is to confirm that we have received your response to the registration package for GL-707775-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

RED RIVER ENERGY
ATTN: JANA E TOSTENSON
47333 104TH STREET
PO BOX 78
ROSHOLT, SD 57260-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-706991)

This letter is to confirm that we have received your response to the registration package for GL-706991-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

CONSOLIDATION COAL CO.
ATTN: LEONARD ROMANN III
ROBINSON RUN MINE
PREPARATION PLANT
PROSPECT VALLEY ROAD
SHINNSTON, WV 26431-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-705527)

This letter is to confirm that we have received your response to the registration package for GL-705527-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

DELBARTON MINING COMPANY
ATTN: JAMES STAGGS
LCMS SAFETY DEPARTMENT
P.O. BOX 1100
HOLDEN, WV 25625-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-705408)

This letter is to confirm that we have received your response to the registration package for GL-705408-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

U.S. STEEL CORPORATION
ATTN: PETER AUKSEL
SAFETY & INDUSTRIAL HYG
1 NORTH BROADWAY
91E2
GARY, IN 46402-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-705162)

This letter is to confirm that we have received your response to the registration package for GL-705162-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

COCA-COLA BOTTLING COMPANY
ATTN: CLINTON IIZUKA-SHEELEY
949 MAPUNAPUNA STREET
HONOLULU, HI 96819-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-704976)

This letter is to confirm that we have received your response to the registration package for GL-704976-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

IKO PRODUCTION, INC
ATTN: VICTOR GOLLEHON
MANUFACTURING
120 HAY ROAD
WILMINGTON, DE 19809-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-704838)

This letter is to confirm that we have received your response to the registration package for GL-704838-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

MILESTONE AV TECHNOLOGIES LLC
ATTN: JAMES FISHER
ENGINEERING
P.O. BOX 137
3100 N. DETROIT STREET
WARSAW, IN 46581-0137

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-700511)

This letter is to confirm that we have received your response to the registration package for GL-700511-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

RAVEN INDUSTRIES INC
ATTN: MIKE FELTMAN
1810 E. AVE
SIOUX FALLS, SD 57104-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-700448)

This letter is to confirm that we have received your response to the registration package for GL-700448-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

KANAWHA EAGLE COAL LLC
ATTN: CHRISTOPHER HATCHER
ALLIANCE CONSULTING INC
BOX 189
124 PHILPOT LANE
BEAVER, WV 25813-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-700085)

This letter is to confirm that we have received your response to the registration package for GL-700085-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

HILLS PET NUTRITION
ATTN: JACKIE VANDERPOOL
EOHS & FP&R
2325 UNION PIKE
P.O. BOX 2146
RICHMOND, IN 47374-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-708550)

This letter is to confirm that we have received your response to the registration package for GL-708550-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

STEEL WHAREHOUSE CO INC
ATTN: BRIAN STONE
2722 W. TUCKER DRIVE
SOUTH BEND, IN 46619-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-708746)

This letter is to confirm that we have received your response to the registration package for GL-708746-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

SPEED MINING
ATTN: CHARLES DORSEY
C/O COAL CLEAN CORPORATION
P.O. BOX 99
DAWES, WV 25054-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-708880)

This letter is to confirm that we have received your response to the registration package for GL-708880-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

LOUISIANA-PACIFIC CORP
ATTN: JEFFREY DUNBAR
QUALITY CONTROL
7299 N COUNTY ROAD 403
NEWBERRY, MI 49868-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-708988)

This letter is to confirm that we have received your response to the registration package for GL-708988-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

COASTAL TREATED PRODUCTS
ATTN: ED ROBERTS
P.O. BOX 126
BELINGTON, WV 26250-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-709025)

This letter is to confirm that we have received your response to the registration package for GL-709025-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

MONOSOL, LLC
ATTN: JOHN CIURKOT
PROCESS ENG
1701 COUNTY LINE ROAD
PORTAGE, IN 46368-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-709089)

This letter is to confirm that we have received your response to the registration package for GL-709089-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

SENECA FOODS
ATTN: CHRIS MAYES
CHRIS MAYES
P.O. BOX 460, 25 NORTH 6TH ST.
PAYETTE, ID 83661-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-709349)

This letter is to confirm that we have received your response to the registration package for GL-709349-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

UNIMIN CORP
ATTN: MARK BEST
MARK BEST
4601 CASCADE ROAD
EMMETT, ID 83617-9719

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-709448)

This letter is to confirm that we have received your response to the registration package for GL-709448-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

VERMED INC
ATTN: MARC FILLION
QUALITY ASSURANCE
9 LOVELL DRIVE
INDUSTRIAL PARK
BELLOWS FALLS, VT 05101-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-709489)

This letter is to confirm that we have received your response to the registration package for GL-709489-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

PEPSI BEVERAGES COMPANY
ATTN: KELLY MARTIN
HEALTH SAFETY ENVIRONMENT
1 UNION 70 CENTER DRIVE
SAINT LOUIS, MO 63120-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-710201)

This letter is to confirm that we have received your response to the registration package for GL-710201-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

INDIANA DEPT OF ENVIRONMENTAL MANAGEMENT
ATTN: STEVEN YEARY
SITE INVESTIGATION
100 N. SENATE AVENUE
INDIANAPOLIS, IN 46204-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-710336)

This letter is to confirm that we have received your response to the registration package for GL-710336-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

NEW ENERGY CORP
ATTN: TIM STICKLER
ENVIRONMENTAL
3201 WEST CALVERT
P.O. BOX 2289
SOUTH BEND, IN 46680-2289

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-710455)

This letter is to confirm that we have received your response to the registration package for GL-710455-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

WEYERHAEUSER NR COMPANY
ATTN: GARY MCHENRY
ATTENTION: GARY MCHENRY
100 TJM DRIVE
BUCKHANNON, WV 26201-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-711178)

This letter is to confirm that we have received your response to the registration package for GL-711178-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

FERGUSON ENTERPRISES, INC.
ATTN: DOUGLAS SCHOESSLER
1734 LAMPMAN DRIVE
BILLINGS, MT 59102-6494

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-711550)

This letter is to confirm that we have received your response to the registration package for GL-711550-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



**UNITED STATES
NUCLEAR REGULATORY COMMISSION**
WASHINGTON, D.C. 20555-0001

April 10, 2013

BOARD OF LIGHT & POWER
ATTN: ALLEN SCHALK
1700 EATON DRIVE
GRAND HAVEN, MI 49417-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-711557)

This letter is to confirm that we have received your response to the registration package for GL-711557-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

CHEMTURA CORPORATION
ATTN: MICHAEL HANSHAW
ATTENTION: R. DALRYMPLE
1000 MORGANTOWN INDUSTRIAL PRK
MORGANTOWN, WV 26501-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-711581)

This letter is to confirm that we have received your response to the registration package for GL-711581-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

U.S. ARMY CORPS OF ENGINEERS
ATTN: JOHN LINDIGRIN
ATTN: JOHN LINDIGRIN
3909 HALLS FERRY ROAD
VICKSBURG, MS 39180-6199

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-711612)

This letter is to confirm that we have received your response to the registration package for GL-711612-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

S.C. JOHNSON HOME STORAGE, LLC
ATTN: DAN SUGAR
4867 EAST WILDER ROAD
999 BUILDING
BAY CITY, MI 48706-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-713051)

This letter is to confirm that we have received your response to the registration package for GL-713051-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

HAMPFORD RESEARCH INC.
ATTN: JOHN SAMELA OR
54 VETERANS BLVD.
STRATFORD, CT 06615-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-713086)

This letter is to confirm that we have received your response to the registration package for GL-713086-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

MILL STEEL
ATTN: ROB VELLA
5116 36TH ST SE
P.O. BOX 8827
GRAND RAPIDS, MI 49518-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-713145)

This letter is to confirm that we have received your response to the registration package for GL-713145-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

DANA MINING COMPANY LLC
ATTN: RICHARD ROHRSEN
DANA MINING COMPANY LLC
308 DENTS RUN ROAD
MORGANTOWN, WV 26501-1170

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-713265)

This letter is to confirm that we have received your response to the registrat on package for GL-713265-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

FORD MOTOR COMPANY
ATTN: DAN DEROCHE
8121 NE 69 HIGHWAY
CLAYCOMO, MO 64119-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-713493)

This letter is to confirm that we have received your response to the registration package for GL-713493-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

PACTIV PACKAGING INC
ATTN: MICHAEL GATTS
EXTRUSION
PO BOX 517
100 COMMERCIAL STREET
MINERAL WELLS, WV 26150-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-713575)

This letter is to confirm that we have received your response to the registrat on package for GL-713575-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

ROCK-TENN
ATTN: WILLIAM WAGNER
P.O. BOX 98
369 MILL STREET
SHELDON SPRINGS, VT 05485-0098

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-714005)

This letter is to confirm that we have received your response to the registration package for GL-714005-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

DIAMOND STATE RECYCLING CORP
ATTN: SCOTT ROLLINS
P.O. BOX 9798
WILMINGTON, DE 19809-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-714110)

This letter is to confirm that we have received your response to the registration package for GL-714110-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

ALLIED METALS CORP
ATTN: KEITH BERGER
1750 STEPHENSON HIGHWAY
TROY, MI 48083-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-714120)

This letter is to confirm that we have received your response to the registration package for GL-714120-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

BRIDGER COAL COMPANY
ATTN: KEITH TANNER
SAFETY DEPARTMENT SUPERVISOR
P.O. BOX 68
POINT OF ROCKS, WY 82942-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-714534)

This letter is to confirm that we have received your response to the registration package for GL-714534-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

NATIONAL GYPSUM
ATTN: TERRI GAMMON
MAIN OFFICE
HIGHWAY 50 EAST
9720 US HWY 50
SHOALS, IN 47581-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-714772)

This letter is to confirm that we have received your response to the registration package for GL-714772-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

MARATHON PIPE LINE LLC
ATTN: AARON ROBINSON
539 SOUTH MAIN ST
ROOM 722M
FINDLAY, OH 45840-0573

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-714799)

This letter is to confirm that we have received your response to the registration package for GL-714799-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

GENERAL MILLS
ATTN: MATT ROPCHAK
ONE RED DEVIL ROAD
HANNIBAL, MO 63401-6312

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-714981)

This letter is to confirm that we have received your response to the registration package for GL-714981-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

BP EXPLORATION ALASKA
ATTN: JEFF CARPENTER
MB3-6
P.O. BOX 196612
900 E. BENSON BLVD
ANCHORAGE, AK 99508-6612

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-715041)

This letter is to confirm that we have received your response to the registration package for GL-715041-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

WHITCRAFT LLC
ATTN: GLENN GONDYKE
76 COUNTY ROAD
P.O. BOX 128
EASTFORD, CT 06242-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-715826)

This letter is to confirm that we have received your response to the registration package for GL-715826-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

DEPARTMENT OF ARMY
ATTN: STEPHEN ACKER
ABERDEEN TEST CENTER - W81G5M
400 COLLERAN RD
ABERDEEN PROVING GROUND, MD 21005-5059

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-716411)

This letter is to confirm that we have received your response to the registrat on package for GL-716411-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

NESTLE PURINA PETCARE SUPPORT CENTER
ATTN: ROBERT PACANOWSKI
5100 COLUMBIA AVENUE
SAINT LOUIS, MO 63139-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-716412)

This letter is to confirm that we have received your response to the registration package for GL-716412-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

MARKETING TECHNOLOGY SERVICE INC.
ATTN: LARRY PIO
4100 S 7TH STREET
KALAMAZOO, MI 49009-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-716916)

This letter is to confirm that we have received your response to the registration package for GL-716916-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

MENEHUNE WATER COMPANY
ATTN: CESAR JAVIER
SMALLPACK
99-117 WAIUA WAY
AIEA, HI 96701-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-717251)

This letter is to confirm that we have received your response to the registration package for GL-717251-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

FARNSWORTH METAL RECYCLING LLC
ATTN: DON MATTHEWS OR
3859 EAST US HWY 40
PO BOX I
CLAYTON, IN 46118-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-717295)

This letter is to confirm that we have received your response to the registrat on package for GL-717295-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

ALYESKA SEAFOODS, INC.
ATTN: GREG PETERS OR
551 W. BROADWAY
P.O. BOX 530
UNALASKA, AK 99685-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-718508)

This letter is to confirm that we have received your response to the registration package for GL-718508-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

TESORO HAWAII CORPORATION
ATTN: RONNIE FIGGERS
INSPECTION
91-325 KOMOHANA STREET
KAPOLEI, HI 96707-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-718529)

This letter is to confirm that we have received your response to the registrat on package for GL-718529-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

CCA, LLC
ATTN: RALPH KLASS
40 OLD NEW MILFORD ROAD
BROOKFIELD, CT 06804-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-718689)

This letter is to confirm that we have received your response to the registrat on package for GL-718689-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

CARMEUSE LIME
ATTN: EDWARD REINDERS
BUFFINGTON OPERATION
1 NORTH CARMEUSE DRIVE
GARY, IN 46406-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-719179)

This letter is to confirm that we have received your response to the registrat on package for GL-719179-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

BP EXPLORATION NORTHSTAR
ATTN: JEFF CARPENTER
BPXA HSE DEPT
MB 3-6
900 EAST BENSON BLVD.
ANCHORAGE, AK 99508-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-719181)

This letter is to confirm that we have received your response to the registration package for GL-719181-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

COVIDIEN LP
ATTN: LETA DINNEAN
195 MCDERMOTT ROAD
NORTH HAVEN, CT 06473-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-720239)

This letter is to confirm that we have received your response to the registration package for GL-720239-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

FRASURE CREEK MINING
ATTN: RICK SIMPKINS
DEEP WATER-DWR PREP-PLANT
4978 TEAYS VALLEY ROAD
SCOTT DEPOT, WV 25560-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-720303)

This letter is to confirm that we have received your response to the registration package for GL-720303-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

BRC PINNACLE LLC
ATTN: ROY PALMER
PO BOX 492 RT 16
PINEVILLE, WV 24874-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-720325)

This letter is to confirm that we have received your response to the registration package for GL-720325-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

SURPLUS MATERIAL EQUIPMENT INC.
ATTN: RICKY MARTELL
SURPLUS MATERIALS EQUIP
PO BOX 336522
SEBORUCO
PONCE, PR 00733-6522

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-720392)

This letter is to confirm that we have received your response to the registration package for GL-720392-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

INDIANAPOLIS POWER & LIGHT
ATTN: JENNIFER HATFIELD
HARDING STREET STATION
3700 SOUTH HARDING STREET
INDIANAPOLIS, IN 46217-3333

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-720447)

This letter is to confirm that we have received your response to the registrat on package for GL-720447-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

AMERICAN COLLOID COMPANY
ATTN: JUSTIN BOWERS
P.O. BOX 428
LOVELL, WY 82431-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-720547)

This letter is to confirm that we have received your response to the registration package for GL-720547-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

AMERICAN COLLOID COMPANY
ATTN: DERRICK JONES
ENGINEERING
10881 HWY 212
BELLE FOURCHE, SD 57717-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-720548)

This letter is to confirm that we have received your response to the registrat on package for GL-720548-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

TARGET STEEL
ATTN: BRAD BISHOP
24601 VREELAND ROAD
FLAT ROCK, MI 48134-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-720550)

This letter is to confirm that we have received your response to the registration package for GL-720550-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

DIMENSION-POLYANT INC.
ATTN: ANDREW MCNULTY
78 HIGHLAND DRIVE
PUTNAM, CT 06260-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-720639)

This letter is to confirm that we have received your response to the registrat on package for GL-720639-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

PRIME PROCESSING,, INC
ATTN: BO MABARDY
640 CLOVER DEW DAIRY ROAD
PRINCETON, WV 24740-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-720755)

This letter is to confirm that we have received your response to the registration package for GL-720755-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

U.S. STEEL CORPORATION
ATTN: PETER AUKSEL
EAST CHICAGO TIN MILL
1 NORTH BROADWAY
MSTOP- 91E-2
GARY, IN 46402-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-721005)

This letter is to confirm that we have received your response to the registration package for GL-721005-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

ARGUS ENERGY
ATTN: J. SPAULDING
ROUTE 1 MCCOMAS ROAD
DUNLOW, WV 25511-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-721111)

This letter is to confirm that we have received your response to the registrat on package for GL-721111-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

U.S. ARMY CORPS OF ENGINEERS
ATTN: GREG DIPUPPO
SAFETY
100 PENN SQUARE EAST
ROOM 601
PHILADELPHIA, PA 19107-1756

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-721434)

This letter is to confirm that we have received your response to the registration package for GL-721434-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

ALASKA GOLD COMPANY
ATTN: FRANK BERGSTROM
ELECTRICAL
P.O. BOX 640
NOME, AK 99762-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-721543)

This letter is to confirm that we have received your response to the registration package for GL-721543-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

BOWIE REFINED COAL LLC
ATTN: DUANE CRITES
CHINOOK MINE SITE
3589 COUNTY ROAD 500 WEST
BRAZIL, IN 47834-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-721606)

This letter is to confirm that we have received your response to the registration package for GL-721606-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

KIK CUSTOM PRODUCTS
ATTN: MATT RAEF
SAFETY
1919 SUPERIOR STREET
ELKHART, IN 46516-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-721688)

This letter is to confirm that we have received your response to the registrat on package for GL-721688-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

BROOKWOOD LAMINATING
ATTN: BRIAN DAHL
ENGINEERING - RSO
275 PUTNAM ROAD
P.O. BOX 176
WAUREGAN, CT 06387-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-721780)

This letter is to confirm that we have received your response to the registration package for GL-721780-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

WEST VIRGINIA MINE POWER, INC
ATTN: JIMMIE KISER
SAFETY
P.O. BOX Q ROCKCLIFF ROAD
RUPERT, WV 25984-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-721865)

This letter is to confirm that we have received your response to the registration package for GL-721865-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

NATIONAL ELECTRIC INC
ATTN: GERALD RAMSEY, JR. OR
C/O ICG BECKLEY/PCAHONTAS MIN
279 WOLF RUN ROAD
ECCLES, WV 25836-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-721871)

This letter is to confirm that we have received your response to the registration package for GL-721871-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

ALLIED METALS CORPORATION
ATTN: TODD HOLMES
404 WEST MAIN STREET
MOUNT SUMMIT, IN 47361-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-722021)

This letter is to confirm that we have received your response to the registration package for GL-722021-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

EASTERN SURPLUS ASSET
ATTN: WILLIAM BEASTON
1111 NUTTER ST
HEATHERLY ROAD
CLARKSBURG, WV 26301-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-722035)

This letter is to confirm that we have received your response to the registration package for GL-722035-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

CITY SCRAP METAL, INC
ATTN: BRET BELMORE
CITY SCRAP METAL, INC.
1638 SE DECKER
LEES SUMMIT, MO 64081-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-722325)

This letter is to confirm that we have received your response to the registration package for GL-722325-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

GUARDIAN FIBERGLASS
ATTN: DON ADAMS
ENVIRONMENTAL DEPT.
1000 EAST NORTH STREET
ALBION, MI 49224-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-722507)

This letter is to confirm that we have received your response to the registration package for GL-722507-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

CONSOLIDATION COAL CO
ATTN: TIM RAY
AMONATE PREP PLANT
7770 RIFT BERWIND ROAD
P.O. BOX 14
BERWIND, WV 24815-0014

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-722625)

This letter is to confirm that we have received your response to the registrat on package for GL-722625-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

DUKE ENERGY
ATTN: TOM KNAPKE
3300 N STATE ROAD 63
CAYUGA, IN 47928-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-722650)

This letter is to confirm that we have received your response to the registration package for GL-722650-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

PRECIOUS METALS REFINERS LLC
ATTN: HAL WEBERMAN
26125 WEST 7 MILE ROAD
REDFORD, MI 48240-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-722704)

This letter is to confirm that we have received your response to the registration package for GL-722704-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



**UNITED STATES
NUCLEAR REGULATORY COMMISSION**
WASHINGTON, D.C. 20555-0001

April 10, 2013

COUNTRY PURE FOODS
ATTN: WILLIAM OLDREAD
58 WEST ROAD
ELLINGTON, CT 06029-0300

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-722858)

This letter is to confirm that we have received your response to the registration package for GL-722858-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

LIVING ESSENTIALS
ATTN: SETH SNYDER
200 BOND STREET
WABASH, IN 46992-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-723114)

This letter is to confirm that we have received your response to the registration package for GL-723114-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

BLACK PANTHER MINING LLC
ATTN: MIKE DURBIN
PO #1564, JOB #980
12661 NORTH AGRICARE ROAD
OAKTOWN, IN 47561-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-723186)

This letter is to confirm that we have received your response to the registration package for GL-723186-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

FRASURE CREEK MINING
ATTN: RICKY SIMPKINS
C/O FALCON RESOURCES
4978 TEAYS VALLEY ROAD
SCOTT DEPOT, WV 25560-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-723187)

This letter is to confirm that we have received your response to the registration package for GL-723187-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

ROCHE OPERATIONS LTD
ATTN: JOHANNA VIERA
P.O. BOX 7085
PONCE, PR 00728-7085

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-723266)

This letter is to confirm that we have received your response to the registration package for GL-723266-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

MARATHON PIPE LINE LLC
ATTN: AARON ROBINSON
COUNTRY MARK REFINERY
539 SOUTH MAIN STREET
FINDLAY, OH 45840-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-723278)

This letter is to confirm that we have received your response to the registration package for GL-723278-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

PEPSI BOTTLING VENTURES
ATTN: MATT METCALF
8925 BIRCH LANE EAST
NAMPA, ID 83687-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-723282)

This letter is to confirm that we have received your response to the registration package for GL-723282-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

INMAN COAL COMPANY
ATTN: KRISTI JEFFREY
SAFETY
782 ROBINSON CREEK ROAD
MADISON, WV 25130-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-723379)

This letter is to confirm that we have received your response to the registration package for GL-723379-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 10, 2013

ANADARKO PETROLEUM CORPORATION
ATTN: TERI POWELL
OFFSHORE FED. WATERS GULF OF MEXICO
P.O. BOX 1330
REGISTRATION NEEDED!!!
HOUSTON, TX 77251-1330

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-723534)

This letter is to confirm that we have received your response to the registration package for GL-723534-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

April 11, 2013

PEABODY MIDWEST MINING
ATTN: DAN PILCHER
PEABODY MIDWEST MINING
7100 EAGLE CREST BLVD
EVANSVILLE, IN 47715-

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GLTS-A-710504)

This letter is to confirm that we have received your response to the registration package for GL-710504-17.

We have completed processing your application request related to the annual registration of certain general licensed devices and have registered your devices. Please note that no further action is required from you at this time. But if you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

You may wish to refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, to find out if there are additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your submittal or your responsibilities as a General Licensee please call (301) 415-7894 or visit www.nrc.gov/materials/medical.html.

You may submit your device transfer and change notifications to:

Attention: GLTS Project Manager
US Nuclear Regulatory Commission
Office of Federal and State Materials
and Environmental Management Programs
Division of Materials Safety and State Agreements
Washington, DC 20555-001