



~~OFFICIAL USE ONLY – SECURITY-RELATED INFORMATION~~

**UNITED STATES  
NUCLEAR REGULATORY COMMISSION**

Region III  
2443 Warrenville Road, Suite 210  
Lisle IL 60532-4352

April 26, 2013

EA-13-036

Mr. Thomas A. Perez, Director OEHS  
Wayne State University  
5425 Woodward Avenue, Suite 300  
Detroit, Michigan

SUBJECT: NOTICE OF VIOLATION – WAYNE STATE UNIVERSITY  
NRC ROUTINE INSPECTION REPORT NO. 03033995/2013001(DNMS)

Dear Mr. Perez:

This refers to a U.S. Nuclear Regulatory Commission (NRC) routine inspection conducted on January 31, 2013, at your Detroit, Michigan facility, with continued in-office review through February 10, 2013. During the inspection, an apparent security violation of NRC requirements was identified. The significance of the issue and the need for lasting and effective corrective actions were discussed with you at the final telephonic exit meeting on February 11, 2013. Details regarding the apparent violation were provided in NRC Inspection Report No. 03033995/2013001(DNMS) dated March 4, 2013.

In the letter transmitting the inspection report, we provided you with the opportunity to address the apparent violation identified in the report by either attending a predecisional enforcement conference or by providing a written response before we made our final enforcement decision.

Based on the information developed during the inspection and the information that you provided in your response dated April 1, 2013, the NRC has determined that a violation of NRC requirements occurred. The violation is cited in the Notice of Violation (Notice) in Enclosure 1 (Non-Public) and the circumstances surrounding it are described in detail in our inspection report dated March 4, 2013.

The violation is of concern to the NRC for the reasons stated in Enclosure 2 (Non-Public). Therefore, the violation has been categorized, in accordance with the NRC Enforcement Policy, as a Severity Level III violation.

In accordance with the NRC Enforcement Policy, a base civil penalty in the amount of \$3,500 is normally considered for a Severity Level III violation.

The enclosures contain Sensitive  
Unclassified Non-Safeguards Information.  
Upon separation, this cover letter is  
decontrolled.

~~OFFICIAL USE ONLY – SECURITY-RELATED INFORMATION~~

T. Perez

-2-

Because your facility has not been the subject of escalated enforcement actions within the last two years, the NRC considered whether credit was warranted for *Corrective Action* in accordance with the civil penalty assessment process described in Section 2.3.4 of the Enforcement Policy.

In NRC Inspection Report No. 03033995/2013001(DNMS), the NRC described its understanding of the corrective actions taken to correct the violation. In your April 1, 2013, response, you described the corrective actions taken to correct the violation and to prevent recurrence. These corrective actions are also documented in Enclosure 2. Based on these corrective actions, the NRC has determined that *Corrective Action* credit is warranted.

Therefore, to encourage prompt and comprehensive correction of violations, and in recognition of the absence of previous escalated enforcement action, I have been authorized, after consultation with the Director, Office of Enforcement, not to propose a civil penalty in this case. However, significant violations in the future could result in a civil penalty. In addition, issuance of this Severity Level III violation constitutes escalated enforcement action that may subject you to increased inspection effort.

The NRC has concluded that information regarding the reason for the violation, the corrective actions taken and planned to correct the violation, and the date when full compliance was achieved, was adequately addressed on the docket in NRC Inspection Report No. 03033995/2013001(DNMS) dated March 4, 2013, and in your response dated April 1, 2013. Therefore, you are not required to respond to this letter unless the description therein does not accurately reflect your corrective action or your position. In that case, or if you choose to provide additional information, you should follow the instructions specified in the enclosed Notice. Additionally, if you choose to respond, please mark your entire response "Security-Related Information – Withhold from Public Disclosure under 10 CFR 2.390." In accordance with Title 10 of the Code of Federal Regulations (10 CFR) 2.390(b)(1)(ii), the NRC is waiving the affidavit requirements for any response to this letter. However, to the extent possible, your response, if any, should not include any personal privacy, proprietary, or safeguards information.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter will be made available electronically for public inspection in the NRC Public Document Room or from the NRC's Agencywide Documents Access and Management System (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>. However, because of the Security-Related Information contained in the enclosures, and in accordance with 10 CFR 2.390, copies of the enclosures will not be available for public inspection.

T. Perez

-3-

Additionally, the enclosures must be protected from unauthorized disclosure. Security-Related Information is discussed in Regulatory Information Summary RIS-2005-031, "Control of Security-Related Sensitive Unclassified Non-Safeguards Information" (ML053480073), which is available on the NRC Web site or in ADAMS.

Sincerely,

*/RA by C. Pederson for/*

Charles A. Casto  
Regional Administrator

Docket No. 030-33995  
License No. 21-00741-14

Enclosures:

1. Notice of Violation (Non-Public)
2. Final Determination of Significance  
(Non-Public)

cc w/encls: State of Michigan  
Maha Srinivasan  
Radiation Safety Officer

T. Perez

-3-

Additionally, the enclosures must be protected from unauthorized disclosure. Security-Related Information is discussed in Regulatory Information Summary RIS-2005-031, "Control of Security-Related Sensitive Unclassified Non-Safeguards Information" (ML053480073), which is available on the NRC Web site or in ADAMS.

Sincerely,

**/RA by C. Pederson for/**

Charles A. Casto  
Regional Administrator

Docket No. 030-33995  
License No. 21-00741-14

Enclosures:

1. Notice of Violation (Non-Public)
2. Final Determination of Significance  
(Non-Public)

cc w/encls: State of Michigan  
Maha Srinivasan,  
Radiation Safety Officer

DISTRIBUTION:  
See next page

FILE NAME: G:\ORAI\IEICS\ENFORCEMENT\Cases\Enforcement Cases 2013\EA-13-036 Wayne State University\EA-13-036 Wayne State draft final action.docx

OFFICE	RIII	RIII	RIII	D:OE	RIII	RIII
NAME	Lougheed	Bloomer	Boland JHeck for	Zimmerman <sup>1</sup> KDay for	Orth	Casto C. Pederson for
DATE	04/09/13	04/11/13	04/12/13	04/25/13	04/25/13	04/26/13

**OFFICIAL RECORD COPY**

---

1 OE concurrence received via e-mail from K. Day on April 25, 2013.

Letter to Thomas A. Perez from Charles A. Casto dated April 26, 2013

SUBJECT: NOTICE OF VIOLATION – WAYNE STATE UNIVERSITY; NRC ROUTINE  
INSPECTION REPORT NO. 03033995/2013001(DNMS)

DISTRIBUTION:

RidsSecyMailCenter.Resource  
OCADistribution  
Bill Borchardt  
Michael Weber  
Roy Zimmerman  
Nick Hilton  
Kerstun Day  
Chuck Casto  
Cynthia Pederson  
Marvin Itzkowitz  
Mary Spencer  
Mark Satorius  
Brian McDermott  
Michele Burgess  
Robert Sun  
Daniel Holody  
Carolyn Evans  
Heather Gepford  
Holly Harrington  
Hubert Bell

Cheryl McCrary  
Seth Coplin  
Anne Boland  
Jared Heck  
Tamara Bloomer  
MIB Inspectors  
Steven Orth  
Allan Barker  
Harral Logaras  
James Lynch  
Viktoria Mitlyng  
Patricia Loughheed  
Paul Pelke  
Magdalena Gryglak  
Sarah Bakhsh  
Patricia Buckley  
Tammy Tomczak  
OEMAIL Resource  
OEWEB Resource (cover letter only)