



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

May 13, 2013

Mr. Thomas D. Gatlin
Vice President, Nuclear Operations
South Carolina Electric & Gas Company
Virgil C. Summer Nuclear Station
Post Office Box 88, Mail Code 800
Jenkinsville, SC 29065

SUBJECT: VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1 – ACCEPTANCE REVIEW
CONCERNING CHANGES TO SNUBBER SURVEILLANCE REQUIREMENTS
(TAC NO. MF1385)(RC-13-0037)

Dear Mr. Gatlin:

By letter dated April 3, 2013, the South Carolina Electric & Gas Company (SCE&G) submitted a license amendment request for Virgil C. Summer Unit 1 (VCSNS). The proposed amendment would allow for the extension of the frequency of the containment leak rate test per Technical Specification 6.8.4(g) from 10.9 to 15 years. The purpose of this letter is to provide the results of the U.S. Nuclear Regulatory Commission (NRC) staff's acceptance review of this amendment request. The acceptance review was performed to determine if there is sufficient technical information in scope and depth to allow the NRC staff to complete its detailed technical review. The acceptance review is also intended to identify whether the application has any readily apparent information insufficiencies in its characterization of the regulatory requirements or the licensing basis of the plant.

Consistent with Section 50.90 of Title 10 of the *Code of Federal Regulations* (10 CFR), an amendment to the license (including the technical specifications) must fully describe the changes requested, and following as far as applicable, the form prescribed for original applications. Section 50.34 of 10 CFR addresses the content of technical information required. This section stipulates that the submittal address the design and operating characteristics, unusual or novel design features, and principal safety considerations.

The NRC staff has reviewed your application and concluded that it does provide technical information in sufficient detail to enable the NRC staff to complete its detailed technical review and make an independent assessment regarding the acceptability of the proposed amendment in terms of regulatory requirements and the protection of public health and safety and the environment.

Given the lesser scope and depth of the acceptance review as compared to the detailed technical review, there may be instances in which issues that impact the NRC staff's ability to complete the detailed technical review are identified despite completion of an adequate acceptance review. You will be advised of any further information needed to support the NRC staff's detailed technical review by separate correspondence.

T. Gatlin

- 2 -

If you have any questions, please contact the Ms. Eva Brown, at (301) 415-2315.

Sincerely,

/RA/

Eva A. Brown, Senior Project Manager
Plant Licensing Branch II-1
Division of Operating Reactor Licensing
Office of Nuclear Reactor Regulation

Docket No. 50-395

cc: Distribution via Listserv

T. Gatlin

- 2 -

If you have any questions, please contact the Ms. Eva Brown, at (301) 415-2315.

Sincerely,

/RA/

Eva A. Brown, Senior Project Manager
Plant Licensing Branch II-1
Division of Operating Reactor Licensing
Office of Nuclear Reactor Regulation

Docket No. 50-395

cc: Distribution via Listserv

DISTRIBUTION:

PUBLIC	LPLII-1 Reading File	RidsAcrsAcnw_MailCTR Resource
RidsNrrDeEmcb Resource	RidsNrrDorl Resource	RidsNrrDorlLpIII-I Resource
RidsNrrPMFarley Resource	KHemphill	RidsNrrLASFiguroa Resource
DHoang		RidsRg2MailCenter Resource

ADAMS Accession No.: ML13123A130

OFFICE	LPLII-I/PM	LPLII-1/LA	STSB\BC	EMCB\BC	LPLII-1/BC
NAME	EBrown	SFiguroa	REliot	AMcMurtray	RPascarelli
DATE	05/09/13	05/06/13	4/18/13	5/02/13	05/13/13

OFFICIAL RECORD COPY