

Q#	1. LOK (F/H)	2. LOD (1-5)	3. Psychometric Flaws					4. Job Content Flaws				5. Other		6. B/M/N U/E/S	7.	8. Explanation
			Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A	SRO Only			
1	H	3												N	S	B – CR: Why is page 6 of 902-001 used as ref? Where is ref for core heat removal safety function? Correct answer explanation should include statement of effect of 86STB lockout actuated. The correct answer explanation was revised.
2	H	2												N	E S	C – OR: Fourth bullet – give indications where applicant can determine “all levels voided” instead of making the decision for the applicant. Identify what Appendix/Attachment used in 902-009 (with Rev) in Tech Refs. Question was revised.
3	H	2												N	S	C – CR: Identified refs not provided. No ref for QSPDS answer. Ref provided is TS Table 2.2-1? Need to explain correct answer. References were provided and the explanation for the correct answer was revised.
4	H	3												N	U	B – CR: In stem 1) why “response to a steam flow or feed flow change?” Ref states 5 to 15 minutes after RCPs have stopped. 2) “following the action” is confusing. Also, highlighting applicable sections of ref material is helpful.

Instructions

[Refer to Section D of ES-401 and Appendix B for additional information regarding each of the following concepts.]

1. Enter the level of knowledge (LOK) of each question as either (F)undamental or (H)igher cognitive level.

2. Enter the level of difficulty (LOD) of each question using a 1 – 5 (easy – difficult) rating scale (questions in the 2 – 4 range are acceptable).

3. Check the appropriate box if a psychometric flaw is identified:

The stem lacks sufficient focus to elicit the correct answer (e.g., unclear intent, more information is needed, or too much needless information).

The stem or distractors contain cues (i.e., clues, specific determiners, phrasing, length, etc).

The answer choices are a collection of unrelated true/false statements.

The distractors are not credible; single implausible distractors should be repaired, more than one is unacceptable.

One or more distractors is (are) partially correct (e.g., if the applicant can make unstated assumptions that are not contradicted by stem).

4. Check the appropriate box if a job content error is identified:

The question is not linked to the job requirements (i.e., the question has a valid K/A but, as written, is not operational in content).

The question requires the recall of knowledge that is too specific for the closed reference test mode (i.e., it is not required to be known from memory).

The question contains data with an unrealistic level of accuracy or inconsistent units (e.g., panel meter in percent with question in gallons).

The question requires reverse logic or application compared to the job requirements.

5. Check questions that are sampled for conformance with the approved K/A and those that are *designated SRO-only* (K/A and license level mismatches are unacceptable).

6. Enter question source: (B)ank, (M)odified, or (N)ew. Check that (M)odified questions meet criteria of ES-401 Section D.2.f.

7. Based on the reviewer's judgment, is the question as written (U)nsatisfactory (requiring repair or replacement), in need of (E)ditorial enhancement, or (S)atisfactory?

8. At a minimum, explain any "U" ratings (e.g., how the Appendix B psychometric attributes are not being met).

Q#	1. LOK (F/H)	2. LOD (1-5)	3. Psychometric Flaws				4. Job Content Flaws				5. Other		6. B/M/N	7. U/E/S	8. Explanation
			Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A	SRO Only		
5	H	3										X		U S	The question was revised. B – OR: Third bullet gives OP entry while KA is testing knowledge of Entry Conditions. This question was revised.
6	H	3												E S	B – CR: If LPSI pumps were secured due to leakage, why is it okay to start either pump? Stem doesn't state leakage was stopped. This question is ok as written.
7	H	2										X		U S	C – CR: Question doesn't test AUTO actions within the CCW sys – the correct answer states the valves remain open (ie, no action) This question was revised.
8	H	2										X		U S	C – CR: second bullet should be the answer. Give the indications of failed controller and ask for either cause or correct actions. This question was revised.
9	H	2				X								U S	B – CR: Given these are immediate operator actions, it's not plausible for distracters to be 31A and 31B. Consider question that asks status of Rx trip bkrs and M/G set Power Supply bkrs for a Manual Rx Trip and DRTS trip. This question was revised.
10	H	3										X		U S	D – CR: Second part of question is not part of KA. This question was revised.
11			X											U S	D – CR: 1. What is the impact of "unisolable" leak on SG1? 2) Third bullet states the crew has completed actions for stabilizing RCS temp (procedure step 16). Stem then asks what the ATC will do (which has already been done). Consider deleting third bullet and reword stem for actions necessary to stabilize RCS temp. This question was revised.
12	H	2												E S	C – CR: removed "train of ACCW" from each answer since it's in the stem. This edit was corrected.
13	H	3												E S	A – CR: 1) consider replacing first 3 bullets with "A Station Blackout has occurred." 2) consider using 550F instead of 520F in distracters since 550F is the limit for RCS temperature control in Step 8 of 902-005. The question was revised.
14	H	2												E S	A – CR: 1) For indications of EDG B, first bullet – don't tell applicant that diesel is running; give indications so applicant can make this determination (speed is xx rpm) 2) Add to stem "In accordance with OP-902-000, SPTAs," 3) KA refers to bus tie

Q#	1. LOK (F/H)	2. LOD (1-5)	3. Psychometric Flaws				4. Job Content Flaws				5. Other		6. B/M/N	7. U/E/S	8. Explanation
			Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A	SRO Only		
15	F	3													breakers – does W3 have bus tie breakers that reposition on LOOP? This question was revised. C – CR: 1) Verify there is indication of these breakers being open. 901-312 bullets state loss of ALL indications on Remote Operating Module (CP-7) and loss of ALL red and green trip path indicating lights on local status panel (CP-10) 2) No ref provided to validate second part of question (reactor will not trip). This question is ok as written.
16	F	3											B	E S	A – CR: 2010 SRO exam: 1) How is a bank SRO question used on an RO exam? 2) 901-312, second bullet, states valve is Letdown HX Inlet Header Containment Isolation – which is correct? 3) given all the valves that are affected, why list these 3 valves? This question was revised.
17	F	3				X							N	U S	A – CR: Distractors “C” and “D” are not plausible given the “immediately” statement for aligning Essential Air System. This question was revised.
18	F	2									X		N	U S	D – CR: 1) Operationally, the applicant would receive indications of high rotor field winding temperature and then would have to determine the cause. Also, no ref was provided to validate the second part of the question. This question is ok as written.
19	F	2											N	E S	C – CR: For “D” – change to “Trip the Reactor and go to OP-902-000, SPTAs.” This question was revised.
20	H	3											N	E S	D – CR: 1) Take “in MODE 3” out of second bullet and make it the first bullet – “Plant is in MODE 3” 2) Reorder answers from shortest to longest (C – D – A – B) Correct answer is now “B.” 3) No ref provided to validate power supply to BAM pumps. This question was revised.
21	H	3											N	E S	B – CR: 1) Is it normal to have 2 charging pumps running at 100% pwr? 2) need to confirm this instrument failure is NOT in any of the scenarios. 3) Reorder answers from shortest to longest (B – C – D – A). This question was revised.
22	H	3										X	N	U S	A – CR: 1) KA requires indications of approaching criticality – answer is NOT critical or approaching criticality. 2) Explanations use “at this power level” – not an accurate description given MODE 6. 3) Answer “A” states startup channels and boron dilution alarms are used to monitor for criticality – alarms aren’t used to monitor for criticality. Suggest replacing startup rate for boron dilution alarm (see NOTE in 010-003, p.72)

Q#	1. LOK (F/H)	2. LOD (1-5)	3. Psychometric Flaws				4. Job Content Flaws			5. Other		6. B/M/N	7. U/E/S	8. Explanation
			Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A	SRO Only	
23	F	2										B	E S	This question was revised. C – CR: Reorder answers from shortest to longest (D – C – A – B) This question was revised.
24	F	3										N	S	B – CR: A – CR: KA requires testing knowledge of the reasons for “Required sequence of actions for emergency evac of CR.” This question was revised.
25	F	3										X	U S	A – CR: KA requires testing knowledge of the reasons for “Required sequence of actions for emergency evac of CR.” This question was revised.
26	F	3										M	E S	B – CR: Need to submit original Bank question. The original bank question was submitted.
27	H	3										M	S	D – OR (stm tables): 1) What procedure guidance is available to make the second part of question valid (with info provided in stem)? 2) Is PZR press 2250 valid for 20 minutes after LOOP? (EDGs running, PZR hits energized?) This question is ok as written.
28	H	2										N	E S	D – CR: 1) “A” and “D” should be “low RCS flow,” not steam generator flow. It is based on diff press across SG but ref identifies it as RCS flow. 2) Third bullet not required (see NUREG-1021, Appendix E). Good opportunity to ensure applicants understand this concept. This question was revised.
29	H	2										B	E S	D – CR: 1) Tech ref identified (010-005) not provided. 2) Explain SD-PLC ref. This question was revised.
30	H	3										N	S	A – CR: 1) Tech ref TGOP not provided. 2) Explanation for “A” states procedure step 42 directs the LPSI pump to be tripped locally – not technically correct. Should the procedure say “locally?” – PEO? 3) No Tech ref provided to validate bus power supply for LPSI pump A. 4) First part of question is not required by the KA. 5) What is the reference for the 5 minutes? This question is ok as written.
31	H	4										N	E S	C – CR: 1) Third bullet – what does “Entry conditions are being met” mean? 2) Reorder answers from shortest to longest (D – C – B – A) 3) Is “CP-10” required in fourth bullet and all answers? 4) Add “LO PZR PRESS” after Channel D for “A” and “B”; and after Channel “C” for “C” and “D” This question was revised.
32	H	3										N	E	D – OR (902-009, App 2, Att 2-E): 1) For “A” part 2 – “Core uncovery and superheated conditions are expected” to prevent cueing. 2) For “C” part 2 – “Core

Q#	1. LOK (F/H)	2. LOD (1-5)	3. Psychometric Flaws				4. Job Content Flaws				5. Other		6. B/M/N	7. U/E/S	8. Explanation
			Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A			
														S	uncovery and superheated conditions are NOT expected" 3) For "D" part 2 – "the SI flow curves are NOT being met" This question was revised.
33															
34															
35															
36															
37															
38															
39															
40															
41															
42															
43															
44															
45															
46															
47															
48															
49															
50															
51															
52															
53															
54															
55															

Q#	1. LOK (F/H)	2. LOD (1-5)	3. Psychometric Flaws				4. Job Content Flaws				5. Other		6. B/M/N U/E/S	7.	8. Explanation
			Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A			
56															
57															
58															
59															
60															
61															
62															
63															
64															
65															
66															
67															
68															
69															
70															
71															
72															
73															
74															
75															
76															
77															
78															
79															
80															

Q#	1. LOK (F/H)	2. LOD (1-5)	3. Psychometric Flaws				4. Job Content Flaws				5. Other		6.	7.	8.
			Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A	SRO Only		Explanation
81															
82															
83															
84															
85															
86															
87															
88															
89															
90															
91															
92															
93															
94															
95															
96															
97															
98															
99															
100															
RO TOTALS: B= M= N= F= H= E= U= Additional Notes:															
SRO TOTALS: B= M= F= H= E= U= Additional Notes:															

	N=
GENERAL COMMENTS: 1. Bank questions are indicated by B; Modified are indicated by M; New questions are indicated by N 2. Chief Examiner comments are indicated in <i>blue</i>. 3. Average difficulty is _____ on the RO exam and _____ on the SRO exam. 4. The 10CFR55.41/43 distribution is: RO / SRO 41.1 = 43.1 = 41.2 = 43.2 = 41.3 = 43.3 = 41.4 = 43.4 = 41.5 = 43.5 = 41.6 = 43.6 = 41.7 = 43.7 = 41.8 = 41.9 = 41.10 = 41.11 = 41.12 = 41.13 = 41.14 = 5. The answer distribution is: RO / SRO A = / B = / C = / D = / 6. There are ____ questions with attachments provided. 7. <i>Need list of RO references and list of SRO references.</i> 8. <i>First 14 questions are 2 x 2 - how many more?</i>	

Q#	1. LOK (F/H)	2. LOD (1-5)	3. Psychometric Flaws			4. Job Content Flaws				5. Other		6. B/M/N U/E/S	7.	8. Explanation
			Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A	SRO Only	
33	F	2										N	E S	A – CR: Don't really need any of the bullets. Stem could read "During a LOCA, venting the vessel head using the RCS vent valves will (1) and should be stopped before reaching (2) to prevent rupturing the Quench Tank rupture disc." This question was revised.
34	F	2										B	S	D – CR, 2009 NRC Exam: Stem asks for sources of makeup... the answers are methods of makeup, not sources. Change answers to Hotwell and CST (to match KA) This question was revised.
35	F	3										N	E S	D – CR: First part "A" and "B" – change to "remains open" vs "must be manually closed" This question was revised.
36	F	3										B	E S	A – CR, 2008 NRC Exam: 1. Make sure not covered by Op Test scenario 2) verify the title of the trip for "A" and "B"

Instructions

[Refer to Section D of ES-401 and Appendix B for additional information regarding each of the following concepts.]

- Enter the level of knowledge (LOK) of each question as either (F)undamental or (H)igher cognitive level.
- Enter the level of difficulty (LOD) of each question using a 1 – 5 (easy – difficult) rating scale (questions in the 2 – 4 range are acceptable).
- Check the appropriate box if a psychometric flaw is identified:
 - The stem lacks sufficient focus to elicit the correct answer (e.g., unclear intent, more information is needed, or too much needless information).
 - The stem or distractors contain cues (i.e., clues, specific determiners, phrasing, length, etc).
 - The answer choices are a collection of unrelated true/false statements.
 - The distractors are not credible; single implausible distractors should be repaired, more than one is unacceptable.
 - One or more distractors is (are) partially correct (e.g., if the applicant can make unstated assumptions that are not contradicted by stem).
- Check the appropriate box if a job content error is identified:
 - The question is not linked to the job requirements (i.e., the question has a valid K/A but, as written, is not operational in content).
 - The question requires the recall of knowledge that is too specific for the closed reference test mode (i.e., it is not required to be known from memory).
 - The question contains data with an unrealistic level of accuracy or inconsistent units (e.g., panel meter in percent with question in gallons).
 - The question requires reverse logic or application compared to the job requirements.
- Check questions that are sampled for conformance with the approved K/A and those that are *designated SRO-only* (K/A and license level mismatches are unacceptable).
- Enter question source: (B)ank, (M)odified, or (N)ew. Check that (M)odified questions meet criteria of ES-401 Section D.2.f.
- Based on the reviewer's judgment, is the question as written (U)nsatisfactory (requiring repair or replacement), in need of (E)ditorial enhancement, or (S)atisfactory?
- At a minimum, explain any "U" ratings (e.g., how the Appendix B psychometric attributes are not being met).

Q#	1. LOK (F/H)	2. LOD (1-5)	3. Psychometric Flaws				4. Job Content Flaws				5. Other		6. B/M/N U/E/S	7.	8. Explanation
			Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A	SRO Only		
37	F	3												E S	This question was revised. C – CR: 1) Change stem to read "Following a Reactor trip, which of the following..." 2) For "B" – is this RCS Flow Low? 3) what is ref for distracters? This question was revised.
38						X								E S	A – CR: Explanation for "B" not credible – break too large for other ECCS to provide core cooling? This question was revised.
39	C	2												E S	B – CR: 1) lower case Pressure in all bullets 2) Delete "At this time" in stem and change "should" to "will" This question was revised.
40	F	2												E S	A – CR: Could eliminate 2 x 2 (all answers unique) to raise LOD to 3. This question is ok as written.
41	C	2											B	E S	C – CR: 1) Delete second and last bullets 2) Stem asks alignment of CS system but answers are more than just CS 3) what is SIS? Should this just be SI? This question was revised.
42	F	3											M	E S	A – CR: 1) Change stem to read "In accordance with OP-009-003, Emergency Feedwater, how will MS-416, EFW Pump AB Turbine Stop Valve, be re-opened?" 2) For "C" – delete "motor" 3) Should have submitted Bank question This question was revised.
43	C	3											N	U S	A – CR: 1) more than one correct answer. 2) For "A" and "C" add "only" before the given answers 3) For "B" – add "Both" before the answer. 4) For "D" change to "No verifications required" since the BOP wouldn't verify what didn't happen. 5) First bullet – add "event" at the end. This question was revised.
44												X		U S	C – CR: 1) missing part a of KA statement 2) Add procedure ref to stem to clearly satisfy part b of KA 3) Question is essentially – "What is Reactor Trip Override?" This question was revised.
45													N	S	D – CR: This question has OE from 2011 exam (ask John). Green NCV was issued. I need resolution of CR-WF3-2011-01619. What happens to answer if we change question to read that EFW Pump AB tripped 15 minutes after trip? This question was revised.
46	C	3											N	E	D – CR: 1) Add before bullets – "Loss of MFW event has occurred. Following a manual Reactor trip, the following conditions are observed:" 2) Change stem to read

Q#	1. LOK (F/H)	2. LOD (1-5)	3. Psychometric Flaws				4. Job Content Flaws				5. Other		6. B/M/N	7. U/E/S	8. Explanation
			Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A			
														S	"Which of the following describes the proper EFW system response for SG 2?" 3) Re-order answers shortest to longest (B – C – D – A). 4) Delete SG 2 from all answers. This question was revised.
47	F	2											B	E S	C – CR: add "buses" to end of stem and delete "bus" from all answers. This question was revised.
48	C	3											B	S	A – CR: 1) What is the reference for first half of "A?" 2) delete "all" in stem before "Train B" to prevent cueing right answer. 3) For "B" and "D" – is the "and then TEST" plausible? This question was revised.
49	F	3											N	S	D – CR: 1) what is ref for first part of "D"? 2) need to explain question/answer This question was revised.
50													N	U S	A – CR: 1) SRO-only to determine operability 2) Direct lookup given handout 3) SD says engine will continue to crank until all the air is exhausted during an emergency start – is the answer dependent on EDG operating mode? This question was revised.
51	F	2											B	E S	B – CR: 1) Bank question but no ID number 2) Delete all bullets, change stem to read "With EDG A paralleled with the grid on the 3A bus and in Local Control mode, the Speed Adjust Control Switch is taken to raise..." 2) Ref identified doesn't provide correct answer. SD-EDG is better ref. This question was revised.
52	F	2	X										N	U S	C – CR: 1) stem not adequate. Procedure C.2 states "and if DCT Sump 1 is aligned to CW or Storm Drain Hdr" so is another bullet required to make "C" the correct answer? 2) Change stem to read "Which of the following AUTOMATIC actions are expected for DCT 1 Sump Pumps? Then remove "DCT 1 Sump Pumps" from all answers. 3) Re-order from shortest to longest (C – A – D – B) This question was revised.
53	F	2				X							N	U S	A – CR: 1) part 2 of "B" and "D" not credible since this would cross-connect the two systems This question is ok as written.
54	F	3		X									N	U S	A – CR: 1) Don't need any of the bullets to select correct answer. 2) what is ref for local indication at IA Dryers? This question was revised.

Q#	1. LOK (F/H)	2. LOD (1-5)	3. Psychometric Flaws			4. Job Content Flaws				5. Other		6. B/M/N	7. U/E/S	8. Explanation
			Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A	SRO Only	
55	F	1				X						B	U S	C – CR: 1) part 2 of “A” and “B” not credible – realign vacuum breakers when pressure delta increases? This question was revised.
56	C	1		X								B	U S	D – OR (OP-901-111, Attach 1): direct lookup with handout provided This question was revised.
57	F	2										N	S	B – CR: 1) What is reference for both parts of “B”? 2) Tech Ref states Revision 020 but attached copy is revision 11? This question was revised.
58	C	3										N	E S	A – CR: What is ref for second part of “A”? This question was revised.
59	C	3										N	E S	D – CR: 1) What is ref for first part of “D”? 2) verify not in Op Test scenario This question was revised.
60												N	U S	D – CR: 1) missing part b of KA 2) Ref for second part of “D”? 3) 1 of 3 CW pumps trip causes condenser vacuum to lower to 9 in? Operationally valid? This question was revised.
61					X							B	U S	B – CR: 1) Don't need any bullets to get right answer. 2) Reference states Train A 3) Why are “A, C, D” plausible? This question was revised.
62	F	2	X									B	U S	A – CR: 1) TS states what must be OPERABLE and operating, not how SR monitors are verified operable. This question was revised.
63	F	2										B	U S	B – CR: Question doesn't test monitoring operation of SDS including pressure, temp and reactor power. Putting them in stem doesn't count This question was revised.
64						X						N	U S	B – CR: 1) Part 1 of “A” and “D” not plausible 2) Part 2 of “A” and “C” not plausible. This question was revised.
65	C	3										B	E S	B – CR: 1) D not plausible since stem states no fire water 2) Re-order first and second bullets This question was revised.
66	F	2										N	S	C – CR:

Q#	1. LOK (F/H)	2. LOD (1-5)	3. Psychometric Flaws				4. Job Content Flaws				5. Other		6. B/M/N	7. U/E/S	8. Explanation
			Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job-Link	Minutia	#/units	Backward	Q= K/A			
67	F	1				X							N	U S	B – CR: 1) Part 2 of "A" and "D" not plausible 2) If FSS is Field Support Supv, then Part 1 of "A" and "C" not plausible. This question is ok as written.
68						X							N	U S	A – CR: 1) How will the operator verify "A"? 2) "B" and "C" ask for a verification if something else occurs – not operationally valid This question was revised.
69	F	3											N	S	A – CR:
70	F	2											B	E S	B – CR: Re-order shortest to longest (B – A – C – D) This question was revised.
71												X	N	U S	D – CR: Not a Tier 3 question. See ES-401, D.2.a – last sentence of first paragraph. This question was revised.
72						X							N	U S	C – CR: Part 2 of "A" and "B" not credible (3 times the value for lifesaving activities). This question is ok as written.
73	F	2											B	E S	C – CR: Can reduce to a 50-50 by only knowing 1 of 2. Keep part 1 of "A" and "C," part 2 of "D" and make a new "B" This question was revised.
74	F	1											N	U S	B – CR: Good KA, bad question (not discriminatory). This question was revised.
75	F	1											N	U S	D – CR: Good KA, bad question (not discriminatory). This question was revised.
76															
77															
78															
79															
80															
81															
82															
83															

Q#	1. LOK (F/H)	2. LOD (1-5)	3. Psychometric Flaws				4. Job Content Flaws				5. Other		6. B/M/N	7. U/E/S	8. Explanation
			Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A	SRO Only		
84															
85															
86															
87															
88															
89															
90															
91															
92															
93															
94															
95															
96															
97															
98															
99															
100															

RO TOTALS: B= F= E= Additional Notes:
M= H= U=
N=

SRO TOTALS: B= F= E= Additional Notes:
M= H= U=
N=

GENERAL COMMENTS:

1. Bank questions are indicated by **B**; Modified are indicated by **M**; New questions are indicated by **N**

2. Chief Examiner comments are indicated in *blue*.
3. Average difficulty is _____ on the RO exam and _____ on the SRO exam.
4. The 10CFR55.41/43 distribution is: RO / SRO
41.1 = 43.1 =
41.2 = 43.2 =
41.3 = 43.3 =
41.4 = 43.4 =
41.5 = 43.5 =
41.6 = 43.6 =
41.7 = 43.7 =
41.8 =
41.9 =
41.10 =
41.11 =
41.12 =
41.13 =
41.14 =
5. The answer distribution is: RO / SRO
A = /
B = /
C = /
D = /
6. There are ____ questions with attachments provided.
7. Need list of RO references and list of SRO references.
8. First 14 questions are 2 x 2 - how many more?

Q#	1. LOK (F/H)	2. LOD (1-5)	3. Psychometric Flaws			4. Job Content Flaws				5. Other		6. B/M/N	7. U/E/S	8. Explanation
			Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A	SRO Only	
1	C	2										N	E S	B – CR: 1) need to add a bullet for SG levels 50-70% NR and maintained by MFW or EFW as part of throttling criteria? 2) would cooldown have been initiated prior to reaching throttling criteria? This question was revised.
2				X								N	U S	B – CR: 1) given primary to secondary leak, even without ATWS would lead to Functional? 2) Cue given by question of an ATWS - usually given indications them ask question about event 3) overlap with RO question regarding Aux Trip? 4) what is Aux Trip setpoint reference? This question is ok as written.
3												N	S	C – CR: 1) what is ref for part 2 of answers? This question was revised.
4												N	S	C – CR: 1) no ref for part 1 of "C" 2) no explanation for part 2 of "C" 3) Explanation for "B" make sense?

Instructions

[Refer to Section D of ES-401 and Appendix B for additional information regarding each of the following concepts.]

- Enter the level of knowledge (LOK) of each question as either (F)undamental or (H)igher cognitive level.
- Enter the level of difficulty (LOD) of each question using a 1 – 5 (easy – difficult) rating scale (questions in the 2 – 4 range are acceptable).
- Check the appropriate box if a psychometric flaw is identified:
 - The stem lacks sufficient focus to elicit the correct answer (e.g., unclear intent, more information is needed, or too much needless information).
 - The stem or distractors contain cues (i.e., clues, specific determiners, phrasing, length, etc).
 - The answer choices are a collection of unrelated true/false statements.
 - The distractors are not credible; single implausible distractors should be repaired, more than one is unacceptable.
 - One or more distractors is (are) partially correct (e.g., if the applicant can make unstated assumptions that are not contradicted by stem).
- Check the appropriate box if a job content error is identified:
 - The question is not linked to the job requirements (i.e., the question has a valid K/A but, as written, is not operational in content).
 - The question requires the recall of knowledge that is too specific for the closed reference test mode (i.e., it is not required to be known from memory).
 - The question contains data with an unrealistic level of accuracy or inconsistent units (e.g., panel meter in percent with question in gallons).
 - The question requires reverse logic or application compared to the job requirements.
- Check questions that are sampled for conformance with the approved K/A and those that are *designated SRO-only* (K/A and license level mismatches are unacceptable).
- Enter question source: (B)ank, (M)odified, or (N)ew. Check that (M)odified questions meet criteria of ES-401 Section D.2.f.
- Based on the reviewer's judgment, is the question as written (U)nsatisfactory (requiring repair or replacement), in need of (E)ditorial enhancement, or (S)atisfactory?
- At a minimum, explain any "U" ratings (e.g., how the Appendix B psychometric attributes are not being met).

Q#	1. LOK (F/H)	2. LOD (1-5)	3. Psychometric Flaws				4. Job Content Flaws				5. Other		6. B/M/N	7. U/E/S	8. Explanation
			Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A	SRO Only		
5	F	2													This question was revised. D – CR: How is this question Comprehensive? This question was revised.
6															D – OR (TS 3.8.1.1, TRM 3.8.1.1, excerpt from TRM bases) Direct lookup This question was revised.
7															C – OR (EP-001-001) 1) Direct lookup 2) wouldn't need to handout all of procedure since all answers are Abnormal Radiation Levels/Rad Effluents This question was revised.
8						X									C – OR (TS 3.4.5.2); Direct lookup to reduce to 50-50 This question was revised.
9															D – OR (TS 3.3.3.1, 3.9.4) 1) Direct lookup to reduce to 50-50 2) what is ref for part 1 of answer? This question is ok as written.
10															D – OR (902-008 p. 1-23, 902-009 App 2) 1) handouts too excessive for possible cueing for other questions 2) we have a similar exercise in an Op Test scenario 3) no bank number provided This question was revised.
11															A – CR: not discriminatory for SRO level This question is ok as written.
12															D – OR (TS 2.2.1, 3.3.1, 3.3.2) Direct lookup This question was revised.
13	C	2													C – CR: 1) CSAS setpoint? 2) Explanation for "C" – How would crew diagnose directly into 902-008 since stem states crew is already in 902-002? 3) stem not clear as to when the CS pump tripped This question is ok as written.
14												X	X		B – CR: 1) RO level knowledge 2) weak use of procedures to correct, control, or mitigate ... 3) original bank question not provided This question was revised.
15	C	3													D – CR:

Q#	1. LOK (F/H)	2. LOD (1-5)	3. Psychometric Flaws				4. Job Content Flaws				5. Other		6.	7.	8.	
			Stem Focus	Cues	T/F	Cred. Dist.	Partial	Job- Link	Minutia	#/ units	Back- ward	Q= K/A	SRO Only	B/M/N	U/E/S	Explanation
16	F	2												N	U S	A – CR: 1) RO level knowledge to get to 50-50 choice using widely known info 2) weak use of procedure – would be better to ask what procedure is used This question was revised.
17	C	3												B	E S	C – CR: 1) consider adding procedure 901-513 to “A” and “B” then state “only” for “C” and “D” 2) Ref for part 2 of “C” not provided 3) is fuel pool temp added to support distracters? Doesn’t seem likely it would alarm at same time of low pressure and level... This question was revised.
18	F	3												N	E S	A – CR: 1) copy of RF procedures? 2) explain Explanation “D” 3) is SFHM same as RFM and RM? This question was revised.
19	F	3												B	S	B – CR: This question was revised.
20														N	U S	D – CR: Not a Tier 3 type question This question was revised.
21	F	3												N	E S	B – CR: 1) add procedure to stem “In accordance with EN-OP-116, Infrequently Performed Test or Evolution (IPTE), an IPTE briefing...” 2) what is ref for RV flange being 20 feet? 3) Ref for part 2 of answer? (EN’s not on disk) This question was revised.
22														B	U S	A – CR: 1) step 5.2.1 states “...due to emergent activities” is answer wrong? 2) add procedure to stem “IAW OI-037-000, ...” This question was revised.
23														N	U S	B – CR: Not a Tier 3 type question This question was revised.
24														B	U S	B – CR: Not a Tier 3 type question This question was revised.
25	F	3												B	E S	A – CR: 1) change “C” and “D” to “Emergency Plan” 2) add procedure to stem “... IAW OP-901-523, Security Events, the NRC...” This question was revised.

RO TOTALS:			B=	M=	N=	F=	H=	E=	U=	Additional Notes:				
-------------------	--	--	----	----	----	----	----	----	----	-------------------	--	--	--	--

SRO TOTALS:		B=	F=	E=	Additional Notes:
		M=	H=	U=	
		N=			

GENERAL COMMENTS:

1. Bank questions are indicated by **B**; Modified are indicated by **M**; New questions are indicated by **N**

2. Chief Examiner comments are indicated in *blue*.

3. Average difficulty is _____ on the RO exam and _____ on the SRO exam.

4. The 10CFR55.41/43 distribution is: RO / SRO

41.1 = 43.1 =

41.2 = 43.2 =

41.3 = 43.3 =

41.4 = 43.4 =

41.5 = 43.5 =

41.6 = 43.6 =

41.7 = 43.7 =

41.8 =

41.9 =

41.10 =

41.11 =

41.12 =

41.13 =

41.14 =

5. The answer distribution is: RO / SRO

A = /

B = /

C = /

D = /

6. There are ____ questions with attachments provided.

7. Need list of RO references and list of SRO references.

8. First 14 questions are 2 x 2 - how many more?