

## OFFSITE RADIOANALYTICAL MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	IEM Sample No.	Lab Sample No.	Date Collected	Test Method	Analysis	Result	Error	Units	MDA	MDA Flag	DCGL/MDA Flag	Comment	DCGL
1	n.a.	C-1-1	20090742-01	8/5/2009	SM 1710-F	Density	2.31		kg/l				Concrete core	
1	n.a.	C-1-1 (Ceiling)	20090742-01	10/5/2009	Gamma Spec (NORM)	Ac-228	0.03	0.09	pCi/g	0.19	< MDA		ceiling, NW corner exposure room, 0-1" depth	
1	n.a.	C-1-1 (Ceiling)	20090742-01	10/5/2009	Gamma Spec (NORM)	Bi-212	0.53	0.32	pCi/g	0.406			ceiling, NW corner exposure room, 0-1" depth	
1	n.a.	C-1-1 (Ceiling)	20090742-01	10/5/2009	Gamma Spec (NORM)	Bi-214	0.17	0.05	pCi/g	0.096			ceiling, NW corner exposure room, 0-1" depth	
1	n.a.	C-1-1 (Ceiling)	20090742-01	10/3/2009	C-14	C-14	0.11	0.08	pCi/g	0.086			ceiling, NW corner exposure room, 0-1" depth	12
1	n.a.	C-1-1 (Ceiling)	20090742-01	10/5/2009	Gamma Spec (NORM)	Eu-152	22.70	0.54	pCi/g	0.132		>DCGL	ceiling, NW corner exposure room, 0-1" depth	8.7
1	n.a.	C-1-1 (Ceiling)	20090742-01	10/5/2009	Gamma Spec (NORM)	Eu-154	0.65	0.11	pCi/g	0.252			ceiling, NW corner exposure room, 0-1" depth	8.8
1	n.a.	C-1-1 (Ceiling)	20090742-01	10/13/2009	Tritium (H3)	H-3	2.40	0.20	pCi/g	3.3	< MDA		ceiling, NW corner exposure room, 0-1" depth	110
1	n.a.	C-1-1 (Ceiling)	20090742-01	11/1/2009	Iron-55	Iron-55	8.51	0.75	pCi/g	0.95			ceiling, NW corner exposure room, 0-1" depth	10000
1	n.a.	C-1-1 (Ceiling)	20090742-01	10/5/2009	Gamma Spec (NORM)	K-40	1.94	0.38	pCi/g	0.341			ceiling, NW corner exposure room, 0-1" depth	
1	n.a.	C-1-1 (Ceiling)	20090742-01	10/5/2009	Gamma Spec (NORM)	Pb-212	0.19	0.08	pCi/g	0.114			ceiling, NW corner exposure room, 0-1" depth	
1	n.a.	C-1-1 (Ceiling)	20090742-01	10/5/2009	Gamma Spec (NORM)	Pb-214	0.23	0.04	pCi/g	0.097			ceiling, NW corner exposure room, 0-1" depth	
1	n.a.	C-1-1 (Ceiling)	20090742-01	10/5/2009	Gamma Spec (NORM)	Th-234	0.02	0.61	pCi/g	1.45	< MDA		ceiling, NW corner exposure room, 0-1" depth	
1	n.a.	C-1-1 (Ceiling)	20090742-01	10/5/2009	Gamma Spec (NORM)	Tl-208	0.05	0.03	pCi/g	0.049			ceiling, NW corner exposure room, 0-1" depth	
1	n.a.	C-1-1 (Ceiling)	20090742-01	10/18/2009	Uranium-Isotopic	Uranium-234	0.64	0.10	pCi/g	0.058			ceiling, NW corner exposure room, 0-1" depth	273
1	n.a.	C-1-1 (Ceiling)	20090742-01	10/18/2009	Uranium-Isotopic	Uranium-235	0.29	0.07	pCi/g	0.048			ceiling, NW corner exposure room, 0-1" depth	273
1	n.a.	C-1-1 (Ceiling)	20090742-01	10/18/2009	Uranium-Isotopic	Uranium-238	0.58	0.10	pCi/g	0.066			ceiling, NW corner exposure room, 0-1" depth	273
1	n.a.	C-1-2 (Ceiling)	20090742-02	10/5/2009	Gamma Spec (NORM)	Ac-228	0.23	0.07	pCi/g	0.177			ceiling, NW corner exposure room, 1-2" depth	
1	n.a.	C-1-2 (Ceiling)	20090742-02	10/5/2009	Gamma Spec (NORM)	Bi-212	0.00	0.19	pCi/g	0.446	< MDA		ceiling, NW corner exposure room, 1-2" depth	
1	n.a.	C-1-2 (Ceiling)	20090742-02	10/5/2009	Gamma Spec (NORM)	Bi-214	0.12	0.06	pCi/g	0.085			ceiling, NW corner exposure room, 1-2" depth	
1	n.a.	C-1-2 (Ceiling)	20090742-02	10/3/2009	C-14	C-14	0.00	0.05	pCi/g	0.059	< MDA		ceiling, NW corner exposure room, 1-2" depth	12
1	n.a.	C-1-2 (Ceiling)	20090742-02	10/5/2009	Gamma Spec (NORM)	Eu-152	3.50	0.13	pCi/g	0.116			ceiling, NW corner exposure room, 1-2" depth	8.7
1	n.a.	C-1-2 (Ceiling)	20090742-02	10/5/2009	Gamma Spec (NORM)	Eu-154	0.24	0.08	pCi/g	0.115			ceiling, NW corner exposure room, 1-2" depth	8.8
1	n.a.	C-1-2 (Ceiling)	20090742-02	10/13/2009	Tritium (H3)	H-3	2.50	0.20	pCi/g	3.4	< MDA		ceiling, NW corner exposure room, 1-2" depth	110
1	n.a.	C-1-2 (Ceiling)	20090742-02	11/1/2009	Iron-55	Iron-55	1.99	0.62	pCi/g	0.95			ceiling, NW corner exposure room, 1-2" depth	10000
1	n.a.	C-1-2 (Ceiling)	20090742-02	10/5/2009	Gamma Spec (NORM)	K-40	1.26	0.40	pCi/g	0.614			ceiling, NW corner exposure room, 1-2" depth	
1	n.a.	C-1-2 (Ceiling)	20090742-02	10/5/2009	Gamma Spec (NORM)	Pb-212	0.19	0.05	pCi/g	0.074			ceiling, NW corner exposure room, 1-2" depth	

### OFFSITE RADIOANALYTICAL MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	IEM Sample No.	Lab Sample No.	Date Collected	Test Method	Analysis	Result	Error	Units	MDA	MDA Flag	DCGL/MDA Flag	Comment	DCGL
1	n.a.	C-1-2 (Ceiling)	20090742-02	10/5/2009	Gamma Spec (NORM)	Pb-214	0.23	0.11	pCi/g	0.077			ceiling, NW corner exposure room, 1-2" depth	
1	n.a.	C-1-2 (Ceiling)	20090742-02	10/5/2009	Gamma Spec (NORM)	Th-234	0.00	0.34	pCi/g	0.811	< MDA		ceiling, NW corner exposure room, 1-2" depth	
1	n.a.	C-1-2 (Ceiling)	20090742-02	10/5/2009	Gamma Spec (NORM)	Tl-208	0.10	0.02	pCi/g	0.036			ceiling, NW corner exposure room, 1-2" depth	
1	n.a.	C-1-2 (Ceiling)	20090742-02	10/18/2009	Uranium-Isotopic	Uranium-234	0.55	0.11	pCi/g	0.087			ceiling, NW corner exposure room, 1-2" depth	273
1	n.a.	C-1-2 (Ceiling)	20090742-02	10/18/2009	Uranium-Isotopic	Uranium-235	0.08	0.05	pCi/g	0.063			ceiling, NW corner exposure room, 1-2" depth	273
1	n.a.	C-1-2 (Ceiling)	20090742-02	10/18/2009	Uranium-Isotopic	Uranium-238	0.52	0.11	pCi/g	0.082			ceiling, NW corner exposure room, 1-2" depth	273
1	n.a.	C-1-3 (Ceiling)	20090742-03	10/3/2009	Gamma Spec (NORM)	Ac-228	0.40	0.10	pCi/g	0.232			ceiling, NW corner exposure room, 2-3" depth	
1	n.a.	C-1-3 (Ceiling)	20090742-03	10/3/2009	Gamma Spec (NORM)	Bi-212	0.38	0.24	pCi/g	0.437	< MDA		ceiling, NW corner exposure room, 2-3" depth	
1	n.a.	C-1-3 (Ceiling)	20090742-03	10/3/2009	Gamma Spec (NORM)	Bi-214	0.28	0.06	pCi/g	0.094			ceiling, NW corner exposure room, 2-3" depth	
1	n.a.	C-1-3 (Ceiling)	20090742-03	10/3/2009	C-14	C-14	0.00	0.06	pCi/g	0.06	< MDA		ceiling, NW corner exposure room, 2-3" depth	12
1	n.a.	C-1-3 (Ceiling)	20090742-03	10/3/2009	Gamma Spec (NORM)	Eu-152	5.54	0.16	pCi/g	0.11			ceiling, NW corner exposure room, 2-3" depth	8.7
1	n.a.	C-1-3 (Ceiling)	20090742-03	10/3/2009	Gamma Spec (NORM)	Eu-154	0.17	0.05	pCi/g	0.077			ceiling, NW corner exposure room, 2-3" depth	8.8
1	n.a.	C-1-3 (Ceiling)	20090742-03	10/13/2009	Tritium (H3)	H-3	3.10	0.21	pCi/g	3.5	< MDA		ceiling, NW corner exposure room, 2-3" depth	110
1	n.a.	C-1-3 (Ceiling)	20090742-03	11/1/2009	Iron-55	Iron-55	0.00	0.57	pCi/g	0.96	< MDA		ceiling, NW corner exposure room, 2-3" depth	10000
1	n.a.	C-1-3 (Ceiling)	20090742-03	10/3/2009	Gamma Spec (NORM)	K-40	2.14	0.58	pCi/g	0.567			ceiling, NW corner exposure room, 2-3" depth	
1	n.a.	C-1-3 (Ceiling)	20090742-03	10/3/2009	Gamma Spec (NORM)	Pb-212	0.44	0.08	pCi/g	0.1			ceiling, NW corner exposure room, 2-3" depth	
1	n.a.	C-1-3 (Ceiling)	20090742-03	10/3/2009	Gamma Spec (NORM)	Pb-214	0.33	0.05	pCi/g	0.088			ceiling, NW corner exposure room, 2-3" depth	
1	n.a.	C-1-3 (Ceiling)	20090742-03	10/3/2009	Gamma Spec (NORM)	Th-234	0.56	0.19	pCi/g	0.411			ceiling, NW corner exposure room, 2-3" depth	
1	n.a.	C-1-3 (Ceiling)	20090742-03	10/3/2009	Gamma Spec (NORM)	Tl-208	0.14	0.03	pCi/g	0.058			ceiling, NW corner exposure room, 2-3" depth	
1	n.a.	C-1-3 (Ceiling)	20090742-03	10/18/2009	Uranium-Isotopic	Uranium-234	0.56	0.10	pCi/g	0.058			ceiling, NW corner exposure room, 2-3" depth	273
1	n.a.	C-1-3 (Ceiling)	20090742-03	10/18/2009	Uranium-Isotopic	Uranium-235	0.07	0.04	pCi/g	0.027			ceiling, NW corner exposure room, 2-3" depth	273
1	n.a.	C-1-3 (Ceiling)	20090742-03	10/18/2009	Uranium-Isotopic	Uranium-238	0.49	0.09	pCi/g	0.042			ceiling, NW corner exposure room, 2-3" depth	273
1	n.a.	C-1-4 (Ceiling)	20090742-04	10/6/2009	Gamma Spec (NORM)	Ac-228	0.15	0.14	pCi/g	0.204	< MDA		ceiling, NW corner exposure room, 3-4" depth	
1	n.a.	C-1-4 (Ceiling)	20090742-04	10/6/2009	Gamma Spec (NORM)	Bi-212	0.32	0.23	pCi/g	0.411	< MDA		ceiling, NW corner exposure room, 3-4" depth	
1	n.a.	C-1-4 (Ceiling)	20090742-04	10/6/2009	Gamma Spec (NORM)	Bi-214	0.01	0.30	pCi/g	0.114	< MDA		ceiling, NW corner exposure room, 3-4" depth	
1	n.a.	C-1-4 (Ceiling)	20090742-04	10/5/2009	C-14	C-14	0.00	0.09	pCi/g	0.097	< MDA		ceiling, NW corner exposure room, 3-4" depth	12

### OFFSITE RADIOANALYTICAL MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	IEM Sample No.	Lab Sample No.	Date Collected	Test Method	Analysis	Result	Error	Units	MDA	MDA Flag	DCGL/MDA Flag	Comment	DCGL
1	n.a.	C-1-4 (Ceiling)	20090742-04	10/6/2009	Gamma Spec (NORM)	Eu-152	5.86	0.30	pCi/g	0.182			ceiling, NW corner exposure room, 3-4" depth	8.7
1	n.a.	C-1-4 (Ceiling)	20090742-04	10/6/2009	Gamma Spec (NORM)	Eu-154	0.21	0.08	pCi/g	0.146			ceiling, NW corner exposure room, 3-4" depth	8.8
1	n.a.	C-1-4 (Ceiling)	20090742-04	10/13/2009	Tritium (H3)	H-3	2.40	0.21	pCi/g	3.4	< MDA		ceiling, NW corner exposure room, 3-4" depth	110
1	n.a.	C-1-4 (Ceiling)	20090742-04	11/1/2009	Iron-55	Iron-55	0.00	0.57	pCi/g	0.96	< MDA		ceiling, NW corner exposure room, 3-4" depth	10000
1	n.a.	C-1-4 (Ceiling)	20090742-04	10/6/2009	Gamma Spec (NORM)	K-40	2.09	0.56	pCi/g	0.5			ceiling, NW corner exposure room, 3-4" depth	
1	n.a.	C-1-4 (Ceiling)	20090742-04	10/6/2009	Gamma Spec (NORM)	Pb-212	0.44	0.08	pCi/g	0.143			ceiling, NW corner exposure room, 3-4" depth	
1	n.a.	C-1-4 (Ceiling)	20090742-04	10/6/2009	Gamma Spec (NORM)	Pb-214	0.40	0.06	pCi/g	0.132			ceiling, NW corner exposure room, 3-4" depth	
1	n.a.	C-1-4 (Ceiling)	20090742-04	10/6/2009	Gamma Spec (NORM)	Th-234	0.30	0.70	pCi/g	1.67	< MDA		ceiling, NW corner exposure room, 3-4" depth	
1	n.a.	C-1-4 (Ceiling)	20090742-04	10/6/2009	Gamma Spec (NORM)	Tl-208	0.07	0.04	pCi/g	0.07	< MDA		ceiling, NW corner exposure room, 3-4" depth	
1	n.a.	C-1-4 (Ceiling)	20090742-04	10/18/2009	Uranium-Isotopic	Uranium-234	0.56	0.09	pCi/g	0.034			ceiling, NW corner exposure room, 3-4" depth	273
1	n.a.	C-1-4 (Ceiling)	20090742-04	10/18/2009	Uranium-Isotopic	Uranium-235	0.07	0.03	pCi/g	0.024			ceiling, NW corner exposure room, 3-4" depth	273
1	n.a.	C-1-4 (Ceiling)	20090742-04	10/18/2009	Uranium-Isotopic	Uranium-238	0.57	0.10	pCi/g	0.044			ceiling, NW corner exposure room, 3-4" depth	273
1	n.a.	C-1-5 (Ceiling)	20090742-05	10/6/2009	Gamma Spec (NORM)	Ac-228	0.03	0.17	pCi/g	0.226	< MDA		ceiling, NW corner exposure room, 4-5" depth	
1	n.a.	C-1-5 (Ceiling)	20090742-05	10/6/2009	Gamma Spec (NORM)	Bi-212	0.00	0.27	pCi/g	0.643	< MDA		ceiling, NW corner exposure room, 4-5" depth	
1	n.a.	C-1-5 (Ceiling)	20090742-05	10/6/2009	Gamma Spec (NORM)	Bi-214	0.19	0.08	pCi/g	0.101			ceiling, NW corner exposure room, 4-5" depth	
1	n.a.	C-1-5 (Ceiling)	20090742-05	10/5/2009	C-14	C-14	0.00	0.07	pCi/g	0.079	< MDA		ceiling, NW corner exposure room, 4-5" depth	12
1	n.a.	C-1-5 (Ceiling)	20090742-05	10/6/2009	Gamma Spec (NORM)	Eu-152	1.53	0.14	pCi/g	0.121			ceiling, NW corner exposure room, 4-5" depth	8.7
1	n.a.	C-1-5 (Ceiling)	20090742-05	10/6/2009	Gamma Spec (NORM)	Eu-154	0.35	0.03	pCi/g	0.085			ceiling, NW corner exposure room, 4-5" depth	8.8
1	n.a.	C-1-5 (Ceiling)	20090742-05	10/14/2009	Tritium (H3)	H-3	0.80	0.21	pCi/g	3.5	< MDA		ceiling, NW corner exposure room, 4-5" depth	110
1	n.a.	C-1-5 (Ceiling)	20090742-05	11/1/2009	Iron-55	Iron-55	0.97	0.60	pCi/g	0.96			ceiling, NW corner exposure room, 4-5" depth	10000
1	n.a.	C-1-5 (Ceiling)	20090742-05	10/6/2009	Gamma Spec (NORM)	K-40	1.10	0.66	pCi/g	0.793			ceiling, NW corner exposure room, 4-5" depth	
1	n.a.	C-1-5 (Ceiling)	20090742-05	10/6/2009	Gamma Spec (NORM)	Pb-212	0.15	0.10	pCi/g	0.125			ceiling, NW corner exposure room, 4-5" depth	
1	n.a.	C-1-5 (Ceiling)	20090742-05	10/6/2009	Gamma Spec (NORM)	Pb-214	0.22	0.06	pCi/g	0.104			ceiling, NW corner exposure room, 4-5" depth	
1	n.a.	C-1-5 (Ceiling)	20090742-05	10/6/2009	Gamma Spec (NORM)	Th-234	0.00	0.32	pCi/g	0.753	< MDA		ceiling, NW corner exposure room, 4-5" depth	
1	n.a.	C-1-5 (Ceiling)	20090742-05	10/6/2009	Gamma Spec (NORM)	Tl-208	0.05	0.05	pCi/g	0.065	< MDA		ceiling, NW corner exposure room, 4-5" depth	
1	n.a.	C-1-5 (Ceiling)	20090742-05	10/18/2009	Uranium-Isotopic	Uranium-234	0.43	0.10	pCi/g	0.104			ceiling, NW corner exposure room, 4-5" depth	273

### OFFSITE RADIOANALYTICAL MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	IEM Sample No.	Lab Sample No.	Date Collected	Test Method	Analysis	Result	Error	Units	MDA	MDA Flag	DCGL/MDA Flag	Comment	DCGL
1	n.a.	C-1-5 (Ceiling)	20090742-05	10/18/2009	Uranium-Isotopic	Uranium-235	0.07	0.05	pCi/g	0.071	< MDA		ceiling, NW corner exposure room, 4-5" depth	273
1	n.a.	C-1-5 (Ceiling)	20090742-05	10/18/2009	Uranium-Isotopic	Uranium-238	0.38	0.09	pCi/g	0.081			ceiling, NW corner exposure room, 4-5" depth	273
1	Waste	Coring Drum 1 Filtered	20091040-04	12/14/2009	EPA 906	H-3	1510.00	0.65	pCi/l	794			DCGL = sewer discharge limit (10 CFR 20 App. B)	10000000
1	Waste	Coring Drum 2 Filtered	20091040-05	12/14/2009	EPA 906	H-3	1430.00	65.00	pCi/l	802			DCGL = sewer discharge limit (10 CFR 20 App. B)	10000000
1	Waste	Coring Drum 3 Filtered	20091040-06	12/14/2009	EPA 906	H-3	1470.00	65.00	pCi/l	802			DCGL = sewer discharge limit (10 CFR 20 App. B)	10000000
1	Waste	Coring Drum 3 Sediment	20091040-01	12/14/2009	DOE Ga-01R	Ac-228	0.41	0.11	pCi/g	0.232				
1	Waste	Coring Drum 3 Sediment	20091040-02	12/14/2009	DOE Ga-01R	Ac-228	0.17	0.13	pCi/g	0.196	< MDA			
1	Waste	Coring Drum 3 Sediment	20091040-01	12/14/2009	DOE Ga-01R	Bi-212	0.26	0.34	pCi/g	0.432	< MDA			
1	Waste	Coring Drum 3 Sediment	20091040-02	12/14/2009	DOE Ga-01R	Bi-212	0.00	0.32	pCi/g	0.752	< MDA			
1	Waste	Coring Drum 3 Sediment	20091040-01	12/14/2009	DOE Ga-01R	Bi-214	0.36	0.08	pCi/g	0.169				
1	Waste	Coring Drum 3 Sediment	20091040-02	12/14/2009	DOE Ga-01R	Bi-214	0.74	0.13	pCi/g	0.125				
1	Waste	Coring Drum 3 Sediment	20091040-01	12/14/2009	EPA EERF C01	C-14	0.12	0.03	pCi/g	0.027				12
1	Waste	Coring Drum 3 Sediment	20091040-02	12/14/2009	EPA EERF C01	C-14	0.17	0.03	pCi/g	0.023				12
1	Waste	Coring Drum 3 Sediment	20091040-01	12/14/2009	DOE Ga-01R	Eu-152	4.27	0.28	pCi/g	0.206				8.7
1	Waste	Coring Drum 3 Sediment	20091040-02	12/14/2009	DOE Ga-01R	Eu-152	1.69	0.20	pCi/g	0.235				8.7
1	Waste	Coring Drum 3 Sediment	20091040-01	12/14/2009	DOE Ga-01R	Eu-154	0.19	0.12	pCi/g	0.15				8.8
1	Waste	Coring Drum 3 Sediment	20091040-02	12/14/2009	DOE Ga-01R	Eu-154	0.06	0.11	pCi/g	0.144	< MDA			8.8
1	Waste	Coring Drum 3 Sediment	20091040-01	12/14/2009	EPA 906	H-3	0.00	0.50	pCi/g	6.8	< MDA			110
1	Waste	Coring Drum 3 Sediment	20091040-02	12/14/2009	EPA 906	H-3	0.00	0.50	pCi/g	6.5	< MDA			110
1	Waste	Coring Drum 3 Sediment	20091040-01	12/14/2009	DOE Ga-01R	K-40	2.63	0.07	pCi/g	0.525				
1	Waste	Coring Drum 3 Sediment	20091040-02	12/14/2009	DOE Ga-01R	K-40	1.46	0.91	pCi/g	1.05				
1	Waste	Coring Drum 3 Sediment	20091040-01	12/14/2009	DOE Ga-01R	Pb-212	0.63	0.11	pCi/g	0.133				
1	Waste	Coring Drum 3 Sediment	20091040-02	12/14/2009	DOE Ga-01R	Pb-212	0.45	0.10	pCi/g	0.213				
1	Waste	Coring Drum 3 Sediment	20091040-01	12/14/2009	DOE Ga-01R	Pb-214	0.27	0.05	pCi/g	0.135				
1	Waste	Coring Drum 3 Sediment	20091040-02	12/14/2009	DOE Ga-01R	Pb-214	0.71	0.17	pCi/g	0.195				
1	Waste	Coring Drum 3 Sediment	20091040-01	12/14/2009	SM 2540 B	Percent Moist.	49.20		%					
1	Waste	Coring Drum 3 Sediment	20091040-01	12/14/2009	SM 2540 B	Percent Moist.		59.00	%					
1	Waste	Coring Drum 3 Sediment	20091040-01	12/14/2009	DOE Ga-01R	Th-234	0.47	0.72	pCi/g	1.7	< MDA			
1	Waste	Coring Drum 3 Sediment	20091040-02	12/14/2009	DOE Ga-01R	Th-234	0.00	2.17	pCi/g	5.14	< MDA			
1	Waste	Coring Drum 3 Sediment	20091040-01	12/14/2009	DOE Ga-01R	Tl-208	0.15	0.05	pCi/g	0.085				
1	Waste	Coring Drum 3 Sediment	20091040-02	12/14/2009	DOE Ga-01R	Tl-208	0.09	0.07	pCi/g	0.09				
1	Waste	Coring Drum 4 Filtered	20091040-07	12/14/2009	EPA 906	H-3	715.00	63.00	pCi/l	806	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	10000000
1	Waste	Coring Drum 5 Filtered	20091040-08	12/14/2009	EPA 906	H-3	0.00	60.00	pCi/l	802	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	10000000
1	Waste	Coring Water-1	20090741-01	9/18/2009	Gamma Spec NORM - Water	Ac-228	0.00	6.74	pCi/l	16	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	300000
1	Waste	Coring Water-1	20090741-01	9/18/2009	Gamma Spec NORM - Water	Bi-212	11.30	14.30	pCi/l	34	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	700000
1	Waste	Coring Water-1	20090741-01	9/18/2009	Gamma Spec NORM - Water	Bi-214	2.52	6.64	pCi/l	9.02	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	3000000
1	Waste	Coring Water-1	20090741-01	9/28/2009	C-14	C-14	6.49	1.53	pCi/l	1.37			DCGL = sewer discharge limit (10 CFR 20 App. B)	300000
1	Waste	Coring Water-1	20090741-01	9/18/2009	Gamma Spec NORM - Water	Eu-152	85.50	10.30	pCi/l	12.3			DCGL = sewer discharge limit (10 CFR 20 App. B)	100000
1	Waste	Coring Water-1	20090741-01	9/18/2009	Gamma Spec NORM - Water	Eu-154	2.22	7.65	pCi/l	8.55	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	70000

### OFFSITE RADIOANALYTICAL MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	IEM Sample No.	Lab Sample No.	Date Collected	Test Method	Analysis	Result	Error	Units	MDA	MDA Flag	DCGL/MDA Flag	Comment	DCGL
1	Waste	Coring Water-1	20090741-01	9/29/2009	Tritium (H3)	H-3	1650.00	23.00	pCi/l	329			DCGL = sewer discharge limit (10 CFR 20 App. B)	10000000
1	Waste	Coring Water-1	20090741-01	11/25/2009	Iron-55	Iron-55	0.00	28.50	pCi/l	48.2	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	1000000
1	Waste	Coring Water-1	20090741-01	9/18/2009	Gamma Spec NORM - Water	K-40	111.00	50.80	pCi/l	53.3			DCGL = sewer discharge limit (10 CFR 20 App. B)	40000
1	Waste	Coring Water-1	20090741-01	9/18/2009	Gamma Spec NORM - Water	Pb-212	0.00	6.55	pCi/l	8.53	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	20000
1	Waste	Coring Water-1	20090741-01	9/18/2009	Gamma Spec NORM - Water	Pb-214	14.20	11.80	pCi/l	6.57			DCGL = sewer discharge limit (10 CFR 20 App. B)	20000
1	Waste	Coring Water-1	20090741-01	11/22/2009	Solubility	Solubility	96.20		%	0.1				
1	Waste	Coring Water-1	20090741-01	9/18/2009	Gamma Spec NORM - Water	Th-234	98.20	77.90	pCi/l	109	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	50000
1	Waste	Coring Water-1	20090741-01	9/18/2009	Gamma Spec NORM - Water	Tl-208	6.38	16.70	pCi/l	4.69			DCGL = sewer discharge limit (10 CFR 20 App. B, Tl-204)	200000
1	Waste	Coring Water-1 Filtered	20091040-04	12/14/2009	EPA 906	H-3	1510.00	65.00	pCi/l	794			DCGL = sewer discharge limit (10 CFR 20 App. B)	10000000
1	Waste	Coring Water-2	20090741-02	9/18/2009	Gamma Spec NORM - Water	Ac-228	10.40	5.48	pCi/l	16.4	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	300000
1	Waste	Coring Water-2	20090741-02	9/18/2009	Gamma Spec NORM - Water	Bi-212	0.00	18.50	pCi/l	12.6	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	700000
1	Waste	Coring Water-2	20090741-02	9/18/2009	Gamma Spec NORM - Water	Bi-214	10.60	23.00	pCi/l	7.98			DCGL = sewer discharge limit (10 CFR 20 App. B)	3000000
1	Waste	Coring Water-2	20090741-02	9/28/2009	C-14	C-14	4.30	1.69	pCi/l	1.64			DCGL = sewer discharge limit (10 CFR 20 App. B)	300000
1	Waste	Coring Water-2	20090741-02	9/18/2009	Gamma Spec NORM - Water	Eu-152	86.50	7.10	pCi/l	9.48			DCGL = sewer discharge limit (10 CFR 20 App. B)	100000
1	Waste	Coring Water-2	20090741-02	9/18/2009	Gamma Spec NORM - Water	Eu-154	6.32	12.50	pCi/l	9.32	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	70000
1	Waste	Coring Water-2	20090741-02	9/29/2009	Tritium (H3)	H-3	1460.00	23.00	pCi/l	329			DCGL = sewer discharge limit (10 CFR 20 App. B)	10000000
1	Waste	Coring Water-2	20090741-02	11/25/2009	Iron-55	Iron-55	10.10	29.00	pCi/l	48.2	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	1000000
1	Waste	Coring Water-2	20090741-02	9/18/2009	Gamma Spec NORM - Water	K-40	104.00	78.20	pCi/l	93.7			DCGL = sewer discharge limit (10 CFR 20 App. B)	40000
1	Waste	Coring Water-2	20090741-02	9/18/2009	Gamma Spec NORM - Water	Pb-212	0.00	2.32	pCi/l	5.51	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	20000
1	Waste	Coring Water-2	20090741-02	9/18/2009	Gamma Spec NORM - Water	Pb-214	16.50	8.36	pCi/l	6.6			DCGL = sewer discharge limit (10 CFR 20 App. B)	20000
1	Waste	Coring Water-2	20090741-02	11/22/2009	Solubility	Solubility	97.90		%	0.1				
1	Waste	Coring Water-2	20090741-02	9/18/2009	Gamma Spec NORM - Water	Th-234	0.00	49.70	pCi/l	118	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	50000
1	Waste	Coring Water-2	20090741-02	9/18/2009	Gamma Spec NORM - Water	Tl-208	2.90	2.60	pCi/l	3.29	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B, Tl-204)	200000
1	Waste	Coring Water-2 Filtered	20091040-05	12/14/2009	EPA 906	H-3	1430.00	65.00	pCi/l	802			DCGL = sewer discharge limit (10 CFR 20 App. B)	10000000
1	Waste	Coring Water-3	20090741-03	9/18/2009	Gamma Spec NORM - Water	Ac-228	3.58	10.60	pCi/l	17.8	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	300000
1	Waste	Coring Water-3	20090741-03	9/18/2009	Gamma Spec NORM - Water	Bi-212	0.00	26.00	pCi/l	30.6	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	700000

### OFFSITE RADIOANALYTICAL MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	IEM Sample No.	Lab Sample No.	Date Collected	Test Method	Analysis	Result	Error	Units	MDA	MDA Flag	DCGL/MDA Flag	Comment	DCGL
1	Waste	Coring Water-3	20090741-03	9/18/2009	Gamma Spec NORM - Water	Bi-214	6.34	4.55	pCi/l	8.45	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	3000000
1	Waste	Coring Water-3	20090741-03	9/28/2009	C-14	C-14	2.99	1.29	pCi/l	1.26			DCGL = sewer discharge limit (10 CFR 20 App. B)	300000
1	Waste	Coring Water-3	20090741-03	9/18/2009	Gamma Spec NORM - Water	Eu-152	31.40	6.49	pCi/l	11.6			DCGL = sewer discharge limit (10 CFR 20 App. B)	100000
1	Waste	Coring Water-3	20090741-03	9/18/2009	Gamma Spec NORM - Water	Eu-154	0.00	5.77	pCi/l	13.7	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	70000
1	Waste	Coring Water-3	20090741-03	9/29/2009	Tritium (H3)	H-3	1060.00	22.00	pCi/l	328			DCGL = sewer discharge limit (10 CFR 20 App. B)	10000000
1	Waste	Coring Water-3	20090741-03	11/25/2009	Iron-55	Iron-55	0.00	28.60	pCi/l	48.2	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	1000000
1	Waste	Coring Water-3	20090741-03	9/18/2009	Gamma Spec NORM - Water	K-40	55.70	59.70	pCi/l	73.3	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	40000
1	Waste	Coring Water-3	20090741-03	9/18/2009	Gamma Spec NORM - Water	Pb-212	4.18	14.60	pCi/l	20.1	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	20000
1	Waste	Coring Water-3	20090741-03	9/18/2009	Gamma Spec NORM - Water	Pb-214	8.27	16.90	pCi/l	10.4	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	20000
1	Waste	Coring Water-3	20090741-03	11/22/2009	Solubility	Solubility	99.30		%	0.1				
1	Waste	Coring Water-3	20090741-03	9/18/2009	Gamma Spec NORM - Water	Th-234	19.90	118.00	pCi/l	151	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	50000
1	Waste	Coring Water-3	20090741-03	9/18/2009	Gamma Spec NORM - Water	Tl-208	8.96	10.50	pCi/l	4.18			DCGL = sewer discharge limit (10 CFR 20 App. B, Tl-204)	200000
1	Waste	Coring Water-3 Filtered	20091040-06	12/14/2009	EPA 906	H-3	1470.00	65.00	pCi/l	802			DCGL = sewer discharge limit (10 CFR 20 App. B)	10000000
1	Waste	Coring Water-3 Sediment	20091040-01	12/14/2009	DOE Ga-01-R	Ac-228	0.41	0.11	pCi/g	0.232				
1	Waste	Coring Water-3 Sediment	20091040-01	12/14/2009	DOE Ga-01-R	Bi-212	0.26	0.34	pCi/g	0.432	< MDA			
1	Waste	Coring Water-3 Sediment	20091040-01	12/14/2009	DOE Ga-01-R	Bi-214	0.36	0.08	pCi/g	0.169				
1	Waste	Coring Water-3 Sediment	20091040-01	12/14/2009	EPA EERF C01	C-14	0.12	0.04	pCi/g	0.027				
1	Waste	Coring Water-3 Sediment	20091040-01	12/14/2009	DOE Ga-01-R	Eu-152	4.72	0.28	pCi/g	0.206				8.7
1	Waste	Coring Water-3 Sediment	20091040-01	12/14/2009	DOE Ga-01-R	Eu-154	0.19	0.12	pCi/g	0.15				8.8
1	Waste	Coring Water-3 Sediment	20091040-01	12/14/2009	EPA 906	H-3	0.00	0.50	pCi/g	6.8	< MDA			110
1	Waste	Coring Water-3 Sediment	20091040-01	12/14/2009	DOE Ga-01-R	K-40	2.63	0.66	pCi/g	0.525				
1	Waste	Coring Water-3 Sediment	20091040-01	12/14/2009	DOE Ga-01-R	Pb-212	0.63	0.11	pCi/g	0.133				
1	Waste	Coring Water-3 Sediment	20091040-01	12/14/2009	DOE Ga-01-R	Pb-214	0.27	0.05	pCi/g	0.135				
1	Waste	Coring Water-3 Sediment	20091040-01	12/14/2009	SM 2540 B	percent Moisture	49.20		%					
1	Waste	Coring Water-3 Sediment	20091040-01	12/14/2009	DOE Ga-01-R	Th-234	0.47	0.72	pCi/g	1.7	< MDA			
1	Waste	Coring Water-3 Sediment	20091040-01	12/14/2009	DOE Ga-01-R	Tl-208	0.15	0.05	pCi/g	0.085				
1	Waste	Coring Water-4	20090741-04	9/18/2009	Gamma Spec NORM - Water	Ac-228	45.10	13.90	pCi/l	24.2			DCGL = sewer discharge limit (10 CFR 20 App. B)	300000
1	Waste	Coring Water-4	20090741-04	9/18/2009	Gamma Spec NORM - Water	Bi-212	10.30	44.40	pCi/l	57.8	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	700000
1	Waste	Coring Water-4	20090741-04	9/18/2009	Gamma Spec NORM - Water	Bi-214	17.60	75.50	pCi/l	12.4			DCGL = sewer discharge limit (10 CFR 20 App. B)	3000000
1	Waste	Coring Water-4	20090741-04	9/28/2009	C-14	C-14	8.67	1.80	pCi/l	1.62			DCGL = sewer discharge limit (10 CFR 20 App. B)	300000
1	Waste	Coring Water-4	20090741-04	9/18/2009	Gamma Spec NORM - Water	Eu-152	97.30	13.50	pCi/l	10.9			DCGL = sewer discharge limit (10 CFR 20 App. B)	100000
1	Waste	Coring Water-4	20090741-04	9/18/2009	Gamma Spec NORM - Water	Eu-154	0.00	3.21	pCi/l	7.61	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	70000
1	Waste	Coring Water-4	20090741-04	9/29/2009	Tritium (H3)	H-3	1090.00	22.00	pCi/l	328			DCGL = sewer discharge limit (10 CFR 20 App. B)	10000000

### OFFSITE RADIOANALYTICAL MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	IEM Sample No.	Lab Sample No.	Date Collected	Test Method	Analysis	Result	Error	Units	MDA	MDA Flag	DCGL/MDA Flag	Comment	DCGL
1	Waste	Coring Water-4	20090741-04	11/25/2009	Iron-55	Iron-55	0.00	27.50	pCi/l	48.2	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	1000000
1	Waste	Coring Water-4	20090741-04	9/18/2009	Gamma Spec NORM - Water	K-40	266.00	123.00	pCi/l	142			DCGL = sewer discharge limit (10 CFR 20 App. B)	40000
1	Waste	Coring Water-4	20090741-04	9/18/2009	Gamma Spec NORM - Water	Pb-212	0.00	18.40	pCi/l	23.7	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	20000
1	Waste	Coring Water-4	20090741-04	9/18/2009	Gamma Spec NORM - Water	Pb-214	25.70	19.20	pCi/l	15			DCGL = sewer discharge limit (10 CFR 20 App. B)	20000
1	Waste	Coring Water-4	20090741-04	11/22/2009	Solubility	Solubility	90.60		%	0.1				
1	Waste	Coring Water-4	20090741-04	9/18/2009	Gamma Spec NORM - Water	Th-234	0.00	50.20	pCi/l	119	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	50000
1	Waste	Coring Water-4	20090741-04	9/18/2009	Gamma Spec NORM - Water	Tl-208	6.16	10.20	pCi/l	13	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B, Tl-204)	200000
1	Waste	Coring Water-4 Filtered	20091040-07	12/14/2009	EPA 906	H-3	715.00	63.00	pCi/l	806	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	10000000
1	Waste	Coring Water-5	20090741-05	9/21/2009	Gamma Spec NORM - Water	Ac-228	17.00	11.00	pCi/l	14.3			DCGL = sewer discharge limit (10 CFR 20 App. B)	300000
1	Waste	Coring Water-5	20090741-05	9/21/2009	Gamma Spec NORM - Water	Bi-212	0.00	21.30	pCi/l	29.3	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	700000
1	Waste	Coring Water-5	20090741-05	9/21/2009	Gamma Spec NORM - Water	Bi-214	3.63	5.88	pCi/l	8.28	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	3000000
1	Waste	Coring Water-5	20090741-05	9/28/2009	C-14	C-14	0.00	1.13	pCi/l	1.23	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	300000
1	Waste	Coring Water-5	20090741-05	9/21/2009	Gamma Spec NORM - Water	Eu-152	5.70	4.68	pCi/l	7.16	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	100000
1	Waste	Coring Water-5	20090741-05	9/21/2009	Gamma Spec NORM - Water	Eu-154	0.00	3.03	pCi/l	7.18	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	70000
1	Waste	Coring Water-5	20090741-05	9/29/2009	Tritium (H3)	H-3	308.00	20.00	pCi/l	328	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	10000000
1	Waste	Coring Water-5	20090741-05	11/25/2009	Iron-55	Iron-55	0.00	27.80	pCi/l	48.2	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	1000000
1	Waste	Coring Water-5	20090741-05	9/21/2009	Gamma Spec NORM - Water	K-40	28.30	39.00	pCi/l	49.2	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	40000
1	Waste	Coring Water-5	20090741-05	9/21/2009	Gamma Spec NORM - Water	Pb-212	0.00	6.14	pCi/l	8.01	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	20000
1	Waste	Coring Water-5	20090741-05	9/21/2009	Gamma Spec NORM - Water	Pb-214	0.00	3.07	pCi/l	7.28	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	20000
1	Waste	Coring Water-5	20090741-05	11/22/2009	Solubility	Solubility	98.60		%	0.1				
1	Waste	Coring Water-5	20090741-05	9/21/2009	Gamma Spec NORM - Water	Th-234	30.80	65.30	pCi/l	83.4	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	50000
1	Waste	Coring Water-5	20090741-05	9/21/2009	Gamma Spec NORM - Water	Tl-208	9.42	16.10	pCi/l	4.36			DCGL = sewer discharge limit (10 CFR 20 App. B, Tl-204)	200000
1	Waste	Coring Water-5 Filtered	20091040-08	12/14/2009	EPA 906	H-3	0.00	60.00	pCi/l	802	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	10000000
1	Waste	Coring Water-5 Sediment	20091040-02	12/14/2009	DOE Ga-01-R	Ac-228	0.17	0.13	pCi/g	0.196	< MDA			
1	Waste	Coring Water-5 Sediment	20091040-02	12/14/2009	DOE Ga-01-R	Bi-212	0.00	317.00	pCi/g	0.752	< MDA			
1	Waste	Coring Water-5 Sediment	20091040-02	12/14/2009	DOE Ga-01-R	Bi-214	0.74	0.13	pCi/g	0.125				
1	Waste	Coring Water-5 Sediment	20091040-02	12/14/2009	EPA EERF C01	C-14	0.17	0.03	pCi/g	0.023				12
1	Waste	Coring Water-5 Sediment	20091040-02	12/14/2009	DOE Ga-01-R	Eu-152	1.69	0.20	pCi/g	0.235				8.7
1	Waste	Coring Water-5 Sediment	20091040-02	12/14/2009	DOE Ga-01-R	Eu-154	0.06	0.11	pCi/g	0.144	< MDA			8.8
1	Waste	Coring Water-5 Sediment	20091040-02	12/14/2009	EPA 906	H-3	0.00	0.50	pCi/g	6.5	< MDA			110

### OFFSITE RADIOANALYTICAL MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	IEM Sample No.	Lab Sample No.	Date Collected	Test Method	Analysis	Result	Error	Units	MDA	MDA Flag	DCGL/MDA Flag	Comment	DCGL
1	Waste	Coring Water-5 Sediment	20091040-02	12/14/2009	DOE Ga-01-R	K-40	1.46	0.91	pCi/g	1.05				
1	Waste	Coring Water-5 Sediment	20091040-02	12/14/2009	DOE Ga-01-R	Pb-212	0.45	0.10	pCi/g	0.213				
1	Waste	Coring Water-5 Sediment	20091040-02	12/14/2009	DOE Ga-01-R	Pb-214	0.71	0.17	*	0.195				
1	Waste	Coring Water-5 Sediment	20091040-02	12/14/2009	SM 2540 B	Percent Moistur	59.00		%					
1	Waste	Coring Water-5 Sediment	20091040-02	12/14/2009	DOE Ga-01-R	Th-234	0.00	2.17	pCi/g	5.14	< MDA			
1	Waste	Coring Water-5 Sediment	20091040-02	12/14/2009	DOE Ga-01-R	Tl-208	0.09	.p71	pCi/g	0.09				
1	n.a.	F-3-1	20100591-02	8/5/2009	SM 1710-F	Density	2.14		kg/l				Concrete core	
1	n.a.	F-3-1 (Floor)	20090742-06	10/6/2009	Gamma Spec (NORM)	Ac-228	0.19	0.16	pCi/g	0.197	< MDA		Exposure room floor core near midpoint of west wall, 0-1"	
1	n.a.	F-3-1 (Floor)	20090742-06	10/6/2009	Gamma Spec (NORM)	Bi-212	0.00	0.23	pCi/g	0.376	< MDA		Exposure room floor core near midpoint of west wall, 0-1"	
1	n.a.	F-3-1 (Floor)	20090742-06	10/6/2009	Gamma Spec (NORM)	Bi-214	0.16	0.02	pCi/g	0.119			Exposure room floor core near midpoint of west wall, 0-1"	
1	n.a.	F-3-1 (Floor)	20090742-06	10/3/2009	C-14	C-14	0.10	0.06	pCi/g	0.055			Exposure room floor core near midpoint of west wall, 0-1"	12
1	n.a.	F-3-1 (Floor)	20090742-06	10/6/2009	Gamma Spec (NORM)	Eu-152	9.10	0.38	pCi/g	0.209		>DCGL	Exposure room floor core near midpoint of west wall, 0-1"	8.7
1	n.a.	F-3-1 (Floor)	20090742-06	10/6/2009	Gamma Spec (NORM)	Eu-154	0.21	0.10	pCi/g	0.147			Exposure room floor core near midpoint of west wall, 0-1"	8.8
1	n.a.	F-3-1 (Floor)	20090742-06	10/13/2009	Tritium (H3)	H-3	4.40	0.21	pCi/g	3.5			Exposure room floor core near midpoint of west wall, 0-1"	110
1	n.a.	F-3-1 (Floor)	20090742-06	11/1/2009	Iron-55	Iron-55	0.98	0.60	pCi/g	0.96			Exposure room floor core near midpoint of west wall, 0-1"	10000
1	n.a.	F-3-1 (Floor)	20090742-06	10/6/2009	Gamma Spec (NORM)	K-40	2.28	0.61	pCi/g	0.536			Exposure room floor core near midpoint of west wall, 0-1"	
1	n.a.	F-3-1 (Floor)	20090742-06	10/6/2009	Gamma Spec (NORM)	Pb-212	0.00	0.17	pCi/g	0.223	< MDA		Exposure room floor core near midpoint of west wall, 0-1"	
1	n.a.	F-3-1 (Floor)	20090742-06	10/6/2009	Gamma Spec (NORM)	Pb-214	0.16	0.12	pCi/g	0.165	< MDA		Exposure room floor core near midpoint of west wall, 0-1"	
1	n.a.	F-3-1 (Floor)	20090742-06	10/6/2009	Gamma Spec (NORM)	Th-234	1.22	1.99	pCi/g	2.55	< MDA		Exposure room floor core near midpoint of west wall, 0-1"	
1	n.a.	F-3-1 (Floor)	20090742-06	10/6/2009	Gamma Spec (NORM)	Tl-208	0.06	0.06	pCi/g	0.074	< MDA		Exposure room floor core near midpoint of west wall, 0-1"	
1	n.a.	F-3-1 (Floor)	20090742-06	10/18/2009	Uranium-Isotopic	Uranium-234	0.46	0.08	pCi/g	0.058			Exposure room floor core near midpoint of west wall, 0-1"	273
1	n.a.	F-3-1 (Floor)	20090742-06	10/18/2009	Uranium-Isotopic	Uranium-235	0.06	0.03	pCi/g	0.039			Exposure room floor core near midpoint of west wall, 0-1"	273



### OFFSITE RADIOANALYTICAL MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	IEM Sample No.	Lab Sample No.	Date Collected	Test Method	Analysis	Result	Error	Units	MDA	MDA Flag	DCGL/MDA Flag	Comment	DCGL
1	n.a.	F-3-1 (Floor)	20090742-06	10/18/2009	Uranium-Isotopic	Uranium-238	0.40	0.07	pCi/g	0.049			Exposure room floor core near midpoint of west wall, 0-1"	273
1	n.a.	F-3-2 (Floor)	20090742-07	10/3/2009	Gamma Spec (NORM)	Ac-228	0.36	0.24	pCi/g	0.273			Exposure room floor core near midpoint of west wall, 1-2"	
1	n.a.	F-3-2 (Floor)	20090742-07	10/3/2009	Gamma Spec (NORM)	Bi-212	0.64	0.34	pCi/g	0.808	< MDA		Exposure room floor core near midpoint of west wall, 1-2"	
1	n.a.	F-3-2 (Floor)	20090742-07	10/3/2009	Gamma Spec (NORM)	Bi-214	0.14	0.07	pCi/g	0.143	< MDA		Exposure room floor core near midpoint of west wall, 1-2"	
1	n.a.	F-3-2 (Floor)	20090742-07	10/3/2009	C-14	C-14	0.04	0.06	pCi/g	0.058	< MDA		Exposure room floor core near midpoint of west wall, 1-2"	12
1	n.a.	F-3-2 (Floor)	20090742-07	10/3/2009	Gamma Spec (NORM)	Eu-152	6.90	0.25	pCi/g	0.12			Exposure room floor core near midpoint of west wall, 1-2"	8.7
1	n.a.	F-3-2 (Floor)	20090742-07	10/3/2009	Gamma Spec (NORM)	Eu-154	0.05	0.13	pCi/g	0.084	< MDA		Exposure room floor core near midpoint of west wall, 1-2"	8.8
1	n.a.	F-3-2 (Floor)	20090742-07	10/13/2009	Tritium (H3)	H-3	4.10	0.21	pCi/g	3.4			Exposure room floor core near midpoint of west wall, 1-2"	110
1	n.a.	F-3-2 (Floor)	20090742-07	11/1/2009	Iron-55	Iron-55	0.18	0.58	pCi/g	0.96	< MDA		Exposure room floor core near midpoint of west wall, 1-2"	10000
1	n.a.	F-3-2 (Floor)	20090742-07	10/3/2009	Gamma Spec (NORM)	K-40	2.01	0.88	pCi/g	1			Exposure room floor core near midpoint of west wall, 1-2"	
1	n.a.	F-3-2 (Floor)	20090742-07	10/3/2009	Gamma Spec (NORM)	Pb-212	0.07	0.04	pCi/g	0.077	< MDA		Exposure room floor core near midpoint of west wall, 1-2"	
1	n.a.	F-3-2 (Floor)	20090742-07	10/3/2009	Gamma Spec (NORM)	Pb-214	0.29	0.06	pCi/g	0.152			Exposure room floor core near midpoint of west wall, 1-2"	
1	n.a.	F-3-2 (Floor)	20090742-07	10/3/2009	Gamma Spec (NORM)	Th-234	0.00	0.20	pCi/g	0.478	< MDA		Exposure room floor core near midpoint of west wall, 1-2"	
1	n.a.	F-3-2 (Floor)	20090742-07	10/3/2009	Gamma Spec (NORM)	Tl-208	0.13	0.38	pCi/g	0.09			Exposure room floor core near midpoint of west wall, 1-2"	
1	n.a.	F-3-2 (Floor)	20090742-07	10/18/2009	Uranium-Isotopic	Uranium-234	2.29	0.42	pCi/g	0.25			Exposure room floor core near midpoint of west wall, 1-2"	273
1	n.a.	F-3-2 (Floor)	20090742-07	10/18/2009	Uranium-Isotopic	Uranium-235	0.39	0.18	pCi/g	0.138			Exposure room floor core near midpoint of west wall, 1-2"	273
1	n.a.	F-3-2 (Floor)	20090742-07	10/18/2009	Uranium-Isotopic	Uranium-238	3.04	0.48	pCi/g	0.227			Exposure room floor core near midpoint of west wall, 1-2"	273

### OFFSITE RADIOANALYTICAL MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	IEM Sample No.	Lab Sample No.	Date Collected	Test Method	Analysis	Result	Error	Units	MDA	MDA Flag	DCGL/MDA Flag	Comment	DCGL
1	n.a.	F-3-3 (Floor)	20090742-08	10/6/2009	Gamma Spec (NORM)	Ac-228	0.00	0.15	pCi/g	0.352	< MDA		Exposure room floor core near midpoint of west wall, 2-3"	
1	n.a.	F-3-3 (Floor)	20090742-08	10/6/2009	Gamma Spec (NORM)	Bi-212	0.00	0.50	pCi/g	0.666	< MDA		Exposure room floor core near midpoint of west wall, 2-3"	
1	n.a.	F-3-3 (Floor)	20090742-08	10/6/2009	Gamma Spec (NORM)	Bi-214	0.09	0.14	pCi/g	0.174	< MDA		Exposure room floor core near midpoint of west wall, 2-3"	
1	n.a.	F-3-3 (Floor)	20090742-08	10/3/2009	C-14	C-14	0.10	0.07	pCi/g	0.069			Exposure room floor core near midpoint of west wall, 2-3"	12
1	n.a.	F-3-3 (Floor)	20090742-08	10/6/2009	Gamma Spec (NORM)	Eu-152	7.15	0.31	pCi/g	0.307			Exposure room floor core near midpoint of west wall, 2-3"	8.7
1	n.a.	F-3-3 (Floor)	20090742-08	10/6/2009	Gamma Spec (NORM)	Eu-154	0.31	0.09	pCi/g	0.179			Exposure room floor core near midpoint of west wall, 2-3"	8.8
1	n.a.	F-3-3 (Floor)	20090742-08	10/13/2009	Tritium (H3)	H-3	2.30	0.21	pCi/g	3.5	< MDA		Exposure room floor core near midpoint of west wall, 2-3"	110
1	n.a.	F-3-3 (Floor)	20090742-08	11/2/2009	Iron-55	Iron-55	0.08	0.58	pCi/g	0.96	< MDA		Exposure room floor core near midpoint of west wall, 2-3"	10000
1	n.a.	F-3-3 (Floor)	20090742-08	10/6/2009	Gamma Spec (NORM)	K-40	2.87	0.92	pCi/g	1.01			Exposure room floor core near midpoint of west wall, 2-3"	
1	n.a.	F-3-3 (Floor)	20090742-08	10/6/2009	Gamma Spec (NORM)	Pb-212	0.34	0.05	pCi/g	0.133			Exposure room floor core near midpoint of west wall, 2-3"	
1	n.a.	F-3-3 (Floor)	20090742-08	10/6/2009	Gamma Spec (NORM)	Pb-214	0.74	0.17	pCi/g	0.167			Exposure room floor core near midpoint of west wall, 2-3"	
1	n.a.	F-3-3 (Floor)	20090742-08	10/6/2009	Gamma Spec (NORM)	Th-234	0.00	0.82	pCi/g	1.94	< MDA		Exposure room floor core near midpoint of west wall, 2-3"	
1	n.a.	F-3-3 (Floor)	20090742-08	10/6/2009	Gamma Spec (NORM)	Tl-208	0.09	0.04	pCi/g	0.072			Exposure room floor core near midpoint of west wall, 2-3"	
1	n.a.	F-3-3 (Floor)	20090742-08	10/18/2009	Uranium-Isotopic	Uranium-234	0.57	0.09	pCi/g	0.058			Exposure room floor core near midpoint of west wall, 2-3"	273
1	n.a.	F-3-3 (Floor)	20090742-08	10/18/2009	Uranium-Isotopic	Uranium-235	0.07	0.03	pCi/g	0.032			Exposure room floor core near midpoint of west wall, 2-3"	273
1	n.a.	F-3-3 (Floor)	20090742-08	10/18/2009	Uranium-Isotopic	Uranium-238	0.45	0.08	pCi/g	0.034			Exposure room floor core near midpoint of west wall, 2-3"	273
1	n.a.	F-3-4 (Floor)	20090742-09	10/6/2009	Gamma Spec (NORM)	Ac-228	5.72	0.09	pCi/g	3.4			Exposure room floor core near midpoint of west wall, 3-4"	

## OFFSITE RADIOANALYTICAL MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	IEM Sample No.	Lab Sample No.	Date Collected	Test Method	Analysis	Result	Error	Units	MDA	MDA Flag	DCGL/MDA Flag	Comment	DCGL
1	n.a.	F-3-4 (Floor)	20090742-09	10/6/2009	Gamma Spec (NORM)	Bi-212	0.16	0.18	pCi/g	0.359	< MDA		Exposure room floor core near midpoint of west wall, 3-4"	
1	n.a.	F-3-4 (Floor)	20090742-09	10/6/2009	Gamma Spec (NORM)	Bi-214	0.09	0.05	pCi/g	0.138	< MDA		Exposure room floor core near midpoint of west wall, 3-4"	
1	n.a.	F-3-4 (Floor)	20090742-09	10/5/2009	C-14	C-14	0.00	0.07	pCi/g	0.079	< MDA		Exposure room floor core near midpoint of west wall, 3-4"	12
1	n.a.	F-3-4 (Floor)	20090742-09	10/6/2009	Gamma Spec (NORM)	Eu-152	14.90	0.46	pCi/g	0.606		>DCGL	Exposure room floor core near midpoint of west wall, 3-4"	8.7
1	n.a.	F-3-4 (Floor)	20090742-09	10/6/2009	Gamma Spec (NORM)	Eu-154	1.34	0.52	pCi/g	0.965			Exposure room floor core near midpoint of west wall, 3-4"	8.8
1	n.a.	F-3-4 (Floor)	20090742-09	10/14/2009	Tritium (H3)	H-3	2.40	0.21	pCi/g	3.5	< MDA		Exposure room floor core near midpoint of west wall, 3-4"	110
1	n.a.	F-3-4 (Floor)	20090742-09	11/2/2009	Iron-55	Iron-55	0.00	0.57	pCi/g	0.96	< MDA		Exposure room floor core near midpoint of west wall, 3-4"	10000
1	n.a.	F-3-4 (Floor)	20090742-09	10/6/2009	Gamma Spec (NORM)	K-40	2.09	0.63	pCi/g	0.584			Exposure room floor core near midpoint of west wall, 3-4"	
1	n.a.	F-3-4 (Floor)	20090742-09	10/6/2009	Gamma Spec (NORM)	Pb-212	0.29	0.09	pCi/g	0.131			Exposure room floor core near midpoint of west wall, 3-4"	
1	n.a.	F-3-4 (Floor)	20090742-09	10/6/2009	Gamma Spec (NORM)	Pb-214	0.10	0.06	pCi/g	0.125	< MDA		Exposure room floor core near midpoint of west wall, 3-4"	
1	n.a.	F-3-4 (Floor)	20090742-09	10/6/2009	Gamma Spec (NORM)	Th-234	1.16	0.61	pCi/g	1.45	< MDA		Exposure room floor core near midpoint of west wall, 3-4"	
1	n.a.	F-3-4 (Floor)	20090742-09	10/6/2009	Gamma Spec (NORM)	Tl-208	1.06	1.32	pCi/g	1.5	< MDA		Exposure room floor core near midpoint of west wall, 3-4"	
1	n.a.	F-3-4 (Floor)	20090742-09	10/18/2009	Uranium-Isotopic	Uranium-234	1.07	0.12	pCi/g	0.049			Exposure room floor core near midpoint of west wall, 3-4"	273
1	n.a.	F-3-4 (Floor)	20090742-09	10/18/2009	Uranium-Isotopic	Uranium-235	0.23	0.05	pCi/g	0.03			Exposure room floor core near midpoint of west wall, 3-4"	273
1	n.a.	F-3-4 (Floor)	20090742-09	10/18/2009	Uranium-Isotopic	Uranium-238	1.06	0.11	pCi/g	0.048			Exposure room floor core near midpoint of west wall, 3-4"	273
1	n.a.	F-3-5 (Floor)	20090742-10	10/3/2009	Gamma Spec (NORM)	Ac-228	0.13	0.15	pCi/g	0.187	< MDA		Exposure room floor core near midpoint of west wall, 4-5"	
1	n.a.	F-3-5 (Floor)	20090742-10	10/3/2009	Gamma Spec (NORM)	Bi-212	0.00	0.29	pCi/g	0.391	< MDA		Exposure room floor core near midpoint of west wall, 4-5"	

## OFFSITE RADIOANALYTICAL MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	IEM Sample No.	Lab Sample No.	Date Collected	Test Method	Analysis	Result	Error	Units	MDA	MDA Flag	DCGL/MDA Flag	Comment	DCGL
1	n.a.	F-3-5 (Floor)	20090742-10	10/3/2009	Gamma Spec (NORM)	Bi-214	0.20	0.08	pCi/g	0.105			Exposure room floor core near midpoint of west wall, 4-5"	
1	n.a.	F-3-5 (Floor)	20090742-10	10/16/2009	C-14	C-14	0.02	0.07	pCi/g	0.073	< MDA		Exposure room floor core near midpoint of west wall, 4-5"	12
1	n.a.	F-3-5 (Floor)	20090742-10	10/3/2009	Gamma Spec (NORM)	Eu-152	4.35	0.18	pCi/g	0.109			Exposure room floor core near midpoint of west wall, 4-5"	8.7
1	n.a.	F-3-5 (Floor)	20090742-10	10/3/2009	Gamma Spec (NORM)	Eu-154	0.15	0.09	pCi/g	0.076			Exposure room floor core near midpoint of west wall, 4-5"	8.8
1	n.a.	F-3-5 (Floor)	20090742-10	10/15/2009	Tritium (H3)	H-3	2.60	0.21	pCi/g	3.5	< MDA		Exposure room floor core near midpoint of west wall, 4-5"	110
1	n.a.	F-3-5 (Floor)	20090742-10	11/2/2009	Iron-55	Iron-55	0.50	0.59	pCi/g	0.96	< MDA		Exposure room floor core near midpoint of west wall, 4-5"	10000
1	n.a.	F-3-5 (Floor)	20090742-10	10/3/2009	Gamma Spec (NORM)	K-40	2.56	0.58	pCi/g	0.482			Exposure room floor core near midpoint of west wall, 4-5"	
1	n.a.	F-3-5 (Floor)	20090742-10	10/3/2009	Gamma Spec (NORM)	Pb-212	0.12	0.06	pCi/g	0.07			Exposure room floor core near midpoint of west wall, 4-5"	
1	n.a.	F-3-5 (Floor)	20090742-10	10/3/2009	Gamma Spec (NORM)	Pb-214	0.21	0.06	pCi/g	0.092			Exposure room floor core near midpoint of west wall, 4-5"	
1	n.a.	F-3-5 (Floor)	20090742-10	10/3/2009	Gamma Spec (NORM)	Th-234	0.45	0.61	pCi/g	0.934	< MDA		Exposure room floor core near midpoint of west wall, 4-5"	
1	n.a.	F-3-5 (Floor)	20090742-10	10/3/2009	Gamma Spec (NORM)	Tl-208	0.09	0.04	pCi/g	0.054			Exposure room floor core near midpoint of west wall, 4-5"	
1	n.a.	F-3-5 (Floor)	20090742-10	10/18/2009	Uranium-Isotopic	Uranium-234	0.75	0.17	pCi/g	0.215			Exposure room floor core near midpoint of west wall, 4-5"	273
1	n.a.	F-3-5 (Floor)	20090742-10	10/18/2009	Uranium-Isotopic	Uranium-235	0.07	0.08	pCi/g	0.127	< MDA		Exposure room floor core near midpoint of west wall, 4-5"	273
1	n.a.	F-3-5 (Floor)	20090742-10	10/18/2009	Uranium-Isotopic	Uranium-238	0.72	0.15	pCi/g	0.173			Exposure room floor core near midpoint of west wall, 4-5"	273
1	n.a.	Pool-1	20090742-26	10/8/2009	Gamma Spec (NORM)	Ac-228	0.28	0.09	pCi/g	0.16			Long cores through former reactor pool debris	
1	n.a.	Pool-1	20090742-26	10/8/2009	Gamma Spec (NORM)	Bi-212	0.12	0.22	pCi/g	0.526	< MDA		Long cores through former reactor pool debris	
1	n.a.	Pool-1	20090742-26	10/8/2009	Gamma Spec (NORM)	Bi-214	0.14	0.04	pCi/g	0.092			Long cores through former reactor pool debris	
1	n.a.	Pool-1	20090742-26	10/5/2009	C-14	C-14	0.15	0.07	pCi/g	0.063			Long cores through former reactor pool debris	12
1	n.a.	Pool-1	20090742-26	10/8/2009	Gamma Spec (NORM)	Eu-152	0.00	0.06	pCi/g	0.133	< MDA		Long cores through former reactor pool debris	8.7

### OFFSITE RADIOANALYTICAL MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	IEM Sample No.	Lab Sample No.	Date Collected	Test Method	Analysis	Result	Error	Units	MDA	MDA Flag	DCGL/MDA Flag	Comment	DCGL
1	n.a.	Pool-1	20090742-26	10/8/2009	Gamma Spec (NORM)	Eu-154	0.01	0.03	pCi/g	0.038	< MDA		Long cores through former reactor pool debris	8.8
1	n.a.	Pool-1	20090742-26	10/13/2009	Tritium (H3)	H-3	1.60	0.19	pCi/g	3.3	< MDA		Long cores through former reactor pool debris	110
1	n.a.	Pool-1	20090742-26	11/2/2009	Iron-55	Iron-55	0.00	0.57	pCi/g	0.96	< MDA		Long cores through former reactor pool debris	10000
1	n.a.	Pool-1	20090742-26	10/8/2009	Gamma Spec (NORM)	K-40	1.60	0.73	pCi/g	0.761			Long cores through former reactor pool debris	
1	n.a.	Pool-1	20090742-26	10/8/2009	Gamma Spec (NORM)	Pb-212	0.39	0.12	pCi/g	0.137			Long cores through former reactor pool debris	
1	n.a.	Pool-1	20090742-26	10/8/2009	Gamma Spec (NORM)	Pb-214	0.22	0.06	pCi/g	0.102			Long cores through former reactor pool debris	
1	n.a.	Pool-1	20090742-26	10/8/2009	Gamma Spec (NORM)	Th-234	0.00	0.41	pCi/g	0.967	< MDA		Long cores through former reactor pool debris	
1	n.a.	Pool-1	20090742-26	10/8/2009	Gamma Spec (NORM)	Tl-208	0.11	0.05	pCi/g	0.062			Long cores through former reactor pool debris	
1	n.a.	Pool-1	20090742-26	10/21/2009	Uranium-Isotopic	Uranium-234	0.31	0.06	pCi/g	0.05			Long cores through former reactor pool debris	273
1	n.a.	Pool-1	20090742-26	10/21/2009	Uranium-Isotopic	Uranium-235	0.08	0.03	pCi/g	0.028			Long cores through former reactor pool debris	273
1	n.a.	Pool-1	20090742-26	10/21/2009	Uranium-Isotopic	Uranium-238	0.32	0.06	pCi/g	0.03			Long cores through former reactor pool debris	273
1	n.a.	Pool-2	20090742-27	10/8/2009	Gamma Spec (NORM)	Ac-228	2.28	0.20	pCi/g	0.183			Long cores through former reactor pool debris	
1	n.a.	Pool-2	20090742-27	10/8/2009	Gamma Spec (NORM)	Bi-212	1.82	0.40	pCi/g	0.381			Long cores through former reactor pool debris	
1	n.a.	Pool-2	20090742-27	10/8/2009	Gamma Spec (NORM)	Bi-214	1.18	0.13	pCi/g	0.099			Long cores through former reactor pool debris	
1	n.a.	Pool-2	20090742-27	10/3/2009	C-14	C-14	1.12	0.09	pCi/g	0.053			Long cores through former reactor pool debris	12
1	n.a.	Pool-2	20090742-27	10/8/2009	Gamma Spec (NORM)	Eu-152	0.00	0.10	pCi/g	0.231	< MDA		Long cores through former reactor pool debris	8.7
1	n.a.	Pool-2	20090742-27	10/8/2009	Gamma Spec (NORM)	Eu-154	0.00	0.07	pCi/g	0.16	< MDA		Long cores through former reactor pool debris	8.8
1	n.a.	Pool-2	20090742-27	10/13/2009	Tritium (H3)	H-3	1.20	0.20	pCi/g	3.4	< MDA		Long cores through former reactor pool debris	110
1	n.a.	Pool-2	20090742-27	11/2/2009	Iron-55	Iron-55	0.29	0.58	pCi/g	0.96	< MDA		Long cores through former reactor pool debris	10000
1	n.a.	Pool-2	20090742-27	10/8/2009	Gamma Spec (NORM)	K-40	2.99	0.63	pCi/g	0.474			Long cores through former reactor pool debris	
1	n.a.	Pool-2	20090742-27	10/8/2009	Gamma Spec (NORM)	Pb-212	4.19	0.45	pCi/g	0.128			Long cores through former reactor pool debris	
1	n.a.	Pool-2	20090742-27	10/8/2009	Gamma Spec (NORM)	Pb-214	1.10	0.15	pCi/g	0.155			Long cores through former reactor pool debris	
1	n.a.	Pool-2	20090742-27	10/8/2009	Gamma Spec (NORM)	Th-234	2.70	1.33	pCi/g	1.98			Long cores through former reactor pool debris	
1	n.a.	Pool-2	20090742-27	10/8/2009	Gamma Spec (NORM)	Tl-208	0.08	0.08	pCi/g	0.048			Long cores through former reactor pool debris	
1	n.a.	Pool-2	20090742-27	10/24/2009	Uranium-Isotopic	Uranium-234	1.96	0.17	pCi/g	0.083			Long cores through former reactor pool debris	273
1	n.a.	Pool-2	20090742-27	10/24/2009	Uranium-Isotopic	Uranium-235	0.21	0.06	pCi/g	0.061			Long cores through former reactor pool debris	273

### OFFSITE RADIOANALYTICAL MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	IEM Sample No.	Lab Sample No.	Date Collected	Test Method	Analysis	Result	Error	Units	MDA	MDA Flag	DCGL/MDA Flag	Comment	DCGL
1	n.a.	Pool-2	20090742-27	10/24/2009	Uranium-Isotopic	Uranium-238	1.95	0.18	pCi/g	0.142			Long cores through former reactor pool debris	273
1	n.a.	Pool-3	20090742-28	10/8/2009	Gamma Spec (NORM)	Ac-228	1.15	0.16	pCi/g	0.27			Long cores through former reactor pool debris	
1	n.a.	Pool-3	20090742-28	10/8/2009	Gamma Spec (NORM)	Bi-212	0.91	0.16	pCi/g	0.463			Long cores through former reactor pool debris	
1	n.a.	Pool-3	20090742-28	10/8/2009	Gamma Spec (NORM)	Bi-214	0.41	0.13	pCi/g	0.154			Long cores through former reactor pool debris	
1	n.a.	Pool-3	20090742-28	10/3/2009	C-14	C-14	0.00	0.06	pCi/g	0.063	< MDA		Long cores through former reactor pool debris	12
1	n.a.	Pool-3	20090742-28	10/8/2009	Gamma Spec (NORM)	Eu-152	0.29	0.08	pCi/g	0.187			Long cores through former reactor pool debris	8.7
1	n.a.	Pool-3	20090742-28	10/8/2009	Gamma Spec (NORM)	Eu-154	0.27	0.10	pCi/g	0.227			Long cores through former reactor pool debris	8.8
1	n.a.	Pool-3	20090742-28	10/13/2009	Tritium (H3)	H-3	1.70	0.20	pCi/g	3.4	< MDA		Long cores through former reactor pool debris	110
1	n.a.	Pool-3	20090742-28	11/2/2009	Iron-55	Iron-55	0.06	0.58	pCi/g	0.96	< MDA		Long cores through former reactor pool debris	10000
1	n.a.	Pool-3	20090742-28	10/8/2009	Gamma Spec (NORM)	K-40	9.75	1.36	pCi/g	1.02			Long cores through former reactor pool debris	
1	n.a.	Pool-3	20090742-28	10/8/2009	Gamma Spec (NORM)	Pb-212	1.63	0.08	pCi/g	0.198			Long cores through former reactor pool debris	
1	n.a.	Pool-3	20090742-28	10/8/2009	Gamma Spec (NORM)	Pb-214	0.58	0.11	pCi/g	0.137			Long cores through former reactor pool debris	
1	n.a.	Pool-3	20090742-28	10/8/2009	Gamma Spec (NORM)	Th-234	0.42	1.07	pCi/g	1.49	< MDA		Long cores through former reactor pool debris	
1	n.a.	Pool-3	20090742-28	10/8/2009	Gamma Spec (NORM)	Tl-208	0.37	0.08	pCi/g	0.078			Long cores through former reactor pool debris	
1	n.a.	Pool-3	20090742-28	10/21/2009	Uranium-Isotopic	Uranium-234	0.59	0.13	pCi/g	0.145			Long cores through former reactor pool debris	273
1	n.a.	Pool-3	20090742-28	10/21/2009	Uranium-Isotopic	Uranium-235	0.06	0.05	pCi/g	0.067	< MDA		Long cores through former reactor pool debris	273
1	n.a.	Pool-3	20090742-28	10/21/2009	Uranium-Isotopic	Uranium-238	0.65	0.14	pCi/g	0.155			Long cores through former reactor pool debris	273
1	n.a.	Pool-4	20090742-29	10/8/2009	Gamma Spec (NORM)	Ac-228	0.23	0.05	pCi/g	0.114			Long cores through former reactor pool debris	
1	n.a.	Pool-4	20090742-29	10/8/2009	Gamma Spec (NORM)	Bi-212	0.23	0.11	pCi/g	0.178			Long cores through former reactor pool debris	
1	n.a.	Pool-4	20090742-29	10/8/2009	Gamma Spec (NORM)	Bi-214	0.08	0.04	pCi/g	0.07			Long cores through former reactor pool debris	
1	n.a.	Pool-4	20090742-29	10/5/2009	C-14	C-14	0.00	0.05	pCi/g	0.057	< MDA		Long cores through former reactor pool debris	12
1	n.a.	Pool-4	20090742-29	10/8/2009	Gamma Spec (NORM)	Eu-152	0.32	0.03	pCi/g	0.025			Long cores through former reactor pool debris	8.7
1	n.a.	Pool-4	20090742-29	10/8/2009	Gamma Spec (NORM)	Eu-154	0.04	0.01	pCi/g	0.018			Long cores through former reactor pool debris	8.8
1	n.a.	Pool-4	20090742-29	10/13/2009	Tritium (H3)	H-3	1.90	0.21	pCi/g	3.5	< MDA		Long cores through former reactor pool debris	110
1	n.a.	Pool-4	20090742-29	11/25/2009	Iron-55	Iron-55	0.00	0.56	pCi/g	0.96	< MDA		Long cores through former reactor pool debris	10000
1	n.a.	Pool-4	20090742-29	10/8/2009	Gamma Spec (NORM)	K-40	0.64	0.38	pCi/g	0.449			Long cores through former reactor pool debris	

## OFFSITE RADIOANALYTICAL MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	IEM Sample No.	Lab Sample No.	Date Collected	Test Method	Analysis	Result	Error	Units	MDA	MDA Flag	DCGL/MDA Flag	Comment	DCGL
1	n.a.	Pool-4	20090742-29	10/8/2009	Gamma Spec (NORM)	Pb-212	0.21	0.03	pCi/g	0.035			Long cores through former reactor pool debris	
1	n.a.	Pool-4	20090742-29	10/8/2009	Gamma Spec (NORM)	Pb-214	0.10	0.03	pCi/g	0.049			Long cores through former reactor pool debris	
1	n.a.	Pool-4	20090742-29	10/8/2009	Gamma Spec (NORM)	Th-234	0.27	0.29	pCi/g	0.211			Long cores through former reactor pool debris	
1	n.a.	Pool-4	20090742-29	10/8/2009	Gamma Spec (NORM)	Tl-208	0.08	0.03	pCi/g	0.037			Long cores through former reactor pool debris	
1	n.a.	Pool-4	20090742-29	10/21/2009	Uranium-Isotopic	Uranium-234	0.59	0.09	pCi/g	0.052			Long cores through former reactor pool debris	273
1	n.a.	Pool-4	20090742-29	10/21/2009	Uranium-Isotopic	Uranium-235	0.13	0.04	pCi/g	0.017			Long cores through former reactor pool debris	273
1	n.a.	Pool-4	20090742-29	10/21/2009	Uranium-Isotopic	Uranium-238	0.55	0.09	pCi/g	0.059			Long cores through former reactor pool debris	273
1	n.a.	W-121	20100591-03	8/5/2009	SM 1710-F	Density	2.39		kg/l				Concrete core	
1	n.a.	W-12-1 (Wall)	20090742-11	10/6/2009	Gamma Spec (NORM)	Ac-228	0.17	0.23	pCi/g	0.316	< MDA		Exposure Room east wall, south end, 0-1"	
1	n.a.	W-12-1 (Wall)	20090742-11	10/6/2009	Gamma Spec (NORM)	Bi-212	0.00	0.21	pCi/g	0.496	< MDA		Exposure Room east wall, south end, 0-1"	
1	n.a.	W-12-1 (Wall)	20090742-11	10/6/2009	Gamma Spec (NORM)	Bi-214	0.13	0.13	pCi/g	0.182	< MDA		Exposure Room east wall, south end, 0-1"	
1	n.a.	W-12-1 (Wall)	20090742-11	10/5/2009	C-14	C-14	0.12	0.08	pCi/g	0.081			Exposure Room east wall, south end, 0-1"	12
1	n.a.	W-12-1 (Wall)	20090742-11	10/6/2009	Gamma Spec (NORM)	Eu-152	12.70	0.59	pCi/g	0.214		>DCGL	Exposure Room east wall, south end, 0-1"	8.7
1	n.a.	W-12-1 (Wall)	20090742-11	10/6/2009	Gamma Spec (NORM)	Eu-154	0.37	0.17	pCi/g	0.149			Exposure Room east wall, south end, 0-1"	8.8
1	n.a.	W-12-1 (Wall)	20090742-11	10/14/2009	Tritium (H3)	H-3	3.00	0.21	pCi/l	3.5	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	10000000
1	n.a.	W-12-1 (Wall)	20090742-11	11/2/2009	Iron-55	Iron-55	0.01	0.57	pCi/g	0.96	< MDA		Exposure Room east wall, south end, 0-1"	10000
1	n.a.	W-12-1 (Wall)	20090742-11	10/6/2009	Gamma Spec (NORM)	K-40	2.61	1.05	pCi/g	1.09			Exposure Room east wall, south end, 0-1"	
1	n.a.	W-12-1 (Wall)	20090742-11	10/6/2009	Gamma Spec (NORM)	Pb-212	0.20	0.09	pCi/g	0.16			Exposure Room east wall, south end, 0-1"	
1	n.a.	W-12-1 (Wall)	20090742-11	10/6/2009	Gamma Spec (NORM)	Pb-214	0.71	0.11	pCi/g	0.212			Exposure Room east wall, south end, 0-1"	
1	n.a.	W-12-1 (Wall)	20090742-11	10/6/2009	Gamma Spec (NORM)	Th-234	0.00	0.92	pCi/g	2.17	< MDA		Exposure Room east wall, south end, 0-1"	
1	n.a.	W-12-1 (Wall)	20090742-11	10/6/2009	Gamma Spec (NORM)	Tl-208	0.07	0.05	pCi/g	0.107	< MDA		Exposure Room east wall, south end, 0-1"	
1	n.a.	W-12-1 (Wall)	20090742-11	10/18/2009	Uranium-Isotopic	Uranium-234	0.47	0.11	pCi/g	0.14			Exposure Room east wall, south end, 0-1"	273
1	n.a.	W-12-1 (Wall)	20090742-11	10/18/2009	Uranium-Isotopic	Uranium-235	0.07	0.06	pCi/g	0.101	< MDA		Exposure Room east wall, south end, 0-1"	273
1	n.a.	W-12-1 (Wall)	20090742-11	10/18/2009	Uranium-Isotopic	Uranium-238	0.42	0.11	pCi/g	0.138			Exposure Room east wall, south end, 0-1"	273
1	n.a.	W-12-2 (Wall)	20090742-12	10/6/2009	Gamma Spec (NORM)	Ac-228	0.00	0.13	pCi/g	0.306	< MDA		Exposure Room east wall, south end, 1-2"	
1	n.a.	W-12-2 (Wall)	20090742-12	10/6/2009	Gamma Spec (NORM)	Bi-212	0.00	0.30	pCi/g	0.721	< MDA		Exposure Room east wall, south end, 1-2"	
1	n.a.	W-12-2 (Wall)	20090742-12	10/6/2009	Gamma Spec (NORM)	Bi-214	0.11	0.08	pCi/g	0.108			Exposure Room east wall, south end, 1-2"	

### OFFSITE RADIOANALYTICAL MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	IEM Sample No.	Lab Sample No.	Date Collected	Test Method	Analysis	Result	Error	Units	MDA	MDA Flag	DCGL/MDA Flag	Comment	DCGL
1	n.a.	W-12-2 (Wall)	20090742-12	10/5/2009	C-14	C-14	0.02	0.07	pCi/g	0.08	< MDA		Exposure Room east wall, south end, 1-2"	12
1	n.a.	W-12-2 (Wall)	20090742-12	10/6/2009	Gamma Spec (NORM)	Eu-152	7.72	0.38	pCi/g	0.204			Exposure Room east wall, south end, 1-2"	8.7
1	n.a.	W-12-2 (Wall)	20090742-12	10/6/2009	Gamma Spec (NORM)	Eu-154	0.24	0.11	pCi/g	0.151			Exposure Room east wall, south end, 1-2"	8.8
1	n.a.	W-12-2 (Wall)	20090742-12	10/14/2009	Tritium (H3)	H-3	2.20	0.21	pCi/g	3.4	< MDA		Exposure Room east wall, south end, 1-2"	110
1	n.a.	W-12-2 (Wall)	20090742-12	11/2/2009	Iron-55	Iron-55	0.47	0.59	pCi/g	0.96	< MDA		Exposure Room east wall, south end, 1-2"	10000
1	n.a.	W-12-2 (Wall)	20090742-12	10/6/2009	Gamma Spec (NORM)	K-40	2.00	0.59	pCi/g	0.514			Exposure Room east wall, south end, 1-2"	
1	n.a.	W-12-2 (Wall)	20090742-12	10/6/2009	Gamma Spec (NORM)	Pb-212	0.29	0.14	pCi/g	0.162			Exposure Room east wall, south end, 1-2"	
1	n.a.	W-12-2 (Wall)	20090742-12	10/6/2009	Gamma Spec (NORM)	Pb-214	0.39	0.08	pCi/g	0.171			Exposure Room east wall, south end, 1-2"	
1	n.a.	W-12-2 (Wall)	20090742-12	10/6/2009	Gamma Spec (NORM)	Th-234	0.90	1.24	pCi/g	2.45	< MDA		Exposure Room east wall, south end, 1-2"	
1	n.a.	W-12-2 (Wall)	20090742-12	10/6/2009	Gamma Spec (NORM)	Tl-208	0.01	0.04	pCi/g	0.057	< MDA		Exposure Room east wall, south end, 1-2"	
1	n.a.	W-12-2 (Wall)	20090742-12	10/18/2009	Uranium-Isotopic	Uranium-234	0.52	0.09	pCi/g	0.052			Exposure Room east wall, south end, 1-2"	273
1	n.a.	W-12-2 (Wall)	20090742-12	10/18/2009	Uranium-Isotopic	Uranium-235	0.09	0.04	pCi/g	0.027			Exposure Room east wall, south end, 1-2"	273
1	n.a.	W-12-2 (Wall)	20090742-12	10/18/2009	Uranium-Isotopic	Uranium-238	0.33	0.07	pCi/g	0.045			Exposure Room east wall, south end, 1-2"	273
1	n.a.	W-12-3 (Wall)	20090742-13	10/6/2009	Gamma Spec (NORM)	Ac-228	0.21	0.04	pCi/g	0.195			Exposure Room east wall, south end, 2-3"	
1	n.a.	W-12-3 (Wall)	20090742-13	10/6/2009	Gamma Spec (NORM)	Bi-212	0.00	0.22	pCi/g	0.369	< MDA		Exposure Room east wall, south end, 2-3"	
1	n.a.	W-12-3 (Wall)	20090742-13	10/6/2009	Gamma Spec (NORM)	Bi-214	0.15	0.05	pCi/g	0.126			Exposure Room east wall, south end, 2-3"	
1	n.a.	W-12-3 (Wall)	20090742-13	10/5/2009	C-14	C-14	0.01	0.07	pCi/g	0.072	< MDA		Exposure Room east wall, south end, 2-3"	12
1	n.a.	W-12-3 (Wall)	20090742-13	10/6/2009	Gamma Spec (NORM)	Eu-152	7.33	0.31	pCi/g	0.192			Exposure Room east wall, south end, 2-3"	8.7
1	n.a.	W-12-3 (Wall)	20090742-13	10/6/2009	Gamma Spec (NORM)	Eu-154	0.09	0.11	pCi/g	0.195	< MDA		Exposure Room east wall, south end, 2-3"	8.8
1	n.a.	W-12-3 (Wall)	20090742-13	10/14/2009	Tritium (H3)	H-3	1.50	0.21	pCi/g	3.5	< MDA		Exposure Room east wall, south end, 2-3"	110
1	n.a.	W-12-3 (Wall)	20090742-13	11/2/2009	Iron-55	Iron-55	0.00	0.57	pCi/g	0.96	< MDA		Exposure Room east wall, south end, 2-3"	10000
1	n.a.	W-12-3 (Wall)	20090742-13	10/6/2009	Gamma Spec (NORM)	K-40	2.04	0.86	pCi/g	1			Exposure Room east wall, south end, 2-3"	
1	n.a.	W-12-3 (Wall)	20090742-13	10/6/2009	Gamma Spec (NORM)	Pb-212	0.33	0.08	pCi/g	0.127			Exposure Room east wall, south end, 2-3"	
1	n.a.	W-12-3 (Wall)	20090742-13	10/6/2009	Gamma Spec (NORM)	Pb-214	0.27	0.05	pCi/g	0.14			Exposure Room east wall, south end, 2-3"	
1	n.a.	W-12-3 (Wall)	20090742-13	10/6/2009	Gamma Spec (NORM)	Th-234	0.14	1.02	pCi/g	1.31	< MDA		Exposure Room east wall, south end, 2-3"	
1	n.a.	W-12-3 (Wall)	20090742-13	10/6/2009	Gamma Spec (NORM)	Tl-208	0.17	0.08	pCi/g	0.103			Exposure Room east wall, south end, 2-3"	



## OFFSITE RADIOANALYTICAL MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	IEM Sample No.	Lab Sample No.	Date Collected	Test Method	Analysis	Result	Error	Units	MDA	MDA Flag	DCGL/MDA Flag	Comment	DCGL
1	n.a.	W-12-3 (Wall)	20090742-13	10/30/2009	Uranium-Isotopic	Uranium-234	0.95	0.19	pCi/g	0.117			Exposure Room east wall, south end, 2-3"	273
1	n.a.	W-12-3 (Wall)	20090742-13	10/30/2009	Uranium-Isotopic	Uranium-235	0.11	0.07	pCi/g	0.079			Exposure Room east wall, south end, 2-3"	273
1	n.a.	W-12-3 (Wall)	20090742-13	10/30/2009	Uranium-Isotopic	Uranium-238	0.77	0.17	pCi/g	0.099			Exposure Room east wall, south end, 2-3"	273
1	n.a.	W-12-4 (Wall)	20090742-14	10/7/2009	Gamma Spec (NORM)	Ac-228	0.24	0.11	pCi/g	0.222			Exposure Room east wall, south end, 3-4"	
1	n.a.	W-12-4 (Wall)	20090742-14	10/7/2009	Gamma Spec (NORM)	Bi-212	0.08	0.15	pCi/g	0.308	< MDA		Exposure Room east wall, south end, 3-4"	
1	n.a.	W-12-4 (Wall)	20090742-14	10/7/2009	Gamma Spec (NORM)	Bi-214	0.26	0.06	pCi/g	0.107			Exposure Room east wall, south end, 3-4"	
1	n.a.	W-12-4 (Wall)	20090742-14	10/5/2009	C-14	C-14	0.00	0.08	pCi/g	0.1	< MDA		Exposure Room east wall, south end, 3-4"	12
1	n.a.	W-12-4 (Wall)	20090742-14	10/7/2009	Gamma Spec (NORM)	Eu-152	3.00	0.23	pCi/g	0.165			Exposure Room east wall, south end, 3-4"	8.7
1	n.a.	W-12-4 (Wall)	20090742-14	10/7/2009	Gamma Spec (NORM)	Eu-154	0.09	0.05	pCi/g	0.136	< MDA		Exposure Room east wall, south end, 3-4"	8.8
1	n.a.	W-12-4 (Wall)	20090742-14	10/14/2009	Tritium (H3)	H-3	2.80	0.21	pCi/g	3.5	< MDA		Exposure Room east wall, south end, 3-4"	110
1	n.a.	W-12-4 (Wall)	20090742-14	11/2/2009	Iron-55	Iron-55	0.21	0.58	pCi/g	0.96	< MDA		Exposure Room east wall, south end, 3-4"	10000
1	n.a.	W-12-4 (Wall)	20090742-14	10/7/2009	Gamma Spec (NORM)	K-40	2.26	0.66	pCi/g	0.57			Exposure Room east wall, south end, 3-4"	
1	n.a.	W-12-4 (Wall)	20090742-14	10/7/2009	Gamma Spec (NORM)	Pb-212	0.40	0.09	pCi/g	0.151			Exposure Room east wall, south end, 3-4"	
1	n.a.	W-12-4 (Wall)	20090742-14	10/7/2009	Gamma Spec (NORM)	Pb-214	0.32	0.07	pCi/g	0.128			Exposure Room east wall, south end, 3-4"	
1	n.a.	W-12-4 (Wall)	20090742-14	10/7/2009	Gamma Spec (NORM)	Th-234	0.80	0.87	pCi/g	0.735			Exposure Room east wall, south end, 3-4"	
1	n.a.	W-12-4 (Wall)	20090742-14	10/7/2009	Gamma Spec (NORM)	Tl-208	0.10	0.05	pCi/g	0.06			Exposure Room east wall, south end, 3-4"	
1	n.a.	W-12-4 (Wall)	20090742-14	10/18/2009	Uranium-Isotopic	Uranium-234	0.72	0.12	pCi/g	0.097			Exposure Room east wall, south end, 3-4"	273
1	n.a.	W-12-4 (Wall)	20090742-14	10/18/2009	Uranium-Isotopic	Uranium-235	0.32	0.08	pCi/g	0.069			Exposure Room east wall, south end, 3-4"	273
1	n.a.	W-12-4 (Wall)	20090742-14	10/18/2009	Uranium-Isotopic	Uranium-238	0.65	0.12	pCi/g	0.102			Exposure Room east wall, south end, 3-4"	273
1	n.a.	W-12-5 (Wall)	20090742-15	10/7/2009	Gamma Spec (NORM)	Ac-228	0.22	0.10	pCi/g	0.203			Exposure Room east wall, south end, 4-5"	
1	n.a.	W-12-5 (Wall)	20090742-15	10/7/2009	Gamma Spec (NORM)	Bi-212	0.37	0.21	pCi/g	0.388	< MDA		Exposure Room east wall, south end, 4-5"	
1	n.a.	W-12-5 (Wall)	20090742-15	10/7/2009	Gamma Spec (NORM)	Bi-214	0.26	0.06	pCi/g	0.099			Exposure Room east wall, south end, 4-5"	
1	n.a.	W-12-5 (Wall)	20090742-15	10/5/2009	C-14	C-14	0.00	0.07	pCi/g	0.08	< MDA		Exposure Room east wall, south end, 4-5"	12
1	n.a.	W-12-5 (Wall)	20090742-15	10/7/2009	Gamma Spec (NORM)	Eu-152	3.04	0.19	pCi/g	0.162			Exposure Room east wall, south end, 4-5"	8.7
1	n.a.	W-12-5 (Wall)	20090742-15	10/7/2009	Gamma Spec (NORM)	Eu-154	0.15	0.10	pCi/g	0.105			Exposure Room east wall, south end, 4-5"	8.8
1	n.a.	W-12-5 (Wall)	20090742-15	10/14/2009	Tritium (H3)	H-3	2.60	0.21	pCi/g	3.5	< MDA		Exposure Room east wall, south end, 4-5"	110

## OFFSITE RADIOANALYTICAL MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	IEM Sample No.	Lab Sample No.	Date Collected	Test Method	Analysis	Result	Error	Units	MDA	MDA Flag	DCGL/MDA Flag	Comment	DCGL
1	n.a.	W-12-5 (Wall)	20090742-15	11/2/2009	Iron-55	Iron-55	0.00	0.57	pCi/g	0.96	< MDA		Exposure Room east wall, south end, 4-5"	10000
1	n.a.	W-12-5 (Wall)	20090742-15	10/7/2009	Gamma Spec (NORM)	K-40	1.86	0.75	pCi/g	0.787			Exposure Room east wall, south end, 4-5"	
1	n.a.	W-12-5 (Wall)	20090742-15	10/7/2009	Gamma Spec (NORM)	Pb-212	0.00	0.19	pCi/g	0.101	< MDA		Exposure Room east wall, south end, 4-5"	
1	n.a.	W-12-5 (Wall)	20090742-15	10/7/2009	Gamma Spec (NORM)	Pb-214	0.39	0.06	pCi/g	0.101			Exposure Room east wall, south end, 4-5"	
1	n.a.	W-12-5 (Wall)	20090742-15	10/7/2009	Gamma Spec (NORM)	Th-234	0.17	0.77	pCi/g	0.988	< MDA		Exposure Room east wall, south end, 4-5"	
1	n.a.	W-12-5 (Wall)	20090742-15	10/7/2009	Gamma Spec (NORM)	Tl-208	0.11	0.04	pCi/g	0.061			Exposure Room east wall, south end, 4-5"	
1	n.a.	W-12-5 (Wall)	20090742-15	10/18/2009	Uranium-Isotopic	Uranium-234	0.78	0.11	pCi/g	0.078			Exposure Room east wall, south end, 4-5"	273
1	n.a.	W-12-5 (Wall)	20090742-15	10/18/2009	Uranium-Isotopic	Uranium-235	0.19	0.06	pCi/g	0.058			Exposure Room east wall, south end, 4-5"	273
1	n.a.	W-12-5 (Wall)	20090742-15	10/18/2009	Uranium-Isotopic	Uranium-238	0.51	0.11	pCi/g	0.134			Exposure Room east wall, south end, 4-5"	273
1	n.a.	W-13-1 (Wall)	20090742-16	10/7/2009	Gamma Spec (NORM)	Ac-228	0.18	0.08	pCi/g	0.201	< MDA		Exposure Room west wall, center, 0-1"	
1	n.a.	W-13-1 (Wall)	20090742-16	10/7/2009	Gamma Spec (NORM)	Bi-212	0.00	0.29	pCi/g	0.386	< MDA		Exposure Room west wall, center, 0-1"	
1	n.a.	W-13-1 (Wall)	20090742-16	10/7/2009	Gamma Spec (NORM)	Bi-214	0.00	0.05	pCi/g	0.088	< MDA		Exposure Room west wall, center, 0-1"	
1	n.a.	W-13-1 (Wall)	20090742-16	10/16/2009	C-14	C-14	0.00	0.06	pCi/g	0.088	< MDA		Exposure Room west wall, center, 0-1"	12
1	n.a.	W-13-1 (Wall)	20090742-16	10/7/2009	Gamma Spec (NORM)	Eu-152	5.37	0.18	pCi/g	0.11			Exposure Room west wall, center, 0-1"	8.7
1	n.a.	W-13-1 (Wall)	20090742-16	10/7/2009	Gamma Spec (NORM)	Eu-154	0.12	0.10	pCi/g	0.076			Exposure Room west wall, center, 0-1"	8.8
1	n.a.	W-13-1 (Wall)	20090742-16	10/15/2009	Tritium (H3)	H-3	3.20	0.22	pCi/g	3.6	< MDA		Exposure Room west wall, center, 0-1"	110
1	n.a.	W-13-1 (Wall)	20090742-16	11/2/2009	Iron-55	Iron-55	1.01	0.60	pCi/g	0.96			Exposure Room west wall, center, 0-1"	10000
1	n.a.	W-13-1 (Wall)	20090742-16	10/7/2009	Gamma Spec (NORM)	K-40	2.21	0.77	pCi/g	0.819			Exposure Room west wall, center, 0-1"	
1	n.a.	W-13-1 (Wall)	20090742-16	10/7/2009	Gamma Spec (NORM)	Pb-212	0.24	0.10	pCi/g	0.142			Exposure Room west wall, center, 0-1"	
1	n.a.	W-13-1 (Wall)	20090742-16	10/7/2009	Gamma Spec (NORM)	Pb-214	0.22	0.05	pCi/g	0.121			Exposure Room west wall, center, 0-1"	
1	n.a.	W-13-1 (Wall)	20090742-16	10/7/2009	Gamma Spec (NORM)	Th-234	0.06	0.49	pCi/g	0.568	< MDA		Exposure Room west wall, center, 0-1"	
1	n.a.	W-13-1 (Wall)	20090742-16	10/7/2009	Gamma Spec (NORM)	Tl-208	0.09	0.04	pCi/g	0.076			Exposure Room west wall, center, 0-1"	
1	n.a.	W-13-1 (Wall)	20090742-16	10/18/2009	Uranium-Isotopic	Uranium-234	0.55	0.11	pCi/g	0.104			Exposure Room west wall, center, 0-1"	273
1	n.a.	W-13-1 (Wall)	20090742-16	10/18/2009	Uranium-Isotopic	Uranium-235	0.19	0.07	pCi/g	0.084			Exposure Room west wall, center, 0-1"	273
1	n.a.	W-13-1 (Wall)	20090742-16	10/18/2009	Uranium-Isotopic	Uranium-238	0.43	0.10	pCi/g	0.089			Exposure Room west wall, center, 0-1"	273
1	n.a.	W-13-2 (Wall)	20090742-17	10/7/2009	Gamma Spec (NORM)	Ac-228	0.18	0.20	pCi/g	0.256	< MDA		Exposure Room west wall, center, 1-2"	

### OFFSITE RADIOANALYTICAL MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	IEM Sample No.	Lab Sample No.	Date Collected	Test Method	Analysis	Result	Error	Units	MDA	MDA Flag	DCGL/MDA Flag	Comment	DCGL
1	n.a.	W-13-2 (Wall)	20090742-17	10/7/2009	Gamma Spec (NORM)	Bi-212	0.00	0.38	pCi/g	0.906	< MDA		Exposure Room west wall, center, 1-2"	
1	n.a.	W-13-2 (Wall)	20090742-17	10/7/2009	Gamma Spec (NORM)	Bi-214	0.26	0.12	pCi/g	0.184			Exposure Room west wall, center, 1-2"	
1	n.a.	W-13-2 (Wall)	20090742-17	10/5/2009	C-14	C-14	0.02	0.09	pCi/g	0.1	< MDA		Exposure Room west wall, center, 1-2"	12
1	n.a.	W-13-2 (Wall)	20090742-17	10/7/2009	Gamma Spec (NORM)	Eu-152	8.95	0.42	pCi/g	0.262		>DCGL	Exposure Room west wall, center, 1-2"	8.7
1	n.a.	W-13-2 (Wall)	20090742-17	10/7/2009	Gamma Spec (NORM)	Eu-154	0.31	0.14	pCi/g	0.191			Exposure Room west wall, center, 1-2"	8.8
1	n.a.	W-13-2 (Wall)	20090742-17	10/14/2009	Tritium (H3)	H-3	6.00	0.22	pCi/g	3.6			Exposure Room west wall, center, 1-2"	110
1	n.a.	W-13-2 (Wall)	20090742-17	11/2/2009	Iron-55	Iron-55	0.00	0.56	pCi/g	0.96	< MDA		Exposure Room west wall, center, 1-2"	10000
1	n.a.	W-13-2 (Wall)	20090742-17	10/7/2009	Gamma Spec (NORM)	K-40	2.60	0.82	pCi/g	0.749			Exposure Room west wall, center, 1-2"	
1	n.a.	W-13-2 (Wall)	20090742-17	10/7/2009	Gamma Spec (NORM)	Pb-212	0.22	0.17	pCi/g	0.21			Exposure Room west wall, center, 1-2"	
1	n.a.	W-13-2 (Wall)	20090742-17	10/7/2009	Gamma Spec (NORM)	Pb-214	0.34	0.15	pCi/g	0.22			Exposure Room west wall, center, 1-2"	
1	n.a.	W-13-2 (Wall)	20090742-17	10/7/2009	Gamma Spec (NORM)	Th-234	1.65	2.42	pCi/g	4.15	< MDA		Exposure Room west wall, center, 1-2"	
1	n.a.	W-13-2 (Wall)	20090742-17	10/7/2009	Gamma Spec (NORM)	Tl-208	0.15	0.08	pCi/g	0.098			Exposure Room west wall, center, 1-2"	
1	n.a.	W-13-2 (Wall)	20090742-17	10/18/2009	Uranium-Isotopic	Uranium-234	0.49	0.09	pCi/g	0.019			Exposure Room west wall, center, 1-2"	273
1	n.a.	W-13-2 (Wall)	20090742-17	10/18/2009	Uranium-Isotopic	Uranium-235	0.05	0.03	pCi/g	0.025			Exposure Room west wall, center, 1-2"	273
1	n.a.	W-13-2 (Wall)	20090742-17	10/18/2009	Uranium-Isotopic	Uranium-238	0.52	0.09	pCi/g	0.033			Exposure Room west wall, center, 1-2"	273
1	n.a.	W-13-3 (Wall)	20090742-18	10/7/2009	Gamma Spec (NORM)	Ac-228	0.26	0.07	pCi/g	0.251			Exposure Room west wall, center, 2-3"	
1	n.a.	W-13-3 (Wall)	20090742-18	10/7/2009	Gamma Spec (NORM)	Bi-212	0.40	0.43	pCi/g	1.03	< MDA		Exposure Room west wall, center, 2-3"	
1	n.a.	W-13-3 (Wall)	20090742-18	10/7/2009	Gamma Spec (NORM)	Bi-214	0.30	0.10	pCi/g	0.181			Exposure Room west wall, center, 2-3"	
1	n.a.	W-13-3 (Wall)	20090742-18	10/5/2009	C-14	C-14	0.02	0.07	pCi/g	0.08	< MDA		Exposure Room west wall, center, 2-3"	12
1	n.a.	W-13-3 (Wall)	20090742-18	10/7/2009	Gamma Spec (NORM)	Eu-152	9.74	0.35	pCi/g	0.241		>DCGL	Exposure Room west wall, center, 2-3"	8.7
1	n.a.	W-13-3 (Wall)	20090742-18	10/7/2009	Gamma Spec (NORM)	Eu-154	0.23	0.08	pCi/g	0.219			Exposure Room west wall, center, 2-3"	8.8
1	n.a.	W-13-3 (Wall)	20090742-18	10/14/2009	Tritium (H3)	H-3	4.50	0.22	pCi/g	3.5			Exposure Room west wall, center, 2-3"	110
1	n.a.	W-13-3 (Wall)	20090742-18	11/2/2009	Iron-55	Iron-55	0.12	0.58	pCi/g	0.96	< MDA		Exposure Room west wall, center, 2-3"	10000
1	n.a.	W-13-3 (Wall)	20090742-18	10/7/2009	Gamma Spec (NORM)	K-40	2.78	1.04	pCi/g	1.18			Exposure Room west wall, center, 2-3"	
1	n.a.	W-13-3 (Wall)	20090742-18	10/7/2009	Gamma Spec (NORM)	Pb-212	0.32	0.05	pCi/g	0.168			Exposure Room west wall, center, 2-3"	
1	n.a.	W-13-3 (Wall)	20090742-18	10/7/2009	Gamma Spec (NORM)	Pb-214	0.41	0.10	pCi/g	0.176			Exposure Room west wall, center, 2-3"	

### OFFSITE RADIOANALYTICAL MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	IEM Sample No.	Lab Sample No.	Date Collected	Test Method	Analysis	Result	Error	Units	MDA	MDA Flag	DCGL/MDA Flag	Comment	DCGL
1	n.a.	W-13-3 (Wall)	20090742-18	10/7/2009	Gamma Spec (NORM)	Th-234	0.00	0.70	pCi/g	1.66	< MDA		Exposure Room west wall, center, 2-3"	
1	n.a.	W-13-3 (Wall)	20090742-18	10/7/2009	Gamma Spec (NORM)	Tl-208	0.03	0.06	pCi/g	0.083	< MDA		Exposure Room west wall, center, 2-3"	
1	n.a.	W-13-3 (Wall)	20090742-18	10/18/2009	Uranium-Isotopic	Uranium-234	0.80	0.12	pCi/g	0.053			Exposure Room west wall, center, 2-3"	273
1	n.a.	W-13-3 (Wall)	20090742-18	10/18/2009	Uranium-Isotopic	Uranium-235	0.26	0.07	pCi/g	0.032			Exposure Room west wall, center, 2-3"	273
1	n.a.	W-13-3 (Wall)	20090742-18	10/18/2009	Uranium-Isotopic	Uranium-238	0.73	0.11	pCi/g	0.032			Exposure Room west wall, center, 2-3"	273
1	n.a.	W-13-4 (Wall)	20090742-19	10/7/2009	Gamma Spec (NORM)	Ac-228	0.09	0.15	pCi/g	0.352	< MDA		Exposure Room west wall, center, 3-4"	
1	n.a.	W-13-4 (Wall)	20090742-19	10/7/2009	Gamma Spec (NORM)	Bi-212	0.02	0.29	pCi/g	0.523	< MDA		Exposure Room west wall, center, 3-4"	
1	n.a.	W-13-4 (Wall)	20090742-19	10/7/2009	Gamma Spec (NORM)	Bi-214	0.17	0.18	pCi/g	0.139			Exposure Room west wall, center, 3-4"	
1	n.a.	W-13-4 (Wall)	20090742-19	10/16/2009	C-14	C-14	1.31	0.13	pCi/g	0.096			Exposure Room west wall, center, 3-4"	12
1	n.a.	W-13-4 (Wall)	20090742-19	10/7/2009	Gamma Spec (NORM)	Eu-152	9.42	0.40	pCi/g	0.224		>DCGL	Exposure Room west wall, center, 3-4"	8.7
1	n.a.	W-13-4 (Wall)	20090742-19	10/7/2009	Gamma Spec (NORM)	Eu-154	0.34	0.15	pCi/g	0.197			Exposure Room west wall, center, 3-4"	8.8
1	n.a.	W-13-4 (Wall)	20090742-19	10/14/2009	Tritium (H3)	H-3	4.80	0.22	pCi/g	3.6			Exposure Room west wall, center, 3-4"	110
1	n.a.	W-13-4 (Wall)	20090742-19	11/2/2009	Iron-55	Iron-55	0.00	0.56	pCi/g	0.96	< MDA		Exposure Room west wall, center, 3-4"	10000
1	n.a.	W-13-4 (Wall)	20090742-19	10/7/2009	Gamma Spec (NORM)	K-40	2.02	0.71	pCi/g	0.688			Exposure Room west wall, center, 3-4"	
1	n.a.	W-13-4 (Wall)	20090742-19	10/7/2009	Gamma Spec (NORM)	Pb-212	0.34	0.11	pCi/g	0.165			Exposure Room west wall, center, 3-4"	
1	n.a.	W-13-4 (Wall)	20090742-19	10/7/2009	Gamma Spec (NORM)	Pb-214	0.24	0.07	pCi/g	0.167			Exposure Room west wall, center, 3-4"	
1	n.a.	W-13-4 (Wall)	20090742-19	10/7/2009	Gamma Spec (NORM)	Th-234	0.95	0.84	pCi/g	2	< MDA		Exposure Room west wall, center, 3-4"	
1	n.a.	W-13-4 (Wall)	20090742-19	10/7/2009	Gamma Spec (NORM)	Tl-208	0.09	0.11	pCi/g	0.082			Exposure Room west wall, center, 3-4"	
1	n.a.	W-13-4 (Wall)	20090742-19	10/18/2009	Uranium-Isotopic	Uranium-234	0.50	0.10	pCi/g	0.11			Exposure Room west wall, center, 3-4"	273
1	n.a.	W-13-4 (Wall)	20090742-19	10/18/2009	Uranium-Isotopic	Uranium-235	0.21	0.06	pCi/g	0.065			Exposure Room west wall, center, 3-4"	273
1	n.a.	W-13-4 (Wall)	20090742-19	10/18/2009	Uranium-Isotopic	Uranium-238	0.49	0.08	pCi/g	0.077			Exposure Room west wall, center, 3-4"	273
1	n.a.	W-13-5 (Wall)	20090742-20	10/7/2009	Gamma Spec (NORM)	Ac-228	0.51	0.31	pCi/g	0.233			Exposure Room west wall, center, 4-5"	
1	n.a.	W-13-5 (Wall)	20090742-20	10/7/2009	Gamma Spec (NORM)	Bi-212	0.00	0.57	pCi/g	1.35	< MDA		Exposure Room west wall, center, 4-5"	
1	n.a.	W-13-5 (Wall)	20090742-20	10/7/2009	Gamma Spec (NORM)	Bi-214	0.25	0.15	pCi/g	0.2			Exposure Room west wall, center, 4-5"	
1	n.a.	W-13-5 (Wall)	20090742-20	10/16/2009	C-14	C-14	0.90	0.11	pCi/g	0.082			Exposure Room west wall, center, 4-5"	12
1	n.a.	W-13-5 (Wall)	20090742-20	10/7/2009	Gamma Spec (NORM)	Eu-152	18.30	0.69	pCi/g	0.404		>DCGL	Exposure Room west wall, center, 4-5"	8.7

## OFFSITE RADIOANALYTICAL MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	IEM Sample No.	Lab Sample No.	Date Collected	Test Method	Analysis	Result	Error	Units	MDA	MDA Flag	DCGL/MDA Flag	Comment	DCGL
1	n.a.	W-13-5 (Wall)	20090742-20	10/7/2009	Gamma Spec (NORM)	Eu-154	0.69	0.17	pCi/g	0.31			Exposure Room west wall, center, 4-5"	8.8
1	n.a.	W-13-5 (Wall)	20090742-20	10/14/2009	Tritium (H3)	H-3	2.00	0.21	pCi/g	3.5	< MDA		Exposure Room west wall, center, 4-5"	110
1	n.a.	W-13-5 (Wall)	20090742-20	11/2/2009	Iron-55	Iron-55	0.49	0.59	pCi/g	0.96	< MDA		Exposure Room west wall, center, 4-5"	10000
1	n.a.	W-13-5 (Wall)	20090742-20	10/7/2009	Gamma Spec (NORM)	K-40	3.31	1.03	pCi/g	1.01			Exposure Room west wall, center, 4-5"	
1	n.a.	W-13-5 (Wall)	20090742-20	10/7/2009	Gamma Spec (NORM)	Pb-212	0.31	0.09	pCi/g	0.162			Exposure Room west wall, center, 4-5"	
1	n.a.	W-13-5 (Wall)	20090742-20	10/7/2009	Gamma Spec (NORM)	Pb-214	0.41	0.10	pCi/g	0.171			Exposure Room west wall, center, 4-5"	
1	n.a.	W-13-5 (Wall)	20090742-20	10/7/2009	Gamma Spec (NORM)	Th-234	0.00	0.54	pCi/g	1.27	< MDA		Exposure Room west wall, center, 4-5"	
1	n.a.	W-13-5 (Wall)	20090742-20	10/7/2009	Gamma Spec (NORM)	Tl-208	0.12	0.04	pCi/g	0.108			Exposure Room west wall, center, 4-5"	
1	n.a.	W-13-5 (Wall)	20090742-20	10/21/2009	Uranium-Isotopic	Uranium-234	0.63	0.12	pCi/g	0.098			Exposure Room west wall, center, 4-5"	273
1	n.a.	W-13-5 (Wall)	20090742-20	10/21/2009	Uranium-Isotopic	Uranium-235	0.11	0.06	pCi/g	0.07			Exposure Room west wall, center, 4-5"	273
1	n.a.	W-13-5 (Wall)	20090742-20	10/21/2009	Uranium-Isotopic	Uranium-238	0.52	0.11	pCi/g	0.092			Exposure Room west wall, center, 4-5"	273
1	n.a.	W-14-1 (Wall)	20090742-21	10/7/2009	Gamma Spec (NORM)	Ac-228	0.03	0.23	pCi/g	0.307	< MDA		Exposure Room south wall, east side, 0-1"	
1	n.a.	W-14-1 (Wall)	20090742-21	10/7/2009	Gamma Spec (NORM)	Bi-212	0.00	0.59	pCi/g	0.816	< MDA		Exposure Room south wall, east side, 0-1"	
1	n.a.	W-14-1 (Wall)	20090742-21	10/7/2009	Gamma Spec (NORM)	Bi-214	0.19	0.14	pCi/g	0.196	< MDA		Exposure Room south wall, east side, 0-1"	
1	n.a.	W-14-1 (Wall)	20090742-21	10/16/2009	C-14	C-14	0.06	0.10	pCi/g	0.103	< MDA		Exposure Room south wall, east side, 0-1"	12
1	n.a.	W-14-1 (Wall)	20090742-21	10/7/2009	Gamma Spec (NORM)	Eu-152	27.70	0.92	pCi/g	0.394		>DCGL	Exposure Room south wall, east side, 0-1"	8.7
1	n.a.	W-14-1 (Wall)	20090742-21	10/7/2009	Gamma Spec (NORM)	Eu-154	0.73	0.19	pCi/g	0.282			Exposure Room south wall, east side, 0-1"	8.8
1	n.a.	W-14-1 (Wall)	20090742-21	10/15/2009	Tritium (H3)	H-3	3.30	0.20	pCi/g	3.3			Exposure Room south wall, east side, 0-1"	110
1	n.a.	W-14-1 (Wall)	20090742-21	11/2/2009	Iron-55	Iron-55	0.11	0.58	pCi/g	0.96	< MDA		Exposure Room south wall, east side, 0-1"	10000
1	n.a.	W-14-1 (Wall)	20090742-21	10/7/2009	Gamma Spec (NORM)	K-40	2.28	0.62	pCi/g	0.61			Exposure Room south wall, east side, 0-1"	
1	n.a.	W-14-1 (Wall)	20090742-21	10/7/2009	Gamma Spec (NORM)	Pb-212	0.00	0.24	pCi/g	0.318	< MDA		Exposure Room south wall, east side, 0-1"	
1	n.a.	W-14-1 (Wall)	20090742-21	10/7/2009	Gamma Spec (NORM)	Pb-214	1.92	0.53	pCi/g	0.63			Exposure Room south wall, east side, 0-1"	
1	n.a.	W-14-1 (Wall)	20090742-21	10/7/2009	Gamma Spec (NORM)	Th-234	0.07	2.33	pCi/g	5.52	< MDA		Exposure Room south wall, east side, 0-1"	
1	n.a.	W-14-1 (Wall)	20090742-21	10/7/2009	Gamma Spec (NORM)	Tl-208	0.00	0.08	pCi/g	0.177	< MDA		Exposure Room south wall, east side, 0-1"	
1	n.a.	W-14-1 (Wall)	20090742-21	10/21/2009	Uranium-Isotopic	Uranium-234	0.87	0.13	pCi/g	0.058			Exposure Room south wall, east side, 0-1"	273
1	n.a.	W-14-1 (Wall)	20090742-21	10/21/2009	Uranium-Isotopic	Uranium-235	0.10	0.04	pCi/g	0.026			Exposure Room south wall, east side, 0-1"	273

### OFFSITE RADIOANALYTICAL MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	IEM Sample No.	Lab Sample No.	Date Collected	Test Method	Analysis	Result	Error	Units	MDA	MDA Flag	DCGL/MDA Flag	Comment	DCGL
1	n.a.	W-14-1 (Wall)	20090742-21	10/21/2009	Uranium-Isotopic	Uranium-238	0.73	0.11	pCi/g	0.041			Exposure Room south wall, east side, 0-1"	273
1	n.a.	W-14-2 (Wall)	20090742-22	10/7/2009	Gamma Spec (NORM)	Ac-228	0.28	0.05	pCi/g	0.424	< MDA		Exposure Room south wall, east side, 1-2"	
1	n.a.	W-14-2 (Wall)	20090742-22	10/7/2009	Gamma Spec (NORM)	Bi-212	0.10	0.24	pCi/g	0.831	< MDA		Exposure Room south wall, east side, 1-2"	
1	n.a.	W-14-2 (Wall)	20090742-22	10/7/2009	Gamma Spec (NORM)	Bi-214	0.05	0.21	pCi/g	0.207	< MDA		Exposure Room south wall, east side, 1-2"	
1	n.a.	W-14-2 (Wall)	20090742-22	10/16/2009	C-14	C-14	0.01	0.07	pCi/g	0.078	< MDA		Exposure Room south wall, east side, 1-2"	12
1	n.a.	W-14-2 (Wall)	20090742-22	10/7/2009	Gamma Spec (NORM)	Eu-152	27.30	0.73	pCi/g	0.37		>DCGL	Exposure Room south wall, east side, 1-2"	8.7
1	n.a.	W-14-2 (Wall)	20090742-22	10/7/2009	Gamma Spec (NORM)	Eu-154	0.80	0.17	pCi/g	0.272			Exposure Room south wall, east side, 1-2"	8.8
1	n.a.	W-14-2 (Wall)	20090742-22	10/15/2009	Tritium (H3)	H-3	3.20	0.21	pCi/g	3.5	< MDA		Exposure Room south wall, east side, 1-2"	110
1	n.a.	W-14-2 (Wall)	20090742-22	11/2/2009	Iron-55	Iron-55	0.56	0.59	pCi/g	0.96	< MDA		Exposure Room south wall, east side, 1-2"	10000
1	n.a.	W-14-2 (Wall)	20090742-22	10/7/2009	Gamma Spec (NORM)	K-40	4.78	1.14	pCi/g	1.17			Exposure Room south wall, east side, 1-2"	
1	n.a.	W-14-2 (Wall)	20090742-22	10/7/2009	Gamma Spec (NORM)	Pb-212	0.50	0.12	pCi/g	0.234			Exposure Room south wall, east side, 1-2"	
1	n.a.	W-14-2 (Wall)	20090742-22	10/7/2009	Gamma Spec (NORM)	Pb-214	0.24	0.09	pCi/g	0.214			Exposure Room south wall, east side, 1-2"	
1	n.a.	W-14-2 (Wall)	20090742-22	10/7/2009	Gamma Spec (NORM)	Th-234	3.50	1.33	pCi/g	3.15			Exposure Room south wall, east side, 1-2"	
1	n.a.	W-14-2 (Wall)	20090742-22	10/7/2009	Gamma Spec (NORM)	Tl-208	0.12	0.05	pCi/g	0.103			Exposure Room south wall, east side, 1-2"	
1	n.a.	W-14-2 (Wall)	20090742-22	10/21/2009	Uranium-Isotopic	Uranium-234	0.61	0.11	pCi/g	0.039			Exposure Room south wall, east side, 1-2"	273
1	n.a.	W-14-2 (Wall)	20090742-22	10/21/2009	Uranium-Isotopic	Uranium-235	0.11	0.05	pCi/g	0.027			Exposure Room south wall, east side, 1-2"	273
1	n.a.	W-14-2 (Wall)	20090742-22	10/21/2009	Uranium-Isotopic	Uranium-238	0.42	0.09	pCi/g	0.051			Exposure Room south wall, east side, 1-2"	273
1	n.a.	W-14-3 (Wall)	20090742-23	10/8/2009	Gamma Spec (NORM)	Ac-228	0.00	0.22	pCi/g	0.526	< MDA		Exposure Room south wall, east side, 2-3"	
1	n.a.	W-14-3 (Wall)	20090742-23	10/8/2009	Gamma Spec (NORM)	Bi-212	0.04	0.19	pCi/g	0.474	< MDA		Exposure Room south wall, east side, 2-3"	
1	n.a.	W-14-3 (Wall)	20090742-23	10/8/2009	Gamma Spec (NORM)	Bi-214	0.18	0.08	pCi/g	0.172			Exposure Room south wall, east side, 2-3"	
1	n.a.	W-14-3 (Wall)	20090742-23	10/16/2009	C-14	C-14	0.00	0.07	pCi/g	0.079	< MDA		Exposure Room south wall, east side, 2-3"	12
1	n.a.	W-14-3 (Wall)	20090742-23	10/8/2009	Gamma Spec (NORM)	Eu-152	16.90	0.56	pCi/g	0.244		>DCGL	Exposure Room south wall, east side, 2-3"	8.7
1	n.a.	W-14-3 (Wall)	20090742-23	10/8/2009	Gamma Spec (NORM)	Eu-154	0.77	0.14	pCi/g	0.197			Exposure Room south wall, east side, 2-3"	8.8
1	n.a.	W-14-3 (Wall)	20090742-23	10/15/2009	Tritium (H3)	H-3	6.70	0.22	pCi/g	3.5			Exposure Room south wall, east side, 2-3"	110
1	n.a.	W-14-3 (Wall)	20090742-23	11/2/2009	Iron-55	Iron-55	0.00	0.56	pCi/g	0.96	< MDA		Exposure Room south wall, east side, 2-3"	10000
1	n.a.	W-14-3 (Wall)	20090742-23	10/8/2009	Gamma Spec (NORM)	K-40	3.11	0.79	pCi/g	0.73			Exposure Room south wall, east side, 2-3"	

## OFFSITE RADIOANALYTICAL MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	IEM Sample No.	Lab Sample No.	Date Collected	Test Method	Analysis	Result	Error	Units	MDA	MDA Flag	DCGL/MDA Flag	Comment	DCGL
1	n.a.	W-14-3 (Wall)	20090742-23	10/8/2009	Gamma Spec (NORM)	Pb-212	0.44	0.19	pCi/g	0.186			Exposure Room south wall, east side, 2-3"	
1	n.a.	W-14-3 (Wall)	20090742-23	10/8/2009	Gamma Spec (NORM)	Pb-214	0.41	0.06	pCi/g	0.168			Exposure Room south wall, east side, 2-3"	
1	n.a.	W-14-3 (Wall)	20090742-23	10/8/2009	Gamma Spec (NORM)	Th-234	0.52	0.98	pCi/g	2.32	< MDA		Exposure Room south wall, east side, 2-3"	
1	n.a.	W-14-3 (Wall)	20090742-23	10/8/2009	Gamma Spec (NORM)	Tl-208	0.12	0.12	pCi/g	0.149	< MDA		Exposure Room south wall, east side, 2-3"	
1	n.a.	W-14-3 (Wall)	20090742-23	10/21/2009	Uranium-Isotopic	Uranium-234	0.74	0.14	pCi/g	0.116			Exposure Room south wall, east side, 2-3"	273
1	n.a.	W-14-3 (Wall)	20090742-23	10/21/2009	Uranium-Isotopic	Uranium-235	0.12	0.07	pCi/g	0.079			Exposure Room south wall, east side, 2-3"	273
1	n.a.	W-14-3 (Wall)	20090742-23	10/21/2009	Uranium-Isotopic	Uranium-238	0.52	0.11	pCi/g	0.09			Exposure Room south wall, east side, 2-3"	273
1	n.a.	W-14-4 (Wall)	20090742-24	10/3/2009	Gamma Spec (NORM)	Ac-228	0.25	0.14	pCi/g	0.31	< MDA		Exposure Room south wall, east side, 3-4"	
1	n.a.	W-14-4 (Wall)	20090742-24	10/3/2009	Gamma Spec (NORM)	Bi-212	0.24	0.09	pCi/g	0.366	< MDA		Exposure Room south wall, east side, 3-4"	
1	n.a.	W-14-4 (Wall)	20090742-24	10/3/2009	Gamma Spec (NORM)	Bi-214	0.15	0.05	pCi/g	0.09			Exposure Room south wall, east side, 3-4"	
1	n.a.	W-14-4 (Wall)	20090742-24	10/16/2009	C-14	C-14	0.47	0.10	pCi/g	0.084			Exposure Room south wall, east side, 3-4"	12
1	n.a.	W-14-4 (Wall)	20090742-24	10/3/2009	Gamma Spec (NORM)	Eu-152	13.60	0.31	pCi/g	0.148		>DCGL	Exposure Room south wall, east side, 3-4"	8.7
1	n.a.	W-14-4 (Wall)	20090742-24	10/3/2009	Gamma Spec (NORM)	Eu-154	0.45	0.04	pCi/g	0.122			Exposure Room south wall, east side, 3-4"	8.8
1	n.a.	W-14-4 (Wall)	20090742-24	10/15/2009	Tritium (H3)	H-3	4.50	0.20	pCi/g	3.2			Exposure Room south wall, east side, 3-4"	110
1	n.a.	W-14-4 (Wall)	20090742-24	11/2/2009	Iron-55	Iron-55	0.00	0.57	pCi/g	0.96	< MDA		Exposure Room south wall, east side, 3-4"	10000
1	n.a.	W-14-4 (Wall)	20090742-24	10/3/2009	Gamma Spec (NORM)	K-40	2.78	0.41	pCi/g	0.533			Exposure Room south wall, east side, 3-4"	
1	n.a.	W-14-4 (Wall)	20090742-24	10/3/2009	Gamma Spec (NORM)	Pb-212	0.24	0.09	pCi/g	0.09			Exposure Room south wall, east side, 3-4"	
1	n.a.	W-14-4 (Wall)	20090742-24	10/3/2009	Gamma Spec (NORM)	Pb-214	0.00	0.06	pCi/g	0.145	< MDA		Exposure Room south wall, east side, 3-4"	
1	n.a.	W-14-4 (Wall)	20090742-24	10/3/2009	Gamma Spec (NORM)	Th-234	0.00	0.38	pCi/g	0.901	< MDA		Exposure Room south wall, east side, 3-4"	
1	n.a.	W-14-4 (Wall)	20090742-24	10/3/2009	Gamma Spec (NORM)	Tl-208	0.12	0.02	pCi/g	0.047			Exposure Room south wall, east side, 3-4"	
1	n.a.	W-14-4 (Wall)	20090742-24	10/21/2009	Uranium-Isotopic	Uranium-234	0.54	0.09	pCi/g	0.062			Exposure Room south wall, east side, 3-4"	273
1	n.a.	W-14-4 (Wall)	20090742-24	10/21/2009	Uranium-Isotopic	Uranium-235	0.06	0.03	pCi/g	0.041			Exposure Room south wall, east side, 3-4"	273
1	n.a.	W-14-4 (Wall)	20090742-24	10/21/2009	Uranium-Isotopic	Uranium-238	0.46	0.08	pCi/g	0.052			Exposure Room south wall, east side, 3-4"	273
1	n.a.	W-14-5 (Wall)	20090742-25	10/15/2009	Gamma Spec (NORM)	Ac-228	0.51	0.30	pCi/g	0.521	< MDA		Exposure Room south wall, east side, 4-5"	
1	n.a.	W-14-5 (Wall)	20090742-25	10/15/2009	Gamma Spec (NORM)	Bi-212	0.00	0.75	pCi/g	1.79	< MDA		Exposure Room south wall, east side, 4-5"	
1	n.a.	W-14-5 (Wall)	20090742-25	10/15/2009	Gamma Spec (NORM)	Bi-214	0.29	0.14	pCi/g	0.281			Exposure Room south wall, east side, 4-5"	

## OFFSITE RADIOANALYTICAL MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	IEM Sample No.	Lab Sample No.	Date Collected	Test Method	Analysis	Result	Error	Units	MDA	MDA Flag	DCGL/MDA Flag	Comment	DCGL
1	n.a.	W-14-5 (Wall)	20090742-25	10/16/2009	C-14	C-14	1.56	0.14	pCi/g	0.096			Exposure Room south wall, east side, 4-5"	12
1	n.a.	W-14-5 (Wall)	20090742-25	10/15/2009	Gamma Spec (NORM)	Eu-152	20.70	0.70	pCi/g	0.17		>DCGL	Exposure Room south wall, east side, 4-5"	8.7
1	n.a.	W-14-5 (Wall)	20090742-25	10/15/2009	Gamma Spec (NORM)	Eu-154	0.35	0.25	pCi/g	0.119			Exposure Room south wall, east side, 4-5"	8.8
1	n.a.	W-14-5 (Wall)	20090742-25	10/15/2009	Tritium (H3)	H-3	4.20	0.21	pCi/g	3.5			Exposure Room south wall, east side, 4-5"	110
1	n.a.	W-14-5 (Wall)	20090742-25	11/2/2009	Iron-55	Iron-55	0.00	0.56	pCi/g	0.96	< MDA		Exposure Room south wall, east side, 4-5"	10000
1	n.a.	W-14-5 (Wall)	20090742-25	10/15/2009	Gamma Spec (NORM)	K-40	1.37	1.17	pCi/g	1.41	< MDA		Exposure Room south wall, east side, 4-5"	
1	n.a.	W-14-5 (Wall)	20090742-25	10/15/2009	Gamma Spec (NORM)	Pb-212	0.24	0.08	pCi/g	0.142			Exposure Room south wall, east side, 4-5"	
1	n.a.	W-14-5 (Wall)	20090742-25	10/15/2009	Gamma Spec (NORM)	Pb-214	0.42	0.10	pCi/g	0.213			Exposure Room south wall, east side, 4-5"	
1	n.a.	W-14-5 (Wall)	20090742-25	10/15/2009	Gamma Spec (NORM)	Th-234	0.04	0.64	pCi/g	0.83	< MDA		Exposure Room south wall, east side, 4-5"	
1	n.a.	W-14-5 (Wall)	20090742-25	10/15/2009	Gamma Spec (NORM)	Tl-208	0.00	0.12	pCi/g	0.161	< MDA		Exposure Room south wall, east side, 4-5"	
1	n.a.	W-14-5 (Wall)	20090742-25	10/21/2009	Uranium-Isotopic	Uranium-234	0.71	0.11	pCi/g	0.062			Exposure Room south wall, east side, 4-5"	273
1	n.a.	W-14-5 (Wall)	20090742-25	10/21/2009	Uranium-Isotopic	Uranium-235	0.20	0.06	pCi/g	0.037			Exposure Room south wall, east side, 4-5"	273
1	n.a.	W-14-5 (Wall)	20090742-25	10/21/2009	Uranium-Isotopic	Uranium-238	0.52	0.10	pCi/g	0.057			Exposure Room south wall, east side, 4-5"	273
2	n.a.	Warm Rm. Sump-Lower	20100552-01	7/12/2010	EPA 906Tritium (h3)	H-3	3965.00	39.00	pci/l	353			DCGL = sewer discharge limit (10 CFR 20 App. B)	10000000
2	Waste	Warm Room Sump	20090741-06	9/21/2009	Gamma Spec NORM - Water	Ac-228	6.76	5.47	pCi/l	13.3	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	300000
2	Waste	Warm Room Sump	20090741-06	9/21/2009	Gamma Spec NORM - Water	Bi-212	0.00	2.96	pCi/l	7.02	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	700000
2	Waste	Warm Room Sump	20090741-06	9/21/2009	Gamma Spec NORM - Water	Bi-214	0.00	3.85	pCi/l	9.14	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	3000000
2	Waste	Warm Room Sump	20090741-06	9/28/2009	C-14	C-14	0.71	1.18	pCi/l	1.25	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	300000
2	Waste	Warm Room Sump	20090741-06	9/21/2009	Gamma Spec NORM - Water	Eu-152	0.00	4.55	pCi/l	10.8	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	100000
2	Waste	Warm Room Sump	20090741-06	9/21/2009	Gamma Spec NORM - Water	Eu-154	0.00	2.83	pCi/l	6.71	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	70000
2	Waste	Warm Room Sump	20090741-06	9/29/2009	Tritium (H3)	H-3	9990.00	38.00	pCi/l	326			DCGL = sewer discharge limit (10 CFR 20 App. B)	10000000
2	Waste	Warm Room Sump	20090741-06	11/25/2009	Iron-55	Iron-55	0.00	28.60	pCi/l	48.2	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	1000000
2	Waste	Warm Room Sump	20090741-06	9/21/2009	Gamma Spec NORM - Water	K-40	64.70	68.30	pCi/l	84.7	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	40000
2	Waste	Warm Room Sump	20090741-06	9/21/2009	Gamma Spec NORM - Water	Pb-212	0.00	14.60	pCi/l	34.6	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	20000
2	Waste	Warm Room Sump	20090741-06	9/21/2009	Gamma Spec NORM - Water	Pb-214	0.00	3.67	pCi/l	8.71	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	20000
2	Waste	Warm Room Sump	20090741-06	9/21/2009	Gamma Spec NORM - Water	Th-234	33.70	66.10	pCi/l	113	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	50000



**OFFSITE RADIOANALYTICAL MEASUREMENT RESULTS**

Operable Unit No.	Survey Unit No.	IEM Sample No.	Lab Sample No.	Date Collected	Test Method	Analysis	Result	Error	Units	MDA	MDA Flag	DCGL/MDA Flag	Comment	DCGL
2	Waste	Warm Room Sump	20090741-06	9/21/2009	Gamma Spec NORM - Water	Tl-208	4.85	2.92	pCi/l	3.6			DCGL = sewer discharge limit (10 CFR 20 App. B, Tl-204)	200000
2	Waste	Warm Room Sump Filtered	20091040-10	12/14/2009	EPA 906	H-3	16600.00	104.00	pCi/l	806			DCGL = sewer discharge limit (10 CFR 20 App. B)	10000000
2	Waste	Warm Room Sump Sediment	20091040-03	12/14/2009	DOE Ga-01-R	Ac-228	0.46	0.08	pCi/g	0.424				
2	n.a.	Warm Room Sump Sediment	20100552-04	7/13/2010	DOE Ga-01-R	Ac-228	0.26		pCi/l	0.263	< MDA		Sediment sample	
2	Waste	Warm Room Sump Sediment	20091040-03	12/14/2009	DOE Ga-01-R	Bi-212	1.14	1.51	pCi/g	1.91	< MDA			
2	n.a.	Warm Room Sump Sediment	20100552-04	7/13/2010	DOE Ga-01-R	Bi-212	0.00	0.29	pCi/l	0.584	< MDA		Sediment sample	
2	Waste	Warm Room Sump Sediment	20091040-03	12/14/2009	DOE Ga-01-R	Bi-214	0.90	0.36	pCi/g	0.413				
2	n.a.	Warm Room Sump Sediment	20100552-04	7/13/2010	DOE Ga-01-R	Bi-214	0.10	0.07	pCi/l	0.099	< MDA		Sediment sample	
2	Waste	Warm Room Sump Sediment	20091040-03	12/14/2009	EPA EERF C01	C-14	0.04	0.02	pCi/g	0.024				12
2	Waste	Warm Room Sump Sediment	20091040-03	12/14/2009	DOE Ga-01-R	Eu-152	0.51	0.21	pCi/g	0.631	< MDA			8.7
2	Waste	Warm Room Sump Sediment	20091040-03	12/14/2009	DOE Ga-01-R	Eu-154	0.00	0.23	pCi/g	0.547	< MDA			8.8
2	Waste	Warm Room Sump Sediment	20091040-03	12/14/2009	EPA 906	H-3	1.46	0.50	pCi/g	7.2	< MDA			110
2	n.a.	Warm Room Sump Sediment	20100552-04	7/13/2010	DOE Ga-01-R	H-3	11.00	0.00	pci/l	4			Sediment sample	
2	Waste	Warm Room Sump Sediment	20091040-03	12/14/2009	DOE Ga-01-R	K-40	2.30	2.49	pCi/g	3.07	< MDA			
2	n.a.	Warm Room Sump Sediment	20100552-04	7/13/2010	DOE Ga-01-R	K-40	0.74	0.74	pCi/l	0.529	< MDA		Sediment sample	
2	Waste	Warm Room Sump Sediment	20091040-03	12/14/2009	DOE Ga-01-R	Pb-212	0.00	0.19	pCi/g	0.448	< MDA			
2	n.a.	Warm Room Sump Sediment	20100552-04	7/13/2010	DOE Ga-01-R	Pb-212	0.00	0.20	pCi/l	0.121	< MDA		Sediment sample	
2	Waste	Warm Room Sump Sediment	20091040-03	12/14/2009	DOE Ga-01-R	Pb-214	0.89	0.31	pCi/g	0.499				
2	n.a.	Warm Room Sump Sediment	20100552-04	7/13/2010	DOE Ga-01-R	Pb-214	0.09	0.07	pCi/l	0.178	< MDA		Sediment sample	
2	Waste	Warm Room Sump Sediment	20091040-03	12/14/2009	SM 2540 B	Percent Moist.	79.90		%					
2	Waste	Warm Room Sump Sediment	20091040-03	12/14/2009	DOE Ga-01-R	Th-234	2.01	2.59	pCi/g	2.68	< MDA			
2	n.a.	Warm Room Sump Sediment	20100552-04	7/13/2010	DOE Ga-01-R	Th-234	0.00	0.15	pCi/l	0.301	< MDA		Sediment sample	
2	Waste	Warm Room Sump Sediment	20091040-03	12/14/2009	DOE Ga-01-R	Tl-208	0.37	0.13	0.306	0.09				
2	n.a.	Warm Room Sump Sediment	20100552-04	7/13/2010	DOE Ga-01-R	Tl-208	0.03	0.05	pCi/l	0.062	< MDA		Sediment sample	
2	n.a.	Warm Room Sump Sediment	20100552-04	7/13/2010	DOE Ga-01-R	U-235	0.14	0.18	pCi/l	0.243	< MDA		Sediment sample	
2	n.a.	Warm Room Sump-Upper	20100552-06	7/12/2010	EPA 906Tritium (h3)	H-3	1353.00	31.00	pci/l	3.53			DCGL = sewer discharge limit (10 CFR 20 App. B)	10000000
3	Waste	Concrete Block-1	20090767-06	10/15/2009	Gamma Spec (NORM)	Ac-228	1.56	0.61	pCi/g	1.11				
3	Waste	Concrete Block-1	20090767-06	10/15/2009	Gamma Spec (NORM)	Bi-212	2.22	1.75	pCi/g	2.16				
3	Waste	Concrete Block-1	20090767-06	10/15/2009	Gamma Spec (NORM)	Bi-214	0.00	0.37	pCi/g	0.875	< MDA			
3	Waste	Concrete Block-1	20090767-06	10/15/2009	Gamma Spec (NORM)	Eu-152	0.00	0.31	pCi/g	0.746	< MDA			8.7
3	Waste	Concrete Block-1	20090767-06	10/15/2009	Gamma Spec (NORM)	Eu-154	0.00	0.22	pCi/g	0.511	< MDA			8.8
3	Waste	Concrete Block-1	20090767-06	11/25/2009	Iron-55	Iron-55	0.00	0.56	pCi/g	0.96	< MDA			10000
3	Waste	Concrete Block-1	20090767-06	10/15/2009	Gamma Spec (NORM)	K-40	3.87	5.13	pCi/g	6.53	< MDA			
3	Waste	Concrete Block-1	20090767-06	10/15/2009	Gamma Spec (NORM)	Pb-212	2.13	0.45	pCi/g	0.49				
3	Waste	Concrete Block-1	20090767-06	10/15/2009	Gamma Spec (NORM)	Pb-214	0.48	0.35	pCi/g	0.581	< MDA			
3	Waste	Concrete Block-1	20090767-06	10/15/2009	Gamma Spec (NORM)	Th-234	0.00	2.44	pCi/g	5.79	< MDA			
3	Waste	Concrete Block-1	20090767-06	10/15/2009	Gamma Spec (NORM)	Tl-208	0.84	0.35	pCi/g	0.43				
4	n.a.	Acoustic Tile	20090767-04	10/14/2009	Gamma Spec (NORM)	Ac-228	0.13	0.31	pCi/g	0.189	< MDA		Composite of tiles on walls	
4	n.a.	Acoustic Tile	20090767-04	10/14/2009	Gamma Spec (NORM)	Bi-212	0.47	0.28	pCi/g	0.652	< MDA		Composite of tiles on walls	
4	n.a.	Acoustic Tile	20090767-04	10/14/2009	Gamma Spec (NORM)	Bi-214	0.14	0.09	pCi/g	0.128			Composite of tiles on walls	273
4	n.a.	Acoustic Tile	20090767-04	9/25/2009	C-14	C-14	0.08	0.05	pCi/g	0.05			Composite of tiles on walls	12
4	n.a.	Acoustic Tile	20090767-04	10/14/2009	Gamma Spec (NORM)	Eu-152	0.26	0.19	pCi/g	0.448	< MDA		Composite of tiles on walls	8.7
4	n.a.	Acoustic Tile	20090767-04	10/14/2009	Gamma Spec (NORM)	Eu-154	0.23	0.13	pCi/g	0.307	< MDA		Composite of tiles on walls	8.8
4	n.a.	Acoustic Tile	20090767-04	9/25/2009	Tritium (H3)	H-3	7.20	0.60	pCi/g	4.7			Composite of tiles on walls	110
4	n.a.	Acoustic Tile	20090767-04	11/25/2009	Iron-55	Iron-55	0.16	0.58	pCi/g	0.96	< MDA		Composite of tiles on walls	10000
4	n.a.	Acoustic Tile	20090767-04	10/14/2009	Gamma Spec (NORM)	K-40	6.92	1.45	pCi/g	0.787			Composite of tiles on walls	
4	n.a.	Acoustic Tile	20090767-04	10/14/2009	Gamma Spec (NORM)	Pb-212	0.00	0.08	pCi/g	0.196	< MDA		Composite of tiles on walls	
4	n.a.	Acoustic Tile	20090767-04	10/14/2009	Gamma Spec (NORM)	Pb-214	0.04	0.13	pCi/g	0.172	< MDA		Composite of tiles on walls	273
4	n.a.	Acoustic Tile	20090767-04	10/14/2009	Gamma Spec (NORM)	Th-234	1.04	1.52	pCi/g	2.33	< MDA		Composite of tiles on walls	

## OFFSITE RADIOANALYTICAL MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	IEM Sample No.	Lab Sample No.	Date Collected	Test Method	Analysis	Result	Error	Units	MDA	MDA Flag	DCGL/MDA Flag	Comment	DCGL
4	n.a.	Acoustic Tile	20090767-04	10/14/2009	Gamma Spec (NORM)	Tl-208	0.01	0.05	pCi/g	0.063	< MDA		Composite of tiles on walls	
4	n.a.	Acoustic Tile	20090767-04	10/24/2009	Uranium-Isotopic	Uranium-234	0.34	0.08	pCi/g	0.065			Composite of tiles on walls	273
4	n.a.	Acoustic Tile	20090767-04	10/24/2009	Uranium-Isotopic	Uranium-235	0.09	0.04	pCi/g	0.038			Composite of tiles on walls	273
4	n.a.	Acoustic Tile	20090767-04	10/24/2009	Uranium-Isotopic	Uranium-238	0.19	0.06	pCi/g	0.059			Composite of tiles on walls	273
4	n.a.	cable Tray	20090789-16	10/28/2009	Gamma Spec (NORM)	Ac-228	0.16	0.15	pCi/g	0.168	< MDA			
4	n.a.	cable Tray	20090789-16	10/28/2009	Gamma Spec (NORM)	Bi-212	0.00	0.15	pCi/g	0.365	< MDA			
4	n.a.	cable Tray	20090789-16	10/28/2009	Gamma Spec (NORM)	Bi-214	0.20	0.14	pCi/g	0.164				273
4	n.a.	cable Tray	20090789-16	11/5/2009	C-14	C-14	11.80	0.33	pCi/g	0.106				12
4	n.a.	cable Tray	20090789-16	10/28/2009	Gamma Spec (NORM)	Eu-152	0.00	0.04	pCi/g	0.083	< MDA			8.7
4	n.a.	cable Tray	20090789-16	10/28/2009	Gamma Spec (NORM)	Eu-154	0.19	0.19	pCi/g	0.082				8.8
4	n.a.	cable Tray	20090789-16	11/18/2009	Tritium (H3)	H-3	102.00	2.02	pCi/g	9.3				110
4	n.a.	cable Tray	20090789-16	10/28/2009	Gamma Spec (NORM)	K-40	5.91	1.68	pCi/g	0.917				
4	n.a.	cable Tray	20090789-16	11/23/2009	Nickel-63	Nickel-63	5.80	5.10	pCi/g	2.1				2100
4	n.a.	cable Tray	20090789-16	10/28/2009	Gamma Spec (NORM)	Pb-212	0.00	0.03	pCi/g	0.064	< MDA			
4	n.a.	cable Tray	20090789-16	10/28/2009	Gamma Spec (NORM)	Pb-214	0.25	0.09	pCi/g	0.13				273
4	n.a.	cable Tray	20090789-16	10/28/2009	Gamma Spec (NORM)	Th-234	0.13	0.46	pCi/g	0.58	< MDA			
4	n.a.	cable Tray	20090789-16	10/28/2009	Gamma Spec (NORM)	Tl-208	0.09	0.07	pCi/g	0.086				
4	n.a.	cable Tray	20090789-16	11/16/2009	Uranium-Isotopic	Uranium-234	3.38	0.37	pCi/g	0.092				273
4	n.a.	cable Tray	20090789-16	11/16/2009	Uranium-Isotopic	Uranium-235	0.34	0.12	pCi/g	0.045				273
4	n.a.	cable Tray	20090789-16	11/16/2009	Uranium-Isotopic	Uranium-238	1.27	0.23	pCi/g	0.067				273
4	n.a.	Concrete Cut Water	20100552-03	7/12/2010	EPA 901.1	Ac-228	0.00	165.00	pCi/l	330	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	300000
4	n.a.	Concrete Cut Water	20100552-03	7/12/2010	EPA 901.1	Bi-212	0.00	339.00	pCi/l	677	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	700000
4	n.a.	Concrete Cut Water	20100552-03	7/12/2010	EPA 901.1	Bi-214	2.32	285.00	pCi/l	140	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	3000000
4	n.a.	Concrete Cut Water	20100552-03	7/12/2010	EPA 906Tritium (h3)	H-3	1039.00	30.00	pci/l	353			DCGL = sewer discharge limit (10 CFR 20 App. B)	10000000
4	n.a.	Concrete Cut Water	20100552-03	7/12/2010	EPA 901.1	K-40	0.00	1320.00	pCi/l	1800	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	40000
4	n.a.	Concrete Cut Water	20100552-03	7/12/2010	EPA 901.1	Pb-212	0.00	78.40	pCi/l	143	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	20000
4	n.a.	Concrete Cut Water	20100552-03	7/12/2010	EPA 901.1	Pb-214	130.00	106.00	pCi/l	182	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	20000
4	n.a.	Concrete Cut Water	20100552-03	7/12/2010	EPA 901.1	Th-234	108.00	1130.00	pCi/l	1120	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	50000
4	n.a.	Concrete Cut Water	20100552-03	7/12/2010	EPA 901.1	Tl-208	2.15	79.70	pCi/l	68.3	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	200000
4	n.a.	Concrete Cut Water	20100552-03	7/12/2010	EPA 901.1	U-235	330.00	358.00	pCi/l	143			DCGL = sewer discharge limit (10 CFR 20 App. B)	3000
4	n.a.	Conduit Soil	20100552-05	7/14/2010	DOE Ga-01-R	Ac-228	1.21	0.07	pCi/l	0.125				
4	n.a.	Conduit Soil	20100552-05	7/14/2010	DOE Ga-01-R	Bi-212	0.84	0.19	pCi/l	0.298				
4	n.a.	Conduit Soil	20100552-05	7/14/2010	DOE Ga-01-R	Bi-214	1.28	0.09	pCi/l	0.114				
4	n.a.	Conduit Soil	20100552-05	7/14/2010	DOE Ga-01-R	K-40	19.10	1.94	pCi/l	0.552				
4	n.a.	Conduit Soil	20100552-05	7/14/2010	DOE Ga-01-R	Pb-212	1.31	0.13	pCi/l	0.073				
4	n.a.	Conduit Soil	20100552-05	7/14/2010	DOE Ga-01-R	Pb-214	1.25	0.10	pCi/l	0.146				
4	n.a.	Conduit Soil	20100552-05	7/14/2010	DOE Ga-01-R	Th-234	1.08	0.63	pCi/l	1.04				
4	n.a.	Conduit Soil	20100552-05	7/14/2010	DOE Ga-01-R	Tl-208	0.45	0.05	pCi/l	0.048				
4	n.a.	Conduit Soil	20100552-05	7/14/2010	ASTM 3972/DOE U-02	U-234	1.30	0.26	pci/l	0.201				
4	n.a.	Conduit Soil	20100552-05	7/14/2010	DOE Ga-01-R	U-235	0.16	0.06	pCi/l	0.071				
4	n.a.	Conduit Soil	20100552-05	7/14/2010	ASTM 3972/DOE U-02	U-235	0.12	0.10	pci/l	0.14	< MDA			
4	n.a.	Conduit Soil	20100552-05	7/14/2010	ASTM 3972/DOE U-02	U-238	1.51	0.26	pci/l	0.144				

## OFFSITE RADIOANALYTICAL MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	IEM Sample No.	Lab Sample No.	Date Collected	Test Method	Analysis	Result	Error	Units	MDA	MDA Flag	DCGL/MDA Flag	Comment	DCGL
4	n.a.	Duct Insulation	20090789-29	10/28/2009	Gamma Spec (NORM)	Ac-228	0.66	0.60	pCi/g	1.18	< MDA		From insulation on vent duct that had high counts	
4	n.a.	Duct Insulation	20090789-29	10/28/2009	Gamma Spec (NORM)	Bi-212	1.11	1.63	pCi/g	2.07	< MDA		From insulation on vent duct that had high counts	
4	n.a.	Duct Insulation	20090789-29	10/28/2009	Gamma Spec (NORM)	Bi-214	3.16	0.68	pCi/g	0.716			From insulation on vent duct that had high counts	273
4	n.a.	Duct Insulation	20090789-29	11/5/2009	C-14	C-14	0.62	0.10	pCi/g	0.08			From insulation on vent duct that had high counts	12
4	n.a.	Duct Insulation	20090789-29	10/6/2009	Asbestos	Chrysotile	10.00		%				From insulation on vent duct that had high counts	
4	n.a.	Duct Insulation	20090789-29	10/28/2009	Gamma Spec (NORM)	Eu-152	0.00	0.39	pCi/g	0.925	< MDA		From insulation on vent duct that had high counts	8.7
4	n.a.	Duct Insulation	20090789-29	10/28/2009	Gamma Spec (NORM)	Eu-154	0.00	0.27	pCi/g	0.631	< MDA		From insulation on vent duct that had high counts	8.8
4	n.a.	Duct Insulation	20090789-29	11/18/2009	Tritium (H3)	H-3	31.00	1.50	pCi/g	9.4			From insulation on vent duct that had high counts	110
4	n.a.	Duct Insulation	20090789-29	10/28/2009	Gamma Spec (NORM)	K-40	17.90	8.17	pCi/g	3.98			From insulation on vent duct that had high counts	
4	n.a.	Duct Insulation	20090789-29	11/23/2009	Nickel-63	Nickel-63	0.00	5.30	pCi/g	2.2	< MDA		From insulation on vent duct that had high counts	2100
4	n.a.	Duct Insulation	20090789-29	10/28/2009	Gamma Spec (NORM)	Pb-212	0.41	0.52	pCi/g	0.664	< MDA		From insulation on vent duct that had high counts	
4	n.a.	Duct Insulation	20090789-29	10/28/2009	Gamma Spec (NORM)	Pb-214	2.96	0.58	pCi/g	0.681			From insulation on vent duct that had high counts	273
4	n.a.	Duct Insulation	20090789-29	10/28/2009	Gamma Spec (NORM)	Th-234	2.35	2.70	pCi/g	4.6	< MDA		From insulation on vent duct that had high counts	
4	n.a.	Duct Insulation	20090789-29	10/28/2009	Gamma Spec (NORM)	Tl-208	0.28	0.23	pCi/g	0.284	< MDA		From insulation on vent duct that had high counts	
4	n.a.	Duct Insulation	20090789-29	11/16/2009	Uranium-Isotopic	Uranium-234	2.80	0.34	pCi/g	0.106			From insulation on vent duct that had high counts	273
4	n.a.	Duct Insulation	20090789-29	11/16/2009	Uranium-Isotopic	Uranium-235	0.50	0.15	pCi/g	0.065			From insulation on vent duct that had high counts	273
4	n.a.	Duct Insulation	20090789-29	11/16/2009	Uranium-Isotopic	Uranium-238	2.64	0.33	pCi/g	0.098			From insulation on vent duct that had high counts	273
4	1.1	FD-10	20090789-10	10/28/2009	Gamma Spec (NORM)	Ac-228	0.00	0.11	pCi/g	0.259	< MDA		FD-floor drain sample	
4	1.1	FD-10	20090789-10	10/28/2009	Gamma Spec (NORM)	Bi-212	0.00	0.22	pCi/g	0.529	< MDA		FD-floor drain sample	
4	1.1	FD-10	20090789-10	10/28/2009	Gamma Spec (NORM)	Bi-214	0.03	0.15	pCi/g	0.086	< MDA		FD-floor drain sample	273
4	1.1	FD-10	20090789-10	11/4/2009	C-14	C-14	0.87	0.11	pCi/g	0.082			FD-floor drain sample	12
4	1.1	FD-10	20090789-10	10/28/2009	Gamma Spec (NORM)	Eu-152	0.02	0.02	pCi/g	0.074	< MDA		FD-floor drain sample	8.7
4	1.1	FD-10	20090789-10	10/28/2009	Gamma Spec (NORM)	Eu-154	0.00	0.02	pCi/g	0.051	< MDA		FD-floor drain sample	8.8
4	1.1	FD-10	20090789-10	11/18/2009	Tritium (H3)	H-3	49.80	2.14	pCi/g	12.9			FD-floor drain sample	110
4	1.1	FD-10	20090789-10	10/28/2009	Gamma Spec (NORM)	K-40	3.47	0.82	pCi/g	0.672			FD-floor drain sample	
4	1.1	FD-10	20090789-10	11/23/2009	Nickel-63	Nickel-63	0.00	4.10	pCi/g	1.7	< MDA		FD-floor drain sample	2100
4	1.1	FD-10	20090789-10	10/28/2009	Gamma Spec (NORM)	Pb-212	0.03	0.13	pCi/g	0.11	< MDA		FD-floor drain sample	
4	1.1	FD-10	20090789-10	10/28/2009	Gamma Spec (NORM)	Pb-214	0.05	0.04	pCi/g	0.096	< MDA		FD-floor drain sample	273
4	1.1	FD-10	20090789-10	10/28/2009	Gamma Spec (NORM)	Th-234	0.22	0.57	pCi/g	0.426	< MDA		FD-floor drain sample	
4	1.1	FD-10	20090789-10	10/28/2009	Gamma Spec (NORM)	Tl-208	0.00	0.03	pCi/g	0.045	< MDA		FD-floor drain sample	
4	1.1	FD-10	20090789-10	11/23/2009	Uranium-Isotopic	Uranium-234	0.31	0.13	pCi/g	0.146			FD-floor drain sample	273
4	1.1	FD-10	20090789-10	11/23/2009	Uranium-Isotopic	Uranium-235	0.51	0.15	pCi/g	0.101			FD-floor drain sample	273
4	1.1	FD-10	20090789-10	11/23/2009	Uranium-Isotopic	Uranium-238	0.19	0.10	pCi/g	0.116			FD-floor drain sample	273
4	1.5	FD-11	20090789-11	10/28/2009	Gamma Spec (NORM)	Ac-228	0.08	0.12	pCi/g	0.225	< MDA		FD-floor drain sample	
4	1.5	FD-11	20090789-11	10/28/2009	Gamma Spec (NORM)	Bi-212	0.00	0.18	pCi/g	0.249	< MDA		FD-floor drain sample	
4	1.5	FD-11	20090789-11	10/28/2009	Gamma Spec (NORM)	Bi-214	0.14	0.08	pCi/g	0.117			FD-floor drain sample	273

## OFFSITE RADIOANALYTICAL MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	IEM Sample No.	Lab Sample No.	Date Collected	Test Method	Analysis	Result	Error	Units	MDA	MDA Flag	DCGL/MDA Flag	Comment	DCGL
4	1.5	FD-11	20090789-11	11/4/2009	C-14	C-14	1.15	0.13	pCi/g	0.096			FD-floor drain sample	12
4	1.5	FD-11	20090789-11	10/28/2009	Gamma Spec (NORM)	Eu-152	0.02	0.06	pCi/g	0.078	< MDA		FD-floor drain sample	8.7
4	1.5	FD-11	20090789-11	10/28/2009	Gamma Spec (NORM)	Eu-154	0.00	0.02	pCi/g	0.054	< MDA		FD-floor drain sample	8.8
4	1.5	FD-11	20090789-11	11/18/2009	Tritium (H3)	H-3	36.20	1.52	pCi/g	9.2			FD-floor drain sample	110
4	1.5	FD-11	20090789-11	10/28/2009	Gamma Spec (NORM)	K-40	2.49	0.65	pCi/g	0.641			FD-floor drain sample	
4	1.5	FD-11	20090789-11	11/23/2009	Nickel-63	Nickel-63	0.00	4.00	pCi/g	1.7	< MDA		FD-floor drain sample	2100
4	1.5	FD-11	20090789-11	10/28/2009	Gamma Spec (NORM)	Pb-212	0.04	0.39	pCi/g	0.078	< MDA		FD-floor drain sample	
4	1.5	FD-11	20090789-11	10/28/2009	Gamma Spec (NORM)	Pb-214	0.09	0.20	pCi/g	0.115	< MDA		FD-floor drain sample	273
4	1.5	FD-11	20090789-11	10/28/2009	Gamma Spec (NORM)	Th-234	0.11	0.55	pCi/g	0.505	< MDA		FD-floor drain sample	
4	1.5	FD-11	20090789-11	10/28/2009	Gamma Spec (NORM)	Tl-208	0.03	0.04	pCi/g	0.057	< MDA		FD-floor drain sample	
4	1.5	FD-11	20090789-11	11/19/2009	Uranium-Isotopic	Uranium-234	7.40	0.37	pCi/g	0.169			FD-floor drain sample	273
4	1.5	FD-11	20090789-11	11/19/2009	Uranium-Isotopic	Uranium-235	1.37	0.16	pCi/g	0.098			FD-floor drain sample	273
4	1.5	FD-11	20090789-11	11/19/2009	Uranium-Isotopic	Uranium-238	2.26	0.21	pCi/g	0.119			FD-floor drain sample	273
4	1.3	FD-4	20090789-04	10/28/2009	Gamma Spec (NORM)	Ac-228	0.24	0.10	pCi/g	0.199			FD-floor drain sample	
4	1.3	FD-4	20090789-04	10/28/2009	Gamma Spec (NORM)	Bi-212	0.00	0.12	pCi/g	0.261	< MDA		FD-floor drain sample	
4	1.3	FD-4	20090789-04	10/28/2009	Gamma Spec (NORM)	Bi-214	0.21	0.04	pCi/g	0.107			FD-floor drain sample	273
4	1.3	FD-4	20090789-04	11/3/2009	C-14	C-14	0.59	0.09	pCi/g	0.078			FD-floor drain sample	12
4	1.3	FD-4	20090789-04	10/28/2009	Gamma Spec (NORM)	Eu-152	0.00	0.06	pCi/g	0.136	< MDA		FD-floor drain sample	8.7
4	1.3	FD-4	20090789-04	10/28/2009	Gamma Spec (NORM)	Eu-154	0.01	0.02	pCi/g	0.039	< MDA		FD-floor drain sample	8.8
4	1.3	FD-4	20090789-04	11/18/2009	Tritium (H3)	H-3	2.80	1.05	pCi/g	8	< MDA		FD-floor drain sample	110
4	1.3	FD-4	20090789-04	10/28/2009	Gamma Spec (NORM)	K-40	3.95	0.83	pCi/g	0.765			FD-floor drain sample	
4	1.3	FD-4	20090789-04	11/23/2009	Nickel-63	Nickel-63	0.00	4.20	pCi/g	1.8	< MDA		FD-floor drain sample	2100
4	1.3	FD-4	20090789-04	10/28/2009	Gamma Spec (NORM)	Pb-212	0.34	0.11	pCi/g	0.133			FD-floor drain sample	
4	1.3	FD-4	20090789-04	10/28/2009	Gamma Spec (NORM)	Pb-214	0.24	0.03	pCi/g	0.12			FD-floor drain sample	273
4	1.3	FD-4	20090789-04	10/28/2009	Gamma Spec (NORM)	Th-234	0.14	0.16	pCi/g	0.336	< MDA		FD-floor drain sample	
4	1.3	FD-4	20090789-04	10/28/2009	Gamma Spec (NORM)	Tl-208	0.09	0.04	pCi/g	0.056			FD-floor drain sample	
4	1.3	FD-4	20090789-04	11/16/2009	Uranium-Isotopic	Uranium-234	9.81	0.55	pCi/g	0.092			FD-floor drain sample	273
4	1.3	FD-4	20090789-04	11/16/2009	Uranium-Isotopic	Uranium-235	0.76	0.15	pCi/g	0.055			FD-floor drain sample	273
4	1.3	FD-4	20090789-04	11/16/2009	Uranium-Isotopic	Uranium-238	1.09	0.19	pCi/g	0.084			FD-floor drain sample	273
4	1.3	FD-5	20090789-05	10/26/2009	Gamma Spec (NORM)	Ac-228	0.04	0.05	pCi/g	0.089	< MDA		FD-floor drain sample	
4	1.3	FD-5	20090789-05	10/26/2009	Gamma Spec (NORM)	Bi-212	0.00	0.10	pCi/g	0.141	< MDA		FD-floor drain sample	
4	1.3	FD-5	20090789-05	10/26/2009	Gamma Spec (NORM)	Bi-214	0.07	0.04	pCi/g	0.047			FD-floor drain sample	273
4	1.3	FD-5	20090789-05	11/3/2009	C-14	C-14	0.23	0.08	pCi/g	0.08			FD-floor drain sample	12
4	1.3	FD-5	20090789-05	10/26/2009	Gamma Spec (NORM)	Eu-152	0.00	0.02	pCi/g	0.045	< MDA		FD-floor drain sample	8.7
4	1.3	FD-5	20090789-05	10/26/2009	Gamma Spec (NORM)	Eu-154	0.00	0.01	pCi/g	0.03	< MDA		FD-floor drain sample	8.8
4	1.3	FD-5	20090789-05	11/18/2009	Tritium (H3)	H-3	4.20	1.19	pCi/g	9	< MDA		FD-floor drain sample	110
4	1.3	FD-5	20090789-05	10/26/2009	Gamma Spec (NORM)	K-40	2.11	0.38	pCi/g	0.259			FD-floor drain sample	
4	1.3	FD-5	20090789-05	11/23/2009	Nickel-63	Nickel-63	0.50	4.60	pCi/g	1.9	< MDA		FD-floor drain sample	2100
4	1.3	FD-5	20090789-05	10/26/2009	Gamma Spec (NORM)	Pb-212	0.01	0.02	pCi/g	0.312	< MDA		FD-floor drain sample	
4	1.3	FD-5	20090789-05	10/26/2009	Gamma Spec (NORM)	Pb-214	0.01	0.02	pCi/g	0.036	< MDA		FD-floor drain sample	273
4	1.3	FD-5	20090789-05	10/26/2009	Gamma Spec (NORM)	Th-234	0.12	0.21	pCi/g	0.266	< MDA		FD-floor drain sample	
4	1.3	FD-5	20090789-05	10/26/2009	Gamma Spec (NORM)	Tl-208	0.01	0.02	pCi/g	0.022	< MDA		FD-floor drain sample	
4	1.3	FD-5	20090789-05	11/16/2009	Uranium-Isotopic	Uranium-234	1.39	0.23	pCi/g	0.101			FD-floor drain sample	273
4	1.3	FD-5	20090789-05	11/16/2009	Uranium-Isotopic	Uranium-235	0.40	0.13	pCi/g	0.083			FD-floor drain sample	273
4	1.3	FD-5	20090789-05	11/16/2009	Uranium-Isotopic	Uranium-238	0.53	0.15	pCi/g	0.114			FD-floor drain sample	273
4	1.2	FD-6	20090789-06	10/28/2009	Gamma Spec (NORM)	Ac-228	0.07	0.08	pCi/g	0.16	< MDA		FD-floor drain sample-sm	
4	1.2	FD-6	20090789-06	10/28/2009	Gamma Spec (NORM)	Bi-212	0.28	0.23	pCi/g	0.543	< MDA		FD-floor drain sample-sm	
4	1.2	FD-6	20090789-06	10/28/2009	Gamma Spec (NORM)	Bi-214	0.00	0.02	pCi/g	0.06	< MDA		FD-floor drain sample-sm	273
4	1.2	FD-6	20090789-06	11/3/2009	C-14	C-14	1.72	0.13	pCi/g	0.079			FD-floor drain sample-sm	12
4	1.2	FD-6	20090789-06	10/28/2009	Gamma Spec (NORM)	Eu-152	0.00	0.05	pCi/g	0.118	< MDA		FD-floor drain sample-sm	8.7
4	1.2	FD-6	20090789-06	10/28/2009	Gamma Spec (NORM)	Eu-154	0.00	0.04	pCi/g	0.083	< MDA		FD-floor drain sample-sm	8.8
4	1.2	FD-6	20090789-06	11/18/2009	Tritium (H3)	H-3	252.00	2.77	pCi/g	8.9		>DCGL	FD-floor drain sample-sm	110
4	1.2	FD-6	20090789-06	10/28/2009	Gamma Spec (NORM)	K-40	3.44	0.91	pCi/g	0.742			FD-floor drain sample-sm	

## OFFSITE RADIOANALYTICAL MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	IEM Sample No.	Lab Sample No.	Date Collected	Test Method	Analysis	Result	Error	Units	MDA	MDA Flag	DCGL/MDA Flag	Comment	DCGL
4	1.2	FD-6	20090789-06	11/23/2009	Nickel-63	Nickel-63	0.00	4.30	pCi/g	1.8	< MDA		FD-floor drain sample-sm	2100
4	1.2	FD-6	20090789-06	10/28/2009	Gamma Spec (NORM)	Pb-212	0.10	0.07	pCi/g	0.101	< MDA		FD-floor drain sample-sm	
4	1.2	FD-6	20090789-06	10/28/2009	Gamma Spec (NORM)	Pb-214	0.05	0.15	pCi/g	0.098	< MDA		FD-floor drain sample-sm	273
4	1.2	FD-6	20090789-06	10/28/2009	Gamma Spec (NORM)	Th-234	0.00	0.22	pCi/g	0.517	< MDA		FD-floor drain sample-sm	
4	1.2	FD-6	20090789-06	10/28/2009	Gamma Spec (NORM)	Tl-208	0.04	0.04	pCi/g	0.048	< MDA		FD-floor drain sample-sm	
4	1.2	FD-6	20090789-06	11/16/2009	Uranium-Isotopic	Uranium-234	3.06	0.34	pCi/g	0.035			FD-floor drain sample-sm	273
4	1.2	FD-6	20090789-06	11/16/2009	Uranium-Isotopic	Uranium-235	0.32	0.11	pCi/g	0.043			FD-floor drain sample-sm	273
4	1.2	FD-6	20090789-06	11/16/2009	Uranium-Isotopic	Uranium-238	0.48	0.14	pCi/g	0.055			FD-floor drain sample-sm	273
4	1.2	FD-7	20090789-07	10/25/2009	Gamma Spec (NORM)	Ac-228	5.30	0.57	pCi/g	0.602			FD-floor drain sample	
4	1.2	FD-7	20090789-07	10/25/2009	Gamma Spec (NORM)	Bi-212	2.53	0.98	pCi/g	1.09			FD-floor drain sample	
4	1.2	FD-7	20090789-07	10/25/2009	Gamma Spec (NORM)	Bi-214	4.46	0.44	pCi/g	0.311			FD-floor drain sample	273
4	1.2	FD-7	20090789-07	11/4/2009	C-14	C-14	3.18	0.18	pCi/g	0.08			FD-floor drain sample	12
4	1.2	FD-7	20090789-07	10/25/2009	Gamma Spec (NORM)	Eu-152	0.00	0.39	pCi/g	0.93	< MDA		FD-floor drain sample	8.7
4	1.2	FD-7	20090789-07	10/25/2009	Gamma Spec (NORM)	Eu-154	0.00	0.36	pCi/g	0.861	< MDA		FD-floor drain sample	8.8
4	1.2	FD-7	20090789-07	11/18/2009	Tritium (H3)	H-3	36.20	1.41	pCi/g	8.4			FD-floor drain sample	110
4	1.2	FD-7	20090789-07	10/25/2009	Gamma Spec (NORM)	K-40	95.80	8.26	pCi/g	1.94			FD-floor drain sample	
4	1.2	FD-7	20090789-07	11/23/2009	Nickel-63	Nickel-63	0.00	4.20	pCi/g	1.8	< MDA		FD-floor drain sample	2100
4	1.2	FD-7	20090789-07	10/25/2009	Gamma Spec (NORM)	Pb-212	8.42	1.02	pCi/g	0.466			FD-floor drain sample	
4	1.2	FD-7	20090789-07	10/25/2009	Gamma Spec (NORM)	Pb-214	5.58	0.63	pCi/g	0.441			FD-floor drain sample	273
4	1.2	FD-7	20090789-07	10/25/2009	Gamma Spec (NORM)	Th-234	6.04	5.09	pCi/g	6.89	< MDA		FD-floor drain sample	
4	1.2	FD-7	20090789-07	10/25/2009	Gamma Spec (NORM)	Tl-208	1.97	0.24	pCi/g	0.16			FD-floor drain sample	
4	1.2	FD-7	20090789-07	11/16/2009	Uranium-Isotopic	Uranium-234	7.67	0.60	pCi/g	0.094			FD-floor drain sample	273
4	1.2	FD-7	20090789-07	11/16/2009	Uranium-Isotopic	Uranium-235	0.63	0.17	pCi/g	0.059			FD-floor drain sample	273
4	1.2	FD-7	20090789-07	11/16/2009	Uranium-Isotopic	Uranium-238	3.27	0.39	pCi/g	0.059			FD-floor drain sample	273
4	1.1	FD-8	20090789-08	10/28/2009	Gamma Spec (NORM)	Ac-228	0.04	0.25	pCi/g	0.308	< MDA		FD-floor drain sample	
4	1.1	FD-8	20090789-08	10/28/2009	Gamma Spec (NORM)	Bi-212	0.00	0.53	pCi/g	0.365	< MDA		FD-floor drain sample	
4	1.1	FD-8	20090789-08	10/28/2009	Gamma Spec (NORM)	Bi-214	0.16	0.10	pCi/g	0.156			FD-floor drain sample	273
4	1.1	FD-8	20090789-08	11/4/2009	C-14	C-14	1.10	0.10	pCi/g	0.064			FD-floor drain sample	12
4	1.1	FD-8	20090789-08	10/28/2009	Gamma Spec (NORM)	Eu-152	0.00	0.04	pCi/g	0.102	< MDA		FD-floor drain sample	8.7
4	1.1	FD-8	20090789-08	10/28/2009	Gamma Spec (NORM)	Eu-154	0.06	0.03	pCi/g	0.071	< MDA		FD-floor drain sample	8.8
4	1.1	FD-8	20090789-08	11/18/2009	Tritium (H3)	H-3	6.20	1.15	pCi/g	8.4	< MDA		FD-floor drain sample	110
4	1.1	FD-8	20090789-08	10/28/2009	Gamma Spec (NORM)	K-40	14.00	3.46	pCi/g	1.17			FD-floor drain sample	
4	1.1	FD-8	20090789-08	11/23/2009	Nickel-63	Nickel-63	0.00	5.80	pCi/g	2.4	< MDA		FD-floor drain sample	2100
4	1.1	FD-8	20090789-08	10/28/2009	Gamma Spec (NORM)	Pb-212	0.00	0.52	pCi/g	0.102	< MDA		FD-floor drain sample	
4	1.1	FD-8	20090789-08	10/28/2009	Gamma Spec (NORM)	Pb-214	0.00	0.05	pCi/g	0.109	< MDA		FD-floor drain sample	273
4	1.1	FD-8	20090789-08	10/28/2009	Gamma Spec (NORM)	Th-234	0.00	0.23	pCi/g	0.538	< MDA		FD-floor drain sample	
4	1.1	FD-8	20090789-08	10/28/2009	Gamma Spec (NORM)	Tl-208	0.08	0.08	pCi/g	0.094	< MDA		FD-floor drain sample	
4	1.1	FD-8	20090789-08	11/16/2009	Uranium-Isotopic	Uranium-234	0.40	0.17	pCi/g	0.225			FD-floor drain sample	273
4	1.1	FD-8	20090789-08	11/16/2009	Uranium-Isotopic	Uranium-235	0.11	0.10	pCi/g	0.134	< MDA		FD-floor drain sample	273
4	1.1	FD-8	20090789-08	11/16/2009	Uranium-Isotopic	Uranium-238	0.25	0.13	pCi/g	0.159			FD-floor drain sample	273
4	1.1	FD-9	20090789-09	10/26/2009	Gamma Spec (NORM)	Ac-228	0.10	0.26	pCi/g	0.38	< MDA		FD-floor drain sample	
4	1.1	FD-9	20090789-09	10/26/2009	Gamma Spec (NORM)	Bi-212	0.37	0.54	pCi/g	1.27	< MDA		FD-floor drain sample	
4	1.1	FD-9	20090789-09	10/26/2009	Gamma Spec (NORM)	Bi-214	0.26	0.17	pCi/g	0.206			FD-floor drain sample	273
4	1.1	FD-9	20090789-09	11/4/2009	C-14	C-14	0.44	0.11	pCi/g	0.098			FD-floor drain sample	12
4	1.1	FD-9	20090789-09	10/26/2009	Gamma Spec (NORM)	Eu-152	0.00	0.24	pCi/g	0.562	< MDA		FD-floor drain sample	8.7
4	1.1	FD-9	20090789-09	10/26/2009	Gamma Spec (NORM)	Eu-154	0.00	0.21	pCi/g	0.497	< MDA		FD-floor drain sample	8.8
4	1.1	FD-9	20090789-09	11/18/2009	Tritium (H3)	H-3	4.90	1.17	pCi/g	8.7	< MDA		FD-floor drain sample	110
4	1.1	FD-9	20090789-09	10/26/2009	Gamma Spec (NORM)	K-40	13.30	2.75	pCi/g	1.44			FD-floor drain sample	
4	1.1	FD-9	20090789-09	11/23/2009	Nickel-63	Nickel-63	0.00	4.60	pCi/g	1.9	< MDA		FD-floor drain sample	2100
4	1.1	FD-9	20090789-09	10/26/2009	Gamma Spec (NORM)	Pb-212	0.00	0.22	pCi/g	0.295	< MDA		FD-floor drain sample	
4	1.1	FD-9	20090789-09	10/26/2009	Gamma Spec (NORM)	Pb-214	0.13	0.23	pCi/g	0.329	< MDA		FD-floor drain sample	273
4	1.1	FD-9	20090789-09	10/26/2009	Gamma Spec (NORM)	Th-234	2.44	3.35	pCi/g	4.07	< MDA		FD-floor drain sample	
4	1.1	FD-9	20090789-09	10/26/2009	Gamma Spec (NORM)	Tl-208	0.00	0.08	pCi/g	0.181	< MDA		FD-floor drain sample	

## OFFSITE RADIOANALYTICAL MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	IEM Sample No.	Lab Sample No.	Date Collected	Test Method	Analysis	Result	Error	Units	MDA	MDA Flag	DCGL/MDA Flag	Comment	DCGL
4	1.1	FD-9	20090789-09	11/16/2009	Uranium-Isotopic	Uranium-234	1.27	0.19	pCi/g	0.076			FD-floor drain sample	273
4	1.1	FD-9	20090789-09	11/16/2009	Uranium-Isotopic	Uranium-235	0.17	0.07	pCi/g	0.049			FD-floor drain sample	273
4	1.1	FD-9	20090789-09	11/16/2009	Uranium-Isotopic	Uranium-238	0.25	0.09	pCi/g	0.081			FD-floor drain sample	273
4	1.3	FP-15	20090789-14	10/26/2009	Gamma Spec (NORM)	Ac-228	0.51	0.34	pCi/g	0.572	< MDA		FP-floor penetration sample	
4	1.3	FP-15	20090789-14	10/26/2009	Gamma Spec (NORM)	Bi-212	0.00	0.78	pCi/g	1.84	< MDA		FP-floor penetration sample	
4	1.3	FP-15	20090789-14	10/26/2009	Gamma Spec (NORM)	Bi-214	0.19	0.23	pCi/g	0.31	< MDA		FP-floor penetration sample	273
4	1.3	FP-15	20090789-14	11/4/2009	C-14	C-14	0.82	0.10	pCi/g	0.073			FP-floor penetration sample	12
4	1.3	FP-15	20090789-14	10/26/2009	Gamma Spec (NORM)	Eu-152	0.00	0.30	pCi/g	0.714	< MDA		FP-floor penetration sample	8.7
4	1.3	FP-15	20090789-14	10/26/2009	Gamma Spec (NORM)	Eu-154	0.00	0.15	pCi/g	0.353	< MDA		FP-floor penetration sample	8.8
4	1.3	FP-15	20090789-14	11/18/2009	Tritium (H3)	H-3	2.20	1.13	pCi/g	8.6	< MDA		FP-floor penetration sample	110
4	1.3	FP-15	20090789-14	10/26/2009	Gamma Spec (NORM)	K-40	27.40	4.13	pCi/g	2.81			FP-floor penetration sample	
4	1.3	FP-15	20090789-14	11/23/2009	Nickel-63	Nickel-63	0.00	4.30	pCi/g	1.8	< MDA		FP-floor penetration sample	2100
4	1.3	FP-15	20090789-14	10/26/2009	Gamma Spec (NORM)	Pb-212	0.00	0.16	pCi/g	0.374	< MDA		FP-floor penetration sample	
4	1.3	FP-15	20090789-14	10/26/2009	Gamma Spec (NORM)	Pb-214	0.29	0.21	pCi/g	0.376	< MDA		FP-floor penetration sample	273
4	1.3	FP-15	20090789-14	10/26/2009	Gamma Spec (NORM)	Th-234	0.00	5.02	pCi/g	11.9	< MDA		FP-floor penetration sample	
4	1.3	FP-15	20090789-14	10/26/2009	Gamma Spec (NORM)	Tl-208	0.06	0.03	pCi/g	0.366	< MDA		FP-floor penetration sample	
4	1.3	FP-15	20090789-14	11/16/2009	Uranium-Isotopic	Uranium-234	0.55	0.14	pCi/g	0.116			FP-floor penetration sample	273
4	1.3	FP-15	20090789-14	11/16/2009	Uranium-Isotopic	Uranium-235	0.05	0.06	pCi/g	0.088	< MDA		FP-floor penetration sample	273
4	1.3	FP-15	20090789-14	11/16/2009	Uranium-Isotopic	Uranium-238	0.25	0.14	pCi/g	0.193			FP-floor penetration sample	273
4	1.4	FP-3	20090789-12	10/26/2009	Gamma Spec (NORM)	Ac-228	0.15	0.14	pCi/g	0.176	< MDA		FP-floor penetration sample	
4	1.4	FP-3	20090789-12	10/26/2009	Gamma Spec (NORM)	Bi-212	0.50	0.25	pCi/g	0.601	< MDA		FP-floor penetration sample	
4	1.4	FP-3	20090789-12	10/26/2009	Gamma Spec (NORM)	Bi-214	0.16	0.10	pCi/g	0.115			FP-floor penetration sample	273
4	1.4	FP-3	20090789-12	11/4/2009	C-14	C-14	0.59	0.09	pCi/g	0.078			FP-floor penetration sample	12
4	1.4	FP-3	20090789-12	10/26/2009	Gamma Spec (NORM)	Eu-152	0.04	0.08	pCi/g	0.125	< MDA		FP-floor penetration sample	8.7
4	1.4	FP-3	20090789-12	10/26/2009	Gamma Spec (NORM)	Eu-154	0.00	0.10	pCi/g	0.242	< MDA		FP-floor penetration sample	8.8
4	1.4	FP-3	20090789-12	11/18/2009	Tritium (H3)	H-3	4.70	1.18	pCi/g	8.8	< MDA		FP-floor penetration sample	110
4	1.4	FP-3	20090789-12	10/26/2009	Gamma Spec (NORM)	K-40	4.29	1.07	pCi/g	0.737			FP-floor penetration sample	
4	1.4	FP-3	20090789-12	11/23/2009	Nickel-63	Nickel-63	0.80	4.80	pCi/g	2	< MDA		FP-floor penetration sample	2100
4	1.4	FP-3	20090789-12	10/26/2009	Gamma Spec (NORM)	Pb-212	0.34	0.11	pCi/g	0.127			FP-floor penetration sample	
4	1.4	FP-3	20090789-12	10/26/2009	Gamma Spec (NORM)	Pb-214	0.19	0.10	pCi/g	0.145			FP-floor penetration sample	273
4	1.4	FP-3	20090789-12	10/26/2009	Gamma Spec (NORM)	Th-234	0.06	1.69	pCi/g	2.08	< MDA		FP-floor penetration sample	
4	1.4	FP-3	20090789-12	10/26/2009	Gamma Spec (NORM)	Tl-208	0.05	0.03	pCi/g	0.049			FP-floor penetration sample	
4	1.4	FP-3	20090789-12	11/19/2009	Uranium-Isotopic	Uranium-234	1.30	0.18	pCi/g	0.088			FP-floor penetration sample	273
4	1.4	FP-3	20090789-12	11/19/2009	Uranium-Isotopic	Uranium-235	0.13	0.06	pCi/g	0.052			FP-floor penetration sample	273
4	1.4	FP-3	20090789-12	11/19/2009	Uranium-Isotopic	Uranium-238	0.54	0.13	pCi/g	0.095			FP-floor penetration sample	273
4	1.4	FP-8	20090789-13	10/26/2009	Gamma Spec (NORM)	Ac-228	0.33	0.09	pCi/g	0.252			FP-floor penetration sample	
4	1.4	FP-8	20090789-13	10/26/2009	Gamma Spec (NORM)	Bi-212	0.00	0.14	pCi/g	0.324	< MDA		FP-floor penetration sample	
4	1.4	FP-8	20090789-13	10/26/2009	Gamma Spec (NORM)	Bi-214	0.27	0.10	pCi/g	0.135			FP-floor penetration sample	273
4	1.4	FP-8	20090789-13	11/4/2009	C-14	C-14	1.06	0.12	pCi/g	0.09			FP-floor penetration sample	12
4	1.4	FP-8	20090789-13	10/26/2009	Gamma Spec (NORM)	Eu-152	0.00	0.15	pCi/g	0.346	< MDA		FP-floor penetration sample	8.7
4	1.4	FP-8	20090789-13	10/26/2009	Gamma Spec (NORM)	Eu-154	0.00	0.15	pCi/g	0.359	< MDA		FP-floor penetration sample	8.8
4	1.4	FP-8	20090789-13	11/18/2009	Tritium (H3)	H-3	6.40	1.26	pCi/g	9.3	< MDA		FP-floor penetration sample	110
4	1.4	FP-8	20090789-13	10/26/2009	Gamma Spec (NORM)	K-40	8.88	1.50	pCi/g	1.04			FP-floor penetration sample	
4	1.4	FP-8	20090789-13	11/23/2009	Nickel-63	Nickel-63	0.00	4.20	pCi/g	1.8	< MDA		FP-floor penetration sample	2100
4	1.4	FP-8	20090789-13	10/26/2009	Gamma Spec (NORM)	Pb-212	0.75	0.25	pCi/g	0.271			FP-floor penetration sample	
4	1.4	FP-8	20090789-13	10/26/2009	Gamma Spec (NORM)	Pb-214	0.27	0.11	pCi/g	0.173			FP-floor penetration sample	273
4	1.4	FP-8	20090789-13	10/26/2009	Gamma Spec (NORM)	Th-234	0.00	2.58	pCi/g	6.12	< MDA		FP-floor penetration sample	
4	1.4	FP-8	20090789-13	10/26/2009	Gamma Spec (NORM)	Tl-208	0.16	0.04	pCi/g	0.06			FP-floor penetration sample	
4	1.4	FP-8	20090789-13	11/16/2009	Uranium-Isotopic	Uranium-234	0.27	0.14	pCi/g	0.181			FP-floor penetration sample	273
4	1.4	FP-8	20090789-13	11/16/2009	Uranium-Isotopic	Uranium-235	0.06	0.10	pCi/g	0.163	< MDA		FP-floor penetration sample	273
4	1.4	FP-8	20090789-13	11/16/2009	Uranium-Isotopic	Uranium-238	0.17	0.13	pCi/g	0.184	< MDA		FP-floor penetration sample	273
4	1.4	FP-Composite	20090789-15	10/26/2009	Gamma Spec (NORM)	Ac-228	0.12	0.09	pCi/g	0.129	< MDA		FP-floor penetration sample	
4	1.4	FP-Composite	20090789-15	10/26/2009	Gamma Spec (NORM)	Bi-212	0.07	0.19	pCi/g	0.461	< MDA		FP-floor penetration sample	

## OFFSITE RADIOANALYTICAL MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	IEM Sample No.	Lab Sample No.	Date Collected	Test Method	Analysis	Result	Error	Units	MDA	MDA Flag	DCGL/MDA Flag	Comment	DCGL
4	1.4	FP-Composite	20090789-15	10/26/2009	Gamma Spec (NORM)	Bi-214	0.13	0.08	pCi/g	0.099			FP-floor penetration sample	273
4	1.4	FP-Composite	20090789-15	11/5/2009	C-14	C-14	2.29	0.17	pCi/g	0.088			FP-floor penetration sample	12
4	1.4	FP-Composite	20090789-15	10/26/2009	Gamma Spec (NORM)	Eu-152	0.00	0.09	pCi/g	0.217	< MDA		FP-floor penetration sample	8.7
4	1.4	FP-Composite	20090789-15	10/26/2009	Gamma Spec (NORM)	Eu-154	0.00	0.10	pCi/g	0.225	< MDA		FP-floor penetration sample	8.8
4	1.4	FP-Composite	20090789-15	11/18/2009	Tritium (H3)	H-3	10.70	1.22	pCi/g	8.7			FP-floor penetration sample	110
4	1.4	FP-Composite	20090789-15	10/26/2009	Gamma Spec (NORM)	K-40	3.40	0.86	pCi/g	0.561			FP-floor penetration sample	
4	1.4	FP-Composite	20090789-15	11/23/2009	Nickel-63	Nickel-63	0.30	4.40	pCi/g	1.8	< MDA		FP-floor penetration sample	2100
4	1.4	FP-Composite	20090789-15	10/26/2009	Gamma Spec (NORM)	Pb-212	0.15	0.11	pCi/g	0.133			FP-floor penetration sample	
4	1.4	FP-Composite	20090789-15	10/26/2009	Gamma Spec (NORM)	Pb-214	0.14	0.09	pCi/g	0.116			FP-floor penetration sample	273
4	1.4	FP-Composite	20090789-15	10/26/2009	Gamma Spec (NORM)	Th-234	0.90	1.58	pCi/g	1.92	< MDA		FP-floor penetration sample	
4	1.4	FP-Composite	20090789-15	10/26/2009	Gamma Spec (NORM)	Tl-208	0.06	0.04	pCi/g	0.044			FP-floor penetration sample	
4	1.4	FP-Composite	20090789-15	11/16/2009	Uranium-Isotopic	Uranium-234	0.50	0.16	pCi/g	0.136			FP-floor penetration sample	273
4	1.4	FP-Composite	20090789-15	11/16/2009	Uranium-Isotopic	Uranium-235	0.10	0.08	pCi/g	0.099			FP-floor penetration sample	273
4	1.4	FP-Composite	20090789-15	11/16/2009	Uranium-Isotopic	Uranium-238	0.22	0.12	pCi/g	0.128			FP-floor penetration sample	273
4	Waste	Lime-1	20090767-02	10/14/2009	Gamma Spec (NORM)	Ac-228	0.00	0.26	pCi/g	0.611	< MDA			
4	Waste	Lime-1	20090767-02	10/14/2009	Gamma Spec (NORM)	Bi-212	0.06	0.47	pCi/g	0.644	< MDA			
4	Waste	Lime-1	20090767-02	10/14/2009	Gamma Spec (NORM)	Bi-214	0.23	0.21	pCi/g	0.281	< MDA			273
4	Waste	Lime-1	20090767-02	9/25/2009	C-14	C-14	0.07	0.07	pCi/g	0.07				12
4	Waste	Lime-1	20090767-02	10/14/2009	Gamma Spec (NORM)	Eu-152	0.03	0.04	pCi/g	0.217	< MDA			8.7
4	Waste	Lime-1	20090767-02	10/14/2009	Gamma Spec (NORM)	Eu-154	0.03	0.06	pCi/g	0.134	< MDA			8.8
4	Waste	Lime-1	20090767-02	9/25/2009	Tritium (H3)	H-3	13.30	0.70	pCi/g	5.5				110
4	Waste	Lime-1	20090767-02	11/25/2009	Iron-55	Iron-55	0.00	0.57	pCi/g	0.96	< MDA			10000
4	Waste	Lime-1	20090767-02	10/14/2009	Gamma Spec (NORM)	K-40	0.00	1.04	pCi/g	1.73	< MDA			
4	Waste	Lime-1	20090767-02	10/14/2009	Gamma Spec (NORM)	Pb-212	0.07	0.08	pCi/g	0.165	< MDA			
4	Waste	Lime-1	20090767-02	10/14/2009	Gamma Spec (NORM)	Pb-214	0.05	0.13	pCi/g	0.198	< MDA			273
4	Waste	Lime-1	20090767-02	10/14/2009	Gamma Spec (NORM)	Th-234	0.72	0.43	pCi/g	1.01	< MDA			
4	Waste	Lime-1	20090767-02	10/14/2009	Gamma Spec (NORM)	Tl-208	0.14	0.50	pCi/g	0.108				
4	Waste	Lime-1	20090767-02	10/23/2009	Uranium-Isotopic	Uranium-234	0.52	0.14	pCi/g	0.108				273
4	Waste	Lime-1	20090767-02	10/23/2009	Uranium-Isotopic	Uranium-235	0.20	0.08	pCi/g	0.03				273
4	Waste	Lime-1	20090767-02	10/23/2009	Uranium-Isotopic	Uranium-238	0.53	0.14	pCi/g	0.124				273
4	n.a.	Storage Pit Plug	20090767-05	10/14/2009	Gamma Spec (NORM)	Ac-228	0.23	0.13	pCi/g	0.219			Sample of fuel pit plug	
4	n.a.	Storage Pit Plug	20090767-05	10/14/2009	Gamma Spec (NORM)	Bi-212	0.09	0.36	pCi/g	0.478	< MDA		Sample of fuel pit plug	
4	n.a.	Storage Pit Plug	20090767-05	10/14/2009	Gamma Spec (NORM)	Bi-214	0.36	0.06	pCi/g	0.121			Sample of fuel pit plug	273
4	n.a.	Storage Pit Plug	20090767-05	9/25/2009	C-14	C-14	0.00	0.07	pCi/g	0.08	< MDA		Sample of fuel pit plug	12
4	n.a.	Storage Pit Plug	20090767-05	10/14/2009	Gamma Spec (NORM)	Eu-152	0.02	0.05	pCi/g	0.121	< MDA		Sample of fuel pit plug	8.7
4	n.a.	Storage Pit Plug	20090767-05	10/14/2009	Gamma Spec (NORM)	Eu-154	0.02	0.08	pCi/g	0.183	< MDA		Sample of fuel pit plug	8.8
4	n.a.	Storage Pit Plug	20090767-05	9/25/2009	Tritium (H3)	H-3	6.60	0.70	pCi/g	5.8			Sample of fuel pit plug	110
4	n.a.	Storage Pit Plug	20090767-05	11/25/2009	Iron-55	Iron-55	0.11	0.58	pCi/g	0.96	< MDA		Sample of fuel pit plug	10000
4	n.a.	Storage Pit Plug	20090767-05	10/14/2009	Gamma Spec (NORM)	K-40	7.49	1.40	pCi/g	0.699			Sample of fuel pit plug	
4	n.a.	Storage Pit Plug	20090767-05	10/14/2009	Gamma Spec (NORM)	Pb-212	0.29	0.07	pCi/g	0.083			Sample of fuel pit plug	
4	n.a.	Storage Pit Plug	20090767-05	10/14/2009	Gamma Spec (NORM)	Pb-214	0.23	0.07	pCi/g	0.105			Sample of fuel pit plug	273
4	n.a.	Storage Pit Plug	20090767-05	10/14/2009	Gamma Spec (NORM)	Th-234	0.70	1.18	pCi/g	1.36	< MDA		Sample of fuel pit plug	
4	n.a.	Storage Pit Plug	20090767-05	10/14/2009	Gamma Spec (NORM)	Tl-208	0.07	0.05	pCi/g	0.056			Sample of fuel pit plug	
4	n.a.	Storage Pit Plug	20090767-05	10/24/2009	Uranium-Isotopic	Uranium-234	0.95	0.14	pCi/g	0.094			Sample of fuel pit plug	273
4	n.a.	Storage Pit Plug	20090767-05	10/24/2009	Uranium-Isotopic	Uranium-235	0.20	0.07	pCi/g	0.067			Sample of fuel pit plug	273
4	n.a.	Storage Pit Plug	20090767-05	10/24/2009	Uranium-Isotopic	Uranium-238	0.73	0.13	pCi/g	0.088			Sample of fuel pit plug	273
6	n.a.	Duplicate-1	20090767-17	10/14/2009	Gamma Spec (NORM)	Ac-228	1.63	0.19	pCi/g	0.253			Dup. of OU6SB-02	
6	n.a.	Duplicate-1	20090767-17	10/14/2009	Gamma Spec (NORM)	Bi-212	0.95	0.51	pCi/g	0.601			Dup. of OU6SB-02	
6	n.a.	Duplicate-1	20090767-17	10/14/2009	Gamma Spec (NORM)	Bi-214	1.11	0.15	pCi/g	0.142			Dup. of OU6SB-02	
6	n.a.	Duplicate-1	20090767-17	9/29/2009	C-14	C-14	0.00	0.02	pCi/g	0.023	< MDA		Dup. of OU6SB-02	12
6	n.a.	Duplicate-1	20090767-17	10/14/2009	Gamma Spec (NORM)	Eu-152	0.01	0.08	pCi/g	0.191	< MDA		Dup. of OU6SB-02	8.7
6	n.a.	Duplicate-1	20090767-17	10/14/2009	Gamma Spec (NORM)	Eu-154	0.00	0.06	pCi/g	0.135	< MDA		Dup. of OU6SB-02	8.8
6	n.a.	Duplicate-1	20090767-17	9/30/2009	Tritium (H3)	H-3	1.20	0.17	pCi/g	2.9	< MDA		Dup. of OU6SB-02	110

### OFFSITE RADIOANALYTICAL MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	IEM Sample No.	Lab Sample No.	Date Collected	Test Method	Analysis	Result	Error	Units	MDA	MDA Flag	DCGL/MDA Flag	Comment	DCGL
6	n.a.	Duplicate-1	20090767-17	10/14/2009	Gamma Spec (NORM)	K-40	33.80	3.24	pCi/g	1.08			Dup. of OU6SB-02	
6	n.a.	Duplicate-1	20090767-17	10/14/2009	Gamma Spec (NORM)	Pb-212	1.90	0.22	pCi/g	0.11			Dup. of OU6SB-02	
6	n.a.	Duplicate-1	20090767-17	10/14/2009	Gamma Spec (NORM)	Pb-214	1.34	0.15	pCi/g	0.136			Dup. of OU6SB-02	
6	n.a.	Duplicate-1	20090767-17	10/14/2009	Gamma Spec (NORM)	Th-234	0.00	0.42	pCi/g	1	< MDA		Dup. of OU6SB-02	
6	n.a.	Duplicate-1	20090767-17	10/14/2009	Gamma Spec (NORM)	Tl-208	0.49	0.07	pCi/g	0.079			Dup. of OU6SB-02	
6	n.a.	OU6-SB01-27-29'	20090767-07	10/14/2009	Gamma Spec (NORM)	Ac-228	1.69	0.16	pCi/g	0.229				
6	n.a.	OU6-SB01-27-29'	20090767-07	10/14/2009	Gamma Spec (NORM)	Bi-212	1.28	0.37	pCi/g	0.518				
6	n.a.	OU6-SB01-27-29'	20090767-07	10/14/2009	Gamma Spec (NORM)	Bi-214	1.34	0.16	pCi/g	0.155				
6	n.a.	OU6-SB01-27-29'	20090767-07	9/29/2009	C-14	C-14	0.03	0.03	pCi/g	0.026				12
6	n.a.	OU6-SB01-27-29'	20090767-07	10/14/2009	Gamma Spec (NORM)	Eu-152	0.00	0.08	pCi/g	0.19	< MDA			8.7
6	n.a.	OU6-SB01-27-29'	20090767-07	10/14/2009	Gamma Spec (NORM)	Eu-154	0.00	0.06	pCi/g	0.133	< MDA			8.8
6	n.a.	OU6-SB01-27-29'	20090767-07	9/30/2009	Tritium (H3)	H-3	1.30	0.18	pCi/g	3	< MDA			110
6	n.a.	OU6-SB01-27-29'	20090767-07	10/14/2009	Gamma Spec (NORM)	K-40	29.90	2.80	pCi/g	0.701				
6	n.a.	OU6-SB01-27-29'	20090767-07	10/14/2009	Gamma Spec (NORM)	Pb-212	1.84	0.18	pCi/g	0.182				
6	n.a.	OU6-SB01-27-29'	20090767-07	10/14/2009	Gamma Spec (NORM)	Pb-214	1.31	0.09	pCi/g	0.115				
6	n.a.	OU6-SB01-27-29'	20090767-07	10/14/2009	Gamma Spec (NORM)	Th-234	0.38	0.44	pCi/g	1.04	< MDA			
6	n.a.	OU6-SB01-27-29'	20090767-07	10/14/2009	Gamma Spec (NORM)	Tl-208	0.54	0.07	pCi/g	0.062				
6	n.a.	OU6-SB02-26-28'	20090767-08	10/14/2009	Gamma Spec (NORM)	Ac-228	0.88	0.17	pCi/g	0.286				
6	n.a.	OU6-SB02-26-28'	20090767-08	10/14/2009	Gamma Spec (NORM)	Bi-212	0.79	0.35	pCi/g	0.549				
6	n.a.	OU6-SB02-26-28'	20090767-08	10/14/2009	Gamma Spec (NORM)	Bi-214	1.26	0.20	pCi/g	0.186				
6	n.a.	OU6-SB02-26-28'	20090767-08	9/29/2009	C-14	C-14	0.02	0.02	pCi/g	0.023				12
6	n.a.	OU6-SB02-26-28'	20090767-08	10/14/2009	Gamma Spec (NORM)	Eu-152	0.33	0.23	pCi/g	0.553	< MDA			8.7
6	n.a.	OU6-SB02-26-28'	20090767-08	10/14/2009	Gamma Spec (NORM)	Eu-154	0.04	0.17	pCi/g	0.391	< MDA			8.8
6	n.a.	OU6-SB02-26-28'	20090767-08	9/30/2009	Tritium (H3)	H-3	0.10	0.17	pCi/g	3	< MDA			110
6	n.a.	OU6-SB02-26-28'	20090767-08	10/14/2009	Gamma Spec (NORM)	K-40	14.30	2.08	pCi/g	1.51				
6	n.a.	OU6-SB02-26-28'	20090767-08	10/14/2009	Gamma Spec (NORM)	Pb-212	1.75	0.13	pCi/g	0.304				
6	n.a.	OU6-SB02-26-28'	20090767-08	10/14/2009	Gamma Spec (NORM)	Pb-214	1.72	0.20	pCi/g	0.28				
6	n.a.	OU6-SB02-26-28'	20090767-08	10/14/2009	Gamma Spec (NORM)	Th-234	2.91	1.50	pCi/g	3.57	< MDA			
6	n.a.	OU6-SB02-26-28'	20090767-08	10/14/2009	Gamma Spec (NORM)	Tl-208	0.27	0.11	pCi/g	0.136				
6	n.a.	OU6-SB03-28-30'	20090767-09	10/14/2009	Gamma Spec (NORM)	Ac-228	1.60	0.27	pCi/g	0.314				
6	n.a.	OU6-SB03-28-30'	20090767-09	10/14/2009	Gamma Spec (NORM)	Bi-212	0.84	0.48	pCi/g	0.528				
6	n.a.	OU6-SB03-28-30'	20090767-09	10/14/2009	Gamma Spec (NORM)	Bi-214	1.11	0.19	pCi/g	0.18				
6	n.a.	OU6-SB03-28-30'	20090767-09	9/29/2009	C-14	C-14	0.00	0.02	pCi/g	0.023	< MDA			12
6	n.a.	OU6-SB03-28-30'	20090767-09	10/14/2009	Gamma Spec (NORM)	Eu-152	0.00	0.16	pCi/g	0.378	< MDA			8.7
6	n.a.	OU6-SB03-28-30'	20090767-09	10/14/2009	Gamma Spec (NORM)	Eu-154	0.03	0.16	pCi/g	0.388	< MDA			8.8
6	n.a.	OU6-SB03-28-30'	20090767-09	9/30/2009	Tritium (H3)	H-3	0.90	0.17	pCi/g	2.9	< MDA			110
6	n.a.	OU6-SB03-28-30'	20090767-09	10/14/2009	Gamma Spec (NORM)	K-40	32.70	3.48	pCi/g	1.1				
6	n.a.	OU6-SB03-28-30'	20090767-09	10/14/2009	Gamma Spec (NORM)	Pb-212	2.21	0.36	pCi/g	0.277				
6	n.a.	OU6-SB03-28-30'	20090767-09	10/14/2009	Gamma Spec (NORM)	Pb-214	1.70	0.27	pCi/g	0.264				
6	n.a.	OU6-SB03-28-30'	20090767-09	10/14/2009	Gamma Spec (NORM)	Th-234	3.41	3.65	pCi/g	3.6	< MDA			
6	n.a.	OU6-SB03-28-30'	20090767-09	10/14/2009	Gamma Spec (NORM)	Tl-208	0.50	0.10	pCi/g	0.082				
6	n.a.	OU6-SB04-18-20'	20090767-20	10/16/2009	Gamma Spec (NORM)	Ac-228	1.55	0.14	pCi/g	0.214				
6	n.a.	OU6-SB04-18-20'	20090767-20	10/16/2009	Gamma Spec (NORM)	Bi-212	1.16	0.52	pCi/g	0.614				
6	n.a.	OU6-SB04-18-20'	20090767-20	10/16/2009	Gamma Spec (NORM)	Bi-214	1.00	0.11	pCi/g	0.133				
6	n.a.	OU6-SB04-18-20'	20090767-20	9/29/2009	C-14	C-14	0.00	0.02	pCi/g	0.022	< MDA			12
6	n.a.	OU6-SB04-18-20'	20090767-20	10/16/2009	Gamma Spec (NORM)	Eu-152	0.00	0.17	pCi/g	0.411	< MDA			8.7
6	n.a.	OU6-SB04-18-20'	20090767-20	10/16/2009	Gamma Spec (NORM)	Eu-154	0.00	0.12	pCi/g	0.289	< MDA			8.8
6	n.a.	OU6-SB04-18-20'	20090767-20	10/1/2009	Tritium (H3)	H-3	1.50	0.18	pCi/g	3.1	< MDA			110
6	n.a.	OU6-SB04-18-20'	20090767-20	10/16/2009	Gamma Spec (NORM)	K-40	32.10	2.75	pCi/g	1.25				
6	n.a.	OU6-SB04-18-20'	20090767-20	10/16/2009	Gamma Spec (NORM)	Pb-212	2.70	0.33	pCi/g	0.2				
6	n.a.	OU6-SB04-18-20'	20090767-20	10/16/2009	Gamma Spec (NORM)	Pb-214	1.31	0.14	pCi/g	0.143				
6	n.a.	OU6-SB04-18-20'	20090767-20	10/16/2009	Gamma Spec (NORM)	Th-234	0.00	1.11	pCi/g	2.64	< MDA			
6	n.a.	OU6-SB04-18-20'	20090767-20	10/16/2009	Gamma Spec (NORM)	Tl-208	0.57	0.06	pCi/g	0.061				



## OFFSITE RADIOANALYTICAL MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	IEM Sample No.	Lab Sample No.	Date Collected	Test Method	Analysis	Result	Error	Units	MDA	MDA Flag	DCGL/MDA Flag	Comment	DCGL
6	n.a.	OU6-SB05-18'-20'	20090789-17	10/30/2009	Gamma Spec (NORM)	Ac-228	0.21	0.09	pCi/g	0.207				
6	n.a.	OU6-SB05-18'-20'	20090789-17	10/30/2009	Gamma Spec (NORM)	Bi-212	0.00	0.15	pCi/g	0.366	< MDA			
6	n.a.	OU6-SB05-18'-20'	20090789-17	10/30/2009	Gamma Spec (NORM)	Bi-214	0.83	0.16	pCi/g	0.151				
6	n.a.	OU6-SB05-18'-20'	20090789-17	10/16/2009	C-14	C-14	0.51	0.05	pCi/g	0.037				12
6	n.a.	OU6-SB05-18'-20'	20090789-17	10/30/2009	Gamma Spec (NORM)	Eu-152	0.15	0.14	pCi/g	0.11				8.7
6	n.a.	OU6-SB05-18'-20'	20090789-17	10/30/2009	Gamma Spec (NORM)	Eu-154	0.09	0.19	pCi/g	0.094	< MDA			8.8
6	n.a.	OU6-SB05-18'-20'	20090789-17	10/15/2009	Tritium (H3)	H-3	1.70	0.20	pCi/g	3.4	< MDA			110
6	n.a.	OU6-SB05-18'-20'	20090789-17	10/30/2009	Gamma Spec (NORM)	K-40	25.30	2.78	pCi/g	0.886				
6	n.a.	OU6-SB05-18'-20'	20090789-17	10/30/2009	Gamma Spec (NORM)	Pb-212	1.43	0.15	pCi/g	0.137				
6	n.a.	OU6-SB05-18'-20'	20090789-17	10/30/2009	Gamma Spec (NORM)	Pb-214	0.83	0.10	pCi/g	0.106				
6	n.a.	OU6-SB05-18'-20'	20090789-17	10/30/2009	Gamma Spec (NORM)	Th-234	1.31	2.56	pCi/g	0.759				
6	n.a.	OU6-SB05-18'-20'	20090789-17	10/30/2009	Gamma Spec (NORM)	Tl-208	0.51	0.09	pCi/g	0.077				
7	n.a.	Duplicate-2	20090767-18	10/16/2009	Gamma Spec (NORM)	Ac-228	1.00	0.18	pCi/g	0.224			Dup. of OU7 Location 4	
7	n.a.	Duplicate-2	20090767-18	10/16/2009	Gamma Spec (NORM)	Bi-212	0.88	0.45	pCi/g	0.523			Dup. of OU7 Location 4	
7	n.a.	Duplicate-2	20090767-18	10/16/2009	Gamma Spec (NORM)	Bi-214	1.34	0.16	pCi/g	0.131			Dup. of OU7 Location 4	
7	n.a.	Duplicate-2	20090767-18	9/29/2009	C-14	C-14	0.03	0.02	pCi/g	0.025			Dup. of OU7 Location 4	12
7	n.a.	Duplicate-2	20090767-18	10/16/2009	Gamma Spec (NORM)	Eu-152	0.21	0.22	pCi/g	0.188			Dup. of OU7 Location 4	8.7
7	n.a.	Duplicate-2	20090767-18	10/16/2009	Gamma Spec (NORM)	Eu-154	0.00	0.10	pCi/g	0.231	< MDA		Dup. of OU7 Location 4	8.8
7	n.a.	Duplicate-2	20090767-18	9/30/2009	Tritium (H3)	H-3	0.70	0.18	pCi/g	3	< MDA		Dup. of OU7 Location 4	110
7	n.a.	Duplicate-2	20090767-18	10/16/2009	Gamma Spec (NORM)	K-40	14.10	1.69	pCi/g	0.761			Dup. of OU7 Location 4	
7	n.a.	Duplicate-2	20090767-18	10/16/2009	Gamma Spec (NORM)	Pb-212	1.59	0.09	pCi/g	0.201			Dup. of OU7 Location 4	
7	n.a.	Duplicate-2	20090767-18	10/16/2009	Gamma Spec (NORM)	Pb-214	1.75	0.22	pCi/g	0.179			Dup. of OU7 Location 4	
7	n.a.	Duplicate-2	20090767-18	10/16/2009	Gamma Spec (NORM)	Th-234	3.83	1.38	pCi/g	2.52			Dup. of OU7 Location 4	
7	n.a.	Duplicate-2	20090767-18	10/16/2009	Gamma Spec (NORM)	Tl-208	0.36	0.07	pCi/g	0.064			Dup. of OU7 Location 4	
7	n.a.	Duplicate-3	20090767-19	10/16/2009	Gamma Spec (NORM)	Ac-228	1.85	0.42	pCi/g	0.71			Dup. of Stormwater South	
7	n.a.	Duplicate-3	20090767-19	10/16/2009	Gamma Spec (NORM)	Bi-212	1.53	0.61	pCi/g	1.06			Dup. of Stormwater South	
7	n.a.	Duplicate-3	20090767-19	10/16/2009	Gamma Spec (NORM)	Bi-214	1.04	0.22	pCi/g	0.279			Dup. of Stormwater South	
7	n.a.	Duplicate-3	20090767-19	9/29/2009	C-14	C-14	0.10	0.03	pCi/g	0.03			Dup. of Stormwater South	12
7	n.a.	Duplicate-3	20090767-19	10/16/2009	Gamma Spec (NORM)	Eu-152	0.00	0.10	pCi/g	0.227	< MDA		Dup. of Stormwater South	8.7
7	n.a.	Duplicate-3	20090767-19	10/16/2009	Gamma Spec (NORM)	Eu-154	0.00	0.07	pCi/g	0.162	< MDA		Dup. of Stormwater South	8.8
7	n.a.	Duplicate-3	20090767-19	10/1/2009	Tritium (H3)	H-3	2.70	0.19	pCi/g	3.1	< MDA		Dup. of Stormwater South	110
7	n.a.	Duplicate-3	20090767-19	11/25/2009	Iron-55	Iron-55	0.00	0.57	pCi/g	0.96	< MDA		Dup. of Stormwater South	10000
7	n.a.	Duplicate-3	20090767-19	10/16/2009	Gamma Spec (NORM)	K-40	17.90	3.22	pCi/g	2.69			Dup. of Stormwater South	
7	n.a.	Duplicate-3	20090767-19	10/16/2009	Gamma Spec (NORM)	Pb-212	0.86	0.22	pCi/g	0.196			Dup. of Stormwater South	
7	n.a.	Duplicate-3	20090767-19	10/16/2009	Gamma Spec (NORM)	Pb-214	1.06	0.16	pCi/g	0.275			Dup. of Stormwater South	
7	n.a.	Duplicate-3	20090767-19	10/16/2009	Gamma Spec (NORM)	Th-234	0.81	1.50	pCi/g	1.29	< MDA		Dup. of Stormwater South	
7	n.a.	Duplicate-3	20090767-19	10/16/2009	Gamma Spec (NORM)	Tl-208	0.43	0.17	pCi/g	0.217			Dup. of Stormwater South	
7	n.a.	Duplicate-3	20090767-19	10/24/2009	Uranium-Isotopic	Uranium-234	0.94	0.10	pCi/g	0.05			Dup. of Stormwater South	273
7	n.a.	Duplicate-3	20090767-19	10/24/2009	Uranium-Isotopic	Uranium-235	0.14	0.04	pCi/g	0.028			Dup. of Stormwater South	273
7	n.a.	Duplicate-3	20090767-19	10/24/2009	Uranium-Isotopic	Uranium-238	0.74	0.09	pCi/g	0.03			Dup. of Stormwater South	273
7	Loc 1	OU7-Location 1	20090954-01	10/28/2009	DOE Ga-01-R	Ac-228	1.01	0.16	pCi/g	0.459				
7	Loc 1	OU7-Location 1	20090954-01	10/28/2009	DOE Ga-01-R	Bi-212	1.31	0.46	pCi/g	1.02				
7	Loc 1	OU7-Location 1	20090954-01	10/28/2009	DOE Ga-01-R	Bi-214	1.55	0.25	pCi/g	0.252				
7	Loc 1	OU7-Location 1	20090954-01	10/28/2009	EPA EERF C01	C-14	0.19	0.09	pCi/g	0.091				12
7	Loc 1	OU7-Location 1	20090954-01	10/28/2009	DOE Ga-01-R	Cs-137	0.55	0.12	pCi/g	0.138				5.7
7	Loc 1	OU7-Location 1	20090954-01	10/28/2009	DOE Ga-01-R	Eu-152	0.00	0.13	pCi/g	0.3	< MDA			8.7
7	Loc 1	OU7-Location 1	20090954-01	10/28/2009	DOE Ga-01-R	Eu-154	0.00	0.09	pCi/g	0.212	< MDA			8.8
7	Loc 1	OU7-Location 1	20090954-01	10/28/2009	DOE Ga-01-R	K-40	15.00	2.34	pCi/g	1.2				
7	Loc 1	OU7-Location 1	20090954-01	10/28/2009	DOE Ga-01-R	Pb-212	1.17	0.16	pCi/g	0.179				
7	Loc 1	OU7-Location 1	20090954-01	10/28/2009	DOE Ga-01-R	Pb-214	1.48	0.10	pCi/g	0.213				
7	Loc 1	OU7-Location 1	20090954-01	10/28/2009	DOE Ga-01-R	Th-234	0.58	0.41	pCi/g	0.648	< MDA			
7	Loc 1	OU7-Location 1	20090954-01	10/28/2009	DOE Ga-01-R	Tl-208	0.45	0.09	pCi/g	0.118				
7	Loc 1	OU7-Location 1	20090954-01	10/28/2009	EPA 906	Tritium (H3)	0.00	0.36	pCi/g	4.9	< MDA			110

### OFFSITE RADIOANALYTICAL MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	IEM Sample No.	Lab Sample No.	Date Collected	Test Method	Analysis	Result	Error	Units	MDA	MDA Flag	DCGL/MDA Flag	Comment	DCGL
7	Loc 10	OU7-Location 10	20090954-06	10/28/2009	DOE Ga-01-R	Ac-228	1.47	0.37	pCi/g	0.783				
7	Loc 10	OU7-Location 10	20090954-06	10/28/2009	DOE Ga-01-R	Bi-212	0.53	0.67	pCi/g	0.823	< MDA			
7	Loc 10	OU7-Location 10	20090954-06	10/28/2009	DOE Ga-01-R	Bi-214	1.33	0.28	pCi/g	0.302				
7	Loc 10	OU7-Location 10	20090954-06	10/28/2009	EPA EERF C01	C-14	0.09	0.07	pCi/g	0.07				12
7	Loc 10	OU7-Location 10	20090954-06	10/28/2009	DOE Ga-01-R	Cs-137	0.51	0.15	pCi/g	0.16				5.7
7	Loc 10	OU7-Location 10	20090954-06	10/28/2009	DOE Ga-01-R	Eu-152	0.00	0.20	pCi/g	0.467	< MDA			8.7
7	Loc 10	OU7-Location 10	20090954-06	10/28/2009	DOE Ga-01-R	Eu-154	0.00	0.14	pCi/g	0.333	< MDA			8.8
7	Loc 10	OU7-Location 10	20090954-06	10/28/2009	EPA 906	H-3	0.00	0.37	pCi/g	5	< MDA			110
7	Loc 10	OU7-Location 10	20090954-06	10/28/2009	DOE Ga-01-R	K-40	19.10	3.41	pCi/g	1.92				
7	Loc 10	OU7-Location 10	20090954-06	10/28/2009	DOE Ga-01-R	Pb-212	2.36	0.51	pCi/g	0.473				
7	Loc 10	OU7-Location 10	20090954-06	10/28/2009	DOE Ga-01-R	Pb-214	0.93	0.27	pCi/g	0.35				
7	Loc 10	OU7-Location 10	20090954-06	10/28/2009	DOE Ga-01-R	Th-234	0.00	0.88	pCi/g	2.08	< MDA			
7	Loc 10	OU7-Location 10	20090954-06	10/28/2009	DOE Ga-01-R	Tl-208	0.56	0.17	pCi/g	0.208				
7	Loc 11	OU7-Location 11	20090954-07	10/28/2009	DOE Ga-01-R	Ac-228	1.09	0.29	pCi/g	0.384				
7	Loc 11	OU7-Location 11	20090954-07	10/28/2009	DOE Ga-01-R	Bi-212	0.44	0.73	pCi/g	0.821	< MDA			
7	Loc 11	OU7-Location 11	20090954-07	10/28/2009	DOE Ga-01-R	Bi-214	1.39	0.24	pCi/g	0.217				
7	Loc 11	OU7-Location 11	20090954-07	10/28/2009	EPA EERF C01	C-14	0.21	0.06	pCi/g	0.053				12
7	Loc 11	OU7-Location 11	20090954-07	10/28/2009	DOE Ga-01-R	Cs-137	0.41	0.10	pCi/g	0.086				5.7
7	Loc 11	OU7-Location 11	20090954-07	10/28/2009	DOE Ga-01-R	Eu-152	0.15	0.48	pCi/g	0.271	< MDA			8.7
7	Loc 11	OU7-Location 11	20090954-07	10/28/2009	DOE Ga-01-R	Eu-154	0.00	0.18	pCi/g	0.432	< MDA			8.8
7	Loc 11	OU7-Location 11	20090954-07	10/28/2009	DOE Ga-01-R	K-40	22.50	2.97	pCi/g	1.12				
7	Loc 11	OU7-Location 11	20090954-07	10/28/2009	DOE Ga-01-R	Pb-212	1.88	0.36	pCi/g	0.312				
7	Loc 11	OU7-Location 11	20090954-07	10/28/2009	DOE Ga-01-R	Pb-214	1.82	0.29	pCi/g	0.245				
7	Loc 11	OU7-Location 11	20090954-07	10/28/2009	DOE Ga-01-R	Th-234	0.49	3.16	pCi/g	3.73	< MDA			
7	Loc 11	OU7-Location 11	20090954-07	10/28/2009	DOE Ga-01-R	Tl-208	0.40	0.11	pCi/g	0.101				
7	Loc 11	OU7-Location 11	20090954-07	10/28/2009	EPA 906	Tritium (H3)	3.40	0.41	pCi/g	5.3	< MDA			110
7	Loc 12	OU7-Location 12	20090954-08	10/28/2009	DOE Ga-01-R	Ac-228	1.54	0.27	pCi/g	0.385				
7	Loc 12	OU7-Location 12	20090954-08	10/28/2009	DOE Ga-01-R	Bi-212	0.00	0.44	pCi/g	1.05	< MDA			
7	Loc 12	OU7-Location 12	20090954-08	10/28/2009	DOE Ga-01-R	Bi-214	1.07	0.14	pCi/g	0.208				
7	Loc 12	OU7-Location 12	20090954-08	10/28/2009	EPA EERF C01	C-14	0.14	0.07	pCi/g	0.072				12
7	Loc 12	OU7-Location 12	20090954-08	10/28/2009	DOE Ga-01-R	Cs-137	0.38	0.18	pCi/g	0.211				5.7
7	Loc 12	OU7-Location 12	20090954-08	10/28/2009	DOE Ga-01-R	Eu-152	0.00	0.10	pCi/g	0.227	< MDA			8.7
7	Loc 12	OU7-Location 12	20090954-08	10/28/2009	DOE Ga-01-R	Eu-154	0.09	0.07	pCi/g	0.088				8.8
7	Loc 12	OU7-Location 12	20090954-08	10/28/2009	EPA 906	H-3	0.80	0.36	pCi/g	4.8	< MDA			110
7	Loc 12	OU7-Location 12	20090954-08	10/28/2009	DOE Ga-01-R	K-40	17.40	2.47	pCi/g	1.43				
7	Loc 12	OU7-Location 12	20090954-08	10/28/2009	DOE Ga-01-R	Pb-212	0.74	0.64	pCi/g	0.168				
7	Loc 12	OU7-Location 12	20090954-08	10/28/2009	DOE Ga-01-R	Pb-214	0.96	0.29	pCi/g	0.457				
7	Loc 12	OU7-Location 12	20090954-08	10/28/2009	DOE Ga-01-R	Th-234	0.00	1.05	pCi/g	1.39	< MDA			
7	Loc 12	OU7-Location 12	20090954-08	10/28/2009	DOE Ga-01-R	Tl-208	0.49	0.14	pCi/g	0.167				
7	Loc 13	OU7-Location 13	20090954-09	10/28/2009	DOE Ga-01-R	Ac-228	1.03	0.35	pCi/g	0.476				
7	Loc 13	OU7-Location 13	20090954-09	10/28/2009	DOE Ga-01-R	Bi-212	0.13	0.70	pCi/g	0.817	< MDA			
7	Loc 13	OU7-Location 13	20090954-09	10/28/2009	DOE Ga-01-R	Bi-214	1.35	0.26	pCi/g	0.241				
7	Loc 13	OU7-Location 13	20090954-09	10/28/2009	EPA EERF C01	C-14	0.01	0.09	pCi/g	0.093	< MDA			12
7	Loc 13	OU7-Location 13	20090954-09	10/28/2009	DOE Ga-01-R	Cs-137	0.41	0.14	pCi/g	0.139				5.7
7	Loc 13	OU7-Location 13	20090954-09	10/28/2009	DOE Ga-01-R	Eu-152	0.00	0.26	pCi/g	0.608	< MDA			8.7
7	Loc 13	OU7-Location 13	20090954-09	10/28/2009	DOE Ga-01-R	Eu-154	0.00	0.21	pCi/g	0.508	< MDA			8.8
7	Loc 13	OU7-Location 13	20090954-09	10/28/2009	EPA 906	H-3	1.10	0.37	pCi/g	4.8	< MDA			110
7	Loc 13	OU7-Location 13	20090954-09	10/28/2009	DOE Ga-01-R	K-40	26.70	3.67	pCi/g	1.51				
7	Loc 13	OU7-Location 13	20090954-09	10/28/2009	DOE Ga-01-R	Pb-212	1.99	0.45	pCi/g	0.423				
7	Loc 13	OU7-Location 13	20090954-09	10/28/2009	DOE Ga-01-R	Pb-214	2.05	0.37	pCi/g	0.343				
7	Loc 13	OU7-Location 13	20090954-09	10/28/2009	DOE Ga-01-R	Th-234	4.80	3.62	pCi/g	5.67	< MDA			
7	Loc 13	OU7-Location 13	20090954-09	10/28/2009	DOE Ga-01-R	Tl-208	0.48	0.13	pCi/g	0.112				
7	Loc 14	OU7-Location 14	20090954-10	10/28/2009	DOE Ga-01-R	Ac-228	0.94	0.41	pCi/g	0.683				

### OFFSITE RADIOANALYTICAL MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	IEM Sample No.	Lab Sample No.	Date Collected	Test Method	Analysis	Result	Error	Units	MDA	MDA Flag	DCGL/MDA Flag	Comment	DCGL
7	Loc 14	OU7-Location 14	20090954-10	10/28/2009	DOE Ga-01-R	Bi-212	0.00	0.56	pCi/g	0.906	< MDA			
7	Loc 14	OU7-Location 14	20090954-10	10/28/2009	DOE Ga-01-R	Bi-214	1.18	0.31	pCi/g	0.345				
7	Loc 14	OU7-Location 14	20090954-10	10/28/2009	EPA EERF C01	C-14	0.10	0.08	pCi/g	0.078				12
7	Loc 14	OU7-Location 14	20090954-10	10/28/2009	DOE Ga-01-R	Cs-137	0.38	0.18	pCi/g	0.195				5.7
7	Loc 14	OU7-Location 14	20090954-10	10/28/2009	DOE Ga-01-R	Eu-152	0.12	0.15	pCi/g	0.194	< MDA			8.7
7	Loc 14	OU7-Location 14	20090954-10	10/28/2009	DOE Ga-01-R	Eu-154	0.00	0.06	pCi/g	0.135	< MDA			8.8
7	Loc 14	OU7-Location 14	20090954-10	10/28/2009	EPA 906	H-3	0.30	0.35	pCi/g	4.6	< MDA			110
7	Loc 14	OU7-Location 14	20090954-10	10/28/2009	DOE Ga-01-R	K-40	17.70	3.46	pCi/g	2.17				
7	Loc 14	OU7-Location 14	20090954-10	10/28/2009	DOE Ga-01-R	Pb-212	1.34	0.34	pCi/g	0.351				
7	Loc 14	OU7-Location 14	20090954-10	10/28/2009	DOE Ga-01-R	Pb-214	1.12	0.20	pCi/g	0.285				
7	Loc 14	OU7-Location 14	20090954-10	10/28/2009	DOE Ga-01-R	Th-234	0.48	1.26	pCi/g	1.23	< MDA			
7	Loc 14	OU7-Location 14	20090954-10	10/28/2009	DOE Ga-01-R	Tl-208	0.41	0.13	pCi/g	0.144				
7	Loc 2	OU7-Location 2	20090954-02	10/28/2009	DOE Ga-01-R	Ac-228	1.16	0.33	pCi/g	0.55				
7	Loc 2	OU7-Location 2	20090954-02	10/28/2009	DOE Ga-01-R	Bi-212	0.62	0.66	pCi/g	0.78	< MDA			
7	Loc 2	OU7-Location 2	20090954-02	10/28/2009	DOE Ga-01-R	Bi-214	0.98	0.29	pCi/g	0.326				
7	Loc 2	OU7-Location 2	20090954-02	10/28/2009	EPA EERF C01	C-14	0.07	0.07	pCi/g	0.068	< MDA			12
7	Loc 2	OU7-Location 2	20090954-02	10/28/2009	DOE Ga-01-R	Cs-137	0.51	0.18	pCi/g	0.171				5.7
7	Loc 2	OU7-Location 2	20090954-02	10/28/2009	DOE Ga-01-R	Eu-152	0.04	0.09	pCi/g	0.136	< MDA			8.7
7	Loc 2	OU7-Location 2	20090954-02	10/28/2009	DOE Ga-01-R	Eu-154	0.00	0.04	pCi/g	0.094	< MDA			8.8
7	Loc 2	OU7-Location 2	20090954-02	10/28/2009	EPA 906	H-3	0.00	0.38	pCi/g	5.2	< MDA			110
7	Loc 2	OU7-Location 2	20090954-02	10/28/2009	DOE Ga-01-R	K-40	13.60	3.56	pCi/g	1.94				
7	Loc 2	OU7-Location 2	20090954-02	10/28/2009	DOE Ga-01-R	Pb-212	0.00	0.13	pCi/g	0.317	< MDA			
7	Loc 2	OU7-Location 2	20090954-02	10/28/2009	DOE Ga-01-R	Pb-214	1.13	0.20	pCi/g	0.308				
7	Loc 2	OU7-Location 2	20090954-02	10/28/2009	DOE Ga-01-R	Th-234	1.18	2.07	pCi/g	1.14				
7	Loc 2	OU7-Location 2	20090954-02	10/28/2009	DOE Ga-01-R	Tl-208	0.40	0.18	pCi/g	0.191				
7	Loc 3	OU7-Location 3	20090954-03	10/28/2009	DOE Ga-01-R	Ac-228	1.43	0.30	pCi/g	0.363				
7	Loc 3	OU7-Location 3	20090954-03	10/28/2009	DOE Ga-01-R	Bi-212	0.60	0.58	pCi/g	0.715	< MDA			
7	Loc 3	OU7-Location 3	20090954-03	10/28/2009	DOE Ga-01-R	Bi-214	1.48	0.22	pCi/g	0.167				
7	Loc 3	OU7-Location 3	20090954-03	10/28/2009	EPA EERF C01	C-14	0.09	0.06	pCi/g	0.063				12
7	Loc 3	OU7-Location 3	20090954-03	10/28/2009	DOE Ga-01-R	Cs-137	0.36	0.11	pCi/g	0.113				5.7
7	Loc 3	OU7-Location 3	20090954-03	10/28/2009	DOE Ga-01-R	Eu-152	0.00	0.18	pCi/g	0.42	< MDA			8.7
7	Loc 3	OU7-Location 3	20090954-03	10/28/2009	DOE Ga-01-R	Eu-154	0.00	0.20	pCi/g	0.478	< MDA			8.8
7	Loc 3	OU7-Location 3	20090954-03	10/28/2009	EPA 906	H-3	0.00	0.39	pCi/g	5.1	< MDA			110
7	Loc 3	OU7-Location 3	20090954-03	10/28/2009	DOE Ga-01-R	K-40	25.70	3.18	pCi/g	1.17				
7	Loc 3	OU7-Location 3	20090954-03	10/28/2009	DOE Ga-01-R	Pb-212	1.98	0.14	pCi/g	0.321				
7	Loc 3	OU7-Location 3	20090954-03	10/28/2009	DOE Ga-01-R	Pb-214	1.59	0.39	pCi/g	0.576				
7	Loc 3	OU7-Location 3	20090954-03	10/28/2009	DOE Ga-01-R	Th-234	45.50	13.30	pCi/g	3.57				
7	Loc 3	OU7-Location 3	20090954-03	10/28/2009	DOE Ga-01-R	Tl-208	0.41	0.11	pCi/g	0.098				
7	Loc 6	OU7-Location 6	20090954-04	10/28/2009	DOE Ga-01-R	Ac-228	0.52	0.15	pCi/g	0.215				
7	Loc 6	OU7-Location 6	20090954-04	10/28/2009	DOE Ga-01-R	Bi-212	0.13	0.36	pCi/g	0.37	< MDA			
7	Loc 6	OU7-Location 6	20090954-04	10/28/2009	DOE Ga-01-R	Bi-214	0.73	0.14	pCi/g	0.145				
7	Loc 6	OU7-Location 6	20090954-04	10/28/2009	EPA EERF C01	C-14	0.10	0.06	pCi/g	0.065				12
7	Loc 6	OU7-Location 6	20090954-04	10/28/2009	DOE Ga-01-R	Cs-137	0.42	0.08	pCi/g	0.066				5.7
7	Loc 6	OU7-Location 6	20090954-04	10/28/2009	DOE Ga-01-R	Eu-152	0.00	0.10	pCi/g	0.236	< MDA			8.7
7	Loc 6	OU7-Location 6	20090954-04	10/28/2009	DOE Ga-01-R	Eu-154	0.00	0.10	pCi/g	0.235	< MDA			8.8
7	Loc 6	OU7-Location 6	20090954-04	10/28/2009	EPA 906	H-3	1.00	0.40	pCi/g	5.2	< MDA			110
7	Loc 6	OU7-Location 6	20090954-04	10/28/2009	DOE Ga-01-R	K-40	3.39	1.06	pCi/g	1.04				
7	Loc 6	OU7-Location 6	20090954-04	10/28/2009	DOE Ga-01-R	Pb-212	1.29	0.28	pCi/g	0.252				
7	Loc 6	OU7-Location 6	20090954-04	10/28/2009	DOE Ga-01-R	Pb-214	0.78	0.21	pCi/g	0.204				
7	Loc 6	OU7-Location 6	20090954-04	10/28/2009	DOE Ga-01-R	Th-234	0.70	5.30	pCi/g	6.97	< MDA			
7	Loc 6	OU7-Location 6	20090954-04	10/28/2009	DOE Ga-01-R	Tl-208	0.25	0.07	pCi/g	0.068				
7	Loc 9	OU7-Location 9	20090954-05	10/28/2009	DOE Ga-01-R	Ac-228	1.58	0.20	pCi/g	0.383				
7	Loc 9	OU7-Location 9	20090954-05	10/28/2009	DOE Ga-01-R	Bi-212	1.07	0.26	pCi/g	0.715				

### OFFSITE RADIOANALYTICAL MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	IEM Sample No.	Lab Sample No.	Date Collected	Test Method	Analysis	Result	Error	Units	MDA	MDA Flag	DCGL/MDA Flag	Comment	DCGL
7	Loc 9	OU7-Location 9	20090954-05	10/28/2009	DOE Ga-01-R	Bi-214	1.43	0.20	pCi/g	0.15				
7	Loc 9	OU7-Location 9	20090954-05	10/28/2009	EPA EERF C01	C-14	0.05	0.05	pCi/g	0.056	< MDA			12
7	Loc 9	OU7-Location 9	20090954-05	10/28/2009	DOE Ga-01-R	Cs-137	0.33	0.11	pCi/g	0.107				5.7
7	Loc 9	OU7-Location 9	20090954-05	10/28/2009	DOE Ga-01-R	Eu-152	0.00	0.16	pCi/g	0.385	< MDA			8.7
7	Loc 9	OU7-Location 9	20090954-05	10/28/2009	DOE Ga-01-R	Eu-154	0.00	0.13	pCi/g	0.306	< MDA			8.8
7	Loc 9	OU7-Location 9	20090954-05	10/28/2009	EPA 906	H-3	0.80	0.36	pCi/g	4.8	< MDA			110
7	Loc 9	OU7-Location 9	20090954-05	10/28/2009	DOE Ga-01-R	K-40	25.80	3.18	pCi/g	1.45				
7	Loc 9	OU7-Location 9	20090954-05	10/28/2009	DOE Ga-01-R	Pb-212	2.27	0.25	pCi/g	0.253				
7	Loc 9	OU7-Location 9	20090954-05	10/28/2009	DOE Ga-01-R	Pb-214	1.84	0.25	pCi/g	0.308				
7	Loc 9	OU7-Location 9	20090954-05	10/28/2009	DOE Ga-01-R	Th-234	3.24	1.05	pCi/g	2.5				
7	Loc 9	OU7-Location 9	20090954-05	10/28/2009	DOE Ga-01-R	Tl-208	0.50	0.12	pCi/g	0.119				
7	n.a.	OU7-Location-4	20090767-10	11/9/2009	Gamma Spec (NORM)	Ac-228	1.20	0.10	pCi/g	0.33			Outside area surface soil samples	
7	n.a.	OU7-Location-4	20090767-10	11/9/2009	Gamma Spec (NORM)	Bi-212	0.44	0.24	pCi/g	0.446	< MDA		Outside area surface soil samples	
7	n.a.	OU7-Location-4	20090767-10	11/9/2009	Gamma Spec (NORM)	Bi-214	1.29	0.19	pCi/g	0.177			Outside area surface soil samples	
7	n.a.	OU7-Location-4	20090767-10	9/25/2009	C-14	C-14	0.20	0.05	pCi/g	0.04			Outside area surface soil samples	12
7	n.a.	OU7-Location-4	20090767-10	11/9/2009	Gamma Spec (NORM)	Eu-152	0.03	0.16	pCi/g	0.371	< MDA		Outside area surface soil samples	8.7
7	n.a.	OU7-Location-4	20090767-10	11/9/2009	Gamma Spec (NORM)	Eu-154	0.00	0.06	pCi/g	0.142	< MDA		Outside area surface soil samples	8.8
7	n.a.	OU7-Location-4	20090767-10	9/30/2009	Tritium (H3)	H-3	1.10	0.18	pCi/g	3	< MDA		Outside area surface soil samples	110
7	n.a.	OU7-Location-4	20090767-10	11/9/2009	Gamma Spec (NORM)	K-40	15.30	2.23	pCi/g	1.17			Outside area surface soil samples	
7	n.a.	OU7-Location-4	20090767-10	11/9/2009	Gamma Spec (NORM)	Pb-212	1.67	0.24	pCi/g	0.197			Outside area surface soil samples	
7	n.a.	OU7-Location-4	20090767-10	11/9/2009	Gamma Spec (NORM)	Pb-214	2.06	0.22	pCi/g	0.266			Outside area surface soil samples	
7	n.a.	OU7-Location-4	20090767-10	11/9/2009	Gamma Spec (NORM)	Th-234	3.47	0.83	pCi/g	1.48			Outside area surface soil samples	
7	n.a.	OU7-Location-4	20090767-10	11/9/2009	Gamma Spec (NORM)	Tl-208	0.13	0.20	pCi/g	0.271	< MDA		Outside area surface soil samples	
7	n.a.	OU7-Location-5	20090767-11	10/14/2009	Gamma Spec (NORM)	Ac-228	1.46	0.31	pCi/g	0.38			Outside area surface soil samples	
7	n.a.	OU7-Location-5	20090767-11	10/14/2009	Gamma Spec (NORM)	Bi-212	0.64	0.41	pCi/g	0.662	< MDA		Outside area surface soil samples	
7	n.a.	OU7-Location-5	20090767-11	10/14/2009	Gamma Spec (NORM)	Bi-214	1.32	0.14	pCi/g	0.183			Outside area surface soil samples	
7	n.a.	OU7-Location-5	20090767-11	9/29/2009	C-14	C-14	0.01	0.02	pCi/g	0.023	< MDA		Outside area surface soil samples	12
7	n.a.	OU7-Location-5	20090767-11	10/14/2009	Gamma Spec (NORM)	Eu-152	0.00	0.21	pCi/g	0.492	< MDA		Outside area surface soil samples	8.7
7	n.a.	OU7-Location-5	20090767-11	10/14/2009	Gamma Spec (NORM)	Eu-154	0.00	0.15	pCi/g	0.343	< MDA		Outside area surface soil samples	8.8
7	n.a.	OU7-Location-5	20090767-11	9/30/2009	Tritium (H3)	H-3	0.90	0.18	pCi/g	3	< MDA		Outside area surface soil samples	110
7	n.a.	OU7-Location-5	20090767-11	10/14/2009	Gamma Spec (NORM)	K-40	25.60	3.17	pCi/g	1.24			Outside area surface soil samples	
7	n.a.	OU7-Location-5	20090767-11	10/14/2009	Gamma Spec (NORM)	Pb-212	2.61	0.41	pCi/g	0.339			Outside area surface soil samples	

### OFFSITE RADIOANALYTICAL MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	IEM Sample No.	Lab Sample No.	Date Collected	Test Method	Analysis	Result	Error	Units	MDA	MDA Flag	DCGL/MDA Flag	Comment	DCGL
7	n.a.	OU7-Location-5	20090767-11	10/14/2009	Gamma Spec (NORM)	Pb-214	1.94	0.20	pCi/g	0.239			Outside area surface soil samples	
7	n.a.	OU7-Location-5	20090767-11	10/14/2009	Gamma Spec (NORM)	Th-234	2.95	1.06	pCi/g	1.83			Outside area surface soil samples	
7	n.a.	OU7-Location-5	20090767-11	10/14/2009	Gamma Spec (NORM)	Tl-208	0.44	0.06	pCi/g	0.092			Outside area surface soil samples	
7	n.a.	OU7-Location-7	20090767-12	10/14/2009	Gamma Spec (NORM)	Ac-228	0.91	0.26	pCi/g	0.366			Outside area surface soil samples	
7	n.a.	OU7-Location-7	20090767-12	10/14/2009	Gamma Spec (NORM)	Bi-212	0.59	0.34	pCi/g	0.494			Outside area surface soil samples	
7	n.a.	OU7-Location-7	20090767-12	10/14/2009	Gamma Spec (NORM)	Bi-214	0.84	0.18	pCi/g	0.182			Outside area surface soil samples	
7	n.a.	OU7-Location-7	20090767-12	9/29/2009		C-14	C-14	0.00	0.02	pCi/g	0.026	< MDA	Outside area surface soil samples	12
7	n.a.	OU7-Location-7	20090767-12	10/14/2009	Gamma Spec (NORM)	Eu-152	0.02	0.12	pCi/g	0.144	< MDA		Outside area surface soil samples	8.7
7	n.a.	OU7-Location-7	20090767-12	10/14/2009	Gamma Spec (NORM)	Eu-154	0.00	0.07	pCi/g	0.175	< MDA		Outside area surface soil samples	8.8
7	n.a.	OU7-Location-7	20090767-12	9/30/2009		Tritium (H3)	H-3	2.20	0.18	pCi/g	2.9	< MDA	Outside area surface soil samples	110
7	n.a.	OU7-Location-7	20090767-12	10/14/2009	Gamma Spec (NORM)	K-40	16.40	2.64	pCi/g	1.26			Outside area surface soil samples	
7	n.a.	OU7-Location-7	20090767-12	10/14/2009	Gamma Spec (NORM)	Pb-212	1.32	0.20	pCi/g	0.143			Outside area surface soil samples	
7	n.a.	OU7-Location-7	20090767-12	10/14/2009	Gamma Spec (NORM)	Pb-214	1.45	0.17	pCi/g	0.173			Outside area surface soil samples	
7	n.a.	OU7-Location-7	20090767-12	10/14/2009	Gamma Spec (NORM)	Th-234	1.35	1.77	pCi/g	1.5	< MDA		Outside area surface soil samples	
7	n.a.	OU7-Location-7	20090767-12	10/14/2009	Gamma Spec (NORM)	Tl-208	0.34	0.11	pCi/g	0.123			Outside area surface soil samples	
7	n.a.	OU7-Location-8	20090767-13	10/14/2009	Gamma Spec (NORM)	Ac-228	0.93	0.25	pCi/g	0.359			Outside area surface soil samples	
7	n.a.	OU7-Location-8	20090767-13	10/14/2009	Gamma Spec (NORM)	Bi-212	0.69	0.27	pCi/g	0.473			Outside area surface soil samples	
7	n.a.	OU7-Location-8	20090767-13	10/14/2009	Gamma Spec (NORM)	Bi-214	0.96	0.17	pCi/g	0.161			Outside area surface soil samples	
7	n.a.	OU7-Location-8	20090767-13	9/29/2009		C-14	C-14	0.06	0.02	pCi/g	0.017		Outside area surface soil samples	12
7	n.a.	OU7-Location-8	20090767-13	10/14/2009	Gamma Spec (NORM)	Eu-152	0.32	0.25	pCi/g	0.127			Outside area surface soil samples	8.7
7	n.a.	OU7-Location-8	20090767-13	10/14/2009	Gamma Spec (NORM)	Eu-154	0.00	0.04	pCi/g	0.088	< MDA		Outside area surface soil samples	8.8
7	n.a.	OU7-Location-8	20090767-13	9/25/2009		Tritium (H3)	H-3	4.50	0.60	pCi/g	5.6	< MDA	Outside area surface soil samples	110
7	n.a.	OU7-Location-8	20090767-13	10/14/2009	Gamma Spec (NORM)	K-40	19.90	2.86	pCi/g	1.36			Outside area surface soil samples	
7	n.a.	OU7-Location-8	20090767-13	10/14/2009	Gamma Spec (NORM)	Pb-212	1.45	0.21	pCi/g	0.139			Outside area surface soil samples	
7	n.a.	OU7-Location-8	20090767-13	10/14/2009	Gamma Spec (NORM)	Pb-214	1.22	0.17	pCi/g	0.173			Outside area surface soil samples	
7	n.a.	OU7-Location-8	20090767-13	10/14/2009	Gamma Spec (NORM)	Th-234	0.87	1.25	pCi/g	2.07	< MDA		Outside area surface soil samples	

### OFFSITE RADIOANALYTICAL MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	IEM Sample No.	Lab Sample No.	Date Collected	Test Method	Analysis	Result	Error	Units	MDA	MDA Flag	DCGL/MDA Flag	Comment	DCGL
7	n.a.	OU7-Location-8	20090767-13	10/14/2009	Gamma Spec (NORM)	Tl-208	0.42	0.09	pCi/g	0.093			Outside area surface soil samples	
7	n.a.	OU7-SB01-18'-20'	20090789-18	10/26/2009	Gamma Spec (NORM)	Ac-228	1.80	0.21	pCi/g	0.333			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB01-18'-20'	20090789-18	10/26/2009	Gamma Spec (NORM)	Bi-212	0.80	0.53	pCi/g	0.631			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB01-18'-20'	20090789-18	10/26/2009	Gamma Spec (NORM)	Bi-214	1.30	0.17	pCi/g	0.172			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB01-18'-20'	20090789-18	10/16/2009	C-14	C-14	0.00	0.08	pCi/g	0.093	< MDA		Geoprobe samples around bldg. 516 perimeter	12
7	n.a.	OU7-SB01-18'-20'	20090789-18	10/26/2009	Gamma Spec (NORM)	Eu-152	0.00	0.21	pCi/g	0.498	< MDA		Geoprobe samples around bldg. 516 perimeter	8.7
7	n.a.	OU7-SB01-18'-20'	20090789-18	10/26/2009	Gamma Spec (NORM)	Eu-154	0.00	0.20	pCi/g	0.482	< MDA		Geoprobe samples around bldg. 516 perimeter	8.8
7	n.a.	OU7-SB01-18'-20'	20090789-18	10/15/2009	Tritium (H3)	H-3	1.30	0.19	pCi/g	3.2	< MDA		Geoprobe samples around bldg. 516 perimeter	110
7	n.a.	OU7-SB01-18'-20'	20090789-18	10/26/2009	Gamma Spec (NORM)	K-40	33.90	3.36	pCi/g	1.49			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB01-18'-20'	20090789-18	10/26/2009	Gamma Spec (NORM)	Pb-212	3.15	1.50	pCi/g	0.258			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB01-18'-20'	20090789-18	10/26/2009	Gamma Spec (NORM)	Pb-214	2.55	0.33	pCi/g	0.41			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB01-18'-20'	20090789-18	10/26/2009	Gamma Spec (NORM)	Th-234	6.49	4.00	pCi/g	7.59	< MDA		Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB01-18'-20'	20090789-18	10/26/2009	Gamma Spec (NORM)	Tl-208	0.76	0.09	pCi/g	0.086			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB02-18'-20'	20090789-19	11/23/2009	Gamma Spec (NORM)	Ac-228	1.93	0.25	pCi/g	0.444			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB02-18'-20'	20090789-19	11/23/2009	Gamma Spec (NORM)	Bi-212	0.74	0.49	pCi/g	0.589			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB02-18'-20'	20090789-19	11/23/2009	Gamma Spec (NORM)	Bi-214	1.64	0.15	pCi/g	0.13			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB02-18'-20'	20090789-19	10/17/2009	C-14	C-14	0.00	0.06	pCi/g	0.069	< MDA		Geoprobe samples around bldg. 516 perimeter	12
7	n.a.	OU7-SB02-18'-20'	20090789-19	11/23/2009	Gamma Spec (NORM)	Eu-152	0.00	0.08	pCi/g	0.187	< MDA		Geoprobe samples around bldg. 516 perimeter	8.7
7	n.a.	OU7-SB02-18'-20'	20090789-19	11/23/2009	Gamma Spec (NORM)	Eu-154	0.00	0.06	pCi/g	0.132	< MDA		Geoprobe samples around bldg. 516 perimeter	8.8
7	n.a.	OU7-SB02-18'-20'	20090789-19	10/15/2009	Tritium (H3)	H-3	1.20	0.21	pCi/g	3.5	< MDA		Geoprobe samples around bldg. 516 perimeter	110
7	n.a.	OU7-SB02-18'-20'	20090789-19	11/23/2009	Gamma Spec (NORM)	K-40	31.60	3.23	pCi/g	0.978			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB02-18'-20'	20090789-19	11/23/2009	Gamma Spec (NORM)	Pb-212	2.15	0.16	pCi/g	0.129			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB02-18'-20'	20090789-19	11/23/2009	Gamma Spec (NORM)	Pb-214	1.66	0.16	pCi/g	0.145			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB02-18'-20'	20090789-19	11/23/2009	Gamma Spec (NORM)	Th-234	0.00	0.39	pCi/g	0.935	< MDA		Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB02-18'-20'	20090789-19	11/23/2009	Gamma Spec (NORM)	Tl-208	0.89	0.10	pCi/g	0.086			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB03-18'-20'	20090789-20	10/28/2009	Gamma Spec (NORM)	Ac-228	0.84	0.14	pCi/g	0.209			Geoprobe samples around bldg. 516 perimeter	

### OFFSITE RADIOANALYTICAL MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	IEM Sample No.	Lab Sample No.	Date Collected	Test Method	Analysis	Result	Error	Units	MDA	MDA Flag	DCGL/MDA Flag	Comment	DCGL
7	n.a.	OU7-SB03-18'-20'	20090789-20	10/28/2009	Gamma Spec (NORM)	Bi-212	1.28	0.48	pCi/g	0.543			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB03-18'-20'	20090789-20	10/28/2009	Gamma Spec (NORM)	Bi-214	1.24	0.15	pCi/g	0.134			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB03-18'-20'	20090789-20	10/17/2009	C-14	C-14	0.00	0.08	pCi/g	0.092	< MDA		Geoprobe samples around bldg. 516 perimeter	12
7	n.a.	OU7-SB03-18'-20'	20090789-20	10/28/2009	Gamma Spec (NORM)	Eu-152	0.00	0.15	pCi/g	0.361	< MDA		Geoprobe samples around bldg. 516 perimeter	8.7
7	n.a.	OU7-SB03-18'-20'	20090789-20	10/28/2009	Gamma Spec (NORM)	Eu-154	0.00	0.14	pCi/g	0.321	< MDA		Geoprobe samples around bldg. 516 perimeter	8.8
7	n.a.	OU7-SB03-18'-20'	20090789-20	10/15/2009	Tritium (H3)	H-3	1.70	0.19	pCi/g	3.2	< MDA		Geoprobe samples around bldg. 516 perimeter	110
7	n.a.	OU7-SB03-18'-20'	20090789-20	10/28/2009	Gamma Spec (NORM)	K-40	27.80	2.54	pCi/g	0.578			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB03-18'-20'	20090789-20	10/28/2009	Gamma Spec (NORM)	Pb-212	2.74	0.33	pCi/g	0.153			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB03-18'-20'	20090789-20	10/28/2009	Gamma Spec (NORM)	Pb-214	1.75	0.19	pCi/g	0.15			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB03-18'-20'	20090789-20	10/28/2009	Gamma Spec (NORM)	Th-234	0.00	1.58	pCi/g	3.75	< MDA		Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB03-18'-20'	20090789-20	10/28/2009	Gamma Spec (NORM)	Tl-208	0.01	0.03	pCi/g	0.056	< MDA		Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB04-22'-24'	20090789-21	10/27/2009	Gamma Spec (NORM)	Ac-228	1.18	0.18	pCi/g	0.329			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB04-22'-24'	20090789-21	10/27/2009	Gamma Spec (NORM)	Bi-212	0.70	0.51	pCi/g	0.61			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB04-22'-24'	20090789-21	10/27/2009	Gamma Spec (NORM)	Bi-214	2.31	0.26	pCi/g	0.211			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB04-22'-24'	20090789-21	10/17/2009	C-14	C-14	0.00	0.08	pCi/g	0.083	< MDA		Geoprobe samples around bldg. 516 perimeter	12
7	n.a.	OU7-SB04-22'-24'	20090789-21	10/27/2009	Gamma Spec (NORM)	Eu-152	0.00	0.23	pCi/g	0.533	< MDA		Geoprobe samples around bldg. 516 perimeter	8.7
7	n.a.	OU7-SB04-22'-24'	20090789-21	10/27/2009	Gamma Spec (NORM)	Eu-154	0.00	0.16	pCi/g	0.371	< MDA		Geoprobe samples around bldg. 516 perimeter	8.8
7	n.a.	OU7-SB04-22'-24'	20090789-21	10/15/2009	Tritium (H3)	H-3	0.00	0.20	pCi/g	3.4	< MDA		Geoprobe samples around bldg. 516 perimeter	110
7	n.a.	OU7-SB04-22'-24'	20090789-21	10/27/2009	Gamma Spec (NORM)	K-40	34.40	3.65	pCi/g	1.3			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB04-22'-24'	20090789-21	10/27/2009	Gamma Spec (NORM)	Pb-212	2.67	0.34	pCi/g	0.215			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB04-22'-24'	20090789-21	10/27/2009	Gamma Spec (NORM)	Pb-214	2.83	0.29	pCi/g	0.203			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB04-22'-24'	20090789-21	10/27/2009	Gamma Spec (NORM)	Th-234	1.45	2.43	pCi/g	1.92	< MDA		Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB04-22'-24'	20090789-21	10/27/2009	Gamma Spec (NORM)	Tl-208	0.51	0.08	pCi/g	0.095			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB05-22'-24'	20090789-22	11/22/2009	Gamma Spec (NORM)	Ac-228	1.46	0.21	pCi/g	0.266			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB05-22'-24'	20090789-22	11/22/2009	Gamma Spec (NORM)	Bi-212	0.59	0.45	pCi/g	0.545			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB05-22'-24'	20090789-22	11/22/2009	Gamma Spec (NORM)	Bi-214	1.29	0.16	pCi/g	0.129			Geoprobe samples around bldg. 516 perimeter	

### OFFSITE RADIOANALYTICAL MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	IEM Sample No.	Lab Sample No.	Date Collected	Test Method	Analysis	Result	Error	Units	MDA	MDA Flag	DCGL/MDA Flag	Comment	DCGL
7	n.a.	OU7-SB05-22'-24'	20090789-22	10/17/2009	C-14	C-14	0.03	0.08	pCi/g	0.081	< MDA		Geoprobe samples around bldg. 516 perimeter	12
7	n.a.	OU7-SB05-22'-24'	20090789-22	11/22/2009	Gamma Spec (NORM)	Eu-152	0.00	0.10	pCi/g	0.233	< MDA		Geoprobe samples around bldg. 516 perimeter	8.7
7	n.a.	OU7-SB05-22'-24'	20090789-22	11/22/2009	Gamma Spec (NORM)	Eu-154	0.14	0.13	pCi/g	0.111			Geoprobe samples around bldg. 516 perimeter	8.8
7	n.a.	OU7-SB05-22'-24'	20090789-22	10/15/2009	Tritium (H3)	H-3	1.00	0.20	pCi/g	3.4	< MDA		Geoprobe samples around bldg. 516 perimeter	110
7	n.a.	OU7-SB05-22'-24'	20090789-22	11/22/2009	Gamma Spec (NORM)	K-40	32.60	4.49	pCi/g	0.54			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB05-22'-24'	20090789-22	11/22/2009	Gamma Spec (NORM)	Pb-212	1.82	0.22	pCi/g	0.152			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB05-22'-24'	20090789-22	11/22/2009	Gamma Spec (NORM)	Pb-214	1.14	0.14	pCi/g	0.14			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB05-22'-24'	20090789-22	11/22/2009	Gamma Spec (NORM)	Th-234	2.18	1.23	pCi/g	1.47			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB05-22'-24'	20090789-22	11/22/2009	Gamma Spec (NORM)	Tl-208	0.62	0.09	pCi/g	0.073			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB06-22'-24'	20090789-23	11/22/2009	Gamma Spec (NORM)	Ac-228	1.53	0.15	pCi/g	0.215			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB06-22'-24'	20090789-23	11/22/2009	Gamma Spec (NORM)	Bi-212	0.12	0.82	pCi/g	0.43	< MDA		Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB06-22'-24'	20090789-23	11/22/2009	Gamma Spec (NORM)	Bi-214	0.85	0.11	pCi/g	0.127			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB06-22'-24'	20090789-23	10/17/2009	C-14	C-14	0.00	0.05	pCi/g	0.051	< MDA		Geoprobe samples around bldg. 516 perimeter	12
7	n.a.	OU7-SB06-22'-24'	20090789-23	11/22/2009	Gamma Spec (NORM)	Eu-152	0.00	0.09	pCi/g	0.218	< MDA		Geoprobe samples around bldg. 516 perimeter	8.7
7	n.a.	OU7-SB06-22'-24'	20090789-23	11/22/2009	Gamma Spec (NORM)	Eu-154	0.00	0.06	pCi/g	0.15	< MDA		Geoprobe samples around bldg. 516 perimeter	8.8
7	n.a.	OU7-SB06-22'-24'	20090789-23	10/15/2009	Tritium (H3)	H-3	0.00	0.20	pCi/g	3.4	< MDA		Geoprobe samples around bldg. 516 perimeter	110
7	n.a.	OU7-SB06-22'-24'	20090789-23	11/22/2009	Gamma Spec (NORM)	K-40	28.50	3.97	pCi/g	0.618			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB06-22'-24'	20090789-23	11/22/2009	Gamma Spec (NORM)	Pb-212	1.57	0.17	pCi/g	0.098			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB06-22'-24'	20090789-23	11/22/2009	Gamma Spec (NORM)	Pb-214	0.86	0.11	pCi/g	0.134			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB06-22'-24'	20090789-23	11/22/2009	Gamma Spec (NORM)	Th-234	0.11	1.83	pCi/g	1.15	< MDA		Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB06-22'-24'	20090789-23	11/22/2009	Gamma Spec (NORM)	Tl-208	0.61	0.09	pCi/g	0.071			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB07-22'-24'	20090789-24	11/2/2009	Gamma Spec (NORM)	Ac-228	0.00	0.16	pCi/g	0.381	< MDA		Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB07-22'-24'	20090789-24	11/2/2009	Gamma Spec (NORM)	Bi-212	0.44	0.34	pCi/g	0.399			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB07-22'-24'	20090789-24	11/2/2009	Gamma Spec (NORM)	Bi-214	1.06	0.17	pCi/g	0.14			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB07-22'-24'	20090789-24	10/17/2009	C-14	C-14	0.00	0.06	pCi/g	0.1	< MDA		Geoprobe samples around bldg. 516 perimeter	12
7	n.a.	OU7-SB07-22'-24'	20090789-24	11/2/2009	Gamma Spec (NORM)	Eu-152	0.06	0.07	pCi/g	0.145	< MDA		Geoprobe samples around bldg. 516 perimeter	8.7



### OFFSITE RADIOANALYTICAL MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	IEM Sample No.	Lab Sample No.	Date Collected	Test Method	Analysis	Result	Error	Units	MDA	MDA Flag	DCGL/MDA Flag	Comment	DCGL
7	n.a.	OU7-SB07-22'-24'	20090789-24	11/2/2009	Gamma Spec (NORM)	Eu-154	0.00	0.05	pCi/g	0.125	< MDA		Geoprobe samples around bldg. 516 perimeter	8.8
7	n.a.	OU7-SB07-22'-24'	20090789-24	10/15/2009	Tritium (H3)	H-3	2.00	0.21	pCi/g	3.5	< MDA		Geoprobe samples around bldg. 516 perimeter	110
7	n.a.	OU7-SB07-22'-24'	20090789-24	11/2/2009	Gamma Spec (NORM)	K-40	23.10	2.47	pCi/g	0.925			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB07-22'-24'	20090789-24	11/2/2009	Gamma Spec (NORM)	Pb-212	1.41	0.23	pCi/g	0.165			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB07-22'-24'	20090789-24	11/2/2009	Gamma Spec (NORM)	Pb-214	1.10	0.14	pCi/g	0.132			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB07-22'-24'	20090789-24	11/2/2009	Gamma Spec (NORM)	Th-234	0.00	0.43	pCi/g	1.01	< MDA		Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB07-22'-24'	20090789-24	11/2/2009	Gamma Spec (NORM)	Tl-208	0.34	0.06	pCi/g	0.061			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB08-22'-24'	20090789-25	10/27/2009	Gamma Spec (NORM)	Ac-228	1.23	0.14	pCi/g	0.266			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB08-22'-24'	20090789-25	10/27/2009	Gamma Spec (NORM)	Bi-212	1.42	0.77	pCi/g	0.906			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB08-22'-24'	20090789-25	10/27/2009	Gamma Spec (NORM)	Bi-214	1.04	0.14	pCi/g	0.154			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB08-22'-24'	20090789-25	10/17/2009	C-14	C-14	0.02	0.06	pCi/g	0.06	< MDA		Geoprobe samples around bldg. 516 perimeter	12
7	n.a.	OU7-SB08-22'-24'	20090789-25	10/27/2009	Gamma Spec (NORM)	Eu-152	0.00	0.13	pCi/g	0.318	< MDA		Geoprobe samples around bldg. 516 perimeter	8.7
7	n.a.	OU7-SB08-22'-24'	20090789-25	10/27/2009	Gamma Spec (NORM)	Eu-154	0.00	0.15	pCi/g	0.363	< MDA		Geoprobe samples around bldg. 516 perimeter	8.8
7	n.a.	OU7-SB08-22'-24'	20090789-25	10/15/2009	Tritium (H3)	H-3	2.00	0.20	pCi/g	3.3	< MDA		Geoprobe samples around bldg. 516 perimeter	110
7	n.a.	OU7-SB08-22'-24'	20090789-25	10/27/2009	Gamma Spec (NORM)	K-40	28.60	3.14	pCi/g	0.927			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB08-22'-24'	20090789-25	10/27/2009	Gamma Spec (NORM)	Pb-212	2.92	0.39	pCi/g	0.213			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB08-22'-24'	20090789-25	10/27/2009	Gamma Spec (NORM)	Pb-214	1.32	0.23	pCi/g	0.219			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB08-22'-24'	20090789-25	10/27/2009	Gamma Spec (NORM)	Th-234	0.00	2.10	pCi/g	4.99	< MDA		Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB08-22'-24'	20090789-25	10/27/2009	Gamma Spec (NORM)	Tl-208	0.48	0.11	pCi/g	0.103			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB09-22'-24'	20090789-26	10/28/2009	Gamma Spec (NORM)	Ac-228	1.93	0.19	pCi/g	0.257			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB09-22'-24'	20090789-26	10/28/2009	Gamma Spec (NORM)	Bi-212	1.00	0.49	pCi/g	0.587			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB09-22'-24'	20090789-26	10/28/2009	Gamma Spec (NORM)	Bi-214	2.16	0.20	pCi/g	0.138			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB09-22'-24'	20090789-26	10/17/2009	C-14	C-14	0.02	0.05	pCi/g	0.05	< MDA		Geoprobe samples around bldg. 516 perimeter	12
7	n.a.	OU7-SB09-22'-24'	20090789-26	10/28/2009	Gamma Spec (NORM)	Eu-152	0.00	0.14	pCi/g	0.328	< MDA		Geoprobe samples around bldg. 516 perimeter	8.7
7	n.a.	OU7-SB09-22'-24'	20090789-26	10/28/2009	Gamma Spec (NORM)	Eu-154	0.09	0.09	pCi/g	0.181	< MDA		Geoprobe samples around bldg. 516 perimeter	8.8
7	n.a.	OU7-SB09-22'-24'	20090789-26	10/15/2009	Tritium (H3)	H-3	0.20	0.20	pCi/g	3.4	< MDA		Geoprobe samples around bldg. 516 perimeter	110

### OFFSITE RADIOANALYTICAL MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	IEM Sample No.	Lab Sample No.	Date Collected	Test Method	Analysis	Result	Error	Units	MDA	MDA Flag	DCGL/MDA Flag	Comment	DCGL
7	n.a.	OU7-SB09-22'-24'	20090789-26	10/28/2009	Gamma Spec (NORM)	K-40	27.40	1.90	pCi/g	1.01			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB09-22'-24'	20090789-26	10/28/2009	Gamma Spec (NORM)	Pb-212	0.00	0.08	pCi/g	0.191	< MDA		Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB09-22'-24'	20090789-26	10/28/2009	Gamma Spec (NORM)	Pb-214	3.32	0.31	pCi/g	0.249			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB09-22'-24'	20090789-26	10/28/2009	Gamma Spec (NORM)	Th-234	6.68	3.38	pCi/g	5.36			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB09-22'-24'	20090789-26	10/28/2009	Gamma Spec (NORM)	Tl-208	0.70	0.10	pCi/g	0.08			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB10-21'-23'	20090789-27	11/2/2009	Gamma Spec (NORM)	Ac-228	0.88	0.10	pCi/g	0.107			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB10-21'-23'	20090789-27	11/2/2009	Gamma Spec (NORM)	Bi-212	0.33	0.14	pCi/g	0.207			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB10-21'-23'	20090789-27	11/2/2009	Gamma Spec (NORM)	Bi-214	0.64	0.07	pCi/g	0.064			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB10-21'-23'	20090789-27	10/17/2009	C-14	C-14	0.03	0.08	pCi/g	0.09	< MDA		Geoprobe samples around bldg. 516 perimeter	12
7	n.a.	OU7-SB10-21'-23'	20090789-27	11/2/2009	Gamma Spec (NORM)	Eu-152	0.00	0.05	pCi/g	0.129	< MDA		Geoprobe samples around bldg. 516 perimeter	8.7
7	n.a.	OU7-SB10-21'-23'	20090789-27	11/2/2009	Gamma Spec (NORM)	Eu-154	0.00	0.06	pCi/g	0.131	< MDA		Geoprobe samples around bldg. 516 perimeter	8.8
7	n.a.	OU7-SB10-21'-23'	20090789-27	10/15/2009	Tritium (H3)	H-3	0.60	0.19	pCi/g	3.3	< MDA		Geoprobe samples around bldg. 516 perimeter	110
7	n.a.	OU7-SB10-21'-23'	20090789-27	11/2/2009	Gamma Spec (NORM)	K-40	14.50	1.24	pCi/g	0.417			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB10-21'-23'	20090789-27	11/2/2009	Gamma Spec (NORM)	Pb-212	1.09	0.29	pCi/g	0.071			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB10-21'-23'	20090789-27	11/2/2009	Gamma Spec (NORM)	Pb-214	0.62	0.06	pCi/g	0.072			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB10-21'-23'	20090789-27	11/2/2009	Gamma Spec (NORM)	Th-234	0.00	0.46	pCi/g	1.09	< MDA		Geoprobe samples around bldg. 516 perimeter	
7	n.a.	OU7-SB10-21'-23'	20090789-27	11/2/2009	Gamma Spec (NORM)	Tl-208	0.28	0.04	pCi/g	0.043			Geoprobe samples around bldg. 516 perimeter	
7	n.a.	Ramp Drain	20090789-28	11/2/2009	Gamma Spec (NORM)	Ac-228	0.00	0.24	pCi/g	0.576	< MDA		From drain grate at bottom of ramp to basement	
7	n.a.	Ramp Drain	20090789-28	11/2/2009	Gamma Spec (NORM)	Bi-212	0.80	0.63	pCi/g	0.742			From drain grate at bottom of ramp to basement	
7	n.a.	Ramp Drain	20090789-28	11/2/2009	Gamma Spec (NORM)	Bi-214	0.48	0.20	pCi/g	0.256			From drain grate at bottom of ramp to basement	
7	n.a.	Ramp Drain	20090789-28	11/5/2009	C-14	C-14	0.00	0.06	pCi/g	0.069	< MDA		From drain grate at bottom of ramp to basement	12
7	n.a.	Ramp Drain	20090789-28	11/2/2009	Gamma Spec (NORM)	Eu-152	0.00	0.09	pCi/g	0.217	< MDA		From drain grate at bottom of ramp to basement	8.7
7	n.a.	Ramp Drain	20090789-28	11/2/2009	Gamma Spec (NORM)	Eu-154	0.08	0.08	pCi/g	0.143	< MDA		From drain grate at bottom of ramp to basement	8.8
7	n.a.	Ramp Drain	20090789-28	11/18/2009	Tritium (H3)	H-3	1.60	1.18	pCi/g	9.1	< MDA		From drain grate at bottom of ramp to basement	110
7	n.a.	Ramp Drain	20090789-28	11/2/2009	Gamma Spec (NORM)	K-40	14.40	2.54	pCi/g	1.45			From drain grate at bottom of ramp to basement	
7	n.a.	Ramp Drain	20090789-28	11/23/2009	Nickel-63	Nickel-63	0.00	4.20	pCi/g	1.8	< MDA		From drain grate at bottom of ramp to basement	2100

### OFFSITE RADIOANALYTICAL MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	IEM Sample No.	Lab Sample No.	Date Collected	Test Method	Analysis	Result	Error	Units	MDA	MDA Flag	DCGL/MDA Flag	Comment	DCGL
7	n.a.	Ramp Drain	20090789-28	11/2/2009	Gamma Spec (NORM)	Pb-212	0.00	0.10	pCi/g	0.239	< MDA		From drain grate at bottom of ramp to basement	
7	n.a.	Ramp Drain	20090789-28	11/2/2009	Gamma Spec (NORM)	Pb-214	0.94	0.17	pCi/g	0.193			From drain grate at bottom of ramp to basement	
7	n.a.	Ramp Drain	20090789-28	11/2/2009	Gamma Spec (NORM)	Th-234	0.08	1.11	pCi/g	1.36	< MDA		From drain grate at bottom of ramp to basement	
7	n.a.	Ramp Drain	20090789-28	11/2/2009	Gamma Spec (NORM)	Tl-208	0.37	0.10	pCi/g	0.101			From drain grate at bottom of ramp to basement	
7	n.a.	Ramp Drain	20090789-28	11/16/2009	Uranium-Isotopic	Uranium-234	1.26	0.22	pCi/g	0.06			From drain grate at bottom of ramp to basement	273
7	n.a.	Ramp Drain	20090789-28	11/16/2009	Uranium-Isotopic	Uranium-235	0.21	0.09	pCi/g	0.043			From drain grate at bottom of ramp to basement	273
7	n.a.	Ramp Drain	20090789-28	11/16/2009	Uranium-Isotopic	Uranium-238	1.05	0.20	pCi/g	0.075			From drain grate at bottom of ramp to basement	273
7	n.a.	Stormwater South	20090767-16	10/14/2009	Gamma Spec (NORM)	Ac-228	1.08	0.20	pCi/g	0.431				
7	n.a.	Stormwater South	20090767-16	10/14/2009	Gamma Spec (NORM)	Bi-212	0.46	0.34	pCi/g	0.54	< MDA			
7	n.a.	Stormwater South	20090767-16	10/14/2009	Gamma Spec (NORM)	Bi-214	0.78	0.16	pCi/g	0.177				
7	n.a.	Stormwater South	20090767-16	9/29/2009	C-14	C-14	0.26	0.03	pCi/g	0.023				12
7	n.a.	Stormwater South	20090767-16	10/14/2009	Gamma Spec (NORM)	Eu-152	0.00	0.17	pCi/g	0.393	< MDA			8.7
7	n.a.	Stormwater South	20090767-16	10/14/2009	Gamma Spec (NORM)	Eu-154	0.00	0.12	pCi/g	0.275	< MDA			8.8
7	n.a.	Stormwater South	20090767-16	9/30/2009	Tritium (H3)	H-3	1.20	0.18	pCi/g	3	< MDA			110
7	n.a.	Stormwater South	20090767-16	11/25/2009	Iron-55	Iron-55	0.00	0.52	pCi/g	0.96	< MDA			10000
7	n.a.	Stormwater South	20090767-16	10/14/2009	Gamma Spec (NORM)	K-40	13.30	1.17	pCi/g	0.946				
7	n.a.	Stormwater South	20090767-16	10/14/2009	Gamma Spec (NORM)	Pb-212	2.15	0.38	pCi/g	0.369				
7	n.a.	Stormwater South	20090767-16	10/14/2009	Gamma Spec (NORM)	Pb-214	1.43	0.14	pCi/g	0.189				
7	n.a.	Stormwater South	20090767-16	10/14/2009	Gamma Spec (NORM)	Th-234	2.23	0.58	pCi/g	1.49				
7	n.a.	Stormwater South	20090767-16	10/14/2009	Gamma Spec (NORM)	Tl-208	0.35	0.06	pCi/g	0.083				
7	n.a.	Stormwater South	20090767-16	10/23/2009	Uranium-Isotopic	Uranium-234	0.98	0.12	pCi/g	0.064				273
7	n.a.	Stormwater South	20090767-16	10/23/2009	Uranium-Isotopic	Uranium-235	0.15	0.05	pCi/g	0.043				273
7	n.a.	Stormwater South	20090767-16	10/23/2009	Uranium-Isotopic	Uranium-238	0.89	0.11	pCi/g	0.054				273
7	n.a.	Stormwater West	20090767-15	10/14/2009	Gamma Spec (NORM)	Ac-228	0.99	0.19	pCi/g	0.335				
7	n.a.	Stormwater West	20090767-15	10/14/2009	Gamma Spec (NORM)	Bi-212	0.58	0.47	pCi/g	0.564				
7	n.a.	Stormwater West	20090767-15	10/14/2009	Gamma Spec (NORM)	Bi-214	0.70	0.19	pCi/g	0.302				
7	n.a.	Stormwater West	20090767-15	9/29/2009	C-14	C-14	0.09	0.03	pCi/g	0.023				12
7	n.a.	Stormwater West	20090767-15	10/14/2009	Gamma Spec (NORM)	Eu-152	0.08	0.22	pCi/g	0.517	< MDA			8.7
7	n.a.	Stormwater West	20090767-15	10/14/2009	Gamma Spec (NORM)	Eu-154	0.06	0.15	pCi/g	0.355	< MDA			8.8
7	n.a.	Stormwater West	20090767-15	9/30/2009	Tritium (H3)	H-3	1.20	0.16	pCi/g	2.7	< MDA			110
7	n.a.	Stormwater West	20090767-15	11/25/2009	Iron-55	Iron-55	0.00	0.56	pCi/g	0.96	< MDA			10000
7	n.a.	Stormwater West	20090767-15	10/14/2009	Gamma Spec (NORM)	K-40	14.20	1.95	pCi/g	1.22				
7	n.a.	Stormwater West	20090767-15	10/14/2009	Gamma Spec (NORM)	Pb-212	1.65	0.29	pCi/g	0.257				
7	n.a.	Stormwater West	20090767-15	10/14/2009	Gamma Spec (NORM)	Pb-214	0.96	0.16	pCi/g	0.195				
7	n.a.	Stormwater West	20090767-15	10/14/2009	Gamma Spec (NORM)	Th-234	0.41	1.42	pCi/g	1.91	< MDA			
7	n.a.	Stormwater West	20090767-15	10/14/2009	Gamma Spec (NORM)	Tl-208	0.33	0.10	pCi/g	0.115				
7	n.a.	Stormwater West	20090767-15	10/24/2009	Uranium-Isotopic	Uranium-234	1.11	0.15	pCi/g	0.102				273
7	n.a.	Stormwater West	20090767-15	10/24/2009	Uranium-Isotopic	Uranium-235	0.10	0.06	pCi/g	0.069				273
7	n.a.	Stormwater West	20090767-15	10/24/2009	Uranium-Isotopic	Uranium-238	1.01	0.14	pCi/g	0.079				273
8	n.a.	Background	20090767-14	10/14/2009	Gamma Spec (NORM)	Ac-228	1.30	0.25	pCi/g	0.316			Taken at SE corner outside old fenceline	
8	n.a.	Background	20090767-14	10/14/2009	Gamma Spec (NORM)	Bi-212	0.51	0.52	pCi/g	0.634	< MDA		Taken at SE corner outside old fenceline	
8	n.a.	Background	20090767-14	10/14/2009	Gamma Spec (NORM)	Bi-214	1.11	0.20	pCi/g	0.183			Taken at SE corner outside old fenceline	

### OFFSITE RADIOANALYTICAL MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	IEM Sample No.	Lab Sample No.	Date Collected	Test Method	Analysis	Result	Error	Units	MDA	MDA Flag	DCGL/MDA Flag	Comment	DCGL
8	n.a.	Background	20090767-14	9/29/2009	C-14	C-14	0.00	0.03	pCi/g	0.029	< MDA		Taken at SE corner outside old fenceline	12
8	n.a.	Background	20090767-14	10/14/2009	Gamma Spec (NORM)	Eu-152	0.19	0.85	pCi/g	0.313	< MDA		Taken at SE corner outside old fenceline	8.7
8	n.a.	Background	20090767-14	10/14/2009	Gamma Spec (NORM)	Eu-154	0.05	0.15	pCi/g	0.353	< MDA		Taken at SE corner outside old fenceline	8.8
8	n.a.	Background	20090767-14	9/30/2009	Tritium (H3)	H-3	1.20	0.15	pCi/g	2.6	< MDA		Taken at SE corner outside old fenceline	110
8	n.a.	Background	20090767-14	11/25/2009	Iron-55	Iron-55	0.00	0.55	pCi/g	0.96	< MDA		Taken at SE corner outside old fenceline	10000
8	n.a.	Background	20090767-14	10/14/2009	Gamma Spec (NORM)	K-40	21.70	2.71	pCi/g	0.912			Taken at SE corner outside old fenceline	
8	n.a.	Background	20090767-14	10/14/2009	Gamma Spec (NORM)	Pb-212	2.72	0.38	pCi/g	0.214			Taken at SE corner outside old fenceline	
8	n.a.	Background	20090767-14	10/14/2009	Gamma Spec (NORM)	Pb-214	1.47	0.25	pCi/g	0.254			Taken at SE corner outside old fenceline	
8	n.a.	Background	20090767-14	10/14/2009	Gamma Spec (NORM)	Th-234	4.76	3.73	pCi/g	4.67			Taken at SE corner outside old fenceline	
8	n.a.	Background	20090767-14	10/14/2009	Gamma Spec (NORM)	Tl-208	0.50	0.10	pCi/g	0.084			Taken at SE corner outside old fenceline	
8	n.a.	Background	20090767-14	10/24/2009	Uranium-Isotopic	Uranium-234	1.47	0.16	pCi/g	0.055			Taken at SE corner outside old fenceline	273
8	n.a.	Background	20090767-14	10/24/2009	Uranium-Isotopic	Uranium-235	0.18	0.06	pCi/g	0.025			Taken at SE corner outside old fenceline	273
8	n.a.	Background	20090767-14	10/24/2009	Uranium-Isotopic	Uranium-238	1.35	0.15	pCi/g	0.04			Taken at SE corner outside old fenceline	273
8	n.a.	Sewer-1	20090741-09	11/23/2009	Gamma Spec (NORM)	Ac-228	1.56	0.24	pCi/g	0.414				
8	n.a.	Sewer-1	20090741-09	11/23/2009	Gamma Spec (NORM)	Bi-212	1.47	0.65	pCi/g	0.762				
8	n.a.	Sewer-1	20090741-09	11/23/2009	Gamma Spec (NORM)	Bi-214	0.18	0.29	pCi/g	0.4	< MDA			
8	n.a.	Sewer-1	20090741-09	10/1/2009	C-14	C-14	0.00	0.03	pCi/g	0.027	< MDA			12
8	n.a.	Sewer-1	20090741-09	11/23/2009	Gamma Spec NORM - Water	Eu-152	0.00	0.11	pCi/g	0.26	< MDA			8.7
8	n.a.	Sewer-1	20090741-09	11/23/2009	Gamma Spec NORM - Water	Eu-154	0.00	0.09	pCi/g	0.203	< MDA			8.8
8	n.a.	Sewer-1	20090741-09	10/12/2009	Tritium (H3)	H-3	2.30	0.22	pCi/g	3.6	< MDA			110
8	n.a.	Sewer-1	20090741-09	11/25/2009	Iron-55	Iron-55	0.06	0.58	pCi/g	0.96	< MDA			10000
8	n.a.	Sewer-1	20090741-09	11/23/2009	Gamma Spec (NORM)	K-40	0.00	1.45	pCi/g	1.91	< MDA			
8	n.a.	Sewer-1	20090741-09	11/23/2009	Gamma Spec (NORM)	Pb-212	1.58	0.17	pCi/g	0.115				
8	n.a.	Sewer-1	20090741-09	11/23/2009	Gamma Spec (NORM)	Pb-214	0.45	0.10	pCi/g	0.162				
8	n.a.	Sewer-1	20090741-09	11/23/2009	Gamma Spec (NORM)	Th-234	0.00	0.81	pCi/g	1.93	< MDA			
8	n.a.	Sewer-1	20090741-09	11/23/2009	Gamma Spec (NORM)	Tl-208	0.62	0.10	pCi/g	0.094				
8	n.a.	Sewer-1	20090741-09	10/18/2009	Uranium-Isotopic	Uranium-234	1.49	0.16	pCi/g	0.068				273
8	n.a.	Sewer-1	20090741-09	10/18/2009	Uranium-Isotopic	Uranium-235	0.18	0.06	pCi/g	0.039				273
8	n.a.	Sewer-1	20090741-09	10/18/2009	Uranium-Isotopic	Uranium-238	1.69	0.17	pCi/g	0.062				273
11	n.a.	Cooling Sump	20090767-03	9/22/2009	Gamma Spec (NORM)	Ac-228	0.00	10.20	pCi/l	24.3	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	300000
11	n.a.	Cooling Sump	20090767-03	9/22/2009	Gamma Spec (NORM)	Bi-212	0.00	26.30	pCi/l	69.9	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	700000
11	n.a.	Cooling Sump	20090767-03	9/22/2009	Gamma Spec (NORM)	Bi-214	7.72	8.81	pCi/l	7			DCGL = sewer discharge limit (10 CFR 20 App. B)	3000000
11	n.a.	Cooling Sump	20090767-03	9/28/2009	C-14	C-14	4.38	1.23	pCi/l	1.14			DCGL = sewer discharge limit (10 CFR 20 App. B)	300000
11	n.a.	Cooling Sump	20090767-03	9/22/2009	Gamma Spec (NORM)	Eu-152	0.00	9.74	pCi/l	23.1	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	100000

## OFFSITE RADIOANALYTICAL MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	IEM Sample No.	Lab Sample No.	Date Collected	Test Method	Analysis	Result	Error	Units	MDA	MDA Flag	DCGL/MDA Flag	Comment	DCGL
11	n.a.	Cooling Sump	20090767-03	9/22/2009	Gamma Spec (NORM)	Eu-154	0.00	6.79	pCi/l	16.1	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	70000
11	n.a.	Cooling Sump	20090767-03	9/29/2009	Tritium (H3)	H-3	1570.00	23.00	pCi/l	321			DCGL = sewer discharge limit (10 CFR 20 App. B)	10000000
11	n.a.	Cooling Sump	20090767-03	11/25/2009	Iron-55	Iron-55	4.13	28.80	pCi/l	48.2	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	1000000
11	n.a.	Cooling Sump	20090767-03	9/22/2009	Gamma Spec (NORM)	K-40	30.60	59.10	pCi/l	85	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	40000
11	n.a.	Cooling Sump	20090767-03	9/22/2009	Gamma Spec (NORM)	Pb-212	0.00	13.60	pCi/l	18.6	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	20000
11	n.a.	Cooling Sump	20090767-03	9/22/2009	Gamma Spec (NORM)	Pb-214	0.00	7.63	pCi/l	18.1	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	20000
11	n.a.	Cooling Sump	20090767-03	9/22/2009	Gamma Spec (NORM)	Th-234	22.80	57.20	pCi/l	98.1	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	50000
11	n.a.	Cooling Sump	20090767-03	9/22/2009	Gamma Spec (NORM)	Tl-208	0.00	3.86	pCi/l	3.84	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B, Tl-204)	200000
11	n.a.	Cooling Sump	20090767-03	10/2/2009	Uranium-Isotopic	Uranium-234	2.77	0.52	pCi/l	0.336			DCGL = sewer discharge limit (10 CFR 20 App. B)	3000
11	n.a.	Cooling Sump	20090767-03	10/2/2009	Uranium-Isotopic	Uranium-235	0.67	0.25	pCi/l	0.131			DCGL = sewer discharge limit (10 CFR 20 App. B)	3000
11	n.a.	Cooling Sump	20090767-03	10/2/2009	Uranium-Isotopic	Uranium-238	0.99	0.33	pCi/l	0.276			DCGL = sewer discharge limit (10 CFR 20 App. B)	3000
11	n.a.	FD-1	20090789-01	10/26/2009	Gamma Spec (NORM)	Ac-228	0.20	0.15	pCi/g	0.241	< MDA		FD-floor drain sample	
11	n.a.	FD-1	20090789-01	10/26/2009	Gamma Spec (NORM)	Bi-212	0.07	0.21	pCi/g	0.376	< MDA		FD-floor drain sample	
11	n.a.	FD-1	20090789-01	10/26/2009	Gamma Spec (NORM)	Bi-214	0.08	0.12	pCi/g	0.092	< MDA		FD-floor drain sample	
11	n.a.	FD-1	20090789-01	11/3/2009	C-14	C-14	1.31	0.15	pCi/g	0.108			FD-floor drain sample	12
11	n.a.	FD-1	20090789-01	10/26/2009	Gamma Spec (NORM)	Eu-152	0.00	0.06	pCi/g	0.135	< MDA		FD-floor drain sample	8.7
11	n.a.	FD-1	20090789-01	10/26/2009	Gamma Spec (NORM)	Eu-154	0.00	0.04	pCi/g	0.096	< MDA		FD-floor drain sample	8.8
11	n.a.	FD-1	20090789-01	11/18/2009	Tritium (H3)	H-3	20.30	1.63	pCi/g	11.1			FD-floor drain sample	110
11	n.a.	FD-1	20090789-01	10/26/2009	Gamma Spec (NORM)	K-40	5.48	1.06	pCi/g	0.818			FD-floor drain sample	
11	n.a.	FD-1	20090789-01	11/23/2009	Nickel-63	Nickel-63	0.00	4.80	pCi/g	2.1	< MDA		FD-floor drain sample	2100
11	n.a.	FD-1	20090789-01	10/26/2009	Gamma Spec (NORM)	Pb-212	0.12	0.10	pCi/g	0.138	< MDA		FD-floor drain sample	
11	n.a.	FD-1	20090789-01	10/26/2009	Gamma Spec (NORM)	Pb-214	0.08	0.06	pCi/g	0.107	< MDA		FD-floor drain sample	
11	n.a.	FD-1	20090789-01	10/26/2009	Gamma Spec (NORM)	Th-234	0.19	0.29	pCi/g	0.498	< MDA		FD-floor drain sample	
11	n.a.	FD-1	20090789-01	10/26/2009	Gamma Spec (NORM)	Tl-208	0.03	0.03	pCi/g	0.053	< MDA		FD-floor drain sample	
11	n.a.	FD-1	20090789-01	11/16/2009	Uranium-Isotopic	Uranium-234	1.49	0.33	pCi/g	0.18			FD-floor drain sample	273
11	n.a.	FD-1	20090789-01	11/16/2009	Uranium-Isotopic	Uranium-235	0.29	0.16	pCi/g	0.126			FD-floor drain sample	273
11	n.a.	FD-1	20090789-01	11/16/2009	Uranium-Isotopic	Uranium-238	0.48	0.20	pCi/g	0.158			FD-floor drain sample	273
11	n.a.	FD-2	20090789-02	10/26/2009	Gamma Spec (NORM)	Ac-228	0.28	0.12	pCi/g	0.272			FD-floor drain sample	
11	n.a.	FD-2	20090789-02	10/26/2009	Gamma Spec (NORM)	Bi-212	0.28	0.27	pCi/g	0.646	< MDA		FD-floor drain sample	
11	n.a.	FD-2	20090789-02	10/26/2009	Gamma Spec (NORM)	Bi-214	0.06	0.09	pCi/g	0.147	< MDA		FD-floor drain sample	
11	n.a.	FD-2	20090789-02	11/3/2009	C-14	C-14	0.38	0.09	pCi/g	0.082			FD-floor drain sample	12
11	n.a.	FD-2	20090789-02	10/26/2009	Gamma Spec (NORM)	Eu-152	0.04	0.05	pCi/g	0.101	< MDA		FD-floor drain sample	8.7
11	n.a.	FD-2	20090789-02	10/26/2009	Gamma Spec (NORM)	Eu-154	0.21	0.30	pCi/g	0.07			FD-floor drain sample	8.8
11	n.a.	FD-2	20090789-02	11/18/2009	Tritium (H3)	H-3	3.50	1.19	pCi/g	9	< MDA		FD-floor drain sample	110
11	n.a.	FD-2	20090789-02	10/26/2009	Gamma Spec (NORM)	K-40	1.68	1.28	pCi/g	1.54			FD-floor drain sample	
11	n.a.	FD-2	20090789-02	11/23/2009	Nickel-63	Nickel-63	0.00	4.10	pCi/g	1.8	< MDA		FD-floor drain sample	2100
11	n.a.	FD-2	20090789-02	10/26/2009	Gamma Spec (NORM)	Pb-212	0.08	0.04	pCi/g	0.087	< MDA		FD-floor drain sample	
11	n.a.	FD-2	20090789-02	10/26/2009	Gamma Spec (NORM)	Pb-214	0.06	0.07	pCi/g	0.118	< MDA		FD-floor drain sample	
11	n.a.	FD-2	20090789-02	10/26/2009	Gamma Spec (NORM)	Th-234	0.00	0.44	pCi/g	1.05	< MDA		FD-floor drain sample	
11	n.a.	FD-2	20090789-02	10/26/2009	Gamma Spec (NORM)	Tl-208	0.04	0.09	pCi/g	0.12	< MDA		FD-floor drain sample	
11	n.a.	FD-2	20090789-02	11/19/2009	Uranium-Isotopic	Uranium-234	0.71	0.13	pCi/g	0.026			FD-floor drain sample	273

## OFFSITE RADIOANALYTICAL MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	IEM Sample No.	Lab Sample No.	Date Collected	Test Method	Analysis	Result	Error	Units	MDA	MDA Flag	DCGL/MDA Flag	Comment	DCGL
11	n.a.	FD-2	20090789-02	11/19/2009	Uranium-Isotopic	Uranium-235	0.10	0.05	pCi/g	0.035			FD-floor drain sample	273
11	n.a.	FD-2	20090789-02	11/19/2009	Uranium-Isotopic	Uranium-238	0.37	0.10	pCi/g	0.047			FD-floor drain sample	273
11	n.a.	FD-3	20090789-03	10/28/2009	Gamma Spec (NORM)	Ac-228	0.19	0.41	pCi/g	0.338	< MDA		FD-floor drain sample	
11	n.a.	FD-3	20090789-03	10/28/2009	Gamma Spec (NORM)	Bi-212	0.13	0.57	pCi/g	0.748	< MDA		FD-floor drain sample	
11	n.a.	FD-3	20090789-03	10/28/2009	Gamma Spec (NORM)	Bi-214	0.49	0.90	pCi/g	0.278			FD-floor drain sample	
11	n.a.	FD-3	20090789-03	11/3/2009	C-14	C-14	0.21	0.09	pCi/g	0.085			FD-floor drain sample	12
11	n.a.	FD-3	20090789-03	10/28/2009	Gamma Spec (NORM)	Eu-152	0.00	0.12	pCi/g	0.272	< MDA		FD-floor drain sample	8.7
11	n.a.	FD-3	20090789-03	10/28/2009	Gamma Spec (NORM)	Eu-154	0.00	0.08	pCi/g	0.188	< MDA		FD-floor drain sample	8.8
11	n.a.	FD-3	20090789-03	11/18/2009	Tritium (H3)	H-3	7.50	1.72	pCi/g	12.8	< MDA		FD-floor drain sample	110
11	n.a.	FD-3	20090789-03	10/28/2009	Gamma Spec (NORM)	K-40	2.06	1.77	pCi/g	2.21	< MDA		FD-floor drain sample	
11	n.a.	FD-3	20090789-03	11/23/2009	Nickel-63	Nickel-63	0.00	4.50	pCi/g	1.9	< MDA		FD-floor drain sample	2100
11	n.a.	FD-3	20090789-03	10/28/2009	Gamma Spec (NORM)	Pb-212	0.24	0.05	pCi/g	0.117			FD-floor drain sample	
11	n.a.	FD-3	20090789-03	10/28/2009	Gamma Spec (NORM)	Pb-214	0.09	0.09	pCi/g	0.196	< MDA		FD-floor drain sample	
11	n.a.	FD-3	20090789-03	10/28/2009	Gamma Spec (NORM)	Th-234	0.00	0.66	pCi/g	1.56	< MDA		FD-floor drain sample	
11	n.a.	FD-3	20090789-03	10/28/2009	Gamma Spec (NORM)	Tl-208	0.13	0.08	pCi/g	0.092			FD-floor drain sample	
11	n.a.	FD-3	20090789-03	11/16/2009	Uranium-Isotopic	Uranium-234	1.35	0.25	pCi/g	0.145			FD-floor drain sample	273
11	n.a.	FD-3	20090789-03	11/16/2009	Uranium-Isotopic	Uranium-235	0.28	0.13	pCi/g	0.117			FD-floor drain sample	273
11	n.a.	FD-3	20090789-03	11/16/2009	Uranium-Isotopic	Uranium-238	0.66	0.18	pCi/g	0.111			FD-floor drain sample	273
11	Waste	HEPA-1	20090767-01	10/14/2009	Gamma Spec (NORM)	Ac-228	0.69	0.77	pCi/g	1.83	< MDA			
11	Waste	HEPA-1	20090767-01	10/14/2009	Gamma Spec (NORM)	Bi-212	0.00	1.89	pCi/g	2.07	< MDA			
11	Waste	HEPA-1	20090767-01	10/14/2009	Gamma Spec (NORM)	Bi-214	0.37	0.44	pCi/g	0.547	< MDA			
11	Waste	HEPA-1	20090767-01	9/25/2009	C-14	C-14	0.22	0.08	pCi/g	0.07				12
11	Waste	HEPA-1	20090767-01	10/14/2009	Gamma Spec (NORM)	Eu-152	0.19	0.37	pCi/g	0.877	< MDA			8.7
11	Waste	HEPA-1	20090767-01	10/14/2009	Gamma Spec (NORM)	Eu-154	0.16	0.28	pCi/g	0.25	< MDA			8.8
11	Waste	HEPA-1	20090767-01	9/25/2009	Tritium (H3)	H-3	15.20	0.80	pCi/g	6.4				110
11	Waste	HEPA-1	20090767-01	11/25/2009	Iron-55	Iron-55	11.67	0.82	pCi/g	0.96				10000
11	Waste	HEPA-1	20090767-01	10/14/2009	Gamma Spec (NORM)	K-40	1.90	3.05	pCi/g	3.88	< MDA			
11	Waste	HEPA-1	20090767-01	10/14/2009	Gamma Spec (NORM)	Pb-212	0.54	0.41	pCi/g	0.718	< MDA			
11	Waste	HEPA-1	20090767-01	10/14/2009	Gamma Spec (NORM)	Pb-214	0.62	1.15	pCi/g	0.511				
11	Waste	HEPA-1	20090767-01	10/14/2009	Gamma Spec (NORM)	Th-234	0.70	3.09	pCi/g	2.52	< MDA			
11	Waste	HEPA-1	20090767-01	10/14/2009	Gamma Spec (NORM)	Tl-208	0.18	0.22	pCi/g	0.526	< MDA			
11	Waste	HEPA-1	20090767-01	10/23/2009	Uranium-Isotopic	Uranium-234	0.42	0.15	pCi/g	0.197				273
11	Waste	HEPA-1	20090767-01	10/23/2009	Uranium-Isotopic	Uranium-235	0.10	0.07	pCi/g	0.089				273
11	Waste	HEPA-1	20090767-01	10/23/2009	Uranium-Isotopic	Uranium-238	0.35	0.15	pCi/g	0.211				273
11	Waste	Vent Room Sump Water	20091040-09	12/14/2009	DOE Ga-01R	Ac-228	16.90	7.66	pCi/l	11.9			DCGL = sewer discharge limit (10 CFR 20 App. B)	300000
11	Waste	Vent Room Sump Water	20091040-09	12/14/2009	DOE Ga-01R	Bi-212	0.00	16.70	pCi/l	22.5	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	700000
11	Waste	Vent Room Sump Water	20091040-09	12/14/2009	DOE Ga-01R	Bi-214	16.70	7.82	pCi/l	9.6			DCGL = sewer discharge limit (10 CFR 20 App. B)	3000000
11	Waste	Vent Room Sump Water	20091040-09	12/14/2009	EPA EERF C01	C-14	4.66	1.33	pCi/l	1.24			DCGL = sewer discharge limit (10 CFR 20 App. B)	300000
11	Waste	Vent Room Sump Water	20091040-09	12/14/2009	DOE Ga-01R	Eu-152	0.00	4.51	pCi/l	10.7	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	100000
11	Waste	Vent Room Sump Water	20091040-09	12/14/2009	DOE Ga-01R	Eu-154	0.00	3.10	pCi/l	7.35	< MDA		DCGL = sewer discharge limit (10 CFR 20 App. B)	70000
11	Waste	Vent Room Sump Water	20091040-09	12/14/2009	EPA 906	H-3	1710.00	66.00	pCi/l	794			DCGL = sewer discharge limit (10 CFR 20 App. B)	10000000
11	Waste	Vent Room Sump Water	20091040-09	12/14/2009	DOE Ga-01R	K-40	111.00	56.80	pCi/l	62.2			DCGL = sewer discharge limit (10 CFR 20 App. B)	40000
11	Waste	Vent Room Sump Water	20091040-09	12/14/2009	DOE Ga-01R	Pb-212	21.10	3.08	pCi/l	7.3			DCGL = sewer discharge limit (10 CFR 20 App. B)	20000

### OFFSITE RADIOANALYTICAL MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	IEM Sample No.	Lab Sample No.	Date Collected	Test Method	Analysis	Result	Error	Units	MDA	MDA Flag	DCGL/MDA Flag	Comment	DCGL
11	Waste	Vent Room Sump Water	20091040-09	12/14/2009	DOE Ga-01R	Pb-214	21.20	5.06	pCi/l	12			DCGL = sewer discharge limit (10 CFR 20 App. B)	20000
11	Waste	Vent Room Sump Water	20091040-09	12/14/2009	DOE Ga-01R	Th-234	642.00	179.00	pCi/l	95			DCGL = sewer discharge limit (10 CFR 20 App. B)	50000
11	Waste	Vent Room Sump Water	20091040-09	12/14/2009	DOE Ga-01R	Tl-208	10.40	2.97	pCi/l	3.92			DCGL = sewer discharge limit (10 CFR 20 App. B)	200000
3,4	Waste	Oil-1	20090741-07	9/21/2009	Gamma Spec (NORM)	Ac-228	0.00	0.01	pCi/g	0.021	< MDA		Oil from drums compactors	
3,4	Waste	Oil-1	20090741-07	9/21/2009	Gamma Spec (NORM)	Bi-212	0.07	0.06	pCi/g	0.046			Oil from drums compactors	
3,4	Waste	Oil-1	20090741-07	9/21/2009	Gamma Spec (NORM)	Bi-214	0.00	0.01	pCi/g	0.014	< MDA		Oil from drums compactors	273
3,4	Waste	Oil-1	20090741-07	9/29/2009	C-14	C-14	0.00	1.08	pCi/g	1.2	< MDA		Oil from drums compactors	12
3,4	Waste	Oil-1	20090741-07	9/21/2009	Gamma Spec NORM - Water	Eu-152	0.00	0.02	pCi/g	0.038	< MDA		Oil from drums compactors	8.7
3,4	Waste	Oil-1	20090741-07	9/21/2009	Gamma Spec NORM - Water	Eu-154	0.00	0.00	pCi/g	0.011	< MDA		Oil from drums compactors	8.8
3,4	Waste	Oil-1	20090741-07	10/1/2009	Tritium (H3)	H-3	18.40	1.90	pCi/g	31.8	< MDA		Oil from drums compactors	110
3,4	Waste	Oil-1	20090741-07	11/25/2009	Iron-55	Iron-55	2.93	5.81	pCi/g	9.63	< MDA		Oil from drums compactors	10000
3,4	Waste	Oil-1	20090741-07	9/21/2009	Gamma Spec (NORM)	K-40	0.00	0.08	pCi/g	0.131	< MDA		Oil from drums compactors	
3,4	Waste	Oil-1	20090741-07	9/21/2009	Gamma Spec (NORM)	Pb-212	0.00	0.02	pCi/g	0.024	< MDA		Oil from drums compactors	
3,4	Waste	Oil-1	20090741-07	9/21/2009	Gamma Spec (NORM)	Pb-214	0.00	0.01	pCi/g	0.032	< MDA		Oil from drums compactors	273
3,4	Waste	Oil-1	20090741-07	9/21/2009	Gamma Spec (NORM)	Th-234	0.09	0.09	pCi/g	0.151	< MDA		Oil from drums compactors	
3,4	Waste	Oil-1	20090741-07	9/21/2009	Gamma Spec (NORM)	Tl-208	0.00	0.00	pCi/g	0.007	< MDA		Oil from drums compactors	
3,4	Waste	Oil-2	20090741-08	9/21/2009	Gamma Spec (NORM)	Ac-228	0.01	0.01	pCi/g	0.018	< MDA		Oil from drums compactors	
3,4	Waste	Oil-2	20090741-08	9/21/2009	Gamma Spec (NORM)	Bi-212	0.02	0.02	pCi/g	0.047	< MDA		Oil from drums compactors	
3,4	Waste	Oil-2	20090741-08	9/21/2009	Gamma Spec (NORM)	Bi-214	0.00	0.01	pCi/g	0.011	< MDA		Oil from drums compactors	273
3,4	Waste	Oil-2	20090741-08	9/29/2009	C-14	C-14	0.00	1.04	pCi/g	1.15	< MDA		Oil from drums compactors	12
3,4	Waste	Oil-2	20090741-08	9/21/2009	Gamma Spec NORM - Water	Eu-152	0.00	0.01	pCi/g	0.09	< MDA		Oil from drums compactors	8.7
3,4	Waste	Oil-2	20090741-08	9/21/2009	Gamma Spec NORM - Water	Eu-154	0.00	0.00	pCi/g	0.007	< MDA		Oil from drums compactors	8.8
3,4	Waste	Oil-2	20090741-08	10/1/2009	Tritium (H3)	H-3	19.70	1.83	pCi/g	30.4	< MDA		Oil from drums compactors	110
3,4	Waste	Oil-2	20090741-08	11/25/2009	Iron-55	Iron-55	2.93	5.81	pCi/g	9.63	< MDA		Oil from drums compactors	10000
3,4	Waste	Oil-2	20090741-08	9/21/2009	Gamma Spec (NORM)	K-40	0.00	0.08	pCi/g	0.115	< MDA		Oil from drums compactors	
3,4	Waste	Oil-2	20090741-08	9/21/2009	Gamma Spec (NORM)	Pb-212	0.00	0.00	pCi/g	0.01	< MDA		Oil from drums compactors	
3,4	Waste	Oil-2	20090741-08	9/21/2009	Gamma Spec (NORM)	Pb-214	0.00	0.01	pCi/g	0.011	< MDA		Oil from drums compactors	273
3,4	Waste	Oil-2	20090741-08	9/21/2009	Gamma Spec (NORM)	Th-234	0.27	0.13	pCi/g	0.138			Oil from drums compactors	
3,4	Waste	Oil-2	20090741-08	9/21/2009	Gamma Spec (NORM)	Tl-208	0.00	0.01	pCi/g	0.01	< MDA		Oil from drums compactors	

## FIXED BETA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg. Count Time (min)	Net Count Rate	Efficiency (%)	Detector Area (cm <sup>2</sup> )	Total Net Activity (dpm/100cm <sup>2</sup> )	Total Gross Activity (dpm/100cm <sup>2</sup> )	Bkg. Descriptor	Comments	DCGL	DCGL Flag
1	Lower F	1	295	1	175	1	120	0.26	100	462	1135	concrete	MARSSIM	3500	
1	Lower F	2	334	1	175	1	159	0.26	100	612	1285	concrete	MARSSIM	3500	
1	Lower F	3	283	1	175	1	108	0.26	100	415	1088	concrete	MARSSIM	3500	
1	Lower F	4	216	1	175	1	41	0.26	100	158	831	concrete	MARSSIM	3500	
1	Lower F	5	382	1	175	1	207	0.26	100	796	1469	concrete	MARSSIM	3500	
1	Lower F	6	312	1	175	1	137	0.26	100	527	1200	concrete	MARSSIM	3500	
1	Lower F	7	348	1	175	1	173	0.26	100	665	1338	concrete	MARSSIM	3500	
1	Lower F	8	359	1	175	1	184	0.26	100	708	1381	concrete	MARSSIM	3500	
1	Lower F	9	446	1	175	1	271	0.26	100	1042	1715	concrete	MARSSIM	3500	
1	Low S wall	10	329	1	175	1	154	0.26	100	592	1265	concrete	MARSSIM	3500	
1	Low S wall	11	485	1	175	1	310	0.26	100	1192	1865	concrete	MARSSIM	3500	
1	Low S wall	12	316	1	175	1	141	0.26	100	542	1215	concrete	MARSSIM	3500	
1	Low E wall	13	227	1	175	1	52	0.26	100	200	873	concrete	MARSSIM	3500	
1	Low E wall	14	304	1	175	1	129	0.26	100	496	1169	concrete	MARSSIM	3500	
1	Low N wall	15	533	1	175	1	358	0.26	100	1377	2050	concrete	MARSSIM	3500	
1	Low N wall	16	544	1	175	1	369	0.26	100	1419	2092	concrete	MARSSIM	3500	
1	Low N wall	17	336	1	175	1	161	0.26	100	619	1292	concrete	MARSSIM	3500	
1	Low W wall	18	417	1	175	1	242	0.26	100	931	1604	concrete	MARSSIM	3500	
1	Low W wall	19	431	1	175	1	256	0.26	100	985	1658	concrete	MARSSIM	3500	
1	Upper C	1	313	1	175	1	138	0.26	100	531	1204	concrete	MARSSIM	3500	
1	Upper C	2	295	1	175	1	120	0.26	100	462	1135	concrete	MARSSIM	3500	
1	Upper C	3	401	1	175	1	226	0.26	100	869	1542	concrete	MARSSIM	3500	
1	Upper C	4	391	1	175	1	216	0.26	100	831	1504	concrete	MARSSIM	3500	
1	Upper C	5	304	1	175	1	129	0.26	100	496	1169	concrete	MARSSIM	3500	
1	Upper C	6	424	1	175	1	249	0.26	100	958	1631	concrete	MARSSIM	3500	
1	Upper C	7	359	1	175	1	184	0.26	100	708	1381	concrete	MARSSIM	3500	
1	Upper C	8	269	1	175	1	94	0.26	100	362	1035	concrete	MARSSIM	3500	
1	Upper C	9	304	1	175	1	129	0.26	100	496	1169	concrete	MARSSIM	3500	
1	Up N wall	10	351	1	175	1	176	0.26	100	677	1350	concrete	MARSSIM	3500	
1	Up N wall	11	441	1	175	1	266	0.26	100	1023	1696	concrete	MARSSIM	3500	
1	Up E wall	12	329	1	175	1	154	0.26	100	592	1265	concrete	MARSSIM	3500	
1	Up E wall	13	432	1	175	1	257	0.26	100	988	1662	concrete	MARSSIM	3500	
1	Up E wall	14	371	1	175	1	196	0.26	100	754	1427	concrete	MARSSIM	3500	
1	Up S wall	15	347	1	175	1	172	0.26	100	662	1335	concrete	MARSSIM	3500	
1	Up S wall	16	287	1	175	1	112	0.26	100	431	1104	concrete	MARSSIM	3500	
1	Up W wall	17	320	1	175	1	145	0.26	100	558	1231	concrete	MARSSIM	3500	
1	Up W wall	18	376	1	175	1	201	0.26	100	773	1446	concrete	MARSSIM	3500	
2		1	195	1	175	1	20	0.27	100	74	722	concrete	MARSSIM	3500	
2		2	164	1	175	1	-11	0.27	100	-41	607	concrete	MARSSIM	3500	
2		3	152	1	175	1	-23	0.27	100	-85	563	concrete	MARSSIM	3500	
2		4	148	1	175	1	-27	0.27	100	-100	548	concrete	MARSSIM	3500	



## FIXED BETA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg. Count Time (min)	Net Count Rate	Efficiency (%)	Detector Area (cm <sup>2</sup> )	Total Net Activity (dpm/100cm <sup>2</sup> )	Total Gross Activity (dpm/100cm <sup>2</sup> )	Bkg. Descriptor	Comments	DCGL	DCGL Flag
2		5	145	1	175	1	-30	0.27	100	-111	537	concrete	MARSSIM	3500	
2		6	136	1	168	1	-32	0.27	100	-119	504	metal	MARSSIM	3500	
2		7	139	1	175	1	-36	0.27	100	-133	515	concrete	MARSSIM	3500	
2		8	132	1	175	1	-43	0.27	100	-159	489	concrete	MARSSIM	3500	
2		9	138	1	175	1	-37	0.27	100	-137	511	concrete	MARSSIM	3500	
2		10	122	1	168	1	-46	0.27	100	-170	452	metal	MARSSIM	3500	
2		11	119	1	175	1	-56	0.27	100	-207	441	concrete	MARSSIM	3500	
2		12	128	1	175	1	-47	0.27	100	-174	474	concrete	MARSSIM	3500	
2		13	119	1	175	1	-56	0.27	100	-207	441	concrete	MARSSIM	3500	
2		14	133	1	175	1	-42	0.27	100	-156	493	concrete	MARSSIM	3500	
2		15	138	1	175	1	-37	0.27	100	-137	511	concrete	MARSSIM	3500	
2		16	121	1	175	1	-54	0.27	100	-200	448	concrete	MARSSIM	3500	
2		17	126	1	175	1	-49	0.27	100	-181	467	concrete	MARSSIM	3500	
2		18	132	1	175	1	-43	0.27	100	-159	489	concrete	MARSSIM	3500	
3		1	164	1	175	1	-11	0.27	100	-41	607	concrete	MARSSIM	3500	
3		2	123	1	175	1	-52	0.27	100	-193	456	concrete	MARSSIM	3500	
3		3	146	1	175	1	-29	0.27	100	-107	541	concrete	MARSSIM	3500	
3		4	127	1	175	1	-48	0.27	100	-178	470	concrete	MARSSIM	3500	
3		5	161	1	175	1	-14	0.27	100	-52	596	concrete	MARSSIM	3500	
3		6	159	1	175	1	-16	0.27	100	-59	589	concrete	MARSSIM	3500	
3		7	146	1	175	1	-29	0.27	100	-107	541	concrete	MARSSIM	3500	
3		8	178	1	175	1	3	0.27	100	11	659	concrete	MARSSIM	3500	
3		9	158	1	175	1	-17	0.27	100	-63	585	concrete	MARSSIM	3500	
3		10	149	1	175	1	-26	0.27	100	-96	552	concrete	MARSSIM	3500	
3		11	138	1	175	1	-37	0.27	100	-137	511	concrete	MARSSIM	3500	
3		12	140	1	175	1	-35	0.27	100	-130	519	concrete	MARSSIM	3500	
3		13	85	1	168	1	-83	0.27	100	-307	315	metal	MARSSIM	3500	
3		14	133	1	175	1	-42	0.27	100	-156	493	concrete	MARSSIM	3500	
3		15	139	1	175	1	-36	0.27	100	-133	515	concrete	MARSSIM	3500	
3		16	77	1	168	1	-91	0.27	100	-337	285	metal	MARSSIM	3500	
3		17	122	1	175	1	-53	0.27	100	-196	452	concrete	MARSSIM	3500	
3		18	144	1	175	1	-31	0.27	100	-115	533	concrete	MARSSIM	3500	
4	4.1.1	1	182	1	175	1	7	0.27	100	26	674	concrete	MARSSIM	3500	
4	4.1.1	2	193	1	175	1	18	0.27	100	67	715	concrete	MARSSIM	3500	
4	4.1.1	3	205	1	175	1	30	0.27	100	111	759	concrete	MARSSIM	3500	
4	4.1.1	4	216	1	175	1	41	0.27	100	152	800	concrete	MARSSIM	3500	
4	4.1.1	5	189	1	175	1	14	0.27	100	52	700	concrete	MARSSIM	3500	
4	4.1.1	6	176	1	175	1	1	0.27	100	4	652	concrete	MARSSIM	3500	
4	4.1.1	7	194	1	235	1	-41	0.27	100	-152	719	cinder block	MARSSIM	3500	
4	4.1.1	8	183	1	235	1	-52	0.27	100	-193	678	cinder block	MARSSIM	3500	
4	4.1.1	9	231	1	235	1	-4	0.27	100	-15	856	cinder block	MARSSIM	3500	

## FIXED BETA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg. Count Time (min)	Net Count Rate	Efficiency (%)	Detector Area (cm <sup>2</sup> )	Total Net Activity (dpm/100cm <sup>2</sup> )	Total Gross Activity (dpm/100cm <sup>2</sup> )	Bkg. Descriptor	Comments	DCGL	DCGL Flag
4	4.1.1	10	218	1	235	1	-17	0.27	100	-63	807	cinder block	MARSSIM	3500	
4	4.1.1	11	188	1	235	1	-47	0.27	100	-174	696	cinder block	MARSSIM	3500	
4	4.1.1	12	167	1	235	1	-68	0.27	100	-252	619	cinder block	MARSSIM	3500	
4	4.1.1	13	196	1	235	1	-39	0.27	100	-144	726	cinder block	MARSSIM	3500	
4	4.1.1	14	213	1	235	1	-22	0.27	100	-81	789	cinder block	MARSSIM	3500	
4	4.1.1	15	225	1	175	1	50	0.27	100	185	833	concrete	MARSSIM	3500	
4	4.1.1	16	203	1	175	1	28	0.27	100	104	752	concrete	MARSSIM	3500	
4	4.1.1	17	194	1	168	1	26	0.27	100	96	719	metal	MARSSIM	3500	
4	4.1.1	18	187	1	168	1	19	0.27	100	70	693	metal	MARSSIM	3500	
4	4.1.2	1	163	1	175	1	-12	0.27	100	-44	604	concrete	MARSSIM	3500	
4	4.1.2	2	172	1	175	1	-3	0.27	100	-11	637	concrete	MARSSIM	3500	
4	4.1.2	3	169	1	175	1	-6	0.27	100	-22	626	concrete	MARSSIM	3500	
4	4.1.2	4	210	1	175	1	35	0.27	100	130	778	concrete	MARSSIM	3500	
4	4.1.2	5	203	1	175	1	28	0.27	100	104	752	concrete	MARSSIM	3500	
4	4.1.2	6	183	1	175	1	8	0.27	100	30	678	concrete	MARSSIM	3500	
4	4.1.2	7	216	1	175	1	41	0.27	100	152	800	concrete	MARSSIM	3500	
4	4.1.2	8	181	1	175	1	6	0.27	100	22	670	concrete	MARSSIM	3500	
4	4.1.2	9	198	1	175	1	23	0.27	100	85	733	concrete	MARSSIM	3500	
4	4.1.2	10	190	1	175	1	15	0.27	100	56	704	concrete	MARSSIM	3500	
4	4.1.2	11	182	1	235	1	-53	0.27	100	-196	674	cinder block	MARSSIM	3500	
4	4.1.2	12	219	1	235	1	-16	0.27	100	-59	811	cinder block	MARSSIM	3500	
4	4.1.2	13	205	1	235	1	-30	0.27	100	-111	759	cinder block	MARSSIM	3500	
4	4.1.2	14	177	1	235	1	-58	0.27	100	-215	656	cinder block	MARSSIM	3500	
4	4.1.2	15	194	1	235	1	-41	0.27	100	-152	719	cinder block	MARSSIM	3500	
4	4.1.2	16	239	1	235	1	4	0.27	100	15	885	cinder block	MARSSIM	3500	
4	4.1.2	17	211	1	235	1	-24	0.27	100	-89	781	cinder block	MARSSIM	3500	
4	4.1.2	18	159	1	235	1	-76	0.27	100	-281	589	cinder block	MARSSIM	3500	
4	4.1.3	1	195	1	175	1	20	0.27	100	74	722	concrete	MARSSIM	3500	
4	4.1.3	2	187	1	175	1	12	0.27	100	44	693	concrete	MARSSIM	3500	
4	4.1.3	3	232	1	235	1	-3	0.27	100	-11	859	cinder block	MARSSIM	3500	
4	4.1.3	4	209	1	235	1	-26	0.27	100	-96	774	cinder block	MARSSIM	3500	
4	4.1.3	5	204	1	235	1	-31	0.27	100	-115	756	cinder block	MARSSIM	3500	
4	4.1.3	6	187	1	175	1	12	0.27	100	44	693	concrete	MARSSIM	3500	
4	4.1.3	7	193	1	175	1	18	0.27	100	67	715	concrete	MARSSIM	3500	
4	4.1.3	8	214	1	175	1	39	0.27	100	144	793	concrete	MARSSIM	3500	
4	4.1.3	9	229	1	175	1	54	0.27	100	200	848	concrete	MARSSIM	3500	
4	4.1.3	10	193	1	175	1	18	0.27	100	67	715	concrete	MARSSIM	3500	
4	4.1.3	11	210	1	175	1	35	0.27	100	130	778	concrete	MARSSIM	3500	
4	4.1.3	12	164	1	175	1	-11	0.27	100	-41	607	concrete	MARSSIM	3500	
4	4.1.3	13	189	1	175	1	14	0.27	100	52	700	concrete	MARSSIM	3500	
4	4.1.3	14	173	1	168	1	5	0.27	100	19	641	metal	MARSSIM	3500	

## FIXED BETA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg. Count Time (min)	Net Count Rate	Efficiency (%)	Detector Area (cm <sup>2</sup> )	Total Net Activity (dpm/100cm <sup>2</sup> )	Total Gross Activity (dpm/100cm <sup>2</sup> )	Bkg. Descriptor	Comments	DCGL	DCGL Flag
4	4.1.3	15	185	1	168	1	17	0.27	100	63	685	metal	MARSSIM	3500	
4	4.1.3	16	218	1	235	1	-17	0.27	100	-63	807	cinder block	MARSSIM	3500	
4	4.1.3	17	203	1	235	1	-32	0.27	100	-119	752	cinder block	MARSSIM	3500	
4	4.1.3	18	168	1	235	1	-67	0.27	100	-248	622	cinder block	MARSSIM	3500	
4	4.1.4	1	227	1	175	1	52	0.27	100	193	841	concrete	MARSSIM	3500	
4	4.1.4	2	216	1	175	1	41	0.27	100	152	800	concrete	MARSSIM	3500	
4	4.1.4	3	167	1	175	1	-8	0.27	100	-30	619	concrete	MARSSIM	3500	
4	4.1.4	4	154	1	175	1	-21	0.27	100	-78	570	concrete	MARSSIM	3500	
4	4.1.4	5	192	1	175	1	17	0.27	100	63	711	concrete	MARSSIM	3500	
4	4.1.4	6	159	1	175	1	-16	0.27	100	-59	589	concrete	MARSSIM	3500	
4	4.1.4	7	201	1	175	1	26	0.27	100	96	744	concrete	MARSSIM	3500	
4	4.1.4	8	172	1	175	1	-3	0.27	100	-11	637	concrete	MARSSIM	3500	
4	4.1.4	9	181	1	175	1	6	0.27	100	22	670	concrete	MARSSIM	3500	
4	4.1.4	10	213	1	175	1	38	0.27	100	141	789	concrete	MARSSIM	3500	
4	4.1.4	11	177	1	175	1	2	0.27	100	7	656	concrete	MARSSIM	3500	
4	4.1.4	12	219	1	175	1	44	0.27	100	163	811	concrete	MARSSIM	3500	
4	4.1.4	13	211	1	175	1	36	0.27	100	133	781	concrete	MARSSIM	3500	
4	4.1.4	14	173	1	175	1	-2	0.27	100	-7	641	concrete	MARSSIM	3500	
4	4.1.4	15	184	1	175	1	9	0.27	100	33	681	concrete	MARSSIM	3500	
4	4.1.4	16	204	1	168	1	36	0.27	100	133	756	metal	MARSSIM	3500	
4	4.1.4	17	189	1	168	1	21	0.27	100	78	700	metal	MARSSIM	3500	
4	4.1.4	18	173	1	168	1	5	0.27	100	19	641	metal	MARSSIM	3500	
4	4.1.5	1	205	1	175	1	30	0.27	100	111	759	concrete	MARSSIM	3500	
4	4.1.5	2	229	1	175	1	54	0.27	100	200	848	concrete	MARSSIM	3500	
4	4.1.5	3	164	1	175	1	-11	0.27	100	-41	607	concrete	MARSSIM	3500	
4	4.1.5	4	193	1	175	1	18	0.27	100	67	715	concrete	MARSSIM	3500	
4	4.1.5	5	188	1	235	1	-47	0.27	100	-174	696	cinder block	MARSSIM	3500	
4	4.1.5	6	182	1	235	1	-53	0.27	100	-196	674	cinder block	MARSSIM	3500	
4	4.1.5	7	193	1	235	1	-42	0.27	100	-156	715	cinder block	MARSSIM	3500	
4	4.1.5	8	181	1	235	1	-54	0.27	100	-200	670	cinder block	MARSSIM	3500	
4	4.1.5	9	239	1	235	1	4	0.27	100	15	885	cinder block	MARSSIM	3500	
4	4.1.5	10	177	1	175	1	2	0.27	100	7	656	concrete	MARSSIM	3500	
4	4.1.5	11	194	1	235	1	-41	0.27	100	-152	719	cinder block	MARSSIM	3500	
4	4.1.5	12	163	1	168	1	-5	0.27	100	-19	604	glass	MARSSIM	3500	
4	4.1.5	13	219	1	168	1	51	0.27	100	189	811	glass	MARSSIM	3500	
4	4.1.5	14	182	1	235	1	-53	0.27	100	-196	674	cinder block	MARSSIM	3500	
4	4.1.5	15	223	1	235	1	-12	0.27	100	-44	826	cinder block	MARSSIM	3500	
4	4.1.5	16	190	1	235	1	-45	0.27	100	-167	704	cinder block	MARSSIM	3500	
4	4.1.5	17	196	1	168	1	28	0.27	100	104	726	glass	MARSSIM	3500	
4	4.1.5	18	213	1	235	1	-22	0.27	100	-81	789	cinder block	MARSSIM	3500	
4	4.2	1	147	1	162	1	-15	0.26	100	-58	565	floor tile	MARSSIM	3500	

## FIXED BETA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg. Count Time (min)	Net Count Rate	Efficiency (%)	Detector Area (cm <sup>2</sup> )	Total Net Activity (dpm/100cm <sup>2</sup> )	Total Gross Activity (dpm/100cm <sup>2</sup> )	Bkg. Descriptor	Comments	DCGL	DCGL Flag
4	4.2	2	131	1	162	1	-31	0.26	100	-119	504	floor tile	MARSSIM	3500	
4	4.2	3	190	1	235	1	-45	0.26	100	-173	731	cinder block	MARSSIM	3500	
4	4.2	4	201	1	235	1	-34	0.26	100	-131	773	cinder block	MARSSIM	3500	
4	4.2	5	211	1	235	1	-24	0.26	100	-92	812	cinder block	MARSSIM	3500	
4	4.2	6	181	1	235	1	-54	0.26	100	-208	696	cinder block	MARSSIM	3500	
4	4.2	7	326	1	162	1	164	0.26	100	631	1254	floor tile	MARSSIM	3500	
4	4.2	8	232	1	235	1	-3	0.26	100	-12	892	cinder block	MARSSIM	3500	
4	4.2	9	233	1	168	1	65	0.26	100	250	896	porc. tile	MARSSIM	3500	
4	4.2	10	239	1	235	1	4	0.26	100	15	919	cinder block	MARSSIM	3500	
4	4.2	11	200	1	235	1	-35	0.26	100	-135	769	cinder block	MARSSIM	3500	
4	4.2	12	132	1	162	1	-30	0.26	100	-115	508	floor tile	MARSSIM	3500	
4	4.2	13	137	1	162	1	-25	0.26	100	-96	527	floor tile	MARSSIM	3500	
4	4.2	14	162	1	162	1	0	0.26	100	0	623	floor tile	MARSSIM	3500	
4	4.2	15	208	1	235	1	-27	0.26	100	-104	800	cinder block	MARSSIM	3500	
4	4.2	16	190	1	235	1	-45	0.26	100	-173	731	cinder block	MARSSIM	3500	
4	4.2	17	191	1	235	1	-44	0.26	100	-169	735	cinder block	MARSSIM	3500	
4	4.2	18	186	1	235	1	-49	0.26	100	-188	715	cinder block	MARSSIM	3500	
4	4.4	1	134	1	162	1	-28	0.26	100	-108	515	floor tile	MARSSIM	3500	
4	4.4	2	141	1	162	1	-21	0.26	100	-81	542	floor tile	MARSSIM	3500	
4	4.4	3	157	1	162	1	-5	0.26	100	-19	604	floor tile	MARSSIM	3500	
4	4.4	4	149	1	162	1	-13	0.26	100	-50	573	floor tile	MARSSIM	3500	
4	4.4	5	115	1	162	1	-47	0.26	100	-181	442	floor tile	MARSSIM	3500	
4	4.4	6	136	1	162	1	-26	0.26	100	-100	523	floor tile	MARSSIM	3500	
4	4.4	7	214	1	235	1	-21	0.26	100	-81	823	cinder block	MARSSIM	3500	
4	4.4	8	138	1	162	1	-24	0.26	100	-92	531	wood	MARSSIM	3500	
4	4.4	9	139	1	162	1	-23	0.26	100	-88	535	wood	MARSSIM	3500	
4	4.4	10	154	1	162	1	-8	0.26	100	-31	592	glass	MARSSIM	3500	
4	4.4	11	149	1	162	1	-13	0.26	100	-50	573	glass	MARSSIM	3500	
4	4.4	12	121	1	162	1	-41	0.26	100	-158	465	glass	MARSSIM	3500	
4	4.4	13	135	1	162	1	-27	0.26	100	-104	519	glass	MARSSIM	3500	
4	4.4	14	177	1	235	1	-58	0.26	100	-223	681	cinder block	MARSSIM	3500	
4	4.4	15	183	1	235	1	-52	0.26	100	-200	704	cinder block	MARSSIM	3500	
4	4.4	16	192	1	235	1	-43	0.26	100	-165	738	cinder block	MARSSIM	3500	
4	4.4	17	145	1	162	1	-17	0.26	100	-65	558	wood	MARSSIM	3500	
4	4.4	18	138	1	162	1	-24	0.26	100	-92	531	wood	MARSSIM	3500	
4	4.5	1	161	1	162	1	-1	0.26	100	-4	619	floor tile	MARSSIM	3500	
4	4.5	2	152	1	162	1	-10	0.26	100	-38	585	floor tile	MARSSIM	3500	
4	4.5	3	163	1	162	1	1	0.26	100	4	627	floor tile	MARSSIM	3500	
4	4.5	4	163	1	162	1	1	0.26	100	4	627	floor tile	MARSSIM	3500	
4	4.5	5	137	1	162	1	-25	0.26	100	-96	527	floor tile	MARSSIM	3500	
4	4.5	6	146	1	162	1	-16	0.26	100	-62	562	floor tile	MARSSIM	3500	

## FIXED BETA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg. Count Time (min)	Net Count Rate	Efficiency (%)	Detector Area (cm <sup>2</sup> )	Total Net Activity (dpm/100cm <sup>2</sup> )	Total Gross Activity (dpm/100cm <sup>2</sup> )	Bkg. Descriptor	Comments	DCGL	DCGL Flag
4	4.5	7	171	1	162	1	9	0.26	100	35	658	floor tile	MARSSIM	3500	
4	4.5	8	130	1	162	1	-32	0.26	100	-123	500	floor tile	MARSSIM	3500	
4	4.5	9	137	1	162	1	-25	0.26	100	-96	527	floor tile	MARSSIM	3500	
4	4.5	10	122	1	162	1	-40	0.26	100	-154	469	floor tile	MARSSIM	3500	
4	4.5	11	197	1	235	1	-38	0.26	100	-146	758	cinder block	MARSSIM	3500	
4	4.5	12	163	1	235	1	-72	0.26	100	-277	627	cinder block	MARSSIM	3500	
4	4.5	13	173	1	162	1	11	0.26	100	42	665	metal	MARSSIM	3500	
4	4.5	14	176	1	235	1	-59	0.26	100	-227	677	cinder block	MARSSIM	3500	
4	4.5	15	162	1	162	1	0	0.26	100	0	623	metal	MARSSIM	3500	
4	4.5	16	184	1	235	1	-51	0.26	100	-196	708	cinder block	MARSSIM	3500	
4	4.5	17	150	1	162	1	-12	0.26	100	-46	577	wood	MARSSIM	3500	
4	4.5	18	214	1	235	1	-21	0.26	100	-81	823	cinder block	MARSSIM	3500	
4	4.6	1	191	1	168	1	23	0.27	100	85	707	floor tile	MARSSIM	3500	
4	4.6	2	233	1	175	1	58	0.27	100	215	863	concrete	MARSSIM	3500	
4	4.6	3	254	1	175	1	79	0.27	100	293	941	concrete	MARSSIM	3500	
4	4.6	4	230	1	175	1	55	0.27	100	204	852	concrete	MARSSIM	3500	
4	4.6	5	222	1	175	1	47	0.27	100	174	822	concrete	MARSSIM	3500	
4	4.6	6	221	1	175	1	46	0.27	100	170	819	concrete	MARSSIM	3500	
4	4.6	7	227	1	175	1	52	0.27	100	193	841	concrete	MARSSIM	3500	
4	4.6	8	188	1	168	1	20	0.27	100	74	696	floor tile	MARSSIM	3500	
4	4.6	9	236	1	175	1	61	0.27	100	226	874	concrete	MARSSIM	3500	
4	4.6	10	112	1	175	1	-63	0.27	100	-233	415	concrete	MARSSIM	3500	
4	4.6	11	91	1	175	1	-84	0.27	100	-311	337	concrete	MARSSIM	3500	
4	4.6	12	171	1	168	1	3	0.27	100	11	633	floor tile	MARSSIM	3500	
4	4.6	13	172	1	235	1	-63	0.27	100	-233	637	cinder block	MARSSIM	3500	
4	4.6	14	214	1	235	1	-21	0.27	100	-78	793	cinder block	MARSSIM	3500	
4	4.6	15	208	1	235	1	-27	0.27	100	-100	770	cinder block	MARSSIM	3500	
4	4.6	16	199	1	235	1	-36	0.27	100	-133	737	cinder block	MARSSIM	3500	
4	4.6	17	229	1	235	1	-6	0.27	100	-22	848	cinder block	MARSSIM	3500	
4	4.6	18	188	1	235	1	-47	0.27	100	-174	696	cinder block	MARSSIM	3500	
4	Mez1	1	148	1	168	1	-20	0.27	100	-74	548	metal	MARSSIM	3500	
4	Mez1	2	89	1	168	1	-79	0.27	100	-293	330	floor tile	MARSSIM	3500	
4	Mez1	3	90	1	168	1	-78	0.27	100	-289	333	floor tile	MARSSIM	3500	
4	Mez1	4	101	1	168	1	-67	0.27	100	-248	374	floor tile	MARSSIM	3500	
4	Mez1	5	96	1	168	1	-72	0.27	100	-267	356	floor tile	MARSSIM	3500	
4	Mez1	6	100	1	168	1	-68	0.27	100	-252	370	floor tile	MARSSIM	3500	
4	Mez1	7	116	1	175	1	-59	0.27	100	-219	430	concrete block	MARSSIM	3500	
4	Mez1	8	101	1	175	1	-74	0.27	100	-274	374	concrete block	MARSSIM	3500	
4	Mez1	9	121	1	175	1	-54	0.27	100	-200	448	concrete block	MARSSIM	3500	
4	Mez1	10	91	1	168	1	-77	0.27	100	-285	337	vinyl	MARSSIM	3500	
4	Mez1	11	112	1	175	1	-63	0.27	100	-233	415	concrete block	MARSSIM	3500	

## FIXED BETA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg. Count Time (min)	Net Count Rate	Efficiency (%)	Detector Area (cm <sup>2</sup> )	Total Net Activity (dpm/100cm <sup>2</sup> )	Total Gross Activity (dpm/100cm <sup>2</sup> )	Bkg. Descriptor	Comments	DCGL	DCGL Flag
4	Mez1	12	105	1	175	1	-70	0.27	100	-259	389	concrete block	MARSSIM	3500	
4	Mez1	13	114	1	175	1	-61	0.27	100	-226	422	concrete block	MARSSIM	3500	
4	Mez1	14	118	1	168	1	-50	0.27	100	-185	437	vinyl	MARSSIM	3500	
4	Mez1	15	109	1	175	1	-66	0.27	100	-244	404	concrete block	MARSSIM	3500	
4	Mez1	16	105	1	175	1	-70	0.27	100	-259	389	concrete block	MARSSIM	3500	
4	Mez1	17	88	1	168	1	-80	0.27	100	-296	326	metal	MARSSIM	3500	
4	Mez1	18	102	1	175	1	-73	0.27	100	-270	378	concrete block	MARSSIM	3500	
4	R101 overhea	1	165	1	161	1	4	0.16	100	25	1031			3500	
4	R101 overhea	2	181	1	161	1	20	0.16	100	125	1131			3500	
4	R101 overhea	3	164	1	161	1	3	0.16	100	19	1025			3500	
4	R101 overhea	4	170	1	161	1	9	0.16	100	56	1063			3500	
4	R101 overhea	5	172	1	161	1	11	0.16	100	69	1075			3500	
4	R101 overhea	6	159	1	161	1	-2	0.16	100	-13	994			3500	
4	R101 overhea	7	166	1	161	1	5	0.16	100	31	1038			3500	
4	R101 overhea	8	162	1	161	1	1	0.16	100	6	1013			3500	
4	R101 overhea	9	168	1	161	1	7	0.16	100	44	1050			3500	
4	R101 overhea	10	157	1	161	1	-4	0.16	100	-25	981			3500	
4	R101 overhea	11	164	1	161	1	3	0.16	100	19	1025			3500	
4	R101 overhea	12	175	1	161	1	14	0.16	100	88	1094			3500	
4	R101 overhea	13	170	1	161	1	9	0.16	100	56	1063			3500	
4	R101 overhea	14	171	1	161	1	10	0.16	100	63	1069			3500	
4	R101 overhea	15	163	1	161	1	2	0.16	100	13	1019			3500	
4	R101 overhea	16	169	1	161	1	8	0.16	100	50	1056			3500	
4	R101 overhea	17	167	1	161	1	6	0.16	100	38	1044			3500	
4	R101 overhea	18	159	1	161	1	-2	0.16	100	-13	994			3500	
4	R101 overhea	19	163	1	161	1	2	0.16	100	13	1019			3500	
4	R101 overhea	20	155	1	161	1	-6	0.16	100	-38	969			3500	
4	R101 overhea	21	159	1	161	1	-2	0.16	100	-13	994			3500	
4	R101 overhea	22	168	1	161	1	7	0.16	100	44	1050			3500	
4	R101 overhea	23	161	1	161	1	0	0.16	100	0	1006			3500	
4	R101 overhea	24	165	1	161	1	4	0.16	100	25	1031			3500	
4	R101 overhea	25	173	1	161	1	12	0.16	100	75	1081			3500	
4	R101 overhea	26	172	1	161	1	11	0.16	100	69	1075			3500	
4	R101 overhea	27	168	1	161	1	7	0.16	100	44	1050			3500	
4	R101 overhea	28	160	1	161	1	-1	0.16	100	-6	1000			3500	
4	R101 overhea	29	165	1	161	1	4	0.16	100	25	1031			3500	
4	R101 overhea	30	166	1	161	1	5	0.16	100	31	1038			3500	
4	R101 overhea	31	172	1	161	1	11	0.16	100	69	1075			3500	
4	R101 overhea	32	180	1	161	1	19	0.16	100	119	1125			3500	
4	R101 overhea	33	159	1	161	1	-2	0.16	100	-13	994			3500	
4	R101 overhea	34	157	1	161	1	-4	0.16	100	-25	981			3500	

## FIXED BETA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg. Count Time (min)	Net Count Rate	Efficiency (%)	Detector Area (cm <sup>2</sup> )	Total Net Activity (dpm/100cm <sup>2</sup> )	Total Gross Activity (dpm/100cm <sup>2</sup> )	Bkg. Descriptor	Comments	DCGL	DCGL Flag
4	R101 overhea	35	168	1	161	1	7	0.16	100	44	1050			3500	
4	R101 overhea	36	166	1	161	1	5	0.16	100	31	1038			3500	
4	R101 overhea	37	164	1	161	1	3	0.16	100	19	1025			3500	
4	R101 overhea	38	172	1	161	1	11	0.16	100	69	1075			3500	
4	R101 overhea	39	166	1	161	1	5	0.16	100	31	1038			3500	
4	R101 overhea	40	163	1	161	1	2	0.16	100	13	1019			3500	
5		1	161	1	175	1	-14	0.27	100	-52	596	concrete	MARSSIM	3500	
5		2	196	1	175	1	21	0.27	100	78	726	concrete	MARSSIM	3500	
5		3	166	1	175	1	-9	0.27	100	-33	615	concrete	MARSSIM	3500	
5		4	171	1	175	1	-4	0.27	100	-15	633	concrete	MARSSIM	3500	
5		5	188	1	175	1	13	0.27	100	48	696	concrete	MARSSIM	3500	
5		6	188	1	175	1	13	0.27	100	48	696	concrete	MARSSIM	3500	
5		7	241	1	235	1	6	0.27	100	22	893	cinder block	MARSSIM	3500	
5		8	166	1	168	1	-2	0.27	100	-7	615	metal	MARSSIM	3500	
5		9	240	1	235	1	5	0.27	100	19	889	cinder block	MARSSIM	3500	
5		10	220	1	235	1	-15	0.27	100	-56	815	cinder block	MARSSIM	3500	
5		11	205	1	235	1	-30	0.27	100	-111	759	cinder block	MARSSIM	3500	
5		12	239	1	235	1	4	0.27	100	15	885	cinder block	MARSSIM	3500	
5		13	222	1	235	1	-13	0.27	100	-48	822	cinder block	MARSSIM	3500	
5		14	235	1	235	1	0	0.27	100	0	870	cinder block	MARSSIM	3500	
5		15	230	1	235	1	-5	0.27	100	-19	852	cinder block	MARSSIM	3500	
5		16	229	1	235	1	-6	0.27	100	-22	848	cinder block	MARSSIM	3500	
5		17	244	1	235	1	9	0.27	100	33	904	cinder block	MARSSIM	3500	
5		18	260	1	235	1	25	0.27	100	93	963	cinder block	MARSSIM	3500	
7	generator rm	1	259	1	164	1	95	0.26	100	365	996	floor tile	MARSSIM	3500	
7	generator rm	2	230	1	164	1	66	0.26	100	254	885	floor tile	MARSSIM	3500	
7	generator rm	3	185	1	164	1	21	0.26	100	81	712	floor tile	MARSSIM	3500	
7	generator rm	4	218	1	164	1	54	0.26	100	208	838	floor tile	MARSSIM	3500	
7	generator rm	5	241	1	164	1	77	0.26	100	296	927	floor tile	MARSSIM	3500	
7	generator rm	6	176	1	164	1	12	0.26	100	46	677	floor tile	MARSSIM	3500	
7	generator rm	7	189	1	164	1	25	0.26	100	96	727	floor tile	MARSSIM	3500	
7	generator rm	8	182	1	164	1	18	0.26	100	69	700	floor tile	MARSSIM	3500	
7	generator rm	9	194	1	164	1	30	0.26	100	115	746	red brick	MARSSIM	3500	
7	generator rm	10	176	1	164	1	12	0.26	100	46	677	red brick	MARSSIM	3500	
7	generator rm	11	192	1	164	1	28	0.26	100	108	738	red brick	MARSSIM	3500	
7	generator rm	12	168	1	164	1	4	0.26	100	15	646	insulation	MARSSIM	3500	
7	generator rm	13	198	1	164	1	34	0.26	100	131	762	insulation	MARSSIM	3500	
7	generator rm	14	215	1	164	1	51	0.26	100	196	827	insulation	MARSSIM	3500	
7	generator rm	15	173	1	164	1	9	0.26	100	35	665	insulation	MARSSIM	3500	
7	generator rm	16	170	1	164	1	6	0.26	100	23	654	insulation	MARSSIM	3500	
7	generator rm	17	235	1	164	1	71	0.26	100	273	904	insulation	MARSSIM	3500	

## FIXED BETA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg. Count Time (min)	Net Count Rate	Efficiency (%)	Detector Area (cm <sup>2</sup> )	Total Net Activity (dpm/100cm <sup>2</sup> )	Total Gross Activity (dpm/100cm <sup>2</sup> )	Bkg. Descriptor	Comments	DCGL	DCGL Flag
7	generator rm	18	211	1	164	1	47	0.26	100	181	812	insulation	MARSSIM	3500	
11	Vent.	1	204	1	175	1	29	0.27	100	107	756	concrete floor	MARSSIM	3500	
11	Vent.	2	180	1	175	1	5	0.27	100	19	667	concrete floor	MARSSIM	3500	
11	Vent.	3	203	1	175	1	28	0.27	100	104	752	concrete floor	MARSSIM	3500	
11	Vent.	4	189	1	175	1	14	0.27	100	52	700	concrete floor	MARSSIM	3500	
11	Vent.	5	171	1	168	1	3	0.27	100	11	633	metal	MARSSIM	3500	
11	Vent.	6	177	1	168	1	9	0.27	100	33	656	metal	MARSSIM	3500	
11	Vent.	7	149	1	168	1	-19	0.27	100	-70	552	metal	MARSSIM	3500	
11	Vent.	8	191	1	175	1	16	0.27	100	59	707	concrete floor	MARSSIM	3500	
11	Vent.	9	200	1	235	1	-35	0.27	100	-130	741	cinder block	MARSSIM	3500	
11	Vent.	10	212	1	235	1	-23	0.27	100	-85	785	cinder block	MARSSIM	3500	
11	Vent.	11	138	1	168	1	-30	0.27	100	-111	511	metal	MARSSIM	3500	
11	Vent.	12	197	1	235	1	-38	0.27	100	-141	730	cinder block	MARSSIM	3500	
11	Vent.	13	187	1	235	1	-48	0.27	100	-178	693	cinder block	MARSSIM	3500	
11	Vent.	14	214	1	235	1	-21	0.27	100	-78	793	cinder block	MARSSIM	3500	
11	Vent.	15	203	1	235	1	-32	0.27	100	-119	752	cinder block	MARSSIM	3500	
11	Vent.	16	195	1	235	1	-40	0.27	100	-148	722	cinder block	MARSSIM	3500	
11	Vent.	17	208	1	235	1	-27	0.27	100	-100	770	cinder block	MARSSIM	3500	
11	Vent.	18	194	1	235	1	-41	0.27	100	-152	719	cinder block	MARSSIM	3500	
11	Mech.	1	172	1	175	1	-3	0.27	100	-11	637	concrete floor	MARSSIM	3500	
11	Mech.	2	161	1	175	1	-14	0.27	100	-52	596	concrete floor	MARSSIM	3500	
11	Mech.	3	157	1	175	1	-18	0.27	100	-67	581	concrete floor	MARSSIM	3500	
11	Mech.	4	167	1	175	1	-8	0.27	100	-30	619	concrete floor	MARSSIM	3500	
11	Mech.	5	167	1	175	1	-8	0.27	100	-30	619	concrete floor	MARSSIM	3500	
11	Mech.	6	170	1	175	1	-5	0.27	100	-19	630	concrete floor	MARSSIM	3500	
11	Mech.	7	166	1	175	1	-9	0.27	100	-33	615	concrete floor	MARSSIM	3500	
11	Mech.	8	161	1	175	1	-14	0.27	100	-52	596	concrete floor	MARSSIM	3500	
11	Mech.	9	171	1	175	1	-4	0.27	100	-15	633	concrete floor	MARSSIM	3500	
11	Mech.	10	174	1	235	1	-61	0.27	100	-226	644	cinder block	MARSSIM	3500	
11	Mech.	11	182	1	235	1	-53	0.27	100	-196	674	cinder block	MARSSIM	3500	
11	Mech.	12	156	1	235	1	-79	0.27	100	-293	578	cinder block	MARSSIM	3500	
11	Mech.	13	181	1	235	1	-54	0.27	100	-200	670	cinder block	MARSSIM	3500	
11	Mech.	14	184	1	235	1	-51	0.27	100	-189	681	cinder block	MARSSIM	3500	
11	Mech.	15	177	1	235	1	-58	0.27	100	-215	656	cinder block	MARSSIM	3500	
11	Mech.	16	179	1	235	1	-56	0.27	100	-207	663	cinder block	MARSSIM	3500	
11	Mech.	17	159	1	235	1	-76	0.27	100	-281	589	cinder block	MARSSIM	3500	
11	Mech.	18	166	1	235	1	-69	0.27	100	-256	615	cinder block	MARSSIM	3500	
12		1	111	1	162	1	-51	0.27	100	-189	411	tar rocks	MARSSIM	3500	
12		2	154	1	162	1	-8	0.27	100	-30	570	tar rocks	MARSSIM	3500	
12		3	125	1	162	1	-37	0.27	100	-137	463	tar rocks	MARSSIM	3500	
12		4	154	1	162	1	-8	0.27	100	-30	570	tar rocks	MARSSIM	3500	



## FIXED BETA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg. Count Time (min)	Net Count Rate	Efficiency (%)	Detector Area (cm <sup>2</sup> )	Total Net Activity (dpm/100cm <sup>2</sup> )	Total Gross Activity (dpm/100cm <sup>2</sup> )	Bkg. Descriptor	Comments	DCGL	DCGL Flag
12		5	151	1	162	1	-11	0.27	100	-41	559	tar rocks	MARSSIM	3500	
12		6	147	1	162	1	-15	0.27	100	-56	544	tar rocks	MARSSIM	3500	
12		7	153	1	162	1	-9	0.27	100	-33	567	tar rocks	MARSSIM	3500	
12		8	151	1	162	1	-11	0.27	100	-41	559	tar rocks	MARSSIM	3500	
12		9	149	1	162	1	-13	0.27	100	-48	552	tar rocks	MARSSIM	3500	
12		10	140	1	162	1	-22	0.27	100	-81	519	tar rocks	MARSSIM	3500	
12		11	138	1	162	1	-24	0.27	100	-89	511	tar rocks	MARSSIM	3500	
12		12	135	1	162	1	-27	0.27	100	-100	500	tar rocks	MARSSIM	3500	
12		13	175	1	162	1	13	0.27	100	48	648	tar rocks	MARSSIM	3500	
12		14	146	1	162	1	-16	0.27	100	-59	541	tar rocks	MARSSIM	3500	
12		15	149	1	162	1	-13	0.27	100	-48	552	tar rocks	MARSSIM	3500	
12		16	142	1	162	1	-20	0.27	100	-74	526	tar rocks	MARSSIM	3500	
12		17	169	1	162	1	7	0.27	100	26	626	tar rocks	MARSSIM	3500	
12		18	164	1	162	1	2	0.27	100	7	607	tar rocks	MARSSIM	3500	

## FIXED ALPHA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg. Count Time (min)	Net Count Rate	Efficiency (%)	Detector Area (cm2)	Total Net Activity (dpm/100cm2)	Total Gross Activity (dpm/100cm2)	Bkg. Descriptor	Comments	DCGL	DCGL Flag
1	Lower F	1	1	1	2	1	-1	0.2	100	-5	5	concrete	MARSSIM	273	
1	Lower F	2	2	1	2	1	0	0.2	100	0	10	concrete	MARSSIM	273	
1	Lower F	3	1	1	2	1	-1	0.2	100	-5	5	concrete	MARSSIM	273	
1	Lower F	4	0	1	2	1	-2	0.2	100	-10	0	concrete	MARSSIM	273	
1	Lower F	5	1	1	2	1	-1	0.2	100	-5	5	concrete	MARSSIM	273	
1	Lower F	6	3	1	2	1	1	0.2	100	5	15	concrete	MARSSIM	273	
1	Lower F	7	1	1	2	1	-1	0.2	100	-5	5	concrete	MARSSIM	273	
1	Lower F	8	3	1	2	1	1	0.2	100	5	15	concrete	MARSSIM	273	
1	Lower F	9	0	1	2	1	-2	0.2	100	-10	0	concrete	MARSSIM	273	
1	Low S wall	10	1	1	2	1	-1	0.2	100	-5	5	concrete	MARSSIM	273	
1	Low S wall	11	0	1	2	1	-2	0.2	100	-10	0	concrete	MARSSIM	273	
1	Low S wall	12	1	1	2	1	-1	0.2	100	-5	5	concrete	MARSSIM	273	
1	Low E wall	13	1	1	2	1	-1	0.2	100	-5	5	concrete	MARSSIM	273	
1	Low E wall	14	2	1	2	1	0	0.2	100	0	10	concrete	MARSSIM	273	
1	Low N wall	15	1	1	2	1	-1	0.2	100	-5	5	concrete	MARSSIM	273	
1	Low N wall	16	0	1	2	1	-2	0.2	100	-10	0	concrete	MARSSIM	273	
1	Low N wall	17	0	1	2	1	-2	0.2	100	-10	0	concrete	MARSSIM	273	
1	Low W wall	18	1	1	2	1	-1	0.2	100	-5	5	concrete	MARSSIM	273	
1	Low W wall	19	0	1	2	1	-2	0.2	100	-10	0	concrete	MARSSIM	273	
1	Upper C	1	3	1	2	1	1	0.2	100	5	15	concrete	MARSSIM	273	
1	Upper C	2	5	1	2	1	3	0.2	100	15	25	concrete	MARSSIM	273	
1	Upper C	3	1	1	2	1	-1	0.2	100	-5	5	concrete	MARSSIM	273	
1	Upper C	4	0	1	2	1	-2	0.2	100	-10	0	concrete	MARSSIM	273	
1	Upper C	5	2	1	2	1	0	0.2	100	0	10	concrete	MARSSIM	273	
1	Upper C	6	4	1	2	1	2	0.2	100	10	20	concrete	MARSSIM	273	
1	Upper C	7	3	1	2	1	1	0.2	100	5	15	concrete	MARSSIM	273	
1	Upper C	8	5	1	2	1	3	0.2	100	15	25	concrete	MARSSIM	273	
1	Upper C	9	2	1	2	1	0	0.2	100	0	10	concrete	MARSSIM	273	
1	Up N wall	10	4	1	2	1	2	0.2	100	10	20	concrete	MARSSIM	273	
1	Up N wall	11	3	1	2	1	1	0.2	100	5	15	concrete	MARSSIM	273	
1	Up E wall	12	1	1	2	1	-1	0.2	100	-5	5	concrete	MARSSIM	273	
1	Up E wall	13	0	1	2	1	-2	0.2	100	-10	0	concrete	MARSSIM	273	
1	Up E wall	14	0	1	2	1	-2	0.2	100	-10	0	concrete	MARSSIM	273	
1	Up S wall	15	2	1	2	1	0	0.2	100	0	10	concrete	MARSSIM	273	
1	Up S wall	16	1	1	2	1	-1	0.2	100	-5	5	concrete	MARSSIM	273	
1	Up W wall	17	4	1	2	1	2	0.2	100	10	20	concrete	MARSSIM	273	
1	Up W wall	18	3	1	2	1	1	0.2	100	5	15	concrete	MARSSIM	273	
2		1	1	1	2	1	-1	0.2	100	-5	5	concrete	MARSSIM	273	
2		2	3	1	2	1	1	0.2	100	5	15	concrete	MARSSIM	273	
2		3	1	1	2	1	-1	0.2	100	-5	5	concrete	MARSSIM	273	
2		4	2	1	2	1	0	0.2	100	0	10	concrete	MARSSIM	273	

## FIXED ALPHA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg. Count Time (min)	Net Count Rate	Efficiency (%)	Detector Area (cm <sup>2</sup> )	Total Net Activity (dpm/100cm <sup>2</sup> )	Total Gross Activity (dpm/100cm <sup>2</sup> )	Bkg. Descriptor	Comments	DCGL	DCGL Flag
2		5	2	1	2	1	0	0.2	100	0	10	concrete	MARSSIM	273	
2		6	1	1	0	1	1	0.2	100	5	5	metal	MARSSIM	273	
2		7	1	1	2	1	-1	0.2	100	-5	5	concrete	MARSSIM	273	
2		8	3	1	2	1	1	0.2	100	5	15	concrete	MARSSIM	273	
2		9	1	1	2	1	-1	0.2	100	-5	5	concrete	MARSSIM	273	
2		10	1	1	0	1	1	0.2	100	5	5	metal	MARSSIM	273	
2		11	1	1	2	1	-1	0.2	100	-5	5	concrete	MARSSIM	273	
2		12	2	1	2	1	0	0.2	100	0	10	concrete	MARSSIM	273	
2		13	1	1	2	1	-1	0.2	100	-5	5	concrete	MARSSIM	273	
2		14	2	1	2	1	0	0.2	100	0	10	concrete	MARSSIM	273	
2		15	2	1	2	1	0	0.2	100	0	10	concrete	MARSSIM	273	
2		16	1	1	2	1	-1	0.2	100	-5	5	concrete	MARSSIM	273	
2		17	1	1	2	1	-1	0.2	100	-5	5	concrete	MARSSIM	273	
2		18	4	1	2	1	2	0.2	100	10	20	concrete	MARSSIM	273	
3		1	2	1	2	1	0	0.2	100	0	10	concrete	MARSSIM	273	
3		2	0	1	2	1	-2	0.2	100	-10	0	concrete	MARSSIM	273	
3		3	1	1	2	1	-1	0.2	100	-5	5	concrete	MARSSIM	273	
3		4	1	1	2	1	-1	0.2	100	-5	5	concrete	MARSSIM	273	
3		5	2	1	2	1	0	0.2	100	0	10	concrete	MARSSIM	273	
3		6	1	1	2	1	-1	0.2	100	-5	5	concrete	MARSSIM	273	
3		7	2	1	2	1	0	0.2	100	0	10	concrete	MARSSIM	273	
3		8	1	1	2	1	-1	0.2	100	-5	5	concrete	MARSSIM	273	
3		9	0	1	2	1	-2	0.2	100	-10	0	concrete	MARSSIM	273	
3		10	0	1	2	1	-2	0.2	100	-10	0	concrete	MARSSIM	273	
3		11	0	1	2	1	-2	0.2	100	-10	0	concrete	MARSSIM	273	
3		12	1	1	2	1	-1	0.2	100	-5	5	concrete	MARSSIM	273	
3		13	1	1	0	1	1	0.2	100	5	5	metal	MARSSIM	273	
3		14	1	1	2	1	-1	0.2	100	-5	5	concrete	MARSSIM	273	
3		15	0	1	2	1	-2	0.2	100	-10	0	concrete	MARSSIM	273	
3		16	1	1	0	1	1	0.2	100	5	5	metal	MARSSIM	273	
3		17	0	1	2	1	-2	0.2	100	-10	0	concrete	MARSSIM	273	
3		18	1	1	2	1	-1	0.2	100	-5	5	concrete	MARSSIM	273	
4.1	4.1.1	1	1	1	2	1	-1	0.2	100	-5	5	concrete	MARSSIM	273	
4.1	4.1.1	2	1	1	2	1	-1	0.2	100	-5	5	concrete	MARSSIM	273	
4.1	4.1.1	3	0	1	2	1	-2	0.2	100	-10	0	concrete	MARSSIM	273	
4.1	4.1.1	4	0	1	2	1	-2	0.2	100	-10	0	concrete	MARSSIM	273	
4.1	4.1.1	5	0	1	2	1	-2	0.2	100	-10	0	concrete	MARSSIM	273	
4.1	4.1.1	6	1	1	2	1	-1	0.2	100	-5	5	concrete	MARSSIM	273	
4.1	4.1.1	7	0	1	4	1	-4	0.2	100	-20	0	cinder block	MARSSIM	273	
4.1	4.1.1	8	2	1	4	1	-2	0.2	100	-10	10	cinder block	MARSSIM	273	
4.1	4.1.1	9	0	1	4	1	-4	0.2	100	-20	0	cinder block	MARSSIM	273	

## FIXED ALPHA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg. Count Time (min)	Net Count Rate	Efficiency (%)	Detector Area (cm <sup>2</sup> )	Total Net Activity (dpm/100cm <sup>2</sup> )	Total Gross Activity (dpm/100cm <sup>2</sup> )	Bkg. Descriptor	Comments	DCGL	DCGL Flag
4.1	4.1.1	10	0	1	4	1	-4	0.2	100	-20	0	cinder block	MARSSIM	273	
4.1	4.1.1	11	0	1	4	1	-4	0.2	100	-20	0	cinder block	MARSSIM	273	
4.1	4.1.1	12	3	1	4	1	-1	0.2	100	-5	15	cinder block	MARSSIM	273	
4.1	4.1.1	13	0	1	4	1	-4	0.2	100	-20	0	cinder block	MARSSIM	273	
4.1	4.1.1	14	2	1	4	1	-2	0.2	100	-10	10	cinder block	MARSSIM	273	
4.1	4.1.1	15	1	1	2	1	-1	0.2	100	-5	5	concrete	MARSSIM	273	
4.1	4.1.1	16	1	1	2	1	-1	0.2	100	-5	5	concrete	MARSSIM	273	
4.1	4.1.1	17	0	1	0	1	0	0.2	100	0	0	metal	MARSSIM	273	
4.1	4.1.1	18	0	1	0	1	0	0.2	100	0	0	metal	MARSSIM	273	
4.1	4.1.2	1	1	1	2	1	-1	0.2	100	-5	5	concrete	MARSSIM	273	
4.1	4.1.2	2	0	1	2	1	-2	0.2	100	-10	0	concrete	MARSSIM	273	
4.1	4.1.2	3	0	1	2	1	-2	0.2	100	-10	0	concrete	MARSSIM	273	
4.1	4.1.2	4	0	1	2	1	-2	0.2	100	-10	0	concrete	MARSSIM	273	
4.1	4.1.2	5	0	1	2	1	-2	0.2	100	-10	0	concrete	MARSSIM	273	
4.1	4.1.2	6	0	1	2	1	-2	0.2	100	-10	0	concrete	MARSSIM	273	
4.1	4.1.2	7	0	1	2	1	-2	0.2	100	-10	0	concrete	MARSSIM	273	
4.1	4.1.2	8	2	1	2	1	0	0.2	100	0	10	concrete	MARSSIM	273	
4.1	4.1.2	9	0	1	2	1	-2	0.2	100	-10	0	concrete	MARSSIM	273	
4.1	4.1.2	10	0	1	2	1	-2	0.2	100	-10	0	concrete	MARSSIM	273	
4.1	4.1.2	11	3	1	4	1	-1	0.2	100	-5	15	cinder block	MARSSIM	273	
4.1	4.1.2	12	0	1	4	1	-4	0.2	100	-20	0	cinder block	MARSSIM	273	
4.1	4.1.2	13	0	1	4	1	-4	0.2	100	-20	0	cinder block	MARSSIM	273	
4.1	4.1.2	14	0	1	4	1	-4	0.2	100	-20	0	cinder block	MARSSIM	273	
4.1	4.1.2	15	0	1	4	1	-4	0.2	100	-20	0	cinder block	MARSSIM	273	
4.1	4.1.2	16	1	1	4	1	-3	0.2	100	-15	5	cinder block	MARSSIM	273	
4.1	4.1.2	17	1	1	4	1	-3	0.2	100	-15	5	cinder block	MARSSIM	273	
4.1	4.1.2	18	0	1	4	1	-4	0.2	100	-20	0	cinder block	MARSSIM	273	
4.1	4.1.3	1	1	1	2	1	-1	0.2	100	-5	5	concrete	MARSSIM	273	
4.1	4.1.3	2	1	1	2	1	-1	0.2	100	-5	5	concrete	MARSSIM	273	
4.1	4.1.3	3	0	1	4	1	-4	0.2	100	-20	0	cinder block	MARSSIM	273	
4.1	4.1.3	4	1	1	4	1	-3	0.2	100	-15	5	cinder block	MARSSIM	273	
4.1	4.1.3	5	0	1	4	1	-4	0.2	100	-20	0	cinder block	MARSSIM	273	
4.1	4.1.3	6	0	1	2	1	-2	0.2	100	-10	0	concrete	MARSSIM	273	
4.1	4.1.3	7	0	1	2	1	-2	0.2	100	-10	0	concrete	MARSSIM	273	
4.1	4.1.3	8	0	1	2	1	-2	0.2	100	-10	0	concrete	MARSSIM	273	
4.1	4.1.3	9	0	1	2	1	-2	0.2	100	-10	0	concrete	MARSSIM	273	
4.1	4.1.3	10	0	1	2	1	-2	0.2	100	-10	0	concrete	MARSSIM	273	
4.1	4.1.3	11	0	1	2	1	-2	0.2	100	-10	0	concrete	MARSSIM	273	
4.1	4.1.3	12	0	1	2	1	-2	0.2	100	-10	0	concrete	MARSSIM	273	
4.1	4.1.3	13	1	1	2	1	-1	0.2	100	-5	5	concrete	MARSSIM	273	
4.1	4.1.3	14	0	1	0	1	0	0.2	100	0	0	metal	MARSSIM	273	

## FIXED ALPHA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg. Count Time (min)	Net Count Rate	Efficiency (%)	Detector Area (cm2)	Total Net Activity (dpm/100cm2)	Total Gross Activity (dpm/100cm2)	Bkg. Descriptor	Comments	DCGL	DCGL Flag
4.1	4.1.3	15	0	1	0	1	0	0.2	100	0	0	metal	MARSSIM	273	
4.1	4.1.3	16	1	1	4	1	-3	0.2	100	-15	5	cinder block	MARSSIM	273	
4.1	4.1.3	17	0	1	4	1	-4	0.2	100	-20	0	cinder block	MARSSIM	273	
4.1	4.1.3	18	0	1	4	1	-4	0.2	100	-20	0	cinder block	MARSSIM	273	
4.1	4.1.4	1	2	1	2	1	0	0.2	100	0	10	concrete	MARSSIM	273	
4.1	4.1.4	2	0	1	2	1	-2	0.2	100	-10	0	concrete	MARSSIM	273	
4.1	4.1.4	3	0	1	2	1	-2	0.2	100	-10	0	concrete	MARSSIM	273	
4.1	4.1.4	4	0	1	2	1	-2	0.2	100	-10	0	concrete	MARSSIM	273	
4.1	4.1.4	5	1	1	2	1	-1	0.2	100	-5	5	concrete	MARSSIM	273	
4.1	4.1.4	6	1	1	2	1	-1	0.2	100	-5	5	concrete	MARSSIM	273	
4.1	4.1.4	7	0	1	2	1	-2	0.2	100	-10	0	concrete	MARSSIM	273	
4.1	4.1.4	8	1	1	2	1	-1	0.2	100	-5	5	concrete	MARSSIM	273	
4.1	4.1.4	9	0	1	2	1	-2	0.2	100	-10	0	concrete	MARSSIM	273	
4.1	4.1.4	10	0	1	2	1	-2	0.2	100	-10	0	concrete	MARSSIM	273	
4.1	4.1.4	11	0	1	2	1	-2	0.2	100	-10	0	concrete	MARSSIM	273	
4.1	4.1.4	12	0	1	2	1	-2	0.2	100	-10	0	concrete	MARSSIM	273	
4.1	4.1.4	13	0	1	2	1	-2	0.2	100	-10	0	concrete	MARSSIM	273	
4.1	4.1.4	14	0	1	2	1	-2	0.2	100	-10	0	concrete	MARSSIM	273	
4.1	4.1.4	15	0	1	2	1	-2	0.2	100	-10	0	concrete	MARSSIM	273	
4.1	4.1.4	16	3	1	0	1	3	0.2	100	15	15	metal	MARSSIM	273	
4.1	4.1.4	17	0	1	0	1	0	0.2	100	0	0	metal	MARSSIM	273	
4.1	4.1.4	18	0	1	0	1	0	0.2	100	0	0	metal	MARSSIM	273	
4.1	4.1.5	1	1	1	2	1	-1	0.2	100	-5	5	concrete	MARSSIM	273	
4.1	4.1.5	2	0	1	2	1	-2	0.2	100	-10	0	concrete	MARSSIM	273	
4.1	4.1.5	3	1	1	2	1	-1	0.2	100	-5	5	concrete	MARSSIM	273	
4.1	4.1.5	4	1	1	2	1	-1	0.2	100	-5	5	concrete	MARSSIM	273	
4.1	4.1.5	5	3	1	4	1	-1	0.2	100	-5	15	cinder block	MARSSIM	273	
4.1	4.1.5	6	0	1	4	1	-4	0.2	100	-20	0	cinder block	MARSSIM	273	
4.1	4.1.5	7	2	1	4	1	-2	0.2	100	-10	10	cinder block	MARSSIM	273	
4.1	4.1.5	8	1	1	4	1	-3	0.2	100	-15	5	cinder block	MARSSIM	273	
4.1	4.1.5	9	1	1	4	1	-3	0.2	100	-15	5	cinder block	MARSSIM	273	
4.1	4.1.5	10	0	1	2	1	-2	0.2	100	-10	0	concrete	MARSSIM	273	
4.1	4.1.5	11	0	1	4	1	-4	0.2	100	-20	0	cinder block	MARSSIM	273	
4.1	4.1.5	12	0	1	0	1	0	0.2	100	0	0	glass	MARSSIM	273	
4.1	4.1.5	13	3	1	0	1	3	0.2	100	15	15	glass	MARSSIM	273	
4.1	4.1.5	14	0	1	4	1	-4	0.2	100	-20	0	cinder block	MARSSIM	273	
4.1	4.1.5	15	1	1	4	1	-3	0.2	100	-15	5	cinder block	MARSSIM	273	
4.1	4.1.5	16	0	1	4	1	-4	0.2	100	-20	0	cinder block	MARSSIM	273	
4.1	4.1.5	17	0	1	0	1	0	0.2	100	0	0	glass	MARSSIM	273	
4.1	4.1.5	18	2	1	4	1	-2	0.2	100	-10	10	cinder block	MARSSIM	273	
4.2		1	1	1	0	1	1	0.2	100	5	5	floor tile	MARSSIM	273	

## FIXED ALPHA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg. Count Time (min)	Net Count Rate	Efficiency (%)	Detector Area (cm <sup>2</sup> )	Total Net Activity (dpm/100cm <sup>2</sup> )	Total Gross Activity (dpm/100cm <sup>2</sup> )	Bkg. Descriptor	Comments	DCGL	DCGL Flag
4.2		2	0	1	0	1	0	0.2	100	0	0	floor tile	MARSSIM	273	
4.2		3	1	1	4	1	-19	0.2	100	-95	5	cinder block	MARSSIM	273	
4.2		4	1	1	4	1	-19	0.2	100	-95	5	cinder block	MARSSIM	273	
4.2		5	2	1	4	1	-18	0.2	100	-90	10	cinder block	MARSSIM	273	
4.2		6	1	1	4	1	-19	0.2	100	-95	5	cinder block	MARSSIM	273	
4.2		7	0	1	0	1	0	0.2	100	0	0	floor tile	MARSSIM	273	
4.2		8	1	1	4	1	-19	0.2	100	-95	5	cinder block	MARSSIM	273	
4.2		9	10	1	4	1	-10	0.2	100	-50	50	porc. tile	MARSSIM	273	
4.2		10	0	1	4	1	-20	0.2	100	-100	0	cinder block	MARSSIM	273	
4.2		11	0	1	4	1	-20	0.2	100	-100	0	cinder block	MARSSIM	273	
4.2		12	1	1	0	1	1	0.2	100	5	5	floor tile	MARSSIM	273	
4.2		13	0	1	0	1	0	0.2	100	0	0	floor tile	MARSSIM	273	
4.2		14	2	1	0	1	2	0.2	100	10	10	floor tile	MARSSIM	273	
4.2		15	3	1	4	1	-17	0.2	100	-85	15	cinder block	MARSSIM	273	
4.2		16	2	1	4	1	-18	0.2	100	-90	10	cinder block	MARSSIM	273	
4.2		17	1	1	4	1	-19	0.2	100	-95	5	cinder block	MARSSIM	273	
4.2		18	1	1	4	1	-19	0.2	100	-95	5	cinder block	MARSSIM	273	
4.4		1	0	1	0	1	0	0.2	100	0	0	floor tile	MARSSIM	273	
4.4		2	0	1	0	1	0	0.2	100	0	0	floor tile	MARSSIM	273	
4.4		3	1	1	0	1	1	0.2	100	5	5	floor tile	MARSSIM	273	
4.4		4	0	1	0	1	0	0.2	100	0	0	floor tile	MARSSIM	273	
4.4		5	1	1	0	1	1	0.2	100	5	5	floor tile	MARSSIM	273	
4.4		6	0	1	0	1	0	0.2	100	0	0	floor tile	MARSSIM	273	
4.4		7	0	1	4	1	-20	0.2	100	-100	0	cinder block	MARSSIM	273	
4.4		8	3	1	0	1	3	0.2	100	15	15	wood	MARSSIM	273	
4.4		9	1	1	0	1	1	0.2	100	5	5	wood	MARSSIM	273	
4.4		10	0	1	0	1	0	0.2	100	0	0	glass	MARSSIM	273	
4.4		11	0	1	0	1	0	0.2	100	0	0	glass	MARSSIM	273	
4.4		12	0	1	0	1	0	0.2	100	0	0	glass	MARSSIM	273	
4.4		13	0	1	0	1	0	0.2	100	0	0	glass	MARSSIM	273	
4.4		14	0	1	4	1	-20	0.2	100	-100	0	cinder block	MARSSIM	273	
4.4		15	1	1	4	1	-19	0.2	100	-95	5	cinder block	MARSSIM	273	
4.4		16	1	1	4	1	-19	0.2	100	-95	5	cinder block	MARSSIM	273	
4.4		17	1	1	0	1	1	0.2	100	5	5	wood	MARSSIM	273	
4.4		18	1	1	0	1	1	0.2	100	5	5	wood	MARSSIM	273	
4.5		1	1	1	0	1	1	0.2	100	5	5	floor tile	MARSSIM	273	
4.5		2	0	1	0	1	0	0.2	100	0	0	floor tile	MARSSIM	273	
4.5		3	0	1	0	1	0	0.2	100	0	0	floor tile	MARSSIM	273	
4.5		4	1	1	0	1	1	0.2	100	5	5	floor tile	MARSSIM	273	
4.5		5	2	1	0	1	2	0.2	100	10	10	floor tile	MARSSIM	273	
4.5		6	0	1	0	1	0	0.2	100	0	0	floor tile	MARSSIM	273	

## FIXED ALPHA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg. Count Time (min)	Net Count Rate	Efficiency (%)	Detector Area (cm <sup>2</sup> )	Total Net Activity (dpm/100cm <sup>2</sup> )	Total Gross Activity (dpm/100cm <sup>2</sup> )	Bkg. Descriptor	Comments	DCGL	DCGL Flag
4.5		7	1	1	0	1	1	0.2	100	5	5	floor tile	MARSSIM	273	
4.5		8	1	1	0	1	1	0.2	100	5	5	floor tile	MARSSIM	273	
4.5		9	0	1	0	1	0	0.2	100	0	0	floor tile	MARSSIM	273	
4.5		10	1	1	0	1	1	0.2	100	5	5	floor tile	MARSSIM	273	
4.5		11	2	1	4	1	-18	0.2	100	-90	10	cinder block	MARSSIM	273	
4.5		12	3	1	4	1	-17	0.2	100	-85	15	cinder block	MARSSIM	273	
4.5		13	1	1	0	1	1	0.2	100	5	5	metal	MARSSIM	273	
4.5		14	0	1	4	1	-20	0.2	100	-100	0	cinder block	MARSSIM	273	
4.5		15	0	1	0	1	0	0.2	100	0	0	metal	MARSSIM	273	
4.5		16	1	1	4	1	-19	0.2	100	-95	5	cinder block	MARSSIM	273	
4.5		17	1	1	0	1	1	0.2	100	5	5	wood	MARSSIM	273	
4.5		18	0	1	4	1	-20	0.2	100	-100	0	cinder block	MARSSIM	273	
4.6		1	1	1	0	1	1	0.2	100	5	5	floor tile	MARSSIM	273	
4.6		2	1	1	2	1	-1	0.2	100	-5	5	concrete	MARSSIM	273	
4.6		3	2	1	2	1	0	0.2	100	0	10	concrete	MARSSIM	273	
4.6		4	2	1	2	1	0	0.2	100	0	10	concrete	MARSSIM	273	
4.6		5	2	1	2	1	0	0.2	100	0	10	concrete	MARSSIM	273	
4.6		6	1	1	2	1	-1	0.2	100	-5	5	concrete	MARSSIM	273	
4.6		7	2	1	2	1	0	0.2	100	0	10	concrete	MARSSIM	273	
4.6		8	1	1	0	1	1	0.2	100	5	5	floor tile	MARSSIM	273	
4.6		9	0	1	2	1	-2	0.2	100	-10	0	concrete	MARSSIM	273	
4.6		10	1	1	2	1	-1	0.2	100	-5	5	concrete	MARSSIM	273	
4.6		11	4	1	2	1	2	0.2	100	10	20	concrete	MARSSIM	273	
4.6		12	1	1	0	1	1	0.2	100	5	5	floor tile	MARSSIM	273	
4.6		13	0	1	4	1	-4	0.2	100	-20	0	cinder block	MARSSIM	273	
4.6		14	0	1	4	1	-4	0.2	100	-20	0	cinder block	MARSSIM	273	
4.6		15	1	1	4	1	-3	0.2	100	-15	5	cinder block	MARSSIM	273	
4.6		16	1	1	4	1	-3	0.2	100	-15	5	cinder block	MARSSIM	273	
4.6		17	2	1	4	1	-2	0.2	100	-10	10	cinder block	MARSSIM	273	
4.6		18	2	1	4	1	-2	0.2	100	-10	10	cinder block	MARSSIM	273	
5		1	1	1	2	1	-1	0.2	100	-5	5	concrete	MARSSIM	273	
5		2	5	1	2	1	3	0.2	100	15	25	concrete	MARSSIM	273	
5		3	3	1	2	1	1	0.2	100	5	15	concrete	MARSSIM	273	
5		4	3	1	2	1	1	0.2	100	5	15	concrete	MARSSIM	273	
5		5	2	1	2	1	0	0.2	100	0	10	concrete	MARSSIM	273	
5		6	3	1	2	1	1	0.2	100	5	15	concrete	MARSSIM	273	
5		7	3	1	4	1	-1	0.2	100	-5	15	cinder block	MARSSIM	273	
5		8	3	1	0	1	3	0.2	100	15	15	metal	MARSSIM	273	
5		9	5	1	4	1	1	0.2	100	5	25	cinder block	MARSSIM	273	
5		10	2	1	4	1	-2	0.2	100	-10	10	cinder block	MARSSIM	273	
5		11	2	1	4	1	-2	0.2	100	-10	10	cinder block	MARSSIM	273	

## FIXED ALPHA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg. Count Time (min)	Net Count Rate	Efficiency (%)	Detector Area (cm2)	Total Net Activity (dpm/100cm2)	Total Gross Activity (dpm/100cm2)	Bkg. Descriptor	Comments	DCGL	DCGL Flag
5		12	5	1	4	1	1	0.2	100	5	25	cinder block	MARSSIM	273	
5		13	3	1	4	1	-1	0.2	100	-5	15	cinder block	MARSSIM	273	
5		14	4	1	4	1	0	0.2	100	0	20	cinder block	MARSSIM	273	
5		15	5	1	4	1	1	0.2	100	5	25	cinder block	MARSSIM	273	
5		16	1	1	4	1	-3	0.2	100	-15	5	cinder block	MARSSIM	273	
5		17	5	1	4	1	1	0.2	100	5	25	cinder block	MARSSIM	273	
5		18	3	1	4	1	-1	0.2	100	-5	15	cinder block	MARSSIM	273	
11	Vent.	1	1	1	2	1	-9	0.2	100	-45	5	concrete floor	MARSSIM	273	
11	Vent.	2	3	1	2	1	-7	0.2	100	-35	15	concrete floor	MARSSIM	273	
11	Vent.	3	1	1	2	1	-9	0.2	100	-45	5	concrete floor	MARSSIM	273	
11	Vent.	4	2	1	2	1	-8	0.2	100	-40	10	concrete floor	MARSSIM	273	
11	Vent.	5	1	1	0	1	1	0.2	100	5	5	metal	MARSSIM	273	
11	Vent.	6	2	1	0	1	2	0.2	100	10	10	metal	MARSSIM	273	
11	Vent.	7	3	1	0	1	3	0.2	100	15	15	metal	MARSSIM	273	
11	Vent.	8	2	1	2	1	-8	0.2	100	-40	10	concrete floor	MARSSIM	273	
11	Vent.	9	3	1	4	1	-17	0.2	100	-85	15	cinder block	MARSSIM	273	
11	Vent.	10	2	1	4	1	-18	0.2	100	-90	10	cinder block	MARSSIM	273	
11	Vent.	11	1	1	0	1	1	0.2	100	5	5	metal	MARSSIM	273	
11	Vent.	12	4	1	4	1	-16	0.2	100	-80	20	cinder block	MARSSIM	273	
11	Vent.	13	1	1	4	1	-19	0.2	100	-95	5	cinder block	MARSSIM	273	
11	Vent.	14	0	1	4	1	-20	0.2	100	-100	0	cinder block	MARSSIM	273	
11	Vent.	15	2	1	4	1	-18	0.2	100	-90	10	cinder block	MARSSIM	273	
11	Vent.	16	1	1	4	1	-19	0.2	100	-95	5	cinder block	MARSSIM	273	
11	Vent.	17	1	1	4	1	-19	0.2	100	-95	5	cinder block	MARSSIM	273	
11	Vent.	18	2	1	4	1	-18	0.2	100	-90	10	cinder block	MARSSIM	273	
11	Mech.	1	1	1	2	1	-1	0.2	100	-5	5	concrete floor	MARSSIM	273	
11	Mech.	2	2	1	2	1	0	0.2	100	0	10	concrete floor	MARSSIM	273	
11	Mech.	3	3	1	2	1	1	0.2	100	5	15	concrete floor	MARSSIM	273	
11	Mech.	4	2	1	2	1	0	0.2	100	0	10	concrete floor	MARSSIM	273	
11	Mech.	5	1	1	2	1	-1	0.2	100	-5	5	concrete floor	MARSSIM	273	
11	Mech.	6	1	1	2	1	-1	0.2	100	-5	5	concrete floor	MARSSIM	273	
11	Mech.	7	1	1	2	1	-1	0.2	100	-5	5	concrete floor	MARSSIM	273	
11	Mech.	8	2	1	2	1	0	0.2	100	0	10	concrete floor	MARSSIM	273	
11	Mech.	9	1	1	2	1	-1	0.2	100	-5	5	concrete floor	MARSSIM	273	
11	Mech.	10	0	1	4	1	-4	0.2	100	-20	0	cinder block	MARSSIM	273	
11	Mech.	11	0	1	4	1	-4	0.2	100	-20	0	cinder block	MARSSIM	273	
11	Mech.	12	1	1	4	1	-3	0.2	100	-15	5	cinder block	MARSSIM	273	
11	Mech.	13	0	1	4	1	-4	0.2	100	-20	0	cinder block	MARSSIM	273	
11	Mech.	14	1	1	4	1	-3	0.2	100	-15	5	cinder block	MARSSIM	273	
11	Mech.	15	1	1	4	1	-3	0.2	100	-15	5	cinder block	MARSSIM	273	
11	Mech.	16	0	1	4	1	-4	0.2	100	-20	0	cinder block	MARSSIM	273	



## FIXED ALPHA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg. Count Time (min)	Net Count Rate	Efficiency (%)	Detector Area (cm <sup>2</sup> )	Total Net Activity (dpm/100cm <sup>2</sup> )	Total Gross Activity (dpm/100cm <sup>2</sup> )	Bkg. Descriptor	Comments	DCGL	DCGL Flag
11	Mech.	17	2	1	4	1	-2	0.2	100	-10	10	cinder block	MARSSIM	273	
11	Mech.	18	1	1	4	1	-3	0.2	100	-15	5	cinder block	MARSSIM	273	
12		1	1	1	0	1	1	0.2	100	5	5	tar rocks	MARSSIM	273	
12		2	3	1	0	1	3	0.2	100	15	15	tar rocks	MARSSIM	273	
12		3	1	1	0	1	1	0.2	100	5	5	tar rocks	MARSSIM	273	
12		4	2	1	0	1	2	0.2	100	10	10	tar rocks	MARSSIM	273	
12		5	0	1	0	1	0	0.2	100	0	0	tar rocks	MARSSIM	273	
12		6	2	1	0	1	2	0.2	100	10	10	tar rocks	MARSSIM	273	
12		7	2	1	0	1	2	0.2	100	10	10	tar rocks	MARSSIM	273	
12		8	2	1	0	1	2	0.2	100	10	10	tar rocks	MARSSIM	273	
12		9	1	1	0	1	1	0.2	100	5	5	tar rocks	MARSSIM	273	
12		10	3	1	0	1	3	0.2	100	15	15	tar rocks	MARSSIM	273	
12		11	2	1	0	1	2	0.2	100	10	10	tar rocks	MARSSIM	273	
12		12	1	1	0	1	1	0.2	100	5	5	tar rocks	MARSSIM	273	
12		13	0	1	0	1	0	0.2	100	0	0	tar rocks	MARSSIM	273	
12		14	1	1	0	1	1	0.2	100	5	5	tar rocks	MARSSIM	273	
12		15	2	1	0	1	2	0.2	100	10	10	tar rocks	MARSSIM	273	
12		16	1	1	0	1	1	0.2	100	5	5	tar rocks	MARSSIM	273	
12		17	1	1	0	1	1	0.2	100	5	5	tar rocks	MARSSIM	273	
12		18	3	1	0	1	3	0.2	100	15	15	tar rocks	MARSSIM	273	
4	Mez1	1	3	1	0	1	3	0.2	100	15	15	metal	MARSSIM	273	
4	Mez1	2	0	1	0	1	0	0.2	100	0	0	floor tile	MARSSIM	273	
4	Mez1	3	1	1	0	1	1	0.2	100	5	5	floor tile	MARSSIM	273	
4	Mez1	4	0	1	0	1	0	0.2	100	0	0	floor tile	MARSSIM	273	
4	Mez1	5	1	1	0	1	1	0.2	100	5	5	floor tile	MARSSIM	273	
4	Mez1	6	0	1	0	1	0	0.2	100	0	0	floor tile	MARSSIM	273	
4	Mez1	7	1	1	2	1	-9	0.2	100	-45	5	concrete block	MARSSIM	273	
4	Mez1	8	0	1	2	1	-10	0.2	100	-50	0	concrete block	MARSSIM	273	
4	Mez1	9	0	1	2	1	-10	0.2	100	-50	0	concrete block	MARSSIM	273	
4	Mez1	10	1	1	0	1	1	0.2	100	5	5	vinyl	MARSSIM	273	
4	Mez1	11	2	1	2	1	-8	0.2	100	-40	10	concrete block	MARSSIM	273	
4	Mez1	12	0	1	2	1	-10	0.2	100	-50	0	concrete block	MARSSIM	273	
4	Mez1	13	2	1	2	1	-8	0.2	100	-40	10	concrete block	MARSSIM	273	
4	Mez1	14	0	1	0	1	0	0.2	100	0	0	vinyl	MARSSIM	273	
4	Mez1	15	1	1	2	1	-9	0.2	100	-45	5	concrete block	MARSSIM	273	
4	Mez1	16	1	1	2	1	-9	0.2	100	-45	5	concrete block	MARSSIM	273	
4	Mez1	17	1	1	0	1	1	0.2	100	5	5	metal	MARSSIM	273	
4	Mez1	18	2	1	2	1	-8	0.2	100	-40	10	concrete block	MARSSIM	273	
7	generator rm.	1	0	1	0	1	0	0.2	100	0	0	floor tile	MARSSIM	273	
7	generator rm.	2	0	1	0	1	0	0.2	100	0	0	floor tile	MARSSIM	273	
7	generator rm.	3	0	1	0	1	0	0.2	100	0	0	floor tile	MARSSIM	273	

## FIXED ALPHA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg. Count Time (min)	Net Count Rate	Efficiency (%)	Detector Area (cm <sup>2</sup> )	Total Net Activity (dpm/100cm <sup>2</sup> )	Total Gross Activity (dpm/100cm <sup>2</sup> )	Bkg. Descriptor	Comments	DCGL	DCGL Flag
7	generator rm.	4	1	1	0	1	1	0.2	100	5	5	floor tile	MARSSIM	273	
7	generator rm.	5	2	1	0	1	2	0.2	100	10	10	floor tile	MARSSIM	273	
7	generator rm.	6	2	1	0	1	2	0.2	100	10	10	floor tile	MARSSIM	273	
7	generator rm.	7	0	1	0	1	0	0.2	100	0	0	floor tile	MARSSIM	273	
7	generator rm.	8	0	1	0	1	0	0.2	100	0	0	floor tile	MARSSIM	273	
7	generator rm.	9	1	1	0	1	1	0.2	100	5	5	red brick	MARSSIM	273	
7	generator rm.	10	1	1	0	1	1	0.2	100	5	5	red brick	MARSSIM	273	
7	generator rm.	11	0	1	0	1	0	0.2	100	0	0	red brick	MARSSIM	273	
7	generator rm.	12	2	1	0	1	2	0.2	100	10	10	insulation	MARSSIM	273	
7	generator rm.	13	1	1	0	1	1	0.2	100	5	5	insulation	MARSSIM	273	
7	generator rm.	14	2	1	0	1	2	0.2	100	10	10	insulation	MARSSIM	273	
7	generator rm.	15	0	1	0	1	0	0.2	100	0	0	insulation	MARSSIM	273	
7	generator rm.	16	0	1	0	1	0	0.2	100	0	0	insulation	MARSSIM	273	
7	generator rm.	17	1	1	0	1	1	0.2	100	5	5	insulation	MARSSIM	273	
7	generator rm.	18	2	1	0	1	2	0.2	100	10	10	insulation	MARSSIM	273	
4	R101overhead	1	0	1	0	1	0	0.21	100	0	0			273	
4	R101overhead	2	2	1	0	1	2	0.21	100	10	10			273	
4	R101overhead	3	1	1	0	1	1	0.21	100	5	5			273	
4	R101overhead	4	2	1	0	1	2	0.21	100	10	10			273	
4	R101overhead	5	0	1	0	1	0	0.21	100	0	0			273	
4	R101overhead	6	1	1	0	1	1	0.21	100	5	5			273	
4	R101overhead	7	0	1	0	1	0	0.21	100	0	0			273	
4	R101overhead	8	0	1	0	1	0	0.21	100	0	0			273	
4	R101overhead	9	1	1	0	1	1	0.21	100	5	5			273	
4	R101overhead	10	2	1	0	1	2	0.21	100	10	10			273	
4	R101overhead	11	0	1	0	1	0	0.21	100	0	0			273	
4	R101overhead	12	3	1	0	1	3	0.21	100	14	14			273	
4	R101overhead	13	0	1	0	1	0	0.21	100	0	0			273	
4	R101overhead	14	1	1	0	1	1	0.21	100	5	5			273	
4	R101overhead	15	2	1	0	1	2	0.21	100	10	10			273	
4	R101overhead	16	4	1	0	1	4	0.21	100	19	19			273	
4	R101overhead	17	2	1	0	1	2	0.21	100	10	10			273	
4	R101overhead	18	0	1	0	1	0	0.21	100	0	0			273	
4	R101overhead	19	1	1	0	1	1	0.21	100	5	5			273	
4	R101overhead	20	0	1	0	1	0	0.21	100	0	0			273	
4	R101overhead	21	0	1	0	1	0	0.21	100	0	0			273	
4	R101overhead	22	1	1	0	1	1	0.21	100	5	5			273	
4	R101overhead	23	2	1	0	1	2	0.21	100	10	10			273	
4	R101overhead	24	0	1	0	1	0	0.21	100	0	0			273	
4	R101overhead	25	1	1	0	1	1	0.21	100	5	5			273	
4	R101overhead	26	2	1	0	1	2	0.21	100	10	10			273	

## FIXED ALPHA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg. Count Time (min)	Net Count Rate	Efficiency (%)	Detector Area (cm <sup>2</sup> )	Total Net Activity (dpm/100cm <sup>2</sup> )	Total Gross Activity (dpm/100cm <sup>2</sup> )	Bkg. Descriptor	Comments	DCGL	DCGL Flag
4	R101overhead	27	0	1	0	1	0	0.21	100	0	0			273	
4	R101overhead	28	1	1	0	1	1	0.21	100	5	5			273	
4	R101overhead	29	2	1	0	1	2	0.21	100	10	10			273	
4	R101overhead	30	0	1	0	1	0	0.21	100	0	0			273	
4	R101overhead	31	0	1	0	1	0	0.21	100	0	0			273	
4	R101overhead	32	1	1	0	1	1	0.21	100	5	5			273	
4	R101overhead	33	2	1	0	1	2	0.21	100	10	10			273	
4	R101overhead	34	0	1	0	1	0	0.21	100	0	0			273	
4	R101overhead	35	0	1	0	1	0	0.21	100	0	0			273	
4	R101overhead	36	1	1	0	1	1	0.21	100	5	5			273	
4	R101overhead	37	1	1	0	1	1	0.21	100	5	5			273	
4	R101overhead	38	1	1	0	1	1	0.21	100	5	5			273	
4	R101overhead	39	0	1	0	1	0	0.21	100	0	0			273	
4	R101overhead	40	2	1	0	1	2	0.21	100	10	10			273	

## STATIONARY GAMMA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	uR/hr	Action Level	Action Level Flag	Comments
1	Lower F	1	24	10	> Action Level	
1	Lower F	2	20	10	> Action Level	
1	Lower F	3	24	10	> Action Level	
1	Lower F	4	28	10	> Action Level	
1	Lower F	5	26	10	> Action Level	
1	Lower F	6	18	10	> Action Level	
1	Lower F	7	30	10	> Action Level	
1	Lower F	8	30	10	> Action Level	
1	Lower F	9	28	10	> Action Level	
1	Low S wall	10	20	10	> Action Level	
1	Low S wall	11	20	10	> Action Level	
1	Low S wall	12	20	10	> Action Level	
1	Low E wall	13	18	10	> Action Level	
1	Low E wall	14	30	10	> Action Level	
1	Low N wall	15	34	10	> Action Level	
1	Low N wall	16	30	10	> Action Level	
1	Low N wall	17	28	10	> Action Level	
1	Low W wall	18	30	10	> Action Level	
1	Low W wall	19	26	10	> Action Level	
1	Upper C	1	18	10	> Action Level	
1	Upper C	2	24	10	> Action Level	
1	Upper C	3	30	10	> Action Level	
1	Upper C	4	26	10	> Action Level	
1	Upper C	5	25	10	> Action Level	
1	Upper C	6	30	10	> Action Level	
1	Upper C	7	30	10	> Action Level	
1	Upper C	8	18	10	> Action Level	
1	Upper C	9	30	10	> Action Level	
1	Up N wall	10	28	10	> Action Level	
1	Up N wall	11	30	10	> Action Level	
1	Up E wall	12	24	10	> Action Level	
1	Up E wall	13	30	10	> Action Level	
1	Up E wall	14	26	10	> Action Level	
1	Up S wall	15	28	10	> Action Level	
1	Up S wall	16	24	10	> Action Level	
1	Up W wall	17	24	10	> Action Level	
1	Up W wall	18	30	10	> Action Level	
2		1	3	10		
2		2	3	10		
2		3	3	10		
2		4	3	10		
2		5	3	10		
2		6	3	10		
2		7	3	10		
2		8	3	10		
2		9	3	10		
2		10	3	10		
2		11	3	10		
2		12	3	10		
2		13	3	10		
2		14	3	10		
2		15	3	10		
2		16	3	10		
2		17	3	10		
2		18	3	10		

## STATIONARY GAMMA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	uR/hr	Action Level	Action Level Flag	Comments
3		1	4	10		
3		2	4	10		
3		3	4	10		
3		4	4	10		
3		5	4	10		
3		6	4	10		
3		7	4	10		
3		8	4	10		
3		9	4	10		
3		10	4	10		
3		11	4	10		
3		12	4	10		
3		13	4	10		
3		14	4	10		
3		15	4	10		
3		16	4	10		
3		17	4	10		
3		18	9	10		near exposure room door
4	4.1.1	1	4	10		
4	4.1.1	2	4	10		
4	4.1.1	3	4	10		
4	4.1.1	4	4	10		
4	4.1.1	5	4	10		
4	4.1.1	6	4	10		
4	4.1.1	7	4	10		
4	4.1.1	8	4	10		
4	4.1.1	9	4	10		
4	4.1.1	10	4	10		
4	4.1.1	11	4	10		
4	4.1.1	12	4	10		
4	4.1.1	13	4	10		
4	4.1.1	14	4	10		
4	4.1.1	15	4	10		
4	4.1.1	16	4	10		
4	4.1.1	17	4	10		
4	4.1.1	18	4	10		
4	4.1.2	1	4	10		
4	4.1.2	2	4	10		
4	4.1.2	3	4	10		
4	4.1.2	4	4	10		
4	4.1.2	5	4	10		
4	4.1.2	6	4	10		
4	4.1.2	7	4	10		
4	4.1.2	8	4	10		
4	4.1.2	9	4	10		
4	4.1.2	10	4	10		
4	4.1.2	11	4	10		
4	4.1.2	12	4	10		
4	4.1.2	13	4	10		
4	4.1.2	14	4	10		
4	4.1.2	15	4	10		
4	4.1.2	16	4	10		
4	4.1.2	17	4	10		
4	4.1.2	18	4	10		
4	4.1.3	1	4	10		

## STATIONARY GAMMA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	uR/hr	Action Level	Action Level Flag	Comments
4	4.1.3	2	4	10		
4	4.1.3	3	4	10		
4	4.1.3	4	4	10		
4	4.1.3	5	4	10		
4	4.1.3	6	4	10		
4	4.1.3	7	4	10		
4	4.1.3	8	4	10		
4	4.1.3	9	4	10		
4	4.1.3	10	4	10		
4	4.1.3	11	4	10		
4	4.1.3	12	4	10		
4	4.1.3	13	4	10		
4	4.1.3	14	4	10		
4	4.1.3	15	4	10		
4	4.1.3	16	4	10		
4	4.1.3	17	4	10		
4	4.1.3	18	4	10		
4	4.1.4	1	4	10		
4	4.1.4	2	4	10		
4	4.1.4	3	4	10		
4	4.1.4	4	4	10		
4	4.1.4	5	4	10		
4	4.1.4	6	4	10		
4	4.1.4	7	4	10		
4	4.1.4	8	4	10		
4	4.1.4	9	4	10		
4	4.1.4	10	4	10		
4	4.1.4	11	4	10		
4	4.1.4	12	4	10		
4	4.1.4	13	4	10		
4	4.1.4	14	4	10		
4	4.1.4	15	4	10		
4	4.1.4	16	4	10		
4	4.1.4	17	4	10		
4	4.1.4	18	4	10		
4	4.1.5	1	4	10		
4	4.1.5	2	4	10		
4	4.1.5	3	4	10		
4	4.1.5	4	4	10		
4	4.1.5	5	4	10		
4	4.1.5	6	4	10		
4	4.1.5	7	4	10		
4	4.1.5	8	4	10		
4	4.1.5	9	4	10		
4	4.1.5	10	4	10		
4	4.1.5	11	4	10		
4	4.1.5	12	4	10		
4	4.1.5	13	4	10		
4	4.1.5	14	4	10		
4	4.1.5	15	4	10		
4	4.1.5	16	4	10		
4	4.1.5	17	4	10		
4	4.1.5	18	4	10		
4	4.2	1	4	10		
4	4.2	2	4	10		

## STATIONARY GAMMA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	uR/hr	Action Level	Action Level Flag	Comments
4	4.2	3	4	10		
4	4.2	4	4	10		
4	4.2	5	4	10		
4	4.2	6	4	10		
4	4.2	7	4	10		
4	4.2	8	4	10		
4	4.2	9	4	10		
4	4.2	10	4	10		
4	4.2	11	4	10		
4	4.2	12	2	10		
4	4.2	13	2	10		
4	4.2	14	2	10		
4	4.2	15	2	10		
4	4.2	16	2	10		
4	4.2	17	2	10		
4	4.2	18	2	10		
4	4.4	1	2	10		
4	4.4	2	2	10		
4	4.4	3	2	10		
4	4.4	4	2	10		
4	4.4	5	2	10		
4	4.4	6	2	10		
4	4.4	7	2	10		
4	4.4	8	2	10		
4	4.4	9	2	10		
4	4.4	10	2	10		
4	4.4	11	2	10		
4	4.4	12	2	10		
4	4.4	13	2	10		
4	4.4	14	2	10		
4	4.4	15	2	10		
4	4.4	16	2	10		
4	4.4	17	2	10		
4	4.4	18	2	10		
4	4.5	1	3	10		
4	4.5	2	3	10		
4	4.5	3	3	10		
4	4.5	4	3	10		
4	4.5	5	3	10		
4	4.5	6	3	10		
4	4.5	7	3	10		
4	4.5	8	3	10		
4	4.5	9	3	10		
4	4.5	10	3	10		
4	4.5	11	3	10		
4	4.5	12	3	10		
4	4.5	13	3	10		
4	4.5	14	3	10		
4	4.5	15	3	10		
4	4.5	16	3	10		
4	4.5	17	3	10		
4	4.5	18	3	10		
4	4.6	1	2	10		
4	4.6	2	2	10		
4	4.6	3	2	10		

## STATIONARY GAMMA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	uR/hr	Action Level	Action Level Flag	Comments
4	4.6	4	2	10		
4	4.6	5	2	10		
4	4.6	6	2	10		
4	4.6	7	2	10		
4	4.6	8	2	10		
4	4.6	9	2	10		
4	4.6	10	2	10		
4	4.6	11	2	10		
4	4.6	12	2	10		
4	4.6	13	2	10		
4	4.6	14	2	10		
4	4.6	15	2	10		
4	4.6	16	2	10		
4	4.6	17	2	10		
4	4.6	18	2	10		
4	Mez1	1	2	10		
4	Mez1	2	2	10		
4	Mez1	3	2	10		
4	Mez1	4	2	10		
4	Mez1	5	2	10		
4	Mez1	6	2	10		
4	Mez1	7	2	10		
4	Mez1	8	2	10		
4	Mez1	9	2	10		
4	Mez1	10	2	10		
4	Mez1	11	2	10		
4	Mez1	12	2	10		
4	Mez1	13	2	10		
4	Mez1	14	2	10		
4	Mez1	15	2	10		
4	Mez1	16	2	10		
4	Mez1	17	2	10		
4	Mez1	18	2	10		
5		1	6	10		cinder block walls
5		2	6	10		cinder block walls
5		3	6	10		cinder block walls
5		4	6	10		cinder block walls
5		5	6	10		cinder block walls
5		6	6	10		cinder block walls
5		7	6	10		cinder block walls
5		8	6	10		cinder block walls
5		9	6	10		cinder block walls
5		10	6	10		cinder block walls
5		11	6	10		cinder block walls
5		12	6	10		cinder block walls
5		13	6	10		cinder block walls
5		14	6	10		cinder block walls
5		15	6	10		cinder block walls
5		16	6	10		cinder block walls
5		17	6	10		cinder block walls
5		18	6	10		cinder block walls
7	generator rm.	1	4	10		
7	generator rm.	2	4	10		
7	generator rm.	3	4	10		
7	generator rm.	4	4	10		



## STATIONARY GAMMA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	uR/hr	Action Level	Action Level Flag	Comments
7	generator rm.	5	4	10		
7	generator rm.	6	4	10		
7	generator rm.	7	4	10		
7	generator rm.	8	4	10		
7	generator rm.	9	4	10		
7	generator rm.	10	4	10		
7	generator rm.	11	4	10		
7	generator rm.	12	4	10		
7	generator rm.	13	4	10		
7	generator rm.	14	4	10		
7	generator rm.	15	4	10		
7	generator rm.	16	4	10		
7	generator rm.	17	4	10		
7	generator rm.	18	4	10		
11	Vent.	1	2	10		
11	Vent.	2	2	10		
11	Vent.	3	2	10		
11	Vent.	4	2	10		
11	Vent.	5	2	10		
11	Vent.	6	2	10		
11	Vent.	7	2	10		
11	Vent.	8	2	10		
11	Vent.	9	2	10		
11	Vent.	10	2	10		
11	Vent.	11	2	10		
11	Vent.	12	2	10		
11	Vent.	13	2	10		
11	Vent.	14	2	10		
11	Vent.	15	2	10		
11	Vent.	16	2	10		
11	Vent.	17	2	10		
11	Vent.	18	2	10		
11	Mech.	1	4	10		
11	Mech.	2	4	10		
11	Mech.	3	4	10		
11	Mech.	4	4	10		
11	Mech.	5	4	10		
11	Mech.	6	4	10		
11	Mech.	7	4	10		
11	Mech.	8	4	10		
11	Mech.	9	4	10		
11	Mech.	10	4	10		
11	Mech.	11	4	10		
11	Mech.	12	4	10		
11	Mech.	13	4	10		
11	Mech.	14	4	10		
11	Mech.	15	4	10		
11	Mech.	16	4	10		
11	Mech.	17	4	10		
11	Mech.	18	4	10		
12	roof	1	6	10		
12	roof	2	6	10		
12	roof	3	6	10		
12	roof	4	6	10		
12	roof	5	6	10		

## STATIONARY GAMMA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	uR/hr	Action Level	Action Level Flag	Comments
12	roof	6	6	10		
12	roof	7	6	10		
12	roof	8	6	10		
12	roof	9	6	10		
12	roof	10	6	10		
12	roof	11	6	10		
12	roof	12	6	10		
12	roof	13	6	10		
12	roof	14	6	10		
12	roof	15	6	10		
12	roof	16	6	10		
12	roof	17	6	10		
12	roof	18	6	10		

## SHIELDED GAMMA MEASUREMENT RESULTS

Date	OU No.	Map No.	Location	Reading (kcpm)	Comments
9/22/2009	1	5	W Wall	13	
9/22/2009	1	5	W Wall	13	
9/22/2009	1	5	W Wall	14	
9/22/2009	1	5	W Wall	16	
9/22/2009	1	5	W Wall	15	
9/22/2009	1	5	W Wall	14	
9/22/2009	1	5	W Wall	13	
9/22/2009	1	5	W Wall	9	
9/22/2009	1	5	W Wall	10	
9/22/2009	1	5	W Wall	11	
9/22/2009	1	5	W Wall	12	
9/22/2009	1	5	W Wall	11	
9/22/2009	1	5	W Wall	11	
9/22/2009	1	5	W Wall >2	11	
9/22/2009	1	5	W Wall >2	13	
9/22/2009	1	5	W Wall >2	13	
9/22/2009	1	5	N Wall	11	
9/22/2009	1	5	N Wall	13	
9/22/2009	1	5	N Wall	15	
9/22/2009	1	5	N Wall	15	
9/22/2009	1	5	N Wall	13	
9/22/2009	1	5	N Wall	14	
9/22/2009	1	5	N Wall	13	
9/22/2009	1	5	N Wall	9	
9/22/2009	1	5	N Wall	8	
9/22/2009	1	5	N Wall	8	
9/22/2009	1	5	N Wall	8	
9/22/2009	1	5	N Wall	11	
9/22/2009	1	5	N Wall	12	
9/22/2009	1	5	N Wall	18	
9/22/2009	1	5	N Wall	11	
9/22/2009	1	5	N Wall >2	13	
9/22/2009	1	5	N Wall >2	9	New concrete
9/22/2009	1	5	N Wall >2	13	
9/22/2009	1	5	E Wall	7	
9/22/2009	1	5	E Wall	11	
9/22/2009	1	5	E Wall	12	
9/22/2009	1	5	E Wall	10	
9/22/2009	1	5	E Wall	14	
9/22/2009	1	5	E Wall	15	
9/22/2009	1	5	E Wall	12	
9/22/2009	1	5	E Wall	12	
9/22/2009	1	5	E Wall	12	
9/22/2009	1	5	E Wall	15	
9/22/2009	1	5	E Wall	16	
9/22/2009	1	5	E Wall	16	
9/22/2009	1	5	E Wall >2	14	
9/22/2009	1	5	E Wall >2	14	
9/22/2009	1	5	S Wall	12	
9/22/2009	1	5	S Wall	13	
9/22/2009	1	5	S Wall	13	
9/22/2009	1	5	S Wall	14	
9/22/2009	1	5	S Wall	15	
9/22/2009	1	5	S Wall	14	
9/22/2009	1	5	S Wall	14	

## SHIELDED GAMMA MEASUREMENT RESULTS

Date	OU No.	Map No.	Location	Reading (kcpm)	Comments
9/22/2009	1	5	S Wall	11	
9/22/2009	1	5	S Wall	8	
9/22/2009	1	5	S Wall	10	
9/22/2009	1	5	S Wall	10	
9/22/2009	1	5	S Wall	12	
9/22/2009	1	5	S Wall	11	
9/22/2009	1	5	S Wall	11	
9/22/2009	1	5	S Wall	8	
9/22/2009	1	5	S Wall	6	
9/22/2009	1	5	S Wall >2	11	
9/22/2009	1	5	S Wall >2	13	
9/22/2009	1	5	S Wall >2	13	
9/22/2009	1	5	Ceiling	12	Lead sleeve penetrations
9/22/2009	1	5	Ceiling	13	Lead sleeve penetrations
9/22/2009	1	5	Ceiling	15	
9/22/2009	1	5	Ceiling	10	
9/22/2009	1	5	Ceiling	12	Lead sleeve penetrations
9/22/2009	1	5	Ceiling	13	
9/22/2009	1	5	Ceiling	14	Lead sleeve penetrations
9/22/2009	1	5	Ceiling	12	Lead sleeve penetrations
9/22/2009	1	5	Ceiling	14	
9/22/2009	1	5	Ceiling	13	
9/22/2009	1	5	Ceiling	13	Lead sleeve penetrations
9/22/2009	1	5	Ceiling	20	Scabbled
9/22/2009	1	5	Ceiling	15	Scabbled
9/22/2009	1	5	Ceiling	13	Scabbled
9/22/2009	1	5	Ceiling	14	Scabbled

## STATIONARY LOW-ENERGY BETA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg. Count Time (min)	Net Count Rate	Efficiency (%)	Detector Area (cm <sup>2</sup> )	Total Net Activity (dpm/100cm <sup>2</sup> )	Total Gross Activity (dpm/100cm <sup>2</sup> )	Bkg. Descriptor	Comments	DCGL	DCGL Flag
1	Lower F	1	1000	1	300	1	700	0.51	100	1372.54902	1961	concrete	MARSSIM	3700000	
1	Lower F	2	900	1	300	1	600	0.51	100	1176.47059	1765	concrete	MARSSIM	3700000	
1	Lower F	3	800	1	300	1	500	0.51	100	980.392157	1569	concrete	MARSSIM	3700000	
1	Lower F	4	1100	1	300	1	800	0.51	100	1568.62745	2157	concrete	MARSSIM	3700000	
1	Lower F	5	1000	1	300	1	700	0.51	100	1372.54902	1961	concrete	MARSSIM	3700000	
1	Lower F	6	700	1	300	1	400	0.51	100	784.313725	1373	concrete	MARSSIM	3700000	
1	Lower F	7	800	1	300	1	500	0.51	100	980.392157	1569	concrete	MARSSIM	3700000	
1	Lower F	8	750	1	300	1	450	0.51	100	882.352941	1471	concrete	MARSSIM	3700000	
1	Lower F	9	1200	1	300	1	900	0.51	100	1764.70588	2353	concrete	MARSSIM	3700000	
1	Low S wall	10	1000	1	300	1	700	0.51	100	1372.54902	1961	concrete	MARSSIM	3700000	
1	Low S wall	11	1100	1	300	1	800	0.51	100	1568.62745	2157	concrete	MARSSIM	3700000	
1	Low S wall	12	900	1	300	1	600	0.51	100	1176.47059	1765	concrete	MARSSIM	3700000	
1	Low E wall	13	1000	1	300	1	700	0.51	100	1372.54902	1961	concrete	MARSSIM	3700000	
1	Low E wall	14	950	1	300	1	650	0.51	100	1274.5098	1863	concrete	MARSSIM	3700000	
1	Low N wall	15	1050	1	300	1	750	0.51	100	1470.58824	2059	concrete	MARSSIM	3700000	
1	Low N wall	16	750	1	300	1	450	0.51	100	882.352941	1471	concrete	MARSSIM	3700000	
1	Low N wall	17	850	1	300	1	550	0.51	100	1078.43137	1667	concrete	MARSSIM	3700000	
1	Low W wall	18	900	1	300	1	600	0.51	100	1176.47059	1765	concrete	MARSSIM	3700000	
1	Low W wall	19	1100	1	300	1	800	0.51	100	1568.62745	2157	concrete	MARSSIM	3700000	
1	Upper C	1	1100	1	300	1	800	0.51	100	1568.62745	2157	concrete	MARSSIM	3700000	
1	Upper C	2	950	1	300	1	650	0.51	100	1274.5098	1863	concrete	MARSSIM	3700000	
1	Upper C	3	1100	1	300	1	800	0.51	100	1568.62745	2157	concrete	MARSSIM	3700000	
1	Upper C	4	1050	1	300	1	750	0.51	100	1470.58824	2059	concrete	MARSSIM	3700000	
1	Upper C	5	900	1	300	1	600	0.51	100	1176.47059	1765	concrete	MARSSIM	3700000	
1	Upper C	6	950	1	300	1	650	0.51	100	1274.5098	1863	concrete	MARSSIM	3700000	
1	Upper C	7	1300	1	300	1	1000	0.51	100	1960.78431	2549	concrete	MARSSIM	3700000	
1	Upper C	8	1000	1	300	1	700	0.51	100	1372.54902	1961	concrete	MARSSIM	3700000	
1	Upper C	9	1150	1	300	1	850	0.51	100	1666.66667	2255	concrete	MARSSIM	3700000	
1	Up N wall	10	1200	1	300	1	900	0.51	100	1764.70588	2353	concrete	MARSSIM	3700000	
1	Up N wall	11	1300	1	300	1	1000	0.51	100	1960.78431	2549	concrete	MARSSIM	3700000	
1	Up E wall	12	1100	1	300	1	800	0.51	100	1568.62745	2157	concrete	MARSSIM	3700000	
1	Up E wall	13	850	1	300	1	550	0.51	100	1078.43137	1667	concrete	MARSSIM	3700000	
1	Up E wall	14	1000	1	300	1	700	0.51	100	1372.54902	1961	concrete	MARSSIM	3700000	
1	Up S wall	15	1100	1	300	1	800	0.51	100	1568.62745	2157	concrete	MARSSIM	3700000	
1	Up S wall	16	950	1	300	1	650	0.51	100	1274.5098	1863	concrete	MARSSIM	3700000	
1	Up W wall	17	1400	1	300	1	1100	0.51	100	2156.86275	2745	concrete	MARSSIM	3700000	
1	Up W wall	18	900	1	300	1	600	0.51	100	1176.47059	1765	concrete	MARSSIM	3700000	
2		1	800	1	300	1	500	0.51	100	980.392157	1569	concrete	MARSSIM	3700000	
2		2	850	1	300	1	550	0.51	100	1078.43137	1667	concrete	MARSSIM	3700000	
2		3	1000	1	300	1	700	0.51	100	1372.54902	1961	concrete	MARSSIM	3700000	
2		4	650	1	300	1	350	0.51	100	686.27451	1275	concrete	MARSSIM	3700000	

## STATIONARY LOW-ENERGY BETA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg. Count Time (min)	Net Count Rate	Efficiency (%)	Detector Area (cm <sup>2</sup> )	Total Net Activity (dpm/100cm <sup>2</sup> )	Total Gross Activity (dpm/100cm <sup>2</sup> )	Bkg. Descriptor	Comments	DCGL	DCGL Flag
2		5	900	1	300	1	600	0.51	100	1176.47059	1765	concrete	MARSSIM	3700000	
2		6	800	1	300	1	500	0.51	100	980.392157	1569	metal	MARSSIM	3700000	
2		7	700	1	300	1	400	0.51	100	784.313725	1373	concrete	MARSSIM	3700000	
2		8	750	1	300	1	450	0.51	100	882.352941	1471	concrete	MARSSIM	3700000	
2		9	600	1	300	1	300	0.51	100	588.235294	1176	concrete	MARSSIM	3700000	
2		10	800	1	300	1	500	0.51	100	980.392157	1569	metal	MARSSIM	3700000	
2		11	1100	1	300	1	800	0.51	100	1568.62745	2157	concrete	MARSSIM	3700000	
2		12	1000	1	300	1	700	0.51	100	1372.54902	1961	concrete	MARSSIM	3700000	
2		13	1000	1	300	1	700	0.51	100	1372.54902	1961	concrete	MARSSIM	3700000	
2		14	8000	1	300	1	7700	0.51	100	15098.0392	15686	concrete	MARSSIM	3700000	
2		15	9000	1	300	1	8700	0.51	100	17058.8235	17647	concrete	MARSSIM	3700000	
2		16	950	1	300	1	650	0.51	100	1274.5098	1863	concrete	MARSSIM	3700000	
2		17	1000	1	300	1	700	0.51	100	1372.54902	1961	concrete	MARSSIM	3700000	
2		18	850	1	300	1	550	0.51	100	1078.43137	1667	concrete	MARSSIM	3700000	
3		1	600	1	300	1	300	0.51	100	588.235294	1176	concrete	MARSSIM	3700000	
3		2	600	1	300	1	300	0.51	100	588.235294	1176	concrete	MARSSIM	3700000	
3		3	550	1	300	1	250	0.51	100	490.196078	1078	concrete	MARSSIM	3700000	
3		4	800	1	300	1	500	0.51	100	980.392157	1569	concrete	MARSSIM	3700000	
3		5	850	1	300	1	550	0.51	100	1078.43137	1667	concrete	MARSSIM	3700000	
3		6	800	1	300	1	500	0.51	100	980.392157	1569	concrete	MARSSIM	3700000	
3		7	700	1	300	1	400	0.51	100	784.313725	1373	concrete	MARSSIM	3700000	
3		8	900	1	300	1	600	0.51	100	1176.47059	1765	concrete	MARSSIM	3700000	
3		9	750	1	300	1	450	0.51	100	882.352941	1471	concrete	MARSSIM	3700000	
3		10	800	1	300	1	500	0.51	100	980.392157	1569	concrete	MARSSIM	3700000	
3		11	700	1	300	1	400	0.51	100	784.313725	1373	concrete	MARSSIM	3700000	
3		12	650	1	300	1	350	0.51	100	686.27451	1275	concrete	MARSSIM	3700000	
3		13	850	1	300	1	550	0.51	100	1078.43137	1667	metal	MARSSIM	3700000	
3		14	900	1	300	1	600	0.51	100	1176.47059	1765	concrete	MARSSIM	3700000	
3		15	1000	1	300	1	700	0.51	100	1372.54902	1961	concrete	MARSSIM	3700000	
3		16	950	1	300	1	650	0.51	100	1274.5098	1863	metal	MARSSIM	3700000	
3		17	800	1	300	1	500	0.51	100	980.392157	1569	concrete	MARSSIM	3700000	
3		18	850	1	300	1	550	0.51	100	1078.43137	1667	concrete	MARSSIM	3700000	
4	4.1.1	1	320	1	300	1	20	0.51	100	39.2156863	627	concrete	MARSSIM	3700000	
4	4.1.1	2	380	1	300	1	80	0.51	100	156.862745	745	concrete	MARSSIM	3700000	
4	4.1.1	3	280	1	300	1	-20	0.51	100	-39.2156863	549	concrete	MARSSIM	3700000	
4	4.1.1	4	400	1	300	1	100	0.51	100	196.078431	784	concrete	MARSSIM	3700000	
4	4.1.1	5	460	1	300	1	160	0.51	100	313.72549	902	concrete	MARSSIM	3700000	
4	4.1.1	6	390	1	300	1	90	0.51	100	176.470588	765	concrete	MARSSIM	3700000	
4	4.1.1	7	240	1	300	1	-60	0.51	100	-117.647059	471	cinder block	MARSSIM	3700000	
4	4.1.1	8	360	1	300	1	60	0.51	100	117.647059	706	cinder block	MARSSIM	3700000	
4	4.1.1	9	280	1	300	1	-20	0.51	100	-39.2156863	549	cinder block	MARSSIM	3700000	

## STATIONARY LOW-ENERGY BETA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg. Count Time (min)	Net Count Rate	Efficiency (%)	Detector Area (cm <sup>2</sup> )	Total Net Activity (dpm/100cm <sup>2</sup> )	Total Gross Activity (dpm/100cm <sup>2</sup> )	Bkg. Descriptor	Comments	DCGL	DCGL Flag
4	4.1.1	10	380	1	300	1	80	0.51	100	156.862745	745	cinder block	MARSSIM	3700000	
4	4.1.1	11	270	1	300	1	-30	0.51	100	-58.8235294	529	cinder block	MARSSIM	3700000	
4	4.1.1	12	330	1	300	1	30	0.51	100	58.8235294	647	cinder block	MARSSIM	3700000	
4	4.1.1	13	220	1	300	1	-80	0.51	100	-156.862745	431	cinder block	MARSSIM	3700000	
4	4.1.1	14	380	1	300	1	80	0.51	100	156.862745	745	cinder block	MARSSIM	3700000	
4	4.1.1	15	285	1	300	1	-15	0.51	100	-29.4117647	559	concrete	MARSSIM	3700000	
4	4.1.1	16	200	1	300	1	-100	0.51	100	-196.078431	392	concrete	MARSSIM	3700000	
4	4.1.1	17	350	1	300	1	50	0.51	100	98.0392157	686	metal	MARSSIM	3700000	
4	4.1.1	18	190	1	300	1	-110	0.51	100	-215.686275	373	metal	MARSSIM	3700000	
4	4.1.2	1	310	1	300	1	10	0.51	100	19.6078431	608	concrete	MARSSIM	3700000	
4	4.1.2	2	290	1	300	1	-10	0.51	100	-19.6078431	569	concrete	MARSSIM	3700000	
4	4.1.2	3	400	1	300	1	100	0.51	100	196.078431	784	concrete	MARSSIM	3700000	
4	4.1.2	4	320	1	300	1	20	0.51	100	39.2156863	627	concrete	MARSSIM	3700000	
4	4.1.2	5	280	1	300	1	-20	0.51	100	-39.2156863	549	concrete	MARSSIM	3700000	
4	4.1.2	6	350	1	300	1	50	0.51	100	98.0392157	686	concrete	MARSSIM	3700000	
4	4.1.2	7	310	1	300	1	10	0.51	100	19.6078431	608	concrete	MARSSIM	3700000	
4	4.1.2	8	470	1	300	1	170	0.51	100	333.333333	922	concrete	MARSSIM	3700000	
4	4.1.2	9	410	1	300	1	110	0.51	100	215.686275	804	concrete	MARSSIM	3700000	
4	4.1.2	10	360	1	300	1	60	0.51	100	117.647059	706	concrete	MARSSIM	3700000	
4	4.1.2	11	380	1	300	1	80	0.51	100	156.862745	745	cinder block	MARSSIM	3700000	
4	4.1.2	12	360	1	300	1	60	0.51	100	117.647059	706	cinder block	MARSSIM	3700000	
4	4.1.2	13	280	1	300	1	-20	0.51	100	-39.2156863	549	cinder block	MARSSIM	3700000	
4	4.1.2	14	320	1	300	1	20	0.51	100	39.2156863	627	cinder block	MARSSIM	3700000	
4	4.1.2	15	370	1	300	1	70	0.51	100	137.254902	725	cinder block	MARSSIM	3700000	
4	4.1.2	16	220	1	300	1	-80	0.51	100	-156.862745	431	cinder block	MARSSIM	3700000	
4	4.1.2	17	350	1	300	1	50	0.51	100	98.0392157	686	cinder block	MARSSIM	3700000	
4	4.1.2	18	340	1	300	1	40	0.51	100	78.4313725	667	cinder block	MARSSIM	3700000	
4	4.1.3	1	440	1	300	1	140	0.51	100	274.509804	863	concrete	MARSSIM	3700000	
4	4.1.3	2	430	1	300	1	130	0.51	100	254.901961	843	concrete	MARSSIM	3700000	
4	4.1.3	3	360	1	300	1	60	0.51	100	117.647059	706	cinder block	MARSSIM	3700000	
4	4.1.3	4	390	1	300	1	90	0.51	100	176.470588	765	cinder block	MARSSIM	3700000	
4	4.1.3	5	380	1	300	1	80	0.51	100	156.862745	745	cinder block	MARSSIM	3700000	
4	4.1.3	6	340	1	300	1	40	0.51	100	78.4313725	667	concrete	MARSSIM	3700000	
4	4.1.3	7	600	1	300	1	300	0.51	100	588.235294	1176	concrete	MARSSIM	3700000	
4	4.1.3	8	450	1	300	1	150	0.51	100	294.117647	882	concrete	MARSSIM	3700000	
4	4.1.3	9	1100	1	300	1	800	0.51	100	1568.62745	2157	concrete	MARSSIM	3700000	
4	4.1.3	10	360	1	300	1	60	0.51	100	117.647059	706	concrete	MARSSIM	3700000	
4	4.1.3	11	460	1	300	1	160	0.51	100	313.72549	902	concrete	MARSSIM	3700000	
4	4.1.3	12	440	1	300	1	140	0.51	100	274.509804	863	concrete	MARSSIM	3700000	
4	4.1.3	13	380	1	300	1	80	0.51	100	156.862745	745	concrete	MARSSIM	3700000	
4	4.1.3	14	500	1	300	1	200	0.51	100	392.156863	980	metal	MARSSIM	3700000	

## STATIONARY LOW-ENERGY BETA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg. Count Time (min)	Net Count Rate	Efficiency (%)	Detector Area (cm <sup>2</sup> )	Total Net Activity (dpm/100cm <sup>2</sup> )	Total Gross Activity (dpm/100cm <sup>2</sup> )	Bkg. Descriptor	Comments	DCGL	DCGL Flag
4	4.1.3	15	480	1	300	1	180	0.51	100	352.941176	941	metal	MARSSIM	3700000	
4	4.1.3	16	415	1	300	1	115	0.51	100	225.490196	814	cinder block	MARSSIM	3700000	
4	4.1.3	17	450	1	300	1	150	0.51	100	294.117647	882	cinder block	MARSSIM	3700000	
4	4.1.3	18	360	1	300	1	60	0.51	100	117.647059	706	cinder block	MARSSIM	3700000	
4	4.1.4	1	340	1	300	1	40	0.51	100	78.4313725	667	concrete	MARSSIM	3700000	
4	4.1.4	2	310	1	300	1	10	0.51	100	19.6078431	608	concrete	MARSSIM	3700000	
4	4.1.4	3	380	1	300	1	80	0.51	100	156.862745	745	concrete	MARSSIM	3700000	
4	4.1.4	4	260	1	300	1	-40	0.51	100	-78.4313725	510	concrete	MARSSIM	3700000	
4	4.1.4	5	330	1	300	1	30	0.51	100	58.8235294	647	concrete	MARSSIM	3700000	
4	4.1.4	6	300	1	300	1	0	0.51	100	0	588	concrete	MARSSIM	3700000	
4	4.1.4	7	330	1	300	1	30	0.51	100	58.8235294	647	concrete	MARSSIM	3700000	
4	4.1.4	8	320	1	300	1	20	0.51	100	39.2156863	627	concrete	MARSSIM	3700000	
4	4.1.4	9	250	1	300	1	-50	0.51	100	-98.0392157	490	concrete	MARSSIM	3700000	
4	4.1.4	10	270	1	300	1	-30	0.51	100	-58.8235294	529	concrete	MARSSIM	3700000	
4	4.1.4	11	330	1	300	1	30	0.51	100	58.8235294	647	concrete	MARSSIM	3700000	
4	4.1.4	12	290	1	300	1	-10	0.51	100	-19.6078431	569	concrete	MARSSIM	3700000	
4	4.1.4	13	410	1	300	1	110	0.51	100	215.686275	804	concrete	MARSSIM	3700000	
4	4.1.4	14	340	1	300	1	40	0.51	100	78.4313725	667	concrete	MARSSIM	3700000	
4	4.1.4	15	430	1	300	1	130	0.51	100	254.901961	843	concrete	MARSSIM	3700000	
4	4.1.4	16	310	1	300	1	10	0.51	100	19.6078431	608	metal	MARSSIM	3700000	
4	4.1.4	17	280	1	300	1	-20	0.51	100	-39.2156863	549	metal	MARSSIM	3700000	
4	4.1.4	18	390	1	300	1	90	0.51	100	176.470588	765	metal	MARSSIM	3700000	
4	4.1.5	1	370	1	300	1	70	0.51	100	137.254902	725	concrete	MARSSIM	3700000	
4	4.1.5	2	230	1	300	1	-70	0.51	100	-137.254902	451	concrete	MARSSIM	3700000	
4	4.1.5	3	260	1	300	1	-40	0.51	100	-78.4313725	510	concrete	MARSSIM	3700000	
4	4.1.5	4	310	1	300	1	10	0.51	100	19.6078431	608	concrete	MARSSIM	3700000	
4	4.1.5	5	275	1	300	1	-25	0.51	100	-49.0196078	539	cinder block	MARSSIM	3700000	
4	4.1.5	6	950	1	300	1	650	0.51	100	1274.5098	1863	cinder block	MARSSIM	3700000	
4	4.1.5	7	400	1	300	1	100	0.51	100	196.078431	784	cinder block	MARSSIM	3700000	
4	4.1.5	8	290	1	300	1	-10	0.51	100	-19.6078431	569	cinder block	MARSSIM	3700000	
4	4.1.5	9	410	1	300	1	110	0.51	100	215.686275	804	cinder block	MARSSIM	3700000	
4	4.1.5	10	360	1	300	1	60	0.51	100	117.647059	706	concrete	MARSSIM	3700000	
4	4.1.5	11	260	1	300	1	-40	0.51	100	-78.4313725	510	cinder block	MARSSIM	3700000	
4	4.1.5	12	410	1	300	1	110	0.51	100	215.686275	804	glass	MARSSIM	3700000	
4	4.1.5	13	350	1	300	1	50	0.51	100	98.0392157	686	glass	MARSSIM	3700000	
4	4.1.5	14	410	1	300	1	110	0.51	100	215.686275	804	cinder block	MARSSIM	3700000	
4	4.1.5	15	330	1	300	1	30	0.51	100	58.8235294	647	cinder block	MARSSIM	3700000	
4	4.1.5	16	330	1	300	1	30	0.51	100	58.8235294	647	cinder block	MARSSIM	3700000	
4	4.1.5	17	360	1	300	1	60	0.51	100	117.647059	706	glass	MARSSIM	3700000	
4	4.1.5	18	410	1	300	1	110	0.51	100	215.686275	804	cinder block	MARSSIM	3700000	
4	4.2	1	280	1	300	1	-20	0.51	100	-39.2156863	549	floor tile	MARSSIM	3700000	



## STATIONARY LOW-ENERGY BETA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg. Count Time (min)	Net Count Rate	Efficiency (%)	Detector Area (cm <sup>2</sup> )	Total Net Activity (dpm/100cm <sup>2</sup> )	Total Gross Activity (dpm/100cm <sup>2</sup> )	Bkg. Descriptor	Comments	DCGL	DCGL Flag
4	4.2	2	270	1	300	1	-30	0.51	100	-58.8235294	529	floor tile	MARSSIM	3700000	
4	4.2	3	280	1	300	1	-20	0.51	100	-39.2156863	549	cinder block	MARSSIM	3700000	
4	4.2	4	380	1	300	1	80	0.51	100	156.862745	745	cinder block	MARSSIM	3700000	
4	4.2	5	380	1	300	1	80	0.51	100	156.862745	745	cinder block	MARSSIM	3700000	
4	4.2	6	290	1	300	1	-10	0.51	100	-19.6078431	569	cinder block	MARSSIM	3700000	
4	4.2	7	420	1	300	1	120	0.51	100	235.294118	824	floor tile	MARSSIM	3700000	
4	4.2	8	600	1	300	1	300	0.51	100	588.235294	1176	cinder block	MARSSIM	3700000	
4	4.2	9	350	1	300	1	50	0.51	100	98.0392157	686	porc. tile	MARSSIM	3700000	
4	4.2	10	350	1	300	1	50	0.51	100	98.0392157	686	cinder block	MARSSIM	3700000	
4	4.2	11	450	1	300	1	150	0.51	100	294.117647	882	cinder block	MARSSIM	3700000	
4	4.2	12	380	1	300	1	80	0.51	100	156.862745	745	floor tile	MARSSIM	3700000	
4	4.2	13	290	1	300	1	-10	0.51	100	-19.6078431	569	floor tile	MARSSIM	3700000	
4	4.2	14	300	1	300	1	0	0.51	100	0	588	floor tile	MARSSIM	3700000	
4	4.2	15	380	1	300	1	80	0.51	100	156.862745	745	cinder block	MARSSIM	3700000	
4	4.2	16	390	1	300	1	90	0.51	100	176.470588	765	cinder block	MARSSIM	3700000	
4	4.2	17	310	1	300	1	10	0.51	100	19.6078431	608	cinder block	MARSSIM	3700000	
4	4.2	18	350	1	300	1	50	0.51	100	98.0392157	686	cinder block	MARSSIM	3700000	
4	4.4	1	320	1	300	1	20	0.51	100	39.2156863	627	floor tile	MARSSIM	3700000	
4	4.4	2	310	1	300	1	10	0.51	100	19.6078431	608	floor tile	MARSSIM	3700000	
4	4.4	3	310	1	300	1	10	0.51	100	19.6078431	608	floor tile	MARSSIM	3700000	
4	4.4	4	450	1	300	1	150	0.51	100	294.117647	882	floor tile	MARSSIM	3700000	
4	4.4	5	290	1	300	1	-10	0.51	100	-19.6078431	569	floor tile	MARSSIM	3700000	
4	4.4	6	380	1	300	1	80	0.51	100	156.862745	745	floor tile	MARSSIM	3700000	
4	4.4	7	300	1	300	1	0	0.51	100	0	588	cinder block	MARSSIM	3700000	
4	4.4	8	310	1	300	1	10	0.51	100	19.6078431	608	wood	MARSSIM	3700000	
4	4.4	9	330	1	300	1	30	0.51	100	58.8235294	647	wood	MARSSIM	3700000	
4	4.4	10	310	1	300	1	10	0.51	100	19.6078431	608	glass	MARSSIM	3700000	
4	4.4	11	320	1	300	1	20	0.51	100	39.2156863	627	glass	MARSSIM	3700000	
4	4.4	12	300	1	300	1	0	0.51	100	0	588	glass	MARSSIM	3700000	
4	4.4	13	320	1	300	1	20	0.51	100	39.2156863	627	glass	MARSSIM	3700000	
4	4.4	14	360	1	300	1	60	0.51	100	117.647059	706	cinder block	MARSSIM	3700000	
4	4.4	15	410	1	300	1	110	0.51	100	215.686275	804	cinder block	MARSSIM	3700000	
4	4.4	16	370	1	300	1	70	0.51	100	137.254902	725	cinder block	MARSSIM	3700000	
4	4.4	17	330	1	300	1	30	0.51	100	58.8235294	647	wood	MARSSIM	3700000	
4	4.4	18	370	1	300	1	70	0.51	100	137.254902	725	wood	MARSSIM	3700000	
4	4.5	1	290	1	300	1	-10	0.51	100	-19.6078431	569	floor tile	MARSSIM	3700000	
4	4.5	2	310	1	300	1	10	0.51	100	19.6078431	608	floor tile	MARSSIM	3700000	
4	4.5	3	360	1	300	1	60	0.51	100	117.647059	706	floor tile	MARSSIM	3700000	
4	4.5	4	330	1	300	1	30	0.51	100	58.8235294	647	floor tile	MARSSIM	3700000	
4	4.5	5	400	1	300	1	100	0.51	100	196.078431	784	floor tile	MARSSIM	3700000	
4	4.5	6	370	1	300	1	70	0.51	100	137.254902	725	floor tile	MARSSIM	3700000	

## STATIONARY LOW-ENERGY BETA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg. Count Time (min)	Net Count Rate	Efficiency (%)	Detector Area (cm <sup>2</sup> )	Total Net Activity (dpm/100cm <sup>2</sup> )	Total Gross Activity (dpm/100cm <sup>2</sup> )	Bkg. Descriptor	Comments	DCGL	DCGL Flag
4	4.5	7	410	1	300	1	110	0.51	100	215.686275	804	floor tile	MARSSIM	3700000	
4	4.5	8	500	1	300	1	200	0.51	100	392.156863	980	floor tile	MARSSIM	3700000	
4	4.5	9	410	1	300	1	110	0.51	100	215.686275	804	floor tile	MARSSIM	3700000	
4	4.5	10	460	1	300	1	160	0.51	100	313.72549	902	floor tile	MARSSIM	3700000	
4	4.5	11	380	1	300	1	80	0.51	100	156.862745	745	cinder block	MARSSIM	3700000	
4	4.5	12	400	1	300	1	100	0.51	100	196.078431	784	cinder block	MARSSIM	3700000	
4	4.5	13	430	1	300	1	130	0.51	100	254.901961	843	metal	MARSSIM	3700000	
4	4.5	14	420	1	300	1	120	0.51	100	235.294118	824	cinder block	MARSSIM	3700000	
4	4.5	15	450	1	300	1	150	0.51	100	294.117647	882	metal	MARSSIM	3700000	
4	4.5	16	380	1	300	1	80	0.51	100	156.862745	745	cinder block	MARSSIM	3700000	
4	4.5	17	400	1	300	1	100	0.51	100	196.078431	784	wood	MARSSIM	3700000	
4	4.5	18	430	1	300	1	130	0.51	100	254.901961	843	cinder block	MARSSIM	3700000	
4	4.6	1	290	1	300	1	-10	0.51	100	-19.6078431	569	floor tile	MARSSIM	3700000	
4	4.6	2	240	1	300	1	-60	0.51	100	-117.647059	471	concrete	MARSSIM	3700000	
4	4.6	3	230	1	300	1	-70	0.51	100	-137.254902	451	concrete	MARSSIM	3700000	
4	4.6	4	380	1	300	1	80	0.51	100	156.862745	745	concrete	MARSSIM	3700000	
4	4.6	5	330	1	300	1	30	0.51	100	58.8235294	647	concrete	MARSSIM	3700000	
4	4.6	6	300	1	300	1	0	0.51	100	0	588	concrete	MARSSIM	3700000	
4	4.6	7	280	1	300	1	-20	0.51	100	-39.2156863	549	concrete	MARSSIM	3700000	
4	4.6	8	320	1	300	1	20	0.51	100	39.2156863	627	floor tile	MARSSIM	3700000	
4	4.6	9	350	1	300	1	50	0.51	100	98.0392157	686	concrete	MARSSIM	3700000	
4	4.6	10	330	1	300	1	30	0.51	100	58.8235294	647	concrete	MARSSIM	3700000	
4	4.6	11	390	1	300	1	90	0.51	100	176.470588	765	concrete	MARSSIM	3700000	
4	4.6	12	360	1	300	1	60	0.51	100	117.647059	706	floor tile	MARSSIM	3700000	
4	4.6	13	380	1	300	1	80	0.51	100	156.862745	745	cinder block	MARSSIM	3700000	
4	4.6	14	350	1	300	1	50	0.51	100	98.0392157	686	cinder block	MARSSIM	3700000	
4	4.6	15	420	1	300	1	120	0.51	100	235.294118	824	cinder block	MARSSIM	3700000	
4	4.6	16	400	1	300	1	100	0.51	100	196.078431	784	cinder block	MARSSIM	3700000	
4	4.6	17	390	1	300	1	90	0.51	100	176.470588	765	cinder block	MARSSIM	3700000	
4	4.6	18	390	1	300	1	90	0.51	100	176.470588	765	cinder block	MARSSIM	3700000	
4	Mez1	1	410	1	300	1	110	0.51	100	215.686275	804	metal	MARSSIM	3700000	
4	Mez1	2	370	1	300	1	70	0.51	100	137.254902	725	floor tile	MARSSIM	3700000	
4	Mez1	3	430	1	300	1	130	0.51	100	254.901961	843	floor tile	MARSSIM	3700000	
4	Mez1	4	380	1	300	1	80	0.51	100	156.862745	745	floor tile	MARSSIM	3700000	
4	Mez1	5	330	1	300	1	30	0.51	100	58.8235294	647	floor tile	MARSSIM	3700000	
4	Mez1	6	370	1	300	1	70	0.51	100	137.254902	725	floor tile	MARSSIM	3700000	
4	Mez1	7	370	1	300	1	70	0.51	100	137.254902	725	concrete block	MARSSIM	3700000	
4	Mez1	8	360	1	300	1	60	0.51	100	117.647059	706	concrete block	MARSSIM	3700000	
4	Mez1	9	270	1	300	1	-30	0.51	100	-58.8235294	529	concrete block	MARSSIM	3700000	
4	Mez1	10	380	1	300	1	80	0.51	100	156.862745	745	vinyl	MARSSIM	3700000	
4	Mez1	11	410	1	300	1	110	0.51	100	215.686275	804	concrete block	MARSSIM	3700000	

## STATIONARY LOW-ENERGY BETA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg. Count Time (min)	Net Count Rate	Efficiency (%)	Detector Area (cm <sup>2</sup> )	Total Net Activity (dpm/100cm <sup>2</sup> )	Total Gross Activity (dpm/100cm <sup>2</sup> )	Bkg. Descriptor	Comments	DCGL	DCGL Flag
4	Mez1	12	310	1	300	1	10	0.51	100	19.6078431	608	concrete block	MARSSIM	3700000	
4	Mez1	13	410	1	300	1	110	0.51	100	215.686275	804	concrete block	MARSSIM	3700000	
4	Mez1	14	360	1	300	1	60	0.51	100	117.647059	706	vinyl	MARSSIM	3700000	
4	Mez1	15	340	1	300	1	40	0.51	100	78.4313725	667	concrete block	MARSSIM	3700000	
4	Mez1	16	370	1	300	1	70	0.51	100	137.254902	725	concrete block	MARSSIM	3700000	
4	Mez1	17	350	1	300	1	50	0.51	100	98.0392157	686	metal	MARSSIM	3700000	
4	Mez1	18	400	1	300	1	100	0.51	100	196.078431	784	concrete block	MARSSIM	3700000	
5		1	230	1	300	1	-70	0.51	100	-137.254902	451	concrete	MARSSIM	3700000	
5		2	280	1	300	1	-20	0.51	100	-39.2156863	549	concrete	MARSSIM	3700000	
5		3	310	1	300	1	10	0.51	100	19.6078431	608	concrete	MARSSIM	3700000	
5		4	315	1	300	1	15	0.51	100	29.4117647	618	concrete	MARSSIM	3700000	
5		5	260	1	300	1	-40	0.51	100	-78.4313725	510	concrete	MARSSIM	3700000	
5		6	240	1	300	1	-60	0.51	100	-117.647059	471	concrete	MARSSIM	3700000	
5		7	360	1	300	1	60	0.51	100	117.647059	706	cinder block	MARSSIM	3700000	
5		8	320	1	300	1	20	0.51	100	39.2156863	627	metal	MARSSIM	3700000	
5		9	330	1	300	1	30	0.51	100	58.8235294	647	cinder block	MARSSIM	3700000	
5		10	380	1	300	1	80	0.51	100	156.862745	745	cinder block	MARSSIM	3700000	
5		11	290	1	300	1	-10	0.51	100	-19.6078431	569	cinder block	MARSSIM	3700000	
5		12	410	1	300	1	110	0.51	100	215.686275	804	cinder block	MARSSIM	3700000	
5		13	300	1	300	1	0	0.51	100	0	588	cinder block	MARSSIM	3700000	
5		14	290	1	300	1	-10	0.51	100	-19.6078431	569	cinder block	MARSSIM	3700000	
5		15	340	1	300	1	40	0.51	100	78.4313725	667	cinder block	MARSSIM	3700000	
5		16	280	1	300	1	-20	0.51	100	-39.2156863	549	cinder block	MARSSIM	3700000	
5		17	250	1	300	1	-50	0.51	100	-98.0392157	490	cinder block	MARSSIM	3700000	
5		18	290	1	300	1	-10	0.51	100	-19.6078431	569	cinder block	MARSSIM	3700000	
7	generator rm.	1		1	300	1	-300	0.51	100	-588.235294	0		MARSSIM	3700000	
7	generator rm.	2		1	300	1	-300	0.51	100	-588.235294	0		MARSSIM	3700000	
7	generator rm.	3		1	300	1	-300	0.51	100	-588.235294	0		MARSSIM	3700000	
7	generator rm.	4		1	300	1	-300	0.51	100	-588.235294	0		MARSSIM	3700000	
7	generator rm.	5		1	300	1	-300	0.51	100	-588.235294	0		MARSSIM	3700000	
7	generator rm.	6		1	300	1	-300	0.51	100	-588.235294	0		MARSSIM	3700000	
7	generator rm.	7		1	300	1	-300	0.51	100	-588.235294	0		MARSSIM	3700000	
7	generator rm.	8		1	300	1	-300	0.51	100	-588.235294	0		MARSSIM	3700000	
7	generator rm.	9		1	300	1	-300	0.51	100	-588.235294	0		MARSSIM	3700000	
7	generator rm.	10		1	300	1	-300	0.51	100	-588.235294	0		MARSSIM	3700000	
7	generator rm.	11		1	300	1	-300	0.51	100	-588.235294	0		MARSSIM	3700000	
7	generator rm.	12		1	300	1	-300	0.51	100	-588.235294	0		MARSSIM	3700000	
7	generator rm.	13		1	300	1	-300	0.51	100	-588.235294	0		MARSSIM	3700000	
7	generator rm.	14		1	300	1	-300	0.51	100	-588.235294	0		MARSSIM	3700000	
7	generator rm.	15		1	300	1	-300	0.51	100	-588.235294	0		MARSSIM	3700000	
7	generator rm.	16		1	300	1	-300	0.51	100	-588.235294	0		MARSSIM	3700000	

## STATIONARY LOW-ENERGY BETA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg. Count Time (min)	Net Count Rate	Efficiency (%)	Detector Area (cm <sup>2</sup> )	Total Net Activity (dpm/100cm <sup>2</sup> )	Total Gross Activity (dpm/100cm <sup>2</sup> )	Bkg. Descriptor	Comments	DCGL	DCGL Flag
7	generator rm.	17		1	300	1	-300	0.51	100	-588.235294	0		MARSSIM	3700000	
7	generator rm.	18		1	300	1	-300	0.51	100	-588.235294	0		MARSSIM	3700000	
11	Vent.	1		1	300	1	-300	0.51	100	-588.235294	0	concrete floor	MARSSIM	3700000	
11	Vent.	2		1	300	1	-300	0.51	100	-588.235294	0	concrete floor	MARSSIM	3700000	
11	Vent.	3		1	300	1	-300	0.51	100	-588.235294	0	concrete floor	MARSSIM	3700000	
11	Vent.	4		1	300	1	-300	0.51	100	-588.235294	0	concrete floor	MARSSIM	3700000	
11	Vent.	5		1	300	1	-300	0.51	100	-588.235294	0	metal	MARSSIM	3700000	
11	Vent.	6		1	300	1	-300	0.51	100	-588.235294	0	metal	MARSSIM	3700000	
11	Vent.	7		1	300	1	-300	0.51	100	-588.235294	0	metal	MARSSIM	3700000	
11	Vent.	8		1	300	1	-300	0.51	100	-588.235294	0	concrete floor	MARSSIM	3700000	
11	Vent.	9		1	300	1	-300	0.51	100	-588.235294	0	cinder block	MARSSIM	3700000	
11	Vent.	10		1	300	1	-300	0.51	100	-588.235294	0	cinder block	MARSSIM	3700000	
11	Vent.	11		1	300	1	-300	0.51	100	-588.235294	0	metal	MARSSIM	3700000	
11	Vent.	12		1	300	1	-300	0.51	100	-588.235294	0	cinder block	MARSSIM	3700000	
11	Vent.	13		1	300	1	-300	0.51	100	-588.235294	0	cinder block	MARSSIM	3700000	
11	Vent.	14		1	300	1	-300	0.51	100	-588.235294	0	cinder block	MARSSIM	3700000	
11	Vent.	15		1	300	1	-300	0.51	100	-588.235294	0	cinder block	MARSSIM	3700000	
11	Vent.	16		1	300	1	-300	0.51	100	-588.235294	0	cinder block	MARSSIM	3700000	
11	Vent.	17		1	300	1	-300	0.51	100	-588.235294	0	cinder block	MARSSIM	3700000	
11	Vent.	18		1	300	1	-300	0.51	100	-588.235294	0	cinder block	MARSSIM	3700000	
11	Mech.	1	360	1	300	1	60	0.51	100	117.647059	706	concrete floor	MARSSIM	3700000	
11	Mech.	2	410	1	300	1	110	0.51	100	215.686275	804	concrete floor	MARSSIM	3700000	
11	Mech.	3	280	1	300	1	-20	0.51	100	-39.2156863	549	concrete floor	MARSSIM	3700000	
11	Mech.	4	290	1	300	1	-10	0.51	100	-19.6078431	569	concrete floor	MARSSIM	3700000	
11	Mech.	5	330	1	300	1	30	0.51	100	58.8235294	647	concrete floor	MARSSIM	3700000	
11	Mech.	6	240	1	300	1	-60	0.51	100	-117.647059	471	concrete floor	MARSSIM	3700000	
11	Mech.	7	260	1	300	1	-40	0.51	100	-78.4313725	510	concrete floor	MARSSIM	3700000	
11	Mech.	8	370	1	300	1	70	0.51	100	137.254902	725	concrete floor	MARSSIM	3700000	
11	Mech.	9	350	1	300	1	50	0.51	100	98.0392157	686	concrete floor	MARSSIM	3700000	
11	Mech.	10	290	1	300	1	-10	0.51	100	-19.6078431	569	cinder block	MARSSIM	3700000	
11	Mech.	11	320	1	300	1	20	0.51	100	39.2156863	627	cinder block	MARSSIM	3700000	
11	Mech.	12	350	1	300	1	50	0.51	100	98.0392157	686	cinder block	MARSSIM	3700000	
11	Mech.	13	330	1	300	1	30	0.51	100	58.8235294	647	cinder block	MARSSIM	3700000	
11	Mech.	14	350	1	300	1	50	0.51	100	98.0392157	686	cinder block	MARSSIM	3700000	
11	Mech.	15	420	1	300	1	120	0.51	100	235.294118	824	cinder block	MARSSIM	3700000	
11	Mech.	16	400	1	300	1	100	0.51	100	196.078431	784	cinder block	MARSSIM	3700000	
11	Mech.	17	310	1	300	1	10	0.51	100	19.6078431	608	cinder block	MARSSIM	3700000	
11	Mech.	18	360	1	300	1	60	0.51	100	117.647059	706	cinder block	MARSSIM	3700000	
12		1		1	300	1	-300	0.51	100	-588.235294	0	tar rocks	MARSSIM	3700000	
12		2		1	300	1	-300	0.51	100	-588.235294	0	tar rocks	MARSSIM	3700000	
12		3		1	300	1	-300	0.51	100	-588.235294	0	tar rocks	MARSSIM	3700000	

## STATIONARY LOW-ENERGY BETA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg. Count Time (min)	Net Count Rate	Efficiency (%)	Detector Area (cm <sup>2</sup> )	Total Net Activity (dpm/100cm <sup>2</sup> )	Total Gross Activity (dpm/100cm <sup>2</sup> )	Bkg. Descriptor	Comments	DCGL	DCGL Flag
12		4		1	300	1	-300	0.51	100	-588.235294	0	tar rocks	MARSSIM	3700000	
12		5		1	300	1	-300	0.51	100	-588.235294	0	tar rocks	MARSSIM	3700000	
12		6		1	300	1	-300	0.51	100	-588.235294	0	tar rocks	MARSSIM	3700000	
12		7		1	300	1	-300	0.51	100	-588.235294	0	tar rocks	MARSSIM	3700000	
12		8		1	300	1	-300	0.51	100	-588.235294	0	tar rocks	MARSSIM	3700000	
12		9		1	300	1	-300	0.51	100	-588.235294	0	tar rocks	MARSSIM	3700000	
12		10		1	300	1	-300	0.51	100	-588.235294	0	tar rocks	MARSSIM	3700000	
12		11		1	300	1	-300	0.51	100	-588.235294	0	tar rocks	MARSSIM	3700000	
12		12		1	300	1	-300	0.51	100	-588.235294	0	tar rocks	MARSSIM	3700000	
12		13		1	300	1	-300	0.51	100	-588.235294	0	tar rocks	MARSSIM	3700000	
12		14		1	300	1	-300	0.51	100	-588.235294	0	tar rocks	MARSSIM	3700000	
12		15		1	300	1	-300	0.51	100	-588.235294	0	tar rocks	MARSSIM	3700000	
12		16		1	300	1	-300	0.51	100	-588.235294	0	tar rocks	MARSSIM	3700000	
12		17		1	300	1	-300	0.51	100	-588.235294	0	tar rocks	MARSSIM	3700000	
12		18		1	300	1	-300	0.51	100	-588.235294	0	tar rocks	MARSSIM	3700000	

## REMOVABLE ALPHA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg Count Time	Net Count Rate (cpm)	Efficiency (%)	Measurement Area (cm2)	Net Activity (dpm)	Comments	DCGL	DCGL Flag
1	Lower F	1	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
1	Lower F	2	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
1	Lower F	3	1	1	0	1	1	0.35	100	3	MARSSIM	27.3	
1	Lower F	4	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
1	Lower F	5	1	1	0	1	1	0.35	100	3	MARSSIM	27.3	
1	Lower F	6	2	1	0	1	2	0.35	100	6	MARSSIM	27.3	
1	Lower F	7	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
1	Lower F	8	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
1	Lower F	9	1	1	0	1	1	0.35	100	3	MARSSIM	27.3	
1	Low S wall	10	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
1	Low S wall	11	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
1	Low S wall	12	1	1	0	1	1	0.35	100	3	MARSSIM	27.3	
1	Low E wall	13	1	1	0	1	1	0.35	100	3	MARSSIM	27.3	
1	Low E wall	14	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
1	Low N wall	15	1	1	0	1	1	0.35	100	3	MARSSIM	27.3	
1	Low N wall	16	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
1	Low N wall	17	1	1	0	1	1	0.35	100	3	MARSSIM	27.3	
1	Low W wall	18	1	1	0	1	1	0.35	100	3	MARSSIM	27.3	
1	Low W wall	19	1	1	0	1	1	0.35	100	3	MARSSIM	27.3	
1	Upper C	1	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
1	Upper C	2	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
1	UpperC	3	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
1	Upper C	4	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
1	Upper C	5	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
1	Upper C	6	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
1	Upper C	7	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
1	Upper C	8	1	1	0	1	1	0.37	100	3	MARSSIM	27.3	
1	Upper C	9	1	1	0	1	1	0.37	100	3	MARSSIM	27.3	
1	Up N wall	10	1	1	0	1	1	0.37	100	3	MARSSIM	27.3	
1	Up N wall	11	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
1	Up E wall	12	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
1	Up E wall	13	2	1	0	1	2	0.37	100	5	MARSSIM	27.3	
1	Up E wall	14	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	

## REMOVABLE ALPHA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg Count Time	Net Count Rate (cpm)	Efficiency (%)	Measurement Area (cm2)	Net Activity (dpm)	Comments	DCGL	DCGL Flag
1	Up S wall	15	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
1	Up S wall	16	1	1	0	1	1	0.37	100	3	MARSSIM	27.3	
1	Up W wall	17	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
1	Up W wall	18	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
2		1	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
2		2	2	1	0	1	2	0.35	100	6	MARSSIM	27.3	
2		3	3	1	0	1	3	0.35	100	9	MARSSIM	27.3	
2		4	2	1	0	1	2	0.35	100	6	MARSSIM	27.3	
2		5	2	1	0	1	2	0.35	100	6	MARSSIM	27.3	
2		6	1	1	0	1	1	0.35	100	3	MARSSIM	27.3	
2		7	1	1	0	1	1	0.35	100	3	MARSSIM	27.3	
2		8	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
2		9	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
2		10	1	1	0	1	1	0.35	100	3	MARSSIM	27.3	
2		11	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
2		12	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
2		13	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
2		14	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
2		15	1	1	0	1	1	0.35	100	3	MARSSIM	27.3	
2		16	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
2		17	2	1	0	1	2	0.35	100	6	MARSSIM	27.3	
2		18	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
3		1	1	1	1	1	0	0.33	100	0	MARSSIM	27.3	
3		2	1	1	1	1	0	0.33	100	0	MARSSIM	27.3	
3		3	1	1	1	1	0	0.33	100	0	MARSSIM	27.3	
3		4	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
3		5	1	1	1	1	0	0.33	100	0	MARSSIM	27.3	
3		6	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
3		7	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
3		8	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
3		9	1	1	1	1	0	0.33	100	0	MARSSIM	27.3	
3		10	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
3		11	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	

## REMOVABLE ALPHA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg Count Time	Net Count Rate (cpm)	Efficiency (%)	Measurement Area (cm <sup>2</sup> )	Net Activity (dpm)	Comments	DCGL	DCGL Flag
3		12	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
3		13	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
3		14	1	1	1	1	0	0.33	100	0	MARSSIM	27.3	
3		15	1	1	1	1	0	0.33	100	0	MARSSIM	27.3	
3		16	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
3		17	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
3		18	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
4	4.1.1	1	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.1	2	1	1	0	1	1	0.37	100	3	MARSSIM	27.3	
4	4.1.1	3	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.1	4	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.1	5	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.1	6	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.1	7	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.1	8	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.1	9	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.1	10	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.1	11	1	1	0	1	1	0.37	100	3	MARSSIM	27.3	
4	4.1.1	12	1	1	0	1	1	0.37	100	3	MARSSIM	27.3	
4	4.1.1	13	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.1	14	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.1	15	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.1	16	1	1	0	1	1	0.37	100	3	MARSSIM	27.3	
4	4.1.1	17	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.1	18	1	1	0	1	1	0.37	100	3	MARSSIM	27.3	
4	4.1.2	1	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.2	2	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.2	3	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.2	4	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.2	5	1	1	0	1	1	0.37	100	3	MARSSIM	27.3	
4	4.1.2	6	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.2	7	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.2	8	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	



## REMOVABLE ALPHA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg Count Time	Net Count Rate (cpm)	Efficiency (%)	Measurement Area (cm <sup>2</sup> )	Net Activity (dpm)	Comments	DCGL	DCGL Flag
4	4.1.2	9	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.2	10	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.2	11	2	1	0	1	2	0.37	100	5	MARSSIM	27.3	
4	4.1.2	12	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.2	13	1	1	0	1	1	0.37	100	3	MARSSIM	27.3	
4	4.1.2	14	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.2	15	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.2	16	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.2	17	1	1	0	1	1	0.37	100	3	MARSSIM	27.3	
4	4.1.2	18	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.3	1	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.3	2	1	1	0	1	1	0.37	100	3	MARSSIM	27.3	
4	4.1.3	3	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.3	4	2	1	0	1	2	0.37	100	5	MARSSIM	27.3	
4	4.1.3	5	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.3	6	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.3	7	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.3	8	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.3	9	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.3	10	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.3	11	1	1	0	1	1	0.37	100	3	MARSSIM	27.3	
4	4.1.3	12	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.3	13	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.3	14	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.3	15	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.3	16	1	1	0	1	1	0.37	100	3	MARSSIM	27.3	
4	4.1.3	17	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.3	18	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.4	1	2	1	0	1	2	0.37	100	5	MARSSIM	27.3	
4	4.1.4	2	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.4	3	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.4	4	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.4	5	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	

## REMOVABLE ALPHA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg Count Time	Net Count Rate (cpm)	Efficiency (%)	Measurement Area (cm2)	Net Activity (dpm)	Comments	DCGL	DCGL Flag
4	4.1.4	6	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.4	7	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.4	8	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.4	9	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.4	10	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.4	11	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.4	12	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.4	13	1	1	0	1	1	0.37	100	3	MARSSIM	27.3	
4	4.1.4	14	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.4	15	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.4	16	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.4	17	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.4	18	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.5	1	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.5	2	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.5	3	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.5	4	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.5	5	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.5	6	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.5	7	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.5	8	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.5	9	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.5	10	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.5	11	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.5	12	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.5	13	2	1	0	1	2	0.37	100	5	MARSSIM	27.3	
4	4.1.5	14	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.5	15	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.5	16	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.5	17	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.1.5	18	0	1	0	1	0	0.37	100	0	MARSSIM	27.3	
4	4.2	1	1	1	0	1	1	0.35	100	3	MARSSIM	27.3	
4	4.2	2	1	1	0	1	1	0.35	100	3	MARSSIM	27.3	

## REMOVABLE ALPHA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg Count Time	Net Count Rate (cpm)	Efficiency (%)	Measurement Area (cm2)	Net Activity (dpm)	Comments	DCGL	DCGL Flag
4	4.2	3	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
4	4.2	4	1	1	0	1	1	0.35	100	3	MARSSIM	27.3	
4	4.2	5	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
4	4.2	6	1	1	0	1	1	0.35	100	3	MARSSIM	27.3	
4	4.2	7	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
4	4.2	8	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
4	4.2	9	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
4	4.2	10	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
4	4.2	11	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
4	4.2	12	1	1	0	1	1	0.35	100	3	MARSSIM	27.3	
4	4.2	13	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
4	4.2	14	1	1	0	1	1	0.35	100	3	MARSSIM	27.3	
4	4.2	15	1	1	0	1	1	0.35	100	3	MARSSIM	27.3	
4	4.2	16	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
4	4.2	17	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
4	4.2	18	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
4	4.4	1	1	1	1	1	0	0.33	100	0	MARSSIM	27.3	
4	4.4	2	1	1	1	1	0	0.33	100	0	MARSSIM	27.3	
4	4.4	3	1	1	1	1	0	0.33	100	0	MARSSIM	27.3	
4	4.4	4	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
4	4.4	5	1	1	1	1	0	0.33	100	0	MARSSIM	27.3	
4	4.4	6	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
4	4.4	7	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
4	4.4	8	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
4	4.4	9	1	1	1	1	0	0.33	100	0	MARSSIM	27.3	
4	4.4	10	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
4	4.4	11	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
4	4.4	12	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
4	4.4	13	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
4	4.4	14	1	1	1	1	0	0.33	100	0	MARSSIM	27.3	
4	4.4	15	1	1	1	1	0	0.33	100	0	MARSSIM	27.3	
4	4.4	16	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
4	4.4	17	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	

## REMOVABLE ALPHA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg Count Time	Net Count Rate (cpm)	Efficiency (%)	Measurement Area (cm2)	Net Activity (dpm)	Comments	DCGL	DCGL Flag
4	4.4	18	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
4	4.5	1	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
4	4.5	2	1	1	0	1	1	0.35	100	3	MARSSIM	27.3	
4	4.5	3	2	1	0	1	2	0.35	100	6	MARSSIM	27.3	
4	4.5	4	1	1	0	1	1	0.35	100	3	MARSSIM	27.3	
4	4.5	5	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
4	4.5	6	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
4	4.5	7	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
4	4.5	8	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
4	4.5	9	1	1	0	1	1	0.35	100	3	MARSSIM	27.3	
4	4.5	10	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
4	4.5	11	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
4	4.5	12	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
4	4.5	13	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
4	4.5	14	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
4	4.5	15	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
4	4.5	16	1	1	0	1	1	0.35	100	3	MARSSIM	27.3	
4	4.5	17	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
4	4.5	18	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
4	4.6	1	1	1	1	1	0	0.33	100	0	MARSSIM	27.3	
4	4.6	2	1	1	1	1	0	0.33	100	0	MARSSIM	27.3	
4	4.6	3	1	1	1	1	0	0.33	100	0	MARSSIM	27.3	
4	4.6	4	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
4	4.6	5	1	1	1	1	0	0.33	100	0	MARSSIM	27.3	
4	4.6	6	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
4	4.6	7	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
4	4.6	8	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
4	4.6	9	1	1	1	1	0	0.33	100	0	MARSSIM	27.3	
4	4.6	10	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
4	4.6	11	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
4	4.6	12	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
4	4.6	13	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
4	4.6	14	1	1	1	1	0	0.33	100	0	MARSSIM	27.3	

## REMOVABLE ALPHA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg Count Time	Net Count Rate (cpm)	Efficiency (%)	Measurement Area (cm <sup>2</sup> )	Net Activity (dpm)	Comments	DCGL	DCGL Flag
4	4.6	15	1	1	1	1	0	0.33	100	0	MARSSIM	27.3	
4	4.6	16	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
4	4.6	17	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
4	4.6	18	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
5		1	2	1	0	1	2	0.35	100	6	MARSSIM	27.3	
5		2	1	1	0	1	1	0.35	100	3	MARSSIM	27.3	
5		3	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
5		4	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
5		5	1	1	0	1	1	0.35	100	3	MARSSIM	27.3	
5		6	1	1	0	1	1	0.35	100	3	MARSSIM	27.3	
5		7	1	1	0	1	1	0.35	100	3	MARSSIM	27.3	
5		8	1	1	0	1	1	0.35	100	3	MARSSIM	27.3	
5		9	2	1	0	1	2	0.35	100	6	MARSSIM	27.3	
5		10	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
5		11	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
5		12	1	1	0	1	1	0.35	100	3	MARSSIM	27.3	
5		13	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
5		14	1	1	0	1	1	0.35	100	3	MARSSIM	27.3	
5		15	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
5		16	1	1	0	1	1	0.35	100	3	MARSSIM	27.3	
5		17	1	1	0	1	1	0.35	100	3	MARSSIM	27.3	
5		18	1	1	0	1	1	0.35	100	3	MARSSIM	27.3	
5		19	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
11	Vent.	1	1	1	1	1	0	0.33	100	0	MARSSIM	27.3	
11	Vent.	2	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
11	Vent.	3	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
11	Vent.	4	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
11	Vent.	5	1	1	1	1	0	0.33	100	0	MARSSIM	27.3	
11	Vent.	6	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
11	Vent.	7	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
11	Vent.	8	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
11	Vent.	9	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
11	Vent.	10	1	1	1	1	0	0.33	100	0	MARSSIM	27.3	

## REMOVABLE ALPHA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg Count Time	Net Count Rate (cpm)	Efficiency (%)	Measurement Area (cm <sup>2</sup> )	Net Activity (dpm)	Comments	DCGL	DCGL Flag
11	Vent.	11	1	1	1	1	0	0.33	100	0	MARSSIM	27.3	
11	Vent.	12	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
11	Vent.	13	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
11	Vent.	14	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
11	Vent.	15	1	1	1	1	0	0.33	100	0	MARSSIM	27.3	
11	Vent.	16	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
11	Vent.	17	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
11	Vent.	18	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
11	Mech.	1	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
11	Mech.	2	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
11	Mech.	3	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
11	Mech.	4	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
11	Mech.	5	1	1	0	1	1	0.35	100	3	MARSSIM	27.3	
11	Mech.	6	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
11	Mech.	7	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
11	Mech.	8	1	1	0	1	1	0.35	100	3	MARSSIM	27.3	
11	Mech.	9	1	1	0	1	1	0.35	100	3	MARSSIM	27.3	
11	Mech.	10	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
11	Mech.	11	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
11	Mech.	12	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
11	Mech.	13	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
11	Mech.	14	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
11	Mech.	15	1	1	0	1	1	0.35	100	3	MARSSIM	27.3	
11	Mech.	16	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
11	Mech.	17	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
11	Mech.	18	0	1	0	1	0	0.35	100	0	MARSSIM	27.3	
12		1	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
12		2	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
12		3	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
12		4	1	1	1	1	0	0.33	100	0	MARSSIM	27.3	
12		5	2	1	1	1	1	0.33	100	3	MARSSIM	27.3	
12		6	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
12		7	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	

## REMOVABLE ALPHA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg Count Time	Net Count Rate (cpm)	Efficiency (%)	Measurement Area (cm2)	Net Activity (dpm)	Comments	DCGL	DCGL Flag
12		8	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
12		9	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
12		10	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
12		11	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
12		12	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
12		13	1	1	1	1	0	0.33	100	0	MARSSIM	27.3	
12		14	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
12		15	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
12		16	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
12		17	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
12		18	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
4	Mez1	1	1	1	1	1	0	0.33	100	0	MARSSIM	27.3	
4	Mez1	2	1	1	1	1	0	0.33	100	0	MARSSIM	27.3	
4	Mez1	3	1	1	1	1	0	0.33	100	0	MARSSIM	27.3	
4	Mez1	4	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
4	Mez1	5	1	1	1	1	0	0.33	100	0	MARSSIM	27.3	
4	Mez1	6	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
4	Mez1	7	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
4	Mez1	8	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
4	Mez1	9	1	1	1	1	0	0.33	100	0	MARSSIM	27.3	
4	Mez1	10	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
4	Mez1	11	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
4	Mez1	12	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
4	Mez1	13	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
4	Mez1	14	1	1	1	1	0	0.33	100	0	MARSSIM	27.3	
4	Mez1	15	1	1	1	1	0	0.33	100	0	MARSSIM	27.3	
4	Mez1	16	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
4	Mez1	17	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
4	Mez1	18	0	1	1	1	-1	0.33	100	-3	MARSSIM	27.3	
7	generator rm.	1	0	1	0	1	0	0.36	100	0	MARSSIM	27.3	
7	generator rm.	2	3	1	0	1	3	0.36	100	8	MARSSIM	27.3	
7	generator rm.	3	2	1	0	1	2	0.36	100	6	MARSSIM	27.3	
7	generator rm.	4	1	1	0	1	1	0.36	100	3	MARSSIM	27.3	

## REMOVABLE ALPHA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg Count Time	Net Count Rate (cpm)	Efficiency (%)	Measurement Area (cm <sup>2</sup> )	Net Activity (dpm)	Comments	DCGL	DCGL Flag
7	generator rm.	5	0	1	0	1	0	0.36	100	0	MARSSIM	27.3	
7	generator rm.	6	0	1	0	1	0	0.36	100	0	MARSSIM	27.3	
7	generator rm.	7	0	1	0	1	0	0.36	100	0	MARSSIM	27.3	
7	generator rm.	8	0	1	0	1	0	0.36	100	0	MARSSIM	27.3	
7	generator rm.	9	0	1	0	1	0	0.36	100	0	MARSSIM	27.3	
7	generator rm.	10	0	1	0	1	0	0.36	100	0	MARSSIM	27.3	
7	generator rm.	11	0	1	0	1	0	0.36	100	0	MARSSIM	27.3	
7	generator rm.	12	0	1	0	1	0	0.36	100	0	MARSSIM	27.3	
7	generator rm.	13	0	1	0	1	0	0.36	100	0	MARSSIM	27.3	
7	generator rm.	14	0	1	0	1	0	0.36	100	0	MARSSIM	27.3	
7	generator rm.	15	0	1	0	1	0	0.36	100	0	MARSSIM	27.3	
7	generator rm.	16	0	1	0	1	0	0.36	100	0	MARSSIM	27.3	
7	generator rm.	17	1	1	0	1	1	0.36	100	3	MARSSIM	27.3	
7	generator rm.	18	0	1	0	1	0	0.36	100	0	MARSSIM	27.3	
4	R101 overhead	1	1	1	0	1	1	0.37	100	3		27.3	
4	R101 overhead	2	0	1	0	1	0	0.37	100	0		27.3	
4	R101 overhead	3	0	1	0	1	0	0.37	100	0		27.3	
4	R101 overhead	4	0	1	0	1	0	0.37	100	0		27.3	
4	R101 overhead	5	0	1	0	1	0	0.37	100	0		27.3	
4	R101 overhead	6	0	1	0	1	0	0.37	100	0		27.3	
4	R101 overhead	7	0	1	0	1	0	0.37	100	0		27.3	
4	R101 overhead	8	0	1	0	1	0	0.37	100	0		27.3	
4	R101 overhead	9	0	1	0	1	0	0.37	100	0		27.3	
4	R101 overhead	10	0	1	0	1	0	0.37	100	0		27.3	
4	R101 overhead	11	0	1	0	1	0	0.37	100	0		27.3	
4	R101 overhead	12	1	1	0	1	1	0.37	100	3		27.3	
4	R101 overhead	13	0	1	0	1	0	0.37	100	0		27.3	
4	R101 overhead	14	1	1	0	1	1	0.37	100	3		27.3	
4	R101 overhead	15	0	1	0	1	0	0.37	100	0		27.3	
4	R101 overhead	16	1	1	0	1	1	0.37	100	3		27.3	
4	R101 overhead	17	0	1	0	1	0	0.37	100	0		27.3	
4	R101 overhead	18	1	1	0	1	1	0.37	100	3		27.3	
4	R101 overhead	19	0	1	0	1	0	0.37	100	0		27.3	



## REMOVABLE ALPHA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg Count Time	Net Count Rate (cpm)	Efficiency (%)	Measurement Area (cm2)	Net Activity (dpm)	Comments	DCGL	DCGL Flag
4	R101 overhead	20	0	1	0	1	0	0.37	100	0		27.3	
4	R101 overhead	21	0	1	0	1	0	0.37	100	0		27.3	
4	R101 overhead	22	1	1	0	1	1	0.37	100	3		27.3	
4	R101 overhead	23	0	1	0	1	0	0.37	100	0		27.3	
4	R101 overhead	24	1	1	0	1	1	0.37	100	3		27.3	
4	R101 overhead	25	0	1	0	1	0	0.37	100	0		27.3	
4	R101 overhead	26	1	1	0	1	1	0.37	100	3		27.3	
4	R101 overhead	27	0	1	0	1	0	0.37	100	0		27.3	
4	R101 overhead	28	1	1	0	1	1	0.37	100	3		27.3	
4	R101 overhead	29	0	1	0	1	0	0.37	100	0		27.3	
4	R101 overhead	30	0	1	0	1	0	0.37	100	0		27.3	
4	R101 overhead	31	1	1	0	1	1	0.37	100	3		27.3	
4	R101 overhead	32	2	1	0	1	2	0.37	100	5		27.3	
4	R101 overhead	33	0	1	0	1	0	0.37	100	0		27.3	
4	R101 overhead	34	1	1	0	1	1	0.37	100	3		27.3	
4	R101 overhead	35	0	1	0	1	0	0.37	100	0		27.3	
4	R101 overhead	36	1	1	0	1	1	0.37	100	3		27.3	
4	R101 overhead	37	1	1	0	1	1	0.37	100	3		27.3	
4	R101 overhead	38	1	1	0	1	1	0.37	100	3		27.3	
4	R101 overhead	39	1	1	0	1	1	0.37	100	3		27.3	
4	R101 overhead	40	0	1	0	1	0	0.37	100	0		27.3	
4	R101 overhead	41	1	1	0	1	1	0.37	100	3		27.3	
4	R101 overhead	42	0	1	0	1	0	0.37	100	0		27.3	
4	R101 overhead	43	0	1	0	1	0	0.37	100	0		27.3	
4	R101 overhead	44	1	1	0	1	1	0.37	100	3		27.3	
4	R101 overhead	45	0	1	0	1	0	0.37	100	0		27.3	
4	R101 overhead	46	1	1	0	1	1	0.37	100	3		27.3	
4	R101 overhead	47	0	1	0	1	0	0.37	100	0		27.3	
4	R101 overhead	48	0	1	0	1	0	0.37	100	0		27.3	
4	R101 overhead	49	1	1	0	1	1	0.37	100	3		27.3	
4	R101 overhead	50	1	1	0	1	1	0.37	100	3		27.3	

## REMOVABLE BETA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg Count Time	Net Count Rate (cpm)	Efficiency (%)	Measurement Area (cm <sup>2</sup> )	Net Activity (dpm)	Comments	DCGL	DCGL Flag
1	Lower F	1	72	1	56	1	16	0.25	100	64	MARSSIM	710	
1	Lower F	2	83	1	56	1	27	0.25	100	108	MARSSIM	710	
1	Lower F	3	62	1	56	1	6	0.25	100	24	MARSSIM	710	
1	Lower F	4	66	1	56	1	10	0.25	100	40	MARSSIM	710	
1	Lower F	5	94	1	56	1	38	0.25	100	152	MARSSIM	710	
1	Lower F	6	62	1	56	1	6	0.25	100	24	MARSSIM	710	
1	Lower F	7	70	1	56	1	14	0.25	100	56	MARSSIM	710	
1	Lower F	8	76	1	56	1	20	0.25	100	80	MARSSIM	710	
1	Lower F	9	67	1	56	1	11	0.25	100	44	MARSSIM	710	
1	Low S wall	10	70	1	56	1	14	0.25	100	56	MARSSIM	710	
1	Low S wall	11	84	1	56	1	28	0.25	100	112	MARSSIM	710	
1	Low S wall	12	66	1	56	1	10	0.25	100	40	MARSSIM	710	
1	Low E wall	13	66	1	56	1	10	0.25	100	40	MARSSIM	710	
1	Low E wall	14	69	1	56	1	13	0.25	100	52	MARSSIM	710	
1	Low N wall	15	83	1	56	1	27	0.25	100	108	MARSSIM	710	
1	Low N wall	16	68	1	56	1	12	0.25	100	48	MARSSIM	710	
1	Low N wall	17	68	1	56	1	12	0.25	100	48	MARSSIM	710	
1	Low W wall	18	66	1	56	1	10	0.25	100	40	MARSSIM	710	
1	Low W wall	19	66	1	56	1	10	0.25	100	40	MARSSIM	710	
1	Upper C	1	63	1	54	1	9	0.26	100	35	MARSSIM	710	
1	Upper C	2	58	1	54	1	4	0.26	100	15	MARSSIM	710	
1	UpperC	3	66	1	54	1	12	0.26	100	46	MARSSIM	710	
1	Upper C	4	64	1	54	1	10	0.26	100	38	MARSSIM	710	
1	Upper C	5	61	1	54	1	7	0.26	100	27	MARSSIM	710	
1	Upper C	6	70	1	54	1	16	0.26	100	62	MARSSIM	710	
1	Upper C	7	67	1	54	1	13	0.26	100	50	MARSSIM	710	
1	Upper C	8	77	1	54	1	23	0.26	100	88	MARSSIM	710	
1	Upper C	9	53	1	54	1	-1	0.26	100	-4	MARSSIM	710	
1	Up N wall	10	64	1	54	1	10	0.26	100	38	MARSSIM	710	
1	Up N wall	11	65	1	54	1	11	0.26	100	42	MARSSIM	710	
1	Up E wall	12	58	1	54	1	4	0.26	100	15	MARSSIM	710	
1	Up E wall	13	62	1	54	1	8	0.26	100	31	MARSSIM	710	
1	Up E wall	14	66	1	54	1	12	0.26	100	46	MARSSIM	710	

## REMOVABLE BETA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg Count Time	Net Count Rate (cpm)	Efficiency (%)	Measurement Area (cm <sup>2</sup> )	Net Activity (dpm)	Comments	DCGL	DCGL Flag
1	Up S wall	15	70	1	54	1	16	0.26	100	62	MARSSIM	710	
1	Up S wall	16	53	1	54	1	-1	0.26	100	-4	MARSSIM	710	
1	Up W wall	17	52	1	54	1	-2	0.26	100	-8	MARSSIM	710	
1	Up W wall	18	63	1	54	1	9	0.26	100	35	MARSSIM	710	
2		1	69	1	56	1	13	0.25	100	52	MARSSIM	710	
2		2	67	1	56	1	11	0.25	100	44	MARSSIM	710	
2		3	68	1	56	1	12	0.25	100	48	MARSSIM	710	
2		4	65	1	56	1	9	0.25	100	36	MARSSIM	710	
2		5	72	1	56	1	16	0.25	100	64	MARSSIM	710	
2		6	53	1	56	1	-3	0.25	100	-12	MARSSIM	710	
2		7	74	1	56	1	18	0.25	100	72	MARSSIM	710	
2		8	62	1	56	1	6	0.25	100	24	MARSSIM	710	
2		9	81	1	56	1	25	0.25	100	100	MARSSIM	710	
2		10	74	1	56	1	18	0.25	100	72	MARSSIM	710	
2		11	74	1	56	1	18	0.25	100	72	MARSSIM	710	
2		12	69	1	56	1	13	0.25	100	52	MARSSIM	710	
2		13	63	1	56	1	7	0.25	100	28	MARSSIM	710	
2		14	83	1	56	1	27	0.25	100	108	MARSSIM	710	
2		15	74	1	56	1	18	0.25	100	72	MARSSIM	710	
2		16	59	1	56	1	3	0.25	100	12	MARSSIM	710	
2		17	71	1	56	1	15	0.25	100	60	MARSSIM	710	
2		18	81	1	56	1	25	0.25	100	100	MARSSIM	710	
3		1	72	1	64	1	8	0.26	100	31	MARSSIM	710	
3		2	68	1	64	1	4	0.26	100	15	MARSSIM	710	
3		3	61	1	64	1	-3	0.26	100	-12	MARSSIM	710	
3		4	59	1	64	1	-5	0.26	100	-19	MARSSIM	710	
3		5	63	1	64	1	-1	0.26	100	-4	MARSSIM	710	
3		6	62	1	64	1	-2	0.26	100	-8	MARSSIM	710	
3		7	60	1	64	1	-4	0.26	100	-15	MARSSIM	710	
3		8	53	1	64	1	-11	0.26	100	-42	MARSSIM	710	
3		9	55	1	64	1	-9	0.26	100	-35	MARSSIM	710	
3		10	59	1	64	1	-5	0.26	100	-19	MARSSIM	710	
3		11	65	1	64	1	1	0.26	100	4	MARSSIM	710	

## REMOVABLE BETA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg Count Time	Net Count Rate (cpm)	Efficiency (%)	Measurement Area (cm2)	Net Activity (dpm)	Comments	DCGL	DCGL Flag
3		12	63	1	64	1	-1	0.26	100	-4	MARSSIM	710	
3		13	66	1	64	1	2	0.26	100	8	MARSSIM	710	
3		14	59	1	64	1	-5	0.26	100	-19	MARSSIM	710	
3		15	55	1	64	1	-9	0.26	100	-35	MARSSIM	710	
3		16	61	1	64	1	-3	0.26	100	-12	MARSSIM	710	
3		17	64	1	64	1	0	0.26	100	0	MARSSIM	710	
3		18	66	1	64	1	2	0.26	100	8	MARSSIM	710	
4	4.1.1	1	62	1	63	1	-1	0.26	100	-4	MARSSIM	710	
4	4.1.1	2	63	1	63	1	0	0.26	100	0	MARSSIM	710	
4	4.1.1	3	69	1	63	1	6	0.26	100	23	MARSSIM	710	
4	4.1.1	4	55	1	63	1	-8	0.26	100	-31	MARSSIM	710	
4	4.1.1	5	74	1	63	1	11	0.26	100	42	MARSSIM	710	
4	4.1.1	6	68	1	63	1	5	0.26	100	19	MARSSIM	710	
4	4.1.1	7	59	1	63	1	-4	0.26	100	-15	MARSSIM	710	
4	4.1.1	8	63	1	63	1	0	0.26	100	0	MARSSIM	710	
4	4.1.1	9	73	1	63	1	10	0.26	100	38	MARSSIM	710	
4	4.1.1	10	54	1	63	1	-9	0.26	100	-35	MARSSIM	710	
4	4.1.1	11	55	1	63	1	-8	0.26	100	-31	MARSSIM	710	
4	4.1.1	12	49	1	63	1	-14	0.26	100	-54	MARSSIM	710	
4	4.1.1	13	50	1	63	1	-13	0.26	100	-50	MARSSIM	710	
4	4.1.1	14	55	1	63	1	-8	0.26	100	-31	MARSSIM	710	
4	4.1.1	15	79	1	63	1	16	0.26	100	62	MARSSIM	710	
4	4.1.1	16	63	1	63	1	0	0.26	100	0	MARSSIM	710	
4	4.1.1	17	57	1	63	1	-6	0.26	100	-23	MARSSIM	710	
4	4.1.1	18	75	1	63	1	12	0.26	100	46	MARSSIM	710	
4	4.1.2	1	67	1	63	1	4	0.26	100	15	MARSSIM	710	
4	4.1.2	2	61	1	63	1	-2	0.26	100	-8	MARSSIM	710	
4	4.1.2	3	56	1	63	1	-7	0.26	100	-27	MARSSIM	710	
4	4.1.2	4	72	1	63	1	9	0.26	100	35	MARSSIM	710	
4	4.1.2	5	86	1	63	1	23	0.26	100	88	MARSSIM	710	
4	4.1.2	6	69	1	63	1	6	0.26	100	23	MARSSIM	710	
4	4.1.2	7	87	1	63	1	24	0.26	100	92	MARSSIM	710	
4	4.1.2	8	80	1	63	1	17	0.26	100	65	MARSSIM	710	

## REMOVABLE BETA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg Count Time	Net Count Rate (cpm)	Efficiency (%)	Measurement Area (cm2)	Net Activity (dpm)	Comments	DCGL	DCGL Flag
4	4.1.2	9	94	1	63	1	31	0.26	100	119	MARSSIM	710	
4	4.1.2	10	77	1	63	1	14	0.26	100	54	MARSSIM	710	
4	4.1.2	11	68	1	63	1	5	0.26	100	19	MARSSIM	710	
4	4.1.2	12	58	1	63	1	-5	0.26	100	-19	MARSSIM	710	
4	4.1.2	13	78	1	63	1	15	0.26	100	58	MARSSIM	710	
4	4.1.2	14	68	1	63	1	5	0.26	100	19	MARSSIM	710	
4	4.1.2	15	77	1	63	1	14	0.26	100	54	MARSSIM	710	
4	4.1.2	16	63	1	63	1	0	0.26	100	0	MARSSIM	710	
4	4.1.2	17	51	1	63	1	-12	0.26	100	-46	MARSSIM	710	
4	4.1.2	18	62	1	63	1	-1	0.26	100	-4	MARSSIM	710	
4	4.1.3	1	61	1	63	1	-2	0.26	100	-8	MARSSIM	710	
4	4.1.3	2	71	1	63	1	8	0.26	100	31	MARSSIM	710	
4	4.1.3	3	66	1	63	1	3	0.26	100	12	MARSSIM	710	
4	4.1.3	4	73	1	63	1	10	0.26	100	38	MARSSIM	710	
4	4.1.3	5	60	1	63	1	-3	0.26	100	-12	MARSSIM	710	
4	4.1.3	6	54	1	63	1	-9	0.26	100	-35	MARSSIM	710	
4	4.1.3	7	68	1	63	1	5	0.26	100	19	MARSSIM	710	
4	4.1.3	8	83	1	63	1	20	0.26	100	77	MARSSIM	710	
4	4.1.3	9	54	1	63	1	-9	0.26	100	-35	MARSSIM	710	
4	4.1.3	10	70	1	63	1	7	0.26	100	27	MARSSIM	710	
4	4.1.3	11	67	1	63	1	4	0.26	100	15	MARSSIM	710	
4	4.1.3	12	66	1	63	1	3	0.26	100	12	MARSSIM	710	
4	4.1.3	13	78	1	63	1	15	0.26	100	58	MARSSIM	710	
4	4.1.3	14	64	1	63	1	1	0.26	100	4	MARSSIM	710	
4	4.1.3	15	47	1	63	1	-16	0.26	100	-62	MARSSIM	710	
4	4.1.3	16	48	1	63	1	-15	0.26	100	-58	MARSSIM	710	
4	4.1.3	17	60	1	63	1	-3	0.26	100	-12	MARSSIM	710	
4	4.1.3	18	66	1	63	1	3	0.26	100	12	MARSSIM	710	
4	4.1.4	1	58	1	63	1	-5	0.26	100	-19	MARSSIM	710	
4	4.1.4	2	68	1	63	1	5	0.26	100	19	MARSSIM	710	
4	4.1.4	3	69	1	63	1	6	0.26	100	23	MARSSIM	710	
4	4.1.4	4	69	1	63	1	6	0.26	100	23	MARSSIM	710	
4	4.1.4	5	63	1	63	1	0	0.26	100	0	MARSSIM	710	

## REMOVABLE BETA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg Count Time	Net Count Rate (cpm)	Efficiency (%)	Measurement Area (cm2)	Net Activity (dpm)	Comments	DCGL	DCGL Flag
4	4.1.4	6	43	1	63	1	-20	0.26	100	-77	MARSSIM	710	
4	4.1.4	7	64	1	63	1	1	0.26	100	4	MARSSIM	710	
4	4.1.4	8	58	1	63	1	-5	0.26	100	-19	MARSSIM	710	
4	4.1.4	9	59	1	63	1	-4	0.26	100	-15	MARSSIM	710	
4	4.1.4	10	56	1	63	1	-7	0.26	100	-27	MARSSIM	710	
4	4.1.4	11	63	1	63	1	0	0.26	100	0	MARSSIM	710	
4	4.1.4	12	69	1	63	1	6	0.26	100	23	MARSSIM	710	
4	4.1.4	13	52	1	63	1	-11	0.26	100	-42	MARSSIM	710	
4	4.1.4	14	60	1	63	1	-3	0.26	100	-12	MARSSIM	710	
4	4.1.4	15	71	1	63	1	8	0.26	100	31	MARSSIM	710	
4	4.1.4	16	78	1	63	1	15	0.26	100	58	MARSSIM	710	
4	4.1.4	17	57	1	63	1	-6	0.26	100	-23	MARSSIM	710	
4	4.1.4	18	53	1	63	1	-10	0.26	100	-38	MARSSIM	710	
4	4.1.5	1	53	1	63	1	-10	0.26	100	-38	MARSSIM	710	
4	4.1.5	2	65	1	63	1	2	0.26	100	8	MARSSIM	710	
4	4.1.5	3	57	1	63	1	-6	0.26	100	-23	MARSSIM	710	
4	4.1.5	4	69	1	63	1	6	0.26	100	23	MARSSIM	710	
4	4.1.5	5	53	1	63	1	-10	0.26	100	-38	MARSSIM	710	
4	4.1.5	6	61	1	63	1	-2	0.26	100	-8	MARSSIM	710	
4	4.1.5	7	75	1	63	1	12	0.26	100	46	MARSSIM	710	
4	4.1.5	8	65	1	63	1	2	0.26	100	8	MARSSIM	710	
4	4.1.5	9	61	1	63	1	-2	0.26	100	-8	MARSSIM	710	
4	4.1.5	10	60	1	63	1	-3	0.26	100	-12	MARSSIM	710	
4	4.1.5	11	61	1	63	1	-2	0.26	100	-8	MARSSIM	710	
4	4.1.5	12	59	1	63	1	-4	0.26	100	-15	MARSSIM	710	
4	4.1.5	13	52	1	63	1	-11	0.26	100	-42	MARSSIM	710	
4	4.1.5	14	59	1	63	1	-4	0.26	100	-15	MARSSIM	710	
4	4.1.5	15	51	1	63	1	-12	0.26	100	-46	MARSSIM	710	
4	4.1.5	16	75	1	63	1	12	0.26	100	46	MARSSIM	710	
4	4.1.5	17	53	1	63	1	-10	0.26	100	-38	MARSSIM	710	
4	4.1.5	18	55	1	63	1	-8	0.26	100	-31	MARSSIM	710	
4	4.2	1	68	1	56	1	12	0.25	100	48	MARSSIM	710	
4	4.2	2	75	1	56	1	19	0.25	100	76	MARSSIM	710	

## REMOVABLE BETA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg Count Time	Net Count Rate (cpm)	Efficiency (%)	Measurement Area (cm <sup>2</sup> )	Net Activity (dpm)	Comments	DCGL	DCGL Flag
4	4.2	3	71	1	56	1	15	0.25	100	60	MARSSIM	710	
4	4.2	4	71	1	56	1	15	0.25	100	60	MARSSIM	710	
4	4.2	5	76	1	56	1	20	0.25	100	80	MARSSIM	710	
4	4.2	6	65	1	56	1	9	0.25	100	36	MARSSIM	710	
4	4.2	7	79	1	56	1	23	0.25	100	92	MARSSIM	710	
4	4.2	8	57	1	56	1	1	0.25	100	4	MARSSIM	710	
4	4.2	9	66	1	56	1	10	0.25	100	40	MARSSIM	710	
4	4.2	10	65	1	56	1	9	0.25	100	36	MARSSIM	710	
4	4.2	11	73	1	56	1	17	0.25	100	68	MARSSIM	710	
4	4.2	12	72	1	56	1	16	0.25	100	64	MARSSIM	710	
4	4.2	13	66	1	56	1	10	0.25	100	40	MARSSIM	710	
4	4.2	14	70	1	56	1	14	0.25	100	56	MARSSIM	710	
4	4.2	15	65	1	56	1	9	0.25	100	36	MARSSIM	710	
4	4.2	16	69	1	56	1	13	0.25	100	52	MARSSIM	710	
4	4.2	17	59	1	56	1	3	0.25	100	12	MARSSIM	710	
4	4.2	18	63	1	56	1	7	0.25	100	28	MARSSIM	710	
4	4.4	1	63	1	64	1	-1	0.26	100	-4	MARSSIM	710	
4	4.4	2	58	1	64	1	-6	0.26	100	-23	MARSSIM	710	
4	4.4	3	59	1	64	1	-5	0.26	100	-19	MARSSIM	710	
4	4.4	4	63	1	64	1	-1	0.26	100	-4	MARSSIM	710	
4	4.4	5	68	1	64	1	4	0.26	100	15	MARSSIM	710	
4	4.4	6	65	1	64	1	1	0.26	100	4	MARSSIM	710	
4	4.4	7	52	1	64	1	-12	0.26	100	-46	MARSSIM	710	
4	4.4	8	58	1	64	1	-6	0.26	100	-23	MARSSIM	710	
4	4.4	9	61	1	64	1	-3	0.26	100	-12	MARSSIM	710	
4	4.4	10	59	1	64	1	-5	0.26	100	-19	MARSSIM	710	
4	4.4	11	65	1	64	1	1	0.26	100	4	MARSSIM	710	
4	4.4	12	66	1	64	1	2	0.26	100	8	MARSSIM	710	
4	4.4	13	62	1	64	1	-2	0.26	100	-8	MARSSIM	710	
4	4.4	14	58	1	64	1	-6	0.26	100	-23	MARSSIM	710	
4	4.4	15	57	1	64	1	-7	0.26	100	-27	MARSSIM	710	
4	4.4	16	59	1	64	1	-5	0.26	100	-19	MARSSIM	710	
4	4.4	17	65	1	64	1	1	0.26	100	4	MARSSIM	710	

## REMOVABLE BETA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg Count Time	Net Count Rate (cpm)	Efficiency (%)	Measurement Area (cm2)	Net Activity (dpm)	Comments	DCGL	DCGL Flag
4	4.4	18	66	1	64	1	2	0.26	100	8	MARSSIM	710	
4	4.5	1	54	1	56	1	-2	0.25	100	-8	MARSSIM	710	
4	4.5	2	56	1	56	1	0	0.25	100	0	MARSSIM	710	
4	4.5	3	77	1	56	1	21	0.25	100	84	MARSSIM	710	
4	4.5	4	64	1	56	1	8	0.25	100	32	MARSSIM	710	
4	4.5	5	67	1	56	1	11	0.25	100	44	MARSSIM	710	
4	4.5	6	72	1	56	1	16	0.25	100	64	MARSSIM	710	
4	4.5	7	58	1	56	1	2	0.25	100	8	MARSSIM	710	
4	4.5	8	75	1	56	1	19	0.25	100	76	MARSSIM	710	
4	4.5	9	68	1	56	1	12	0.25	100	48	MARSSIM	710	
4	4.5	10	86	1	56	1	30	0.25	100	120	MARSSIM	710	
4	4.5	11	68	1	56	1	12	0.25	100	48	MARSSIM	710	
4	4.5	12	57	1	56	1	1	0.25	100	4	MARSSIM	710	
4	4.5	13	81	1	56	1	25	0.25	100	100	MARSSIM	710	
4	4.5	14	60	1	56	1	4	0.25	100	16	MARSSIM	710	
4	4.5	15	88	1	56	1	32	0.25	100	128	MARSSIM	710	
4	4.5	16	64	1	56	1	8	0.25	100	32	MARSSIM	710	
4	4.5	17	68	1	56	1	12	0.25	100	48	MARSSIM	710	
4	4.5	18	73	1	56	1	17	0.25	100	68	MARSSIM	710	
4	4.6	1	58	1	64	1	-6	0.26	100	-23	MARSSIM	710	
4	4.6	2	59	1	64	1	-5	0.26	100	-19	MARSSIM	710	
4	4.6	3	65	1	64	1	1	0.26	100	4	MARSSIM	710	
4	4.6	4	61	1	64	1	-3	0.26	100	-12	MARSSIM	710	
4	4.6	5	59	1	64	1	-5	0.26	100	-19	MARSSIM	710	
4	4.6	6	61	1	64	1	-3	0.26	100	-12	MARSSIM	710	
4	4.6	7	66	1	64	1	2	0.26	100	8	MARSSIM	710	
4	4.6	8	61	1	64	1	-3	0.26	100	-12	MARSSIM	710	
4	4.6	9	53	1	64	1	-11	0.26	100	-42	MARSSIM	710	
4	4.6	10	59	1	64	1	-5	0.26	100	-19	MARSSIM	710	
4	4.6	11	56	1	64	1	-8	0.26	100	-31	MARSSIM	710	
4	4.6	12	66	1	64	1	2	0.26	100	8	MARSSIM	710	
4	4.6	13	59	1	64	1	-5	0.26	100	-19	MARSSIM	710	
4	4.6	14	62	1	64	1	-2	0.26	100	-8	MARSSIM	710	



## REMOVABLE BETA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg Count Time	Net Count Rate (cpm)	Efficiency (%)	Measurement Area (cm2)	Net Activity (dpm)	Comments	DCGL	DCGL Flag
4	4.6	15	62	1	64	1	-2	0.26	100	-8	MARSSIM	710	
4	4.6	16	59	1	64	1	-5	0.26	100	-19	MARSSIM	710	
4	4.6	17	57	1	64	1	-7	0.26	100	-27	MARSSIM	710	
4	4.6	18	64	1	64	1	0	0.26	100	0	MARSSIM	710	
4	Mez1	1	69	1	64	1	5	0.26	100	19	MARSSIM	710	
4	Mez1	2	66	1	64	1	2	0.26	100	8	MARSSIM	710	
4	Mez1	3	69	1	64	1	5	0.26	100	19	MARSSIM	710	
4	Mez1	4	66	1	64	1	2	0.26	100	8	MARSSIM	710	
4	Mez1	5	54	1	64	1	-10	0.26	100	-38	MARSSIM	710	
4	Mez1	6	59	1	64	1	-5	0.26	100	-19	MARSSIM	710	
4	Mez1	7	53	1	64	1	-11	0.26	100	-42	MARSSIM	710	
4	Mez1	8	61	1	64	1	-3	0.26	100	-12	MARSSIM	710	
4	Mez1	9	66	1	64	1	2	0.26	100	8	MARSSIM	710	
4	Mez1	10	64	1	64	1	0	0.26	100	0	MARSSIM	710	
4	Mez1	11	62	1	64	1	-2	0.26	100	-8	MARSSIM	710	
4	Mez1	12	62	1	64	1	-2	0.26	100	-8	MARSSIM	710	
4	Mez1	13	58	1	64	1	-6	0.26	100	-23	MARSSIM	710	
4	Mez1	14	60	1	64	1	-4	0.26	100	-15	MARSSIM	710	
4	Mez1	15	61	1	64	1	-3	0.26	100	-12	MARSSIM	710	
4	Mez1	16	68	1	64	1	4	0.26	100	15	MARSSIM	710	
4	Mez1	17	71	1	64	1	7	0.26	100	27	MARSSIM	710	
4	Mez1	18	66	1	64	1	2	0.26	100	8	MARSSIM	710	
4	R101overhead	1	45	1	62	1	-17	0.26	100	-65	north vent	710	
4	R101overhead	2	55	1	62	1	-7	0.26	100	-27	north vent	710	
4	R101overhead	3	75	1	62	1	13	0.26	100	50	north vent	710	
4	R101overhead	4	68	1	62	1	6	0.26	100	23	north vent	710	
4	R101overhead	5	65	1	62	1	3	0.26	100	12	north vent	710	
4	R101overhead	6	59	1	62	1	-3	0.26	100	-12	north vent	710	
4	R101overhead	7	90	1	62	1	28	0.26	100	108	north vent	710	
4	R101overhead	8	43	1	62	1	-19	0.26	100	-73	north vent	710	
4	R101overhead	9	52	1	62	1	-10	0.26	100	-38	north vent	710	
4	R101overhead	10	56	1	62	1	-6	0.26	100	-23	north vent	710	
4	R101overhead	11	55	1	62	1	-7	0.26	100	-27	west vent	710	

## REMOVABLE BETA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg Count Time	Net Count Rate (cpm)	Efficiency (%)	Measurement Area (cm <sup>2</sup> )	Net Activity (dpm)	Comments	DCGL	DCGL Flag
4	R101overhead	12	49	1	62	1	-13	0.26	100	-50	west vent	710	
4	R101overhead	13	69	1	62	1	7	0.26	100	27	west vent	710	
4	R101overhead	14	78	1	62	1	16	0.26	100	62	west vent	710	
4	R101overhead	15	66	1	62	1	4	0.26	100	15	west vent	710	
4	R101overhead	16	55	1	62	1	-7	0.26	100	-27	west vent	710	
4	R101overhead	17	88	1	62	1	26	0.26	100	100	west vent	710	
4	R101overhead	18	49	1	62	1	-13	0.26	100	-50	west vent	710	
4	R101overhead	19	54	1	62	1	-8	0.26	100	-31	west vent	710	
4	R101overhead	20	60	1	62	1	-2	0.26	100	-8	west vent	710	
4	R101overhead	21	59	1	62	1	-3	0.26	100	-12	east vent	710	
4	R101overhead	22	44	1	62	1	-18	0.26	100	-69	east vent	710	
4	R101overhead	23	70	1	62	1	8	0.26	100	31	east vent	710	
4	R101overhead	24	75	1	62	1	13	0.26	100	50	east vent	710	
4	R101overhead	25	66	1	62	1	4	0.26	100	15	east vent	710	
4	R101overhead	26	51	1	62	1	-11	0.26	100	-42	east vent	710	
4	R101overhead	27	78	1	62	1	16	0.26	100	62	east vent	710	
4	R101overhead	28	50	1	62	1	-12	0.26	100	-46	east vent	710	
4	R101overhead	29	59	1	62	1	-3	0.26	100	-12	east vent	710	
4	R101overhead	30	66	1	62	1	4	0.26	100	15	east vent	710	
4	R101overhead	31	56	1	62	1	-6	0.26	100	-23	south vent	710	
4	R101overhead	32	55	1	62	1	-7	0.26	100	-27	south vent	710	
4	R101overhead	33	66	1	62	1	4	0.26	100	15	south vent	710	
4	R101overhead	34	74	1	62	1	12	0.26	100	46	south vent	710	
4	R101overhead	35	63	1	62	1	1	0.26	100	4	south vent	710	
4	R101overhead	36	54	1	62	1	-8	0.26	100	-31	south vent	710	
4	R101overhead	37	75	1	62	1	13	0.26	100	50	south vent	710	
4	R101overhead	38	55	1	62	1	-7	0.26	100	-27	south vent	710	
4	R101overhead	39	60	1	62	1	-2	0.26	100	-8	south vent	710	
4	R101overhead	40	62	1	62	1	0	0.26	100	0	south vent	710	
4	R101overhead	41	66	1	62	1	4	0.26	100	15	crane	710	
4	R101overhead	42	55	1	62	1	-7	0.26	100	-27	crane	710	
4	R101overhead	43	74	1	62	1	12	0.26	100	46	crane	710	
4	R101overhead	44	77	1	62	1	15	0.26	100	58	crane	710	

## REMOVABLE BETA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg Count Time	Net Count Rate (cpm)	Efficiency (%)	Measurement Area (cm2)	Net Activity (dpm)	Comments	DCGL	DCGL Flag
4	R101overhead	45	69	1	62	1	7	0.26	100	27	crane	710	
4	R101overhead	46	49	1	62	1	-13	0.26	100	-50	crane	710	
4	R101overhead	47	80	1	62	1	18	0.26	100	69	crane	710	
4	R101overhead	48	49	1	62	1	-13	0.26	100	-50	crane	710	
4	R101overhead	49	54	1	62	1	-8	0.26	100	-31	crane	710	
4	R101overhead	50	60	1	62	1	-2	0.26	100	-8	crane	710	
5		1	79	1	56	1	23	0.25	100	92	MARSSIM	710	
5		2	67	1	56	1	11	0.25	100	44	MARSSIM	710	
5		3	79	1	56	1	23	0.25	100	92	MARSSIM	710	
5		4	71	1	56	1	15	0.25	100	60	MARSSIM	710	
5		5	59	1	56	1	3	0.25	100	12	MARSSIM	710	
5		6	73	1	56	1	17	0.25	100	68	MARSSIM	710	
5		7	63	1	56	1	7	0.25	100	28	MARSSIM	710	
5		8	75	1	56	1	19	0.25	100	76	MARSSIM	710	
5		9	66	1	56	1	10	0.25	100	40	MARSSIM	710	
5		10	71	1	56	1	15	0.25	100	60	MARSSIM	710	
5		11	68	1	56	1	12	0.25	100	48	MARSSIM	710	
5		12	55	1	56	1	-1	0.25	100	-4	MARSSIM	710	
5		13	64	1	56	1	8	0.25	100	32	MARSSIM	710	
5		14	74	1	56	1	18	0.25	100	72	MARSSIM	710	
5		15	73	1	56	1	17	0.25	100	68	MARSSIM	710	
5		16	60	1	56	1	4	0.25	100	16	MARSSIM	710	
5		17	71	1	56	1	15	0.25	100	60	MARSSIM	710	
5		18	58	1	56	1	2	0.25	100	8	MARSSIM	710	
5		19	61	1	56	1	5	0.25	100	20	MARSSIM	710	
7	generator rm.	1	67	1	69	1	-2	0.26	100	-8	MARSSIM	710	
7	generator rm.	2	63	1	69	1	-6	0.26	100	-23	MARSSIM	710	
7	generator rm.	3	54	1	69	1	-15	0.26	100	-58	MARSSIM	710	
7	generator rm.	4	71	1	69	1	2	0.26	100	8	MARSSIM	710	
7	generator rm.	5	71	1	69	1	2	0.26	100	8	MARSSIM	710	
7	generator rm.	6	64	1	69	1	-5	0.26	100	-19	MARSSIM	710	
7	generator rm.	7	63	1	69	1	-6	0.26	100	-23	MARSSIM	710	
7	generator rm.	8	66	1	69	1	-3	0.26	100	-12	MARSSIM	710	

## REMOVABLE BETA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg Count Time	Net Count Rate (cpm)	Efficiency (%)	Measurement Area (cm <sup>2</sup> )	Net Activity (dpm)	Comments	DCGL	DCGL Flag
7	generator rm.	9	70	1	69	1	1	0.26	100	4	MARSSIM	710	
7	generator rm.	10	56	1	69	1	-13	0.26	100	-50	MARSSIM	710	
7	generator rm.	11	57	1	69	1	-12	0.26	100	-46	MARSSIM	710	
7	generator rm.	12	63	1	69	1	-6	0.26	100	-23	MARSSIM	710	
7	generator rm.	13	66	1	69	1	-3	0.26	100	-12	MARSSIM	710	
7	generator rm.	14	66	1	69	1	-3	0.26	100	-12	MARSSIM	710	
7	generator rm.	15	61	1	69	1	-8	0.26	100	-31	MARSSIM	710	
7	generator rm.	16	72	1	69	1	3	0.26	100	12	MARSSIM	710	
7	generator rm.	17	61	1	69	1	-8	0.26	100	-31	MARSSIM	710	
7	generator rm.	18	51	1	69	1	-18	0.26	100	-69	MARSSIM	710	
11	Vent.	1	99	1	64	1	35	0.25	100	140	MARSSIM	710	
11	Vent.	2	81	1	64	1	17	0.25	100	68	MARSSIM	710	
11	Vent.	3	74	1	64	1	10	0.25	100	40	MARSSIM	710	
11	Vent.	4	71	1	64	1	7	0.25	100	28	MARSSIM	710	
11	Vent.	5	75	1	64	1	11	0.25	100	44	MARSSIM	710	
11	Vent.	6	66	1	64	1	2	0.25	100	8	MARSSIM	710	
11	Vent.	7	75	1	64	1	11	0.25	100	44	MARSSIM	710	
11	Vent.	8	62	1	64	1	-2	0.25	100	-8	MARSSIM	710	
11	Vent.	9	58	1	64	1	-6	0.25	100	-24	MARSSIM	710	
11	Vent.	10	69	1	64	1	5	0.25	100	20	MARSSIM	710	
11	Vent.	11	64	1	64	1	0	0.25	100	0	MARSSIM	710	
11	Vent.	12	58	1	64	1	-6	0.25	100	-24	MARSSIM	710	
11	Vent.	13	66	1	64	1	2	0.25	100	8	MARSSIM	710	
11	Vent.	14	74	1	64	1	10	0.25	100	40	MARSSIM	710	
11	Vent.	15	69	1	64	1	5	0.25	100	20	MARSSIM	710	
11	Vent.	16	58	1	64	1	-6	0.25	100	-24	MARSSIM	710	
11	Vent.	17	62	1	64	1	-2	0.25	100	-8	MARSSIM	710	
11	Vent.	18	65	1	64	1	1	0.25	100	4	MARSSIM	710	
11	Mech.	1	75	1	56	1	19	0.25	100	76	MARSSIM	710	
11	Mech.	2	67	1	56	1	11	0.25	100	44	MARSSIM	710	
11	Mech.	3	65	1	56	1	9	0.25	100	36	MARSSIM	710	
11	Mech.	4	78	1	56	1	22	0.25	100	88	MARSSIM	710	
11	Mech.	5	65	1	56	1	9	0.25	100	36	MARSSIM	710	

## REMOVABLE BETA MEASUREMENT RESULTS

Operable Unit No.	Survey Unit No.	Measurement Location	Gross Counts	Count Time (min)	Bkg. Counts	Bkg Count Time	Net Count Rate (cpm)	Efficiency (%)	Measurement Area (cm <sup>2</sup> )	Net Activity (dpm)	Comments	DCGL	DCGL Flag
11	Mech.	6	67	1	56	1	11	0.25	100	44	MARSSIM	710	
11	Mech.	7	69	1	56	1	13	0.25	100	52	MARSSIM	710	
11	Mech.	8	72	1	56	1	16	0.25	100	64	MARSSIM	710	
11	Mech.	9	64	1	56	1	8	0.25	100	32	MARSSIM	710	
11	Mech.	10	78	1	56	1	22	0.25	100	88	MARSSIM	710	
11	Mech.	11	65	1	56	1	9	0.25	100	36	MARSSIM	710	
11	Mech.	12	71	1	56	1	15	0.25	100	60	MARSSIM	710	
11	Mech.	13	69	1	56	1	13	0.25	100	52	MARSSIM	710	
11	Mech.	14	64	1	56	1	8	0.25	100	32	MARSSIM	710	
11	Mech.	15	58	1	56	1	2	0.25	100	8	MARSSIM	710	
11	Mech.	16	75	1	56	1	19	0.25	100	76	MARSSIM	710	
11	Mech.	17	71	1	56	1	15	0.25	100	60	MARSSIM	710	
11	Mech.	18	69	1	56	1	13	0.25	100	52	MARSSIM	710	
12		1	83	1	64	1	19	0.25	100	76	MARSSIM	710	
12		2	64	1	64	1	0	0.25	100	0	MARSSIM	710	
12		3	72	1	64	1	8	0.25	100	32	MARSSIM	710	
12		4	80	1	64	1	16	0.25	100	64	MARSSIM	710	
12		5	72	1	64	1	8	0.25	100	32	MARSSIM	710	
12		6	68	1	64	1	4	0.25	100	16	MARSSIM	710	
12		7	55	1	64	1	-9	0.25	100	-36	MARSSIM	710	
12		8	74	1	64	1	10	0.25	100	40	MARSSIM	710	
12		9	86	1	64	1	22	0.25	100	88	MARSSIM	710	
12		10	72	1	64	1	8	0.25	100	32	MARSSIM	710	
12		11	60	1	64	1	-4	0.25	100	-16	MARSSIM	710	
12		12	70	1	64	1	6	0.25	100	24	MARSSIM	710	
12		13	58	1	64	1	-6	0.25	100	-24	MARSSIM	710	
12		14	84	1	64	1	20	0.25	100	80	MARSSIM	710	
12		15	70	1	64	1	6	0.25	100	24	MARSSIM	710	
12		16	75	1	64	1	11	0.25	100	44	MARSSIM	710	
12		17	58	1	64	1	-6	0.25	100	-24	MARSSIM	710	
12		18	67	1	64	1	3	0.25	100	12	MARSSIM	710	

## REMOVABLE H-3 AND C-14 MEASUREMENT RESULTS

OU No.	RSO File No.	Smear No.	Date	SU No.	Location	H-3	C-14	Open Window	Units	Comments
1	DORF .023	123	9/10/2009	Upper C	1	4	0	2	dpm	MARSSIM
1	DORF .023	124	9/10/2009	Upper C	2	-2	-5	-1	dpm	MARSSIM
1	DORF .023	125	9/10/2009	UpperC	3	1	2	-1	dpm	MARSSIM
1	DORF .023	126	9/10/2009	Upper C	4	-3	-2	0	dpm	MARSSIM
1	DORF .023	127	9/10/2009	Upper C	5	-5	0	-1	dpm	MARSSIM
1	DORF .023	128	9/10/2009	Upper C	6	-6	5	-2	dpm	MARSSIM
1	DORF .023	129	9/10/2009	Upper C	7	0	5	0	dpm	MARSSIM
1	DORF .023	130	9/10/2009	Upper C	8	1	-7	2	dpm	MARSSIM
1	DORF .023	131	9/10/2009	Upper C	9	6	4	-2	dpm	MARSSIM
1	DORF .023	132	9/10/2009	Up N wall	10	4	2	-2	dpm	MARSSIM
1	DORF .023	133	9/10/2009	Up N wall	11	1	-6	2	dpm	MARSSIM
1	DORF .023	134	9/10/2009	Up E wall	12	-3	0	-3	dpm	MARSSIM
1	DORF .023	135	9/10/2009	Up E wall	13	6	2	-3	dpm	MARSSIM
1	DORF .023	136	9/10/2009	Up E wall	14	2	7	2	dpm	MARSSIM
1	DORF .023	137	9/10/2009	Up S wall	15	-8	2	2	dpm	MARSSIM
1	DORF .023	138	9/10/2009	Up S wall	16	0	-1	3	dpm	MARSSIM
1	DORF .023	139	9/10/2009	Up W wall	17	-1	-1	0	dpm	MARSSIM
1	DORF .023	140	9/10/2009	Up W wall	18	-12	10	-2	dpm	MARSSIM
1	DORF .024	245	9/18/2009	Lower F	1	-6	2	3	dpm	
1	DORF .024	246	9/18/2009	Lower F	2	-2	6	-1	dpm	
1	DORF .024	247	9/18/2009	Lower F	3	4	2	-1	dpm	
1	DORF .024	248	9/18/2009	Lower F	4	11	-1	3	dpm	
1	DORF .024	249	9/18/2009	Lower F	5	-1	1	4	dpm	
1	DORF .024	250	9/18/2009	Lower F	6	3	-3	2	dpm	
1	DORF .024	251	9/18/2009	Lower F	7	13	1	-3	dpm	
1	DORF .024	252	9/18/2009	Lower F	8	2	0	4	dpm	
1	DORF .024	253	9/18/2009	Lower F	9	0	2	4	dpm	
1	DORF .024	254	9/18/2009	Low S wall	10	-2	-5	-2	dpm	
1	DORF .024	255	9/18/2009	Low S wall	11	-3	2	1	dpm	
1	DORF .024	256	9/18/2009	Low S wall	12	7	4	-2	dpm	
1	DORF .024	257	9/18/2009	Low E wall	13	6	1	-3	dpm	
1	DORF .024	258	9/18/2009	Low E wall	14	7	-1	-2	dpm	
1	DORF .024	259	9/18/2009	Low N wall	15	4	1	10	dpm	
1	DORF .024	260	9/18/2009	Low N wall	16	-2	-3	4	dpm	
1	DORF .024	261	9/18/2009	Low N wall	17	-2	7	1	dpm	
1	DORF .024	262	9/18/2009	Low W wall	18	-1	1	-1	dpm	
2	DORF .024	112	9/18/2009		1	4	1	-4	dpm	MARSSIM
2	DORF .024	113	9/18/2009		2	1	2	-2	dpm	MARSSIM
2	DORF .024	114	9/18/2009		3	-1	1	-3	dpm	MARSSIM
2	DORF .024	115	9/18/2009		4	5	-2	-1	dpm	MARSSIM
2	DORF .024	116	9/18/2009		5	6	2	5	dpm	MARSSIM
2	DORF .024	117	9/18/2009		6	2	0	2	dpm	MARSSIM
2	DORF .024	118	9/18/2009		7	-6	2	-1	dpm	MARSSIM
2	DORF .024	119	9/18/2009		8	10	-2	-3	dpm	MARSSIM
2	DORF .024	120	9/18/2009		9	1	2	1	dpm	MARSSIM
2	DORF .024	121	9/18/2009		10	4	3	2	dpm	MARSSIM
2	DORF .024	122	9/18/2009		11	-4	2	5	dpm	MARSSIM
2	DORF .024	123	9/18/2009		12	5	0	-3	dpm	MARSSIM
2	DORF .024	124	9/18/2009		13	1	3	-1	dpm	MARSSIM
2	DORF .024	125	9/18/2009		14	0	-3	1	dpm	MARSSIM
2	DORF .024	126	9/18/2009		15	-1	3	1	dpm	MARSSIM
2	DORF .024	127	9/18/2009		16	-5	-2	4	dpm	MARSSIM
2	DORF .024	128	9/18/2009		17	11	-6	2	dpm	MARSSIM
2	DORF .024	129	9/18/2009		18	7	-2	5	dpm	MARSSIM
2	Report1	2	12/15/2009	Sump	S Wall	-2	2	2	dpm	investigation
2	Report1	3	12/15/2009	Sump	W Wall	-4	6	3	dpm	investigation
2	Report1	4	12/15/2009	Sump	E Wal	5	-6	8	dpm	investigation
2	Report1	5	12/15/2009	Sump	N Wall	-1	-3	0	dpm	investigation
2	Report1	6	12/15/2009	Sump	Base	1	-2	3	dpm	investigation
2	DORF.1sa	19	7/13/2010	NA	NA	7	10	5	dpm	Investigation of Sump

## REMOVABLE H-3 AND C-14 MEASUREMENT RESULTS

OU No.	RSO File No.	Smear No.	Date	SU No.	Location	H-3	C-14	Open Window	Units	Comments
2	DORF.1sa	20	7/13/2010	NA	NA	14	4	6	dpm	Investigation of Sump
2	DORF.1sa	21	7/13/2010	NA	NA	10	6	15	dpm	Investigation of Sump
2	DORF.1sa	22	7/13/2010	NA	NA	-2	7	8	dpm	Investigation of Sump
2	DORF.1sa	23	7/13/2010	NA	NA	6	10	17	dpm	Investigation of Sump
2	DORF.1sa	24	7/13/2010	NA	NA	12	14	5	dpm	Investigation of Sump
2	DORF.1sa	25	7/13/2010	NA	NA	5	6	6	dpm	Investigation of Sump
2	DORF.1sa	26	7/13/2010	NA	NA	20	8	7	dpm	Investigation of Sump
2	DORF.1sa	27	7/13/2010	NA	NA	6	12	8	dpm	Investigation of Sump
2	DORF.1sa	28	7/13/2010	NA	NA	3	11	10	dpm	Investigation of Sump
2	DORF.1sa	42	7/13/2010	NA	NA	9	2	10	dpm	Sump assembly release
2	DORF.1sa	43	7/13/2010	NA	NA	5	6	5	dpm	Sump assembly release
2	DORF.1sa	44	7/13/2010	NA	NA	-6	18	5	dpm	Sump assembly release
3	DORF .024	74	9/18/2009		1	3	-3	-1	dpm	MARSSIM
3	DORF .024	75	9/18/2009		2	-4	3	1	dpm	MARSSIM
3	DORF .024	76	9/18/2009		3	2	1	1	dpm	MARSSIM
3	DORF .024	77	9/18/2009		4	1	5	-3	dpm	MARSSIM
3	DORF .024	78	9/18/2009		5	-3	2	3	dpm	MARSSIM
3	DORF .024	79	9/18/2009		6	-2	-1	3	dpm	MARSSIM
3	DORF .024	80	9/18/2009		7	1	1	1	dpm	MARSSIM
3	DORF .024	81	9/18/2009		8	-1	-4	4	dpm	MARSSIM
3	DORF .024	82	9/18/2009		9	-4	5	-3	dpm	MARSSIM
3	DORF .024	83	9/18/2009		10	1	-5	-1	dpm	MARSSIM
3	DORF .024	84	9/18/2009		11	6	0	-1	dpm	MARSSIM
3	DORF .024	85	9/18/2009		12	6	-6	7	dpm	MARSSIM
3	DORF .024	86	9/18/2009		13	7	-2	-3	dpm	MARSSIM
3	DORF .024	87	9/18/2009		14	2	-3	-2	dpm	MARSSIM
3	DORF .024	88	9/18/2009		15	2	1	-1	dpm	MARSSIM
3	DORF .024	89	9/18/2009		16	8	4	-3	dpm	MARSSIM
3	DORF .024	90	9/18/2009		17	3	3	-1	dpm	MARSSIM
3	DORF .024	91	9/18/2009		18	1	1	3	dpm	MARSSIM
4	DORF .023	9	9/10/2009	4.1.2	Room 101	-2	-5	2	dpm	MARSSIM
4	DORF .023	10	9/10/2009	4.1.2	Room 101	-3	1	-3	dpm	MARSSIM
4	DORF .023	11	9/10/2009	4.1.2	Room 101	-2	4	-3	dpm	MARSSIM
4	DORF .023	12	9/10/2009	4.1.2	Room 101	-5	6	-1	dpm	MARSSIM
4	DORF .023	13	9/10/2009	4.1.2	Room 101	-7	-4	-2	dpm	MARSSIM
4	DORF .023	14	9/10/2009	4.1.2	Room 101	-6	-7	4	dpm	MARSSIM
4	DORF .023	15	9/10/2009	4.1.2	Room 101	8	-3	3	dpm	MARSSIM
4	DORF .023	16	9/10/2009	4.1.2	Room 101	-4	0	3	dpm	MARSSIM
4	DORF .023	17	9/10/2009	4.1.2	Room 101	-4	3	2	dpm	MARSSIM
4	DORF .023	18	9/10/2009	4.1.2	Room 101	2	0	-1	dpm	MARSSIM
4	DORF .023	19	9/10/2009	4.1.2	Room 101	3	6	-1	dpm	MARSSIM
4	DORF .023	20	9/10/2009	4.1.2	Room 101	-4	4	0	dpm	MARSSIM
4	DORF .023	21	9/10/2009	4.1.2	Room 101	1	-8	2	dpm	MARSSIM
4	DORF .023	22	9/10/2009	4.1.2	Room 101	-2	4	-1	dpm	MARSSIM
4	DORF .023	23	9/10/2009	4.1.2	Room 101	0	0	-2	dpm	MARSSIM
4	DORF .023	24	9/10/2009	4.1.2	Room 101	-3	0	2	dpm	MARSSIM
4	DORF .023	25	9/10/2009	4.1.2	Room 101	5	-1	-2	dpm	MARSSIM
4	DORF .023	26	9/10/2009	4.1.2	Room 101	-4	2	-3	dpm	MARSSIM
4	DORF .023	28	9/10/2009	4.1.3	Room 101	0	-6	-1	dpm	MARSSIM
4	DORF .023	29	9/10/2009	4.1.3	Room 101	-4	0	-1	dpm	MARSSIM
4	DORF .023	30	9/10/2009	4.1.3	Room 101	10	-3	-3	dpm	MARSSIM
4	DORF .023	31	9/10/2009	4.1.3	Room 101	-3	1	0	dpm	MARSSIM
4	DORF .023	32	9/10/2009	4.1.3	Room 101	12	0	0	dpm	MARSSIM
4	DORF .023	33	9/10/2009	4.1.3	Room 101	4	2	4	dpm	MARSSIM
4	DORF .023	34	9/10/2009	4.1.3	Room 101	-7	2	-2	dpm	MARSSIM
4	DORF .023	35	9/10/2009	4.1.3	Room 101	-5	1	2	dpm	MARSSIM
4	DORF .023	36	9/10/2009	4.1.3	Room 101	-5	-4	0	dpm	MARSSIM
4	DORF .023	37	9/10/2009	4.1.3	Room 101	-10	-1	-2	dpm	MARSSIM
4	DORF .023	38	9/10/2009	4.1.3	Room 101	-5	-4	-2	dpm	MARSSIM
4	DORF .023	39	9/10/2009	4.1.3	Room 101	-2	2	0	dpm	MARSSIM

## REMOVABLE H-3 AND C-14 MEASUREMENT RESULTS

OU No.	RSO File No.	Smear No.	Date	SU No.	Location	H-3	C-14	Open Window	Units	Comments
4	DORF .023	40	9/10/2009	4.1.3	Room 101	-2	-4	-3	dpm	MARSSIM
4	DORF .023	41	9/10/2009	4.1.3	Room 101	-7	1	4	dpm	MARSSIM
4	DORF .023	42	9/10/2009	4.1.3	Room 101	4	-1	4	dpm	MARSSIM
4	DORF .023	43	9/10/2009	4.1.3	Room 101	-5	3	-2	dpm	MARSSIM
4	DORF .023	44	9/10/2009	4.1.3	Room 101	3	-4	-5	dpm	MARSSIM
4	DORF .023	45	9/10/2009	4.1.3	Room 101	0	-2	-1	dpm	MARSSIM
4	DORF .023	47	9/10/2009	4.1.4	Room 101	-1	1	-2	dpm	MARSSIM
4	DORF .023	48	9/10/2009	4.1.4	Room 101	-12	7	-1	dpm	MARSSIM
4	DORF .023	49	9/10/2009	4.1.4	Room 101	-3	-1	0	dpm	MARSSIM
4	DORF .023	50	9/10/2009	4.1.4	Room 101	-2	4	3	dpm	MARSSIM
4	DORF .023	51	9/10/2009	4.1.4	Room 101	-8	8	-3	dpm	MARSSIM
4	DORF .023	52	9/10/2009	4.1.4	Room 101	-3	3	0	dpm	MARSSIM
4	DORF .023	53	9/10/2009	4.1.4	Room 101	-10	7	3	dpm	MARSSIM
4	DORF .023	54	9/10/2009	4.1.4	Room 101	-9	2	6	dpm	MARSSIM
4	DORF .023	55	9/10/2009	4.1.4	Room 101	-3	-2	0	dpm	MARSSIM
4	DORF .023	56	9/10/2009	4.1.4	Room 101	-10	3	-4	dpm	MARSSIM
4	DORF .023	57	9/10/2009	4.1.4	Room 101	-3	-2	-1	dpm	MARSSIM
4	DORF .023	58	9/10/2009	4.1.4	Room 101	-1	0	0	dpm	MARSSIM
4	DORF .023	59	9/10/2009	4.1.4	Room 101	7	-3	-3	dpm	MARSSIM
4	DORF .023	60	9/10/2009	4.1.4	Room 101	9	-9	0	dpm	MARSSIM
4	DORF .023	61	9/10/2009	4.1.4	Room 101	-12	6	2	dpm	MARSSIM
4	DORF .023	62	9/10/2009	4.1.4	Room 101	4	-1	-2	dpm	MARSSIM
4	DORF .023	63	9/10/2009	4.1.4	Room 101	5	0	-3	dpm	MARSSIM
4	DORF .023	64	9/10/2009	4.1.4	Room 101	-1	0	3	dpm	MARSSIM
4	DORF .023	66	9/10/2009	4.1.5	Room 101	-1	3	0	dpm	MARSSIM
4	DORF .023	67	9/10/2009	4.1.5	Room 101	3	2	-4	dpm	MARSSIM
4	DORF .023	68	9/10/2009	4.1.5	Room 101	-3	-2	0	dpm	MARSSIM
4	DORF .023	69	9/10/2009	4.1.5	Room 101	-6	2	2	dpm	MARSSIM
4	DORF .023	70	9/10/2009	4.1.5	Room 101	8	-3	2	dpm	MARSSIM
4	DORF .023	71	9/10/2009	4.1.5	Room 101	-4	5	-2	dpm	MARSSIM
4	DORF .023	72	9/10/2009	4.1.5	Room 101	-2	4	1	dpm	MARSSIM
4	DORF .023	73	9/10/2009	4.1.5	Room 101	3	-3	4	dpm	MARSSIM
4	DORF .023	74	9/10/2009	4.1.5	Room 103	-8	0	3	dpm	MARSSIM
4	DORF .023	75	9/10/2009	4.1.5	Room 103	0	-4	4	dpm	MARSSIM
4	DORF .023	76	9/10/2009	4.1.5	Room 103	-12	5	-3	dpm	MARSSIM
4	DORF .023	77	9/10/2009	4.1.5	Room 103	-2	6	-3	dpm	MARSSIM
4	DORF .023	78	9/10/2009	4.1.5	Room 103	7	-4	2	dpm	MARSSIM
4	DORF .023	79	9/10/2009	4.1.5	Room 103	3	4	2	dpm	MARSSIM
4	DORF .023	80	9/10/2009	4.1.5	Room 103	1	1	0	dpm	MARSSIM
4	DORF .023	81	9/10/2009	4.1.5	Room 103	-6	4	2	dpm	MARSSIM
4	DORF .023	82	9/10/2009	4.1.5	Room 103	3	-4	-1	dpm	MARSSIM
4	DORF .023	83	9/10/2009	4.1.5	Room 103	0	-2	-1	dpm	MARSSIM
4	DORF .023	85	9/10/2009	4.1.5		0	4	0	dpm	
4	DORF .023	87	9/10/2009	4.1.1	Room 101	-4	1	4	dpm	MARSSIM
4	DORF .023	88	9/10/2009	4.1.1	Room 101	8	-5	-1	dpm	MARSSIM
4	DORF .023	89	9/10/2009	4.1.1	Room 101	-4	-1	-1	dpm	MARSSIM
4	DORF .023	90	9/10/2009	4.1.1	Room 101	7	-3	-4	dpm	MARSSIM
4	DORF .023	91	9/10/2009	4.1.1	Room 101	0	-1	0	dpm	MARSSIM
4	DORF .023	92	9/10/2009	4.1.1	Room 101	9	-3	-1	dpm	MARSSIM
4	DORF .023	93	9/10/2009	4.1.1	Room 101	-5	-3	6	dpm	MARSSIM
4	DORF .023	94	9/10/2009	4.1.1	Room 101	3	-4	-1	dpm	MARSSIM
4	DORF .023	95	9/10/2009	4.1.1	Room 101	0	-3	-3	dpm	MARSSIM
4	DORF .023	96	9/10/2009	4.1.1	Room 101	0	-1	0	dpm	MARSSIM
4	DORF .023	97	9/10/2009	4.1.1	Room 101	-2	4	3	dpm	MARSSIM
4	DORF .023	98	9/10/2009	4.1.1	Room 101	9	-1	-7	dpm	MARSSIM
4	DORF .023	99	9/10/2009	4.1.1	Truck dock	1	2	2	dpm	MARSSIM
4	DORF .023	100	9/10/2009	4.1.1	Truck dock	-3	-1	-3	dpm	MARSSIM
4	DORF .023	101	9/10/2009	4.1.1	Truck dock	-2	-4	-3	dpm	MARSSIM
4	DORF .023	102	9/10/2009	4.1.1	Truck dock	-3	-2	3	dpm	MARSSIM
4	DORF .024	2	9/18/2009	4.1.1		-7	4	-2	dpm	room 101



## REMOVABLE H-3 AND C-14 MEASUREMENT RESULTS

OU No.	RSO File No.	Smear No.	Date	SU No.	Location	H-3	C-14	Open Window	Units	Comments
4	DORF .024	55	9/18/2009	4.6	1	-1	1	3	dpm	MARSSIM
4	DORF .024	56	9/18/2009	4.6	2	9	0	-2	dpm	MARSSIM
4	DORF .024	57	9/18/2009	4.6	3	2	1	1	dpm	MARSSIM
4	DORF .024	58	9/18/2009	4.6	4	5	-1	-1	dpm	MARSSIM
4	DORF .024	59	9/18/2009	4.6	5	7	2	3	dpm	MARSSIM
4	DORF .024	60	9/18/2009	4.6	6	-2	-5	-2	dpm	MARSSIM
4	DORF .024	61	9/18/2009	4.6	7	0	6	8	dpm	MARSSIM
4	DORF .024	62	9/18/2009	4.6	8	-4	1	-2	dpm	MARSSIM
4	DORF .024	63	9/18/2009	4.6	9	3	0	-1	dpm	MARSSIM
4	DORF .024	64	9/18/2009	4.6	10	-3	0	3	dpm	MARSSIM
4	DORF .024	65	9/18/2009	4.6	11	-1	1	1	dpm	MARSSIM
4	DORF .024	66	9/18/2009	4.6	12	0	8	-1	dpm	MARSSIM
4	DORF .024	67	9/18/2009	4.6	13	-5	7	1	dpm	MARSSIM
4	DORF .024	68	9/18/2009	4.6	14	4	1	-2	dpm	MARSSIM
4	DORF .024	69	9/18/2009	4.6	15	2	-2	1	dpm	MARSSIM
4	DORF .024	70	9/18/2009	4.6	16	9	-1	-2	dpm	MARSSIM
4	DORF .024	71	9/18/2009	4.6	17	1	2	-2	dpm	MARSSIM
4	DORF .024	72	9/18/2009	4.6	18	-6	1	-2	dpm	MARSSIM
4	DORF .024	150	9/18/2009	4.4	1	3	-5	3	dpm	MARSSIM
4	DORF .024	151	9/18/2009	4.4	2	5	-4	3	dpm	MARSSIM
4	DORF .024	152	9/18/2009	4.4	3	4	3	-1	dpm	MARSSIM
4	DORF .024	153	9/18/2009	4.4	4	2	0	2	dpm	MARSSIM
4	DORF .024	154	9/18/2009	4.4	5	-4	5	-3	dpm	MARSSIM
4	DORF .024	155	9/18/2009	4.4	6	-10	4	-1	dpm	MARSSIM
4	DORF .024	156	9/18/2009	4.4	7	-6	1	-1	dpm	MARSSIM
4	DORF .024	157	9/18/2009	4.4	8	-4	4	-2	dpm	MARSSIM
4	DORF .024	158	9/18/2009	4.4	9	7	0	-3	dpm	MARSSIM
4	DORF .024	159	9/18/2009	4.4	10	-3	0	-2	dpm	MARSSIM
4	DORF .024	160	9/18/2009	4.4	11	7	0	-5	dpm	MARSSIM
4	DORF .024	161	9/18/2009	4.4	12	0	6	-2	dpm	MARSSIM
4	DORF .024	162	9/18/2009	4.4	13	-1	-3	3	dpm	MARSSIM
4	DORF .024	163	9/18/2009	4.4	14	10	-4	4	dpm	MARSSIM
4	DORF .024	164	9/18/2009	4.4	15	0	-6	3	dpm	MARSSIM
4	DORF .024	165	9/18/2009	4.4	16	2	0	-2	dpm	MARSSIM
4	DORF .024	166	9/18/2009	4.4	17	27	-8	-2	dpm	MARSSIM
4	DORF .024	167	9/18/2009	4.4	18	2	-1	2	dpm	MARSSIM
4	DORF .024	207	9/18/2009	4.5	1	2	0	3	dpm	MARSSIM
4	DORF .024	208	9/18/2009	4.5	2	-4	3	7	dpm	MARSSIM
4	DORF .024	209	9/18/2009	4.5	3	4	10	-1	dpm	MARSSIM
4	DORF .024	210	9/18/2009	4.5	4	-3	8	-2	dpm	MARSSIM
4	DORF .024	211	9/18/2009	4.5	5	4	2	-3	dpm	MARSSIM
4	DORF .024	212	9/18/2009	4.5	6	5	-2	-4	dpm	MARSSIM
4	DORF .024	213	9/18/2009	4.5	7	4	4	-2	dpm	MARSSIM
4	DORF .024	214	9/18/2009	4.5	8	-1	3	1	dpm	MARSSIM
4	DORF .024	215	9/18/2009	4.5	9	3	1	1	dpm	MARSSIM
4	DORF .024	216	9/18/2009	4.5	10	3	2	3	dpm	MARSSIM
4	DORF .024	217	9/18/2009	4.5	11	5	-5	-3	dpm	MARSSIM
4	DORF .024	218	9/18/2009	4.5	12	-3	9	2	dpm	MARSSIM
4	DORF .024	219	9/18/2009	4.5	13	8	1	2	dpm	MARSSIM
4	DORF .024	220	9/18/2009	4.5	14	14	-2	5	dpm	MARSSIM
4	DORF .024	221	9/18/2009	4.5	15	-4	-4	1	dpm	MARSSIM
4	DORF .024	222	9/18/2009	4.5	16	-3	9	1	dpm	MARSSIM
4	DORF .024	223	9/18/2009	4.5	17	-1	2	2	dpm	MARSSIM
4	DORF .024	224	9/18/2009	4.5	18	0	8	-2	dpm	MARSSIM
4	DORF .024	226	9/18/2009	4.2	1	-1	1	3	dpm	MARSSIM
4	DORF .024	227	9/18/2009	4.2	2	9	0	2	dpm	MARSSIM
4	DORF .024	228	9/18/2009	4.2	3	2	-2	2	dpm	MARSSIM
4	DORF .024	229	9/18/2009	4.2	4	4	3	-1	dpm	MARSSIM
4	DORF .024	230	9/18/2009	4.2	5	4	0	1	dpm	MARSSIM
4	DORF .024	231	9/18/2009	4.2	6	10	-2	-2	dpm	MARSSIM

## REMOVABLE H-3 AND C-14 MEASUREMENT RESULTS

OU No.	RSO File No.	Smear No.	Date	SU No.	Location	H-3	C-14	Open Window	Units	Comments
4	DORF .024	232	9/18/2009	4.2	7	-2	3	5	dpm	
4	DORF .024	233	9/18/2009	4.2	8	-3	0	3	dpm	
4	DORF .024	234	9/18/2009	4.2	9	4	0	-4	dpm	
4	DORF .024	235	9/18/2009	4.2	10	9	-1	2	dpm	
4	DORF .024	236	9/18/2009	4.2	11	4	1	-4	dpm	
4	DORF .024	237	9/18/2009	4.2	12	5	-2	-2	dpm	
4	DORF .024	238	9/18/2009	4.2	13	-3	9	1	dpm	
4	DORF .024	239	9/18/2009	4.2	14	-3	2	-3	dpm	
4	DORF .024	240	9/18/2009	4.2	15	4	1	-4	dpm	
4	DORF .024	241	9/18/2009	4.2	16	4	2	-1	dpm	
4	DORF .024	242	9/18/2009	4.2	17	-2	-3	10	dpm	
4	DORF .024	243	9/18/2009	4.2	18	-6	1	-2	dpm	
4	DORF .025	1	10/1/2009	NA	NA	0	0	0	dpm	10 min. blank
4	DORF .025	2	10/1/2009	4+	101 overhead	-2	-3	-1	dpm	crane
4	DORF .025	3	10/1/2009	4+	101 overhead	11	-3	-3	dpm	crane
4	DORF .025	4	10/1/2009	4+	101 overhead	5	-3	-3	dpm	crane
4	DORF .025	5	10/1/2009	4+	101 overhead	-1	2	-2	dpm	crane
4	DORF .025	6	10/1/2009	4+	101 overhead	2	3	2	dpm	crane
4	DORF .025	7	10/1/2009	4+	101 overhead	9	-7	4	dpm	crane
4	DORF .025	8	10/1/2009	4+	101 overhead	-1	1	4	dpm	crane
4	DORF .025	9	10/1/2009	4+	101 overhead	3	16	-1	dpm	crane
4	DORF .025	10	10/1/2009	4+	101 overhead	4	12	5	dpm	crane
4	DORF .025	11	10/1/2009	4+	101 overhead	1	4	5	dpm	crane
4	DORF .025	12	10/1/2009	4+	101 overhead	-1	-4	-5	dpm	west vent
4	DORF .025	13	10/1/2009	4+	101 overhead	5	1	-1	dpm	west vent
4	DORF .025	14	10/1/2009	4+	101 overhead	8	3	-3	dpm	west vent
4	DORF .025	15	10/1/2009	4+	101 overhead	3	4	-1	dpm	west vent
4	DORF .025	16	10/1/2009	4+	101 overhead	-2	7	-3	dpm	west vent
4	DORF .025	17	10/1/2009	4+	101 overhead	5	2	-3	dpm	west vent
4	DORF .025	18	10/1/2009	4+	101 overhead	2	1	8	dpm	west vent
4	DORF .025	19	10/1/2009	4+	101 overhead	10	2	17	dpm	west vent
4	DORF .025	20	10/1/2009	4+	101 overhead	8	-1	5	dpm	west vent
4	DORF .025	21	10/1/2009	4+	101 overhead	-3	4	1	dpm	west vent
4	DORF .025	22	10/1/2009	4+	101 overhead	2	2	-1	dpm	east vent
4	DORF .025	23	10/1/2009	4+	101 overhead	-1	6	2	dpm	east vent
4	DORF .025	24	10/1/2009	4+	101 overhead	20	3	4	dpm	east vent
4	DORF .025	25	10/1/2009	4+	101 overhead	8	-6	1	dpm	east vent
4	DORF .025	26	10/1/2009	4+	101 overhead	4	2	-2	dpm	east vent
4	DORF .025	27	10/1/2009	4+	101 overhead	-7	4	1	dpm	east vent
4	DORF .025	28	10/1/2009	4+	101 overhead	5	3	4	dpm	east vent
4	DORF .025	29	10/1/2009	4+	101 overhead	17	20	-3	dpm	east vent
4	DORF .025	30	10/1/2009	4+	101 overhead	1	2	1	dpm	east vent
4	DORF .025	31	10/1/2009	4+	101 overhead	2	2	1	dpm	east vent
4	DORF .025	32	10/1/2009	4+	101 overhead	-2	-1	1	dpm	north vent
4	DORF .025	33	10/1/2009	4+	101 overhead	-2	-1	-3	dpm	north vent
4	DORF .025	34	10/1/2009	4+	101 overhead	0	-1	-5	dpm	north vent
4	DORF .025	35	10/1/2009	4+	101 overhead	3	-3	6	dpm	north vent
4	DORF .025	36	10/1/2009	4+	101 overhead	-3	0	-3	dpm	north vent
4	DORF .025	37	10/1/2009	4+	101 overhead	-5	-5	5	dpm	north vent
4	DORF .025	38	10/1/2009	4+	101 overhead	-1	4	-2	dpm	north vent
4	DORF .025	39	10/1/2009	4+	101 overhead	1	5	-3	dpm	north vent
4	DORF .025	40	10/1/2009	4+	101 overhead	4	2	4	dpm	north vent
4	DORF .025	41	10/1/2009	4+	101 overhead	8	-3	-2	dpm	north vent
4	DORF .025	42	10/1/2009	4+	101 overhead	1	6	-1	dpm	south vent
4	DORF .025	43	10/1/2009	4+	101 overhead	6	-1	-5	dpm	south vent
4	DORF .025	44	10/1/2009	4+	101 overhead	6	-1	-1	dpm	south vent
4	DORF .025	45	10/1/2009	4+	101 overhead	8	5	1	dpm	south vent
4	DORF .025	46	10/1/2009	4+	101 overhead	2	0	-3	dpm	south vent
4	DORF .025	47	10/1/2009	4+	101 overhead	4	6	-2	dpm	south vent
4	DORF .025	48	10/1/2009	4+	101 overhead	9	-1	-1	dpm	south vent

## REMOVABLE H-3 AND C-14 MEASUREMENT RESULTS

OU No.	RSO File No.	Smear No.	Date	SU No.	Location	H-3	C-14	Open Window	Units	Comments
4	DORF .025	49	10/1/2009	4+	101 overhead	-1	2	4	dpm	south vent
4	DORF .025	50	10/1/2009	4+	101 overhead	-1	5	-2	dpm	south vent
4	DORF .025	51	10/1/2009	4+	101 overhead	0	0	-2	dpm	south vent
4	DORF .024	188	9/18/2009	Mezz 1	1	3	5	-1	dpm	MARSSIM
4	DORF .024	188	9/18/2009	Mezz 1	2	0	6	-3	dpm	MARSSIM
4	DORF .024	188	9/18/2009	Mezz 1	3	12	-2	-1	dpm	MARSSIM
4	DORF .024	188	9/18/2009	Mezz 1	4	3	-2	3	dpm	MARSSIM
4	DORF .024	188	9/18/2009	Mezz 1	5	-3	5	-1	dpm	MARSSIM
4	DORF .024	188	9/18/2009	Mezz 1	6	7	0	-3	dpm	MARSSIM
4	DORF .024	188	9/18/2009	Mezz 1	7	1	-3	3	dpm	MARSSIM
4	DORF .024	188	9/18/2009	Mezz 1	8	4	-2	-3	dpm	MARSSIM
4	DORF .024	188	9/18/2009	Mezz 1	9	-1	1	1	dpm	MARSSIM
4	DORF .024	188	9/18/2009	Mezz 1	10	4	0	3	dpm	MARSSIM
4	DORF .024	188	9/18/2009	Mezz 1	11	0	-2	8	dpm	MARSSIM
4	DORF .024	188	9/18/2009	Mezz 1	12	-4	-5	-2	dpm	MARSSIM
4	DORF .024	188	9/18/2009	Mezz 1	13	4	2	1	dpm	MARSSIM
4	DORF .024	188	9/18/2009	Mezz 1	14	4	1	-3	dpm	MARSSIM
4	DORF .024	188	9/18/2009	Mezz 1	15	5	6	3	dpm	MARSSIM
4	DORF .024	188	9/18/2009	Mezz 1	16	1	1	-1	dpm	MARSSIM
4	DORF .024	188	9/18/2009	Mezz 1	17	7	-1	1	dpm	MARSSIM
4	DORF .024	188	9/18/2009	Mezz 1	18	2	3	-1	dpm	MARSSIM
4	DORF .1sa	34	7/13/2010	NA	NA	7	8	6	dpm	Conduit investigation
4	DORF .1sa	35	7/13/2010	NA	NA	8	7	11	dpm	Conduit investigation
4	DORF .1sa	36	7/13/2010	NA	NA	3	7	5	dpm	Conduit investigation
4	DORF .1sa	37	7/13/2010	NA	NA	8	10	6	dpm	Conduit investigation
4	DORF .1sa	38	7/13/2010	NA	NA	11	9	12	dpm	Conduit investigation
4	DORF .1sa	39	7/13/2010	NA	NA	10	10	5	dpm	Conduit investigation
4	DORF .1sa	40	7/13/2010	NA	NA	3	10	6	dpm	Conduit investigation
4	DORF .1sa	41	7/13/2010	NA	NA	5	7	8	dpm	Conduit investigation
5	DORF .024	93	9/18/2009		1	7	-1	3	dpm	MARSSIM
5	DORF .024	94	9/18/2009		2	1	3	2	dpm	MARSSIM
5	DORF .024	95	9/18/2009		3	5	8	-2	dpm	MARSSIM
5	DORF .024	96	9/18/2009		4	2	-2	1	dpm	MARSSIM
5	DORF .024	97	9/18/2009		5	5	-4	2	dpm	MARSSIM
5	DORF .024	98	9/18/2009		6	16	0	-2	dpm	MARSSIM
5	DORF .024	99	9/18/2009		7	-1	3	-1	dpm	MARSSIM
5	DORF .024	100	9/18/2009		8	8	1	-3	dpm	MARSSIM
5	DORF .024	101	9/18/2009		9	-2	-2	1	dpm	MARSSIM
5	DORF .024	102	9/18/2009		10	2	-2	-4	dpm	MARSSIM
5	DORF .024	103	9/18/2009		11	1	1	3	dpm	MARSSIM
5	DORF .024	104	9/18/2009		12	1	-1	2	dpm	MARSSIM
5	DORF .024	105	9/18/2009		13	15	1	1	dpm	MARSSIM
5	DORF .024	106	9/18/2009		14	10	-3	2	dpm	MARSSIM
5	DORF .024	107	9/18/2009		15	-4	3	2	dpm	MARSSIM
5	DORF .024	108	9/18/2009		16	0	8	-1	dpm	MARSSIM
5	DORF .024	109	9/18/2009		17	-2	-3	3	dpm	MARSSIM
5	DORF .024	110	9/18/2009		18	6	2	-2	dpm	MARSSIM
5	DORF .025	52	10/1/2009		bldg 513	-2	-3	5	dpm	floor drain
7	DORF .024	169	9/18/2009	Gen. Rm	1	-8	0	-2	dpm	MARSSIM
7	DORF .024	169	9/18/2009	Gen. Rm	2	-3	0	-3	dpm	MARSSIM
7	DORF .024	169	9/18/2009	Gen. Rm	3	-1	2	-2	dpm	MARSSIM
7	DORF .024	169	9/18/2009	Gen. Rm	4	4	1	2	dpm	MARSSIM
7	DORF .024	169	9/18/2009	Gen. Rm	5	-3	3	1	dpm	MARSSIM
7	DORF .024	169	9/18/2009	Gen. Rm	6	0	6	-1	dpm	MARSSIM
7	DORF .024	169	9/18/2009	Gen. Rm	7	-2	7	9	dpm	MARSSIM
7	DORF .024	169	9/18/2009	Gen. Rm	8	9	1	1	dpm	MARSSIM
7	DORF .024	169	9/18/2009	Gen. Rm	9	7	-2	-2	dpm	MARSSIM
7	DORF .024	169	9/18/2009	Gen. Rm	10	0	0	-3	dpm	MARSSIM
7	DORF .024	169	9/18/2009	Gen. Rm	11	3	-3	-2	dpm	MARSSIM
7	DORF .024	169	9/18/2009	Gen. Rm	12	3	-2	-3	dpm	MARSSIM

## REMOVABLE H-3 AND C-14 MEASUREMENT RESULTS

OU No.	RSO File No.	Smear No.	Date	SU No.	Location	H-3	C-14	Open Window	Units	Comments
7	DORF .024	169	9/18/2009	Gen. Rm	13	-1	3	1	dpm	MARSSIM
7	DORF .024	169	9/18/2009	Gen. Rm	14	2	-2	1	dpm	MARSSIM
7	DORF .024	169	9/18/2009	Gen. Rm	15	5	4	1	dpm	MARSSIM
7	DORF .024	169	9/18/2009	Gen. Rm	16	-5	0	2	dpm	MARSSIM
7	DORF .024	169	9/18/2009	Gen. Rm	17	2	-2	5	dpm	MARSSIM
7	DORF .024	169	9/18/2009	Gen. Rm	18	-2	7	-3	dpm	MARSSIM
11	DORF .016	68	8/27/2009	vent room	1	3	1	-3	dpm	MARSSIM
11	DORF .016	69	8/27/2009	vent room	2	1	-4	6	dpm	MARSSIM
11	DORF .016	70	8/27/2009	vent room	3	8	-3	-1	dpm	MARSSIM
11	DORF .016	71	8/27/2009	vent room	4	-3	-3	-1	dpm	MARSSIM
11	DORF .016	72	8/27/2009	vent room	5	-1	7	-5	dpm	MARSSIM
11	DORF .016	73	8/27/2009	vent room	6	-1	-4	-4	dpm	MARSSIM
11	DORF .016	74	8/27/2009	vent room	7	4	-4	-2	dpm	MARSSIM
11	DORF .016	75	8/27/2009	vent room	8	11	-4	0	dpm	MARSSIM
11	DORF .016	76	8/27/2009	vent room	9	-1	-2	-4	dpm	MARSSIM
11	DORF .016	77	8/27/2009	vent room	10	1	-1	-1	dpm	MARSSIM
11	DORF .016	78	8/27/2009	vent room	11	7	-1	5	dpm	MARSSIM
11	DORF .016	79	8/27/2009	vent room	12	-4	0	2	dpm	MARSSIM
11	DORF .016	80	8/27/2009	vent room	13	5	-8	3	dpm	MARSSIM
11	DORF .016	81	8/27/2009	vent room	14	0	-6	-1	dpm	MARSSIM
11	DORF .016	82	8/27/2009	vent room	15	-3	6	-3	dpm	MARSSIM
11	DORF .016	83	8/27/2009	vent room	16	-3	-2	-1	dpm	MARSSIM
11	DORF .016	84	8/27/2009	vent room	17	2	1	0	dpm	MARSSIM
11	DORF .016	85	8/27/2009	vent room	18	1	0	0	dpm	MARSSIM
11	DORF .024	131	9/18/2009	mechanical	1	-5	-2	-1	dpm	MARSSIM
11	DORF .024	132	9/18/2009	mechanical	2	8	1	-1	dpm	MARSSIM
11	DORF .024	133	9/18/2009	mechanical	3	8	-3	7	dpm	MARSSIM
11	DORF .024	134	9/18/2009	mechanical	4	-3	5	-4	dpm	MARSSIM
11	DORF .024	135	9/18/2009	mechanical	5	8	2	3	dpm	MARSSIM
11	DORF .024	136	9/18/2009	mechanical	6	-1	-7	3	dpm	MARSSIM
11	DORF .024	137	9/18/2009	mechanical	7	4	0	2	dpm	MARSSIM
11	DORF .024	138	9/18/2009	mechanical	8	8	4	1	dpm	MARSSIM
11	DORF .024	139	9/18/2009	mechanical	9	-1	4	-3	dpm	MARSSIM
11	DORF .024	140	9/18/2009	mechanical	10	0	2	-4	dpm	MARSSIM
11	DORF .024	141	9/18/2009	mechanical	11	0	-1	-1	dpm	MARSSIM
11	DORF .024	142	9/18/2009	mechanical	12	-4	-4	5	dpm	MARSSIM
11	DORF .024	143	9/18/2009	mechanical	13	13	3	-4	dpm	MARSSIM
11	DORF .024	144	9/18/2009	mechanical	14	0	3	2	dpm	MARSSIM
11	DORF .024	145	9/18/2009	mechanical	15	2	0	-2	dpm	MARSSIM
11	DORF .024	146	9/18/2009	mechanical	16	1	2	2	dpm	MARSSIM
11	DORF .024	147	9/18/2009	mechanical	17	6	0	1	dpm	MARSSIM
11	DORF .024	148	9/18/2009	mechanical	18	7	9	3	dpm	MARSSIM
11	Report1	7	12/15/2009	Sump	S Wall	8	-3	8	dpm	investigation
11	Report1	8	12/15/2009	Sump	W Wall	7	-1	0	dpm	investigation
11	Report1	9	12/15/2009	Sump	E Wall	-3	2	0	dpm	investigation
11	Report1	10	12/15/2009	Sump	W Wall waterline	9	-7	2	dpm	investigation
11	DORF.1sa	29	7/13/2010	NA	NA	2	11	6	dpm	Investigation of Sump
11	DORF.1sa	30	7/13/2010	NA	NA	3	7	12	dpm	Investigation of Sump
11	DORF.1sa	31	7/13/2010	NA	NA	6	5	17	dpm	Investigation of Sump
11	DORF.1sa	32	7/13/2010	NA	NA	15	9	4	dpm	Investigation of Sump
11	DORF.1sa	33	7/13/2010	NA	NA	0	10	5	dpm	Investigation of Sump
12	DORF .016	87	8/27/2009		1	1	-2	-1	dpm	MARSSIM
12	DORF .016	88	8/27/2009		2	4	3	5	dpm	MARSSIM
12	DORF .016	89	8/27/2009		3	4	-5	7	dpm	MARSSIM
12	DORF .016	90	8/27/2009		4	0	-7	-1	dpm	MARSSIM
12	DORF .016	91	8/27/2009		5	-3	-3	5	dpm	MARSSIM
12	DORF .016	92	8/27/2009		6	0	-5	0	dpm	MARSSIM
12	DORF .016	93	8/27/2009		7	-8	-2	3	dpm	MARSSIM
12	DORF .016	94	8/27/2009		8	-3	-5	-1	dpm	MARSSIM
12	DORF .016	95	8/27/2009		9	2	-5	0	dpm	MARSSIM

## REMOVABLE H-3 AND C-14 MEASUREMENT RESULTS

OU No.	RSO File No.	Smear No.	Date	SU No.	Location	H-3	C-14	Open Window	Units	Comments
12	DORF .016	96	8/27/2009		10	-2	-3	-4	dpm	MARSSIM
12	DORF .016	97	8/27/2009		11	4	-3	1	dpm	MARSSIM
12	DORF .016	98	8/27/2009		12	2	5	-1	dpm	MARSSIM
12	DORF .016	99	8/27/2009		13	2	-3	-5	dpm	MARSSIM
12	DORF .016	100	8/27/2009		14	-7	2	0	dpm	MARSSIM
12	DORF .016	101	8/27/2009		15	-2	-2	3	dpm	MARSSIM
12	DORF .016	102	8/27/2009		16	5	-2	2	dpm	MARSSIM
12	DORF .016	103	8/27/2009		17	-1	-3	-5	dpm	MARSSIM
12	DORF .016	104	8/27/2009		18	4	-6	-2	dpm	MARSSIM
NA	DORF.003	1	8/11/2009	NA	NA	0	0	0	dpm	10 min. blank
NA	DORF.003	2	8/11/2009	NA	NA	17	3	6	dpm	material release
NA	DORF.003	3	8/11/2009	NA	NA	-8	11	-2	dpm	material release
NA	DORF.003	4	8/11/2009	NA	NA	-4	6	0	dpm	material release
NA	DORF.003	5	8/11/2009	NA	NA	1	4	0	dpm	material release
NA	DORF.003	6	8/11/2009	NA	NA	2	9	2	dpm	material release
NA	DORF.003	7	8/11/2009	NA	NA	-8	7	7	dpm	material release
NA	DORF.003	8	8/11/2009	NA	NA	-10	4	6	dpm	material release
NA	DORF.003	9	8/11/2009	NA	NA	-4	1	4	dpm	material release
NA	DORF.003	10	8/11/2009	NA	NA	-5	8	6	dpm	material release
NA	DORF.003	11	8/11/2009	NA	NA	5	4	-1	dpm	material release
NA	DORF.003	12	8/11/2009	NA	NA	-12	2	4	dpm	material release
NA	DORF.003	13	8/11/2009	NA	NA	2	-3	6	dpm	material release
NA	DORF.003	14	8/11/2009	NA	NA	-3	3	0	dpm	material release
NA	DORF.003	15	8/11/2009	NA	NA	-2	-2	-4	dpm	material release
NA	DORF.003	16	8/11/2009	NA	NA	-2	-6	8	dpm	material release
NA	DORF.003	17	8/11/2009	NA	NA	-7	-1	4	dpm	material release
NA	DORF.003	18	8/11/2009	NA	NA	-11	3	0	dpm	material release
NA	DORF.003	19	8/11/2009	NA	NA	0	2	5	dpm	material release
NA	DORF.003	20	8/11/2009	NA	NA	10	-2	2	dpm	material release
NA	DORF.003	21	8/11/2009	NA	NA	-14	-2	0	dpm	material release
NA	DORF.003	22	8/11/2009	NA	NA	-10	0	-1	dpm	material release
NA	DORF.003	23	8/11/2009	NA	NA	-8	0	2	dpm	material release
NA	DORF.003	24	8/11/2009	NA	NA	0	-3	2	dpm	material release
NA	DORF.003	25	8/11/2009	NA	NA	-7	0	6	dpm	material release
NA	DORF.003	26	8/11/2009	NA	NA	-3	-1	1	dpm	material release
NA	DORF.003	27	8/11/2009	NA	NA	0	-2	1	dpm	material release
NA	DORF.003	28	8/11/2009	NA	NA	-8	-1	8	dpm	material release
NA	DORF.003	29	8/11/2009	NA	NA	-10	0	-4	dpm	material release
NA	DORF.003	30	8/11/2009	NA	NA	-2	-1	-1	dpm	material release
NA	DORF.003	31	8/11/2009	NA	NA	-17	-1	6	dpm	material release
NA	DORF.003	32	8/11/2009	NA	NA	12	-1	0	dpm	material release
NA	DORF.003	33	8/11/2009	NA	NA	0	-2	5	dpm	material release
NA	DORF.004	1	8/12/2009	NA	NA	0	0	0	dpm	10 min. blank
NA	DORF.004	2	8/12/2009	NA	NA	-5	3	3	dpm	material release
NA	DORF.004	3	8/12/2009	NA	NA	-6	-1	-5	dpm	material release
NA	DORF.004	4	8/12/2009	NA	NA	-7	-3	0	dpm	material release
NA	DORF.004	5	8/12/2009	NA	NA	0	2	0	dpm	material release
NA	DORF.004	6	8/12/2009	NA	NA	-3	0	-2	dpm	material release
NA	DORF.004	7	8/12/2009	NA	NA	9	0	-2	dpm	material release
NA	DORF.004	8	8/12/2009	NA	NA	1	16	1	dpm	material release
NA	DORF .005	1	8/12/2009	NA	NA	0	0	0	dpm	10 min. blank
NA	DORF .005	2	8/12/2009	NA	NA	7	-4	1	dpm	material release
NA	DORF .005	3	8/12/2009	NA	NA	0	8	6	dpm	material release
NA	DORF .005	4	8/12/2009	NA	NA	3	1	-1	dpm	material release
NA	DORF .005	5	8/12/2009	NA	NA	6	1	1	dpm	material release
NA	DORF .005	6	8/12/2009	NA	NA	6	4	1	dpm	material release
NA	DORF .005	7	8/12/2009	NA	NA	-7	6	0	dpm	material release
NA	DORF .005	8	8/12/2009	NA	NA	9	17	2	dpm	material release
NA	DORF .005	9	8/12/2009	NA	NA	-4	0	0	dpm	material release
NA	DORF .005	10	8/12/2009	NA	NA	2	9	7	dpm	material release

## REMOVABLE H-3 AND C-14 MEASUREMENT RESULTS

OU No.	RSO File No.	Smear No.	Date	SU No.	Location	H-3	C-14	Open Window	Units	Comments
NA	DORF .005	11	8/12/2009	NA	NA	22	6	3	dpm	material release
NA	DORF .005	12	8/12/2009	NA	NA	6	4	1	dpm	material release
NA	DORF .005	13	8/12/2009	NA	NA	-7	9	0	dpm	material release
NA	DORF .005	14	8/12/2009	NA	NA	1	1	2	dpm	material release
NA	DORF .005	15	8/12/2009	NA	NA	4	1	3	dpm	material release
NA	DORF .005	16	8/12/2009	NA	NA	-1	10	2	dpm	material release
NA	DORF .005	17	8/12/2009	NA	NA	-1	0	-2	dpm	material release
NA	DORF .005	18	8/12/2009	NA	NA	9	-7	6	dpm	material release
NA	DORF .005	19	8/12/2009	NA	NA	2	-3	3	dpm	material release
NA	DORF .005	20	8/12/2009	NA	NA	2	0	0	dpm	material release
NA	DORF .005	21	8/12/2009	NA	NA	10	1	-1	dpm	material release
NA	DORF .005	22	8/12/2009	NA	NA	9	1	1	dpm	material release
NA	DORF .005	23	8/12/2009	NA	NA	12	2	-1	dpm	material release
NA	DORF .005	24	8/12/2009	NA	NA	17	5	6	dpm	material release
NA	DORF .005	25	8/12/2009	NA	NA	-5	6	-1	dpm	material release
NA	DORF .005	26	8/12/2009	NA	NA	9	4	0	dpm	material release
NA	DORF .005	27	8/12/2009	NA	NA	5	-3	0	dpm	material release
NA	DORF .005	28	8/12/2009	NA	NA	7	0	0	dpm	material release
NA	DORF .005	29	8/12/2009	NA	NA	-3	6	2	dpm	material release
NA	DORF .005	30	8/12/2009	NA	NA	8	7	2	dpm	material release
NA	DORF .005	31	8/12/2009	NA	NA	15	0	3	dpm	material release
NA	DORF .005	32	8/12/2009	NA	NA	15	1	1	dpm	material release
NA	DORF .005	33	8/12/2009	NA	NA	26	-3	-1	dpm	material release
NA	DORF .005	34	8/12/2009	NA	NA	2	3	6	dpm	material release
NA	DORF .005	35	8/12/2009	NA	NA	-4	9	-1	dpm	material release
NA	DORF .005	36	8/12/2009	NA	NA	48	51	3	dpm	material release
NA	DORF .005	37	8/12/2009	NA	NA	6	7	1	dpm	material release
NA	DORF .005	38	8/12/2009	NA	NA	6	3	3	dpm	material release
NA	DORF .005	39	8/12/2009	NA	NA	76	-2	2	dpm	material release
NA	DORF .005	40	8/12/2009	NA	NA	17	2	6	dpm	material release
NA	DORF .005	41	8/12/2009	NA	NA	1	10	3	dpm	material release
NA	DORF .005	42	8/12/2009	NA	NA	-2	9	7	dpm	material release
NA	DORF .005	43	8/12/2009	NA	NA	6	4	0	dpm	material release
NA	DORF .005	44	8/12/2009	NA	NA	16	5	2	dpm	material release
NA	DORF .005	45	8/12/2009	NA	NA	19	17	2	dpm	material release
NA	DORF .005	46	8/12/2009	NA	NA	1	12	5	dpm	material release
NA	DORF .005	47	8/12/2009	NA	NA	-6	-3	9	dpm	material release
NA	DORF .005	48	8/12/2009	NA	NA	4	12	-3	dpm	material release
NA	DORF .005	49	8/12/2009	NA	NA	10	0	1	dpm	material release
NA	DORF .005	50	8/12/2009	NA	NA	2	-2	0	dpm	material release
NA	DORF .006	1	8/13/2009	NA	NA	0	0	0	dpm	10 min. blank
NA	DORF .006	2	8/13/2009	NA	NA	12	-1	4	dpm	material release
NA	DORF .006	3	8/13/2009	NA	NA	2	1	6	dpm	material release
NA	DORF .006	4	8/13/2009	NA	NA	5	20	3	dpm	material release
NA	DORF .006	5	8/13/2009	NA	NA	2	1	-1	dpm	material release
NA	DORF .006	6	8/13/2009	NA	NA	-3	0	-1	dpm	material release
NA	DORF .006	7	8/13/2009	NA	NA	-4	9	0	dpm	material release
NA	DORF .006	8	8/13/2009	NA	NA	0	3	0	dpm	material release
NA	DORF .006	9	8/13/2009	NA	NA	2	0	-6	dpm	material release
NA	DORF .006	10	8/13/2009	NA	NA	4	1	-3	dpm	material release
NA	DORF .006	11	8/13/2009	NA	NA	9	2	2	dpm	material release
NA	DORF .006	12	8/13/2009	NA	NA	0	0	-2	dpm	material release
NA	DORF .006	13	8/13/2009	NA	NA	9	0	2	dpm	material release
NA	DORF .006	14	8/13/2009	NA	NA	0	-1	-1	dpm	material release
NA	DORF .006	15	8/13/2009	NA	NA	14	0	-1	dpm	material release
NA	DORF .006	16	8/13/2009	NA	NA	2	-1	-6	dpm	material release
NA	DORF .006	17	8/13/2009	NA	NA	3	5	-2	dpm	material release
NA	DORF .006	18	8/13/2009	NA	NA	3	6	-1	dpm	material release
NA	DORF .006	19	8/13/2009	NA	NA	-2	2	4	dpm	material release
NA	DORF .006	20	8/13/2009	NA	NA	7	8	0	dpm	material release

## REMOVABLE H-3 AND C-14 MEASUREMENT RESULTS

OU No.	RSO File No.	Smear No.	Date	SU No.	Location	H-3	C-14	Open Window	Units	Comments
NA	DORF .006	21	8/13/2009	NA	NA	3	-2	3	dpm	material release
NA	DORF .006	22	8/13/2009	NA	NA	-6	3	0	dpm	material release
NA	DORF .006	23	8/13/2009	NA	NA	-1	4	-1	dpm	material release
NA	DORF .006	24	8/13/2009	NA	NA	-1	4	-3	dpm	material release
NA	DORF .006	25	8/13/2009	NA	NA	-3	9	0	dpm	material release
NA	DORF .006	26	8/13/2009	NA	NA	1	5	-7	dpm	material release
NA	DORF .006	27	8/13/2009	NA	NA	60	49	0	dpm	material release
NA	DORF .006	28	8/13/2009	NA	NA	50	0	0	dpm	material release
NA	DORF .006	29	8/13/2009	NA	NA	-3	7	-4	dpm	material release
NA	DORF .007	1	8/14/2009	NA	NA	0	0	0	dpm	10 min. blank
NA	DORF .007	2	8/14/2009	NA	NA	3	-1	2	dpm	material release
NA	DORF .007	3	8/14/2009	NA	NA	85	57	-4	dpm	material release
NA	DORF .007	4	8/14/2009	NA	NA	69	0	0	dpm	material release
NA	DORF .007	5	8/14/2009	NA	NA	-7	8	1	dpm	material release
NA	DORF .007	6	8/14/2009	NA	NA	10	1	1	dpm	material release
NA	DORF .007	7	8/14/2009	NA	NA	9	-2	1	dpm	material release
NA	DORF .007	8	8/14/2009	NA	NA	36	10	-3	dpm	material release
NA	DORF .007	9	8/14/2009	NA	NA	78	33	-2	dpm	material release
NA	DORF .007	10	8/14/2009	NA	NA	-3	13	1	dpm	material release
NA	DORF .007	11	8/14/2009	NA	NA	14	16	1	dpm	material release
NA	DORF .007	12	8/14/2009	NA	NA	49	71	1	dpm	material release
NA	DORF .007	13	8/14/2009	NA	NA	-6	7	-1	dpm	material release
NA	DORF .007	14	8/14/2009	NA	NA	18	-3	0	dpm	material release
NA	DORF .007	15	8/14/2009	NA	NA	21	3	0	dpm	material release
NA	DORF .007	16	8/14/2009	NA	NA	-2	0	0	dpm	material release
NA	DORF .007	17	8/14/2009	NA	NA	-5	1	1	dpm	material release
NA	DORF .007	18	8/14/2009	NA	NA	1	-1	-1	dpm	material release
NA	DORF .007	19	8/14/2009	NA	NA	1	7	2	dpm	material release
NA	DORF .007	20	8/14/2009	NA	NA	3	-2	5	dpm	material release
NA	DORF .007	21	8/14/2009	NA	NA	3	2	0	dpm	material release
NA	DORF .007	22	8/14/2009	NA	NA	-5	2	2	dpm	material release
NA	DORF .007	23	8/14/2009	NA	NA	6	1	6	dpm	material release
NA	DORF .007	24	8/14/2009	NA	NA	5	0	-4	dpm	material release
NA	DORF .007	25	8/14/2009	NA	NA	6	-1	2	dpm	material release
NA	DORF .007	26	8/14/2009	NA	NA	6	2	-5	dpm	material release
NA	DORF .007	27	8/14/2009	NA	NA	-1	6	1	dpm	material release
NA	DORF .007	28	8/14/2009	NA	NA	-2	7	5	dpm	material release
NA	DORF .007	29	8/14/2009	NA	NA	15	3	-4	dpm	material release
NA	DORF .007	30	8/14/2009	NA	NA	4	-1	0	dpm	material release
NA	DORF .007	31	8/14/2009	NA	NA	-6	5	5	dpm	material release
NA	DORF .007	32	8/14/2009	NA	NA	2	0	0	dpm	material release
NA	DORF .007	33	8/14/2009	NA	NA	2	3	6	dpm	material release
NA	DORF .007	34	8/14/2009	NA	NA	-9	4	2	dpm	material release
NA	DORF .007	35	8/14/2009	NA	NA	0	2	-3	dpm	material release
NA	DORF .007	36	8/14/2009	NA	NA	-2	-1	-1	dpm	material release
NA	DORF .008	1	8/18/2009	NA	NA	0	0	0	dpm	10 min. blank
NA	DORF .008	2	8/18/2009	NA	NA	-8	10	2	dpm	material release
NA	DORF .008	3	8/18/2009	NA	NA	12	17	1	dpm	material release
NA	DORF .008	4	8/18/2009	NA	NA	-4	2	7	dpm	material release
NA	DORF .008	5	8/18/2009	NA	NA	3	6	6	dpm	material release
NA	DORF .008	6	8/18/2009	NA	NA	103	5	1	dpm	material release
NA	DORF .008	7	8/18/2009	NA	NA	14	0	2	dpm	material release
NA	DORF .008	8	8/18/2009	NA	NA	-1	9	1	dpm	material release
NA	DORF .008	9	8/18/2009	NA	NA	19	14	8	dpm	material release
NA	DORF .008	10	8/18/2009	NA	NA	4	5	4	dpm	material release
NA	DORF .008	11	8/18/2009	NA	NA	14	0	9	dpm	material release
NA	DORF .008	12	8/18/2009	NA	NA	7	5	-1	dpm	material release
NA	DORF .008	13	8/18/2009	NA	NA	2	10	8	dpm	material release
NA	DORF .008	14	8/18/2009	NA	NA	10	3	6	dpm	material release
NA	DORF .008	15	8/18/2009	NA	NA	8	7	-1	dpm	material release

## REMOVABLE H-3 AND C-14 MEASUREMENT RESULTS

OU No.	RSO File No.	Smear No.	Date	SU No.	Location	H-3	C-14	Open Window	Units	Comments
NA	DORF .008	16	8/18/2009	NA	NA	2	1	-4	dpm	material release
NA	DORF .008	17	8/18/2009	NA	NA	0	7	11	dpm	material release
NA	DORF .008	18	8/18/2009	NA	NA	-4	4	3	dpm	material release
NA	DORF .008	19	8/18/2009	NA	NA	17	15	2	dpm	material release
NA	DORF .008	20	8/18/2009	NA	NA	-5	16	8	dpm	material release
NA	DORF .008	21	8/18/2009	NA	NA	-7	4	10	dpm	material release
NA	DORF .008	22	8/18/2009	NA	NA	5	8	-1	dpm	material release
NA	DORF .008	23	8/18/2009	NA	NA	-5	8	1	dpm	material release
NA	DORF .008	24	8/18/2009	NA	NA	2	0	3	dpm	material release
NA	DORF .008	25	8/18/2009	NA	NA	-3	-2	-1	dpm	material release
NA	DORF .008	26	8/18/2009	NA	NA	10	0	2	dpm	material release
NA	DORF .008	27	8/18/2009	NA	NA	5	-2	-1	dpm	material release
NA	DORF .008	28	8/18/2009	NA	NA	6	8	4	dpm	material release
NA	DORF .008	29	8/18/2009	NA	NA	-3	17	1	dpm	material release
NA	DORF .009	1	8/19/2009	NA	NA	0	0	0	dpm	material release
NA	DORF .009	2	8/19/2009	NA	NA	5	2	0	dpm	material release
NA	DORF .009	3	8/19/2009	NA	NA	0	-3	0	dpm	material release
NA	DORF .009	4	8/19/2009	NA	NA	0	3	0	dpm	material release
NA	DORF .009	5	8/19/2009	NA	NA	-1	-3	-2	dpm	material release
NA	DORF .009	6	8/19/2009	NA	NA	-4	-1	1	dpm	material release
NA	DORF .009	7	8/19/2009	NA	NA	-1	7	5	dpm	material release
NA	DORF .009	8	8/19/2009	NA	NA	6	-1	5	dpm	material release
NA	DORF .009	9	8/19/2009	NA	NA	-4	-1	-5	dpm	material release
NA	DORF .009	10	8/19/2009	NA	NA	0	2	1	dpm	material release
NA	DORF .009	11	8/19/2009	NA	NA	-8	5	-3	dpm	material release
NA	DORF .009	12	8/19/2009	NA	NA	-4	-3	-1	dpm	material release
NA	DORF .009	13	8/19/2009	NA	NA	-1	4	1	dpm	material release
NA	DORF .009	14	8/19/2009	NA	NA	12	2	4	dpm	material release
NA	DORF .009	15	8/19/2009	NA	NA	5	1	-2	dpm	material release
NA	DORF .009	16	8/19/2009	NA	NA	-6	1	1	dpm	material release
NA	DORF .009	17	8/19/2009	NA	NA	4	3	8	dpm	material release
NA	DORF .009	18	8/19/2009	NA	NA	8	6	2	dpm	material release
NA	DORF .009	19	8/19/2009	NA	NA	-2	0	-1	dpm	material release
NA	DORF .009	20	8/19/2009	NA	NA	22	12	4	dpm	material release
NA	DORF .009	21	8/19/2009	NA	NA	-8	6	-1	dpm	material release
NA	DORF .009	22	8/19/2009	NA	NA	18	22	12	dpm	material release
NA	DORF .009	23	8/19/2009	NA	NA	9	5	0	dpm	material release
NA	DORF .009	24	8/19/2009	NA	NA	-3	2	-3	dpm	material release
NA	DORF .009	25	8/19/2009	NA	NA	8	22	-1	dpm	material release
NA	DORF .009	26	8/19/2009	NA	NA	6	5	2	dpm	material release
NA	DORF .009	27	8/19/2009	NA	NA	10	2	1	dpm	material release
NA	DORF .009	28	8/19/2009	NA	NA	16	7	5	dpm	material release
NA	DORF .009	29	8/19/2009	NA	NA	14	4	-3	dpm	material release
NA	DORF .009	30	8/19/2009	NA	NA	1	10	-1	dpm	material release
NA	DORF .009	31	8/19/2009	NA	NA	7	-5	6	dpm	material release
NA	DORF .009	32	8/19/2009	NA	NA	5	13	7	dpm	material release
NA	DORF .009	33	8/19/2009	NA	NA	-2	4	4	dpm	material release
NA	DORF .009	34	8/19/2009	NA	NA	-1	9	-3	dpm	material release
NA	DORF .009	35	8/19/2009	NA	NA	15	6	2	dpm	material release
NA	DORF .009	36	8/19/2009	NA	NA	-1	6	1	dpm	material release
NA	DORF .009	37	8/19/2009	NA	NA	14	0	0	dpm	material release
NA	DORF .009	38	8/19/2009	NA	NA	3	13	-6	dpm	material release
NA	DORF .009	39	8/19/2009	NA	NA	17	10	5	dpm	material release
NA	DORF .009	40	8/19/2009	NA	NA	61	41	12	dpm	material release
NA	DORF .009	41	8/19/2009	NA	NA	55	46	22	dpm	material release
NA	DORF .009	42	8/19/2009	NA	NA	49	0	5	dpm	material release
NA	DORF .009	43	8/19/2009	NA	NA	14	5	1	dpm	material release
NA	DORF .009	44	8/19/2009	NA	NA	2	4	0	dpm	material release
NA	DORF .009	45	8/19/2009	NA	NA	14	0	-3	dpm	material release
NA	DORF .009	46	8/19/2009	NA	NA	3	0	-5	dpm	material release



## REMOVABLE H-3 AND C-14 MEASUREMENT RESULTS

OU No.	RSO File No.	Smear No.	Date	SU No.	Location	H-3	C-14	Open Window	Units	Comments
NA	DORF .009	47	8/19/2009	NA	NA	15	5	-5	dpm	material release
NA	DORF .009	48	8/19/2009	NA	NA	60	8	0	dpm	material release
NA	DORF .009	49	8/19/2009	NA	NA	-7	12	2	dpm	material release
NA	DORF .009	50	8/19/2009	NA	NA	4	16	4	dpm	material release
NA	DORF .009	51	8/19/2009	NA	NA	23	15	2	dpm	material release
NA	DORF .009	52	8/19/2009	NA	NA	49	11	12	dpm	material release
NA	DORF .009	53	8/19/2009	NA	NA	15	9	-3	dpm	material release
NA	DORF .009	54	8/19/2009	NA	NA	-3	14	0	dpm	material release
NA	DORF .010	1	8/19/2009	NA	NA	0	0	0	dpm	10 min. blank
NA	DORF .010	2	8/19/2009	NA	NA	45	14	11	dpm	material release
NA	DORF .010	3	8/19/2009	NA	NA	1	17	-2	dpm	material release
NA	DORF .010	4	8/19/2009	NA	NA	0	8	-1	dpm	material release
NA	DORF .010	5	8/19/2009	NA	NA	11	13	0	dpm	material release
NA	DORF .010	6	8/19/2009	NA	NA	15	1	2	dpm	material release
NA	DORF .010	7	8/19/2009	NA	NA	8	-2	4	dpm	material release
NA	DORF .010	8	8/19/2009	NA	NA	-3	14	4	dpm	material release
NA	DORF .010	9	8/19/2009	NA	NA	-8	19	5	dpm	material release
NA	DORF .010	10	8/19/2009	NA	NA	-1	2	2	dpm	material release
NA	DORF .010	11	8/19/2009	NA	NA	1	1	3	dpm	material release
NA	DORF .010	12	8/19/2009	NA	NA	17	8	2	dpm	material release
NA	DORF .010	13	8/19/2009	NA	NA	15	8	0	dpm	material release
NA	DORF .010	14	8/19/2009	NA	NA	12	7	-1	dpm	material release
NA	DORF .010	15	8/19/2009	NA	NA	13	5	3	dpm	material release
NA	DORF .010	16	8/19/2009	NA	NA	23	13	0	dpm	material release
NA	DORF .010	17	8/19/2009	NA	NA	2	0	-2	dpm	material release
NA	DORF .010	18	8/19/2009	NA	NA	2	4	-1	dpm	material release
NA	DORF .010	19	8/19/2009	NA	NA	0	-1	5	dpm	material release
NA	DORF .010	20	8/19/2009	NA	NA	10	1	4	dpm	material release
NA	DORF .010	21	8/19/2009	NA	NA	8	-2	3	dpm	material release
NA	DORF .010	22	8/19/2009	NA	NA	17	5	9	dpm	material release
NA	DORF .010	space 23	8/19/2009	NA	NA				dpm	
NA	DORF .010	24	8/19/2009	NA	NA	-2	4	4	dpm	material release
NA	DORF .010	25	8/19/2009	NA	NA	6	-7	5	dpm	material release
NA	DORF .010	26	8/19/2009	NA	NA	2	0	-1	dpm	material release
NA	DORF .010	27	8/19/2009	NA	NA	-4	-2	2	dpm	material release
NA	DORF .010	28	8/19/2009	NA	NA	-1	3	2	dpm	material release
NA	DORF .010	29	8/19/2009	NA	NA	6	4	-2	dpm	material release
NA	DORF .010	30	8/19/2009	NA	NA	0	3	3	dpm	material release
NA	DORF .010	31	8/19/2009	NA	NA	-1	2	-2	dpm	material release
NA	DORF .010	32	8/19/2009	NA	NA	12	-1	3	dpm	material release
NA	DORF .010	33	8/19/2009	NA	NA	-1	3	2	dpm	material release
NA	DORF .010	34	8/19/2009	NA	NA	1	-2	0	dpm	material release
NA	DORF .010	35	8/19/2009	NA	NA	1	3	-1	dpm	material release
NA	DORF .010	36	8/19/2009	NA	NA	7	-2	-1	dpm	material release
NA	DORF .010	37	8/19/2009	NA	NA	2	1	-1	dpm	material release
NA	DORF .010	38	8/19/2009	NA	NA	3	-4	-1	dpm	material release
NA	DORF .010	39	8/19/2009	NA	NA	3	4	3	dpm	material release
NA	DORF .010	40	8/19/2009	NA	NA	1	-2	-3	dpm	material release
NA	DORF .011	1	8/20/2009	NA	NA	0	0	0	dpm	10 min. blank
NA	DORF .011	2	8/20/2009	NA	NA	5	-2	0	dpm	material release
NA	DORF .011	3	8/20/2009	NA	NA	5	0	5	dpm	material release
NA	DORF .011	4	8/20/2009	NA	NA	-7	9	1	dpm	material release
NA	DORF .011	5	8/20/2009	NA	NA	13	-2	-1	dpm	material release
NA	DORF .011	6	8/20/2009	NA	NA	-6	-2	2	dpm	material release
NA	DORF .011	7	8/20/2009	NA	NA	7	3	-1	dpm	material release
NA	DORF .011	8	8/20/2009	NA	NA	-5	1	-3	dpm	material release
NA	DORF .011	9	8/20/2009	NA	NA	-7	6	0	dpm	material release
NA	DORF .011	10	8/20/2009	NA	NA	12	-2	3	dpm	material release
NA	DORF .011	11	8/20/2009	NA	NA	41	19	-1	dpm	material release
NA	DORF .011	12	8/20/2009	NA	NA	147	43	-5	dpm	material release

## REMOVABLE H-3 AND C-14 MEASUREMENT RESULTS

OU No.	RSO File No.	Smear No.	Date	SU No.	Location	H-3	C-14	Open Window	Units	Comments
NA	DORF .011	13	8/20/2009	NA	NA	13	-1	5	dpm	material release
NA	DORF .011	14	8/20/2009	NA	NA	66	0	2	dpm	material release
NA	DORF .011	15	8/20/2009	NA	NA	1	5	-1	dpm	material release
NA	DORF .011	16	8/20/2009	NA	NA	4	5	2	dpm	material release
NA	DORF .011	17	8/20/2009	NA	NA	150	148	1	dpm	material release
NA	DORF .011	18	8/20/2009	NA	NA	26	23	5	dpm	material release
NA	DORF .011	19	8/20/2009	NA	NA	87	-6	1	dpm	material release
NA	DORF .011	20	8/20/2009	NA	NA	416	-21	-1	dpm	material release
NA	DORF .011	21	8/20/2009	NA	NA	15	8	-1	dpm	material release
NA	DORF .011	22	8/20/2009	NA	NA	-7	3	0	dpm	material release
NA	DORF .011	23	8/20/2009	NA	NA	62	-6	2	dpm	material release
NA	DORF .011	24	8/20/2009	NA	NA	8	-1	1	dpm	material release
NA	DORF .011	25	8/20/2009	NA	NA	39	-8	-2	dpm	material release
NA	DORF .012	1	8/21/2009	NA	NA	0	0	0	dpm	10 min.blank
NA	DORF .012	2	8/21/2009	NA	NA	2	-4	-1	dpm	material release
NA	DORF .012	3	8/21/2009	NA	NA	2	3	-4	dpm	material release
NA	DORF .012	4	8/21/2009	NA	NA	-1	-5	3	dpm	material release
NA	DORF .012	5	8/21/2009	NA	NA	1	-3	6	dpm	material release
NA	DORF .012	6	8/21/2009	NA	NA	2	-3	-6	dpm	material release
NA	DORF .012	7	8/21/2009	NA	NA	-6	-3	-4	dpm	material release
NA	DORF .012	8	8/21/2009	NA	NA	-5	1	-1	dpm	material release
NA	DORF .012	9	8/21/2009	NA	NA	6	-3	1	dpm	material release
NA	DORF .012	10	8/21/2009	NA	NA	3	1	5	dpm	material release
NA	DORF .012	11	8/21/2009	NA	NA	1	5	0	dpm	material release
NA	DORF .012	12	8/21/2009	NA	NA	89	-1	3	dpm	material release
NA	DORF .012	13	8/21/2009	NA	NA	4	-4	1	dpm	material release
NA	DORF .012	14	8/21/2009	NA	NA	-4	0	0	dpm	material release
NA	DORF .012	15	8/21/2009	NA	NA	4	-4	0	dpm	material release
NA	DORF .012	16	8/21/2009	NA	NA	3	-2	6	dpm	material release
NA	DORF .012	17	8/21/2009	NA	NA	7	4	5	dpm	material release
NA	DORF .012	18	8/21/2009	NA	NA	-1	4	1	dpm	material release
NA	DORF .012	19	8/21/2009	NA	NA	-2	1	-3	dpm	material release
NA	DORF .012	20	8/21/2009	NA	NA	498	-18	-2	dpm	material release
NA	DORF .012	21	8/21/2009	NA	NA	420	425	0	dpm	material release
NA	DORF .012	22	8/21/2009	NA	NA	652	-9	-4	dpm	material release
NA	DORF .012	23	8/21/2009	NA	NA	296	566	0	dpm	material release
NA	DORF .012	24	8/21/2009	NA	NA	249	-7	2	dpm	material release
NA	DORF .012	25	8/21/2009	NA	NA	3840	-166	-3	dpm	material release
NA	DORF .012	26	8/21/2009	NA	NA	81	122	6	dpm	material release
NA	DORF .012	27	8/21/2009	NA	NA	113	1	-3	dpm	material release
NA	DORF .013	1	8/24/2009	NA	NA	0	0	0	dpm	10 min. blank
NA	DORF .013	2	8/24/2009	NA	NA	-4	-3	-2	dpm	material release
NA	DORF .013	3	8/24/2009	NA	NA	-1	4	-3	dpm	material release
NA	DORF .013	4	8/24/2009	NA	NA	11	-3	-5	dpm	material release
NA	DORF .013	5	8/24/2009	NA	NA	-4	8	-3	dpm	material release
NA	DORF .013	6	8/24/2009	NA	NA	-5	8	-3	dpm	material release
NA	DORF .013	7	8/24/2009	NA	NA	6	-4	-7	dpm	material release
NA	DORF .013	8	8/24/2009	NA	NA	-1	-4	0	dpm	material release
NA	DORF .013	9	8/24/2009	NA	NA	13	0	-2	dpm	material release
NA	DORF .013	10	8/24/2009	NA	NA	-4	-2	5	dpm	material release
NA	DORF .013	11	8/24/2009	NA	NA	-3	1	-6	dpm	material release
NA	DORF .013	12	8/24/2009	NA	NA	8	-6	3	dpm	material release
NA	DORF .013	13	8/24/2009	NA	NA	19	-4	-5	dpm	material release
NA	DORF .013	14	8/24/2009	NA	NA	8	4	-2	dpm	material release
NA	DORF .013	15	8/24/2009	NA	NA	1	6	0	dpm	material release
NA	DORF .013	16	8/24/2009	NA	NA	-3	-5	-2	dpm	material release
NA	DORF .013	17	8/24/2009	NA	NA	12	8	-2	dpm	material release
NA	DORF .013	18	8/24/2009	NA	NA	16	-3	-1	dpm	material release
NA	DORF .013	19	8/24/2009	NA	NA	18	89	0	dpm	material release
NA	DORF .013	20	8/24/2009	NA	NA	7	2	6	dpm	material release

## REMOVABLE H-3 AND C-14 MEASUREMENT RESULTS

OU No.	RSO File No.	Smear No.	Date	SU No.	Location	H-3	C-14	Open Window	Units	Comments
NA	DORF .013	21	8/24/2009	NA	NA	2	3	2	dpm	material release
NA	DORF .013	22	8/24/2009	NA	NA	12	4	-1	dpm	material release
NA	DORF .014	1	8/25/2009	NA	NA	0	0	0	dpm	10 min. blank
NA	DORF .014	2	8/25/2009	NA	NA	-4	-2	-3	dpm	material release
NA	DORF .014	3	8/25/2009	NA	NA	-5	2	0	dpm	material release
NA	DORF .014	4	8/25/2009	NA	NA	-2	-1	-4	dpm	material release
NA	DORF .014	5	8/25/2009	NA	NA	-2	-1	1	dpm	material release
NA	DORF .014	6	8/25/2009	NA	NA	-6	5	-2	dpm	material release
NA	DORF .014	7	8/25/2009	NA	NA	-1	5	-2	dpm	material release
NA	DORF .014	8	8/25/2009	NA	NA	-4	5	1	dpm	material release
NA	DORF .014	9	8/25/2009	NA	NA	1	6	4	dpm	material release
NA	DORF .014	10	8/25/2009	NA	NA	-1	-3	-2	dpm	material release
NA	DORF .014	11	8/25/2009	NA	NA	-2	1	-2	dpm	material release
NA	DORF .014	12	8/25/2009	NA	NA	-3	6	0	dpm	material release
NA	DORF .014	13	8/25/2009	NA	NA	-5	2	0	dpm	material release
NA	DORF .014	14	8/25/2009	NA	NA	-11	4	-2	dpm	material release
NA	DORF .014	15	8/25/2009	NA	NA	-2	-2	1	dpm	material release
NA	DORF .014	16	8/25/2009	NA	NA	-3	3	2	dpm	material release
NA	DORF .014	17	8/25/2009	NA	NA	2	-5	1	dpm	material release
NA	DORF .014	18	8/25/2009	NA	NA	-5	5	-3	dpm	material release
NA	DORF .014	19	8/25/2009	NA	NA	8	5	1	dpm	material release
NA	DORF .014	20	8/25/2009	NA	NA	-1	15	-4	dpm	material release
NA	DORF .014	21	8/25/2009	NA	NA	-6	2	6	dpm	material release
NA	DORF .014	22	8/25/2009	NA	NA	-6	-2	-3	dpm	material release
NA	DORF .014	23	8/25/2009	NA	NA	2	-5	3	dpm	material release
NA	DORF .014	24	8/25/2009	NA	NA	-2	1	-6	dpm	material release
NA	DORF .014	25	8/25/2009	NA	NA	1	-2	1	dpm	material release
NA	DORF .014	26	8/25/2009	NA	NA	-4	-2	-4	dpm	material release
NA	DORF .014	27	8/25/2009	NA	NA	11	-1	-3	dpm	material release
NA	DORF .014	28	8/25/2009	NA	NA	1	-3	-3	dpm	material release
NA	DORF .014	29	8/25/2009	NA	NA	-1	-6	0	dpm	material release
NA	DORF .014	30	8/25/2009	NA	NA	3	-2	1	dpm	material release
NA	DORF .014	31	8/25/2009	NA	NA	12	-2	-3	dpm	material release
NA	DORF .014	32	8/25/2009	NA	NA	4	-1	-4	dpm	material release
NA	DORF .014	33	8/25/2009	NA	NA	5	3	-3	dpm	material release
NA	DORF .014	34	8/25/2009	NA	NA	-11	6	3	dpm	material release
NA	DORF .014	35	8/25/2009	NA	NA	-1	-3	-2	dpm	material release
NA	DORF .014	36	8/25/2009	NA	NA	4	0	-5	dpm	material release
NA	DORF .014	37	8/25/2009	NA	NA	-2	2	-3	dpm	material release
NA	DORF .015	1	8/26/2009	NA	NA	0	0	0	dpm	
NA	DORF .015	2	8/26/2009	NA	NA	-4	2	-2	dpm	material release
NA	DORF .015	3	8/26/2009	NA	NA	1	2	-2	dpm	material release
NA	DORF .015	4	8/26/2009	NA	NA	5	-5	2	dpm	material release
NA	DORF .015	5	8/26/2009	NA	NA	-1	-1	-9	dpm	material release
NA	DORF .015	6	8/26/2009	NA	NA	-4	2	-2	dpm	material release
NA	DORF .015	7	8/26/2009	NA	NA	7	-3	-3	dpm	material release
NA	DORF .015	8	8/26/2009	NA	NA	8	1	-2	dpm	material release
NA	DORF .015	9	8/26/2009	NA	NA	10	5	2	dpm	material release
NA	DORF .015	10	8/26/2009	NA	NA	2	-2	3	dpm	material release
NA	DORF .015	11	8/26/2009	NA	NA	16	7	-5	dpm	material release
NA	DORF .015	12	8/26/2009	NA	NA	-3	2	1	dpm	material release
NA	DORF .015	13	8/26/2009	NA	NA	-2	2	2	dpm	material release
NA	DORF .015	14	8/26/2009	NA	NA	0	6	-5	dpm	material release
NA	DORF .015	15	8/26/2009	NA	NA	-1	0	2	dpm	material release
NA	DORF .015	16	8/26/2009	NA	NA	-1	1	-1	dpm	material release
NA	DORF .015	17	8/26/2009	NA	NA	46	11	-4	dpm	material release
NA	DORF .015	18	8/26/2009	NA	NA	2	3	2	dpm	material release
NA	DORF .015	19	8/26/2009	NA	NA	-1	-1	2	dpm	material release
NA	DORF .015	20	8/26/2009	NA	NA	2	8	4	dpm	material release
NA	DORF .015	21	8/26/2009	NA	NA	-3	7	-2	dpm	material release

## REMOVABLE H-3 AND C-14 MEASUREMENT RESULTS

OU No.	RSO File No.	Smear No.	Date	SU No.	Location	H-3	C-14	Open Window	Units	Comments
NA	DORF .015	22	8/26/2009	NA	NA	3	4	-2	dpm	material release
NA	DORF .015	23	8/26/2009	NA	NA	4	1	-1	dpm	material release
NA	DORF .015	24	8/26/2009	NA	NA	9	4	-3	dpm	material release
NA	DORF .015	25	8/26/2009	NA	NA	-1	0	-2	dpm	material release
NA	DORF .015	26	8/26/2009	NA	NA	4	0	-2	dpm	material release
NA	DORF .015	27	8/26/2009	NA	NA	7	6	-2	dpm	material release
NA	DORF .015	28	8/26/2009	NA	NA	9	-2	-3	dpm	material release
NA	DORF .015	29	8/26/2009	NA	NA	15	-1	-5	dpm	material release
NA	DORF .015	30	8/26/2009	NA	NA	-1	8	2	dpm	material release
NA	DORF .015	31	8/26/2009	NA	NA	-4	8	-5	dpm	material release
NA	DORF .016	1	8/27/2009	NA	NA	0	0	0	dpm	10 min. blank
NA	DORF .016	2	8/27/2009	NA	NA	-7	-1	1	dpm	material release
NA	DORF .016	3	8/27/2009	NA	NA	-5	3	-1	dpm	material release
NA	DORF .016	4	8/27/2009	NA	NA	4	-6	6	dpm	material release
NA	DORF .016	5	8/27/2009	NA	NA	7	-5	0	dpm	material release
NA	DORF .016	6	8/27/2009	NA	NA	-7	10	1	dpm	material release
NA	DORF .016	7	8/27/2009	NA	NA	-9	-5	-2	dpm	material release
NA	DORF .016	8	8/27/2009	NA	NA	-4	-3	3	dpm	material release
NA	DORF .016	9	8/27/2009	NA	NA	-10	6	-1	dpm	material release
NA	DORF .016	10	8/27/2009	NA	NA	4	6	0	dpm	material release
NA	DORF .016	11	8/27/2009	NA	NA	4	2	1	dpm	material release
NA	DORF .016	12	8/27/2009	NA	NA	0	1	-1	dpm	material release
NA	DORF .016	13	8/27/2009	NA	NA	-4	-1	8	dpm	material release
NA	DORF .016	14	8/27/2009	NA	NA	8	1	-3	dpm	material release
NA	DORF .016	15	8/27/2009	NA	NA	-4	-3	1	dpm	material release
NA	DORF .016	16	8/27/2009	NA	NA	-2	-1	-1	dpm	material release
NA	DORF .016	17	8/27/2009	NA	NA	9	-2	-4	dpm	material release
NA	DORF .016	18	8/27/2009	NA	NA	8	3	-1	dpm	material release
NA	DORF .016	19	8/27/2009	NA	NA	-12	6	1	dpm	material release
NA	DORF .016	20	8/27/2009	NA	NA	3	-3	0	dpm	material release
NA	DORF .016	21	8/27/2009	NA	NA	-4	-1	0	dpm	material release
NA	DORF .016	22	8/27/2009	NA	NA	4	0	2	dpm	material release
NA	DORF .016	23	8/27/2009	NA	NA	10	0	3	dpm	material release
NA	DORF .016	24	8/27/2009	NA	NA	-9	2	5	dpm	material release
NA	DORF .016	25	8/27/2009	NA	NA	5	6	2	dpm	material release
NA	DORF .016	26	8/27/2009	NA	NA	6	0	-5	dpm	material release
NA	DORF .016	27	8/27/2009	NA	NA	-1	6	-1	dpm	material release
NA	DORF .016	28	8/27/2009	NA	NA	4	8	-5	dpm	material release
NA	DORF .016	29	8/27/2009	NA	NA	-4	-1	0	dpm	material release
NA	DORF .016	30	8/27/2009	NA	NA	-6	-3	5	dpm	material release
NA	DORF .016	31	8/27/2009	NA	NA	6	-1	4	dpm	material release
NA	DORF .016	32	8/27/2009	NA	NA	5	2	-1	dpm	material release
NA	DORF .016	33	8/27/2009	NA	NA	17	-8	-3	dpm	material release
NA	DORF .016	34	8/27/2009	NA	NA	1	11	0	dpm	material release
NA	DORF .016	35	8/27/2009	NA	NA	-7	1	0	dpm	material release
NA	DORF .016	36	8/27/2009	NA	NA	15	3	1	dpm	material release
NA	DORF .016	37	8/27/2009	NA	NA	-13	9	-4	dpm	material release
NA	DORF .016	38	8/27/2009	NA	NA	6	2	1	dpm	material release
NA	DORF .016	39	8/27/2009	NA	NA	-5	3	2	dpm	material release
NA	DORF .016	40	8/27/2009	NA	NA	4	5	1	dpm	material release
NA	DORF .016	41	8/27/2009	NA	NA	38	4	0	dpm	material release
NA	DORF .016	42	8/27/2009	NA	NA	6	-4	1	dpm	material release
NA	DORF .016	43	8/27/2009	NA	NA	-2	1	0	dpm	material release
NA	DORF .016	44	8/27/2009	NA	NA	4	1	-1	dpm	material release
NA	DORF .016	45	8/27/2009	NA	NA	2	-4	-4	dpm	material release
NA	DORF .016	46	8/27/2009	NA	NA	22	-4	-1	dpm	material release
NA	DORF .016	47	8/27/2009	NA	NA	-4	-1	1	dpm	material release
NA	DORF .016	48	8/27/2009	NA	NA	1	1	-5	dpm	material release
NA	DORF .016	49	8/27/2009	NA	NA	-1	-4	3	dpm	material release
NA	DORF .016	50	8/27/2009	NA	NA	-2	12	0	dpm	material release

## REMOVABLE H-3 AND C-14 MEASUREMENT RESULTS

OU No.	RSO File No.	Smear No.	Date	SU No.	Location	H-3	C-14	Open Window	Units	Comments
NA	DORF .016	space 51	8/27/2009	NA	NA				dpm	
NA	DORF .016	52	8/27/2009	NA	NA	-3	5	-4	dpm	material release
NA	DORF .016	53	8/27/2009	NA	NA	-4	1	-7	dpm	material release
NA	DORF .016	54	8/27/2009	NA	NA	0	7	-1	dpm	material release
NA	DORF .016	55	8/27/2009	NA	NA	-6	-5	-5	dpm	material release
NA	DORF .016	56	8/27/2009	NA	NA	-6	6	0	dpm	material release
NA	DORF .016	space 57	8/27/2009	NA	NA				dpm	
NA	DORF .016	58	8/27/2009	NA	NA	6	-5	-2	dpm	material release
NA	DORF .016	59	8/27/2009	NA	NA	6	1	-3	dpm	material release
NA	DORF .016	60	8/27/2009	NA	NA	-3	-5	-4	dpm	material release
NA	DORF .016	61	8/27/2009	NA	NA	-3	-2	0	dpm	material release
NA	DORF .016	62	8/27/2009	NA	NA	4	-4	-2	dpm	material release
NA	DORF .016	63	8/27/2009	NA	NA	0	-8	1	dpm	material release
NA	DORF .016	64	8/27/2009	NA	NA	-1	-3	-2	dpm	material release
NA	DORF .016	65	8/27/2009	NA	NA	3	-1	-4	dpm	material release
NA	DORF .016	66	8/27/2009	NA	NA	0	3	3	dpm	material release
NA	DORF .016	space 67	8/27/2009	NA	NA	NA	NA	NA	dpm	material release
NA	DORF .016	space 86	8/27/2009						dpm	
NA	DORF .017	1	8/28/2009	NA	NA	0	0	0	dpm	10 min. blank
NA	DORF .017	2	8/28/2009	NA	NA	-1	1	-1	dpm	material release
NA	DORF .017	3	8/28/2009	NA	NA	4	-2	5	dpm	material release
NA	DORF .017	4	8/28/2009	NA	NA	7	-3	-1	dpm	material release
NA	DORF .017	5	8/28/2009	NA	NA	-5	3	3	dpm	material release
NA	DORF .017	6	8/28/2009	NA	NA	-5	4	-1	dpm	material release
NA	DORF .017	7	8/28/2009	NA	NA	3	2	-2	dpm	material release
NA	DORF .017	8	8/28/2009	NA	NA	5	4	1	dpm	material release
NA	DORF .017	9	8/28/2009	NA	NA	-1	9	-3	dpm	material release
NA	DORF .017	10	8/28/2009	NA	NA	-4	-2	3	dpm	material release
NA	DORF .017	11	8/28/2009	NA	NA	5	0	2	dpm	material release
NA	DORF .017	12	8/28/2009	NA	NA	-4	0	-2	dpm	material release
NA	DORF .017	13	8/28/2009	NA	NA	0	6	1	dpm	material release
NA	DORF .017	14	8/28/2009	NA	NA	0	5	3	dpm	material release
NA	DORF .017	15	8/28/2009	NA	NA	-3	-1	-3	dpm	material release
NA	DORF .017	16	8/28/2009	NA	NA	-1	4	2	dpm	material release
NA	DORF .017	17	8/28/2009	NA	NA	2	-4	8	dpm	material release
NA	DORF .017	18	8/28/2009	NA	NA	4	3	3	dpm	material release
NA	DORF .017	19	8/28/2009	NA	NA	1	2	1	dpm	material release
NA	DORF .017	20	8/28/2009	NA	NA	-3	4	1	dpm	material release
NA	DORF .017	21	8/28/2009	NA	NA	1	1	4	dpm	material release
NA	DORF .017	22	8/28/2009	NA	NA	-4	1	-2	dpm	material release
NA	DORF .017	23	8/28/2009	NA	NA	2	-2	-1	dpm	material release
NA	DORF .017	24	8/28/2009	NA	NA	11	-3	2	dpm	material release
NA	DORF .017	25	8/28/2009	NA	NA	-1	-2	5	dpm	material release
NA	DORF .017	26	8/28/2009	NA	NA	6	0	7	dpm	material release
NA	DORF .017	27	8/28/2009	NA	NA	2	-2	1	dpm	material release
NA	DORF .017	28	8/28/2009	NA	NA	6	5	-3	dpm	material release
NA	DORF .017	29	8/28/2009	NA	NA	9	11	4	dpm	material release
NA	DORF .017	30	8/28/2009	NA	NA	20	17	1	dpm	material release
NA	DORF .017	31	8/28/2009	NA	NA	-6	8	-2	dpm	material release
NA	DORF .017	32	8/28/2009	NA	NA	11	-4	4	dpm	material release
NA	DORF .017	33	8/28/2009	NA	NA	-4	3	2	dpm	material release
NA	DORF .017	34	8/28/2009	NA	NA	7	-2	2	dpm	material release
NA	DORF .017	35	8/28/2009	NA	NA	0	6	-1	dpm	material release
NA	DORF .017	36	8/28/2009	NA	NA	-2	1	5	dpm	material release
NA	DORF .017	37	8/28/2009	NA	NA	14	-2	4	dpm	material release
NA	DORF .017	38	8/28/2009	NA	NA	25	18	5	dpm	material release
NA	DORF .017	39	8/28/2009	NA	NA	-5	4	3	dpm	material release
NA	DORF .017	40	8/28/2009	NA	NA	12	4	-2	dpm	material release
NA	DORF .018	1	8/31/2009	NA	NA	0	0	0	dpm	10 min. blank
NA	DORF .018	2	8/31/2009	NA	NA	1773	-95	5	dpm	material release

## REMOVABLE H-3 AND C-14 MEASUREMENT RESULTS

OU No.	RSO File No.	Smear No.	Date	SU No.	Location	H-3	C-14	Open Window	Units	Comments
NA	DORF .018	3	8/31/2009	NA	NA	80	-5	5	dpm	material release
NA	DORF .018	4	8/31/2009	NA	NA	36	-2	1	dpm	material release
NA	DORF .018	5	8/31/2009	NA	NA	10	0	1	dpm	material release
NA	DORF .018	6	8/31/2009	NA	NA	1	0	5	dpm	material release
NA	DORF .018	7	8/31/2009	NA	NA	0	-3	6	dpm	material release
NA	DORF .018	8	8/31/2009	NA	NA	8	-3	2	dpm	material release
NA	DORF .018	9	8/31/2009	NA	NA	4	3	1	dpm	material release
NA	DORF .018	10	8/31/2009	NA	NA	4	8	-5	dpm	material release
NA	DORF .018	11	8/31/2009	NA	NA	-4	3	0	dpm	material release
NA	DORF .018	space 12	8/31/2009	NA	NA				dpm	material release
NA	DORF .018	13	8/31/2009	NA	NA	7	-2	1	dpm	material release
NA	DORF .018	14	8/31/2009	NA	NA	4	-1	1	dpm	material release
NA	DORF .018	15	8/31/2009	NA	NA	8	1	-3	dpm	material release
NA	DORF .018	16	8/31/2009	NA	NA	1	4	2	dpm	material release
NA	DORF .018	17	8/31/2009	NA	NA	9	-3	3	dpm	material release
NA	DORF .018	18	8/31/2009	NA	NA	0	-4	3	dpm	material release
NA	DORF .018	19	8/31/2009	NA	NA	0	-4	10	dpm	material release
NA	DORF .018	20	8/31/2009	NA	NA	11	2	0	dpm	material release
NA	DORF .018	21	8/31/2009	NA	NA	-8	0	-1	dpm	material release
NA	DORF .018	22	8/31/2009	NA	NA	2	-2	5	dpm	material release
NA	DORF .018	23	8/31/2009	NA	NA	-11	7	2	dpm	material release
NA	DORF .018	24	8/31/2009	NA	NA	-1	0	0	dpm	material release
NA	DORF .018	25	8/31/2009	NA	NA	-1	1	2	dpm	material release
NA	DORF .018	26	8/31/2009	NA	NA	6	6	1	dpm	material release
NA	DORF .018	27	8/31/2009	NA	NA	-15	5	-1	dpm	material release
NA	DORF .018	28	8/31/2009	NA	NA	-4	10	1	dpm	material release
NA	DORF .019	1	9/1/2009	NA	NA	0	0	0	dpm	10 min. blank
NA	DORF .019	2	9/1/2009	NA	NA	3	2	0	dpm	material release
NA	DORF .019	3	9/1/2009	NA	NA	-8	-5	-1	dpm	material release
NA	DORF .019	4	9/1/2009	NA	NA	4	3	2	dpm	material release
NA	DORF .019	5	9/1/2009	NA	NA	-8	4	-2	dpm	material release
NA	DORF .019	6	9/1/2009	NA	NA	4	-1	5	dpm	material release
NA	DORF .019	7	9/1/2009	NA	NA	-2	5	2	dpm	material release
NA	DORF .019	8	9/1/2009	NA	NA	9	1	-1	dpm	material release
NA	DORF .019	9	9/1/2009	NA	NA	13	-2	-2	dpm	material release
NA	DORF .019	10	9/1/2009	NA	NA	-4	1	0	dpm	material release
NA	DORF .019	11	9/1/2009	NA	NA	9	3	-1	dpm	material release
NA	DORF .019	12	9/1/2009	NA	NA	-6	-3	-4	dpm	material release
NA	DORF .019	13	9/1/2009	NA	NA	2	-3	4	dpm	material release
NA	DORF .019	14	9/1/2009	NA	NA	-5	5	-2	dpm	material release
NA	DORF .019	15	9/1/2009	NA	NA	-1	1	0	dpm	material release
NA	DORF .019	16	9/1/2009	NA	NA	3	7	-3	dpm	material release
NA	DORF .019	17	9/1/2009	NA	NA	3	3	0	dpm	material release
NA	DORF .019	18	9/1/2009	NA	NA	4	3	-2	dpm	material release
NA	DORF .019	19	9/1/2009	NA	NA	-1	7	4	dpm	material release
NA	DORF .019	20	9/1/2009	NA	NA	0	-5	-1	dpm	material release
NA	DORF .019	21	9/1/2009	NA	NA	7	6	0	dpm	material release
NA	DORF .019	22	9/1/2009	NA	NA	-4	2	-4	dpm	material release
NA	DORF .019	23	9/1/2009	NA	NA	13	-6	4	dpm	material release
NA	DORF .019	24	9/1/2009	NA	NA	-1	-2	0	dpm	material release
NA	DORF .019	25	9/1/2009	NA	NA	15	-3	4	dpm	material release
NA	DORF .019	26	9/1/2009	NA	NA	6	0	3	dpm	material release
NA	DORF .019	27	9/1/2009	NA	NA	-1	-1	-2	dpm	material release
NA	DORF .019	28	9/1/2009	NA	NA	-1	8	0	dpm	material release
NA	DORF .019	29	9/1/2009	NA	NA	2	-2	-2	dpm	material release
NA	DORF .019	30	9/1/2009	NA	NA	9	-2	-3	dpm	material release
NA	DORF .019	31	9/1/2009	NA	NA	5	-1	0	dpm	material release
NA	DORF .019	32	9/1/2009	NA	NA	-6	-4	-1	dpm	material release
NA	DORF .019	33	9/1/2009	NA	NA	5	-2	6	dpm	material release
NA	DORF .019	34	9/1/2009	NA	NA	5	-4	2	dpm	material release

## REMOVABLE H-3 AND C-14 MEASUREMENT RESULTS

OU No.	RSO File No.	Smear No.	Date	SU No.	Location	H-3	C-14	Open Window	Units	Comments
NA	DORF .020	1	9/2/2009	NA	NA	0	0	0	dpm	10 min.blank
NA	DORF .020	2	9/2/2009	NA	NA	7	-1	4	dpm	material release
NA	DORF .020	3	9/2/2009	NA	NA	23	-4	10	dpm	material release
NA	DORF .020	4	9/2/2009	NA	NA	2	0	5	dpm	material release
NA	DORF .020	5	9/2/2009	NA	NA	6	-4	-2	dpm	material release
NA	DORF .020	6	9/2/2009	NA	NA	3	-2	-2	dpm	material release
NA	DORF .020	7	9/2/2009	NA	NA	14	-4	0	dpm	material release
NA	DORF .021	1	9/3/2009	NA	NA	0	0	0	dpm	material release
NA	DORF .021	2	9/3/2009	NA	NA	-2	1	-3	dpm	material release
NA	DORF .021	3	9/3/2009	NA	NA	2	6	2	dpm	material release
NA	DORF .021	4	9/3/2009	NA	NA	2	-1	-3	dpm	material release
NA	DORF .021	5	9/3/2009	NA	NA	1	-8	3	dpm	material release
NA	DORF .021	6	9/3/2009	NA	NA	1	-9	4	dpm	material release
NA	DORF .021	7	9/3/2009	NA	NA	2	-3	-3	dpm	material release
NA	DORF .021	8	9/3/2009	NA	NA	1	2	-2	dpm	material release
NA	DORF .021	9	9/3/2009	NA	NA	3	3	-1	dpm	material release
NA	DORF .021	10	9/3/2009	NA	NA	-3	0	0	dpm	material release
NA	DORF .021	11	9/3/2009	NA	NA	14	0	0	dpm	material release
NA	DORF .021	12	9/3/2009	NA	NA	4	-1	0	dpm	material release
NA	DORF .021	13	9/3/2009	NA	NA	4	2	-2	dpm	material release
NA	DORF .021	14	9/3/2009	NA	NA	-7	-3	4	dpm	material release
NA	DORF .021	15	9/3/2009	NA	NA	-6	1	-1	dpm	material release
NA	DORF .021	16	9/3/2009	NA	NA	4	-2	-1	dpm	material release
NA	DORF .021	17	9/3/2009	NA	NA	6	-3	1	dpm	material release
NA	DORF .021	18	9/3/2009	NA	NA	7	-2	-1	dpm	material release
NA	DORF .021	19	9/3/2009	NA	NA	2	-3	1	dpm	material release
NA	DORF .021	20	9/3/2009	NA	NA	5	-2	0	dpm	material release
NA	DORF .021	21	9/3/2009	NA	NA	-2	-4	-5	dpm	material release
NA	DORF .021	22	9/3/2009	NA	NA	4	-5	1	dpm	material release
NA	DORF .021	23	9/3/2009	NA	NA	13	-4	0	dpm	material release
NA	DORF .021	24	9/3/2009	NA	NA	7	0	-1	dpm	material release
NA	DORF .021	25	9/3/2009	NA	NA	-2	-5	4	dpm	material release
NA	DORF .021	26	9/3/2009	NA	NA	6	-5	1	dpm	material release
NA	DORF .022	1	9/8/2009	NA	NA	0	0	0	dpm	10 min. blank
NA	DORF .022	2	9/8/2009	NA	NA	0	4	2	dpm	
NA	DORF .022	3	9/8/2009	NA	NA	9	2	2	dpm	
NA	DORF .022	4	9/8/2009	NA	NA	10	-6	11	dpm	
NA	DORF .023	1	9/10/2009	NA	NA	0	0	0	dpm	10 minute blank
NA	DORF .023	2	9/10/2009	NA	NA	-1	-2	2	dpm	ventilation
NA	DORF .023	3	9/10/2009	NA	NA	0	-4	-2	dpm	ventilation
NA	DORF .023	4	9/10/2009	NA	NA	10	-3	-2	dpm	ventilation
NA	DORF .023	5	9/10/2009	NA	NA	1	-6	0	dpm	ventilation
NA	DORF .023	6	9/10/2009	NA	NA	-2	6	-1	dpm	ventilation
NA	DORF .023	7	9/10/2009	NA	NA	0	-4	-2	dpm	ventilation
NA	DORF .023	space 8	9/10/2009	NA	NA				dpm	
NA	DORF .023	space 27	9/10/2009						dpm	
NA	DORF .023	space 46	9/10/2009						dpm	
NA	DORF .023	spce 65	9/10/2009						dpm	
NA	DORF .023	space 84	9/10/2009						dpm	
NA	DORF .023	space 86	9/10/2009	4.1.1	Room 101				dpm	MARSSIM
NA	DORF .023	space 103	9/10/2009						dpm	
NA	DORF .023	104	9/10/2009	NA	NA	-7	-1	-1	dpm	material release
NA	DORF .023	105	9/10/2009	NA	NA	4	0	-3	dpm	material release
NA	DORF .023	106	9/10/2009	NA	NA	11	-2	-3	dpm	material release
NA	DORF .023	107	9/10/2009	NA	NA	0	-4	-1	dpm	material release
NA	DORF .023	108	9/10/2009	NA	NA	-5	-4	0	dpm	material release
NA	DORF .023	109	9/10/2009	NA	NA	-4	3	-1	dpm	material release
NA	DORF .023	110	9/10/2009	NA	NA	-4	2	-1	dpm	material release
NA	DORF .023	111	9/10/2009	NA	NA	0	-4	5	dpm	material release
NA	DORF .023	112	9/10/2009	NA	NA	1	2	2	dpm	material release

## REMOVABLE H-3 AND C-14 MEASUREMENT RESULTS

OU No.	RSO File No.	Smear No.	Date	SU No.	Location	H-3	C-14	Open Window	Units	Comments
NA	DORF .023	113	9/10/2009	NA	NA	0	6	2	dpm	material release
NA	DORF .023	114	9/10/2009	NA	NA	11	2	-2	dpm	material release
NA	DORF .023	115	9/10/2009	NA	NA	-5	0	-2	dpm	material release
NA	DORF .023	116	9/10/2009	NA	NA	-5	5	4	dpm	material release
NA	DORF .023	117	9/10/2009	NA	NA	1	-6	0	dpm	material release
NA	DORF .023	118	9/10/2009	NA	NA	-3	-1	3	dpm	material release
NA	DORF .023	119	9/10/2009	NA	NA	6	3	2	dpm	material release
NA	DORF .023	120	9/10/2009	NA	NA	2	-1	5	dpm	material release
NA	DORF .023	121	9/10/2009	NA	NA	-4	2	0	dpm	material release
NA	DORF .023	space 122	9/10/2009						dpm	
NA	DORF .024	1	9/18/2009			0	0	0	dpm	10 min. blank
NA	DORF .024	space 3	9/18/2009						dpm	
NA	DORF .024	4	9/18/2009			-7	0	-2	dpm	floor drain
NA	DORF .024	5	9/18/2009			3	-2	1	dpm	floor drain
NA	DORF .024	6	9/18/2009			4	2	7	dpm	floor drain
NA	DORF .024	7	9/18/2009			-11	17	-1	dpm	floor drain
NA	DORF .024	8	9/18/2009			2	18	-3	dpm	floor drain
NA	DORF .024	9	9/18/2009			16	12	2	dpm	floor drain
NA	DORF .024	10	9/18/2009			52	102	9	dpm	floor drain
NA	DORF .024	11	9/18/2009			0	-2	-1	dpm	floor drain
NA	DORF .024	12	9/18/2009			1	5	-5	dpm	floor drain
NA	DORF .024	13	9/18/2009			-12	1	4	dpm	floor drain
NA	DORF .024	14	9/18/2009			-2	5	-3	dpm	floor drain
NA	DORF .024	15	9/18/2009			3	1	3	dpm	floor drain
NA	DORF .024	16	9/18/2009			-5	8	2	dpm	floor drain
NA	DORF .024	17	9/18/2009			5	0	-4	dpm	floor drain
NA	DORF .024	18	9/18/2009			0	-1	2	dpm	floor drain
NA	DORF .024	19	9/18/2009			3	-1	-1	dpm	floor drain
NA	DORF .024	20	9/18/2009			2	1	-1	dpm	floor drain
NA	DORF .024	space 21	9/18/2009						dpm	
NA	DORF .024	22	9/18/2009			7	3	1	dpm	penetration
NA	DORF .024	23	9/18/2009			5	0	2	dpm	penetration
NA	DORF .024	24	9/18/2009			-2	3	1	dpm	penetration
NA	DORF .024	25	9/18/2009			-6	0	2	dpm	penetration
NA	DORF .024	26	9/18/2009			8	-3	-2	dpm	penetration
NA	DORF .024	27	9/18/2009			0	-3	1	dpm	penetration
NA	DORF .024	28	9/18/2009			0	6	-1	dpm	penetration
NA	DORF .024	29	9/18/2009			-1	0	4	dpm	penetration
NA	DORF .024	30	9/18/2009			-5	6	4	dpm	penetration
NA	DORF .024	31	9/18/2009			-4	2	2	dpm	penetration
NA	DORF .024	32	9/18/2009			8	-1	-1	dpm	penetration
NA	DORF .024	33	9/18/2009			5	0	-2	dpm	penetration
NA	DORF .024	34	9/18/2009			8	-1	-1	dpm	penetration
NA	DORF .024	35	9/18/2009			-4	2	2	dpm	penetration
NA	DORF .024	36	9/18/2009			3	-3	-2	dpm	penetration
NA	DORF .024	37	9/18/2009			-6	8	4	dpm	penetration
NA	DORF .024	38	9/18/2009			0	-3	1	dpm	penetration
NA	DORF .024	39	9/18/2009			-1	-1	2	dpm	penetration
NA	DORF .024	40	9/18/2009			-8	9	-3	dpm	penetration
NA	DORF .024	41	9/18/2009			-1	4	3	dpm	penetration
NA	DORF .024	42	9/18/2009			6	6	-3	dpm	penetration
NA	DORF .024	43	9/18/2009			0	3	-5	dpm	penetration
NA	DORF .024	44	9/18/2009			-1	2	2	dpm	penetration
NA	DORF .024	45	9/18/2009			7	-1	2	dpm	penetration
NA	DORF .024	46	9/18/2009			-6	2	3	dpm	penetration
NA	DORF .024	47	9/18/2009			-6	-3	1	dpm	penetration
NA	DORF .024	48	9/18/2009			-3	1	2	dpm	penetration
NA	DORF .024	49	9/18/2009			4	0	3	dpm	penetration
NA	DORF .024	50	9/18/2009			0	-4	4	dpm	penetration
NA	DORF .024	51	9/18/2009			8	2	2	dpm	penetration



## REMOVABLE H-3 AND C-14 MEASUREMENT RESULTS

OU No.	RSO File No.	Smear No.	Date	SU No.	Location	H-3	C-14	Open Window	Units	Comments
NA	DORF .024	52	9/18/2009			-4	2	1	dpm	penetration
NA	DORF .024	53	9/18/2009			-3	-1	4	dpm	penetration
NA	DORF .024	space 54	9/18/2009						dpm	
NA	DORF .024	space 73	9/18/2009						dpm	
NA	DORF .024	space 92	9/18/2009						dpm	
NA	DORF .024	space 111	9/18/2009						dpm	
NA	DORF .024	space 130	9/18/2009						dpm	
NA	DORF .024	space 149	9/18/2009						dpm	
NA	DORF .024	space 168	9/18/2009						dpm	
NA	DORF .024	space 187	9/18/2009						dpm	
NA	DORF .024	space 206	9/18/2009						dpm	
NA	DORF .024	space 225	9/18/2009						dpm	
NA	DORF .024	space 244	9/18/2009						dpm	
NA	DORF .025	53	10/1/2009		mech room	-2	-3	-6	dpm	J trap
NA	DORF .025	54	10/1/2009		utility room	10	-3	-1	dpm	J trap
NA	DORF .025	55	10/1/2009	4+	bathroom	-6	3	-2	dpm	J trap
NA	2009.513	1	8/3/2009	NA	NA	0	0	0	dpm	1 min. blank
NA	2009.513	2	8/3/2009	NA	NA	2	-1	4	dpm	site pre-job
NA	2009.513	3	8/3/2009	NA	NA	5	-6	0	dpm	site pre-job
NA	2009.513	4	8/3/2009	NA	NA	2	-3	-3	dpm	site pre-job
NA	2009.513	5	8/3/2009	NA	NA	-5	3	3	dpm	site pre-job
NA	2009.513	6	8/3/2009	NA	NA	9	-5	6	dpm	site pre-job
NA	2009.513	7	8/3/2009	NA	NA	-1	7	1	dpm	site pre-job
NA	2009.513	8	8/3/2009	NA	NA	3	3	3	dpm	site pre-job
NA	2009.513	9	8/3/2009	NA	NA	7	-6	2	dpm	site pre-job
NA	2009.513	10	8/3/2009	NA	NA	2	0	8	dpm	site pre-job
NA	2009.513	11	8/3/2009	NA	NA	6	4	3	dpm	site pre-job
NA	2009.513	12	8/3/2009	NA	NA	-1	0	0	dpm	site pre-job
NA	2009.513	13	8/3/2009	NA	NA	5	-5	6	dpm	site pre-job
NA	2009.513	14	8/3/2009	NA	NA	-2	1	2	dpm	site pre-job
NA	2009.513	15	8/3/2009	NA	NA	-5	-6	2	dpm	site pre-job
NA	2009.513	16	8/3/2009	NA	NA	5	4	2	dpm	site pre-job
NA	2009.513	17	8/3/2009	NA	NA	5	-3	3	dpm	site pre-job
NA	2009.513	18	8/3/2009	NA	NA	2	-4	0	dpm	site pre-job
NA	2009.513	19	8/3/2009	NA	NA	3	1	0	dpm	site pre-job
NA	2009.514	1	8/4/2009	NA	NA	0	0	0	dpm	10 min. blank
NA	2009.514	2	8/4/2009	NA	NA	5	-1	3	dpm	release freezer
NA	2009.514	3	8/4/2009	NA	NA	-9	8	4	dpm	release freezer
NA	2009.514	4	8/4/2009	NA	NA	1	5	-1	dpm	release freezer
NA	2009.514	5	8/4/2009	NA	NA	-2	-1	-3	dpm	release freezer
NA	2009.514	6	8/4/2009	NA	NA	-6	6	-1	dpm	release freezer
NA	2009.514	7	8/4/2009	NA	NA	5	7	3	dpm	release freezer
NA	2009.514	8	8/4/2009	NA	NA	-6	2	-2	dpm	release freezer
NA	2009.514	9	8/4/2009	NA	NA	-7	4	-3	dpm	release freezer
NA	2009.514	10	8/4/2009	NA	NA	3	-2	0	dpm	release freezer
NA	2009.514	11	8/4/2009	NA	NA	2	3	-1	dpm	release freezer
NA	2009.514	12	8/4/2009	NA	NA	-5	-1	4	dpm	release freezer
NA	2009.514	13	8/4/2009	NA	NA	-2	0	3	dpm	release freezer
NA	2009.514	14	8/4/2009	NA	NA	-3	4	8	dpm	release freezer
NA	2009.514	15	8/4/2009	NA	NA	-4	6	6	dpm	release freezer
NA	2009.514	16	8/4/2009	NA	NA	4	5	4	dpm	release freezer
NA	2009.514	17	8/4/2009	NA	NA	9	0	2	dpm	release freezer
NA	2009.514	18	8/4/2009	NA	NA	1	6	-1	dpm	release freezer
NA	2009.514	19	8/4/2009	NA	NA	1	4	-3	dpm	release freezer
NA	2009.514	20	8/4/2009	NA	NA	-4	7	0	dpm	release freezer
NA	2009.514	21	8/4/2009	NA	NA	2	-1	0	dpm	release freezer
NA	2009.514	22	8/4/2009	NA	NA	8	-5	9	dpm	release freezer
NA	2009.514	23	8/4/2009	NA	NA	5	1	-1	dpm	release freezer
NA	2009.514	24	8/4/2009	NA	NA	-4	6	0	dpm	release freezer
NA	2009.514	25	8/4/2009	NA	NA	-2	-2	4	dpm	release freezer

## REMOVABLE H-3 AND C-14 MEASUREMENT RESULTS

OU No.	RSO File No.	Smear No.	Date	SU No.	Location	H-3	C-14	Open Window	Units	Comments
NA	2009.514	26	8/4/2009	NA	NA	1	-3	0	dpm	release freezer
NA	2009.514	27	8/4/2009	NA	NA	-3	1	5	dpm	release freezer
NA	2009.514	28	8/4/2009	NA	NA	12	3	-2	dpm	release freezer
NA	2009.514	29	8/4/2009	NA	NA	-3	1	0	dpm	release freezer
NA	2009.514	30	8/4/2009	NA	NA	7	-2	6	dpm	release freezer
NA	2009.514	31	8/4/2009	NA	NA	-1	5	-1	dpm	release freezer
NA	2009.514	32	8/4/2009	NA	NA	1	2	6	dpm	release freezer
NA	2009.514	33	8/4/2009	NA	NA	7	9	2	dpm	release freezer
NA	2009.514	34	8/4/2009	NA	NA	-6	4	3	dpm	release freezer
NA	2009.517	1	8/5/2009	NA	NA	0	0	0	dpm	10 min.blank
NA	2009.517	2	8/5/2009	NA	NA	19	-2	5	dpm	material release
NA	2009.517	3	8/5/2009	NA	NA	155	-2	0	dpm	material release
NA	2009.517	4	8/5/2009	NA	NA	45	-6	1	dpm	material release
NA	2009.517	5	8/5/2009	NA	NA	41	-8	3	dpm	material release
NA	2009.517	6	8/5/2009	NA	NA	1	3	2	dpm	material release
NA	2009.517	7	8/5/2009	NA	NA	48	1	1	dpm	material release
NA	2009.517	8	8/5/2009	NA	NA	8	3	3	dpm	material release
NA	2009.517	9	8/5/2009	NA	NA	5	-4	7	dpm	material release
NA	2009.517	10	8/5/2009	NA	NA	-6	-6	6	dpm	material release
NA	2009.517	11	8/5/2009	NA	NA	3	3	5	dpm	material release
NA	2009.517	12	8/5/2009	NA	NA	0	0	3	dpm	material release
NA	2009.517	13	8/5/2009	NA	NA	-2	-2	-3	dpm	material release
NA	2009.517	14	8/5/2009	NA	NA	0	0	0	dpm	material release
NA	2009.517	15	8/5/2009	NA	NA	-1	-1	6	dpm	material release
NA	2009.517	16	8/5/2009	NA	NA	8	8	6	dpm	material release
NA	2009.517	17	8/5/2009	NA	NA	7	7	3	dpm	material release
NA	2009.517	18	8/5/2009	NA	NA	-11	-11	9	dpm	material release
NA	2009.517	19	8/5/2009	NA	NA	8	8	2	dpm	material release
NA	2009.517	20	8/5/2009	NA	NA	-6	-6	1	dpm	material release
NA	2009.517	21	8/5/2009	NA	NA	-12	-12	2	dpm	material release
NA	2009.517	22	8/5/2009	NA	NA	5	5	-4	dpm	material release
NA	2009.517	23	8/5/2009	NA	NA	1	1	-4	dpm	material release
NA	2009.517	24	8/5/2009	NA	NA	8	8	-1	dpm	material release
NA	2009.526	1	8/6/2009	NA	NA	0	0	0	dpm	10 min. blank
NA	2009.526	2	8/6/2009	NA	NA	2	-6	0	dpm	material release
NA	2009.526	3	8/6/2009	NA	NA	-5	1	0	dpm	material release
NA	2009.256	4	8/6/2009	NA	NA	1	-1	3	dpm	material release
NA	2009.526	5	8/6/2009	NA	NA	7	0	4	dpm	material release
NA	2009.526	6	8/6/2009	NA	NA	-4	-3	3	dpm	material release
NA	2009.526	7	8/6/2009	NA	NA	14	-5	3	dpm	material release
NA	2009.526	8	8/6/2009	NA	NA	6	2	0	dpm	material release
NA	2009.526	9	8/6/2009	NA	NA	-4	1	7	dpm	material release
NA	2009.526	10	8/6/2009	NA	NA	4	-2	-3	dpm	material release
NA	2009.256	11	8/6/2009	NA	NA	7	-4	3	dpm	material release
NA	2009.526	12	8/6/2009	NA	NA	5	-5	-2	dpm	material release
NA	2009.526	13	8/6/2009	NA	NA	-2	-7	2	dpm	material release
NA	2009.526	14	8/6/2009	NA	NA	-1	-2	1	dpm	material release
NA	2009.526	15	8/6/2009	NA	NA	2	1	-2	dpm	material release
NA	2009.526	16	8/6/2009	NA	NA	1	1	4	dpm	material release
NA	2009.526	17	8/6/2009	NA	NA	-6	-3	1	dpm	material release
NA	2009.256	18	8/6/2009	NA	NA	0	-1	1	dpm	material release
NA	2009.526	19	8/6/2009	NA	NA	-3	-1	-2	dpm	material release
NA	2009.530	1	8/7/2009	NA	NA	0	0	0	dpm	10 min. blank
NA	2009.530	2	8/7/2009	NA	NA	-5	-2	-3	dpm	material release
NA	2009.530	3	8/7/2009	NA	NA	5	-3	-3	dpm	material release
NA	2009.530	4	8/7/2009	NA	NA	1	10	9	dpm	material release
NA	2009.530	5	8/7/2009	NA	NA	6	1	-4	dpm	material release
NA	2009.530	6	8/7/2009	NA	NA	3	7	-3	dpm	material release
NA	2009.530	7	8/7/2009	NA	NA	-1	2	-4	dpm	material release
NA	2009.530	8	8/7/2009	NA	NA	-1	2	7	dpm	material release

## REMOVABLE H-3 AND C-14 MEASUREMENT RESULTS

OU No.	RSO File No.	Smear No.	Date	SU No.	Location	H-3	C-14	Open Window	Units	Comments
NA	2009.530	9	8/7/2009	NA	NA	-4	7	-1	dpm	material release
NA	2009.530	10	8/7/2009	NA	NA	0	-4	-1	dpm	material release
NA	2009.530	11	8/7/2009	NA	NA	3	-3	1	dpm	material release
NA	2009.530	12	8/7/2009	NA	NA	2	0	1	dpm	material release
NA	2009.530	13	8/7/2009	NA	NA	-4	3	3	dpm	material release
NA	2009.530	14	8/7/2009	NA	NA	-1	3	-4	dpm	material release
NA	2009.530	15	8/7/2009	NA	NA	6	0	4	dpm	material release
NA	2009.530	16	8/7/2009	NA	NA	7	-1	-4	dpm	material release
NA	2009.530	17	8/7/2009	NA	NA	5	7	-2	dpm	material release
NA	2009.530	18	8/7/2009	NA	NA	-1	10	-3	dpm	material release
NA	2009.530	19	8/7/2009	NA	NA	2	-6	4	dpm	material release
NA	2009.530	20	8/7/2009	NA	NA	2	2	-2	dpm	material release
NA	2009.530	21	8/7/2009	NA	NA	11	2	1	dpm	material release
NA	2009.530	22	8/7/2009	NA	NA	4	1	-3	dpm	material release
NA	2009.530	23	8/7/2009	NA	NA	3	-4	4	dpm	material release
NA	2009.530	24	8/7/2009	NA	NA	0	-2	-1	dpm	material release
NA	2009.530	25	8/7/2009	NA	NA	-3	7	-3	dpm	material release
NA	2009.530	26	8/7/2009	NA	NA	4	-1	2	dpm	material release
NA	2009.530	27	8/7/2009	NA	NA	6	-1	2	dpm	material release
NA	2009.530	28	8/7/2009	NA	NA	1	4	-3	dpm	material release
NA	2009.530	29	8/7/2009	NA	NA	1	12	-5	dpm	material release
NA	2009.530	30	8/7/2009	NA	NA	2	-2	1	dpm	material release
NA	2009.530	31	8/7/2009	NA	NA	5	2	-4	dpm	material release
NA	2009.530	32	8/7/2009	NA	NA	5	-3	-2	dpm	material release
NA	2009.530	33	8/7/2009	NA	NA	4	0	-3	dpm	material release
NA	2009.530	34	8/7/2009	NA	NA	2	4	-2	dpm	material release
NA	2009.530	35	8/7/2009	NA	NA	-4	-5	2	dpm	material release
NA	2009.530	36	8/7/2009	NA	NA	9	0	-4	dpm	material release
NA	2009.530	37	8/7/2009	NA	NA	16	-5	-2	dpm	material release
NA	2009.530	38	8/7/2009	NA	NA	15	-5	-1	dpm	material release
NA	2009.530	39	8/7/2009	NA	NA	17	-2	3	dpm	material release
NA	2009.530	40	8/7/2009	NA	NA	0	-1	-3	dpm	material release
NA	2009.530	41	8/7/2009	NA	NA	-4	-1	-7	dpm	material release
NA	2009.530	42	8/7/2009	NA	NA	8	0	4	dpm	material release
NA	2009.530	43	8/7/2009	NA	NA	10	1	1	dpm	material release
NA	2009.530	44	8/7/2009	NA	NA	10	8	-2	dpm	material release
NA	2009.530	45	8/7/2009	NA	NA	-7	0	-1	dpm	material release
NA	2009.530	46	8/7/2009	NA	NA	12	0	-2	dpm	material release
NA	2009.530	47	8/7/2009	NA	NA	9	-1	1	dpm	material release
NA	2009.530	48	8/7/2009	NA	NA	14	-2	-2	dpm	material release
NA	2009.530	49	8/7/2009	NA	NA	-6	8	-5	dpm	material release
NA	2009.530	50	8/7/2009	NA	NA	6	4	1	dpm	material release
NA	2009.530	51	8/7/2009	NA	NA	5	6	-3	dpm	material release
NA	2009.530	52	8/7/2009	NA	NA	7	-3	-4	dpm	material release
NA	2009.530	53	8/7/2009	NA	NA	6	0	3	dpm	material release
NA	2009.530	54	8/7/2009	NA	NA	5	6	4	dpm	material release
NA	2009.530	55	8/7/2009	NA	NA	3	-6	4	dpm	material release
NA	2009.530	56	8/7/2009	NA	NA	-2	-4	-1	dpm	material release
NA	2009.530	57	8/7/2009	NA	NA	17	2	-8	dpm	material release
NA	2009.530	58	8/7/2009	NA	NA	2	-1	1	dpm	material release
NA	2009.530	59	8/7/2009	NA	NA	11	-2	5	dpm	material release
NA	2009.530	60	8/7/2009	NA	NA	-3	2	2	dpm	material release
NA	2009.530	61	8/7/2009	NA	NA	4	-1	2	dpm	material release
NA	2009.530	62	8/7/2009	NA	NA	5	-3	-2	dpm	material release
NA	2009.530	63	8/7/2009	NA	NA	11	-4	5	dpm	material release
NA	2009.530	64	8/7/2009	NA	NA	-2	-3	1	dpm	material release
NA	2009.530	65	8/7/2009	NA	NA	-3	-1	3	dpm	material release
NA	2009.530	66	8/7/2009	NA	NA	1	1	-4	dpm	material release
NA	2009.530	67	8/7/2009	NA	NA	51	-5	1	dpm	material release
NA	2009.530	68	8/7/2009	NA	NA	18	-6	-2	dpm	material release

## REMOVABLE H-3 AND C-14 MEASUREMENT RESULTS

OU No.	RSO File No.	Smear No.	Date	SU No.	Location	H-3	C-14	Open Window	Units	Comments
NA	2009.530	69	8/7/2009	NA	NA	2	-2	1	dpm	material release
NA	2009.530	70	8/7/2009	NA	NA	-1	1	3	dpm	material release
NA	2009.530	71	8/7/2009	NA	NA	13	9	1	dpm	material release
NA	2009.530	72	8/7/2009	NA	NA	4	-2	1	dpm	material release
NA	2009.530	73	8/7/2009	NA	NA	33	80	3	dpm	material release
NA	2009.530	74	8/7/2009	NA	NA	5	8	-7	dpm	material release
NA	2009.530	75	8/7/2009	NA	NA	18	-3	3	dpm	material release
NA	2009.530	76	8/7/2009	NA	NA	0	6	-1	dpm	material release
NA	2009.530	77	8/7/2009	NA	NA	1	2	-1	dpm	material release
NA	2009.530	78	8/7/2009	NA	NA	5	-6	-2	dpm	material release
NA	2009.530	79	8/7/2009	NA	NA	7	0	1	dpm	material release
NA	2009.530	80	8/7/2009	NA	NA	4	0	1	dpm	material release
NA	2009.530	81	8/7/2009	NA	NA	8	1	-4	dpm	material release
NA	DORF.1sa	BKG	7/13/2010	NA	NA	9	11	6	dpm	Investigation of Sump

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
129	7.33	-36,414,094,000	660,166,819,000	-1
130	6.63	-36,413,870,000	660,167,200,000	-2
131	6.53	-36,413,640,000	660,167,596,000	-2
132	8.63	-36,413,453,000	660,168,339,000	-1
133	8.33	-36,413,064,000	660,169,016,000	-1
134	7.73	-36,412,611,000	660,169,590,000	-1
135	7.63	-36,412,188,000	660,170,389,000	-1
136	7.83	-36,411,903,000	660,171,139,000	-1
137	8.73	-36,411,598,000	660,171,898,000	0
138	8.63	-36,411,264,000	660,172,379,000	-1
139	8.73	-36,410,707,000	660,173,125,000	0
140	9.03	-36,410,393,000	660,173,881,000	0
141	8.73	-36,410,109,000	660,174,578,000	0
142	8.83	-36,409,813,000	660,175,207,000	0
143	8.23	-36,409,589,000	660,175,901,000	-1
144	7.73	-36,409,324,000	660,176,425,000	-1
145	7.53	-36,408,850,000	660,176,445,000	-1
146	9.13	-36,408,685,000	660,176,003,000	0
147	10.03	-36,409,075,000	660,175,505,000	0
148	10.03	-36,409,491,000	660,174,854,000	0
149	9.53	-36,409,738,000	660,174,197,000	0
150	9.73	-36,410,112,000	660,173,542,000	0
151	9.43	-36,410,536,000	660,172,901,000	0
152	10.33	-36,410,763,000	660,172,303,000	0
153	10.93	-36,411,090,000	660,171,551,000	1
154	10.03	-36,411,456,000	660,170,925,000	0
155	9.83	-36,411,881,000	660,170,239,000	0
156	8.53	-36,412,260,000	660,169,433,000	-1
157	9.73	-36,412,516,000	660,168,743,000	0
158	10.43	-36,412,975,000	660,168,071,000	1
159	9.43	-36,413,340,000	660,167,487,000	0
160	9.13	-36,413,491,000	660,166,860,000	0
161	8.63	-36,413,208,000	660,166,431,000	-1
162	8.33	-36,412,994,000	660,166,335,000	-1
163	9.13	-36,412,594,000	660,166,997,000	0
164	8.43	-36,412,283,000	660,167,749,000	-1
165	9.43	-36,411,965,000	660,168,427,000	0
166	9.33	-36,411,651,000	660,169,065,000	0
167	10.13	-36,411,343,000	660,169,864,000	0
168	10.23	-36,410,996,000	660,170,569,000	0
169	10.43	-36,410,564,000	660,171,249,000	1
170	9.23	-36,410,235,000	660,171,920,000	0
171	8.73	-36,409,917,000	660,172,667,000	0
172	9.93	-36,409,590,000	660,173,262,000	0
173	9.43	-36,409,230,000	660,173,899,000	0
174	9.73	-36,408,908,000	660,174,777,000	0
175	10.13	-36,408,698,000	660,175,417,000	0
176	8.73	-36,408,197,000	660,175,830,000	0
177	9.03	-36,407,837,000	660,175,771,000	0
178	9.33	-36,407,553,000	660,175,574,000	0
179	10.33	-36,407,910,000	660,175,166,000	0
180	9.83	-36,408,107,000	660,174,431,000	0
181	9.53	-36,408,423,000	660,173,644,000	0
182	9.93	-36,408,878,000	660,172,981,000	0
183	9.83	-36,409,309,000	660,172,266,000	0
184	9.33	-36,409,521,000	660,171,776,000	0

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
185	9.23	-36,409,900,000	660,171,089,000	0
186	9.83	-36,410,359,000	660,170,397,000	0
187	9.33	-36,410,713,000	660,169,696,000	0
188	10.63	-36,411,023,000	660,169,055,000	1
189	10.03	-36,411,405,000	660,168,379,000	0
190	11.13	-36,411,773,000	660,167,812,000	1
191	11.53	-36,411,969,000	660,167,030,000	1
192	10.23	-36,412,234,000	660,166,566,000	0
193	10.63	-36,412,528,000	660,166,233,000	1
194	10.03	-36,412,272,000	660,165,869,000	0
195	8.93	-36,411,941,000	660,165,732,000	0
196	9.03	-36,411,576,000	660,165,747,000	0
197	8.93	-36,411,427,000	660,166,095,000	0
198	9.93	-36,411,057,000	660,166,675,000	0
199	10.43	-36,410,779,000	660,167,203,000	1
200	10.63	-36,410,511,000	660,167,941,000	1
201	11.03	-36,410,341,000	660,168,535,000	1
202	10.23	-36,410,136,000	660,168,990,000	0
203	9.93	-36,410,216,000	660,169,112,000	0
204	10.93	-36,410,172,000	660,169,111,000	1
205	10.13	-36,410,157,000	660,169,120,000	0
206	10.03	-36,410,154,000	660,169,125,000	0
207	10.43	-36,410,161,000	660,169,119,000	1
208	9.93	-36,410,164,000	660,169,102,000	0
209	9.23	-36,410,169,000	660,169,083,000	0
210	10.33	-36,410,185,000	660,169,067,000	0
211	10.33	-36,410,180,000	660,169,074,000	0
212	9.23	-36,410,172,000	660,169,071,000	0
213	9.73	-36,410,182,000	660,169,070,000	0
214	9.63	-36,410,194,000	660,169,071,000	0
215	10.43	-36,410,183,000	660,169,048,000	1
216	10.63	-36,410,123,000	660,169,023,000	1
217	9.53	-36,409,979,000	660,169,259,000	0
218	8.33	-36,409,569,000	660,169,717,000	-1
219	10.73	-36,409,308,000	660,170,354,000	1
220	10.33	-36,409,084,000	660,171,169,000	0
221	8.83	-36,408,823,000	660,171,856,000	0
222	9.43	-36,408,310,000	660,172,464,000	0
223	8.93	-36,408,024,000	660,172,972,000	0
224	9.33	-36,407,684,000	660,173,820,000	0
225	9.53	-36,407,434,000	660,174,432,000	0
226	9.73	-36,407,069,000	660,174,896,000	0
227	9.63	-36,406,617,000	660,174,865,000	0
228	9.73	-36,406,269,000	660,174,503,000	0
229	10.03	-36,406,555,000	660,173,878,000	0
230	10.23	-36,406,962,000	660,173,159,000	0
231	10.33	-36,407,066,000	660,172,550,000	0
232	9.63	-36,407,442,000	660,171,968,000	0
233	8.63	-36,407,794,000	660,171,478,000	-1
234	9.63	-36,408,055,000	660,170,862,000	0
235	9.93	-36,408,371,000	660,170,426,000	0
236	10.53	-36,408,714,000	660,169,763,000	1
237	9.73	-36,408,977,000	660,169,145,000	0
238	10.53	-36,409,347,000	660,168,544,000	1
239	10.13	-36,409,598,000	660,168,121,000	0
240	9.73	-36,409,792,000	660,167,578,000	0

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
241	9.93	-36,410,075,000	660,167,163,000	0
242	10.43	-36,410,277,000	660,166,819,000	1
243	10.73	-36,410,280,000	660,166,507,000	1
244	10.63	-36,410,303,000	660,166,487,000	1
245	11.03	-36,410,292,000	660,166,454,000	1
246	11.43	-36,410,293,000	660,166,444,000	1
247	10.93	-36,410,304,000	660,166,440,000	1
248	10.13	-36,410,299,000	660,166,439,000	0
249	10.03	-36,410,285,000	660,166,427,000	0
250	10.83	-36,410,297,000	660,166,419,000	1
251	11.23	-36,410,383,000	660,166,360,000	1
252	10.93	-36,410,675,000	660,166,173,000	1
253	10.03	-36,410,935,000	660,165,847,000	0
254	10.53	-36,410,953,000	660,165,544,000	1
255	10.53	-36,410,872,000	660,165,173,000	1
256	10.23	-36,410,560,000	660,165,043,000	0
257	10.53	-36,410,454,000	660,165,294,000	1
258	10.03	-36,410,246,000	660,165,797,000	0
259	10.23	-36,409,916,000	660,166,216,000	0
260	10.43	-36,409,638,000	660,166,923,000	1
261	9.73	-36,409,447,000	660,167,662,000	0
262	9.93	-36,409,175,000	660,168,406,000	0
263	10.13	-36,408,816,000	660,169,022,000	0
264	10.93	-36,408,501,000	660,170,024,000	1
265	10.33	-36,408,175,000	660,170,700,000	0
266	9.83	-36,407,711,000	660,171,364,000	0
267	10.03	-36,407,349,000	660,172,075,000	0
268	11.03	-36,407,060,000	660,172,894,000	1
269	10.53	-36,406,769,000	660,173,585,000	1
270	10.43	-36,406,313,000	660,174,021,000	1
271	10.03	-36,405,784,000	660,173,985,000	0
272	10.33	-36,405,546,000	660,173,794,000	0
273	10.43	-36,405,333,000	660,173,453,000	1
274	11.13	-36,405,693,000	660,172,956,000	1
275	9.53	-36,406,150,000	660,172,187,000	0
276	9.83	-36,406,502,000	660,171,477,000	0
277	10.43	-36,406,829,000	660,170,720,000	1
278	11.03	-36,407,201,000	660,170,047,000	1
279	9.93	-36,407,606,000	660,169,457,000	0
280	9.33	-36,408,000,000	660,168,860,000	0
281	10.73	-36,408,336,000	660,168,094,000	1
282	9.73	-36,408,566,000	660,167,527,000	0
283	9.63	-36,409,070,000	660,166,873,000	0
284	9.73	-36,409,380,000	660,166,400,000	0
285	11.33	-36,409,522,000	660,165,794,000	1
286	10.43	-36,409,657,000	660,165,402,000	1
287	11.23	-36,409,723,000	660,165,422,000	1
288	10.63	-36,409,686,000	660,165,393,000	1
289	9.83	-36,409,698,000	660,165,407,000	0
290	10.13	-36,409,684,000	660,165,436,000	0
291	10.93	-36,409,670,000	660,165,433,000	1
292	10.33	-36,409,685,000	660,165,435,000	0
293	10.73	-36,409,700,000	660,165,432,000	1
294	10.93	-36,409,775,000	660,165,423,000	1
295	10.93	-36,409,805,000	660,165,487,000	1
296	9.73	-36,409,835,000	660,165,551,000	0

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
297	10.13	-36,409,759,000	660,165,518,000	0
298	11.13	-36,409,733,000	660,165,414,000	1
299	10.73	-36,409,714,000	660,165,409,000	1
300	9.73	-36,409,707,000	660,165,399,000	0
301	10.53	-36,409,694,000	660,165,404,000	1
302	11.03	-36,409,726,000	660,165,437,000	1
303	11.03	-36,409,792,000	660,165,507,000	1
304	9.43	-36,409,856,000	660,165,487,000	0
305	10.73	-36,409,766,000	660,165,246,000	1
306	9.93	-36,409,911,000	660,165,159,000	0
307	10.53	-36,409,780,000	660,164,885,000	1
308	10.13	-36,409,537,000	660,164,650,000	0
309	9.63	-36,409,420,000	660,164,654,000	0
310	9.73	-36,409,285,000	660,164,607,000	0
311	10.23	-36,409,089,000	660,164,573,000	0
312	10.13	-36,408,979,000	660,164,727,000	0
313	11.23	-36,408,850,000	660,165,288,000	1
314	11.83	-36,408,503,000	660,165,970,000	1
315	11.63	-36,408,127,000	660,166,531,000	1
316	11.03	-36,407,920,000	660,167,342,000	1
317	10.33	-36,407,609,000	660,168,094,000	0
318	10.93	-36,407,123,000	660,168,824,000	1
319	10.23	-36,406,751,000	660,169,471,000	0
320	10.53	-36,406,469,000	660,170,177,000	1
321	9.33	-36,406,143,000	660,170,868,000	0
322	10.63	-36,405,733,000	660,171,400,000	1
323	10.03	-36,405,342,000	660,171,917,000	0
324	9.83	-36,405,052,000	660,172,627,000	0
325	10.13	-36,404,822,000	660,173,070,000	0
326	9.63	-36,404,498,000	660,172,840,000	0
327	10.63	-36,404,088,000	660,172,503,000	1
328	9.73	-36,404,218,000	660,172,055,000	0
329	10.73	-36,404,408,000	660,171,438,000	1
330	9.63	-36,404,807,000	660,170,949,000	0
331	9.63	-36,405,336,000	660,170,190,000	0
332	9.13	-36,405,745,000	660,169,414,000	0
333	10.03	-36,406,214,000	660,168,675,000	0
334	10.43	-36,406,662,000	660,168,105,000	1
335	11.03	-36,406,975,000	660,167,450,000	1
336	10.73	-36,407,299,000	660,166,852,000	1
337	11.43	-36,407,770,000	660,166,068,000	1
338	12.33	-36,408,120,000	660,165,337,000	2
339	10.63	-36,408,414,000	660,164,756,000	1
340	11.13	-36,408,530,000	660,164,314,000	1
341	10.23	-36,408,460,000	660,163,961,000	0
342	10.03	-36,408,113,000	660,164,015,000	0
343	10.03	-36,407,929,000	660,164,318,000	0
344	9.63	-36,407,647,000	660,164,855,000	0
345	10.43	-36,407,340,000	660,165,504,000	1
346	11.03	-36,406,893,000	660,166,161,000	1
347	11.43	-36,406,416,000	660,166,829,000	1
348	10.43	-36,406,003,000	660,167,624,000	1
349	11.83	-36,405,633,000	660,168,206,000	1
350	10.63	-36,405,108,000	660,168,940,000	1
351	11.23	-36,404,757,000	660,169,537,000	1
352	10.73	-36,404,412,000	660,170,203,000	1



## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
353	10.53	-36,403,948,000	660,170,767,000	1
354	10.23	-36,403,575,000	660,171,318,000	0
355	10.33	-36,403,442,000	660,171,667,000	0
356	9.13	-36,402,984,000	660,171,678,000	0
357	8.93	-36,402,582,000	660,171,466,000	0
358	9.43	-36,402,783,000	660,171,063,000	0
359	10.83	-36,403,208,000	660,170,655,000	1
360	10.33	-36,403,580,000	660,169,925,000	0
361	11.03	-36,403,902,000	660,169,449,000	1
362	9.83	-36,404,334,000	660,168,996,000	0
363	10.13	-36,404,557,000	660,168,519,000	0
364	11.43	-36,404,989,000	660,168,051,000	1
365	11.13	-36,405,466,000	660,167,304,000	1
366	11.03	-36,405,851,000	660,166,627,000	1
367	12.03	-36,406,217,000	660,165,993,000	1
368	11.53	-36,406,671,000	660,165,354,000	1
369	12.13	-36,407,046,000	660,164,687,000	1
370	11.43	-36,407,193,000	660,164,099,000	1
371	10.63	-36,407,449,000	660,163,570,000	1
372	8.63	-36,407,483,000	660,163,195,000	-1
373	9.03	-36,407,104,000	660,163,272,000	0
374	10.33	-36,406,866,000	660,163,622,000	0
375	9.93	-36,406,486,000	660,164,335,000	0
376	9.53	-36,405,940,000	660,165,089,000	0
377	8.43	-36,405,588,000	660,165,906,000	-1
378	10.03	-36,405,250,000	660,166,500,000	0
379	10.23	-36,404,799,000	660,167,145,000	0
380	9.53	-36,404,317,000	660,167,912,000	0
381	10.83	-36,403,787,000	660,168,639,000	1
382	10.33	-36,403,258,000	660,169,254,000	0
383	9.43	-36,402,812,000	660,169,847,000	0
384	9.93	-36,402,481,000	660,170,233,000	0
385	9.23	-36,401,883,000	660,170,505,000	0
386	9.83	-36,401,326,000	660,170,005,000	0
387	10.23	-36,401,304,000	660,169,825,000	0
388	8.73	-36,401,726,000	660,169,459,000	0
389	9.13	-36,402,071,000	660,168,794,000	0
390	9.63	-36,402,509,000	660,168,249,000	0
391	9.53	-36,403,049,000	660,167,802,000	0
392	10.03	-36,403,447,000	660,167,273,000	0
393	9.13	-36,403,891,000	660,166,544,000	0
394	9.93	-36,404,437,000	660,166,099,000	0
395	10.53	-36,404,880,000	660,165,429,000	1
396	11.33	-36,405,132,000	660,164,715,000	1
397	10.63	-36,405,567,000	660,164,027,000	1
398	9.73	-36,405,996,000	660,163,398,000	0
399	9.13	-36,406,074,000	660,162,770,000	0
400	7.93	-36,405,748,000	660,162,664,000	-1
401	8.73	-36,405,471,000	660,162,812,000	0
402	9.33	-36,405,112,000	660,163,344,000	0
403	10.63	-36,404,951,000	660,164,097,000	1
404	10.13	-36,404,802,000	660,164,523,000	0
405	9.83	-36,404,733,000	660,165,006,000	0
406	9.53	-36,404,647,000	660,165,567,000	0
407	10.23	-36,404,333,000	660,166,026,000	0
408	11.03	-36,404,310,000	660,166,338,000	1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
409	11.03	-36,404,072,000	660,166,627,000	1
410	10.53	-36,403,056,000	660,166,953,000	1
411	9.73	-36,402,917,000	660,167,207,000	0
412	9.63	-36,403,043,000	660,167,009,000	0
413	10.33	-36,403,222,000	660,166,606,000	0
414	10.53	-36,403,301,000	660,166,532,000	1
415	9.63	-36,403,298,000	660,166,523,000	0
416	9.63	-36,403,369,000	660,166,616,000	0
417	9.63	-36,403,183,000	660,166,925,000	0
418	9.03	-36,402,902,000	660,167,461,000	0
419	9.63	-36,402,239,000	660,168,044,000	0
420	9.73	-36,401,743,000	660,168,670,000	0
421	8.83	-36,401,553,000	660,169,107,000	0
422	8.23	-36,401,130,000	660,169,662,000	-1
423	8.33	-36,400,602,000	660,169,291,000	-1
424	9.63	-36,400,361,000	660,169,120,000	0
425	8.73	-36,400,683,000	660,169,078,000	0
426	9.53	-36,400,591,000	660,168,687,000	0
427	9.73	-36,401,021,000	660,168,175,000	0
428	9.53	-36,401,493,000	660,167,590,000	0
429	9.93	-36,401,910,000	660,167,009,000	0
430	9.23	-36,402,285,000	660,166,632,000	0
431	9.33	-36,402,575,000	660,166,468,000	0
432	9.33	-36,402,307,000	660,166,290,000	0
433	9.13	-36,401,685,000	660,166,404,000	0
434	9.23	-36,401,193,000	660,166,714,000	0
435	8.73	-36,401,104,000	660,167,308,000	0
436	9.03	-36,400,737,000	660,167,784,000	0
437	9.73	-36,400,261,000	660,168,332,000	0
438	9.33	-36,399,875,000	660,168,655,000	0
439	8.83	-36,399,312,000	660,168,284,000	0
440	9.03	-36,399,283,000	660,168,195,000	0
441	9.23	-36,399,595,000	660,167,922,000	0
442	10.23	-36,399,924,000	660,167,228,000	0
443	9.23	-36,400,441,000	660,166,663,000	0
444	9.03	-36,400,985,000	660,166,305,000	0
445	9.93	-36,401,223,000	660,165,949,000	0
446	9.63	-36,401,425,000	660,165,633,000	0
447	10.53	-36,400,421,000	660,165,740,000	1
448	9.63	-36,400,284,000	660,166,190,000	0
449	10.33	-36,399,882,000	660,166,675,000	0
450	9.13	-36,399,404,000	660,167,100,000	0
451	9.63	-36,398,974,000	660,167,537,000	0
452	9.73	-36,398,376,000	660,167,594,000	0
453	9.73	-36,398,016,000	660,167,290,000	0
454	10.23	-36,397,949,000	660,167,105,000	0
455	9.53	-36,398,430,000	660,166,781,000	0
456	9.93	-36,398,648,000	660,166,178,000	0
457	9.03	-36,399,102,000	660,165,595,000	0
458	9.13	-36,399,440,000	660,165,317,000	0
459	10.63	-36,399,674,000	660,164,986,000	1
460	9.83	-36,399,442,000	660,164,804,000	0
461	9.53	-36,398,735,000	660,164,951,000	0
462	10.13	-36,398,578,000	660,165,329,000	0
463	10.33	-36,398,358,000	660,166,066,000	0
464	9.73	-36,397,435,000	660,166,439,000	0

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
465	10.23	-36,396,717,000	660,166,530,000	0
466	9.73	-36,396,237,000	660,166,219,000	0
467	10.23	-36,396,288,000	660,166,060,000	0
468	10.53	-36,396,543,000	660,165,807,000	1
469	10.33	-36,396,912,000	660,165,378,000	0
470	8.93	-36,397,426,000	660,164,837,000	0
471	9.83	-36,398,044,000	660,164,472,000	0
472	10.43	-36,397,882,000	660,164,240,000	1
473	9.23	-36,397,818,000	660,164,224,000	0
474	9.63	-36,397,593,000	660,164,327,000	0
475	8.83	-36,397,315,000	660,165,037,000	0
476	8.63	-36,396,710,000	660,165,371,000	-1
477	9.33	-36,396,193,000	660,165,577,000	0
478	9.43	-36,395,870,000	660,165,260,000	0
479	8.93	-36,395,770,000	660,165,039,000	0
480	9.43	-36,396,158,000	660,164,687,000	0
481	9.33	-36,396,447,000	660,164,152,000	0
482	10.03	-36,396,543,000	660,163,749,000	0
483	10.73	-36,396,764,000	660,163,517,000	1
484	9.63	-36,396,434,000	660,163,570,000	0
485	9.33	-36,395,934,000	660,163,803,000	0
486	9.73	-36,395,683,000	660,164,318,000	0
487	8.63	-36,395,246,000	660,164,478,000	-1
488	8.93	-36,394,895,000	660,164,273,000	0
489	9.93	-36,394,733,000	660,163,803,000	0
490	9.73	-36,395,178,000	660,163,140,000	0
491	9.13	-36,395,476,000	660,162,833,000	0
492	10.63	-36,395,368,000	660,162,580,000	1
493	10.23	-36,394,980,000	660,162,668,000	0
494	9.93	-36,394,744,000	660,162,776,000	0
495	10.53	-36,394,766,000	660,162,990,000	1
496	8.93	-36,394,663,000	660,163,047,000	0
497	9.63	-36,394,365,000	660,163,102,000	0
498	9.33	-36,393,901,000	660,162,999,000	0
499	9.03	-36,393,779,000	660,162,532,000	0
500	9.33	-36,394,069,000	660,162,079,000	0
501	8.93	-36,394,236,000	660,162,010,000	0
502	8.83	-36,393,785,000	660,162,114,000	0
503	9.33	-36,393,379,000	660,162,240,000	0
504	10.13	-36,393,069,000	660,162,416,000	0
505	10.63	-36,392,635,000	660,162,339,000	1
506	9.53	-36,392,386,000	660,161,816,000	0
507	9.53	-36,392,448,000	660,161,076,000	0
508	8.83	-36,392,860,000	660,160,460,000	0
509	9.13	-36,393,200,000	660,159,951,000	0
510	8.73	-36,393,603,000	660,159,347,000	0
511	9.13	-36,394,049,000	660,158,679,000	0
512	9.33	-36,394,461,000	660,158,128,000	0
513	10.63	-36,394,909,000	660,157,838,000	1
514	7.83	-36,395,342,000	660,157,878,000	-1
515	8.33	-36,395,856,000	660,158,220,000	-1
516	8.93	-36,396,418,000	660,158,481,000	0
517	9.63	-36,396,992,000	660,158,756,000	0
518	7.73	-36,397,669,000	660,159,141,000	-1
519	8.13	-36,398,328,000	660,159,467,000	-1
520	8.73	-36,398,889,000	660,159,655,000	0

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
521	9.23	-36,399,680,000	660,159,954,000	0
522	8.93	-36,400,286,000	660,160,321,000	0
523	9.53	-36,400,705,000	660,160,692,000	0
524	9.23	-36,401,111,000	660,160,578,000	0
525	8.93	-36,401,681,000	660,160,575,000	0
526	8.63	-36,402,245,000	660,160,786,000	-1
527	8.13	-36,402,829,000	660,161,039,000	-1
528	7.33	-36,403,271,000	660,161,190,000	-1
529	8.13	-36,403,650,000	660,161,613,000	-1
530	8.63	-36,403,727,000	660,162,103,000	-1
531	9.23	-36,403,853,000	660,162,183,000	0
532	9.83	-36,403,967,000	660,162,255,000	0
533	10.03	-36,404,063,000	660,162,300,000	0
534	9.73	-36,404,198,000	660,161,992,000	0
535	9.43	-36,404,453,000	660,162,079,000	0
536	8.83	-36,404,722,000	660,162,172,000	0
537	9.83	-36,404,928,000	660,162,310,000	0
538	8.83	-36,404,859,000	660,162,562,000	0
539	9.33	-36,404,811,000	660,162,447,000	0
540	9.03	-36,404,761,000	660,162,326,000	0
541	10.13	-36,404,711,000	660,162,205,000	0
542	10.03	-36,404,661,000	660,162,083,000	0
543	9.03	-36,404,575,000	660,161,954,000	0
544	9.03	-36,403,802,000	660,161,423,000	0
545	8.23	-36,402,716,000	660,160,971,000	-1
546	9.03	-36,401,871,000	660,160,658,000	0
547	7.83	-36,401,047,000	660,160,718,000	-1
548	8.73	-36,400,195,000	660,160,657,000	0
549	9.43	-36,399,371,000	660,160,381,000	0
550	9.53	-36,398,451,000	660,160,027,000	0
551	9.13	-36,397,754,000	660,159,599,000	0
552	9.63	-36,396,986,000	660,159,200,000	0
553	9.73	-36,396,336,000	660,158,672,000	0
554	9.63	-36,395,841,000	660,158,354,000	0
555	8.43	-36,395,104,000	660,157,884,000	-1
556	8.73	-36,394,549,000	660,157,431,000	0
557	8.53	-36,393,928,000	660,156,954,000	-1
558	8.23	-36,393,053,000	660,156,577,000	-1
559	7.93	-36,392,156,000	660,156,171,000	-1
560	7.63	-36,391,353,000	660,155,696,000	-1
561	7.93	-36,390,361,000	660,155,298,000	-1
562	7.13	-36,389,609,000	660,154,930,000	-1
563	7.93	-36,388,863,000	660,154,478,000	-1
564	6.93	-36,388,218,000	660,154,272,000	-1
565	7.63	-36,387,133,000	660,153,668,000	-1
566	7.63	-36,386,415,000	660,153,292,000	-1
567	6.53	-36,385,673,000	660,153,069,000	-2
568	6.93	-36,384,878,000	660,152,781,000	-1
569	7.43	-36,384,291,000	660,152,497,000	-1
570	7.33	-36,383,626,000	660,152,009,000	-1
571	7.93	-36,383,126,000	660,151,652,000	-1
572	7.43	-36,382,333,000	660,150,991,000	-1
573	8.23	-36,381,661,000	660,150,504,000	-1
574	8.23	-36,381,100,000	660,150,155,000	-1
575	8.63	-36,380,971,000	660,150,041,000	-1
576	8.73	-36,381,145,000	660,149,809,000	0

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
577	8.43	-36,381,533,000	660,150,103,000	-1
578	8.73	-36,381,194,000	660,150,795,000	0
579	8.33	-36,381,726,000	660,151,496,000	-1
580	8.03	-36,382,152,000	660,151,980,000	-1
581	8.93	-36,382,485,000	660,152,743,000	0
582	8.13	-36,382,726,000	660,153,125,000	-1
583	8.43	-36,383,174,000	660,153,483,000	-1
584	8.13	-36,383,586,000	660,153,862,000	-1
585	9.33	-36,383,979,000	660,154,222,000	0
586	8.53	-36,384,290,000	660,154,495,000	-1
587	7.83	-36,384,232,000	660,154,346,000	-1
588	8.53	-36,384,285,000	660,154,414,000	-1
589	8.03	-36,384,561,000	660,154,652,000	-1
590	7.73	-36,385,094,000	660,155,265,000	-1
591	7.43	-36,385,488,000	660,155,704,000	-1
592	8.23	-36,386,103,000	660,156,277,000	-1
593	8.63	-36,386,670,000	660,156,762,000	-1
594	9.83	-36,387,192,000	660,157,119,000	0
595	8.63	-36,387,483,000	660,157,034,000	-1
596	9.63	-36,387,626,000	660,157,053,000	0
597	9.73	-36,387,844,000	660,157,473,000	0
598	9.73	-36,388,358,000	660,157,943,000	0
599	8.63	-36,388,842,000	660,158,214,000	-1
600	9.33	-36,389,123,000	660,158,638,000	0
601	10.73	-36,389,327,000	660,158,781,000	1
602	10.73	-36,389,336,000	660,158,922,000	1
603	9.83	-36,389,589,000	660,159,009,000	0
604	9.33	-36,390,110,000	660,159,368,000	0
605	9.73	-36,390,748,000	660,159,835,000	0
606	9.83	-36,391,096,000	660,160,325,000	0
607	9.93	-36,391,406,000	660,160,870,000	0
608	11.23	-36,391,886,000	660,161,292,000	1
609	10.73	-36,392,235,000	660,161,454,000	1
610	11.13	-36,392,497,000	660,161,425,000	1
611	9.53	-36,392,590,000	660,161,152,000	0
612	9.43	-36,392,183,000	660,160,790,000	0
613	11.43	-36,391,788,000	660,160,386,000	1
614	10.03	-36,391,523,000	660,160,092,000	0
615	9.33	-36,391,229,000	660,160,116,000	0
616	10.13	-36,391,087,000	660,159,898,000	0
617	10.03	-36,390,675,000	660,159,612,000	0
618	11.33	-36,390,243,000	660,159,345,000	1
619	10.53	-36,389,794,000	660,159,116,000	1
620	9.93	-36,389,160,000	660,158,837,000	0
621	9.73	-36,388,788,000	660,158,339,000	0
622	9.73	-36,388,338,000	660,157,950,000	0
623	9.93	-36,387,783,000	660,157,565,000	0
624	8.73	-36,387,078,000	660,157,025,000	0
625	8.13	-36,386,507,000	660,156,654,000	-1
626	9.33	-36,385,996,000	660,156,063,000	0
627	8.73	-36,385,428,000	660,155,628,000	0
628	8.83	-36,384,953,000	660,155,335,000	0
629	8.03	-36,384,233,000	660,154,691,000	-1
630	7.93	-36,383,627,000	660,154,171,000	-1
631	8.93	-36,383,070,000	660,153,469,000	0
632	9.33	-36,382,499,000	660,152,782,000	0

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
633	10.03	-36,382,083,000	660,152,144,000	0
634	8.93	-36,381,680,000	660,151,488,000	0
635	7.93	-36,381,559,000	660,150,944,000	-1
636	7.93	-36,382,100,000	660,151,028,000	-1
637	8.23	-36,382,804,000	660,151,346,000	-1
638	7.63	-36,383,174,000	660,151,697,000	-1
639	7.63	-36,383,564,000	660,152,220,000	-1
640	8.23	-36,384,163,000	660,152,939,000	-1
641	8.03	-36,384,670,000	660,153,368,000	-1
642	8.23	-36,385,247,000	660,153,696,000	-1
643	9.03	-36,386,011,000	660,154,340,000	0
644	8.43	-36,386,264,000	660,154,520,000	-1
645	8.13	-36,387,163,000	660,155,251,000	-1
646	9.23	-36,388,061,000	660,155,783,000	0
647	9.43	-36,389,193,000	660,156,516,000	0
648	9.03	-36,389,884,000	660,157,257,000	0
649	9.93	-36,390,304,000	660,157,874,000	0
650	9.73	-36,390,662,000	660,158,194,000	0
651	9.63	-36,391,333,000	660,158,749,000	0
652	11.13	-36,391,873,000	660,159,398,000	1
653	11.53	-36,392,382,000	660,159,796,000	1
654	10.23	-36,392,917,000	660,160,118,000	0
655	9.73	-36,393,077,000	660,159,964,000	0
656	9.83	-36,393,141,000	660,159,760,000	0
657	10.13	-36,392,849,000	660,159,388,000	0
658	9.53	-36,392,424,000	660,158,963,000	0
659	9.73	-36,391,860,000	660,158,479,000	0
660	9.53	-36,391,322,000	660,158,096,000	0
661	8.83	-36,390,624,000	660,157,688,000	0
662	9.73	-36,389,838,000	660,157,250,000	0
663	10.03	-36,389,626,000	660,157,142,000	0
664	8.23	-36,389,244,000	660,156,735,000	-1
665	8.83	-36,388,715,000	660,156,397,000	0
666	8.93	-36,388,184,000	660,156,157,000	0
667	8.13	-36,388,123,000	660,156,283,000	-1
668	8.43	-36,388,053,000	660,156,279,000	-1
669	8.53	-36,388,036,000	660,156,217,000	-1
670	9.33	-36,388,034,000	660,156,213,000	0
671	9.73	-36,387,962,000	660,156,198,000	0
672	9.63	-36,387,870,000	660,156,038,000	0
673	8.73	-36,387,748,000	660,155,823,000	0
674	8.93	-36,387,310,000	660,155,759,000	0
675	8.73	-36,386,785,000	660,155,477,000	0
676	8.43	-36,386,464,000	660,155,269,000	-1
677	6.93	-36,386,386,000	660,155,094,000	-1
678	7.33	-36,385,554,000	660,154,621,000	-1
679	7.03	-36,384,917,000	660,154,208,000	-1
680	7.83	-36,384,399,000	660,153,758,000	-1
681	7.93	-36,383,826,000	660,153,217,000	-1
682	7.83	-36,383,310,000	660,152,621,000	-1
683	8.13	-36,382,989,000	660,152,109,000	-1
684	7.53	-36,383,291,000	660,152,411,000	-1
685	7.43	-36,383,926,000	660,152,697,000	-1
686	7.43	-36,384,773,000	660,153,109,000	-1
687	7.53	-36,385,667,000	660,153,961,000	-1
688	8.23	-36,385,985,000	660,153,988,000	-1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
689	7.03	-36,386,615,000	660,154,397,000	-1
690	8.23	-36,387,486,000	660,154,941,000	-1
691	8.33	-36,388,092,000	660,155,389,000	-1
692	8.93	-36,388,698,000	660,155,838,000	0
693	8.63	-36,389,208,000	660,156,205,000	-1
694	10.03	-36,389,868,000	660,156,523,000	0
695	8.53	-36,390,485,000	660,156,959,000	-1
696	8.13	-36,390,992,000	660,157,397,000	-1
697	9.33	-36,391,435,000	660,157,821,000	0
698	10.13	-36,392,075,000	660,158,321,000	0
699	10.43	-36,392,625,000	660,158,581,000	1
700	9.43	-36,393,211,000	660,158,735,000	0
701	9.13	-36,393,596,000	660,158,700,000	0
702	9.23	-36,393,649,000	660,158,253,000	0
703	9.13	-36,393,255,000	660,157,979,000	0
704	8.83	-36,392,832,000	660,157,623,000	0
705	9.03	-36,392,336,000	660,157,394,000	0
706	9.03	-36,391,873,000	660,157,290,000	0
707	9.13	-36,391,836,000	660,157,299,000	0
708	8.93	-36,391,860,000	660,157,335,000	0
709	9.33	-36,391,863,000	660,157,327,000	0
710	9.53	-36,391,854,000	660,157,313,000	0
711	9.83	-36,391,855,000	660,157,302,000	0
712	8.13	-36,391,825,000	660,157,233,000	-1
713	8.43	-36,391,695,000	660,157,100,000	-1
714	7.93	-36,391,690,000	660,157,141,000	-1
715	8.03	-36,391,690,000	660,157,171,000	-1
716	9.03	-36,391,726,000	660,157,179,000	0
717	8.93	-36,391,754,000	660,157,179,000	0
718	8.43	-36,391,506,000	660,157,028,000	-1
719	8.23	-36,391,225,000	660,156,931,000	-1
720	8.53	-36,391,239,000	660,156,942,000	-1
721	8.03	-36,391,279,000	660,156,991,000	-1
722	8.93	-36,391,357,000	660,156,987,000	0
723	8.03	-36,391,233,000	660,156,753,000	-1
724	9.43	-36,390,835,000	660,156,585,000	0
725	9.03	-36,390,475,000	660,156,323,000	0
726	8.73	-36,389,938,000	660,156,147,000	0
727	9.13	-36,389,400,000	660,156,052,000	0
728	8.73	-36,389,409,000	660,156,005,000	0
729	8.43	-36,389,397,000	660,156,002,000	-1
730	7.73	-36,389,412,000	660,156,021,000	-1
731	7.73	-36,389,464,000	660,155,979,000	-1
732	7.53	-36,389,432,000	660,155,875,000	-1
733	8.13	-36,389,100,000	660,155,874,000	-1
734	7.33	-36,388,595,000	660,155,426,000	-1
735	8.33	-36,388,026,000	660,155,458,000	-1
736	7.93	-36,387,945,000	660,155,666,000	-1
737	8.83	-36,386,494,000	660,154,456,000	0
738	8.03	-36,386,201,000	660,154,327,000	-1
739	8.43	-36,386,239,000	660,154,964,000	-1
740	8.33	-36,385,714,000	660,154,402,000	-1
741	7.03	-36,384,545,000	660,153,243,000	-1
742	7.83	-36,384,189,000	660,153,404,000	-1
743	7.33	-36,384,075,000	660,153,717,000	-1
744	8.83	-36,383,290,000	660,152,585,000	0

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
745	7.33	-36,382,865,000	660,152,306,000	-1
746	8.23	-36,382,518,000	660,152,057,000	-1
747	8.33	-36,382,004,000	660,151,582,000	-1
748	7.13	-36,381,805,000	660,151,383,000	-1
749	8.43	-36,381,776,000	660,151,372,000	-1
750	8.23	-36,381,867,000	660,151,478,000	-1
751	8.43	-36,381,929,000	660,151,562,000	-1
752	7.63	-36,382,070,000	660,151,640,000	-1
753	7.13	-36,382,096,000	660,151,541,000	-1
754	6.93	-36,381,869,000	660,151,459,000	-1
755	8.33	-36,381,818,000	660,151,245,000	-1
756	7.93	-36,381,532,000	660,150,800,000	-1
757	7.73	-36,381,333,000	660,150,181,000	-1
758	8.83	-36,380,910,000	660,149,546,000	0
759	8.63	-36,380,703,000	660,149,282,000	-1
760	7.23	-36,380,516,000	660,149,198,000	-1
761	7.33	-36,380,641,000	660,149,261,000	-1
762	7.93	-36,380,753,000	660,149,317,000	-1
763	8.23	-36,380,893,000	660,149,387,000	-1
764	7.83	-36,381,018,000	660,149,449,000	-1
765	8.13	-36,381,106,000	660,149,479,000	-1
766	8.13	-36,381,079,000	660,149,408,000	-1
767	7.63	-36,381,096,000	660,149,411,000	-1
768	7.33	-36,381,047,000	660,149,248,000	-1
769	7.83	-36,381,316,000	660,149,380,000	-1
770	8.53	-36,381,543,000	660,149,492,000	-1
771	8.13	-36,381,836,000	660,149,658,000	-1
772	8.23	-36,382,413,000	660,150,210,000	-1
773	8.13	-36,382,930,000	660,150,655,000	-1
774	9.03	-36,383,334,000	660,150,887,000	0
775	7.03	-36,383,456,000	660,150,980,000	-1
776	6.83	-36,383,595,000	660,151,400,000	-2
777	6.53	-36,383,576,000	660,151,415,000	-2
778	5.63	-36,383,619,000	660,151,507,000	-2
779	7.53	-36,383,642,000	660,151,529,000	-1
780	7.43	-36,383,558,000	660,151,519,000	-1
781	6.83	-36,383,501,000	660,151,464,000	-2
782	6.93	-36,383,476,000	660,151,452,000	-1
783	7.13	-36,383,470,000	660,151,442,000	-1
784	6.53	-36,383,470,000	660,151,452,000	-2
785	6.53	-36,383,495,000	660,151,528,000	-2
786	6.53	-36,383,508,000	660,151,559,000	-2
787	5.93	-36,383,505,000	660,151,555,000	-2
788	5.73	-36,383,479,000	660,151,522,000	-2
789	6.53	-36,383,493,000	660,151,539,000	-2
790	5.53	-36,383,538,000	660,151,578,000	-2
791	6.03	-36,383,588,000	660,151,539,000	-2
792	6.53	-36,383,574,000	660,151,467,000	-2
793	5.93	-36,383,622,000	660,151,228,000	-2
794	6.33	-36,383,693,000	660,150,872,000	-2
795	5.83	-36,383,902,000	660,150,362,000	-2
796	5.43	-36,383,958,000	660,149,966,000	-2
797	5.73	-36,383,790,000	660,149,645,000	-2
798	5.73	-36,383,880,000	660,149,375,000	-2
799	5.63	-36,383,959,000	660,149,422,000	-2
800	5.83	-36,383,989,000	660,149,409,000	-2



## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
801	5.13	-36,383,960,000	660,149,392,000	-2
802	5.63	-36,383,932,000	660,149,395,000	-2
803	5.83	-36,383,911,000	660,149,371,000	-2
804	6.33	-36,383,923,000	660,149,359,000	-2
805	6.33	-36,384,041,000	660,149,440,000	-2
806	6.03	-36,384,088,000	660,149,463,000	-2
807	6.23	-36,384,047,000	660,149,414,000	-2
808	5.53	-36,383,992,000	660,149,399,000	-2
809	5.83	-36,384,003,000	660,149,417,000	-2
810	5.43	-36,384,012,000	660,149,428,000	-2
811	5.43	-36,383,999,000	660,149,397,000	-2
812	5.83	-36,383,959,000	660,149,354,000	-2
813	5.83	-36,383,979,000	660,149,470,000	-2
814	5.73	-36,384,038,000	660,149,901,000	-2
815	5.83	-36,384,158,000	660,150,315,000	-2
816	5.53	-36,384,062,000	660,150,793,000	-2
817	6.73	-36,383,820,000	660,151,113,000	-2
818	6.63	-36,383,558,000	660,151,119,000	-2
819	7.43	-36,382,131,000	660,150,029,000	-1
820	8.03	-36,381,539,000	660,149,469,000	-1
821	7.73	-36,380,981,000	660,149,016,000	-1
822	7.73	-36,380,874,000	660,148,589,000	-1
823	8.33	-36,380,796,000	660,148,144,000	-1
824	8.23	-36,380,845,000	660,147,847,000	-1
825	8.63	-36,380,865,000	660,147,798,000	-1
826	8.63	-36,380,879,000	660,147,797,000	-1
827	8.43	-36,380,898,000	660,147,795,000	-1
828	8.93	-36,380,916,000	660,147,794,000	0
829	9.33	-36,380,930,000	660,147,792,000	0
830	7.63	-36,380,963,000	660,147,796,000	-1
831	7.53	-36,381,422,000	660,147,910,000	-1
832	7.43	-36,381,772,000	660,148,003,000	-1
833	7.83	-36,382,087,000	660,148,387,000	-1
834	8.13	-36,382,520,000	660,148,744,000	-1
835	7.53	-36,382,797,000	660,149,191,000	-1
836	7.13	-36,383,402,000	660,149,488,000	-1
837	6.73	-36,383,756,000	660,149,616,000	-2
838	6.73	-36,384,163,000	660,149,313,000	-2
839	6.03	-36,384,269,000	660,148,918,000	-2
840	5.83	-36,384,020,000	660,148,947,000	-2
841	6.13	-36,383,785,000	660,148,743,000	-2
842	6.93	-36,383,484,000	660,148,299,000	-1
843	7.53	-36,382,838,000	660,147,541,000	-1
844	8.43	-36,382,261,000	660,147,077,000	-1
845	8.53	-36,381,946,000	660,146,758,000	-1
846	8.73	-36,382,281,000	660,146,733,000	0
847	7.83	-36,382,721,000	660,146,700,000	-1
848	8.03	-36,383,141,000	660,146,669,000	-1
849	8.33	-36,383,538,000	660,146,735,000	-1
850	6.73	-36,383,989,000	660,147,180,000	-2
851	7.23	-36,384,299,000	660,147,582,000	-1
852	6.43	-36,384,674,000	660,147,815,000	-2
853	5.63	-36,384,682,000	660,148,200,000	-2
854	5.83	-36,384,571,000	660,147,850,000	-2
855	5.83	-36,384,641,000	660,147,382,000	-2
856	6.43	-36,384,632,000	660,146,923,000	-2

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
857	7.13	-36,385,159,000	660,146,616,000	-1
858	7.53	-36,385,723,000	660,146,806,000	-1
859	5.63	-36,385,790,000	660,146,775,000	-2
860	5.33	-36,385,656,000	660,146,668,000	-2
861	5.73	-36,385,452,000	660,146,681,000	-2
862	5.53	-36,386,000,000	660,145,927,000	-2
863	5.83	-36,386,320,000	660,145,441,000	-2
864	6.13	-36,386,609,000	660,145,034,000	-2
865	5.63	-36,386,967,000	660,144,535,000	-2
866	5.63	-36,387,493,000	660,144,399,000	-2
867	5.63	-36,387,758,000	660,144,077,000	-2
868	5.63	-36,388,053,000	660,143,778,000	-2
869	5.63	-36,387,709,000	660,143,635,000	-2
870	5.23	-36,386,966,000	660,143,626,000	-2
871	6.03	-36,386,815,000	660,143,146,000	-2
872	6.73	-36,385,959,000	660,142,505,000	-2
873	8.23	-36,385,114,000	660,142,187,000	-1
874	7.53	-36,384,612,000	660,141,778,000	-1
875	8.63	-36,384,156,000	660,141,586,000	-1
876	9.23	-36,383,744,000	660,141,412,000	0
877	9.33	-36,383,331,000	660,141,238,000	0
878	8.93	-36,382,913,000	660,141,063,000	0
879	9.83	-36,382,557,000	660,140,912,000	0
880	10.03	-36,382,144,000	660,140,739,000	0
881	11.03	-36,381,731,000	660,140,565,000	1
882	8.93	-36,381,317,000	660,140,391,000	0
883	9.53	-36,380,882,000	660,140,207,000	0
884	9.23	-36,380,469,000	660,140,034,000	0
885	8.83	-36,380,130,000	660,139,879,000	0
886	9.63	-36,379,985,000	660,139,603,000	0
887	9.53	-36,380,335,000	660,139,573,000	0
888	10.13	-36,380,564,000	660,139,831,000	0
889	9.73	-36,381,134,000	660,140,154,000	0
890	9.13	-36,381,807,000	660,140,612,000	0
891	9.43	-36,382,481,000	660,141,071,000	0
892	9.03	-36,383,047,000	660,141,457,000	0
893	8.53	-36,383,805,000	660,141,973,000	-1
894	8.13	-36,384,442,000	660,142,406,000	-1
895	9.53	-36,385,116,000	660,142,865,000	0
896	7.83	-36,385,737,000	660,143,306,000	-1
897	7.83	-36,386,171,000	660,143,608,000	-1
898	7.33	-36,386,785,000	660,143,763,000	-1
899	6.43	-36,387,164,000	660,144,126,000	-2
900	6.03	-36,387,277,000	660,144,411,000	-2
901	5.23	-36,386,749,000	660,144,356,000	-2
902	6.23	-36,385,949,000	660,144,381,000	-2
903	6.23	-36,385,251,000	660,143,941,000	-2
904	8.43	-36,384,538,000	660,143,629,000	-1
905	8.83	-36,383,865,000	660,143,255,000	0
906	8.13	-36,383,306,000	660,142,744,000	-1
907	9.03	-36,382,754,000	660,142,078,000	0
908	8.83	-36,382,361,000	660,141,846,000	0
909	8.83	-36,381,883,000	660,141,563,000	0
910	8.83	-36,381,448,000	660,141,306,000	0
911	8.63	-36,381,037,000	660,141,063,000	-1
912	9.53	-36,380,665,000	660,140,830,000	0

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
913	9.53	-36,380,434,000	660,140,537,000	0
914	9.43	-36,380,430,000	660,140,454,000	0
915	8.73	-36,380,788,000	660,140,402,000	0
916	9.43	-36,381,513,000	660,141,125,000	0
917	8.23	-36,381,853,000	660,141,509,000	-1
918	9.83	-36,382,205,000	660,141,907,000	0
919	9.23	-36,382,532,000	660,142,276,000	0
920	9.33	-36,382,839,000	660,142,600,000	0
921	8.13	-36,382,982,000	660,142,736,000	-1
922	8.03	-36,382,705,000	660,142,930,000	-1
923	8.73	-36,382,851,000	660,143,159,000	0
924	9.03	-36,382,977,000	660,143,359,000	0
925	7.93	-36,383,098,000	660,143,548,000	-1
926	8.43	-36,383,225,000	660,143,748,000	-1
927	7.93	-36,383,339,000	660,143,928,000	-1
928	8.23	-36,383,482,000	660,144,154,000	-1
929	8.63	-36,383,600,000	660,144,326,000	-1
930	8.73	-36,384,155,000	660,144,806,000	0
931	7.73	-36,384,862,000	660,145,009,000	-1
932	8.53	-36,385,490,000	660,145,052,000	-1
933	8.63	-36,385,980,000	660,145,412,000	-1
934	7.23	-36,386,515,000	660,145,776,000	-1
935	6.33	-36,386,837,000	660,146,222,000	-2
936	5.23	-36,386,456,000	660,146,551,000	-2
937	5.13	-36,385,327,000	660,146,244,000	-2
938	6.53	-36,384,575,000	660,145,647,000	-2
939	7.43	-36,383,977,000	660,145,094,000	-1
940	8.23	-36,383,534,000	660,145,014,000	-1
941	8.63	-36,383,034,000	660,144,913,000	-1
942	8.93	-36,382,606,000	660,144,934,000	0
943	9.63	-36,382,126,000	660,144,667,000	0
944	9.13	-36,382,113,000	660,145,031,000	0
945	8.63	-36,382,932,000	660,145,737,000	-1
946	7.93	-36,383,608,000	660,145,696,000	-1
947	8.53	-36,384,431,000	660,145,970,000	-1
948	7.93	-36,384,958,000	660,146,354,000	-1
949	6.93	-36,385,273,000	660,146,768,000	-1
950	5.73	-36,385,315,000	660,147,142,000	-2
951	5.83	-36,384,883,000	660,147,407,000	-2
952	6.63	-36,384,392,000	660,147,285,000	-2
953	8.23	-36,383,831,000	660,146,994,000	-1
954	7.83	-36,383,263,000	660,146,717,000	-1
955	8.63	-36,383,057,000	660,146,721,000	-1
956	8.33	-36,383,081,000	660,146,765,000	-1
957	7.53	-36,383,067,000	660,146,688,000	-1
958	8.13	-36,382,822,000	660,146,860,000	-1
959	8.23	-36,382,154,000	660,146,653,000	-1
960	7.73	-36,381,790,000	660,146,690,000	-1
961	8.33	-36,381,867,000	660,146,842,000	-1
962	8.53	-36,382,081,000	660,147,239,000	-1
963	8.73	-36,382,811,000	660,147,841,000	0
964	8.63	-36,383,471,000	660,147,956,000	-1
965	8.73	-36,384,038,000	660,148,273,000	0
966	7.73	-36,384,554,000	660,148,599,000	-1
967	7.13	-36,384,688,000	660,148,812,000	-1
968	5.93	-36,384,051,000	660,149,035,000	-2

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
969	6.43	-36,383,308,000	660,148,892,000	-2
970	8.13	-36,382,342,000	660,148,695,000	-1
971	7.43	-36,382,234,000	660,148,429,000	-1
972	8.23	-36,381,602,000	660,148,174,000	-1
973	8.03	-36,381,383,000	660,148,271,000	-1
974	7.83	-36,381,238,000	660,148,309,000	-1
975	7.63	-36,382,417,000	660,149,133,000	-1
976	8.23	-36,382,981,000	660,149,490,000	-1
977	8.33	-36,383,473,000	660,150,072,000	-1
978	8.03	-36,383,657,000	660,150,278,000	-1
979	6.73	-36,383,398,000	660,150,346,000	-2
980	5.73	-36,383,276,000	660,150,176,000	-2
981	7.03	-36,382,963,000	660,150,088,000	-1
982	7.03	-36,382,720,000	660,149,898,000	-1
983	7.93	-36,382,870,000	660,150,003,000	-1
984	8.23	-36,382,672,000	660,149,494,000	-1
985	8.33	-36,382,891,000	660,149,144,000	-1
986	8.03	-36,383,087,000	660,148,844,000	-1
987	8.53	-36,383,392,000	660,149,269,000	-1
988	8.53	-36,384,068,000	660,150,363,000	-1
989	6.03	-36,384,109,000	660,151,419,000	-2
990	6.73	-36,384,031,000	660,152,424,000	-2
991	8.43	-36,384,226,000	660,153,094,000	-1
992	8.13	-36,385,227,000	660,153,958,000	-1
993	7.13	-36,386,115,000	660,154,390,000	-1
994	6.23	-36,386,900,000	660,154,631,000	-2
995	7.53	-36,388,003,000	660,155,005,000	-1
996	6.63	-36,388,896,000	660,155,028,000	-2
997	6.83	-36,389,835,000	660,154,751,000	-2
998	5.73	-36,390,816,000	660,154,127,000	-2
999	6.13	-36,391,393,000	660,153,897,000	-2
1000	6.13	-36,391,988,000	660,154,216,000	-2
1001	7.13	-36,392,728,000	660,154,613,000	-1
1002	7.83	-36,393,457,000	660,154,918,000	-1
1003	7.53	-36,394,797,000	660,155,405,000	-1
1004	7.23	-36,395,464,000	660,155,623,000	-1
1005	7.03	-36,396,525,000	660,156,002,000	-1
1006	7.63	-36,397,253,000	660,156,471,000	-1
1007	8.23	-36,397,929,000	660,156,799,000	-1
1008	7.43	-36,398,851,000	660,157,316,000	-1
1009	7.13	-36,398,904,000	660,157,395,000	-1
1010	7.13	-36,398,954,000	660,157,469,000	-1
1011	7.03	-36,399,002,000	660,157,539,000	-1
1012	7.63	-36,399,060,000	660,157,626,000	-1
1013	6.53	-36,399,114,000	660,157,705,000	-2
1014	7.33	-36,399,074,000	660,157,619,000	-1
1015	7.53	-36,398,688,000	660,156,929,000	-1
1016	7.43	-36,398,226,000	660,156,179,000	-1
1017	8.13	-36,398,069,000	660,155,943,000	-1
1018	8.53	-36,397,913,000	660,155,708,000	-1
1019	8.03	-36,397,763,000	660,155,484,000	-1
1020	7.83	-36,397,607,000	660,155,249,000	-1
1021	8.23	-36,397,449,000	660,155,012,000	-1
1022	6.83	-36,397,292,000	660,154,776,000	-2
1023	6.53	-36,397,157,000	660,154,573,000	-2
1024	7.33	-36,396,983,000	660,154,313,000	-1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
1025	7.23	-36,396,827,000	660,154,078,000	-1
1026	6.03	-36,396,686,000	660,153,867,000	-2
1027	6.03	-36,396,538,000	660,153,644,000	-2
1028	5.53	-36,396,358,000	660,153,374,000	-2
1029	5.63	-36,396,201,000	660,153,138,000	-2
1030	5.43	-36,396,068,000	660,152,939,000	-2
1031	5.43	-36,395,895,000	660,152,679,000	-2
1032	5.43	-36,395,738,000	660,152,443,000	-2
1033	5.13	-36,395,573,000	660,152,195,000	-2
1034	5.43	-36,395,432,000	660,151,985,000	-2
1035	5.73	-36,395,276,000	660,151,750,000	-2
1036	6.93	-36,395,119,000	660,151,515,000	-1
1037	7.73	-36,394,962,000	660,151,278,000	-1
1038	8.33	-36,394,801,000	660,151,037,000	-1
1039	7.53	-36,394,653,000	660,150,814,000	-1
1040	7.63	-36,394,496,000	660,150,579,000	-1
1041	6.73	-36,394,352,000	660,150,400,000	-2
1042	7.03	-36,394,031,000	660,150,588,000	-1
1043	7.43	-36,394,178,000	660,150,955,000	-1
1044	7.73	-36,394,599,000	660,151,345,000	-1
1045	8.23	-36,394,490,000	660,151,473,000	-1
1046	8.03	-36,394,381,000	660,151,603,000	-1
1047	5.63	-36,394,278,000	660,151,725,000	-2
1048	5.53	-36,394,161,000	660,151,864,000	-2
1049	5.33	-36,394,058,000	660,151,986,000	-2
1050	5.43	-36,393,966,000	660,152,095,000	-2
1051	6.63	-36,393,840,000	660,152,245,000	-2
1052	7.43	-36,393,736,000	660,152,367,000	-1
1053	7.03	-36,393,625,000	660,152,500,000	-1
1054	7.93	-36,393,522,000	660,152,622,000	-1
1055	7.83	-36,393,483,000	660,152,693,000	-1
1056	6.93	-36,393,599,000	660,152,513,000	-1
1057	6.43	-36,392,930,000	660,152,383,000	-2
1058	7.43	-36,392,611,000	660,152,517,000	-1
1059	7.03	-36,392,434,000	660,152,868,000	-1
1060	6.83	-36,392,706,000	660,153,192,000	-2
1061	6.33	-36,393,187,000	660,153,381,000	-2
1062	7.33	-36,393,169,000	660,153,368,000	-1
1063	7.63	-36,393,152,000	660,153,355,000	-1
1064	8.43	-36,393,137,000	660,153,344,000	-1
1065	7.13	-36,393,123,000	660,153,334,000	-1
1066	7.03	-36,393,105,000	660,153,320,000	-1
1067	6.93	-36,393,090,000	660,153,308,000	-1
1068	7.33	-36,393,075,000	660,153,298,000	-1
1069	6.83	-36,393,060,000	660,153,286,000	-2
1070	6.33	-36,393,041,000	660,153,272,000	-2
1071	8.03	-36,393,026,000	660,153,261,000	-1
1072	7.43	-36,393,010,000	660,153,249,000	-1
1073	7.83	-36,392,993,000	660,153,236,000	-1
1074	8.13	-36,392,977,000	660,153,225,000	-1
1075	8.13	-36,392,964,000	660,153,215,000	-1
1076	7.83	-36,392,946,000	660,153,202,000	-1
1077	7.03	-36,392,930,000	660,153,190,000	-1
1078	8.53	-36,392,914,000	660,153,177,000	-1
1079	8.03	-36,392,899,000	660,153,166,000	-1
1080	7.73	-36,392,883,000	660,153,154,000	-1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
1081	6.83	-36,392,867,000	660,153,143,000	-2
1082	7.13	-36,392,851,000	660,153,131,000	-1
1083	8.23	-36,392,836,000	660,153,120,000	-1
1084	7.83	-36,392,818,000	660,153,107,000	-1
1085	7.43	-36,392,805,000	660,153,096,000	-1
1086	7.43	-36,392,787,000	660,153,083,000	-1
1087	6.23	-36,392,771,000	660,153,071,000	-2
1088	7.83	-36,392,755,000	660,153,059,000	-1
1089	7.13	-36,392,739,000	660,153,047,000	-1
1090	7.03	-36,392,723,000	660,153,035,000	-1
1091	7.13	-36,392,708,000	660,153,024,000	-1
1092	7.13	-36,392,692,000	660,153,012,000	-1
1093	7.33	-36,392,625,000	660,152,810,000	-1
1094	7.83	-36,392,524,000	660,152,081,000	-1
1095	6.93	-36,392,744,000	660,151,470,000	-1
1096	5.83	-36,392,754,000	660,150,639,000	-2
1097	6.03	-36,392,957,000	660,149,847,000	-2
1098	5.43	-36,392,974,000	660,148,869,000	-2
1099	5.13	-36,393,057,000	660,148,368,000	-2
1105	5.293	-36,396,892,000	660,142,979,000	-2
1106	6.023	-36,397,013,000	660,142,823,000	-2
1107	6.693	-36,397,134,000	660,142,668,000	-2
1108	6.523	-36,397,235,000	660,142,539,000	-2
1109	8.983	-36,397,355,000	660,142,384,000	0
1110	9.653	-36,397,489,000	660,142,213,000	0
1111	8.083	-36,397,610,000	660,142,058,000	-1
1112	7.643	-36,397,719,000	660,141,919,000	-1
1113	7.093	-36,397,834,000	660,141,772,000	-1
1114	8.743	-36,397,945,000	660,141,621,000	0
1115	8.393	-36,397,934,000	660,141,587,000	-1
1116	7.223	-36,397,937,000	660,141,525,000	-1
1117	7.563	-36,398,080,000	660,141,539,000	-1
1118	8.433	-36,398,328,000	660,141,473,000	-1
1119	9.963	-36,398,552,000	660,141,413,000	0
1120	9.663	-36,398,779,000	660,141,352,000	0
1121	9.853	-36,399,015,000	660,141,289,000	0
1122	8.733	-36,399,085,000	660,141,173,000	0
1123	9.323	-36,398,508,000	660,140,864,000	0
1124	6.923	-36,398,124,000	660,140,676,000	-1
1125	6.233	-36,398,131,000	660,140,603,000	-2
1126	6.113	-36,398,138,000	660,140,530,000	-2
1127	5.773	-36,398,146,000	660,140,457,000	-2
1128	5.773	-36,398,153,000	660,140,381,000	-2
1129	6.133	-36,398,160,000	660,140,312,000	-2
1130	6.633	-36,398,236,000	660,140,153,000	-2
1131	6.123	-36,398,620,000	660,139,570,000	-2
1132	6.153	-36,399,005,000	660,138,798,000	-2
1133	6.153	-36,399,382,000	660,138,037,000	-2
1134	6.783	-36,399,768,000	660,137,398,000	-2
1135	7.423	-36,400,227,000	660,136,653,000	-1
1136	7.823	-36,400,652,000	660,135,910,000	-1
1137	6.333	-36,401,004,000	660,135,045,000	-2
1138	6.033	-36,401,362,000	660,134,264,000	-2
1139	5.613	-36,401,788,000	660,133,487,000	-2
1140	5.833	-36,402,214,000	660,132,754,000	-2
1141	5.753	-36,402,874,000	660,131,949,000	-2

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
1142	6.103	-36,403,263,000	660,131,225,000	-2
1143	5.873	-36,403,717,000	660,130,368,000	-2
1144	6.103	-36,404,255,000	660,129,579,000	-2
1145	5.883	-36,404,758,000	660,128,649,000	-2
1146	5.613	-36,405,140,000	660,127,894,000	-2
1147	6.063	-36,405,552,000	660,127,007,000	-2
1148	6.193	-36,405,940,000	660,126,191,000	-2
1149	6.573	-36,406,240,000	660,125,549,000	-2
1150	6.043	-36,406,749,000	660,124,558,000	-2
1151	6.603	-36,407,254,000	660,123,746,000	-2
1152	5.883	-36,407,693,000	660,122,989,000	-2
1153	5.853	-36,408,096,000	660,122,253,000	-2
1154	5.543	-36,408,697,000	660,121,378,000	-2
1155	6.103	-36,409,171,000	660,120,562,000	-2
1156	6.413	-36,409,361,000	660,119,832,000	-2
1157	6.033	-36,409,892,000	660,118,926,000	-2
1158	5.813	-36,410,415,000	660,118,101,000	-2
1159	5.563	-36,410,836,000	660,117,377,000	-2
1160	5.873	-36,411,420,000	660,116,473,000	-2
1161	5.933	-36,412,192,000	660,116,081,000	-2
1162	7.483	-36,412,902,000	660,116,213,000	-1
1163	8.113	-36,413,777,000	660,116,669,000	-1
1164	8.373	-36,414,108,000	660,116,912,000	-1
1165	9.023	-36,415,112,000	660,117,841,000	0
1166	8.403	-36,415,885,000	660,118,487,000	-1
1167	8.543	-36,416,677,000	660,119,086,000	-1
1168	9.423	-36,417,480,000	660,119,632,000	0
1169	9.853	-36,418,128,000	660,120,226,000	0
1170	9.093	-36,418,850,000	660,120,733,000	0
1171	10.83	-36,419,614,000	660,121,261,000	1
1172	8.73	-36,420,442,000	660,121,712,000	0
1173	7.83	-36,421,341,000	660,122,085,000	-1
1174	9.03	-36,422,313,000	660,122,588,000	0
1175	9.23	-36,423,082,000	660,122,870,000	0
1176	9.23	-36,424,063,000	660,123,319,000	0
1177	8.33	-36,425,014,000	660,123,688,000	-1
1178	7.83	-36,425,571,000	660,124,385,000	-1
1179	9.33	-36,425,958,000	660,125,305,000	0
1180	8.83	-36,426,090,000	660,126,235,000	0
1181	8.63	-36,425,746,000	660,127,087,000	-1
1182	9.33	-36,425,313,000	660,127,947,000	0
1183	10.33	-36,424,617,000	660,128,875,000	0
1184	10.83	-36,424,265,000	660,129,653,000	1
1185	10.23	-36,423,869,000	660,130,556,000	0
1186	10.43	-36,423,410,000	660,131,254,000	1
1187	9.93	-36,422,945,000	660,132,150,000	0
1188	9.33	-36,422,495,000	660,132,942,000	0
1189	9.83	-36,422,079,000	660,133,716,000	0
1190	8.63	-36,421,837,000	660,134,528,000	-1
1191	9.13	-36,421,512,000	660,135,405,000	0
1192	9.33	-36,420,864,000	660,136,023,000	0
1193	10.13	-36,420,371,000	660,136,090,000	0
1194	10.73	-36,419,735,000	660,136,177,000	1
1195	9.63	-36,419,219,000	660,136,247,000	0
1196	10.03	-36,418,587,000	660,136,332,000	0
1197	10.23	-36,418,105,000	660,136,398,000	0

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
1198	9.43	-36,417,450,000	660,136,487,000	0
1199	9.83	-36,416,908,000	660,136,560,000	0
1200	11.03	-36,416,332,000	660,136,638,000	1
1201	11.33	-36,415,760,000	660,136,716,000	1
1202	12.23	-36,415,184,000	660,136,794,000	2
1203	10.73	-36,414,604,000	660,136,873,000	1
1204	10.23	-36,414,062,000	660,136,946,000	0
1205	11.03	-36,413,490,000	660,137,024,000	1
1206	9.73	-36,412,918,000	660,137,101,000	0
1207	8.73	-36,412,343,000	660,137,179,000	0
1208	8.33	-36,411,773,000	660,137,257,000	-1
1209	9.83	-36,411,231,000	660,137,330,000	0
1210	9.73	-36,410,659,000	660,137,408,000	0
1211	10.23	-36,410,086,000	660,137,486,000	0
1212	8.53	-36,409,512,000	660,137,563,000	-1
1213	8.93	-36,408,949,000	660,137,640,000	0
1214	8.73	-36,408,467,000	660,137,705,000	0
1215	8.73	-36,407,835,000	660,137,791,000	0
1216	8.63	-36,407,263,000	660,137,869,000	-1
1217	8.73	-36,406,686,000	660,137,947,000	0
1218	9.23	-36,406,087,000	660,138,028,000	0
1219	9.83	-36,405,605,000	660,138,093,000	0
1220	8.93	-36,404,965,000	660,138,180,000	0
1221	8.13	-36,404,392,000	660,138,258,000	-1
1222	7.23	-36,403,848,000	660,138,332,000	-1
1223	8.83	-36,403,269,000	660,138,410,000	0
1224	9.73	-36,402,728,000	660,138,484,000	0
1225	10.43	-36,402,150,000	660,138,562,000	1
1226	11.33	-36,401,577,000	660,138,640,000	1
1227	10.73	-36,401,094,000	660,138,706,000	1
1228	10.33	-36,400,455,000	660,138,655,000	0
1229	8.83	-36,400,158,000	660,138,190,000	0
1230	7.03	-36,400,274,000	660,137,794,000	-1
1231	8.13	-36,400,485,000	660,137,183,000	-1
1232	7.83	-36,400,863,000	660,136,379,000	-1
1233	7.83	-36,401,308,000	660,135,583,000	-1
1234	7.23	-36,401,719,000	660,135,020,000	-1
1235	6.33	-36,402,368,000	660,134,067,000	-2
1236	7.33	-36,402,757,000	660,133,288,000	-1
1237	6.73	-36,403,192,000	660,132,484,000	-2
1238	7.03	-36,403,551,000	660,131,805,000	-1
1239	6.63	-36,404,095,000	660,130,931,000	-2
1240	6.63	-36,404,485,000	660,130,102,000	-2
1241	7.73	-36,404,938,000	660,129,389,000	-1
1242	6.63	-36,405,371,000	660,128,568,000	-2
1243	6.33	-36,405,709,000	660,127,919,000	-2
1244	7.63	-36,406,154,000	660,126,963,000	-1
1245	7.43	-36,406,719,000	660,126,088,000	-1
1246	8.23	-36,407,216,000	660,125,345,000	-1
1247	7.83	-36,407,847,000	660,124,399,000	-1
1248	7.43	-36,408,361,000	660,123,549,000	-1
1249	8.83	-36,408,800,000	660,122,754,000	0
1250	7.03	-36,409,246,000	660,121,767,000	-1
1251	7.73	-36,409,582,000	660,120,774,000	-1
1252	6.73	-36,409,926,000	660,119,949,000	-2
1253	6.33	-36,410,381,000	660,119,131,000	-2



## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
1254	6.33	-36,410,883,000	660,118,250,000	-2
1255	6.73	-36,411,447,000	660,117,512,000	-2
1256	7.73	-36,412,125,000	660,117,182,000	-1
1257	8.43	-36,413,006,000	660,117,249,000	-1
1258	10.33	-36,413,687,000	660,117,636,000	0
1259	9.73	-36,414,400,000	660,118,315,000	0
1260	9.63	-36,415,051,000	660,118,866,000	0
1261	10.23	-36,415,840,000	660,119,551,000	0
1262	10.13	-36,416,625,000	660,120,221,000	0
1263	10.63	-36,417,290,000	660,120,868,000	1
1264	9.63	-36,417,998,000	660,121,480,000	0
1265	10.63	-36,418,792,000	660,121,930,000	1
1266	10.23	-36,419,735,000	660,122,429,000	0
1267	11.03	-36,420,621,000	660,122,976,000	1
1268	11.13	-36,421,567,000	660,123,408,000	1
1269	10.13	-36,422,529,000	660,123,830,000	0
1270	11.13	-36,423,334,000	660,124,260,000	1
1271	10.63	-36,424,095,000	660,124,791,000	1
1272	10.53	-36,424,629,000	660,125,420,000	1
1273	10.73	-36,424,764,000	660,126,162,000	1
1274	12.23	-36,424,423,000	660,127,047,000	2
1275	10.63	-36,423,980,000	660,127,809,000	1
1276	11.43	-36,423,547,000	660,128,711,000	1
1277	10.73	-36,423,166,000	660,129,647,000	1
1278	11.53	-36,422,746,000	660,130,480,000	1
1279	11.23	-36,422,257,000	660,131,118,000	1
1280	10.03	-36,421,876,000	660,131,781,000	0
1281	10.13	-36,421,553,000	660,132,457,000	0
1282	10.23	-36,421,275,000	660,133,458,000	0
1283	11.53	-36,420,999,000	660,134,229,000	1
1284	11.13	-36,420,606,000	660,134,927,000	1
1285	11.43	-36,420,089,000	660,135,582,000	1
1286	11.83	-36,419,624,000	660,135,644,000	1
1287	11.23	-36,419,155,000	660,135,706,000	1
1288	11.13	-36,418,687,000	660,135,768,000	1
1289	12.13	-36,418,247,000	660,135,827,000	1
1290	11.53	-36,417,829,000	660,135,882,000	1
1291	11.43	-36,417,315,000	660,135,950,000	1
1292	11.93	-36,416,849,000	660,136,012,000	1
1293	11.73	-36,416,392,000	660,136,072,000	1
1294	12.13	-36,416,000,000	660,136,124,000	1
1295	12.13	-36,415,486,000	660,136,192,000	1
1296	12.23	-36,415,021,000	660,136,254,000	2
1297	12.83	-36,414,554,000	660,136,316,000	2
1298	12.13	-36,414,084,000	660,136,378,000	1
1299	12.23	-36,413,644,000	660,136,437,000	2
1300	10.43	-36,413,172,000	660,136,499,000	1
1301	10.93	-36,412,706,000	660,136,561,000	1
1302	11.83	-36,412,264,000	660,136,620,000	1
1303	10.83	-36,411,847,000	660,136,675,000	1
1304	11.93	-36,411,332,000	660,136,743,000	1
1305	11.23	-36,410,867,000	660,136,805,000	1
1306	9.63	-36,410,401,000	660,136,866,000	0
1307	11.03	-36,409,935,000	660,136,928,000	1
1308	10.63	-36,409,470,000	660,136,990,000	1
1309	10.53	-36,409,029,000	660,137,048,000	1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
1310	10.53	-36,408,565,000	660,137,110,000	1
1311	11.23	-36,408,096,000	660,137,172,000	1
1312	11.03	-36,407,655,000	660,137,230,000	1
1313	10.93	-36,407,225,000	660,137,287,000	1
1314	10.63	-36,406,784,000	660,137,346,000	1
1315	10.43	-36,406,243,000	660,137,417,000	1
1316	10.63	-36,405,803,000	660,137,476,000	1
1317	9.63	-36,405,338,000	660,137,537,000	0
1318	8.93	-36,404,859,000	660,137,601,000	0
1319	8.63	-36,404,414,000	660,137,660,000	-1
1320	8.33	-36,404,001,000	660,137,715,000	-1
1321	8.93	-36,403,510,000	660,137,780,000	0
1322	9.33	-36,403,045,000	660,137,841,000	0
1323	9.43	-36,402,627,000	660,137,897,000	0
1324	10.13	-36,402,108,000	660,137,965,000	0
1325	10.93	-36,401,654,000	660,137,959,000	1
1326	10.23	-36,401,160,000	660,137,636,000	0
1327	10.13	-36,400,969,000	660,137,579,000	0
1328	9.33	-36,400,993,000	660,137,512,000	0
1329	9.13	-36,401,283,000	660,137,261,000	0
1330	9.43	-36,401,578,000	660,136,556,000	0
1331	9.13	-36,402,052,000	660,135,841,000	0
1332	9.03	-36,402,481,000	660,135,188,000	0
1333	9.03	-36,402,988,000	660,134,514,000	0
1334	8.33	-36,403,275,000	660,133,764,000	-1
1335	8.53	-36,403,589,000	660,133,211,000	-1
1336	7.53	-36,403,932,000	660,132,477,000	-1
1337	9.23	-36,404,390,000	660,131,619,000	0
1338	8.53	-36,404,934,000	660,130,800,000	-1
1339	8.03	-36,405,271,000	660,130,030,000	-1
1340	8.33	-36,405,508,000	660,129,276,000	-1
1341	8.73	-36,406,178,000	660,128,330,000	0
1342	9.73	-36,406,689,000	660,127,621,000	0
1343	9.43	-36,407,156,000	660,126,766,000	0
1344	9.73	-36,407,529,000	660,126,129,000	0
1345	8.83	-36,408,223,000	660,125,134,000	0
1346	7.93	-36,408,687,000	660,124,458,000	-1
1347	9.73	-36,409,114,000	660,123,354,000	0
1348	9.03	-36,409,562,000	660,122,593,000	0
1349	8.03	-36,410,049,000	660,121,649,000	-1
1350	7.43	-36,410,417,000	660,120,804,000	-1
1351	7.83	-36,410,888,000	660,120,046,000	-1
1352	7.93	-36,411,414,000	660,119,282,000	-1
1353	7.43	-36,411,845,000	660,118,589,000	-1
1354	6.73	-36,412,105,000	660,118,159,000	-2
1355	9.13	-36,412,587,000	660,118,580,000	0
1356	10.03	-36,413,160,000	660,118,994,000	0
1357	10.53	-36,413,887,000	660,119,356,000	1
1358	10.63	-36,414,568,000	660,120,020,000	1
1359	10.83	-36,415,090,000	660,120,405,000	1
1360	11.33	-36,415,969,000	660,121,064,000	1
1361	11.93	-36,416,669,000	660,121,717,000	1
1362	10.33	-36,417,391,000	660,122,186,000	0
1363	11.43	-36,418,031,000	660,122,572,000	1
1364	9.93	-36,418,477,000	660,122,828,000	0
1365	10.13	-36,418,643,000	660,122,888,000	0

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
1366	10.13	-36,418,715,000	660,122,879,000	0
1367	10.83	-36,419,150,000	660,123,304,000	1
1368	10.83	-36,419,791,000	660,123,812,000	1
1370	11.53	-36,420,576,000	660,124,247,000	1
1371	10.93	-36,421,471,000	660,124,520,000	1
1372	9.83	-36,422,329,000	660,124,851,000	0
1373	9.53	-36,423,122,000	660,125,260,000	0
1374	9.53	-36,423,688,000	660,125,869,000	0
1375	10.73	-36,423,618,000	660,126,514,000	1
1376	11.63	-36,423,097,000	660,127,319,000	1
1377	12.03	-36,422,776,000	660,128,151,000	1
1378	11.73	-36,422,369,000	660,128,923,000	1
1379	10.93	-36,421,939,000	660,129,664,000	1
1380	11.63	-36,421,526,000	660,130,436,000	1
1381	11.63	-36,421,225,000	660,131,026,000	1
1382	10.93	-36,420,965,000	660,131,764,000	1
1383	10.03	-36,420,731,000	660,132,537,000	0
1384	10.13	-36,420,408,000	660,133,352,000	0
1385	9.13	-36,419,962,000	660,134,047,000	0
1386	10.03	-36,419,522,000	660,134,599,000	0
1387	10.93	-36,418,979,000	660,134,649,000	1
1388	10.53	-36,418,437,000	660,134,699,000	1
1389	11.23	-36,417,979,000	660,134,742,000	1
1390	10.93	-36,417,381,000	660,134,797,000	1
1391	10.33	-36,416,837,000	660,134,847,000	0
1392	11.63	-36,416,323,000	660,134,894,000	1
1393	11.53	-36,415,781,000	660,134,944,000	1
1394	11.93	-36,415,201,000	660,134,998,000	1
1395	11.33	-36,414,683,000	660,135,045,000	1
1396	11.73	-36,414,140,000	660,135,095,000	1
1397	10.63	-36,413,628,000	660,135,143,000	1
1398	11.63	-36,413,086,000	660,135,193,000	1
1399	12.13	-36,412,546,000	660,135,242,000	1
1400	12.03	-36,412,003,000	660,135,292,000	1
1401	11.93	-36,411,469,000	660,135,342,000	1
1402	11.63	-36,411,015,000	660,135,383,000	1
1403	12.33	-36,410,416,000	660,135,439,000	2
1404	13.13	-36,409,859,000	660,135,490,000	2
1405	12.33	-36,409,346,000	660,135,537,000	2
1406	12.83	-36,408,804,000	660,135,587,000	2
1407	12.73	-36,408,261,000	660,135,637,000	2
1408	11.23	-36,407,749,000	660,135,684,000	1
1409	11.13	-36,407,160,000	660,135,739,000	1
1410	10.33	-36,406,645,000	660,135,786,000	0
1411	9.93	-36,406,189,000	660,135,828,000	0
1412	9.73	-36,405,591,000	660,135,883,000	0
1413	10.43	-36,405,049,000	660,135,933,000	1
1414	9.83	-36,404,590,000	660,135,976,000	0
1415	10.23	-36,403,989,000	660,136,031,000	0
1416	9.33	-36,403,475,000	660,136,078,000	0
1417	9.33	-36,403,062,000	660,136,025,000	0
1418	11.13	-36,403,426,000	660,135,351,000	1
1419	10.33	-36,403,786,000	660,134,639,000	0
1420	9.53	-36,404,214,000	660,133,789,000	0
1421	9.93	-36,404,672,000	660,132,925,000	0
1422	10.13	-36,405,128,000	660,132,049,000	0

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
1423	10.33	-36,405,672,000	660,131,254,000	0
1424	9.83	-36,406,100,000	660,130,509,000	0
1425	9.63	-36,406,645,000	660,129,577,000	0
1426	10.33	-36,407,102,000	660,128,805,000	0
1427	10.83	-36,407,560,000	660,127,875,000	1
1428	11.03	-36,407,914,000	660,127,051,000	1
1429	10.43	-36,408,250,000	660,126,279,000	1
1430	10.83	-36,408,564,000	660,125,790,000	1
1431	10.43	-36,409,110,000	660,124,970,000	1
1432	10.43	-36,409,833,000	660,123,869,000	1
1433	9.43	-36,410,388,000	660,123,108,000	0
1434	9.23	-36,410,857,000	660,122,211,000	0
1435	9.33	-36,411,197,000	660,121,300,000	0
1436	10.43	-36,411,562,000	660,120,448,000	1
1437	8.93	-36,411,926,000	660,119,610,000	0
1438	8.73	-36,412,185,000	660,119,056,000	0
1439	9.53	-36,412,468,000	660,118,917,000	0
1440	9.73	-36,412,748,000	660,119,413,000	0
1441	10.33	-36,413,221,000	660,119,909,000	0
1442	10.83	-36,413,901,000	660,120,492,000	1
1443	9.63	-36,414,615,000	660,121,096,000	0
1444	10.73	-36,415,243,000	660,121,585,000	1
1445	10.83	-36,416,240,000	660,122,203,000	1
1446	11.63	-36,416,976,000	660,122,788,000	1
1447	10.93	-36,417,785,000	660,123,175,000	1
1448	10.93	-36,418,771,000	660,123,706,000	1
1449	10.93	-36,419,435,000	660,124,156,000	1
1450	11.03	-36,420,312,000	660,124,686,000	1
1451	12.13	-36,421,164,000	660,125,021,000	1
1452	10.13	-36,421,822,000	660,125,375,000	0
1453	9.73	-36,422,366,000	660,125,606,000	0
1454	8.33	-36,422,449,000	660,126,458,000	-1
1455	10.93	-36,422,120,000	660,127,121,000	1
1456	11.63	-36,421,744,000	660,127,690,000	1
1457	10.43	-36,421,354,000	660,128,491,000	1
1458	10.53	-36,421,053,000	660,129,259,000	1
1459	11.53	-36,420,615,000	660,129,952,000	1
1460	10.73	-36,420,214,000	660,130,717,000	1
1461	12.73	-36,420,021,000	660,131,495,000	2
1462	12.43	-36,419,969,000	660,132,147,000	2
1463	10.93	-36,419,608,000	660,132,916,000	1
1464	10.93	-36,419,074,000	660,133,517,000	1
1465	11.33	-36,418,614,000	660,133,554,000	1
1466	11.53	-36,418,180,000	660,133,589,000	1
1467	10.33	-36,417,643,000	660,133,632,000	0
1468	10.43	-36,417,158,000	660,133,671,000	1
1469	9.03	-36,416,672,000	660,133,710,000	0
1470	10.03	-36,416,265,000	660,133,743,000	0
1471	9.63	-36,415,728,000	660,133,786,000	0
1472	11.03	-36,415,320,000	660,133,819,000	1
1473	11.53	-36,414,757,000	660,133,864,000	1
1474	10.63	-36,414,311,000	660,133,900,000	1
1475	11.83	-36,413,827,000	660,133,939,000	1
1476	11.83	-36,413,340,000	660,133,978,000	1
1477	11.73	-36,412,855,000	660,134,017,000	1
1478	13.13	-36,412,394,000	660,134,054,000	2

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
1479	12.13	-36,411,908,000	660,134,093,000	1
1480	12.83	-36,411,474,000	660,134,128,000	2
1481	11.63	-36,410,922,000	660,134,172,000	1
1482	11.33	-36,410,450,000	660,134,210,000	1
1483	12.43	-36,410,042,000	660,134,243,000	2
1484	12.13	-36,409,458,000	660,134,290,000	1
1485	10.03	-36,408,999,000	660,134,327,000	0
1486	9.03	-36,408,512,000	660,134,366,000	0
1487	9.53	-36,408,105,000	660,134,399,000	0
1488	10.13	-36,407,620,000	660,134,438,000	0
1489	9.03	-36,407,134,000	660,134,477,000	0
1490	11.23	-36,406,648,000	660,134,516,000	1
1491	10.33	-36,406,111,000	660,134,559,000	0
1492	10.83	-36,405,703,000	660,134,592,000	1
1493	10.23	-36,405,165,000	660,134,635,000	0
1494	10.83	-36,404,872,000	660,134,473,000	1
1495	11.13	-36,405,289,000	660,133,695,000	1
1496	11.13	-36,405,629,000	660,133,280,000	1
1497	10.63	-36,406,074,000	660,132,261,000	1
1498	9.33	-36,406,402,000	660,131,589,000	0
1499	8.93	-36,406,930,000	660,130,687,000	0
1500	8.73	-36,407,390,000	660,129,872,000	0
1501	9.83	-36,407,848,000	660,129,038,000	0
1502	9.23	-36,408,221,000	660,128,314,000	0
1503	9.43	-36,408,493,000	660,127,410,000	0
1504	10.73	-36,408,958,000	660,126,408,000	1
1505	9.33	-36,409,347,000	660,125,543,000	0
1506	10.43	-36,409,760,000	660,124,734,000	1
1507	10.73	-36,410,217,000	660,124,017,000	1
1508	11.03	-36,410,549,000	660,123,192,000	1
1509	9.53	-36,410,758,000	660,122,506,000	0
1510	9.93	-36,410,845,000	660,122,271,000	0
1511	11.03	-36,410,921,000	660,122,179,000	1
1512	9.93	-36,411,375,000	660,122,295,000	0
1513	9.33	-36,411,717,000	660,121,760,000	0
1514	9.53	-36,412,177,000	660,121,009,000	0
1515	10.13	-36,412,524,000	660,120,332,000	0
1516	10.53	-36,412,817,000	660,119,874,000	1
1517	9.23	-36,412,833,000	660,119,758,000	0
1518	10.63	-36,412,638,000	660,120,048,000	1
1519	10.43	-36,412,667,000	660,120,645,000	1
1520	9.93	-36,412,490,000	660,121,262,000	0
1521	11.13	-36,412,461,000	660,120,597,000	1
1522	9.93	-36,412,751,000	660,120,391,000	0
1523	10.13	-36,412,991,000	660,120,008,000	0
1524	10.93	-36,413,270,000	660,119,873,000	1
1525	10.13	-36,413,883,000	660,120,328,000	0
1526	9.33	-36,414,468,000	660,120,944,000	0
1527	10.63	-36,415,093,000	660,121,399,000	1
1528	10.23	-36,415,975,000	660,122,077,000	0
1529	11.13	-36,416,881,000	660,122,599,000	1
1530	10.03	-36,417,722,000	660,123,085,000	0
1531	10.33	-36,418,384,000	660,123,642,000	0
1532	10.63	-36,419,188,000	660,124,108,000	1
1533	11.43	-36,420,017,000	660,124,608,000	1
1534	10.43	-36,420,729,000	660,125,007,000	1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
1535	10.23	-36,421,262,000	660,125,347,000	0
1536	11.43	-36,421,670,000	660,125,320,000	1
1537	9.83	-36,421,695,000	660,125,347,000	0
1538	10.03	-36,421,720,000	660,125,530,000	0
1539	10.63	-36,421,803,000	660,125,878,000	1
1540	10.93	-36,421,615,000	660,126,306,000	1
1541	11.03	-36,421,383,000	660,126,926,000	1
1542	10.43	-36,420,873,000	660,127,736,000	1
1543	10.93	-36,420,372,000	660,128,590,000	1
1544	10.53	-36,420,083,000	660,129,311,000	1
1545	11.33	-36,419,737,000	660,130,033,000	1
1546	11.33	-36,419,406,000	660,130,887,000	1
1547	11.33	-36,419,199,000	660,131,645,000	1
1548	10.23	-36,418,828,000	660,132,405,000	0
1549	9.83	-36,418,280,000	660,133,165,000	0
1550	10.53	-36,417,928,000	660,133,750,000	1
1551	11.33	-36,417,405,000	660,133,776,000	1
1552	10.53	-36,416,930,000	660,133,800,000	1
1553	11.13	-36,416,483,000	660,133,823,000	1
1554	11.13	-36,415,987,000	660,133,848,000	1
1555	10.43	-36,415,540,000	660,133,870,000	1
1556	12.03	-36,415,068,000	660,133,894,000	1
1557	11.83	-36,414,595,000	660,133,918,000	1
1558	12.03	-36,414,148,000	660,133,940,000	1
1559	12.03	-36,413,638,000	660,133,966,000	1
1560	11.43	-36,413,191,000	660,133,988,000	1
1561	13.23	-36,412,718,000	660,134,012,000	2
1562	13.93	-36,412,319,000	660,134,032,000	2
1563	14.53	-36,411,847,000	660,134,056,000	3
1564	13.53	-36,411,303,000	660,134,083,000	2
1565	12.33	-36,410,856,000	660,134,105,000	2
1566	12.73	-36,410,459,000	660,134,125,000	2
1567	12.23	-36,409,988,000	660,134,149,000	2
1568	11.13	-36,409,440,000	660,134,177,000	1
1569	10.63	-36,409,039,000	660,134,197,000	1
1570	10.23	-36,408,591,000	660,134,219,000	0
1571	11.03	-36,408,042,000	660,134,247,000	1
1572	10.73	-36,407,594,000	660,134,270,000	1
1573	10.63	-36,407,122,000	660,134,293,000	1
1574	10.03	-36,406,638,000	660,134,318,000	0
1575	10.53	-36,406,191,000	660,134,340,000	1
1576	10.73	-36,405,813,000	660,134,343,000	1
1577	9.23	-36,406,180,000	660,133,631,000	0
1578	9.83	-36,406,590,000	660,132,854,000	0
1579	10.33	-36,407,005,000	660,131,857,000	0
1580	10.83	-36,407,323,000	660,131,304,000	1
1581	11.33	-36,407,759,000	660,130,224,000	1
1582	11.83	-36,408,120,000	660,129,476,000	1
1583	11.43	-36,408,633,000	660,128,619,000	1
1584	11.33	-36,409,084,000	660,127,689,000	1
1585	11.53	-36,409,527,000	660,126,770,000	1
1586	11.73	-36,409,927,000	660,125,923,000	1
1587	11.43	-36,410,317,000	660,125,063,000	1
1588	12.33	-36,410,766,000	660,124,224,000	2
1589	12.33	-36,411,193,000	660,123,379,000	2
1590	10.53	-36,411,545,000	660,122,779,000	1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
1591	10.73	-36,411,907,000	660,122,188,000	1
1592	9.13	-36,412,275,000	660,121,617,000	0
1593	10.03	-36,412,718,000	660,121,118,000	0
1594	10.13	-36,413,211,000	660,120,972,000	0
1595	11.63	-36,413,753,000	660,121,317,000	1
1596	11.53	-36,414,250,000	660,121,741,000	1
1597	10.63	-36,415,009,000	660,122,413,000	1
1598	11.83	-36,415,747,000	660,122,932,000	1
1599	11.13	-36,416,618,000	660,123,586,000	1
1600	11.23	-36,417,217,000	660,124,076,000	1
1601	11.63	-36,418,173,000	660,124,639,000	1
1602	11.93	-36,418,899,000	660,125,096,000	1
1603	11.13	-36,419,730,000	660,125,431,000	1
1604	10.53	-36,420,373,000	660,125,706,000	1
1605	10.73	-36,420,878,000	660,126,163,000	1
1606	10.83	-36,420,658,000	660,126,731,000	1
1607	11.13	-36,420,314,000	660,127,478,000	1
1608	11.23	-36,419,901,000	660,128,160,000	1
1609	12.43	-36,419,422,000	660,128,973,000	2
1610	11.33	-36,419,046,000	660,129,655,000	1
1611	11.73	-36,418,662,000	660,130,380,000	1
1612	11.23	-36,418,331,000	660,131,180,000	1
1613	10.53	-36,418,156,000	660,131,957,000	1
1614	9.93	-36,417,788,000	660,132,627,000	0
1615	10.63	-36,417,270,000	660,133,175,000	1
1616	10.73	-36,416,814,000	660,133,216,000	1
1617	10.63	-36,416,359,000	660,133,258,000	1
1618	11.83	-36,415,903,000	660,133,300,000	1
1619	10.53	-36,415,491,000	660,133,337,000	1
1620	11.43	-36,415,035,000	660,133,379,000	1
1621	11.33	-36,414,579,000	660,133,421,000	1
1622	11.03	-36,414,122,000	660,133,463,000	1
1623	12.03	-36,413,739,000	660,133,498,000	1
1624	12.33	-36,413,232,000	660,133,544,000	2
1625	12.23	-36,412,777,000	660,133,586,000	2
1626	12.13	-36,412,322,000	660,133,627,000	1
1627	12.93	-36,411,866,000	660,133,669,000	2
1628	12.43	-36,411,483,000	660,133,704,000	2
1629	11.93	-36,411,017,000	660,133,747,000	1
1630	11.63	-36,410,560,000	660,133,788,000	1
1631	10.33	-36,410,056,000	660,133,834,000	0
1632	10.33	-36,409,673,000	660,133,870,000	0
1633	10.33	-36,409,219,000	660,133,911,000	0
1634	11.43	-36,408,762,000	660,133,953,000	1
1635	10.83	-36,408,258,000	660,133,999,000	1
1636	10.13	-36,407,875,000	660,134,034,000	0
1637	10.43	-36,407,346,000	660,134,082,000	1
1638	10.33	-36,406,914,000	660,134,122,000	0
1639	9.23	-36,406,595,000	660,134,047,000	0
1640	10.63	-36,407,023,000	660,133,274,000	1
1641	11.53	-36,407,360,000	660,132,646,000	1
1642	11.53	-36,408,044,000	660,131,562,000	1
1643	10.93	-36,408,461,000	660,130,803,000	1
1644	11.53	-36,409,038,000	660,129,847,000	1
1645	10.83	-36,409,473,000	660,128,727,000	1
1646	11.03	-36,409,907,000	660,127,990,000	1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
1647	10.93	-36,410,324,000	660,126,919,000	1
1648	10.33	-36,410,779,000	660,126,086,000	0
1649	10.93	-36,411,109,000	660,125,106,000	1
1650	10.33	-36,411,386,000	660,124,263,000	0
1651	10.73	-36,411,765,000	660,123,512,000	1
1652	12.13	-36,412,223,000	660,122,697,000	1
1653	10.93	-36,412,497,000	660,122,045,000	1
1654	11.33	-36,412,764,000	660,121,828,000	1
1655	10.33	-36,413,028,000	660,122,275,000	0
1656	10.73	-36,413,798,000	660,122,744,000	1
1657	11.53	-36,414,614,000	660,123,223,000	1
1658	11.83	-36,415,331,000	660,123,888,000	1
1659	11.63	-36,416,208,000	660,124,435,000	1
1660	10.63	-36,416,983,000	660,124,808,000	1
1661	10.63	-36,417,819,000	660,125,333,000	1
1662	10.03	-36,418,618,000	660,125,795,000	0
1663	11.53	-36,419,380,000	660,126,160,000	1
1664	11.63	-36,419,810,000	660,126,399,000	1
1665	10.63	-36,419,793,000	660,126,590,000	1
1666	9.43	-36,419,308,000	660,127,590,000	0
1667	11.73	-36,418,747,000	660,128,279,000	1
1668	11.23	-36,418,311,000	660,128,959,000	1
1669	11.53	-36,418,020,000	660,129,761,000	1
1670	10.43	-36,417,633,000	660,130,529,000	1
1671	10.93	-36,417,223,000	660,131,265,000	1
1672	10.93	-36,416,833,000	660,131,984,000	1
1673	10.73	-36,416,557,000	660,132,639,000	1
1674	10.43	-36,416,439,000	660,132,352,000	1
1675	10.83	-36,416,322,000	660,132,067,000	1
1676	11.63	-36,416,199,000	660,131,767,000	1
1677	10.53	-36,416,076,000	660,131,468,000	1
1678	10.63	-36,415,953,000	660,131,169,000	1
1679	11.73	-36,415,824,000	660,130,855,000	1
1680	10.73	-36,415,700,000	660,130,555,000	1
1681	12.13	-36,415,584,000	660,130,271,000	1
1682	12	-36,415,464,000	660,129,979,000	1
1683	12.23	-36,415,338,000	660,129,673,000	2
1684	12.03	-36,415,235,000	660,129,422,000	1
1685	12.43	-36,415,094,000	660,129,080,000	2
1686	12.13	-36,414,990,000	660,128,828,000	1
1687	12.13	-36,414,854,000	660,128,497,000	1
1688	11.23	-36,414,750,000	660,128,244,000	1
1689	11.13	-36,414,606,000	660,127,892,000	1
1690	10.63	-36,414,482,000	660,127,592,000	1
1691	12.53	-36,414,366,000	660,127,308,000	2
1692	10.73	-36,414,243,000	660,127,009,000	1
1693	11.23	-36,414,139,000	660,126,756,000	1
1694	11.43	-36,414,016,000	660,126,457,000	1
1695	11.03	-36,413,872,000	660,126,108,000	1
1696	11.13	-36,413,756,000	660,125,824,000	1
1697	10.23	-36,413,632,000	660,125,525,000	0
1698	10.23	-36,413,509,000	660,125,224,000	0
1699	11.93	-36,413,389,000	660,124,933,000	1
1700	11.53	-36,413,284,000	660,124,678,000	1
1701	10.83	-36,413,148,000	660,124,347,000	1
1702	11.13	-36,413,026,000	660,124,049,000	1



## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
1703	11.73	-36,412,922,000	660,123,798,000	1
1704	11.03	-36,412,884,000	660,123,382,000	1
1705	10.13	-36,413,241,000	660,122,829,000	0
1706	10.83	-36,413,616,000	660,122,196,000	1
1707	11.43	-36,414,123,000	660,122,429,000	1
1708	11.03	-36,414,735,000	660,122,816,000	1
1709	10.13	-36,415,389,000	660,123,325,000	0
1710	11.13	-36,415,968,000	660,123,805,000	1
1711	10.23	-36,416,620,000	660,124,266,000	0
1712	10.63	-36,417,400,000	660,124,762,000	1
1713	10.73	-36,418,109,000	660,125,071,000	1
1714	11.53	-36,418,951,000	660,125,480,000	1
1715	11.83	-36,419,398,000	660,125,776,000	1
1716	10.13	-36,419,112,000	660,126,605,000	0
1717	10.73	-36,418,587,000	660,127,289,000	1
1718	11.43	-36,418,129,000	660,127,898,000	1
1719	11.73	-36,417,673,000	660,128,720,000	1
1720	12.73	-36,417,276,000	660,129,606,000	2
1721	11.63	-36,416,972,000	660,130,441,000	1
1722	11.63	-36,416,632,000	660,131,329,000	1
1723	9.53	-36,416,459,000	660,131,172,000	0
1724	10.83	-36,416,292,000	660,131,021,000	1
1725	10.33	-36,416,094,000	660,130,842,000	0
1726	10.63	-36,415,915,000	660,130,680,000	1
1727	11.33	-36,415,747,000	660,130,527,000	1
1728	10.83	-36,415,569,000	660,130,366,000	1
1729	11.63	-36,415,387,000	660,130,201,000	1
1730	12.13	-36,415,218,000	660,130,048,000	1
1731	11.33	-36,415,040,000	660,129,886,000	1
1732	11.53	-36,414,871,000	660,129,734,000	1
1733	10.43	-36,414,694,000	660,129,572,000	1
1734	10.93	-36,414,538,000	660,129,431,000	1
1735	10.93	-36,414,332,000	660,129,244,000	1
1736	10.13	-36,414,153,000	660,129,083,000	0
1737	10.83	-36,413,985,000	660,128,930,000	1
1738	10.83	-36,413,825,000	660,128,786,000	1
1739	11.93	-36,413,656,000	660,128,632,000	1
1740	10.73	-36,413,450,000	660,128,445,000	1
1741	11.33	-36,413,272,000	660,128,284,000	1
1742	11.03	-36,413,099,000	660,128,127,000	1
1743	10.83	-36,412,927,000	660,127,972,000	1
1744	11.23	-36,412,747,000	660,127,808,000	1
1745	10.13	-36,412,579,000	660,127,656,000	0
1746	11.43	-36,412,429,000	660,127,520,000	1
1747	11.83	-36,412,223,000	660,127,333,000	1
1748	11.33	-36,412,054,000	660,127,180,000	1
1749	11.43	-36,412,017,000	660,126,812,000	1
1750	10.83	-36,412,414,000	660,126,000,000	1
1751	10.53	-36,412,756,000	660,125,020,000	1
1752	11.03	-36,412,948,000	660,124,254,000	1
1753	10.13	-36,413,224,000	660,123,478,000	0
1754	10.83	-36,413,511,000	660,123,169,000	1
1755	11.43	-36,414,157,000	660,123,452,000	1
1756	10.03	-36,415,146,000	660,123,966,000	0
1757	10.53	-36,415,948,000	660,124,364,000	1
1758	10.83	-36,416,720,000	660,124,765,000	1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
1759	11.83	-36,417,740,000	660,125,249,000	1
1760	10.93	-36,418,161,000	660,125,855,000	1
1761	11.33	-36,417,962,000	660,126,678,000	1
1762	11.83	-36,417,583,000	660,127,319,000	1
1763	10.03	-36,417,016,000	660,128,370,000	0
1764	9.73	-36,416,579,000	660,129,187,000	0
1765	11.13	-36,416,139,000	660,129,765,000	1
1766	10.53	-36,415,609,000	660,130,499,000	1
1767	10.93	-36,415,069,000	660,131,480,000	1
1768	11.23	-36,414,801,000	660,131,587,000	1
1769	10.8	-36,414,552,000	660,131,685,000	1
1770	10.53	-36,414,311,000	660,131,781,000	1
1771	11.03	-36,414,015,000	660,131,898,000	1
1772	10.43	-36,413,774,000	660,131,994,000	1
1773	11.53	-36,413,478,000	660,132,111,000	1
1774	12.53	-36,413,192,000	660,132,225,000	2
1775	11.63	-36,412,980,000	660,132,308,000	1
1776	10.53	-36,412,684,000	660,132,426,000	1
1777	10.73	-36,412,415,000	660,132,532,000	1
1778	10.53	-36,412,148,000	660,132,639,000	1
1779	11.23	-36,411,886,000	660,132,742,000	1
1780	10.53	-36,411,617,000	660,132,849,000	1
1781	10.13	-36,411,363,000	660,132,950,000	0
1782	9.23	-36,411,082,000	660,133,061,000	0
1783	9.13	-36,410,821,000	660,133,165,000	0
1784	10.43	-36,410,546,000	660,133,274,000	1
1785	10.03	-36,410,292,000	660,133,375,000	0
1786	10.13	-36,410,023,000	660,133,481,000	0
1787	11.13	-36,409,755,000	660,133,587,000	1
1788	10.03	-36,409,487,000	660,133,694,000	0
1789	9.73	-36,409,256,000	660,133,785,000	0
1790	11.33	-36,408,959,000	660,133,903,000	1
1791	10.23	-36,408,690,000	660,134,010,000	0
1792	11.33	-36,408,422,000	660,134,116,000	1
1793	11.13	-36,408,197,000	660,134,205,000	1
1794	10.63	-36,407,889,000	660,134,327,000	1
1795	10.33	-36,407,635,000	660,134,428,000	0
1796	10.63	-36,407,367,000	660,134,534,000	1
1797	9.23	-36,407,099,000	660,134,640,000	0
1798	10.63	-36,406,831,000	660,134,747,000	1
1799	10.53	-36,406,544,000	660,134,861,000	1
1800	11.53	-36,406,289,000	660,134,962,000	1
1801	11.33	-36,406,034,000	660,135,062,000	1
1802	10.13	-36,405,751,000	660,135,175,000	0
1803	10.03	-36,405,490,000	660,135,278,000	0
1804	10.03	-36,405,315,000	660,135,394,000	0
1805	9.73	-36,405,433,000	660,135,523,000	0
1806	9.13	-36,405,510,000	660,135,571,000	0
1807	10.33	-36,405,500,000	660,135,489,000	0
1808	11.13	-36,405,567,000	660,135,385,000	1
1809	11.63	-36,416,195,000	660,126,550,000	1
1810	11.43	-36,416,217,000	660,126,532,000	1
1811	11.43	-36,416,237,000	660,126,515,000	1
1812	11.03	-36,416,260,000	660,126,496,000	1
1813	11.63	-36,416,282,000	660,126,478,000	1
1814	11.23	-36,416,306,000	660,126,458,000	1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
1815	10.83	-36,416,329,000	660,126,439,000	1
1816	11.83	-36,416,350,000	660,126,421,000	1
1817	11.03	-36,416,373,000	660,126,403,000	1
1818	10.53	-36,416,392,000	660,126,386,000	1
1819	10.93	-36,416,418,000	660,126,365,000	1
1820	11.23	-36,416,442,000	660,126,345,000	1
1821	11.13	-36,416,464,000	660,126,327,000	1
1822	10.63	-36,416,483,000	660,126,311,000	1
1823	10.13	-36,416,893,000	660,125,970,000	0
1824	10.33	-36,416,917,000	660,125,950,000	0
1825	10.33	-36,416,937,000	660,125,933,000	0
1827	10.83	-36,416,958,000	660,125,916,000	1
1828	9.83	-36,416,983,000	660,125,895,000	0
1829	10.33	-36,417,007,000	660,125,875,000	0
1830	9.93	-36,417,027,000	660,125,859,000	0
1831	11.03	-36,417,052,000	660,125,838,000	1
1832	9.93	-36,417,075,000	660,125,819,000	0
1833	10.53	-36,417,098,000	660,125,800,000	1
1834	11.33	-36,417,117,000	660,125,784,000	1
1835	10.63	-36,417,142,000	660,125,763,000	1
1836	10.73	-36,417,165,000	660,125,744,000	1
1837	11.03	-36,417,188,000	660,125,725,000	1
1838	10.43	-36,417,211,000	660,125,706,000	1
1839	10.73	-36,417,232,000	660,125,689,000	1
1840	10.43	-36,417,252,000	660,125,672,000	1
1841	10.53	-36,417,278,000	660,125,650,000	1
1842	10.83	-36,417,300,000	660,125,631,000	1
1843	10.03	-36,417,322,000	660,125,614,000	0
1844	12.63	-36,417,345,000	660,125,594,000	2
1845	12.03	-36,417,366,000	660,125,577,000	1
1846	12.93	-36,417,391,000	660,125,556,000	2
1847	10.53	-36,417,414,000	660,125,537,000	1
1848	11.93	-36,417,435,000	660,125,519,000	1
1849	10.43	-36,417,460,000	660,125,499,000	1
1850	11.13	-36,417,479,000	660,125,483,000	1
1851	10.83	-36,417,504,000	660,125,462,000	1
1852	11.13	-36,417,524,000	660,125,446,000	1
1853	11.13	-36,417,515,000	660,125,541,000	1
1854	11.03	-36,417,290,000	660,126,369,000	1
1855	12.33	-36,416,999,000	660,127,211,000	2
1856	11.63	-36,416,475,000	660,127,835,000	1
1857	12.13	-36,416,072,000	660,128,525,000	1
1858	11.13	-36,415,660,000	660,129,359,000	1
1859	10.63	-36,415,660,000	660,129,360,000	1
1860	11.43	-36,415,660,000	660,129,361,000	1
1861	11.43	-36,415,660,000	660,129,362,000	1
1862	11.23	-36,415,660,000	660,129,363,000	1
1863	11.73	-36,415,661,000	660,129,364,000	1
1864	10.53	-36,415,661,000	660,129,365,000	1
1865	10.93	-36,415,661,000	660,129,366,000	1
1866	11.53	-36,415,661,000	660,129,367,000	1
1867	10.63	-36,415,661,000	660,129,367,000	1
1868	10.73	-36,415,661,000	660,129,368,000	1
1869	11.13	-36,415,661,000	660,129,369,000	1
1870	11.23	-36,415,661,000	660,129,370,000	1
1871	11.63	-36,415,662,000	660,129,371,000	1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
1872	10.73	-36,415,662,000	660,129,372,000	1
1873	10.83	-36,415,662,000	660,129,373,000	1
1874	10.73	-36,415,662,000	660,129,374,000	1
1875	11.83	-36,415,662,000	660,129,375,000	1
1876	11.53	-36,415,662,000	660,129,376,000	1
1877	10.93	-36,415,662,000	660,129,377,000	1
1878	11.33	-36,415,662,000	660,129,377,000	1
1879	10.13	-36,415,662,000	660,129,378,000	0
1880	9.63	-36,415,663,000	660,129,379,000	0
1881	11.63	-36,415,663,000	660,129,380,000	1
1882	11.43	-36,415,663,000	660,129,381,000	1
1883	11.13	-36,415,663,000	660,129,382,000	1
1884	10.03	-36,415,663,000	660,129,383,000	0
1885	13.23	-36,415,663,000	660,129,384,000	2
1886	12.33	-36,415,663,000	660,129,385,000	2
1887	12.13	-36,415,663,000	660,129,386,000	1
1888	11.13	-36,415,664,000	660,129,387,000	1
1889	11.53	-36,415,664,000	660,129,387,000	1
1890	11.53	-36,415,664,000	660,129,388,000	1
1891	11.93	-36,415,664,000	660,129,389,000	1
1892	11.93	-36,415,664,000	660,129,390,000	1
1893	12.13	-36,415,664,000	660,129,391,000	1
1894	11.33	-36,415,664,000	660,129,392,000	1
1895	10.83	-36,415,664,000	660,129,393,000	1
1896	11.53	-36,415,664,000	660,129,394,000	1
1897	11.93	-36,415,665,000	660,129,395,000	1
1898	11.63	-36,415,665,000	660,129,396,000	1
1899	10.83	-36,415,665,000	660,129,397,000	1
1900	11.73	-36,415,665,000	660,129,397,000	1
1901	10.53	-36,415,665,000	660,129,398,000	1
1902	11.53	-36,415,665,000	660,129,399,000	1
1903	10.53	-36,415,665,000	660,129,400,000	1
1904	11.63	-36,415,665,000	660,129,401,000	1
1905	10.83	-36,415,665,000	660,129,402,000	1
1906	9.43	-36,415,666,000	660,129,403,000	0
1907	9.93	-36,415,666,000	660,129,404,000	0
1908	10.03	-36,415,666,000	660,129,405,000	0
1909	11.03	-36,415,666,000	660,129,406,000	1
1910	11.33	-36,415,666,000	660,129,407,000	1
1911	12.13	-36,415,666,000	660,129,407,000	1
1912	12.23	-36,415,666,000	660,129,408,000	2
1913	11.73	-36,415,666,000	660,129,409,000	1
1914	12.03	-36,415,666,000	660,129,410,000	1
1915	11.73	-36,415,667,000	660,129,411,000	1
1916	11.83	-36,415,667,000	660,129,412,000	1
1917	10.83	-36,415,667,000	660,129,413,000	1
1918	11.03	-36,415,667,000	660,129,414,000	1
1919	11.83	-36,415,667,000	660,129,415,000	1
1920	12.23	-36,415,667,000	660,129,416,000	2
1921	11.53	-36,415,667,000	660,129,417,000	1
1922	11.43	-36,415,667,000	660,129,417,000	1
1923	11.33	-36,415,668,000	660,129,418,000	1
1924	10.93	-36,415,668,000	660,129,419,000	1
1925	11.73	-36,415,668,000	660,129,420,000	1
1926	12.13	-36,415,668,000	660,129,421,000	1
1927	11.83	-36,415,668,000	660,129,422,000	1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
1928	10.03	-36,415,668,000	660,129,423,000	0
1929	10.53	-36,415,668,000	660,129,424,000	1
1930	11.23	-36,415,668,000	660,129,425,000	1
1931	10.83	-36,415,668,000	660,129,426,000	1
1932	10.83	-36,415,669,000	660,129,427,000	1
1933	10.53	-36,415,669,000	660,129,427,000	1
1934	10.23	-36,415,669,000	660,129,428,000	0
1935	11.03	-36,415,669,000	660,129,429,000	1
1936	11.73	-36,415,669,000	660,129,430,000	1
1937	11.53	-36,415,669,000	660,129,431,000	1
1938	11.03	-36,415,669,000	660,129,432,000	1
1939	11.43	-36,415,669,000	660,129,433,000	1
1940	11.53	-36,415,669,000	660,129,434,000	1
1941	11.23	-36,415,670,000	660,129,435,000	1
1942	5.173	-36,422,682,000	660,184,717,000	-2
1943	5.363	-36,422,682,000	660,184,717,000	-2
1944	5.813	-36,422,682,000	660,184,718,000	-2
1945	5.603	-36,423,192,000	660,188,739,000	-2
1946	5.723	-36,423,192,000	660,188,740,000	-2
1947	5.373	-36,423,192,000	660,188,741,000	-2
1948	5.733	-36,423,192,000	660,188,741,000	-2
1949	5.703	-36,423,193,000	660,188,742,000	-2
1950	5.523	-36,423,193,000	660,188,743,000	-2
1951	5.493	-36,423,193,000	660,188,744,000	-2
1952	5.063	-36,423,193,000	660,188,745,000	-3
1953	5.233	-36,423,193,000	660,188,746,000	-2
1954	5.563	-36,423,193,000	660,188,747,000	-2
1955	5.703	-36,423,193,000	660,188,748,000	-2
1956	5.723	-36,423,193,000	660,188,749,000	-2
1957	5.523	-36,423,193,000	660,188,750,000	-2
1958	5.623	-36,423,194,000	660,188,751,000	-2
1959	6.103	-36,423,194,000	660,188,751,000	-2
1960	6.833	-36,423,195,000	660,188,765,000	-2
1961	6.533	-36,423,196,000	660,188,766,000	-2
1962	5.883	-36,423,196,000	660,188,771,000	-2
1963	5.433	-36,423,205,000	660,188,838,000	-2
1964	5.733	-36,423,205,000	660,188,839,000	-2
1965	6.153	-36,423,205,000	660,188,840,000	-2
1966	7.093	-36,423,205,000	660,188,841,000	-1
1967	6.463	-36,423,205,000	660,188,842,000	-2
1968	5.933	-36,423,205,000	660,188,843,000	-2
1969	6.143	-36,423,205,000	660,188,844,000	-2
1970	8.103	-36,423,205,000	660,188,845,000	-1
1971	6.763	-36,423,206,000	660,188,845,000	-2
1972	6.793	-36,423,206,000	660,188,846,000	-2
1973	6.223	-36,423,206,000	660,188,847,000	-2
1974	7.283	-36,423,206,000	660,188,848,000	-1
1975	7.733	-36,423,206,000	660,188,849,000	-1
1976	7.033	-36,423,206,000	660,188,850,000	-1
1977	6.823	-36,423,208,000	660,188,866,000	-2
1978	6.293	-36,423,208,000	660,188,867,000	-2
1979	6.143	-36,423,208,000	660,188,868,000	-2
1980	6.193	-36,423,209,000	660,188,869,000	-2
1981	6.163	-36,423,209,000	660,188,870,000	-2
1982	6.823	-36,423,209,000	660,188,871,000	-2
1983	5.873	-36,423,209,000	660,188,872,000	-2

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
1984	6.043	-36,423,209,000	660,188,873,000	-2
1985	6.993	-36,423,209,000	660,188,874,000	-1
1986	6.723	-36,423,209,000	660,188,874,000	-2
1987	5.403	-36,423,209,000	660,188,875,000	-2
1988	6.673	-36,423,209,000	660,188,876,000	-2
1989	6.973	-36,423,210,000	660,188,877,000	-1
1990	6.273	-36,423,210,000	660,188,878,000	-2
1991	6.813	-36,423,210,000	660,188,879,000	-2
1992	6.623	-36,423,210,000	660,188,880,000	-2
1993	6.183	-36,423,210,000	660,188,881,000	-2
1994	6.583	-36,423,210,000	660,188,882,000	-2
1995	6.443	-36,423,210,000	660,188,883,000	-2
1996	5.663	-36,423,210,000	660,188,884,000	-2
1997	5.653	-36,423,211,000	660,188,884,000	-2
1998	6.253	-36,423,211,000	660,188,885,000	-2
1999	6.843	-36,423,211,000	660,188,886,000	-2
2000	5.943	-36,423,211,000	660,188,887,000	-2
2001	6.133	-36,423,211,000	660,188,888,000	-2
2002	5.303	-36,423,211,000	660,188,889,000	-2
2003	5.783	-36,423,211,000	660,188,890,000	-2
2004	5.733	-36,423,211,000	660,188,891,000	-2
2005	5.813	-36,423,403,000	660,189,434,000	-2
2006	6.513	-36,421,212,000	660,188,264,000	-2
2007	6.183	-36,421,084,000	660,188,373,000	-2
2008	6.453	-36,420,945,000	660,188,233,000	-2
2009	6.323	-36,420,965,000	660,188,219,000	-2
2010	5.483	-36,421,046,000	660,188,348,000	-2
2011	5.693	-36,421,048,000	660,188,388,000	-2
2012	4.983	-36,421,260,000	660,188,514,000	-3
2013	4.843	-36,421,403,000	660,188,495,000	-3
2014	5.293	-36,421,506,000	660,188,056,000	-2
2015	5.413	-36,421,252,000	660,188,049,000	-2
2016	5.343	-36,421,552,000	660,188,131,000	-2
2017	5.933	-36,421,543,000	660,188,054,000	-2
2018	6.073	-36,421,433,000	660,187,914,000	-2
2019	6.703	-36,422,031,000	660,187,950,000	-2
2020	6.713	-36,423,134,000	660,188,841,000	-2
2021	6.293	-36,422,582,000	660,188,414,000	-2
2022	7.493	-36,422,866,000	660,188,923,000	-1
2023	8.113	-36,423,084,000	660,189,396,000	-1
2024	7.843	-36,422,415,000	660,190,897,000	-1
2025	9.763	-36,422,267,000	660,191,607,000	0
2026	8.913	-36,421,821,000	660,192,424,000	0
2027	9.003	-36,421,222,000	660,193,142,000	0
2028	8.883	-36,420,994,000	660,193,830,000	0
2029	8.203	-36,421,889,000	660,194,622,000	-1
2030	8.143	-36,420,628,000	660,194,685,000	-1
2031	8.423	-36,420,554,000	660,194,792,000	-1
2032	8.523	-36,420,547,000	660,194,814,000	-1
2033	8.703	-36,420,501,000	660,194,975,000	0
2034	7.763	-36,420,392,000	660,195,177,000	-1
2035	8.293	-36,420,042,000	660,195,227,000	-1
2036	9.243	-36,420,197,000	660,195,827,000	0
2037	8.553	-36,419,945,000	660,196,362,000	-1
2038	8.833	-36,419,897,000	660,196,901,000	0
2039	8.063	-36,419,412,000	660,197,432,000	-1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
2040	7.863	-36,419,003,000	660,197,682,000	-1
2041	9.103	-36,418,972,000	660,198,332,000	0
2042	8.573	-36,418,698,000	660,198,626,000	-1
2043	9.923	-36,418,519,000	660,199,107,000	0
2044	9.033	-36,418,327,000	660,199,565,000	0
2045	8.983	-36,417,856,000	660,200,155,000	0
2046	8.273	-36,417,797,000	660,200,654,000	-1
2047	8.533	-36,417,209,000	660,201,296,000	-1
2048	8.823	-36,416,858,000	660,202,016,000	0
2049	9.523	-36,416,519,000	660,202,872,000	0
2050	9.013	-36,415,923,000	660,203,098,000	0
2051	8.823	-36,415,622,000	660,203,836,000	0
2052	8.163	-36,415,308,000	660,204,909,000	-1
2053	8.823	-36,414,898,000	660,205,633,000	0
2054	8.303	-36,414,253,000	660,206,504,000	-1
2055	8.793	-36,413,632,000	660,207,056,000	0
2056	8.643	-36,413,386,000	660,207,947,000	-1
2057	8.973	-36,413,053,000	660,208,644,000	0
2058	8.603	-36,412,629,000	660,209,151,000	-1
2059	9.283	-36,412,206,000	660,209,805,000	0
2060	8.253	-36,411,718,000	660,210,618,000	-1
2061	8.003	-36,411,333,000	660,211,438,000	-1
2062	8.743	-36,410,784,000	660,212,053,000	0
2063	7.813	-36,410,235,000	660,212,783,000	-1
2064	9.153	-36,409,800,000	660,213,493,000	0
2065	9.063	-36,409,363,000	660,214,151,000	0
2066	7.783	-36,408,773,000	660,214,779,000	-1
2067	8.813	-36,408,346,000	660,215,839,000	0
2068	7.703	-36,407,933,000	660,216,389,000	-1
2069	7.543	-36,407,216,000	660,217,200,000	-1
2070	7.943	-36,406,732,000	660,218,047,000	-1
2071	8.673	-36,406,374,000	660,218,815,000	0
2072	8.283	-36,405,852,000	660,219,516,000	-1
2073	7.923	-36,405,375,000	660,220,200,000	-1
2074	8.273	-36,404,893,000	660,220,656,000	-1
2075	6.743	-36,404,489,000	660,221,226,000	-2
2076	7.933	-36,404,420,000	660,221,478,000	-1
2077	6.543	-36,404,860,000	660,222,204,000	-2
2078	6.523	-36,405,257,000	660,222,536,000	-2
2079	7.423	-36,405,050,000	660,222,470,000	-1
2080	7.283	-36,405,114,000	660,221,970,000	-1
2081	8.693	-36,405,834,000	660,221,443,000	0
2082	8.683	-36,405,990,000	660,220,604,000	0
2083	8.063	-36,406,117,000	660,219,981,000	-1
2084	8.493	-36,406,323,000	660,219,822,000	-1
2085	8.473	-36,406,179,000	660,220,189,000	-1
2086	9.043	-36,405,875,000	660,220,294,000	0
2087	8.023	-36,405,866,000	660,220,571,000	-1
2088	8.023	-36,405,791,000	660,220,563,000	-1
2089	8.063	-36,405,813,000	660,220,591,000	-1
2090	8.583	-36,405,844,000	660,220,596,000	-1
2091	8.173	-36,405,838,000	660,220,522,000	-1
2092	8.463	-36,405,965,000	660,220,471,000	-1
2093	8.473	-36,406,394,000	660,220,076,000	-1
2094	8.233	-36,406,926,000	660,219,534,000	-1
2095	9.153	-36,407,224,000	660,219,063,000	0

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
2096	8.223	-36,407,522,000	660,218,425,000	-1
2097	8.553	-36,407,861,000	660,217,811,000	-1
2098	8.653	-36,408,308,000	660,216,963,000	0
2099	9.543	-36,408,702,000	660,216,513,000	0
2100	8.643	-36,409,401,000	660,215,620,000	-1
2101	8.493	-36,409,619,000	660,214,968,000	-1
2102	8.243	-36,410,188,000	660,214,334,000	-1
2103	8.773	-36,410,808,000	660,213,816,000	0
2104	8.373	-36,411,089,000	660,212,878,000	-1
2105	8.063	-36,411,547,000	660,212,212,000	-1
2106	7.933	-36,411,977,000	660,211,470,000	-1
2107	9.433	-36,412,530,000	660,210,597,000	0
2108	8.923	-36,412,921,000	660,209,888,000	0
2109	8.203	-36,413,378,000	660,209,351,000	-1
2110	8.103	-36,413,711,000	660,208,638,000	-1
2111	7.633	-36,414,088,000	660,207,973,000	-1
2112	8.743	-36,414,505,000	660,207,245,000	0
2113	9.113	-36,414,984,000	660,206,369,000	0
2114	8.303	-36,415,360,000	660,205,712,000	-1
2115	9.393	-36,416,009,000	660,204,879,000	0
2116	9.273	-36,416,376,000	660,203,657,000	0
2117	8.253	-36,416,903,000	660,203,086,000	-1
2118	6.923	-36,417,314,000	660,202,409,000	-1
2119	7.883	-36,418,161,000	660,200,892,000	-1
2120	8.733	-36,418,092,000	660,201,116,000	0
2121	9.173	-36,418,535,000	660,200,508,000	0
2122	8.423	-36,419,269,000	660,199,882,000	-1
2123	9.153	-36,419,300,000	660,199,108,000	0
2124	8.763	-36,419,606,000	660,198,552,000	0
2125	8.763	-36,420,132,000	660,197,863,000	0
2126	9.653	-36,420,513,000	660,197,179,000	0
2127	9.913	-36,420,691,000	660,196,472,000	0
2128	9.373	-36,421,234,000	660,195,619,000	0
2129	9.693	-36,421,677,000	660,194,948,000	0
2130	8.303	-36,421,940,000	660,194,121,000	-1
2131	9.433	-36,422,344,000	660,193,654,000	0
2132	9.493	-36,422,655,000	660,192,984,000	0
2133	8.263	-36,423,106,000	660,192,206,000	-1
2134	8.183	-36,423,617,000	660,191,623,000	-1
2135	8.733	-36,423,649,000	660,190,816,000	0
2136	8.663	-36,423,989,000	660,190,286,000	0
2137	9.123	-36,423,959,000	660,189,948,000	0
2138	9.813	-36,424,768,000	660,189,729,000	0
2139	10.63	-36,425,206,000	660,190,219,000	1
2140	10.73	-36,425,446,000	660,191,064,000	1
2141	9.93	-36,425,222,000	660,191,459,000	0
2142	10.03	-36,424,988,000	660,191,873,000	0
2143	10.23	-36,424,751,000	660,192,290,000	0
2144	9.83	-36,424,515,000	660,192,707,000	0
2145	9.03	-36,424,291,000	660,193,102,000	0
2146	10.23	-36,424,060,000	660,193,509,000	0
2147	9.63	-36,423,824,000	660,193,927,000	0
2148	9.33	-36,423,587,000	660,194,344,000	0
2149	9.43	-36,423,351,000	660,194,761,000	0
2150	10.13	-36,423,116,000	660,195,166,000	0
2151	10.53	-36,422,286,000	660,196,147,000	1



## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
2152	8.83	-36,421,611,000	660,196,841,000	0
2153	9.83	-36,421,175,000	660,197,505,000	0
2154	10.03	-36,420,761,000	660,197,880,000	0
2155	11.83	-36,420,380,000	660,198,484,000	1
2156	9.43	-36,419,985,000	660,199,070,000	0
2157	8.83	-36,419,638,000	660,199,947,000	0
2158	9.73	-36,419,359,000	660,200,583,000	0
2159	10.93	-36,418,933,000	660,201,452,000	1
2160	11.63	-36,418,454,000	660,201,981,000	1
2161	10.63	-36,418,106,000	660,202,821,000	1
2162	11.53	-36,417,384,000	660,204,065,000	1
2163	10.33	-36,416,828,000	660,204,883,000	0
2164	10.23	-36,416,145,000	660,205,890,000	0
2165	11.03	-36,415,919,000	660,206,496,000	1
2166	10.43	-36,415,385,000	660,207,219,000	1
2167	9.73	-36,414,917,000	660,208,343,000	0
2168	10.53	-36,414,827,000	660,208,860,000	1
2169	10.23	-36,414,335,000	660,209,559,000	0
2170	9.63	-36,413,936,000	660,210,436,000	0
2171	10.33	-36,413,618,000	660,211,174,000	0
2172	10.93	-36,413,199,000	660,212,041,000	1
2173	10.93	-36,412,616,000	660,212,835,000	1
2174	9.43	-36,412,106,000	660,213,529,000	0
2175	8.33	-36,411,479,000	660,214,403,000	-1
2176	8.83	-36,411,069,000	660,215,081,000	0
2177	10.33	-36,410,583,000	660,215,936,000	0
2178	9.53	-36,410,145,000	660,216,551,000	0
2179	9.83	-36,409,742,000	660,217,407,000	0
2181	9.83	-36,409,203,000	660,218,152,000	0
2182	9.93	-36,408,582,000	660,218,842,000	0
2183	9.83	-36,407,920,000	660,219,334,000	0
2184	8.83	-36,407,608,000	660,219,977,000	0
2185	8.53	-36,407,036,000	660,220,618,000	-1
2186	9.73	-36,406,662,000	660,221,130,000	0
2187	10.03	-36,406,424,000	660,221,791,000	0
2188	9.13	-36,405,865,000	660,222,369,000	0
2189	8.23	-36,405,445,000	660,222,751,000	-1
2190	8.73	-36,405,586,000	660,223,027,000	0
2191	8.13	-36,405,803,000	660,223,284,000	-1
2192	10.23	-36,406,206,000	660,223,400,000	0
2193	10.23	-36,406,778,000	660,222,947,000	0
2194	8.93	-36,407,111,000	660,222,320,000	0
2195	9.43	-36,407,346,000	660,222,013,000	0
2196	10.43	-36,407,595,000	660,221,687,000	1
2197	10.73	-36,407,856,000	660,221,345,000	1
2198	11.23	-36,408,125,000	660,220,992,000	1
2199	10.03	-36,408,388,000	660,220,648,000	0
2200	10.43	-36,408,684,000	660,220,261,000	1
2201	10.43	-36,408,897,000	660,219,982,000	1
2202	8.63	-36,409,158,000	660,219,640,000	-1
2203	10.13	-36,409,413,000	660,219,306,000	0
2204	11.53	-36,409,676,000	660,218,962,000	1
2205	9.23	-36,409,960,000	660,218,304,000	0
2206	8.53	-36,410,486,000	660,217,728,000	-1
2207	9.73	-36,410,852,000	660,217,072,000	0
2208	10.03	-36,411,310,000	660,216,397,000	0

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
2209	9.93	-36,411,865,000	660,215,539,000	0
2210	9.83	-36,412,272,000	660,214,770,000	0
2211	10.23	-36,412,788,000	660,214,198,000	0
2212	9.33	-36,413,097,000	660,213,566,000	0
2213	11.03	-36,413,459,000	660,212,761,000	1
2214	10.33	-36,413,970,000	660,211,864,000	0
2215	10.73	-36,414,428,000	660,211,305,000	1
2216	10.03	-36,414,733,000	660,210,545,000	0
2217	10.03	-36,415,202,000	660,209,779,000	0
2218	9.63	-36,415,477,000	660,208,940,000	0
2219	9.13	-36,416,108,000	660,208,031,000	0
2220	10.83	-36,416,579,000	660,207,403,000	1
2221	11.23	-36,416,911,000	660,206,650,000	1
2222	10.73	-36,417,452,000	660,205,719,000	1
2223	9.83	-36,417,635,000	660,205,068,000	0
2224	9.83	-36,418,397,000	660,203,764,000	0
2225	9.43	-36,418,412,000	660,203,479,000	0
2226	11.03	-36,417,699,000	660,202,738,000	1
2227	9.63	-36,417,971,000	660,202,824,000	0
2228	10.43	-36,419,425,000	660,203,521,000	1
2229	10.93	-36,419,075,000	660,204,168,000	1
2230	10.13	-36,419,047,000	660,204,776,000	0
2231	9.83	-36,418,581,000	660,205,679,000	0
2232	9.93	-36,418,149,000	660,206,497,000	0
2233	9.33	-36,417,888,000	660,207,169,000	0
2234	10.03	-36,417,657,000	660,207,890,000	0
2235	9.53	-36,417,151,000	660,208,491,000	0
2236	10.13	-36,416,820,000	660,209,502,000	0
2237	11.53	-36,416,327,000	660,210,198,000	1
2238	11.23	-36,416,221,000	660,210,411,000	1
2239	10.73	-36,416,353,000	660,210,518,000	1
2240	10.73	-36,416,315,000	660,210,556,000	1
2241	9.63	-36,416,404,000	660,210,687,000	0
2242	10.53	-36,416,375,000	660,210,670,000	1
2243	10.73	-36,416,300,000	660,210,661,000	1
2244	10.43	-36,416,038,000	660,210,937,000	1
2245	11.23	-36,415,742,000	660,211,697,000	1
2246	10.43	-36,415,520,000	660,212,333,000	1
2247	11.13	-36,414,835,000	660,213,307,000	1
2248	11.63	-36,414,358,000	660,213,985,000	1
2249	11.03	-36,413,832,000	660,214,731,000	1
2250	11.63	-36,413,502,000	660,215,522,000	1
2251	10.93	-36,413,103,000	660,216,295,000	1
2252	12.43	-36,412,616,000	660,216,806,000	2
2253	10.73	-36,412,041,000	660,217,670,000	1
2254	10.33	-36,411,539,000	660,218,496,000	0
2255	11.13	-36,411,127,000	660,219,439,000	1
2256	10.53	-36,410,483,000	660,220,095,000	1
2257	10.43	-36,409,971,000	660,220,857,000	1
2258	10.03	-36,409,354,000	660,221,551,000	0
2259	9.23	-36,409,048,000	660,222,117,000	0
2260	10.03	-36,408,619,000	660,222,309,000	0
2261	9.33	-36,408,635,000	660,222,352,000	0
2262	10.03	-36,408,581,000	660,222,334,000	0
2263	11.03	-36,408,524,000	660,222,265,000	1
2264	11.03	-36,408,596,000	660,222,518,000	1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
2265	10.23	-36,408,278,000	660,222,908,000	0
2266	11.63	-36,408,589,000	660,223,286,000	1
2267	11.03	-36,407,865,000	660,223,692,000	1
2268	11.13	-36,407,480,000	660,224,025,000	1
2269	9.73	-36,407,504,000	660,223,879,000	0
2270	8.73	-36,408,067,000	660,223,371,000	0
2271	10.73	-36,408,924,000	660,222,560,000	1
2272	10.93	-36,409,372,000	660,221,976,000	1
2273	10.83	-36,409,830,000	660,221,358,000	1
2274	11.43	-36,410,273,000	660,220,764,000	1
2275	10.93	-36,411,085,000	660,220,286,000	1
2276	12.33	-36,411,557,000	660,219,539,000	2
2277	10.23	-36,411,962,000	660,218,868,000	0
2278	9.53	-36,412,392,000	660,218,569,000	0
2279	10.33	-36,412,745,000	660,218,530,000	0
2280	11.83	-36,412,619,000	660,218,356,000	1
2281	11.33	-36,412,274,000	660,218,214,000	1
2282	9.43	-36,412,219,000	660,218,293,000	0
2283	9.63	-36,412,689,000	660,218,042,000	0
2284	10.73	-36,413,100,000	660,217,409,000	1
2285	10.63	-36,413,046,000	660,216,900,000	1
2286	9.63	-36,413,283,000	660,216,226,000	0
2287	10.43	-36,413,702,000	660,215,862,000	1
2288	9.13	-36,414,096,000	660,215,489,000	0
2289	10.53	-36,414,399,000	660,215,068,000	1
2290	11.13	-36,414,853,000	660,214,568,000	1
2291	11.03	-36,415,300,000	660,213,932,000	1
2292	10.93	-36,415,558,000	660,213,055,000	1
2293	11.63	-36,415,910,000	660,212,310,000	1
2294	10.93	-36,416,535,000	660,211,812,000	1
2295	10.73	-36,416,819,000	660,211,200,000	1
2296	10.63	-36,417,171,000	660,210,667,000	1
2297	9.63	-36,417,603,000	660,210,018,000	0
2298	10.03	-36,417,741,000	660,209,304,000	0
2299	10.23	-36,418,005,000	660,208,529,000	0
2300	10.53	-36,418,061,000	660,208,276,000	1
2301	10.93	-36,417,799,000	660,208,112,000	1
2302	10.53	-36,417,677,000	660,207,640,000	1
2303	10.33	-36,418,113,000	660,207,359,000	0
2304	10.33	-36,418,420,000	660,207,281,000	0
2305	9.83	-36,419,163,000	660,206,900,000	0
2306	9.03	-36,419,575,000	660,206,637,000	0
2307	10.53	-36,419,631,000	660,206,143,000	1
2308	11.73	-36,420,182,000	660,206,048,000	1
2309	9.33	-36,420,446,000	660,205,735,000	0
2310	10.83	-36,420,638,000	660,205,985,000	1
2311	11.13	-36,420,824,000	660,206,160,000	1
2312	11.13	-36,420,395,000	660,206,145,000	1
2313	10.33	-36,419,963,000	660,206,795,000	0
2314	10.53	-36,419,793,000	660,207,210,000	1
2315	11.33	-36,419,596,000	660,207,552,000	1
2316	10.83	-36,419,911,000	660,207,906,000	1
2317	10.33	-36,420,258,000	660,207,289,000	0
2318	10.93	-36,420,188,000	660,207,530,000	1
2319	11.13	-36,420,070,000	660,208,182,000	1
2320	11.13	-36,419,619,000	660,208,945,000	1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
2321	11.23	-36,419,206,000	660,209,624,000	1
2322	11.13	-36,418,564,000	660,210,778,000	1
2323	11.13	-36,418,081,000	660,211,621,000	1
2324	11.73	-36,417,693,000	660,212,321,000	1
2325	12.43	-36,417,417,000	660,212,900,000	2
2326	12.23	-36,416,315,000	660,214,199,000	2
2327	10.73	-36,415,817,000	660,214,771,000	1
2328	11.33	-36,415,412,000	660,215,350,000	1
2329	11.73	-36,415,101,000	660,216,173,000	1
2330	11.93	-36,414,614,000	660,217,083,000	1
2331	11.63	-36,414,600,000	660,217,245,000	1
2332	11.63	-36,414,382,000	660,217,577,000	1
2333	12.33	-36,414,051,000	660,217,972,000	2
2334	10.73	-36,413,456,000	660,219,053,000	1
2335	11.03	-36,412,489,000	660,219,906,000	1
2336	11.13	-36,412,010,000	660,220,438,000	1
2337	11.63	-36,411,734,000	660,221,277,000	1
2338	11.13	-36,411,306,000	660,221,736,000	1
2339	10.53	-36,410,823,000	660,222,530,000	1
2340	11.23	-36,410,306,000	660,223,239,000	1
2341	10.03	-36,409,873,000	660,223,740,000	0
2342	10.43	-36,409,593,000	660,224,108,000	1
2343	11.03	-36,409,999,000	660,224,433,000	1
2344	10.83	-36,409,937,000	660,225,022,000	1
2345	10.73	-36,410,954,000	660,224,467,000	1
2346	10.13	-36,411,443,000	660,223,820,000	0
2347	10.23	-36,410,896,000	660,223,346,000	0
2348	12.03	-36,410,932,000	660,223,200,000	1
2349	12.33	-36,411,018,000	660,223,083,000	2
2350	11.63	-36,411,444,000	660,222,626,000	1
2351	11.33	-36,411,984,000	660,221,983,000	1
2352	10.93	-36,412,402,000	660,221,643,000	1
2353	10.53	-36,412,414,000	660,221,487,000	1
2354	9.73	-36,412,436,000	660,221,495,000	0
2355	11.03	-36,412,852,000	660,221,282,000	1
2356	11.03	-36,413,220,000	660,220,780,000	1
2357	10.53	-36,413,618,000	660,220,201,000	1
2358	11.83	-36,413,911,000	660,219,302,000	1
2359	10.93	-36,414,455,000	660,218,590,000	1
2360	11.93	-36,414,630,000	660,218,293,000	1
2361	11.03	-36,414,697,000	660,218,256,000	1
2362	11.23	-36,414,983,000	660,218,192,000	1
2363	10.63	-36,415,117,000	660,218,203,000	1
2364	9.83	-36,415,051,000	660,218,090,000	0
2365	11.53	-36,414,856,000	660,218,075,000	1
2366	11.33	-36,414,924,000	660,218,164,000	1
2367	11.13	-36,415,198,000	660,217,907,000	1
2368	10.43	-36,415,460,000	660,217,313,000	1
2369	10.83	-36,415,714,000	660,216,412,000	1
2370	10.83	-36,416,198,000	660,215,615,000	1
2371	12.03	-36,416,795,000	660,214,983,000	1
2372	11.03	-36,416,989,000	660,214,832,000	1
2373	11.03	-36,416,874,000	660,214,744,000	1
2374	11.43	-36,416,994,000	660,214,720,000	1
2375	10.93	-36,416,884,000	660,214,676,000	1
2376	9.73	-36,417,257,000	660,214,189,000	0

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
2377	10.83	-36,417,681,000	660,213,592,000	1
2378	11.73	-36,418,576,000	660,213,012,000	1
2379	10.83	-36,418,617,000	660,211,835,000	1
2380	10.33	-36,419,107,000	660,211,023,000	0
2381	10.83	-36,419,626,000	660,210,373,000	1
2382	9.93	-36,420,103,000	660,209,642,000	0
2383	10.43	-36,420,552,000	660,209,147,000	1
2384	11.93	-36,420,896,000	660,208,022,000	1
2385	11.53	-36,421,178,000	660,207,729,000	1
2386	10.93	-36,421,168,000	660,206,952,000	1
2387	9.23	-36,421,843,000	660,206,502,000	0
2388	10.93	-36,422,141,000	660,207,801,000	1
2389	11.23	-36,421,849,000	660,209,585,000	1
2390	13.43	-36,421,666,000	660,208,859,000	2
2391	10.83	-36,421,064,000	660,210,269,000	1
2392	11.33	-36,420,625,000	660,210,779,000	1
2393	11.13	-36,420,236,000	660,211,376,000	1
2394	12.33	-36,419,950,000	660,211,849,000	2
2395	11.03	-36,419,879,000	660,212,093,000	1
2396	11.03	-36,420,006,000	660,212,128,000	1
2397	11.73	-36,420,556,000	660,213,169,000	1
2398	11.33	-36,419,868,000	660,213,359,000	1
2399	11.43	-36,418,509,000	660,212,750,000	1
2400	11.13	-36,417,953,000	660,213,054,000	1
2401	12.03	-36,417,587,000	660,213,174,000	1
2402	10.43	-36,417,908,000	660,215,335,000	1
2403	11.33	-36,417,692,000	660,216,358,000	1
2404	10.43	-36,417,065,000	660,217,107,000	1
2405	12.13	-36,416,737,000	660,218,042,000	1
2406	10.63	-36,416,746,000	660,218,256,000	1
2407	11.23	-36,416,637,000	660,218,269,000	1
2408	11.53	-36,416,470,000	660,218,132,000	1
2409	11.03	-36,416,537,000	660,217,824,000	1
2410	12.03	-36,416,430,000	660,217,991,000	1
2411	10.83	-36,416,322,000	660,218,158,000	1
2412	10.23	-36,415,899,000	660,218,900,000	0
2413	10.23	-36,415,998,000	660,220,304,000	0
2414	10.03	-36,415,795,000	660,221,541,000	0
2415	10.23	-36,415,629,000	660,222,391,000	0
2416	11.83	-36,415,358,000	660,223,474,000	1
2417	11.83	-36,414,109,000	660,223,577,000	1
2418	12.03	-36,413,601,000	660,224,091,000	1
2419	10.93	-36,413,014,000	660,224,585,000	1
2420	11.43	-36,411,586,000	660,224,775,000	1
2421	11.03	-36,413,168,000	660,225,750,000	1
2422	11.33	-36,413,608,000	660,225,799,000	1
2423	10.73	-36,413,846,000	660,225,552,000	1
2424	11.33	-36,414,083,000	660,224,675,000	1
2425	10.23	-36,414,647,000	660,223,822,000	0
2426	10.43	-36,414,853,000	660,223,081,000	1
2427	11.83	-36,415,237,000	660,222,549,000	1
2428	10.93	-36,416,471,000	660,222,788,000	1
2429	11.13	-36,416,562,000	660,222,018,000	1
2430	11.03	-36,416,900,000	660,221,252,000	1
2431	11.03	-36,417,310,000	660,220,615,000	1
2432	11.33	-36,417,026,000	660,219,707,000	1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
2433	10.23	-36,417,701,000	660,218,947,000	0
2434	11.33	-36,417,697,000	660,217,407,000	1
2435	11.33	-36,418,726,000	660,217,859,000	1
2436	10.73	-36,419,258,000	660,216,944,000	1
2437	10.73	-36,419,335,000	660,216,307,000	1
2438	11.33	-36,419,789,000	660,215,462,000	1
2439	10.53	-36,419,908,000	660,213,973,000	1
2440	11.13	-36,420,259,000	660,213,316,000	1
2441	11.33	-36,420,621,000	660,212,907,000	1
2442	11.13	-36,420,882,000	660,212,944,000	1
2443	11.03	-36,420,563,000	660,212,788,000	1
2444	11.83	-36,420,507,000	660,212,714,000	1
2445	10.93	-36,420,713,000	660,212,734,000	1
2446	11.23	-36,421,207,000	660,212,341,000	1
2447	11.33	-36,421,306,000	660,212,153,000	1
2448	11.83	-36,421,468,000	660,211,786,000	1
2449	12.43	-36,421,966,000	660,211,213,000	2
2450	11.63	-36,422,390,000	660,210,627,000	1
2451	12.03	-36,422,765,000	660,209,582,000	1
2452	11.93	-36,422,941,000	660,208,734,000	1
2453	10.83	-36,423,507,000	660,208,474,000	1
2454	10.53	-36,423,715,000	660,208,701,000	1
2455	12.33	-36,423,775,000	660,209,317,000	2
2456	11.43	-36,423,809,000	660,209,810,000	1
2457	10.33	-36,423,855,000	660,210,469,000	0
2458	9.93	-36,423,893,000	660,211,015,000	0
2459	10.13	-36,423,608,000	660,211,657,000	0
2460	11.03	-36,423,415,000	660,211,563,000	1
2461	10.43	-36,423,373,000	660,212,052,000	1
2462	11.13	-36,422,821,000	660,212,140,000	1
2463	12.23	-36,422,568,000	660,212,695,000	2
2464	11.13	-36,422,003,000	660,213,590,000	1
2465	10.73	-36,421,751,000	660,214,432,000	1
2466	12.23	-36,421,900,000	660,215,095,000	2
2467	11.93	-36,421,627,000	660,215,716,000	1
2468	11.73	-36,420,385,000	660,216,098,000	1
2469	10.73	-36,419,806,000	660,216,400,000	1
2470	12.73	-36,420,096,000	660,217,055,000	2
2471	11.73	-36,420,390,000	660,218,905,000	1
2472	11.13	-36,419,149,000	660,218,984,000	1
2473	11.13	-36,418,696,000	660,220,013,000	1
2474	10.83	-36,418,658,000	660,220,520,000	1
2475	11.53	-36,418,685,000	660,221,045,000	1
2476	11.23	-36,418,623,000	660,221,008,000	1
2477	12.23	-36,418,552,000	660,221,452,000	2
2478	12.03	-36,418,552,000	660,221,493,000	1
2479	12.33	-36,418,533,000	660,221,525,000	2
2480	11.63	-36,417,944,000	660,221,286,000	1
2481	11.13	-36,417,330,000	660,220,987,000	1
2482	11.13	-36,416,896,000	660,221,420,000	1
2483	10.63	-36,415,220,000	660,221,496,000	1
2484	11.83	-36,416,085,000	660,222,553,000	1
2485	11.43	-36,415,751,000	660,222,143,000	1
2486	10.83	-36,415,858,000	660,222,041,000	1
2487	10.93	-36,416,503,000	660,221,030,000	1
2488	12.63	-36,416,778,000	660,221,680,000	2

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
2489	10.93	-36,416,812,000	660,221,555,000	1
2490	11.73	-36,416,781,000	660,220,877,000	1
2491	11.13	-36,417,012,000	660,220,051,000	1
2492	11.13	-36,417,015,000	660,219,261,000	1
2493	12.13	-36,417,288,000	660,218,490,000	1
2494	11.33	-36,417,946,000	660,217,695,000	1
2495	10.93	-36,418,461,000	660,217,581,000	1
2496	12.23	-36,419,122,000	660,217,454,000	2
2497	10.73	-36,419,493,000	660,217,444,000	1
2498	11.43	-36,419,906,000	660,216,907,000	1
2499	12.43	-36,420,167,000	660,216,210,000	2
2500	11.43	-36,421,527,000	660,215,012,000	1
2501	11.13	-36,420,855,000	660,215,130,000	1
2502	12.23	-36,421,500,000	660,214,809,000	2
2503	11.23	-36,423,055,000	660,214,755,000	1
2504	11.33	-36,423,484,000	660,214,300,000	1
2505	11.53	-36,423,839,000	660,213,495,000	1
2506	11.03	-36,423,786,000	660,212,884,000	1
2507	10.23	-36,424,174,000	660,212,830,000	0
2508	10.63	-36,424,339,000	660,212,709,000	1
2509	10.23	-36,424,436,000	660,212,847,000	0
2510	11.33	-36,424,457,000	660,212,378,000	1
2511	10.63	-36,423,355,000	660,210,943,000	1
2512	10.33	-36,423,802,000	660,210,392,000	0
2513	12.23	-36,424,164,000	660,209,835,000	2
2514	10.43	-36,424,180,000	660,209,931,000	1
2515	11.63	-36,424,195,000	660,210,022,000	1
2516	10.63	-36,424,209,000	660,210,108,000	1
2517	11.03	-36,424,226,000	660,210,211,000	1
2518	10.03	-36,424,240,000	660,210,291,000	0
2519	11.53	-36,424,257,000	660,210,397,000	1
2520	11.93	-36,424,273,000	660,210,493,000	1
2521	12.83	-36,424,288,000	660,210,588,000	2
2522	11.63	-36,424,292,000	660,210,687,000	1
2523	12.13	-36,423,897,000	660,210,868,000	1
2524	11.93	-36,423,684,000	660,211,414,000	1
2525	13.03	-36,423,551,000	660,212,143,000	2
2526	11.83	-36,424,986,000	660,213,641,000	1
2527	11.53	-36,424,333,000	660,213,299,000	1
2528	10.83	-36,423,790,000	660,213,532,000	1
2529	11.33	-36,423,283,000	660,214,380,000	1
2530	12.23	-36,424,653,000	660,214,807,000	2
2531	11.63	-36,424,524,000	660,215,200,000	1
2532	12.43	-36,424,078,000	660,215,237,000	2
2533	11.43	-36,423,501,000	660,215,286,000	1
2534	12.03	-36,422,969,000	660,215,335,000	1
2535	11.93	-36,422,448,000	660,215,968,000	1
2536	13.33	-36,422,284,000	660,216,495,000	2
2537	12.43	-36,421,937,000	660,216,823,000	2
2538	12.63	-36,422,079,000	660,216,924,000	2
2539	11.23	-36,421,543,000	660,217,723,000	1
2540	10.23	-36,421,576,000	660,218,068,000	0
2541	10.03	-36,421,491,000	660,218,354,000	0
2542	13.33	-36,421,805,000	660,218,874,000	2
2543	11.83	-36,421,757,000	660,219,275,000	1
2544	12.63	-36,421,712,000	660,219,654,000	2

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
2545	11.73	-36,421,670,000	660,220,103,000	1
2546	11.13	-36,422,195,000	660,219,952,000	1
2547	11.73	-36,422,317,000	660,220,194,000	1
2548	11.53	-36,422,088,000	660,219,875,000	1
2549	11.13	-36,422,425,000	660,219,685,000	1
2550	10.43	-36,422,691,000	660,219,405,000	1
2551	12.43	-36,422,556,000	660,219,077,000	2
2552	12.63	-36,423,047,000	660,218,984,000	2
2553	13.53	-36,422,918,000	660,219,068,000	2
2554	12.43	-36,423,507,000	660,217,969,000	2
2555	14.63	-36,422,665,000	660,218,619,000	3
2556	12.33	-36,423,622,000	660,217,837,000	2
2557	12.03	-36,424,325,000	660,217,498,000	1
2558	11.13	-36,424,997,000	660,217,105,000	1
2559	11.13	-36,425,894,000	660,216,860,000	1
2560	12.03	-36,426,408,000	660,216,552,000	1
2561	10.83	-36,426,573,000	660,217,977,000	1
2562	12.03	-36,427,897,000	660,217,150,000	1
2563	12.63	-36,428,296,000	660,215,954,000	2
2564	11.93	-36,428,941,000	660,215,277,000	1
2565	11.63	-36,429,651,000	660,214,792,000	1
2566	11.93	-36,430,109,000	660,214,122,000	1
2567	11.53	-36,430,281,000	660,213,940,000	1
2568	11.43	-36,430,448,000	660,213,763,000	1
2569	11.83	-36,430,619,000	660,213,581,000	1
2570	12.73	-36,430,792,000	660,213,398,000	2
2571	10.53	-36,430,955,000	660,213,225,000	1
2572	10.33	-36,431,128,000	660,213,042,000	0
2573	11.73	-36,431,299,000	660,212,860,000	1
2574	11.83	-36,431,472,000	660,212,677,000	1
2575	13.23	-36,431,644,000	660,212,494,000	2
2576	13.83	-36,431,806,000	660,212,322,000	2
2577	13.03	-36,431,980,000	660,212,138,000	2
2578	11.73	-36,432,152,000	660,211,956,000	1
2579	12.13	-36,432,324,000	660,211,773,000	1
2580	12.13	-36,432,469,000	660,211,620,000	1
2581	12.53	-36,432,659,000	660,211,418,000	2
2582	11.63	-36,432,830,000	660,211,237,000	1
2583	11.03	-36,432,996,000	660,211,061,000	1
2584	10.53	-36,433,141,000	660,210,907,000	1
2585	12.13	-36,432,975,000	660,210,566,000	1
2586	11.43	-36,432,911,000	660,210,917,000	1
2587	11.43	-36,432,853,000	660,211,287,000	1
2588	11.03	-36,432,795,000	660,211,654,000	1
2589	11.73	-36,432,736,000	660,212,027,000	1
2590	12.23	-36,432,680,000	660,212,379,000	2
2591	11.43	-36,432,622,000	660,212,749,000	1
2592	10.43	-36,432,569,000	660,213,082,000	1
2593	12.43	-36,432,475,000	660,213,486,000	2
2594	10.63	-36,431,171,000	660,213,252,000	1
2595	11.13	-36,429,512,000	660,213,939,000	1
2596	13.33	-36,428,928,000	660,214,525,000	2
2597	11.93	-36,428,369,000	660,214,623,000	1
2598	11.43	-36,427,274,000	660,215,204,000	1
2599	13.03	-36,426,306,000	660,215,344,000	2
2600	11.93	-36,424,874,000	660,215,209,000	1



## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
2601	11.43	-36,423,584,000	660,215,105,000	1
2602	11.53	-36,422,943,000	660,215,121,000	1
2603	13.13	-36,422,697,000	660,214,706,000	2
2604	11.73	-36,423,211,000	660,214,047,000	1
2605	12.33	-36,423,469,000	660,213,799,000	2
2606	11.13	-36,424,077,000	660,213,633,000	1
2607	10.83	-36,424,649,000	660,213,362,000	1
2608	11.63	-36,425,264,000	660,213,155,000	1
2609	11.33	-36,425,919,000	660,212,955,000	1
2610	11.33	-36,426,508,000	660,212,536,000	1
2611	10.63	-36,426,899,000	660,212,110,000	1
2612	10.93	-36,427,525,000	660,211,776,000	1
2613	10.83	-36,427,009,000	660,210,964,000	1
2614	10.83	-36,427,945,000	660,210,719,000	1
2615	11.43	-36,427,690,000	660,210,872,000	1
2616	10.53	-36,427,373,000	660,211,063,000	1
2617	11.43	-36,427,087,000	660,211,235,000	1
2618	11.53	-36,426,814,000	660,211,399,000	1
2619	10.63	-36,426,541,000	660,211,563,000	1
2620	11.53	-36,426,255,000	660,211,735,000	1
2621	11.63	-36,425,969,000	660,211,907,000	1
2622	11.53	-36,425,665,000	660,212,090,000	1
2623	12.73	-36,425,383,000	660,212,239,000	2
2624	11.73	-36,423,955,000	660,210,528,000	1
2625	11.93	-36,422,902,000	660,210,093,000	1
2626	11.63	-36,421,655,000	660,209,949,000	1
2627	11.13	-36,420,770,000	660,209,676,000	1
2628	12.13	-36,419,706,000	660,209,037,000	1
2629	11.73	-36,418,467,000	660,207,670,000	1
2630	11.63	-36,418,189,000	660,206,793,000	1
2631	11.33	-36,418,170,000	660,205,466,000	1
2632	10.03	-36,417,976,000	660,204,458,000	0
2633	10.03	-36,417,984,000	660,203,860,000	0
2634	9.53	-36,418,050,000	660,202,736,000	0
2635	9.73	-36,418,121,000	660,201,603,000	0
2636	9.83	-36,418,294,000	660,200,468,000	0
2637	10.03	-36,418,705,000	660,199,099,000	0
2638	7.93	-36,418,734,000	660,198,571,000	-1
2639	9.53	-36,419,462,000	660,198,273,000	0
2640	9.93	-36,420,432,000	660,197,777,000	0
2641	8.53	-36,420,639,000	660,197,108,000	-1
2642	9.83	-36,421,490,000	660,196,802,000	0
2643	9.63	-36,421,936,000	660,197,265,000	0
2644	10.63	-36,422,430,000	660,197,766,000	1
2645	10.13	-36,423,421,000	660,198,465,000	0
2646	10.73	-36,423,599,000	660,197,261,000	1
2647	9.73	-36,423,660,000	660,196,518,000	0
2648	9.73	-36,422,973,000	660,196,425,000	0
2649	10.23	-36,422,465,000	660,196,103,000	0
2650	8.93	-36,425,263,000	660,195,446,000	0
2651	9.23	-36,421,947,000	660,195,261,000	0
2652	9.23	-36,422,924,000	660,195,352,000	0
2653	10.13	-36,423,588,000	660,195,358,000	0
2654	10.43	-36,424,276,000	660,195,648,000	1
2655	9.93	-36,424,822,000	660,195,715,000	0
2656	9.23	-36,424,927,000	660,195,502,000	0

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
2657	10.03	-36,424,964,000	660,195,198,000	0
2658	10.53	-36,424,611,000	660,194,738,000	1
2659	10.13	-36,423,054,000	660,194,504,000	0
2660	10.03	-36,423,243,000	660,193,828,000	0
2661	8.23	-36,423,325,000	660,193,902,000	-1
2662	9.83	-36,423,616,000	660,193,626,000	0
2663	8.93	-36,423,669,000	660,192,994,000	0
2664	9.23	-36,424,086,000	660,192,889,000	0
2665	9.03	-36,421,505,000	660,193,830,000	0
2666	8.93	-36,423,698,000	660,192,890,000	0
2667	9.33	-36,424,065,000	660,191,788,000	0
2668	9.23	-36,423,492,000	660,191,776,000	0
2669	9.63	-36,423,517,000	660,191,299,000	0
2670	9.03	-36,423,293,000	660,190,224,000	0
2671	9.93	-36,423,547,000	660,189,049,000	0
2672	9.03	-36,423,368,000	660,188,308,000	0
2673	8.53	-36,422,353,000	660,188,778,000	-1
2674	8.73	-36,422,249,000	660,188,191,000	0
2675	6.43	-36,422,765,000	660,187,487,000	-2
2676	6.23	-36,423,156,000	660,187,023,000	-2
2677	7.53	-36,423,476,000	660,186,280,000	-1
2678	5.73	-36,423,534,000	660,185,681,000	-2
2679	6.03	-36,423,785,000	660,185,142,000	-2
2680	6.13	-36,423,895,000	660,184,235,000	-2
2681	5.63	-36,424,188,000	660,183,664,000	-2
2682	6.13	-36,424,042,000	660,183,292,000	-2
2683	7.23	-36,424,545,000	660,183,743,000	-1
2684	7.03	-36,424,782,000	660,184,342,000	-1
2685	8.33	-36,424,623,000	660,185,042,000	-1
2686	8.83	-36,423,868,000	660,185,753,000	0
2687	8.43	-36,423,348,000	660,186,642,000	-1
2688	8.43	-36,423,356,000	660,187,528,000	-1
2689	8.53	-36,423,212,000	660,187,777,000	-1
2690	8.33	-36,423,511,000	660,188,208,000	-1
2691	8.43	-36,423,858,000	660,188,561,000	-1
2692	9.13	-36,424,689,000	660,188,900,000	0
2693	8.83	-36,424,691,000	660,189,600,000	0
2694	9.73	-36,425,897,000	660,190,108,000	0
2695	9.73	-36,426,841,000	660,189,980,000	0
2696	9.33	-36,426,413,000	660,190,353,000	0
2697	10.23	-36,427,328,000	660,190,191,000	0
2698	10.53	-36,427,132,000	660,189,017,000	1
2699	10.33	-36,427,425,000	660,188,364,000	0
2700	10.33	-36,430,482,000	660,187,067,000	0
2701	10.23	-36,427,643,000	660,187,062,000	0
2702	10.53	-36,427,485,000	660,186,625,000	1
2703	9.93	-36,428,428,000	660,185,186,000	0
2704	10.63	-36,427,591,000	660,184,738,000	1
2705	9.93	-36,428,508,000	660,184,015,000	0
2706	9.13	-36,428,711,000	660,182,874,000	0
2707	9.83	-36,429,197,000	660,182,962,000	0
2708	9.63	-36,428,670,000	660,182,527,000	0
2709	10.23	-36,429,761,000	660,182,019,000	0
2710	9.63	-36,429,605,000	660,181,743,000	0
2711	10.53	-36,430,207,000	660,181,288,000	1
2712	9.13	-36,430,499,000	660,180,592,000	0

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
2713	10.13	-36,430,859,000	660,180,146,000	0
2714	10.73	-36,431,123,000	660,179,462,000	1
2715	11.13	-36,431,480,000	660,178,983,000	1
2716	9.43	-36,431,898,000	660,178,539,000	0
2717	10.83	-36,431,809,000	660,177,420,000	1
2718	10.43	-36,432,758,000	660,176,776,000	1
2719	9.73	-36,432,682,000	660,177,090,000	0
2720	9.63	-36,431,937,000	660,176,889,000	0
2721	9.53	-36,431,313,000	660,176,720,000	0
2722	10.03	-36,430,465,000	660,176,492,000	0
2723	10.23	-36,429,767,000	660,176,303,000	0
2724	9.73	-36,429,022,000	660,176,102,000	0
2725	8.23	-36,428,261,000	660,175,906,000	-1
2726	7.03	-36,427,040,000	660,175,843,000	-1
2727	6.33	-36,427,537,000	660,176,326,000	-2
2728	6.23	-36,428,043,000	660,176,809,000	-2
2729	6.23	-36,428,085,000	660,177,746,000	-2
2730	6.23	-36,428,120,000	660,178,538,000	-2
2731	6.63	-36,428,166,000	660,179,583,000	-2
2732	8.33	-36,428,045,000	660,180,374,000	-1
2733	9.53	-36,427,898,000	660,181,171,000	0
2734	8.83	-36,427,253,000	660,181,739,000	0
2735	7.73	-36,426,795,000	660,182,432,000	-1
2736	7.83	-36,426,368,000	660,181,842,000	-1
2737	8.23	-36,425,555,000	660,182,410,000	-1
2738	9.23	-36,425,837,000	660,183,150,000	0
2739	9.13	-36,426,026,000	660,183,370,000	0
2740	8.63	-36,426,044,000	660,183,388,000	-1
2741	8.43	-36,426,058,000	660,183,408,000	-1
2742	7.73	-36,425,752,000	660,183,840,000	-1
2743	9.13	-36,425,541,000	660,184,229,000	0
2744	8.43	-36,425,082,000	660,184,292,000	-1
2745	8.03	-36,423,713,000	660,185,207,000	-1
2746	7.93	-36,423,961,000	660,185,984,000	-1
2747	9.03	-36,423,508,000	660,186,723,000	0
2748	7.93	-36,423,361,000	660,187,332,000	-1
2749	8.63	-36,423,536,000	660,187,506,000	-1
2750	10.43	-36,423,753,000	660,188,055,000	1
2751	10.13	-36,425,453,000	660,188,822,000	0
2752	9.83	-36,426,184,000	660,188,930,000	0
2753	10.33	-36,426,686,000	660,188,862,000	0
2754	8.73	-36,427,216,000	660,188,512,000	0
2755	9.43	-36,427,583,000	660,187,925,000	0
2756	10.03	-36,427,774,000	660,187,121,000	0
2757	11.03	-36,427,456,000	660,186,384,000	1
2758	10.63	-36,427,371,000	660,185,861,000	1
2759	9.53	-36,427,783,000	660,185,199,000	0
2760	10.43	-36,427,476,000	660,183,925,000	1
2761	9.93	-36,428,455,000	660,183,647,000	0
2762	10.43	-36,428,297,000	660,183,821,000	1
2763	9.73	-36,428,125,000	660,183,251,000	0
2764	10.33	-36,428,060,000	660,182,453,000	0
2765	10.63	-36,428,729,000	660,181,945,000	1
2766	10.23	-36,429,737,000	660,180,271,000	0
2767	10.93	-36,429,980,000	660,180,280,000	1
2768	10.43	-36,430,103,000	660,179,825,000	1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
2769	10.53	-36,430,562,000	660,178,919,000	1
2770	9.93	-36,430,909,000	660,178,370,000	0
2771	8.83	-36,431,453,000	660,177,785,000	0
2772	8.13	-36,430,691,000	660,177,628,000	-1
2773	9.93	-36,429,986,000	660,177,483,000	0
2774	10.03	-36,429,241,000	660,177,329,000	0
2775	8.63	-36,428,502,000	660,177,177,000	-1
2776	8.33	-36,427,878,000	660,177,048,000	-1
2777	8.03	-36,427,080,000	660,176,939,000	-1
2778	8.73	-36,427,444,000	660,177,954,000	0
2779	8.43	-36,426,695,000	660,178,512,000	-1
2780	9.03	-36,427,254,000	660,179,636,000	0
2781	9.23	-36,427,755,000	660,180,762,000	0
2782	8.13	-36,425,016,000	660,181,063,000	-1
2783	8.03	-36,424,708,000	660,181,517,000	-1
2784	9.13	-36,426,257,000	660,182,606,000	0
2785	8.83	-36,426,400,000	660,183,746,000	0
2786	9.03	-36,426,140,000	660,184,433,000	0
2787	9.03	-36,425,279,000	660,185,002,000	0
2788	9.53	-36,424,976,000	660,185,671,000	0
2789	9.93	-36,424,571,000	660,186,619,000	0
2790	9.73	-36,424,435,000	660,187,083,000	0
2791	8.93	-36,424,599,000	660,187,572,000	0
2792	8.93	-36,424,585,000	660,187,613,000	0
2793	8.43	-36,425,049,000	660,187,010,000	-1
2794	9.43	-36,425,478,000	660,186,033,000	0
2795	8.63	-36,425,880,000	660,185,393,000	-1
2796	8.33	-36,426,015,000	660,184,680,000	-1
2797	8.63	-36,426,413,000	660,184,022,000	-1
2798	10.43	-36,426,601,000	660,183,673,000	1
2799	9.43	-36,426,604,000	660,183,663,000	0
2800	9.93	-36,426,647,000	660,183,811,000	0
2801	9.33	-36,426,889,000	660,183,656,000	0
2802	9.93	-36,427,039,000	660,183,036,000	0
2803	9.73	-36,427,492,000	660,181,916,000	0
2804	9.33	-36,427,972,000	660,181,474,000	0
2805	7.63	-36,428,450,000	660,181,023,000	-1
2806	8.83	-36,428,651,000	660,180,417,000	0
2807	9.43	-36,428,792,000	660,179,143,000	0
2808	8.53	-36,429,399,000	660,178,976,000	-1
2809	8.83	-36,430,001,000	660,178,186,000	0
2810	9.33	-36,430,309,000	660,177,406,000	0
2811	8.63	-36,430,424,000	660,177,495,000	-1
2812	9.53	-36,430,483,000	660,177,707,000	0
2813	9.43	-36,430,546,000	660,177,937,000	0
2814	9.73	-36,430,607,000	660,178,159,000	0
2815	9.93	-36,430,663,000	660,178,378,000	0
2816	10.13	-36,430,592,000	660,178,452,000	0
2817	9.33	-36,430,008,000	660,179,492,000	0
2818	9.43	-36,429,459,000	660,179,902,000	0
2819	10.33	-36,429,439,000	660,180,624,000	0
2820	10.13	-36,428,906,000	660,181,423,000	0
2821	9.63	-36,428,601,000	660,181,733,000	0
2822	10.13	-36,428,402,000	660,182,225,000	0
2823	11.13	-36,428,581,000	660,182,261,000	1
2824	11.23	-36,427,204,000	660,183,157,000	1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
2825	10.53	-36,426,049,000	660,183,908,000	1
2826	9.63	-36,424,609,000	660,184,885,000	0
2827	10.73	-36,426,376,000	660,185,398,000	1
2828	9.83	-36,425,510,000	660,186,260,000	0
2829	8.23	-36,425,779,000	660,186,805,000	-1
2830	9.83	-36,425,993,000	660,187,475,000	0
2831	9.13	-36,427,326,000	660,189,213,000	0
2832	9.53	-36,427,160,000	660,188,152,000	0
2833	9.33	-36,427,617,000	660,187,379,000	0
2834	9.33	-36,427,142,000	660,187,424,000	0
2835	10.43	-36,426,996,000	660,186,808,000	1
2836	10.03	-36,427,171,000	660,186,557,000	0
2837	10.13	-36,427,349,000	660,186,309,000	0
2838	9.53	-36,427,518,000	660,186,073,000	0
2839	10.93	-36,427,787,000	660,185,463,000	1
2840	10.43	-36,427,859,000	660,185,432,000	1
2841	9.73	-36,427,934,000	660,185,399,000	0
2842	9.63	-36,428,011,000	660,185,366,000	0
2843	9.93	-36,428,088,000	660,185,333,000	0
2844	9.73	-36,428,165,000	660,185,300,000	0
2845	9.73	-36,428,236,000	660,185,269,000	0
2846	10.13	-36,428,312,000	660,185,237,000	0
2847	9.53	-36,428,380,000	660,185,207,000	0
2848	9.23	-36,428,464,000	660,185,171,000	0
2849	9.73	-36,428,540,000	660,185,138,000	0
2850	9.23	-36,428,612,000	660,185,107,000	0
2851	9.83	-36,428,688,000	660,185,075,000	0
2852	10.13	-36,428,765,000	660,185,042,000	0
2853	9.23	-36,428,785,000	660,184,973,000	0
2854	9.83	-36,427,314,000	660,183,962,000	0
2855	9.33	-36,427,494,000	660,182,727,000	0
2856	9.33	-36,426,184,000	660,182,983,000	0
2857	10.33	-36,426,746,000	660,182,271,000	0
2858	9.93	-36,427,482,000	660,181,541,000	0
2859	9.03	-36,429,090,000	660,181,254,000	0
2860	8.93	-36,430,773,000	660,180,958,000	0
2861	8.63	-36,431,336,000	660,181,037,000	-1
2862	9.83	-36,430,754,000	660,179,585,000	0
2863	9.03	-36,431,282,000	660,179,166,000	0
2864	8.33	-36,430,877,000	660,178,328,000	-1
2865	8.63	-36,430,469,000	660,177,494,000	-1
2866	8.23	-36,430,123,000	660,176,789,000	-1
2867	8.33	-36,429,665,000	660,175,825,000	-1
2868	8.43	-36,429,694,000	660,175,297,000	-1
2869	8.03	-36,429,725,000	660,174,743,000	-1
2870	7.43	-36,429,756,000	660,174,189,000	-1
2871	7.73	-36,429,787,000	660,173,626,000	-1
2872	7.23	-36,429,817,000	660,173,072,000	-1
2873	7.33	-36,429,846,000	660,172,556,000	-1
2874	6.93	-36,429,873,000	660,172,058,000	-1
2875	5.53	-36,430,228,000	660,170,837,000	-2
2876	6.23	-36,430,906,000	660,171,043,000	-2
2877	6.33	-36,431,836,000	660,170,446,000	-2
2878	6.23	-36,431,871,000	660,170,010,000	-2
2879	6.83	-36,431,980,000	660,169,169,000	-2
2880	6.63	-36,432,542,000	660,167,954,000	-2

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
2881	8.03	-36,432,925,000	660,167,612,000	-1
2882	6.73	-36,433,312,000	660,167,266,000	-2
2883	6.53	-36,433,677,000	660,166,940,000	-2
2884	6.93	-36,434,060,000	660,166,597,000	-1
2885	7.43	-36,434,447,000	660,166,252,000	-1
2886	7.83	-36,434,833,000	660,165,907,000	-1
2887	6.63	-36,435,198,000	660,165,580,000	-2
2888	6.13	-36,435,570,000	660,165,248,000	-2
2889	6.83	-36,435,953,000	660,164,906,000	-2
2890	6.63	-36,436,026,000	660,164,273,000	-2
2891	7.03	-36,436,091,000	660,163,696,000	-1
2892	7.03	-36,434,768,000	660,162,485,000	-1
2893	6.63	-36,435,647,000	660,162,109,000	-2
2894	5.83	-36,435,580,000	660,161,503,000	-2
2895	6.33	-36,435,844,000	660,161,034,000	-2
2896	5.53	-36,436,137,000	660,160,543,000	-2
2897	5.93	-36,436,942,000	660,160,417,000	-2
2898	6.23	-36,437,296,000	660,159,686,000	-2
2899	6.13	-36,437,715,000	660,158,744,000	-2
2900	6.03	-36,437,744,000	660,158,507,000	-2
2901	5.73	-36,438,068,000	660,158,001,000	-2
2902	6.03	-36,438,492,000	660,157,102,000	-2
2903	5.53	-36,438,353,000	660,156,187,000	-2
2904	5.53	-36,438,529,000	660,155,556,000	-2
2905	5.93	-36,438,866,000	660,154,952,000	-2
2906	5.93	-36,439,335,000	660,154,498,000	-2
2907	6.63	-36,439,569,000	660,153,778,000	-2
2908	6.03	-36,439,804,000	660,153,058,000	-2
2909	5.83	-36,440,039,000	660,152,343,000	-2
2910	5.73	-36,440,290,000	660,151,702,000	-2
2911	5.93	-36,440,614,000	660,150,736,000	-2
2912	5.93	-36,440,597,000	660,150,378,000	-2
2913	5.53	-36,440,901,000	660,150,139,000	-2
2914	5.93	-36,441,219,000	660,149,244,000	-2
2915	6.23	-36,441,786,000	660,150,278,000	-2
2916	6.93	-36,441,659,000	660,151,094,000	-1
2917	7.23	-36,441,123,000	660,151,479,000	-1
2918	7.23	-36,440,822,000	660,152,035,000	-1
2919	6.93	-36,441,681,000	660,156,006,000	-1
2920	7.23	-36,440,851,000	660,154,956,000	-1
2921	6.43	-36,440,637,000	660,155,229,000	-2
2922	6.43	-36,440,358,000	660,156,785,000	-2
2923	8.03	-36,440,048,000	660,157,488,000	-1
2924	7.13	-36,439,928,000	660,158,224,000	-1
2925	7.73	-36,439,828,000	660,158,841,000	-1
2926	7.43	-36,439,728,000	660,159,328,000	-1
2927	7.43	-36,439,356,000	660,159,957,000	-1
2928	6.63	-36,438,991,000	660,160,544,000	-2
2929	6.93	-36,438,688,000	660,161,032,000	-1
2930	7.83	-36,438,284,000	660,161,682,000	-1
2931	7.63	-36,437,944,000	660,162,159,000	-1
2932	8.13	-36,437,563,000	660,162,693,000	-1
2933	8.03	-36,437,185,000	660,163,222,000	-1
2934	7.83	-36,436,762,000	660,163,737,000	-1
2935	7.93	-36,435,592,000	660,163,699,000	-1
2936	8.53	-36,435,204,000	660,164,354,000	-1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
2937	7.93	-36,434,697,000	660,164,673,000	-1
2938	8.63	-36,434,272,000	660,164,940,000	-1
2939	8.33	-36,433,710,000	660,165,293,000	-1
2940	8.43	-36,433,093,000	660,166,310,000	-1
2941	8.23	-36,433,074,000	660,167,190,000	-1
2942	8.93	-36,432,411,000	660,167,438,000	0
2943	7.83	-36,432,237,000	660,168,544,000	-1
2944	7.83	-36,432,170,000	660,169,217,000	-1
2945	8.03	-36,432,006,000	660,169,957,000	-1
2946	8.03	-36,431,838,000	660,170,703,000	-1
2947	7.33	-36,431,571,000	660,171,582,000	-1
2948	6.93	-36,431,054,000	660,172,225,000	-1
2949	9.03	-36,430,577,000	660,172,822,000	0
2950	9.93	-36,430,707,000	660,172,769,000	0
2951	8.83	-36,430,868,000	660,172,705,000	0
2952	9.73	-36,431,006,000	660,172,649,000	0
2953	8.43	-36,431,143,000	660,172,595,000	-1
2954	8.93	-36,431,273,000	660,172,542,000	0
2955	9.33	-36,431,435,000	660,172,478,000	0
2956	8.83	-36,431,557,000	660,172,429,000	0
2957	8.63	-36,431,719,000	660,172,364,000	-1
2958	8.03	-36,431,864,000	660,172,306,000	-1
2959	8.93	-36,432,012,000	660,172,241,000	0
2960	8.93	-36,432,321,000	660,171,514,000	0
2961	8.23	-36,432,618,000	660,170,755,000	-1
2962	8.03	-36,433,206,000	660,169,878,000	-1
2963	7.4	-36,433,747,000	660,169,284,000	-1
2965	7.83	-36,434,121,000	660,168,503,000	-1
2966	7.53	-36,435,029,000	660,166,917,000	-1
2967	7.93	-36,435,414,000	660,166,168,000	-1
2968	8.93	-36,435,721,000	660,165,564,000	0
2969	8.53	-36,436,130,000	660,164,761,000	-1
2970	8.73	-36,436,494,000	660,164,046,000	0
2971	9.63	-36,436,861,000	660,163,325,000	0
2972	9.23	-36,437,165,000	660,162,727,000	0
2973	8.73	-36,437,550,000	660,161,844,000	0
2974	8.33	-36,436,693,000	660,160,439,000	-1
2975	7.63	-36,437,061,000	660,159,705,000	-1
2976	7.83	-36,437,428,000	660,158,972,000	-1
2977	6.93	-36,437,799,000	660,158,232,000	-1
2978	6.13	-36,438,149,000	660,157,533,000	-2
2979	6.43	-36,438,499,000	660,156,834,000	-2
2980	7.23	-36,438,867,000	660,156,100,000	-1
2981	6.43	-36,439,237,000	660,155,361,000	-2
2982	6.73	-36,439,545,000	660,154,747,000	-2
2983	7.03	-36,439,955,000	660,153,928,000	-1
2984	6.73	-36,440,573,000	660,154,012,000	-2
2985	6.83	-36,441,230,000	660,153,456,000	-2
2986	7.23	-36,441,658,000	660,152,923,000	-1
2987	8.13	-36,441,772,000	660,152,402,000	-1
2988	8.03	-36,441,891,000	660,151,855,000	-1
2989	6.43	-36,442,000,000	660,151,354,000	-2
2990	6.63	-36,442,133,000	660,150,744,000	-2
2991	6.83	-36,442,247,000	660,150,222,000	-2
2992	6.73	-36,442,323,000	660,150,496,000	-2
2993	6.33	-36,442,427,000	660,150,828,000	-2

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
2994	6.43	-36,443,071,000	660,150,108,000	-2
2995	6.73	-36,443,484,000	660,149,228,000	-2
2996	7.03	-36,443,061,000	660,150,478,000	-1
2997	7.73	-36,443,327,000	660,150,494,000	-1
2998	8.23	-36,443,085,000	660,151,486,000	-1
2999	8.23	-36,442,737,000	660,152,771,000	-1
3000	7.53	-36,442,351,000	660,153,408,000	-1
3001	8.03	-36,441,847,000	660,153,567,000	-1
3002	8.63	-36,441,543,000	660,154,259,000	-1
3003	7.73	-36,441,565,000	660,156,159,000	-1
3004	8.33	-36,441,262,000	660,156,830,000	-1
3005	9.53	-36,440,936,000	660,157,550,000	0
3006	8.73	-36,440,669,000	660,158,140,000	0
3007	7.03	-36,440,321,000	660,158,908,000	-1
3008	6.93	-36,440,034,000	660,159,542,000	-1
3009	7.33	-36,439,743,000	660,160,186,000	-1
3010	8.53	-36,439,379,000	660,160,994,000	-1
3011	8.43	-36,439,229,000	660,161,493,000	-1
3012	8.73	-36,438,930,000	660,162,319,000	0
3013	8.73	-36,438,660,000	660,163,066,000	0
3014	8.43	-36,437,507,000	660,164,114,000	-1
3015	8.63	-36,436,445,000	660,165,027,000	-1
3016	8.33	-36,435,322,000	660,165,992,000	-1
3017	8.03	-36,434,208,000	660,166,949,000	-1
3018	8.33	-36,433,206,000	660,167,810,000	-1
3019	9.23	-36,434,381,000	660,168,438,000	0
3020	8.83	-36,435,535,000	660,168,925,000	0
3021	8.33	-36,436,712,000	660,169,432,000	-1
3022	8.33	-36,435,626,000	660,169,454,000	-1
3023	9.03	-36,435,041,000	660,170,142,000	0
3024	8.93	-36,434,245,000	660,170,716,000	0
3025	8.43	-36,433,526,000	660,171,234,000	-1
3026	8.43	-36,434,135,000	660,171,555,000	-1
3027	9.63	-36,434,845,000	660,171,825,000	0
3028	8.93	-36,433,922,000	660,173,745,000	0
3029	8.33	-36,433,048,000	660,174,536,000	-1
3030	9.73	-36,431,684,000	660,175,776,000	0
3031	9.83	-36,431,895,000	660,175,801,000	0
3032	9.83	-36,431,792,000	660,176,611,000	0
3033	10.13	-36,432,786,000	660,174,841,000	0
3034	10.53	-36,432,897,000	660,174,312,000	1
3035	10.53	-36,433,012,000	660,173,758,000	1
3036	10.23	-36,433,128,000	660,173,204,000	0
3037	8.73	-36,433,253,000	660,172,684,000	0
3038	10.63	-36,433,543,000	660,172,883,000	1
3039	9.23	-36,434,007,000	660,171,959,000	0
3040	8.53	-36,434,421,000	660,171,133,000	-1
3041	8.53	-36,435,263,000	660,169,970,000	-1
3042	9.03	-36,435,670,000	660,170,286,000	0
3043	9.13	-36,436,222,000	660,169,464,000	0
3044	8.73	-36,436,870,000	660,168,744,000	0
3045	8.43	-36,437,467,000	660,168,091,000	-1
3046	9.13	-36,439,235,000	660,167,334,000	0
3047	8.93	-36,437,952,000	660,166,558,000	0
3048	8.43	-36,438,264,000	660,165,927,000	-1
3049	8.63	-36,438,945,000	660,165,276,000	-1



## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
3050	8.83	-36,439,555,000	660,164,692,000	0
3051	8.83	-36,438,134,000	660,163,493,000	0
3052	7.73	-36,438,754,000	660,162,861,000	-1
3053	8.73	-36,438,256,000	660,161,000,000	0
3054	9.53	-36,438,972,000	660,161,141,000	0
3055	9.33	-36,439,633,000	660,160,008,000	0
3056	9.33	-36,440,134,000	660,159,298,000	0
3057	7.03	-36,440,447,000	660,158,467,000	-1
3058	7.13	-36,440,672,000	660,157,835,000	-1
3059	8.03	-36,440,931,000	660,157,111,000	-1
3060	8.93	-36,441,226,000	660,156,283,000	0
3061	8.13	-36,441,492,000	660,155,537,000	-1
3062	8.13	-36,441,745,000	660,154,827,000	-1
3063	8.03	-36,441,716,000	660,153,319,000	-1
3064	7.83	-36,442,201,000	660,153,375,000	-1
3065	8.43	-36,442,709,000	660,153,169,000	-1
3066	9.13	-36,442,961,000	660,152,191,000	0
3067	9.83	-36,443,269,000	660,151,215,000	0
3068	8.43	-36,443,539,000	660,150,390,000	-1
3069	8.53	-36,444,671,000	660,150,948,000	-1
3070	7.73	-36,444,877,000	660,150,794,000	-1
3071	7.43	-36,445,265,000	660,151,462,000	-1
3072	8.93	-36,444,806,000	660,152,281,000	0
3073	9.03	-36,444,766,000	660,153,068,000	0
3074	8.43	-36,444,432,000	660,153,139,000	-1
3075	8.63	-36,444,355,000	660,155,637,000	-1
3076	8.73	-36,444,034,000	660,155,383,000	0
3077	9.43	-36,443,583,000	660,156,160,000	0
3078	9.83	-36,443,500,000	660,157,251,000	0
3079	8.93	-36,443,223,000	660,157,964,000	0
3080	9.13	-36,442,695,000	660,159,142,000	0
3081	7.53	-36,442,459,000	660,159,792,000	-1
3082	8.03	-36,442,225,000	660,160,442,000	-1
3083	8.93	-36,442,054,000	660,161,072,000	0
3084	8.53	-36,441,391,000	660,161,993,000	-1
3085	9.53	-36,440,802,000	660,162,552,000	0
3086	9.13	-36,440,884,000	660,163,000,000	0
3087	8.73	-36,440,377,000	660,163,959,000	0
3088	8.63	-36,439,903,000	660,164,857,000	-1
3089	8.63	-36,439,602,000	660,165,432,000	-1
3090	8.23	-36,439,361,000	660,165,893,000	-1
3091	7.63	-36,439,157,000	660,166,281,000	-1
3092	8.53	-36,438,890,000	660,166,792,000	-1
3093	10.33	-36,438,648,000	660,167,276,000	0
3094	9.03	-36,438,396,000	660,168,325,000	0
3095	8.53	-36,438,180,000	660,169,224,000	-1
3096	8.03	-36,437,894,000	660,170,415,000	-1
3097	8.73	-36,437,572,000	660,170,367,000	0
3098	8.43	-36,437,297,000	660,170,312,000	-1
3099	8.83	-36,436,789,000	660,170,818,000	0
3100	9.43	-36,436,786,000	660,171,922,000	0
3101	8.93	-36,437,044,000	660,174,230,000	0
3102	8.83	-36,436,301,000	660,175,174,000	0
3103	9.43	-36,436,094,000	660,175,654,000	0
3104	9.13	-36,435,820,000	660,176,342,000	0
3105	9.93	-36,436,211,000	660,176,260,000	0

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
3106	9.23	-36,436,537,000	660,176,192,000	0
3107	10.03	-36,436,958,000	660,176,104,000	0
3108	11.13	-36,437,282,000	660,176,037,000	1
3109	8.73	-36,437,713,000	660,175,948,000	0
3110	7.93	-36,437,635,000	660,176,002,000	-1
3111	9.23	-36,437,448,000	660,175,517,000	0
3112	9.73	-36,437,539,000	660,174,965,000	0
3113	9.23	-36,437,626,000	660,174,439,000	0
3114	8.23	-36,437,718,000	660,173,882,000	-1
3115	9.03	-36,437,800,000	660,173,386,000	0
3116	7.83	-36,437,901,000	660,172,774,000	-1
3117	7.53	-36,437,988,000	660,172,248,000	-1
3118	8.13	-36,438,069,000	660,171,755,000	-1
3119	8.73	-36,437,771,000	660,171,503,000	0
3120	8.13	-36,437,455,000	660,171,320,000	-1
3121	8.43	-36,437,138,000	660,171,127,000	-1
3122	8.73	-36,436,901,000	660,170,340,000	0
3123	8.73	-36,436,676,000	660,169,591,000	0
3124	8.93	-36,436,445,000	660,168,822,000	0
3125	8.63	-36,436,210,000	660,168,042,000	-1
3126	9.33	-36,437,077,000	660,168,382,000	0
3127	8.93	-36,437,979,000	660,168,759,000	0
3128	8.13	-36,438,889,000	660,169,138,000	-1
3129	8.83	-36,439,763,000	660,169,503,000	0
3130	8.63	-36,441,050,000	660,169,200,000	-1
3131	8.33	-36,441,107,000	660,169,297,000	-1
3132	8.53	-36,441,290,000	660,168,552,000	-1
3133	8.63	-36,440,631,000	660,167,611,000	-1
3134	9.53	-36,440,912,000	660,166,859,000	0
3135	8.03	-36,441,613,000	660,166,556,000	-1
3136	7.63	-36,441,792,000	660,165,278,000	-1
3137	7.53	-36,440,548,000	660,163,938,000	-1
3138	7.93	-36,439,374,000	660,162,667,000	-1
3139	9.23	-36,439,543,000	660,162,764,000	0
3140	9.43	-36,441,192,000	660,162,210,000	0
3141	8.43	-36,441,606,000	660,161,811,000	-1
3142	8.53	-36,442,536,000	660,161,542,000	-1
3143	7.83	-36,442,427,000	660,160,768,000	-1
3144	8.73	-36,442,325,000	660,160,313,000	0
3145	8.03	-36,442,205,000	660,159,783,000	-1
3146	8.93	-36,442,095,000	660,159,299,000	0
3147	8.43	-36,441,986,000	660,158,818,000	-1
3148	7.63	-36,441,882,000	660,158,363,000	-1
3149	7.83	-36,441,788,000	660,157,946,000	-1
3150	7.83	-36,441,667,000	660,157,413,000	-1
3151	8.03	-36,441,567,000	660,156,922,000	-1
3152	8.33	-36,442,691,000	660,155,721,000	-1
3153	8.83	-36,442,866,000	660,154,677,000	0
3154	10.03	-36,442,950,000	660,154,115,000	0
3155	9.93	-36,443,343,000	660,152,973,000	0
3156	8.33	-36,443,796,000	660,152,213,000	-1
3157	8.83	-36,444,664,000	660,153,145,000	0
3158	8.53	-36,445,118,000	660,151,936,000	-1
3159	8.23	-36,445,432,000	660,151,586,000	-1
3160	8.53	-36,446,578,000	660,152,222,000	-1
3161	9.03	-36,447,215,000	660,151,655,000	0

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
3162	8.63	-36,447,452,000	660,150,665,000	-1
3163	8.73	-36,448,162,000	660,150,521,000	0
3164	8.93	-36,448,748,000	660,150,953,000	0
3165	8.33	-36,449,595,000	660,151,882,000	-1
3166	9.53	-36,449,690,000	660,152,283,000	0
3167	8.43	-36,449,534,000	660,152,547,000	-1
3168	9.13	-36,448,893,000	660,152,867,000	0
3169	9.33	-36,449,878,000	660,153,406,000	0
3170	9.43	-36,450,600,000	660,153,777,000	0
3171	9.33	-36,450,855,000	660,154,743,000	0
3172	8.93	-36,452,032,000	660,154,843,000	0
3173	9.53	-36,452,240,000	660,154,520,000	0
3174	8.83	-36,452,307,000	660,155,854,000	0
3175	8.23	-36,452,120,000	660,156,542,000	-1
3176	8.93	-36,451,919,000	660,157,242,000	0
3177	9.33	-36,451,537,000	660,157,031,000	0
3178	10.63	-36,451,151,000	660,156,819,000	1
3179	9.93	-36,450,807,000	660,156,629,000	0
3180	10.33	-36,450,422,000	660,156,416,000	0
3181	9.93	-36,450,042,000	660,156,207,000	0
3182	9.43	-36,449,659,000	660,155,996,000	0
3183	10.73	-36,449,262,000	660,155,777,000	1
3184	8.63	-36,448,897,000	660,155,576,000	-1
3185	8.23	-36,448,520,000	660,155,368,000	-1
3186	9.03	-36,448,138,000	660,155,158,000	0
3187	8.73	-36,447,388,000	660,155,476,000	0
3188	8.83	-36,447,860,000	660,156,163,000	0
3189	9.43	-36,447,059,000	660,155,854,000	0
3190	9.63	-36,446,593,000	660,155,473,000	0
3191	8.33	-36,445,928,000	660,155,458,000	-1
3192	8.53	-36,445,216,000	660,155,441,000	-1
3193	8.73	-36,444,623,000	660,154,996,000	0
3194	7.53	-36,444,069,000	660,154,220,000	-1
3195	7.53	-36,443,791,000	660,153,488,000	-1
3196	7.13	-36,443,351,000	660,152,573,000	-1
3197	7.33	-36,443,111,000	660,151,408,000	-1
3198	6.53	-36,443,178,000	660,150,572,000	-2
3199	6.13	-36,443,489,000	660,148,626,000	-2
3200	5.23	-36,444,096,000	660,148,732,000	-2
3201	5.53	-36,443,593,000	660,147,884,000	-2
3202	5.63	-36,443,826,000	660,147,119,000	-2
3203	5.83	-36,443,728,000	660,146,419,000	-2
3204	6.03	-36,443,610,000	660,145,576,000	-2
3205	5.53	-36,443,482,000	660,144,662,000	-2
3206	5.73	-36,443,365,000	660,143,832,000	-2
3207	6.03	-36,443,247,000	660,142,982,000	-2
3208	6.03	-36,443,148,000	660,142,275,000	-2
3209	5.93	-36,443,021,000	660,141,374,000	-2
3210	5.43	-36,442,904,000	660,140,538,000	-2
3211	5.83	-36,442,787,000	660,139,701,000	-2
3212	5.73	-36,442,669,000	660,138,859,000	-2
3213	6.03	-36,442,570,000	660,138,152,000	-2
3214	6.03	-36,442,449,000	660,137,290,000	-2
3215	5.93	-36,442,308,000	660,136,349,000	-2
3216	5.53	-36,440,784,000	660,133,865,000	-2
3217	5.63	-36,440,978,000	660,133,195,000	-2

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
3218	5.63	-36,441,163,000	660,132,557,000	-2
3219	5.63	-36,441,333,000	660,131,970,000	-2
3220	5.83	-36,441,547,000	660,131,233,000	-2
3221	6.13	-36,441,740,000	660,130,569,000	-2
3222	6.33	-36,441,924,000	660,129,935,000	-2
3223	6.03	-36,442,116,000	660,129,271,000	-2
3224	5.63	-36,442,315,000	660,128,586,000	-2
3225	5.63	-36,442,480,000	660,127,924,000	-2
3226	5.53	-36,441,764,000	660,127,342,000	-2
3227	5.63	-36,441,104,000	660,126,815,000	-2
3228	5.73	-36,441,020,000	660,126,649,000	-2
3229	5.43	-36,440,942,000	660,126,497,000	-2
3230	5.43	-36,440,858,000	660,126,331,000	-2
3231	5.53	-36,440,755,000	660,126,130,000	-2
3232	5.43	-36,440,679,000	660,125,981,000	-2
3233	5.83	-36,440,581,000	660,125,789,000	-2
3234	5.33	-36,440,489,000	660,125,608,000	-2
3235	5.43	-36,440,413,000	660,125,458,000	-2
3236	5.43	-36,440,658,000	660,125,893,000	-2
3237	5.53	-36,440,913,000	660,126,095,000	-2
3238	5.83	-36,441,738,000	660,126,214,000	-2
3239	5.93	-36,443,866,000	660,126,934,000	-2
3240	7.63	-36,444,746,000	660,127,365,000	-1
3241	9.43	-36,445,675,000	660,127,597,000	0
3242	9.13	-36,445,892,000	660,127,609,000	0
3243	8.73	-36,446,366,000	660,127,869,000	0
3244	9.13	-36,447,402,000	660,128,210,000	0
3245	10.53	-36,448,189,000	660,128,364,000	1
3246	10.03	-36,448,728,000	660,128,456,000	0
3247	10.13	-36,449,424,000	660,128,583,000	0
3248	10.13	-36,449,969,000	660,129,103,000	0
3249	9.13	-36,449,556,000	660,131,664,000	0
3250	7.73	-36,451,894,000	660,132,762,000	-1
3251	9.33	-36,453,103,000	660,131,927,000	0
3252	8.93	-36,453,625,000	660,132,098,000	0
3253	8.63	-36,453,380,000	660,132,203,000	-1
3254	9.73	-36,453,192,000	660,132,548,000	0
3255	7.83	-36,452,756,000	660,133,080,000	-1
3256	8.93	-36,451,852,000	660,133,570,000	0
3257	9.03	-36,453,203,000	660,133,391,000	0
3258	9.23	-36,452,517,000	660,133,562,000	0
3259	9.13	-36,451,815,000	660,133,735,000	0
3260	8.83	-36,451,392,000	660,134,144,000	0
3261	8.83	-36,450,173,000	660,134,841,000	0
3262	8.93	-36,450,068,000	660,135,611,000	0
3263	8.13	-36,449,828,000	660,136,038,000	-1
3264	7.53	-36,449,543,000	660,136,448,000	-1
3265	6.93	-36,448,843,000	660,137,159,000	-1
3266	8.53	-36,448,642,000	660,137,560,000	-1
3267	7.93	-36,448,585,000	660,138,486,000	-1
3268	7.63	-36,447,741,000	660,138,654,000	-1
3269	7.13	-36,446,950,000	660,138,698,000	-1
3270	7.63	-36,447,643,000	660,139,889,000	-1
3271	7.03	-36,448,260,000	660,140,373,000	-1
3272	7.23	-36,448,839,000	660,142,145,000	-1
3273	7.23	-36,447,983,000	660,141,307,000	-1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
3274	6.93	-36,447,763,000	660,142,316,000	-1
3275	7.33	-36,447,615,000	660,142,929,000	-1
3276	7.63	-36,447,603,000	660,143,651,000	-1
3277	6.63	-36,447,593,000	660,144,380,000	-2
3278	7.73	-36,447,584,000	660,144,991,000	-1
3279	8.93	-36,448,197,000	660,146,495,000	0
3280	8.63	-36,448,754,000	660,147,772,000	-1
3281	7.93	-36,449,431,000	660,149,344,000	-1
3282	8.73	-36,449,551,000	660,150,298,000	0
3283	7.83	-36,449,659,000	660,151,053,000	-1
3284	8.73	-36,449,229,000	660,151,368,000	0
3285	10.03	-36,448,569,000	660,151,960,000	0
3286	8.73	-36,448,667,000	660,152,139,000	0
3287	9.93	-36,447,401,000	660,151,901,000	0
3288	8.23	-36,449,665,000	660,152,366,000	-1
3289	8.03	-36,447,926,000	660,152,021,000	-1
3290	8.33	-36,447,414,000	660,150,384,000	-1
3291	7.53	-36,445,667,000	660,151,247,000	-1
3292	6.43	-36,444,494,000	660,149,981,000	-2
3293	6.73	-36,443,787,000	660,149,220,000	-2
3294	7.93	-36,443,404,000	660,150,440,000	-1
3295	6.73	-36,443,146,000	660,149,838,000	-2
3296	6.23	-36,443,271,000	660,148,578,000	-2
3297	6.53	-36,443,405,000	660,147,305,000	-2
3298	6.93	-36,443,540,000	660,146,021,000	-1
3299	7.13	-36,443,675,000	660,144,737,000	-1
3300	7.03	-36,443,795,000	660,143,592,000	-1
3301	7.43	-36,443,936,000	660,142,248,000	-1
3302	6.23	-36,443,937,000	660,141,848,000	-2
3303	6.03	-36,444,112,000	660,141,803,000	-2
3304	6.73	-36,443,873,000	660,140,905,000	-2
3305	7.63	-36,443,325,000	660,140,576,000	-1
3306	6.13	-36,443,717,000	660,139,263,000	-2
3307	5.43	-36,443,272,000	660,138,752,000	-2
3308	6.33	-36,443,286,000	660,137,987,000	-2
3309	7.13	-36,443,445,000	660,137,408,000	-1
3310	6.53	-36,443,532,000	660,136,693,000	-2
3311	7.43	-36,443,512,000	660,135,782,000	-1
3312	7.53	-36,443,392,000	660,134,939,000	-1
3313	6.43	-36,443,340,000	660,134,147,000	-2
3314	6.93	-36,443,291,000	660,133,396,000	-1
3315	6.53	-36,443,239,000	660,132,603,000	-2
3316	7.43	-36,443,187,000	660,131,816,000	-1
3317	8.13	-36,443,135,000	660,131,023,000	-1
3318	8.03	-36,443,092,000	660,130,365,000	-1
3319	7.83	-36,443,039,000	660,129,559,000	-1
3320	8.23	-36,442,988,000	660,128,698,000	-1
3321	8.23	-36,443,350,000	660,128,612,000	-1
3322	8.53	-36,443,829,000	660,128,707,000	-1
3323	8.43	-36,444,424,000	660,129,002,000	-1
3324	9.23	-36,445,064,000	660,129,317,000	0
3325	8.83	-36,445,793,000	660,129,559,000	0
3326	9.33	-36,448,218,000	660,129,627,000	0
3327	9.03	-36,448,702,000	660,129,858,000	0
3328	9.73	-36,449,571,000	660,130,034,000	0
3329	8.63	-36,449,986,000	660,130,103,000	-1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
3330	10.23	-36,450,934,000	660,130,031,000	0
3331	9.13	-36,450,924,000	660,130,852,000	0
3332	10.03	-36,451,152,000	660,131,030,000	0
3333	10.23	-36,450,826,000	660,131,389,000	0
3334	10.53	-36,450,491,000	660,131,759,000	1
3335	10.83	-36,450,147,000	660,132,139,000	1
3336	9.13	-36,449,800,000	660,132,521,000	0
3337	9.33	-36,449,439,000	660,133,224,000	0
3338	9.53	-36,448,169,000	660,134,305,000	0
3339	9.53	-36,446,583,000	660,135,568,000	0
3340	10.23	-36,446,231,000	660,136,120,000	0
3341	10.23	-36,447,364,000	660,138,447,000	0
3342	9.63	-36,448,918,000	660,134,918,000	0
3343	9.53	-36,448,725,000	660,135,466,000	0
3344	8.63	-36,448,534,000	660,136,009,000	-1
3345	8.63	-36,448,506,000	660,136,329,000	-1
3346	8.73	-36,448,479,000	660,136,642,000	0
3347	8.83	-36,448,446,000	660,137,020,000	0
3348	8.93	-36,448,417,000	660,137,365,000	0
3349	8.63	-36,448,392,000	660,137,645,000	-1
3350	8.93	-36,448,358,000	660,138,043,000	0
3351	9.43	-36,448,330,000	660,138,366,000	0
3352	8.53	-36,448,301,000	660,138,707,000	-1
3353	8.23	-36,448,271,000	660,139,049,000	-1
3354	8.73	-36,448,242,000	660,139,391,000	0
3355	8.13	-36,448,212,000	660,139,732,000	-1
3356	6.93	-36,447,312,000	660,140,111,000	-1
3357	7.13	-36,446,904,000	660,140,671,000	-1
3358	8.23	-36,446,525,000	660,141,234,000	-1
3359	7.93	-36,446,211,000	660,141,702,000	-1
3360	7.23	-36,445,771,000	660,142,357,000	-1
3361	7.73	-36,445,410,000	660,142,894,000	-1
3362	7.63	-36,445,067,000	660,143,406,000	-1
3363	7.63	-36,446,805,000	660,144,426,000	-1
3364	7.03	-36,448,682,000	660,145,414,000	-1
3365	7.93	-36,446,089,000	660,146,061,000	-1
3366	8.33	-36,448,008,000	660,146,587,000	-1
3367	7.83	-36,448,063,000	660,147,231,000	-1
3368	8.23	-36,447,877,000	660,148,501,000	-1
3369	7.73	-36,447,663,000	660,149,391,000	-1
3370	7.93	-36,446,943,000	660,150,391,000	-1
3371	8.83	-36,447,937,000	660,152,504,000	0
3372	8.73	-36,447,044,000	660,151,941,000	0
3373	9.33	-36,446,203,000	660,151,157,000	0
3374	8.93	-36,445,680,000	660,151,800,000	0
3375	8.03	-36,445,095,000	660,151,488,000	-1
3376	7.13	-36,444,440,000	660,151,138,000	-1
3377	6.83	-36,444,507,000	660,150,047,000	-2
3378	7.23	-36,444,656,000	660,148,631,000	-1
3379	7.93	-36,444,774,000	660,147,508,000	-1
3380	8.83	-36,444,902,000	660,146,290,000	0
3381	7.63	-36,445,030,000	660,145,072,000	-1
3382	7.13	-36,445,158,000	660,143,854,000	-1
3383	7.83	-36,445,281,000	660,142,644,000	-1
3384	8.23	-36,445,117,000	660,141,959,000	-1
3385	7.13	-36,444,925,000	660,141,160,000	-1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
3386	8.73	-36,444,764,000	660,140,492,000	0
3387	8.73	-36,444,588,000	660,139,761,000	0
3388	7.53	-36,444,410,000	660,139,019,000	-1
3389	7.73	-36,444,243,000	660,138,323,000	-1
3390	7.93	-36,444,085,000	660,137,666,000	-1
3391	8.13	-36,443,888,000	660,136,850,000	-1
3392	8.53	-36,443,721,000	660,136,154,000	-1
3393	8.63	-36,443,563,000	660,135,497,000	-1
3394	8.83	-36,442,840,000	660,133,663,000	0
3395	9.63	-36,443,260,000	660,133,552,000	0
3396	9.63	-36,443,837,000	660,133,400,000	0
3397	7.73	-36,444,307,000	660,133,276,000	-1
3398	7.73	-36,444,753,000	660,133,158,000	-1
3399	7.93	-36,445,292,000	660,133,016,000	-1
3400	8.53	-36,445,712,000	660,132,906,000	-1
3401	8.73	-36,446,262,000	660,132,760,000	0
3402	8.83	-36,446,758,000	660,132,629,000	0
3403	9.03	-36,447,255,000	660,132,499,000	0
3404	9.83	-36,447,744,000	660,132,370,000	0
3405	9.83	-36,448,038,000	660,132,410,000	0
3406	9.23	-36,448,325,000	660,132,452,000	0
3407	10.63	-36,448,600,000	660,132,492,000	1
3408	9.63	-36,448,889,000	660,132,534,000	0
3409	10.63	-36,449,176,000	660,132,577,000	1
3410	10.83	-36,449,469,000	660,132,620,000	1
3411	9.63	-36,449,195,000	660,134,104,000	0
3412	9.53	-36,449,091,000	660,134,715,000	0
3413	10.33	-36,448,974,000	660,135,413,000	0
3414	9.03	-36,448,875,000	660,136,004,000	0
3415	10.13	-36,448,770,000	660,136,630,000	0
3416	9.73	-36,448,665,000	660,137,260,000	0
3417	8.53	-36,448,560,000	660,137,886,000	-1
3418	8.73	-36,448,454,000	660,138,516,000	0
3419	8.73	-36,448,353,000	660,139,122,000	0
3420	8.73	-36,448,248,000	660,139,747,000	0
3421	8.13	-36,448,143,000	660,140,373,000	-1
3422	7.93	-36,448,055,000	660,140,901,000	-1
3423	7.83	-36,447,949,000	660,141,531,000	-1
3424	7.03	-36,447,699,000	660,142,253,000	-1
3425	7.23	-36,447,571,000	660,143,104,000	-1
3426	8.13	-36,447,521,000	660,144,477,000	-1
3427	8.83	-36,446,262,000	660,145,486,000	0
3428	8.13	-36,446,831,000	660,146,186,000	-1
3429	8.13	-36,446,874,000	660,147,041,000	-1
3430	9.03	-36,447,166,000	660,147,928,000	0
3431	8.33	-36,448,135,000	660,150,224,000	-1
3432	8.23	-36,447,320,000	660,150,018,000	-1
3433	7.83	-36,447,099,000	660,149,842,000	-1
3434	8.23	-36,446,995,000	660,149,708,000	-1
3435	8.53	-36,446,896,000	660,149,581,000	-1
3436	7.53	-36,446,774,000	660,149,424,000	-1
3437	8.23	-36,446,681,000	660,149,304,000	-1
3438	8.93	-36,446,623,000	660,148,880,000	0
3439	7.63	-36,446,576,000	660,148,407,000	-1
3440	6.33	-36,446,525,000	660,147,881,000	-2
3441	7.73	-36,446,477,000	660,147,400,000	-1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
3442	8.33	-36,446,431,000	660,146,923,000	-1
3443	7.83	-36,446,384,000	660,146,445,000	-1
3444	7.93	-36,446,373,000	660,145,796,000	-1
3445	7.73	-36,446,362,000	660,145,044,000	-1
3446	8.23	-36,446,351,000	660,144,298,000	-1
3447	9.33	-36,446,338,000	660,143,470,000	0
3448	8.53	-36,446,327,000	660,142,718,000	-1
3449	8.33	-36,446,316,000	660,142,018,000	-1
3450	8.03	-36,446,305,000	660,141,272,000	-1
3451	7.83	-36,446,294,000	660,140,520,000	-1
3452	8.33	-36,446,283,000	660,139,774,000	-1
3453	9.63	-36,446,271,000	660,139,028,000	0
3454	10.03	-36,446,261,000	660,138,334,000	0
3455	8.63	-36,446,250,000	660,137,587,000	-1
3456	9.63	-36,446,239,000	660,136,916,000	0
3457	9.43	-36,446,227,000	660,136,083,000	0
3458	9.53	-36,446,216,000	660,135,337,000	0
3459	8.93	-36,446,205,000	660,134,602,000	0
3460	9.23	-36,446,193,000	660,133,850,000	0
3461	8.63	-36,446,182,000	660,133,104,000	-1
3462	8.33	-36,446,181,000	660,132,375,000	-1
3463	8.63	-36,446,849,000	660,132,717,000	-1
3464	9.43	-36,447,405,000	660,132,961,000	0
3465	9.43	-36,448,161,000	660,133,292,000	0
3466	9.93	-36,448,742,000	660,133,548,000	0
3467	10.13	-36,448,900,000	660,133,933,000	0
3468	10.13	-36,448,995,000	660,134,862,000	0
3469	9.33	-36,448,548,000	660,135,838,000	0
3470	10.53	-36,447,774,000	660,135,999,000	1
3471	10.23	-36,446,407,000	660,134,265,000	0
3472	8.63	-36,446,275,000	660,134,991,000	-1
3473	9.13	-36,446,172,000	660,135,620,000	0
3474	8.73	-36,446,037,000	660,136,445,000	0
3475	9.43	-36,446,092,000	660,137,404,000	0
3476	10.13	-36,446,369,000	660,138,593,000	0
3477	7.73	-36,446,379,000	660,139,319,000	-1
3478	8.63	-36,446,584,000	660,140,212,000	-1
3479	8.53	-36,446,186,000	660,140,647,000	-1
3480	7.53	-36,446,090,000	660,141,353,000	-1
3481	7.93	-36,445,975,000	660,142,187,000	-1
3482	8.33	-36,445,862,000	660,143,014,000	-1
3483	7.73	-36,445,753,000	660,143,805,000	-1
3484	8.53	-36,445,656,000	660,144,511,000	-1
3485	8.03	-36,446,159,000	660,144,892,000	-1
3486	8.23	-36,446,243,000	660,144,811,000	-1
3487	8.93	-36,445,184,000	660,146,448,000	0
3488	7.33	-36,445,852,000	660,147,439,000	-1
3489	8.23	-36,447,233,000	660,149,684,000	-1
3490	7.53	-36,451,553,000	660,150,038,000	-1
3491	7.13	-36,451,325,000	660,149,799,000	-1
3492	8.43	-36,450,583,000	660,149,500,000	-1
3493	8.73	-36,449,941,000	660,149,259,000	0
3494	7.23	-36,449,283,000	660,149,013,000	-1
3495	7.83	-36,448,604,000	660,148,759,000	-1
3496	8.43	-36,448,031,000	660,148,544,000	-1
3497	8.23	-36,447,241,000	660,148,252,000	-1



## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
3498	7.43	-36,445,862,000	660,148,195,000	-1
3499	7.73	-36,447,379,000	660,145,851,000	-1
3500	7.73	-36,447,108,000	660,145,893,000	-1
3501	7.43	-36,446,579,000	660,144,896,000	-1
3502	7.53	-36,446,666,000	660,143,598,000	-1
3503	8.73	-36,450,041,000	660,142,850,000	0
3504	8.13	-36,444,198,000	660,139,856,000	-1
3505	8.43	-36,446,132,000	660,138,942,000	-1
3506	9.33	-36,445,425,000	660,138,115,000	0
3507	9.03	-36,445,402,000	660,137,509,000	0
3508	9.13	-36,445,417,000	660,136,773,000	0
3509	7.93	-36,445,432,000	660,136,089,000	-1
3510	8.63	-36,445,446,000	660,135,420,000	-1
3511	9.13	-36,445,457,000	660,134,859,000	0
3512	9.03	-36,445,471,000	660,134,191,000	0
3513	8.73	-36,445,487,000	660,133,450,000	0
3514	10.33	-36,445,494,000	660,132,796,000	0
3515	9.63	-36,445,305,000	660,132,473,000	0
3516	10.03	-36,445,107,000	660,132,134,000	0
3517	10.13	-36,444,906,000	660,131,790,000	0
3518	9.33	-36,444,707,000	660,131,451,000	0
3519	9.03	-36,444,518,000	660,131,127,000	0
3520	8.73	-36,444,320,000	660,130,788,000	0
3521	9.53	-36,444,122,000	660,130,449,000	0
3522	8.53	-36,443,922,000	660,130,108,000	-1
3523	8.53	-36,443,733,000	660,129,784,000	-1
3524	6.93	-36,443,493,000	660,127,878,000	-1
3525	6.93	-36,443,559,000	660,128,283,000	-1
3526	5.43	-36,443,556,000	660,127,290,000	-2
3527	5.43	-36,443,107,000	660,126,303,000	-2
3528	5.03	-36,443,435,000	660,125,398,000	-3
3529	5.13	-36,443,693,000	660,124,195,000	-2
3530	5.33	-36,443,875,000	660,123,236,000	-2
3531	5.53	-36,444,047,000	660,122,331,000	-2
3532	5.53	-36,444,258,000	660,121,216,000	-2
3533	5.83	-36,444,450,000	660,120,202,000	-2
3534	5.43	-36,444,625,000	660,119,281,000	-2
3535	5.53	-36,444,815,000	660,118,275,000	-2
3536	5.33	-36,445,006,000	660,117,269,000	-2
3537	5.43	-36,445,335,000	660,116,379,000	-2
3538	5.23	-36,445,708,000	660,115,587,000	-2
3539	5.03	-36,446,030,000	660,114,906,000	-3
3540	5.13	-36,446,406,000	660,114,109,000	-2
3541	4.803	-36,446,779,000	660,113,318,000	-3
3542	4.523	-36,447,245,000	660,112,368,000	-3
3543	5.023	-36,447,277,000	660,111,479,000	-3
3544	5.393	-36,447,819,000	660,110,745,000	-2
3545	5.513	-36,448,147,000	660,110,066,000	-2
3546	5.643	-36,448,807,000	660,109,425,000	-2
3547	5.833	-36,449,326,000	660,109,365,000	-2
3548	5.713	-36,449,617,000	660,109,583,000	-2
3549	5.433	-36,449,585,000	660,109,677,000	-2
3550	5.673	-36,449,486,000	660,109,685,000	-2
3551	5.713	-36,449,988,000	660,109,551,000	-2
3552	5.683	-36,450,192,000	660,108,855,000	-2
3553	5.733	-36,450,397,000	660,108,177,000	-2

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
3554	5.483	-36,450,552,000	660,108,017,000	-2
3555	5.813	-36,451,022,000	660,108,255,000	-2
3556	6.403	-36,451,650,000	660,108,591,000	-2
3557	7.843	-36,452,256,000	660,108,819,000	-1
3558	8.913	-36,452,748,000	660,109,226,000	0
3559	8.913	-36,453,403,000	660,109,265,000	0
3560	9.313	-36,453,720,000	660,109,284,000	0
3561	10.33	-36,454,095,000	660,109,306,000	0
3562	9.43	-36,454,434,000	660,109,326,000	0
3563	9.83	-36,454,758,000	660,109,345,000	0
3564	9.73	-36,455,097,000	660,109,365,000	0
3565	9.23	-36,455,401,000	660,109,383,000	0
3566	9.23	-36,455,461,000	660,109,961,000	0
3567	8.23	-36,455,482,000	660,110,474,000	-1
3568	7.93	-36,455,502,000	660,110,987,000	-1
3569	8.33	-36,455,523,000	660,111,513,000	-1
3570	8.53	-36,455,543,000	660,112,001,000	-1
3571	8.43	-36,455,567,000	660,112,602,000	-1
3572	9.03	-36,455,585,000	660,113,061,000	0
3573	9.73	-36,455,607,000	660,113,608,000	0
3574	8.83	-36,455,629,000	660,114,159,000	0
3575	8.53	-36,455,726,000	660,114,871,000	-1
3576	9.93	-36,455,671,000	660,115,753,000	0
3577	8.63	-36,455,864,000	660,116,108,000	-1
3578	8.73	-36,456,464,000	660,116,477,000	0
3579	8.53	-36,457,314,000	660,118,130,000	-1
3580	8.53	-36,457,369,000	660,118,957,000	-1
3581	8.53	-36,457,330,000	660,119,595,000	-1
3582	7.83	-36,457,293,000	660,120,203,000	-1
3583	9.13	-36,457,572,000	660,120,750,000	0
3584	9.33	-36,456,978,000	660,122,210,000	0
3585	9.43	-36,457,179,000	660,122,294,000	0
3586	8.83	-36,457,464,000	660,122,310,000	0
3587	7.93	-36,457,541,000	660,122,735,000	-1
3588	8.13	-36,456,675,000	660,125,083,000	-1
3589	8.73	-36,456,978,000	660,124,989,000	0
3590	8.13	-36,456,792,000	660,125,803,000	-1
3591	7.43	-36,456,605,000	660,126,623,000	-1
3592	7.83	-36,456,429,000	660,127,392,000	-1
3593	8.33	-36,456,278,000	660,127,227,000	-1
3594	8.93	-36,456,135,000	660,127,064,000	0
3595	7.63	-36,455,983,000	660,126,891,000	-1
3596	8.13	-36,455,833,000	660,126,720,000	-1
3597	9.53	-36,455,690,000	660,126,557,000	0
3598	8.63	-36,455,540,000	660,126,386,000	-1
3599	8.63	-36,454,012,000	660,129,331,000	-1
3600	8.63	-36,453,545,000	660,128,383,000	-1
3601	8.53	-36,452,531,000	660,128,448,000	-1
3602	9.23	-36,451,467,000	660,128,515,000	0
3603	10.13	-36,450,396,000	660,128,584,000	0
3604	8.83	-36,449,316,000	660,128,652,000	0
3605	10.03	-36,448,302,000	660,128,717,000	0
3606	10.13	-36,447,624,000	660,128,522,000	0
3607	10.03	-36,446,872,000	660,128,151,000	0
3608	9.43	-36,446,413,000	660,128,132,000	0
3609	9.53	-36,445,883,000	660,128,151,000	0

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
3610	9.93	-36,445,443,000	660,128,166,000	0
3611	9.53	-36,445,024,000	660,128,180,000	0
3612	8.73	-36,444,509,000	660,128,198,000	0
3613	9.03	-36,444,048,000	660,128,214,000	0
3614	7.03	-36,443,626,000	660,128,228,000	-1
3615	7.13	-36,443,411,000	660,127,283,000	-1
3616	6.43	-36,443,210,000	660,126,299,000	-2
3617	5.53	-36,443,008,000	660,125,308,000	-2
3618	5.73	-36,443,425,000	660,125,771,000	-2
3619	6.33	-36,443,840,000	660,126,238,000	-2
3620	6.83	-36,443,999,000	660,126,710,000	-2
3621	6.73	-36,444,002,000	660,126,295,000	-2
3622	6.73	-36,443,844,000	660,126,027,000	-2
3623	6.03	-36,444,128,000	660,125,353,000	-2
3624	5.73	-36,444,369,000	660,124,783,000	-2
3625	6.03	-36,444,684,000	660,124,037,000	-2
3626	5.63	-36,444,953,000	660,123,400,000	-2
3627	5.73	-36,445,244,000	660,122,710,000	-2
3628	5.83	-36,445,482,000	660,122,145,000	-2
3629	6.03	-36,445,797,000	660,121,399,000	-2
3630	7.73	-36,446,079,000	660,120,730,000	-1
3631	9.03	-36,446,361,000	660,120,062,000	0
3632	6.83	-36,446,649,000	660,119,378,000	-2
3633	7.23	-36,447,005,000	660,118,444,000	-1
3634	7.63	-36,447,304,000	660,117,747,000	-1
3635	7.53	-36,447,613,000	660,117,030,000	-1
3636	6.83	-36,447,876,000	660,116,419,000	-2
3637	8.13	-36,448,185,000	660,115,702,000	-1
3638	7.13	-36,448,496,000	660,114,979,000	-1
3639	6.83	-36,448,839,000	660,114,184,000	-2
3640	7.03	-36,449,150,000	660,113,461,000	-1
3641	6.63	-36,449,461,000	660,112,738,000	-2
3642	5.93	-36,449,756,000	660,112,055,000	-2
3643	6.13	-36,450,064,000	660,111,337,000	-2
3644	6.03	-36,450,371,000	660,110,626,000	-2
3645	6.03	-36,450,632,000	660,110,020,000	-2
3646	6.73	-36,450,785,000	660,109,372,000	-2
3647	6.93	-36,451,506,000	660,109,537,000	-1
3648	7.33	-36,452,501,000	660,109,808,000	-1
3649	8.53	-36,453,227,000	660,110,134,000	-1
3650	9.13	-36,454,189,000	660,109,872,000	0
3651	9.33	-36,454,531,000	660,110,283,000	0
3652	10.53	-36,454,819,000	660,110,628,000	1
3653	9.83	-36,454,662,000	660,111,295,000	0
3654	9.63	-36,454,460,000	660,111,922,000	0
3655	9.23	-36,454,508,000	660,112,181,000	0
3656	9.13	-36,454,200,000	660,113,573,000	0
3657	9.43	-36,453,963,000	660,112,571,000	0
3658	9.33	-36,454,181,000	660,113,175,000	0
3659	8.93	-36,454,166,000	660,113,913,000	0
3660	8.73	-36,453,962,000	660,113,723,000	0
3661	9.13	-36,453,665,000	660,114,729,000	0
3662	8.13	-36,453,017,000	660,115,366,000	-1
3663	7.83	-36,452,941,000	660,116,354,000	-1
3664	8.13	-36,452,257,000	660,116,305,000	-1
3665	8.63	-36,452,592,000	660,117,097,000	-1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
3666	9.13	-36,453,010,000	660,118,054,000	0
3667	8.83	-36,453,470,000	660,119,107,000	0
3668	8.63	-36,453,887,000	660,120,064,000	-1
3669	8.33	-36,454,298,000	660,121,006,000	-1
3670	8.83	-36,454,719,000	660,121,971,000	0
3671	8.73	-36,455,137,000	660,122,927,000	0
3672	7.83	-36,455,535,000	660,123,840,000	-1
3673	7.33	-36,455,910,000	660,124,700,000	-1
3674	8.23	-36,455,647,000	660,125,948,000	-1
3675	9.43	-36,455,339,000	660,126,980,000	0
3676	8.13	-36,455,016,000	660,128,063,000	-1
3677	8.13	-36,454,690,000	660,129,154,000	-1
3678	7.93	-36,454,418,000	660,130,069,000	-1
3679	8.43	-36,454,065,000	660,129,252,000	-1
3680	8.83	-36,453,989,000	660,129,309,000	0
3681	8.83	-36,453,855,000	660,129,465,000	0
3682	9.43	-36,454,416,000	660,128,723,000	0
3683	9.43	-36,453,221,000	660,129,313,000	0
3684	8.13	-36,452,560,000	660,128,806,000	-1
3685	9.63	-36,451,926,000	660,128,157,000	0
3686	8.93	-36,450,761,000	660,127,905,000	0
3687	9.83	-36,449,798,000	660,127,594,000	0
3688	9.53	-36,448,923,000	660,127,300,000	0
3689	9.13	-36,448,196,000	660,127,055,000	0
3690	9.63	-36,447,187,000	660,126,715,000	0
3691	8.93	-36,446,366,000	660,126,438,000	0
3692	9.53	-36,445,479,000	660,125,846,000	0
3693	9.63	-36,445,037,000	660,125,481,000	0
3694	8.93	-36,444,890,000	660,125,368,000	0
3695	9.83	-36,444,845,000	660,125,373,000	0
3696	8.63	-36,444,998,000	660,125,194,000	-1
3697	8.83	-36,444,528,000	660,124,887,000	0
3698	8.53	-36,444,251,000	660,124,633,000	-1
3699	7.73	-36,443,875,000	660,124,480,000	-1
3700	7.23	-36,443,668,000	660,123,953,000	-1
3701	5.73	-36,443,508,000	660,123,411,000	-2
3702	5.93	-36,443,336,000	660,122,772,000	-2
3703	6.43	-36,444,090,000	660,123,141,000	-2
3704	6.43	-36,444,801,000	660,123,488,000	-2
3705	7.53	-36,445,678,000	660,123,917,000	-1
3706	8.13	-36,446,445,000	660,124,341,000	-1
3707	8.03	-36,446,314,000	660,124,869,000	-1
3708	8.13	-36,446,176,000	660,125,472,000	-1
3709	8.43	-36,445,953,000	660,125,639,000	-1
3710	8.73	-36,445,662,000	660,125,857,000	0
3711	8.43	-36,445,714,000	660,125,886,000	-1
3712	7.33	-36,445,767,000	660,125,916,000	-1
3713	8.13	-36,445,817,000	660,125,943,000	-1
3714	8.73	-36,445,870,000	660,125,972,000	0
3715	8.53	-36,446,004,000	660,125,232,000	-1
3716	9.03	-36,446,054,000	660,124,355,000	0
3717	8.73	-36,445,969,000	660,123,619,000	0
3718	9.33	-36,446,092,000	660,122,721,000	0
3719	8.43	-36,446,226,000	660,121,930,000	-1
3720	8.13	-36,446,363,000	660,121,119,000	-1
3721	8.53	-36,446,487,000	660,120,391,000	-1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
3722	8.33	-36,446,641,000	660,119,493,000	-1
3723	8.63	-36,447,021,000	660,118,831,000	-1
3724	8.73	-36,447,520,000	660,117,961,000	0
3725	8.93	-36,447,525,000	660,117,100,000	0
3726	9.63	-36,447,883,000	660,116,421,000	0
3727	9.13	-36,448,332,000	660,115,576,000	0
3728	8.53	-36,448,718,000	660,114,850,000	-1
3729	8.43	-36,450,520,000	660,115,355,000	-1
3730	9.13	-36,450,780,000	660,114,657,000	0
3731	8.23	-36,451,224,000	660,113,618,000	-1
3732	7.83	-36,451,727,000	660,112,978,000	-1
3733	7.63	-36,452,263,000	660,112,298,000	-1
3734	8.33	-36,452,818,000	660,111,594,000	-1
3735	8.63	-36,453,120,000	660,111,074,000	-1
3736	8.33	-36,453,285,000	660,110,888,000	-1
3737	8.23	-36,452,132,000	660,110,659,000	-1
3738	9.33	-36,450,667,000	660,110,370,000	0
3739	8.53	-36,455,180,000	660,111,548,000	-1
3740	9.13	-36,455,043,000	660,112,078,000	0
3741	8.53	-36,451,458,000	660,111,062,000	-1
3742	10.03	-36,452,029,000	660,111,904,000	0
3743	9.03	-36,454,719,000	660,113,684,000	0
3744	7.93	-36,453,763,000	660,113,510,000	-1
3745	8.53	-36,453,495,000	660,114,429,000	-1
3746	9.13	-36,453,325,000	660,114,869,000	0
3747	7.93	-36,453,236,000	660,114,814,000	-1
3748	7.83	-36,453,448,000	660,115,530,000	-1
3749	8.63	-36,453,678,000	660,116,305,000	-1
3750	9.73	-36,453,736,000	660,117,185,000	0
3751	10.13	-36,453,785,000	660,117,917,000	0
3752	8.33	-36,453,850,000	660,118,885,000	-1
3753	8.33	-36,453,908,000	660,119,758,000	-1
3754	8.63	-36,453,966,000	660,120,611,000	-1
3755	9.63	-36,454,024,000	660,121,485,000	0
3756	8.63	-36,454,080,000	660,122,318,000	-1
3757	8.43	-36,454,138,000	660,123,198,000	-1
3758	8.33	-36,454,197,000	660,124,071,000	-1
3759	7.23	-36,454,258,000	660,124,985,000	-1
3760	8.63	-36,454,317,000	660,125,865,000	-1
3761	8.43	-36,454,366,000	660,126,603,000	-1
3762	8.03	-36,453,727,000	660,126,768,000	-1
3763	8.63	-36,453,082,000	660,126,839,000	-1
3764	8.83	-36,452,457,000	660,126,907,000	0
3765	8.93	-36,451,807,000	660,126,977,000	0
3766	10.13	-36,451,162,000	660,127,048,000	0
3767	10.03	-36,450,612,000	660,127,108,000	0
3768	9.03	-36,449,896,000	660,127,185,000	0
3769	9.63	-36,449,251,000	660,127,256,000	0
3770	9.03	-36,448,636,000	660,127,322,000	0
3771	9.73	-36,447,991,000	660,127,393,000	0
3772	9.33	-36,447,346,000	660,127,463,000	0
3773	9.23	-36,446,477,000	660,127,304,000	0
3774	10.23	-36,445,597,000	660,127,132,000	0
3775	8.03	-36,445,629,000	660,126,818,000	-1
3776	8.13	-36,445,575,000	660,126,826,000	-1
3777	8.63	-36,445,567,000	660,126,931,000	-1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
3778	8.63	-36,445,581,000	660,126,960,000	-1
3779	8.93	-36,445,557,000	660,126,935,000	0
3780	8.23	-36,445,538,000	660,126,941,000	-1
3781	7.83	-36,445,517,000	660,126,928,000	-1
3782	8.83	-36,445,493,000	660,126,936,000	0
3783	9.23	-36,445,561,000	660,126,956,000	0
3784	8.33	-36,445,659,000	660,127,079,000	-1
3785	8.23	-36,446,479,000	660,126,978,000	-1
3786	8.33	-36,446,516,000	660,127,059,000	-1
3787	8.03	-36,446,702,000	660,127,271,000	-1
3788	8.13	-36,446,842,000	660,127,137,000	-1
3789	8.73	-36,446,481,000	660,127,045,000	0
3790	9.43	-36,445,748,000	660,127,237,000	0
3791	8.73	-36,445,759,000	660,127,204,000	0
3792	9.73	-36,445,784,000	660,126,999,000	0
3793	8.73	-36,445,937,000	660,126,943,000	0
3794	9.13	-36,446,018,000	660,126,990,000	0
3795	9.03	-36,446,109,000	660,127,032,000	0
3796	9.23	-36,446,128,000	660,127,044,000	0
3797	7.93	-36,446,117,000	660,127,063,000	-1
3798	8.73	-36,446,094,000	660,127,042,000	0
3799	9.23	-36,445,939,000	660,127,042,000	0
3800	9.43	-36,445,964,000	660,127,074,000	0
3801	9.93	-36,446,197,000	660,127,006,000	0
3802	7.73	-36,446,302,000	660,126,930,000	-1
3803	8.23	-36,446,147,000	660,127,017,000	-1
3804	8.83	-36,446,100,000	660,127,011,000	0
3805	7.53	-36,446,139,000	660,126,977,000	-1
3806	8.73	-36,446,173,000	660,126,974,000	0
3807	7.83	-36,446,187,000	660,127,004,000	-1
3808	8.63	-36,446,127,000	660,127,031,000	-1
3809	9.43	-36,446,042,000	660,127,060,000	0
3810	9.83	-36,446,093,000	660,127,041,000	0
3811	9.03	-36,446,088,000	660,127,052,000	0
3812	9.63	-36,446,074,000	660,127,069,000	0
3813	10.43	-36,446,063,000	660,127,081,000	1
3814	8.73	-36,446,050,000	660,127,097,000	0
3815	9.83	-36,446,038,000	660,127,112,000	0
3816	9.03	-36,446,028,000	660,127,124,000	0
3817	9.23	-36,446,013,000	660,127,141,000	0
3818	8.63	-36,446,608,000	660,127,092,000	-1
3819	8.43	-36,446,452,000	660,126,999,000	-1
3820	8.23	-36,446,492,000	660,127,026,000	-1
3821	9.73	-36,446,433,000	660,127,039,000	0
3822	9.63	-36,446,391,000	660,127,048,000	0
3823	9.23	-36,446,310,000	660,127,083,000	0
3824	9.13	-36,446,175,000	660,127,111,000	0
3825	8.83	-36,446,216,000	660,127,164,000	0
3826	9.93	-36,446,301,000	660,127,214,000	0
3827	8.63	-36,446,279,000	660,127,221,000	-1
3828	8.73	-36,446,163,000	660,127,224,000	0
3829	8.83	-36,446,130,000	660,127,259,000	0
3830	9.43	-36,446,182,000	660,127,222,000	0
3831	8.33	-36,446,256,000	660,127,211,000	-1
3832	8.83	-36,446,286,000	660,127,255,000	0
3833	8.13	-36,446,477,000	660,127,189,000	-1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
3834	8.73	-36,446,622,000	660,127,128,000	0
3835	9.03	-36,446,532,000	660,127,188,000	0
3836	8.43	-36,446,290,000	660,127,138,000	-1
3837	9.03	-36,446,298,000	660,127,175,000	0
3838	8.73	-36,446,307,000	660,127,171,000	0
3839	9.53	-36,446,316,000	660,127,163,000	0
3840	8.63	-36,446,324,000	660,127,155,000	-1
3841	8.73	-36,446,331,000	660,127,148,000	0
3842	10.33	-36,446,341,000	660,127,139,000	0
3843	9.83	-36,446,349,000	660,127,131,000	0
3844	9.33	-36,446,357,000	660,127,123,000	0
3845	8.83	-36,446,366,000	660,127,115,000	0
3846	9.33	-36,446,374,000	660,127,107,000	0
3847	9.83	-36,446,382,000	660,127,099,000	0
3848	8.73	-36,446,391,000	660,127,091,000	0
3849	8.53	-36,446,399,000	660,127,083,000	-1
3850	8.83	-36,446,406,000	660,127,076,000	0
3851	10.13	-36,446,416,000	660,127,067,000	0
3852	8.73	-36,446,424,000	660,127,059,000	0
3853	9.83	-36,446,432,000	660,127,051,000	0
3854	8.63	-36,446,441,000	660,127,043,000	-1
3855	8.23	-36,446,449,000	660,127,035,000	-1
3856	9.13	-36,446,456,000	660,127,028,000	0
3857	8.93	-36,446,466,000	660,127,019,000	0
3858	8.53	-36,446,474,000	660,127,011,000	-1
3859	8.83	-36,446,481,000	660,127,004,000	0
3860	8.53	-36,446,491,000	660,126,995,000	-1
3861	9.03	-36,446,499,000	660,126,987,000	0
3862	8.13	-36,446,482,000	660,126,989,000	-1
3863	9.23	-36,446,443,000	660,126,958,000	0
3864	9.03	-36,446,385,000	660,126,936,000	0
3865	8.73	-36,446,375,000	660,126,973,000	0
3866	9.23	-36,446,410,000	660,126,978,000	0
3867	9.83	-36,446,554,000	660,126,958,000	0
3868	9.03	-36,446,640,000	660,126,961,000	0
3869	8.53	-36,446,522,000	660,127,013,000	-1
3870	9.63	-36,446,519,000	660,127,013,000	0
3871	9.63	-36,446,524,000	660,127,010,000	0
3872	10.23	-36,446,529,000	660,127,008,000	0
3873	9.73	-36,446,580,000	660,127,004,000	0
3874	9.83	-36,446,590,000	660,127,040,000	0
3875	9.43	-36,446,567,000	660,127,029,000	0
3876	8.53	-36,446,510,000	660,127,010,000	-1
3877	8.83	-36,446,605,000	660,126,981,000	0
3878	9.53	-36,446,628,000	660,126,973,000	0
3879	8.03	-36,446,688,000	660,126,988,000	-1
3880	8.93	-36,446,658,000	660,127,024,000	0
3881	8.93	-36,446,660,000	660,127,025,000	0
3882	8.63	-36,446,646,000	660,126,966,000	-1
3883	9.13	-36,446,528,000	660,126,956,000	0
3884	8.23	-36,446,516,000	660,126,914,000	-1
3885	7.93	-36,446,504,000	660,126,892,000	-1
3886	8.03	-36,446,497,000	660,126,896,000	-1
3887	8.83	-36,446,491,000	660,126,885,000	0
3888	8.03	-36,446,458,000	660,126,894,000	-1
3889	8.93	-36,446,425,000	660,126,905,000	0

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
3890	9.43	-36,446,391,000	660,126,917,000	0
3891	9.13	-36,446,363,000	660,126,926,000	0
3892	9.23	-36,446,324,000	660,126,939,000	0
3893	8.63	-36,446,292,000	660,126,950,000	-1
3894	9.83	-36,446,258,000	660,126,961,000	0
3895	9.93	-36,446,224,000	660,126,972,000	0
3896	9.83	-36,446,196,000	660,126,982,000	0
3897	9.33	-36,446,157,000	660,126,995,000	0
3898	9.13	-36,446,125,000	660,127,006,000	0
3899	9.43	-36,446,110,000	660,126,965,000	0
3900	8.93	-36,446,140,000	660,126,971,000	0
3901	9.13	-36,445,786,000	660,127,013,000	0
3902	9.73	-36,445,769,000	660,127,022,000	0
3903	9.03	-36,445,843,000	660,126,973,000	0
3904	9.03	-36,445,897,000	660,126,955,000	0
3905	9.23	-36,445,922,000	660,126,943,000	0
3906	8.93	-36,445,970,000	660,126,958,000	0
3907	9.53	-36,445,968,000	660,127,020,000	0
3908	9.13	-36,445,897,000	660,127,063,000	0
3909	8.33	-36,445,847,000	660,127,071,000	-1
3910	9.03	-36,445,910,000	660,127,041,000	0
3911	8.63	-36,445,917,000	660,127,041,000	-1
3912	8.43	-36,445,913,000	660,127,052,000	-1
3913	10.13	-36,445,931,000	660,127,083,000	0
3914	9.93	-36,445,893,000	660,126,972,000	0
3915	9.93	-36,446,089,000	660,126,900,000	0
3916	9.63	-36,446,298,000	660,126,823,000	0
3917	9.83	-36,446,494,000	660,126,751,000	0
3918	9.23	-36,446,178,000	660,126,604,000	0
3919	8.93	-36,446,377,000	660,126,518,000	0
3920	8.43	-36,446,500,000	660,126,453,000	-1
3921	8.93	-36,446,310,000	660,126,304,000	0
3922	9.23	-36,446,603,000	660,125,855,000	0
3923	7.83	-36,446,978,000	660,125,140,000	-1
3924	8.13	-36,446,498,000	660,124,505,000	-1
3925	7.43	-36,446,705,000	660,123,543,000	-1
3926	7.73	-36,447,105,000	660,122,804,000	-1
3927	7.43	-36,447,734,000	660,121,827,000	-1
3928	8.13	-36,448,263,000	660,121,003,000	-1
3929	7.63	-36,448,178,000	660,120,290,000	-1
3930	8.53	-36,448,648,000	660,119,255,000	-1
3931	8.03	-36,449,109,000	660,118,411,000	-1
3932	8.23	-36,449,595,000	660,117,519,000	-1
3933	8.13	-36,450,086,000	660,116,619,000	-1
3934	8.83	-36,450,595,000	660,115,685,000	0
3935	8.73	-36,451,056,000	660,114,841,000	0
3936	8.63	-36,451,497,000	660,114,032,000	-1
3937	8.63	-36,452,024,000	660,113,046,000	-1
3938	8.53	-36,451,969,000	660,112,428,000	-1
3939	9.83	-36,452,269,000	660,111,506,000	0
3940	10.93	-36,452,540,000	660,111,887,000	1
3941	9.23	-36,452,873,000	660,112,380,000	0
3942	10.43	-36,453,174,000	660,112,826,000	1
3943	10.13	-36,453,456,000	660,113,244,000	0
3944	9.13	-36,453,131,000	660,114,163,000	0
3945	8.73	-36,452,788,000	660,115,122,000	0



## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
3946	9.03	-36,452,444,000	660,116,081,000	0
3947	9.63	-36,452,177,000	660,117,000,000	0
3948	8.63	-36,451,824,000	660,117,918,000	-1
3949	8.83	-36,451,360,000	660,118,726,000	0
3950	9.43	-36,450,926,000	660,119,482,000	0
3951	8.83	-36,450,390,000	660,120,413,000	0
3952	8.13	-36,449,911,000	660,121,246,000	-1
3953	8.33	-36,449,506,000	660,121,950,000	-1
3954	8.43	-36,448,971,000	660,122,881,000	-1
3955	8.53	-36,448,491,000	660,123,715,000	-1
3956	8.93	-36,448,008,000	660,124,555,000	0
3957	8.63	-36,447,529,000	660,125,388,000	-1
3958	10.03	-36,447,072,000	660,126,183,000	0
3959	9.53	-36,446,603,000	660,126,997,000	0
3960	10.23	-36,446,804,000	660,126,951,000	0
3961	9.93	-36,447,057,000	660,126,420,000	0
3962	10.33	-36,447,431,000	660,125,688,000	0
3963	8.83	-36,447,825,000	660,124,919,000	0
3964	8.03	-36,448,177,000	660,124,233,000	-1
3965	8.23	-36,448,614,000	660,123,380,000	-1
3966	8.73	-36,449,008,000	660,122,611,000	0
3967	8.33	-36,449,393,000	660,121,860,000	-1
3968	8.83	-36,449,778,000	660,121,108,000	0
3969	8.63	-36,450,175,000	660,120,333,000	-1
3970	8.63	-36,450,569,000	660,119,564,000	-1
3971	8.13	-36,450,902,000	660,118,914,000	-1
3972	8.53	-36,451,358,000	660,118,409,000	-1
3973	9.83	-36,451,733,000	660,118,049,000	0
3974	8.73	-36,452,122,000	660,117,675,000	0
3975	9.13	-36,452,514,000	660,117,298,000	0
3976	9.53	-36,452,910,000	660,116,918,000	0
3977	9.83	-36,454,562,000	660,119,150,000	0
3978	8.13	-36,454,376,000	660,119,844,000	-1
3979	9.53	-36,452,763,000	660,120,959,000	0
3980	8.73	-36,452,026,000	660,121,743,000	0
3981	8.63	-36,451,437,000	660,122,530,000	-1
3982	9.23	-36,451,091,000	660,123,260,000	0
3983	9.33	-36,450,727,000	660,124,025,000	0
3984	10.03	-36,450,378,000	660,124,761,000	0
3985	9.33	-36,450,012,000	660,125,532,000	0
3986	9.53	-36,449,645,000	660,126,304,000	0
3987	8.33	-36,449,271,000	660,127,093,000	-1
3988	8.93	-36,448,972,000	660,127,722,000	0
3989	9.83	-36,448,569,000	660,128,571,000	0
3990	9.93	-36,449,395,000	660,129,052,000	0
3991	9.53	-36,449,604,000	660,126,827,000	0
3992	9.43	-36,449,633,000	660,127,446,000	0
3993	10.23	-36,449,725,000	660,126,691,000	0
3994	9.33	-36,449,551,000	660,126,324,000	0
3995	9.13	-36,449,357,000	660,126,071,000	0
3996	8.43	-36,449,174,000	660,125,832,000	-1
3997	8.53	-36,449,001,000	660,125,606,000	-1
3998	9.13	-36,448,787,000	660,125,327,000	0
3999	8.73	-36,448,593,000	660,125,073,000	0
4000	8.63	-36,448,430,000	660,124,860,000	-1
4001	8.43	-36,448,216,000	660,124,581,000	-1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
4002	8.93	-36,448,024,000	660,124,329,000	0
4003	8.33	-36,447,831,000	660,124,077,000	-1
4004	8.73	-36,447,632,000	660,123,817,000	0
4005	8.03	-36,447,450,000	660,123,579,000	-1
4006	8.73	-36,447,256,000	660,123,325,000	0
4007	8.73	-36,447,063,000	660,123,074,000	0
4008	8.33	-36,446,891,000	660,122,849,000	-1
4009	7.83	-36,446,682,000	660,122,576,000	-1
4010	8.03	-36,446,498,000	660,122,336,000	-1
4011	7.93	-36,446,305,000	660,122,084,000	-1
4012	7.93	-36,446,112,000	660,121,832,000	-1
4013	7.53	-36,445,918,000	660,121,578,000	-1
4014	7.83	-36,445,725,000	660,121,326,000	-1
4015	8.73	-36,445,543,000	660,121,088,000	0
4016	7.43	-36,445,350,000	660,120,836,000	-1
4017	7.43	-36,445,156,000	660,120,582,000	-1
4018	9.83	-36,444,963,000	660,120,330,000	0
4019	9.13	-36,444,761,000	660,120,067,000	0
4020	9.03	-36,444,569,000	660,119,815,000	0
4021	8.83	-36,444,385,000	660,119,575,000	0
4022	8.83	-36,444,192,000	660,119,323,000	0
4023	8.43	-36,443,999,000	660,119,071,000	-1
4024	8.73	-36,443,838,000	660,118,860,000	0
4025	8.83	-36,443,615,000	660,118,569,000	0
4026	9.33	-36,443,433,000	660,118,331,000	0
4027	9.33	-36,443,228,000	660,118,064,000	0
4028	8.33	-36,443,043,000	660,117,822,000	-1
4029	10.23	-36,442,846,000	660,117,564,000	0
4030	9.03	-36,442,663,000	660,117,326,000	0
4031	7.93	-36,442,471,000	660,117,074,000	-1
4032	8.23	-36,442,297,000	660,116,847,000	-1
4033	8.23	-36,442,083,000	660,116,568,000	-1
4034	9.13	-36,441,927,000	660,116,363,000	0
4035	8.83	-36,441,713,000	660,116,084,000	0
4036	8.13	-36,441,541,000	660,115,859,000	-1
4061	5.633	-36,434,848,000	660,112,309,000	-2
4062	5.813	-36,434,377,000	660,112,841,000	-2
4063	6.063	-36,433,716,000	660,113,411,000	-2
4064	6.523	-36,433,334,000	660,114,068,000	-2
4065	5.863	-36,432,956,000	660,114,665,000	-2
4066	6.173	-36,432,864,000	660,114,709,000	-2
4067	5.783	-36,432,991,000	660,114,708,000	-2
4068	5.893	-36,432,985,000	660,114,716,000	-2
4069	5.353	-36,432,961,000	660,114,729,000	-2
4070	6.093	-36,432,900,000	660,114,760,000	-2
4071	5.883	-36,432,853,000	660,114,768,000	-2
4072	6.453	-36,432,694,000	660,114,858,000	-2
4073	6.383	-36,432,801,000	660,114,657,000	-2
4074	7.143	-36,432,934,000	660,114,428,000	-1
4075	6.643	-36,432,968,000	660,114,707,000	-2
4076	6.403	-36,432,728,000	660,115,048,000	-2
4077	6.003	-36,432,351,000	660,115,820,000	-2
4078	6.603	-36,432,004,000	660,116,429,000	-2
4079	5.963	-36,431,594,000	660,116,969,000	-2
4080	5.763	-36,431,102,000	660,117,352,000	-2
4081	6.053	-36,430,554,000	660,117,771,000	-2

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
4082	5.463	-36,429,923,000	660,117,739,000	-2
4083	5.613	-36,429,286,000	660,117,490,000	-2
4084	6.023	-36,428,476,000	660,117,464,000	-2
4085	6.423	-36,427,854,000	660,117,379,000	-2
4086	6.113	-36,426,991,000	660,117,099,000	-2
4087	5.923	-36,426,113,000	660,116,926,000	-2
4088	5.793	-36,424,943,000	660,116,716,000	-2
4089	5.633	-36,424,401,000	660,116,206,000	-2
4090	5.363	-36,423,332,000	660,115,901,000	-2
4091	6.073	-36,422,537,000	660,115,361,000	-2
4092	5.973	-36,421,948,000	660,114,836,000	-2
4093	6.133	-36,420,921,000	660,114,267,000	-2
4094	5.513	-36,420,206,000	660,113,707,000	-2
4095	5.813	-36,419,544,000	660,113,060,000	-2
4096	5.673	-36,418,913,000	660,112,307,000	-2
4097	6.673	-36,418,462,000	660,111,478,000	-2
4098	5.953	-36,417,728,000	660,110,675,000	-2
4099	5.783	-36,417,074,000	660,109,806,000	-2
4100	5.583	-36,416,786,000	660,109,091,000	-2
4101	5.903	-36,416,579,000	660,108,425,000	-2
4102	5.863	-36,416,151,000	660,107,333,000	-2
4103	5.653	-36,415,922,000	660,106,275,000	-2
4104	5.263	-36,415,635,000	660,105,395,000	-2
4105	5.463	-36,415,691,000	660,104,413,000	-2
4106	5.623	-36,415,791,000	660,103,623,000	-2
4107	5.783	-36,415,818,000	660,102,659,000	-2
4108	5.153	-36,415,795,000	660,101,583,000	-2
4109	5.213	-36,415,819,000	660,100,741,000	-2
4110	5.233	-36,415,983,000	660,099,832,000	-2
4111	5.483	-36,416,337,000	660,098,937,000	-2
4112	5.523	-36,416,626,000	660,097,854,000	-2
4113	6.103	-36,416,834,000	660,097,014,000	-2
4114	5.693	-36,417,206,000	660,096,086,000	-2
4115	5.183	-36,417,823,000	660,095,505,000	-2
4116	5.583	-36,418,775,000	660,094,818,000	-2
4117	5.563	-36,419,516,000	660,094,171,000	-2
4118	5.543	-36,419,831,000	660,093,267,000	-2
4119	5.353	-36,420,484,000	660,092,565,000	-2
4120	5.593	-36,421,469,000	660,092,051,000	-2
4121	5.943	-36,421,996,000	660,091,238,000	-2
4122	6.053	-36,422,934,000	660,090,641,000	-2
4123	5.483	-36,423,451,000	660,090,194,000	-2
4124	5.913	-36,424,041,000	660,089,560,000	-2
4125	5.843	-36,424,678,000	660,089,573,000	-2
4126	5.663	-36,425,548,000	660,089,270,000	-2
4127	5.953	-36,426,198,000	660,089,031,000	-2
4128	6.173	-36,426,897,000	660,088,668,000	-2
4129	6.043	-36,427,774,000	660,088,409,000	-2
4130	6.973	-36,428,833,000	660,089,669,000	-1
4131	6.183	-36,429,939,000	660,089,300,000	-2
4132	6.133	-36,430,507,000	660,089,421,000	-2
4133	5.853	-36,431,104,000	660,087,936,000	-2
4134	7.183	-36,432,371,000	660,088,269,000	-1
4135	6.043	-36,433,478,000	660,089,799,000	-2
4136	5.953	-36,434,288,000	660,090,128,000	-2
4137	6.073	-36,435,235,000	660,090,141,000	-2

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
4138	5.553	-36,435,921,000	660,090,080,000	-2
4139	5.453	-36,436,863,000	660,090,529,000	-2
4140	5.743	-36,437,699,000	660,090,996,000	-2
4141	5.493	-36,438,875,000	660,090,726,000	-2
4142	5.533	-36,439,739,000	660,091,040,000	-2
4143	5.773	-36,440,255,000	660,091,749,000	-2
4144	5.843	-36,440,391,000	660,092,613,000	-2
4145	5.673	-36,440,447,000	660,093,311,000	-2
4146	5.583	-36,440,516,000	660,094,193,000	-2
4147	5.723	-36,440,568,000	660,094,849,000	-2
4148	5.833	-36,440,637,000	660,095,724,000	-2
4149	5.603	-36,440,697,000	660,096,477,000	-2
4150	5.523	-36,440,759,000	660,097,261,000	-2
4151	5.193	-36,440,821,000	660,098,051,000	-2
4152	5.343	-36,440,880,000	660,098,799,000	-2
4153	5.423	-36,440,942,000	660,099,582,000	-2
4154	5.643	-36,441,008,000	660,100,409,000	-2
4155	5.393	-36,441,071,000	660,101,205,000	-2
4156	5.133	-36,441,133,000	660,101,989,000	-2
4157	5.483	-36,441,191,000	660,102,730,000	-2
4158	5.853	-36,440,722,000	660,104,410,000	-2
4159	5.943	-36,440,159,000	660,104,390,000	-2
4160	6.463	-36,439,438,000	660,105,046,000	-2
4161	5.963	-36,439,262,000	660,105,555,000	-2
4162	6.153	-36,438,288,000	660,106,137,000	-2
4163	6.363	-36,437,774,000	660,107,008,000	-2
4164	5.713	-36,437,075,000	660,107,932,000	-2
4165	5.473	-36,436,742,000	660,108,443,000	-2
4166	5.533	-36,436,535,000	660,108,590,000	-2
4167	5.633	-36,436,617,000	660,108,652,000	-2
4168	5.873	-36,436,405,000	660,108,663,000	-2
4169	6.853	-36,436,423,000	660,108,683,000	-2
4170	6.933	-36,436,664,000	660,108,656,000	-1
4171	5.943	-36,436,810,000	660,108,685,000	-2
4172	5.933	-36,436,659,000	660,109,109,000	-2
4173	5.683	-36,436,084,000	660,109,940,000	-2
4174	5.883	-36,435,229,000	660,110,691,000	-2
4175	5.703	-36,434,613,000	660,111,669,000	-2
4176	5.643	-36,434,193,000	660,112,473,000	-2
4177	5.873	-36,433,489,000	660,113,279,000	-2
4178	5.573	-36,432,966,000	660,113,952,000	-2
4179	6.003	-36,432,450,000	660,114,414,000	-2
4180	6.313	-36,431,720,000	660,114,970,000	-2
4181	6.703	-36,430,993,000	660,115,522,000	-2
4182	6.863	-36,430,386,000	660,115,853,000	-2
4183	6.123	-36,429,750,000	660,116,201,000	-2
4184	7.953	-36,429,123,000	660,116,542,000	-1
4185	8.673	-36,428,293,000	660,116,354,000	0
4186	8.113	-36,427,227,000	660,116,418,000	-1
4187	8.273	-36,426,593,000	660,116,076,000	-1
4188	8.573	-36,426,034,000	660,115,993,000	-1
4189	8.633	-36,424,982,000	660,115,578,000	-1
4190	8.153	-36,424,282,000	660,115,156,000	-1
4191	7.013	-36,423,469,000	660,114,669,000	-1
4192	6.973	-36,422,588,000	660,113,942,000	-1
4193	7.893	-36,421,900,000	660,113,356,000	-1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
4194	8.663	-36,421,097,000	660,112,710,000	0
4195	7.333	-36,420,514,000	660,112,191,000	-1
4196	7.503	-36,419,788,000	660,111,473,000	-1
4197	6.823	-36,419,118,000	660,110,707,000	-2
4198	7.313	-36,418,394,000	660,109,841,000	-1
4199	8.033	-36,418,064,000	660,108,964,000	-1
4200	7.883	-36,417,526,000	660,108,063,000	-1
4201	7.763	-36,417,205,000	660,107,117,000	-1
4202	7.483	-36,417,038,000	660,106,217,000	-1
4203	7.123	-36,416,840,000	660,105,164,000	-1
4204	6.603	-36,416,841,000	660,104,127,000	-2
4205	7.263	-36,416,938,000	660,103,066,000	-1
4206	7.933	-36,416,984,000	660,101,954,000	-1
4207	8.913	-36,416,948,000	660,100,980,000	0
4208	7.893	-36,417,160,000	660,100,024,000	-1
4209	7.783	-36,417,288,000	660,099,179,000	-1
4210	6.853	-36,417,643,000	660,098,125,000	-2
4211	6.273	-36,417,982,000	660,097,097,000	-2
4212	6.303	-36,418,203,000	660,095,888,000	-2
4213	6.523	-36,419,412,000	660,095,928,000	-2
4214	7.043	-36,419,206,000	660,094,169,000	-1
4215	6.713	-36,419,958,000	660,093,277,000	-2
4216	7.433	-36,420,680,000	660,092,711,000	-1
4217	8.083	-36,421,693,000	660,092,450,000	-1
4218	7.883	-36,421,610,000	660,091,627,000	-1
4219	7.183	-36,422,800,000	660,091,391,000	-1
4220	7.393	-36,423,904,000	660,091,009,000	-1
4221	8.533	-36,424,689,000	660,090,767,000	-1
4222	8.403	-36,425,344,000	660,090,638,000	-1
4223	8.573	-36,426,324,000	660,090,312,000	-1
4224	8.893	-36,427,303,000	660,089,916,000	0
4225	7.293	-36,428,661,000	660,089,299,000	-1
4226	7.343	-36,429,793,000	660,089,278,000	-1
4227	7.803	-36,429,586,000	660,088,564,000	-1
4228	7.623	-36,431,018,000	660,089,915,000	-1
4229	8.053	-36,432,047,000	660,089,956,000	-1
4230	7.683	-36,433,041,000	660,090,587,000	-1
4231	7.613	-36,434,148,000	660,091,043,000	-1
4232	7.103	-36,435,096,000	660,090,071,000	-1
4233	7.233	-36,435,631,000	660,090,482,000	-1
4234	6.693	-36,435,979,000	660,091,236,000	-2
4235	7.733	-36,436,319,000	660,091,974,000	-1
4236	7.543	-36,436,657,000	660,092,705,000	-1
4237	7.103	-36,436,979,000	660,093,402,000	-1
4238	6.853	-36,437,285,000	660,094,066,000	-2
4239	8.643	-36,437,613,000	660,094,775,000	-1
4240	7.793	-36,437,987,000	660,095,586,000	-1
4241	7.493	-36,438,309,000	660,096,283,000	-1
4242	6.463	-36,438,647,000	660,097,014,000	-2
4243	6.773	-36,438,987,000	660,097,752,000	-2
4244	6.083	-36,439,283,000	660,098,392,000	-2
4245	5.723	-36,439,676,000	660,099,243,000	-2
4246	6.183	-36,439,995,000	660,099,935,000	-2
4247	6.943	-36,440,336,000	660,100,672,000	-1
4248	7.463	-36,440,665,000	660,101,386,000	-1
4249	7.513	-36,440,959,000	660,102,021,000	-1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
4250	8.233	-36,440,449,000	660,102,971,000	-1
4251	8.433	-36,439,318,000	660,103,885,000	-1
4252	7.453	-36,438,604,000	660,104,476,000	-1
4253	8.383	-36,437,750,000	660,105,193,000	-1
4254	7.853	-36,437,322,000	660,105,324,000	-1
4255	7.933	-36,436,793,000	660,106,070,000	-1
4256	8.283	-36,436,813,000	660,106,649,000	-1
4257	8.123	-36,436,862,000	660,107,227,000	-1
4258	7.823	-36,436,907,000	660,107,765,000	-1
4259	8.833	-36,435,971,000	660,108,904,000	0
4260	8.133	-36,434,750,000	660,110,338,000	-1
4261	7.973	-36,434,142,000	660,111,154,000	-1
4262	7.243	-36,433,578,000	660,111,915,000	-1
4263	8.613	-36,432,987,000	660,112,712,000	-1
4264	8.543	-36,432,483,000	660,113,486,000	-1
4265	9.363	-36,431,717,000	660,114,026,000	0
4266	9.723	-36,431,077,000	660,114,161,000	0
4267	8.993	-36,430,315,000	660,114,322,000	0
4268	7.913	-36,429,482,000	660,114,498,000	-1
4269	8.423	-36,428,713,000	660,114,660,000	-1
4270	8.523	-36,427,992,000	660,114,812,000	-1
4271	9.903	-36,427,235,000	660,114,972,000	0
4272	10.53	-36,426,424,000	660,114,732,000	1
4273	10.53	-36,425,746,000	660,114,421,000	1
4274	11.03	-36,425,098,000	660,114,130,000	1
4275	10.23	-36,424,260,000	660,113,777,000	0
4276	9.83	-36,423,447,000	660,113,102,000	0
4277	10.23	-36,422,555,000	660,112,523,000	0
4278	9.53	-36,421,826,000	660,111,856,000	0
4279	10.03	-36,421,051,000	660,111,199,000	0
4280	10.03	-36,420,453,000	660,110,497,000	0
4281	10.33	-36,419,948,000	660,109,647,000	0
4282	11.33	-36,419,475,000	660,108,792,000	1
4283	10.43	-36,418,886,000	660,107,936,000	1
4284	10.03	-36,418,387,000	660,107,193,000	0
4285	9.83	-36,418,112,000	660,106,079,000	0
4286	9.53	-36,418,030,000	660,105,050,000	0
4287	9.13	-36,418,112,000	660,104,171,000	0
4288	8.63	-36,418,070,000	660,103,170,000	-1
4289	9.53	-36,418,039,000	660,102,102,000	0
4290	10.93	-36,418,038,000	660,101,117,000	1
4291	9.13	-36,418,160,000	660,100,151,000	0
4292	10.23	-36,418,564,000	660,099,065,000	0
4293	9.83	-36,418,951,000	660,098,149,000	0
4294	10.33	-36,419,422,000	660,097,304,000	0
4295	10.03	-36,419,903,000	660,096,475,000	0
4296	10.63	-36,420,358,000	660,095,597,000	1
4297	11.23	-36,421,062,000	660,094,757,000	1
4298	10.73	-36,421,812,000	660,094,128,000	1
4299	10.63	-36,422,917,000	660,093,172,000	1
4300	9.43	-36,423,491,000	660,092,715,000	0
4301	9.23	-36,424,541,000	660,092,203,000	0
4302	9.13	-36,425,336,000	660,091,877,000	0
4303	9.03	-36,425,887,000	660,091,653,000	0
4304	9.43	-36,426,412,000	660,091,440,000	0
4305	9.13	-36,427,602,000	660,091,043,000	0

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
4306	10.13	-36,428,687,000	660,090,817,000	0
4307	9.63	-36,429,560,000	660,090,658,000	0
4308	9.73	-36,430,278,000	660,091,056,000	0
4309	9.63	-36,431,085,000	660,090,346,000	0
4310	8.93	-36,432,815,000	660,090,617,000	0
4311	9.33	-36,434,123,000	660,090,844,000	0
4312	8.83	-36,435,569,000	660,091,331,000	0
4313	9.13	-36,436,413,000	660,091,728,000	0
4314	8.33	-36,437,337,000	660,091,906,000	-1
4315	9.03	-36,438,278,000	660,092,394,000	0
4316	8.43	-36,438,371,000	660,093,193,000	-1
4317	7.93	-36,438,449,000	660,093,954,000	-1
4318	8.93	-36,438,530,000	660,094,751,000	0
4319	9.93	-36,438,610,000	660,095,531,000	0
4320	10.03	-36,438,691,000	660,096,329,000	0
4321	9.83	-36,438,773,000	660,097,133,000	0
4322	9.93	-36,438,855,000	660,097,931,000	0
4323	9.63	-36,438,923,000	660,098,605,000	0
4324	9.53	-36,439,014,000	660,099,489,000	0
4325	8.83	-36,439,094,000	660,100,281,000	0
4326	9.43	-36,439,177,000	660,101,085,000	0
4327	8.93	-36,439,246,000	660,101,766,000	0
4328	8.83	-36,439,339,000	660,102,681,000	0
4329	9.63	-36,439,421,000	660,103,485,000	0
4330	8.23	-36,439,488,000	660,104,280,000	-1
4331	9.13	-36,438,615,000	660,104,469,000	0
4332	8.63	-36,437,693,000	660,104,669,000	-1
4333	9.63	-36,436,688,000	660,105,785,000	0
4334	9.53	-36,435,698,000	660,106,415,000	0
4335	9.23	-36,435,561,000	660,107,097,000	0
4336	9.73	-36,435,424,000	660,108,222,000	0
4337	9.73	-36,433,896,000	660,109,155,000	0
4338	10.03	-36,433,935,000	660,109,757,000	0
4339	10.13	-36,433,995,000	660,110,504,000	0
4340	10.43	-36,433,053,000	660,111,261,000	1
4341	10.33	-36,432,354,000	660,112,268,000	0
4342	9.73	-36,431,646,000	660,113,087,000	0
4343	9.03	-36,430,937,000	660,113,217,000	0
4344	9.33	-36,429,967,000	660,113,364,000	0
4345	9.33	-36,429,208,000	660,113,479,000	0
4346	10.33	-36,428,271,000	660,113,622,000	0
4347	10.33	-36,427,427,000	660,113,750,000	0
4348	9.93	-36,426,621,000	660,113,872,000	0
4349	11.43	-36,425,743,000	660,113,702,000	1
4350	11.03	-36,424,982,000	660,113,439,000	1
4351	10.93	-36,423,869,000	660,112,838,000	1
4352	8.73	-36,423,112,000	660,112,356,000	0
4353	9.43	-36,422,409,000	660,111,681,000	0
4354	9.43	-36,421,619,000	660,110,919,000	0
4355	10.13	-36,420,970,000	660,110,297,000	0
4356	11.33	-36,420,403,000	660,109,444,000	1
4357	10.63	-36,419,835,000	660,108,341,000	1
4358	9.63	-36,419,488,000	660,107,373,000	0
4359	10.23	-36,419,218,000	660,106,385,000	0
4360	9.73	-36,418,842,000	660,105,365,000	0
4361	9.63	-36,419,423,000	660,104,138,000	0

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
4362	9.33	-36,419,430,000	660,103,204,000	0
4363	10.13	-36,419,337,000	660,102,336,000	0
4364	10.63	-36,419,285,000	660,101,323,000	1
4365	10.83	-36,419,461,000	660,100,303,000	1
4366	10.83	-36,419,607,000	660,099,406,000	1
4367	10.93	-36,419,976,000	660,098,395,000	1
4368	10.63	-36,420,333,000	660,097,567,000	1
4369	9.63	-36,420,787,000	660,096,564,000	0
4370	10.43	-36,421,367,000	660,095,933,000	1
4371	11.03	-36,422,036,000	660,094,978,000	1
4372	11.13	-36,423,091,000	660,094,468,000	1
4373	10.33	-36,423,751,000	660,093,893,000	0
4374	9.43	-36,423,136,000	660,093,115,000	0
4375	10.03	-36,424,930,000	660,092,629,000	0
4376	9.83	-36,425,873,000	660,092,002,000	0
4377	9.03	-36,426,722,000	660,091,658,000	0
4378	7.83	-36,427,617,000	660,091,381,000	-1
4379	9.93	-36,428,916,000	660,091,220,000	0
4380	9.83	-36,429,277,000	660,091,051,000	0
4381	9.43	-36,430,165,000	660,091,162,000	0
4382	8.53	-36,430,845,000	660,091,026,000	-1
4383	8.53	-36,432,092,000	660,091,217,000	-1
4384	8.43	-36,432,871,000	660,091,455,000	-1
4385	8.03	-36,434,005,000	660,091,890,000	-1
4386	8.83	-36,434,159,000	660,092,588,000	0
4387	9.93	-36,434,320,000	660,093,321,000	0
4388	10.53	-36,434,465,000	660,093,980,000	1
4389	8.43	-36,434,642,000	660,094,786,000	-1
4390	8.83	-36,434,787,000	660,095,445,000	0
4391	9.43	-36,434,939,000	660,096,137,000	0
4392	8.73	-36,435,127,000	660,096,989,000	0
4393	8.83	-36,435,279,000	660,097,682,000	0
4394	8.43	-36,435,439,000	660,098,409,000	-1
4395	8.53	-36,435,600,000	660,099,141,000	-1
4396	9.23	-36,435,761,000	660,099,874,000	0
4397	8.83	-36,435,922,000	660,100,606,000	0
4398	8.63	-36,436,085,000	660,101,345,000	-1
4399	9.13	-36,436,221,000	660,101,964,000	0
4400	8.53	-36,436,398,000	660,102,770,000	-1
4401	9.23	-36,436,561,000	660,103,508,000	0
4402	10.03	-36,436,722,000	660,104,241,000	0
4403	9.43	-36,436,369,000	660,104,886,000	0
4404	9.13	-36,435,066,000	660,105,877,000	0
4405	9.83	-36,434,835,000	660,106,428,000	0
4406	9.73	-36,434,603,000	660,107,091,000	0
4407	9.13	-36,433,848,000	660,107,546,000	0
4408	8.83	-36,433,125,000	660,107,977,000	0
4409	8.53	-36,432,384,000	660,108,420,000	-1
4410	10.13	-36,431,587,000	660,108,896,000	0
4411	9.83	-36,430,790,000	660,109,371,000	0
4412	9.83	-36,429,907,000	660,109,899,000	0
4413	8.73	-36,429,110,000	660,110,375,000	0
4414	8.93	-36,428,289,000	660,110,865,000	0
4415	8.83	-36,427,616,000	660,111,267,000	0
4416	11.43	-36,426,732,000	660,111,795,000	1
4417	11.63	-36,425,886,000	660,112,300,000	1



## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
4418	9.73	-36,425,133,000	660,112,750,000	0
4419	9.83	-36,424,563,000	660,112,463,000	0
4420	9.43	-36,425,020,000	660,112,019,000	0
4421	9.33	-36,424,543,000	660,111,409,000	0
4422	10.73	-36,423,707,000	660,110,853,000	1
4423	11.53	-36,423,124,000	660,110,331,000	1
4424	9.43	-36,422,547,000	660,109,560,000	0
4425	10.43	-36,421,937,000	660,109,035,000	1
4426	9.83	-36,421,310,000	660,108,230,000	0
4427	10.23	-36,420,893,000	660,107,297,000	0
4428	9.83	-36,420,483,000	660,106,346,000	0
4429	9.13	-36,420,155,000	660,105,421,000	0
4430	10.03	-36,420,357,000	660,104,284,000	0
4431	10.53	-36,420,351,000	660,103,369,000	1
4432	11.43	-36,420,329,000	660,102,498,000	1
4433	11.03	-36,420,702,000	660,101,529,000	1
4434	9.83	-36,420,986,000	660,100,717,000	0
4435	9.23	-36,421,150,000	660,100,040,000	0
4436	9.53	-36,421,278,000	660,099,387,000	0
4437	9.83	-36,421,308,000	660,098,245,000	0
4438	10.63	-36,421,406,000	660,097,339,000	1
4439	10.33	-36,422,067,000	660,096,363,000	0
4440	10.33	-36,422,978,000	660,096,154,000	0
4441	8.93	-36,423,841,000	660,095,988,000	0
4442	9.53	-36,424,754,000	660,095,813,000	0
4443	8.93	-36,425,666,000	660,095,638,000	0
4444	9.33	-36,426,593,000	660,095,460,000	0
4445	8.83	-36,427,512,000	660,095,284,000	0
4446	8.93	-36,428,375,000	660,095,118,000	0
4447	8.63	-36,429,288,000	660,094,943,000	-1
4448	8.73	-36,430,200,000	660,094,768,000	0
4449	8.93	-36,430,950,000	660,094,624,000	0
4450	9.73	-36,431,983,000	660,094,426,000	0
4451	9.93	-36,432,895,000	660,094,251,000	0
4452	9.13	-36,433,807,000	660,094,076,000	0
4453	9.73	-36,434,727,000	660,093,899,000	0
4454	9.63	-36,435,668,000	660,093,719,000	0
4455	9.63	-36,436,531,000	660,093,553,000	0
4456	10.23	-36,437,246,000	660,093,970,000	0
4457	9.03	-36,437,287,000	660,094,622,000	0
4458	9.43	-36,437,300,000	660,095,180,000	0
4459	9.33	-36,437,317,000	660,095,938,000	0
4460	8.73	-36,437,332,000	660,096,562,000	0
4461	8.43	-36,437,345,000	660,097,161,000	-1
4462	8.83	-36,437,360,000	660,097,826,000	0
4463	8.13	-36,437,377,000	660,098,558,000	-1
4464	8.83	-36,437,392,000	660,099,198,000	0
4465	8.93	-36,437,407,000	660,099,858,000	0
4466	7.53	-36,437,422,000	660,100,518,000	-1
4467	7.43	-36,437,435,000	660,101,076,000	-1
4468	8.13	-36,437,450,000	660,101,737,000	-1
4469	9.23	-36,437,465,000	660,102,407,000	0
4470	10.23	-36,437,482,000	660,103,139,000	0
4471	9.33	-36,436,936,000	660,104,011,000	0
4472	11.33	-36,436,099,000	660,104,878,000	1
4473	9.93	-36,435,297,000	660,105,704,000	0

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
4474	8.93	-36,434,463,000	660,106,564,000	0
4475	8.43	-36,433,622,000	660,107,431,000	-1
4476	8.33	-36,432,849,000	660,107,635,000	-1
4477	8.53	-36,432,116,000	660,107,804,000	-1
4478	9.13	-36,431,346,000	660,107,982,000	0
4479	8.93	-36,430,571,000	660,108,161,000	0
4480	8.93	-36,429,807,000	660,108,337,000	0
4481	9.73	-36,429,157,000	660,108,487,000	0
4482	10.53	-36,428,262,000	660,108,693,000	1
4483	11.33	-36,427,534,000	660,108,861,000	1
4484	10.43	-36,426,860,000	660,109,016,000	1
4485	10.73	-36,426,007,000	660,109,213,000	1
4486	10.93	-36,425,232,000	660,109,392,000	1
4487	11.13	-36,424,498,000	660,109,561,000	1
4488	9.93	-36,423,806,000	660,109,721,000	0
4489	10.13	-36,422,947,000	660,109,919,000	0
4490	9.93	-36,422,400,000	660,109,142,000	0
4491	8.73	-36,422,093,000	660,108,103,000	0
4492	9.43	-36,421,430,000	660,107,411,000	0
4493	10.33	-36,421,087,000	660,106,859,000	0
4494	10.03	-36,420,959,000	660,105,793,000	0
4495	10.93	-36,420,874,000	660,104,916,000	1
4496	11.23	-36,420,932,000	660,104,154,000	1
4497	11.83	-36,420,824,000	660,103,233,000	1
4498	11.03	-36,420,928,000	660,102,161,000	1
4499	9.93	-36,421,382,000	660,101,123,000	0
4500	8.63	-36,421,763,000	660,100,323,000	-1
4501	8.93	-36,421,691,000	660,099,496,000	0
4502	8.73	-36,422,388,000	660,098,330,000	0
4503	10.53	-36,422,826,000	660,097,485,000	1
4504	10.53	-36,423,308,000	660,096,701,000	1
4505	10.33	-36,424,424,000	660,095,971,000	0
4506	8.73	-36,424,785,000	660,096,103,000	0
4507	9.13	-36,425,131,000	660,096,278,000	0
4508	9.13	-36,425,480,000	660,096,455,000	0
4509	9.93	-36,425,827,000	660,096,630,000	0
4510	9.33	-36,426,174,000	660,096,805,000	0
4511	8.63	-36,426,466,000	660,096,953,000	-1
4512	10.13	-36,426,848,000	660,097,146,000	0
4513	10.33	-36,427,194,000	660,097,321,000	0
4514	9.23	-36,427,554,000	660,097,502,000	0
4515	9.83	-36,427,901,000	660,097,678,000	0
4516	10.73	-36,428,194,000	660,097,825,000	1
4517	9.53	-36,428,543,000	660,098,002,000	0
4518	9.23	-36,428,873,000	660,098,169,000	0
4519	9.63	-36,429,265,000	660,098,367,000	0
4520	10.23	-36,429,593,000	660,098,533,000	0
4521	8.13	-36,429,942,000	660,098,709,000	-1
4522	9.43	-36,430,289,000	660,098,884,000	0
4523	9.23	-36,430,635,000	660,099,059,000	0
4524	9.23	-36,430,982,000	660,099,234,000	0
4525	9.53	-36,431,328,000	660,099,409,000	0
4526	10.23	-36,431,659,000	660,099,576,000	0
4527	8.73	-36,432,005,000	660,099,751,000	0
4528	8.63	-36,432,352,000	660,099,926,000	-1
4529	9.73	-36,432,647,000	660,100,076,000	0

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
4530	9.93	-36,433,037,000	660,100,272,000	0
4531	9.93	-36,432,834,000	660,101,251,000	0
4532	9.33	-36,432,765,000	660,102,304,000	0
4533	10.63	-36,432,709,000	660,103,358,000	1
4534	9.73	-36,432,650,000	660,104,460,000	0
4535	10.43	-36,432,598,000	660,105,457,000	1
4536	9.43	-36,432,541,000	660,106,518,000	0
4537	9.73	-36,432,491,000	660,107,466,000	0
4538	9.43	-36,432,429,000	660,108,633,000	0
4539	9.53	-36,432,377,000	660,109,613,000	0
4540	9.13	-36,432,321,000	660,110,675,000	0
4541	10.23	-36,432,265,000	660,111,729,000	0
4542	9.73	-36,432,739,000	660,113,003,000	0
4543	10.83	-36,431,977,000	660,112,784,000	1
4544	10.93	-36,431,142,000	660,112,505,000	1
4545	10.23	-36,430,293,000	660,112,221,000	0
4546	8.63	-36,429,451,000	660,111,940,000	-1
4547	10.13	-36,428,609,000	660,111,659,000	0
4548	10.73	-36,427,897,000	660,111,421,000	1
4549	10.03	-36,426,931,000	660,111,099,000	0
4550	11.93	-36,425,934,000	660,110,472,000	1
4551	10.63	-36,423,088,000	660,108,146,000	1
4552	11.13	-36,422,887,000	660,107,188,000	1
4553	9.63	-36,422,469,000	660,106,399,000	0
4554	9.83	-36,421,998,000	660,105,512,000	0
4555	9.33	-36,421,853,000	660,104,410,000	0
4556	10.83	-36,421,745,000	660,103,437,000	1
4557	10.33	-36,421,905,000	660,102,534,000	0
4558	10.33	-36,421,988,000	660,101,631,000	0
4559	9.33	-36,422,095,000	660,100,675,000	0
4560	9.53	-36,422,487,000	660,099,605,000	0
4561	9.23	-36,423,566,000	660,098,485,000	0
4562	9.73	-36,423,993,000	660,097,698,000	0
4563	10.03	-36,423,785,000	660,096,964,000	0
4564	9.13	-36,424,052,000	660,097,213,000	0
4565	9.83	-36,424,307,000	660,097,475,000	0
4566	9.53	-36,424,578,000	660,097,753,000	0
4567	8.93	-36,424,906,000	660,098,089,000	0
4568	10.03	-36,425,177,000	660,098,367,000	0
4569	10.73	-36,425,439,000	660,098,636,000	1
4570	10.13	-36,425,685,000	660,098,889,000	0
4571	11.03	-36,425,969,000	660,099,180,000	1
4572	10.03	-36,426,253,000	660,099,472,000	0
4573	8.63	-36,426,568,000	660,099,795,000	-1
4574	9.53	-36,426,854,000	660,100,088,000	0
4575	10.43	-36,427,138,000	660,100,380,000	1
4576	10.53	-36,427,424,000	660,100,673,000	1
4577	9.83	-36,427,709,000	660,100,965,000	0
4578	10.93	-36,427,977,000	660,101,240,000	1
4579	9.43	-36,428,270,000	660,101,541,000	0
4580	8.03	-36,428,556,000	660,101,834,000	-1
4581	8.63	-36,428,840,000	660,102,126,000	-1
4582	8.73	-36,429,111,000	660,102,404,000	0
4583	8.53	-36,429,395,000	660,102,695,000	-1
4584	8.73	-36,429,679,000	660,102,986,000	0
4585	9.33	-36,429,963,000	660,103,278,000	0

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
4586	8.33	-36,430,247,000	660,103,569,000	-1
4587	9.03	-36,430,533,000	660,103,863,000	0
4588	10.63	-36,430,802,000	660,104,139,000	1
4589	8.93	-36,431,105,000	660,104,450,000	0
4590	9.93	-36,431,381,000	660,104,733,000	0
4591	9.63	-36,431,651,000	660,105,010,000	0
4592	10.13	-36,431,935,000	660,105,302,000	0
4593	10.83	-36,432,219,000	660,105,593,000	1
4594	9.93	-36,432,497,000	660,105,878,000	0
4595	9.53	-36,432,768,000	660,106,156,000	0
4596	9.53	-36,429,827,000	660,107,258,000	0
4597	9.03	-36,430,429,000	660,108,160,000	0
4598	9.63	-36,430,880,000	660,108,644,000	0
4599	9.13	-36,429,349,000	660,109,594,000	0
4600	9.83	-36,428,592,000	660,109,344,000	0
4601	9.73	-36,427,821,000	660,109,054,000	0
4602	10.03	-36,427,050,000	660,108,763,000	0
4603	10.03	-36,426,267,000	660,108,468,000	0
4604	10.13	-36,425,532,000	660,108,192,000	0
4605	11.13	-36,424,755,000	660,107,899,000	1
4606	9.83	-36,423,984,000	660,107,608,000	0
4607	11.03	-36,423,755,000	660,106,917,000	1
4608	11.13	-36,423,014,000	660,106,565,000	1
4609	11.73	-36,422,440,000	660,106,077,000	1
4610	10.63	-36,421,548,000	660,105,329,000	1
4611	9.63	-36,422,465,000	660,104,866,000	0
4612	10.63	-36,422,172,000	660,103,940,000	1
4613	10.83	-36,422,229,000	660,102,866,000	1
4614	10.33	-36,422,375,000	660,101,927,000	0
4615	9.43	-36,422,600,000	660,100,944,000	0
4616	10.23	-36,422,734,000	660,100,365,000	0
4617	9.83	-36,423,065,000	660,098,763,000	0
4618	8.83	-36,424,092,000	660,097,874,000	0
4619	9.13	-36,424,201,000	660,097,344,000	0
4620	10.53	-36,424,449,000	660,097,613,000	1
4621	9.33	-36,424,688,000	660,097,990,000	0
4622	8.53	-36,424,926,000	660,098,366,000	-1
4623	9.13	-36,425,167,000	660,098,746,000	0
4624	9.53	-36,425,355,000	660,099,044,000	0
4625	9.13	-36,425,596,000	660,099,424,000	0
4626	8.63	-36,425,859,000	660,099,838,000	-1
4627	9.73	-36,426,097,000	660,100,215,000	0
4628	10.23	-36,426,336,000	660,100,592,000	0
4629	10.63	-36,426,543,000	660,100,919,000	1
4630	9.93	-36,426,813,000	660,101,346,000	0
4631	9.03	-36,427,052,000	660,101,722,000	0
4632	8.53	-36,427,292,000	660,102,102,000	-1
4633	9.83	-36,427,531,000	660,102,479,000	0
4634	8.93	-36,427,753,000	660,102,829,000	0
4635	8.93	-36,427,993,000	660,103,209,000	0
4636	8.63	-36,428,233,000	660,103,589,000	-1
4637	9.43	-36,428,472,000	660,103,965,000	0
4638	8.73	-36,428,700,000	660,104,325,000	0
4639	9.63	-36,428,940,000	660,104,704,000	0
4640	9.93	-36,429,179,000	660,105,081,000	0
4641	10.43	-36,429,380,000	660,105,400,000	1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
4642	9.63	-36,429,658,000	660,105,838,000	0
4643	9.43	-36,429,859,000	660,106,156,000	0
4644	10.63	-36,430,120,000	660,106,568,000	1
4645	10.83	-36,430,360,000	660,106,948,000	1
4646	10.93	-36,430,601,000	660,107,327,000	1
4647	9.83	-36,430,828,000	660,107,686,000	0
4648	10.13	-36,430,268,000	660,107,563,000	0
4649	9.93	-36,429,712,000	660,107,415,000	0
4650	11.03	-36,429,008,000	660,107,227,000	1
4651	11.43	-36,428,373,000	660,107,057,000	1
4652	10.33	-36,427,768,000	660,106,895,000	0
4653	11.13	-36,427,133,000	660,106,726,000	1
4654	11.83	-36,426,478,000	660,106,551,000	1
4655	10.73	-36,425,907,000	660,106,398,000	1
4656	11.03	-36,425,208,000	660,106,212,000	1
4657	11.03	-36,424,603,000	660,106,050,000	1
4658	10.53	-36,423,968,000	660,105,880,000	1
4659	10.43	-36,423,338,000	660,105,712,000	1
4660	10.23	-36,423,196,000	660,104,703,000	0
4661	11.33	-36,423,064,000	660,103,918,000	1
4662	11.83	-36,423,135,000	660,103,360,000	1
4663	10.93	-36,423,477,000	660,102,377,000	1
4664	11.13	-36,423,545,000	660,101,554,000	1
4665	10.13	-36,423,511,000	660,100,741,000	0
4666	9.43	-36,423,349,000	660,100,056,000	0
4667	10.03	-36,423,661,000	660,099,045,000	0
4668	8.53	-36,423,843,000	660,098,293,000	-1
4669	9.53	-36,424,370,000	660,097,359,000	0
4670	9.93	-36,425,143,000	660,096,663,000	0
4671	9.43	-36,426,094,000	660,095,827,000	0
4672	11.13	-36,426,815,000	660,095,345,000	1
4673	9.13	-36,427,368,000	660,094,482,000	0
4674	9.83	-36,428,915,000	660,094,761,000	0
4675	10.03	-36,430,088,000	660,094,681,000	0
4676	9.53	-36,431,080,000	660,094,920,000	0
4677	10.83	-36,431,548,000	660,095,221,000	1
4678	10.53	-36,432,043,000	660,095,427,000	1
4679	10.73	-36,432,878,000	660,095,741,000	1
4680	10.53	-36,433,697,000	660,096,109,000	1
4681	10.33	-36,434,240,000	660,096,937,000	0
4682	9.33	-36,433,881,000	660,097,845,000	0
4683	9.83	-36,433,536,000	660,098,609,000	0
4684	10.33	-36,433,082,000	660,099,617,000	0
4685	10.33	-36,432,677,000	660,100,514,000	0
4686	10.23	-36,432,333,000	660,101,277,000	0
4687	9.83	-36,431,859,000	660,102,328,000	0
4688	10.23	-36,431,471,000	660,103,189,000	0
4689	10.13	-36,431,057,000	660,104,107,000	0
4690	10.43	-36,430,653,000	660,105,003,000	1
4691	10.83	-36,430,290,000	660,105,808,000	1
4692	11.03	-36,429,838,000	660,106,810,000	1
4693	10.23	-36,429,155,000	660,107,663,000	0
4694	9.93	-36,429,681,000	660,109,998,000	0
4695	10.13	-36,429,304,000	660,110,572,000	0
4696	11.93	-36,428,811,000	660,111,325,000	1
4697	12.03	-36,427,995,000	660,111,829,000	1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
4698	10.33	-36,427,655,000	660,111,383,000	0
4699	10.03	-36,427,888,000	660,110,929,000	0
4700	10.33	-36,428,121,000	660,110,483,000	0
4701	9.43	-36,427,904,000	660,110,263,000	0
4702	10.73	-36,427,895,000	660,109,174,000	1
4703	9.83	-36,427,903,000	660,108,025,000	0
4704	10.03	-36,427,911,000	660,106,930,000	0
4705	10.13	-36,427,919,000	660,105,781,000	0
4706	10.83	-36,427,927,000	660,104,623,000	1
4707	12.23	-36,428,240,000	660,103,633,000	2
4708	11.93	-36,428,557,000	660,102,996,000	1
4709	11.03	-36,429,270,000	660,102,076,000	1
4710	10.73	-36,429,687,000	660,101,281,000	1
4711	10.93	-36,429,832,000	660,100,709,000	1
4712	11.43	-36,429,962,000	660,100,148,000	1
4713	10.43	-36,430,091,000	660,099,591,000	1
4714	10.13	-36,430,209,000	660,099,077,000	0
4715	9.93	-36,430,338,000	660,098,521,000	0
4716	10.73	-36,430,467,000	660,097,964,000	1
4717	11.33	-36,430,597,000	660,097,403,000	1
4718	10.63	-36,430,726,000	660,096,846,000	1
4719	10.13	-36,430,834,000	660,096,380,000	0
4720	10.03	-36,430,976,000	660,095,767,000	0
4721	10.53	-36,430,574,000	660,095,847,000	1
4722	9.53	-36,430,433,000	660,096,347,000	0
4723	9.73	-36,430,301,000	660,096,553,000	0
4724	9.03	-36,430,172,000	660,096,730,000	0
4725	9.53	-36,430,039,000	660,096,912,000	0
4726	9.53	-36,429,926,000	660,097,067,000	0
4727	10.63	-36,429,771,000	660,097,279,000	1
4728	10.23	-36,429,644,000	660,097,453,000	0
4729	10.53	-36,429,508,000	660,097,639,000	1
4730	10.63	-36,429,386,000	660,097,806,000	1
4731	11.23	-36,429,238,000	660,098,009,000	1
4732	11.33	-36,429,112,000	660,098,181,000	1
4733	10.93	-36,428,991,000	660,098,347,000	1
4734	10.73	-36,428,860,000	660,098,526,000	1
4735	10.83	-36,428,712,000	660,098,729,000	1
4736	11.43	-36,428,585,000	660,098,903,000	1
4737	10.33	-36,428,465,000	660,099,067,000	0
4738	9.73	-36,427,642,000	660,099,913,000	0
4739	10.33	-36,426,584,000	660,100,862,000	0
4740	10.73	-36,425,713,000	660,101,897,000	1
4741	10.93	-36,425,624,000	660,102,782,000	1
4742	9.83	-36,426,485,000	660,103,779,000	0
4743	9.83	-36,426,042,000	660,104,665,000	0
4744	10.43	-36,425,753,000	660,105,111,000	1
4745	11.63	-36,424,733,000	660,105,305,000	1
4746	10.83	-36,423,741,000	660,105,489,000	1
4747	10.73	-36,423,763,000	660,106,175,000	1
4748	10.63	-36,423,775,000	660,106,845,000	1
4749	10.83	-36,424,574,000	660,106,778,000	1
4750	11.23	-36,425,311,000	660,106,708,000	1
4751	10.63	-36,426,103,000	660,106,632,000	1
4752	10.33	-36,426,901,000	660,106,556,000	0
4753	11.23	-36,427,694,000	660,106,481,000	1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
4754	12.53	-36,428,429,000	660,106,094,000	2
4755	11.63	-36,428,224,000	660,103,509,000	1
4756	11.83	-36,428,798,000	660,102,306,000	1
4757	10.33	-36,429,267,000	660,101,515,000	0
4758	10.23	-36,429,615,000	660,100,813,000	0
4759	11.03	-36,429,918,000	660,100,204,000	1
4760	11.83	-36,430,304,000	660,099,426,000	1
4761	11.33	-36,430,652,000	660,098,724,000	1
4762	10.63	-36,430,981,000	660,098,060,000	1
4763	11.03	-36,430,860,000	660,098,767,000	1
4764	10.03	-36,430,678,000	660,099,670,000	0
4765	10.73	-36,430,505,000	660,100,534,000	1
4766	10.93	-36,430,331,000	660,101,398,000	1
4767	11.83	-36,430,168,000	660,102,209,000	1
4768	10.43	-36,429,855,000	660,102,957,000	1
4769	9.53	-36,429,361,000	660,103,890,000	0
4770	10.33	-36,428,797,000	660,105,090,000	0
4771	11.53	-36,428,089,000	660,105,655,000	1
4772	11.33	-36,427,565,000	660,106,612,000	1
4773	10.03	-36,426,849,000	660,107,008,000	0
4774	11.33	-36,426,239,000	660,107,327,000	1
4775	10.13	-36,425,451,000	660,107,738,000	0
4776	10.03	-36,425,983,000	660,108,237,000	0
4777	10.13	-36,426,716,000	660,108,860,000	0
4778	10.63	-36,427,271,000	660,109,332,000	1
4779	10.03	-36,428,108,000	660,108,863,000	0
4780	10.53	-36,429,019,000	660,108,329,000	1
4781	11.13	-36,429,946,000	660,107,796,000	1
4782	11.73	-36,430,452,000	660,107,155,000	1
4783	11.83	-36,431,063,000	660,106,494,000	1
4784	11.13	-36,431,722,000	660,105,703,000	1
4785	11.73	-36,432,157,000	660,105,011,000	1
4786	10.93	-36,432,387,000	660,104,169,000	1
4917	8.073	-36,387,348,000	660,142,458,000	-1
4918	8.283	-36,386,554,000	660,141,817,000	-1
4919	8.283	-36,385,717,000	660,141,139,000	-1
4920	8.123	-36,384,840,000	660,140,911,000	-1
4921	8.483	-36,383,963,000	660,140,682,000	-1
4922	9.883	-36,383,085,000	660,140,454,000	0
4923	9.433	-36,383,410,000	660,140,477,000	0
4924	8.683	-36,383,744,000	660,140,501,000	0
4925	9.373	-36,384,089,000	660,140,526,000	0
4926	9.963	-36,384,414,000	660,140,549,000	0
4927	10.23	-36,384,759,000	660,140,574,000	0
4928	10.43	-36,385,104,000	660,140,599,000	1
4929	10.33	-36,385,439,000	660,140,623,000	0
4930	10.83	-36,385,774,000	660,140,647,000	1
4931	9.93	-36,386,066,000	660,140,668,000	0
4932	9.23	-36,386,401,000	660,140,692,000	0
4933	8.33	-36,386,800,000	660,140,754,000	-1
4934	7.83	-36,387,805,000	660,141,845,000	-1
4935	7.33	-36,388,135,000	660,142,098,000	-1
4936	8.43	-36,388,342,000	660,142,180,000	-1
4937	6.93	-36,388,536,000	660,142,258,000	-1
4938	6.13	-36,388,737,000	660,142,338,000	-2
4939	6.83	-36,388,931,000	660,142,416,000	-2

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
4940	6.13	-36,387,513,000	660,141,946,000	-2
4941	6.93	-36,385,833,000	660,140,717,000	-1
4942	6.93	-36,386,494,000	660,140,443,000	-1
4943	8.03	-36,386,288,000	660,140,012,000	-1
4944	8.53	-36,385,713,000	660,139,562,000	-1
4945	10.03	-36,385,157,000	660,139,126,000	0
4946	10.13	-36,384,583,000	660,138,676,000	0
4947	11.73	-36,383,990,000	660,138,211,000	1
4948	10.23	-36,383,416,000	660,137,761,000	0
4949	10.93	-36,382,860,000	660,137,325,000	1
4950	12.23	-36,382,285,000	660,136,875,000	2
4951	11.63	-36,381,693,000	660,136,410,000	1
4952	10.43	-36,381,101,000	660,135,946,000	1
4953	10.13	-36,380,526,000	660,135,496,000	0
4954	11.33	-36,379,934,000	660,135,031,000	1
4955	11.13	-36,379,396,000	660,134,609,000	1
4956	10.03	-36,378,799,000	660,134,153,000	0
4957	10.63	-36,378,106,000	660,133,963,000	1
4958	9.83	-36,377,878,000	660,133,396,000	0
4959	10.33	-36,377,450,000	660,133,235,000	0
4960	10.13	-36,376,938,000	660,132,510,000	0
4961	10.53	-36,376,422,000	660,132,111,000	1
4962	10.33	-36,376,008,000	660,131,771,000	0
4963	9.53	-36,375,611,000	660,131,581,000	0
4964	9.93	-36,375,866,000	660,131,163,000	0
4965	10.23	-36,376,635,000	660,131,824,000	0
4966	11.73	-36,377,335,000	660,132,842,000	1
4967	11.63	-36,378,115,000	660,133,155,000	1
4968	10.83	-36,379,107,000	660,133,591,000	1
4969	10.63	-36,379,816,000	660,133,891,000	1
4970	10.53	-36,380,684,000	660,133,939,000	1
4971	10.23	-36,381,265,000	660,134,286,000	0
4972	10.13	-36,381,904,000	660,134,767,000	0
4973	9.93	-36,382,526,000	660,135,238,000	0
4974	10.03	-36,383,339,000	660,135,612,000	0
4975	9.43	-36,384,204,000	660,136,010,000	0
4976	10.23	-36,385,043,000	660,136,397,000	0
4977	9.63	-36,385,894,000	660,136,794,000	0
4978	9.83	-36,386,259,000	660,137,129,000	0
4979	9.83	-36,387,063,000	660,137,443,000	0
4980	10.33	-36,387,989,000	660,137,859,000	0
4981	8.03	-36,388,597,000	660,138,394,000	-1
4982	7.83	-36,389,378,000	660,138,537,000	-1
4983	7.23	-36,389,841,000	660,138,735,000	-1
4984	5.43	-36,390,350,000	660,138,952,000	-2
4985	5.93	-36,390,404,000	660,138,548,000	-2
4986	5.73	-36,389,775,000	660,138,191,000	-2
4987	7.13	-36,388,914,000	660,137,703,000	-1
4988	7.93	-36,388,001,000	660,137,336,000	-1
4989	8.43	-36,387,492,000	660,137,068,000	-1
4990	9.53	-36,386,621,000	660,136,347,000	0
4991	9.63	-36,386,165,000	660,135,934,000	0
4992	9.43	-36,385,520,000	660,135,435,000	0
4993	10.03	-36,384,493,000	660,134,948,000	0
4994	10.63	-36,383,620,000	660,134,560,000	1
4995	10.73	-36,382,981,000	660,134,081,000	1



## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
4996	11.03	-36,382,080,000	660,133,600,000	1
4997	10.63	-36,381,218,000	660,133,083,000	1
4998	11.03	-36,380,545,000	660,132,705,000	1
4999	11.13	-36,379,742,000	660,132,216,000	1
5000	10.73	-36,380,003,000	660,131,585,000	1
5001	10.53	-36,378,195,000	660,131,298,000	1
5002	10.83	-36,377,951,000	660,130,875,000	1
5003	9.53	-36,377,527,000	660,130,682,000	0
5004	10.93	-36,376,618,000	660,130,332,000	1
5005	10.53	-36,375,830,000	660,129,767,000	1
5006	10.53	-36,375,921,000	660,129,310,000	1
5007	10.53	-36,376,006,000	660,128,921,000	1
5008	9.93	-36,376,710,000	660,129,199,000	0
5009	9.23	-36,377,388,000	660,129,600,000	0
5010	11.13	-36,378,186,000	660,130,313,000	1
5011	11.03	-36,379,022,000	660,130,496,000	1
5012	12.23	-36,380,341,000	660,131,011,000	2
5013	12.03	-36,381,032,000	660,131,496,000	1
5014	12.23	-36,381,763,000	660,132,007,000	2
5015	12.23	-36,382,595,000	660,132,348,000	2
5016	11.33	-36,383,275,000	660,133,280,000	1
5017	11.33	-36,384,112,000	660,133,506,000	1
5018	12.33	-36,385,051,000	660,133,962,000	2
5019	11.83	-36,385,870,000	660,134,386,000	1
5020	11.43	-36,386,664,000	660,134,796,000	1
5021	9.73	-36,387,484,000	660,135,220,000	0
5022	9.83	-36,388,104,000	660,135,597,000	0
5023	9.93	-36,388,783,000	660,136,013,000	0
5024	9.93	-36,389,370,000	660,136,530,000	0
5025	9.33	-36,390,068,000	660,136,893,000	0
5026	8.43	-36,390,697,000	660,136,976,000	-1
5027	7.43	-36,390,778,000	660,136,516,000	-1
5028	6.53	-36,390,840,000	660,136,053,000	-2
5029	6.83	-36,390,892,000	660,135,662,000	-2
5030	7.83	-36,390,090,000	660,135,187,000	-1
5031	10.03	-36,389,226,000	660,134,758,000	0
5032	10.73	-36,388,388,000	660,134,342,000	1
5033	10.43	-36,387,576,000	660,133,939,000	1
5034	10.83	-36,386,738,000	660,133,523,000	1
5035	10.23	-36,385,859,000	660,133,071,000	0
5036	10.03	-36,385,227,000	660,132,720,000	0
5037	11.13	-36,384,499,000	660,132,397,000	1
5038	11.23	-36,383,602,000	660,131,966,000	1
5039	11.23	-36,382,765,000	660,131,383,000	1
5040	11.43	-36,382,149,000	660,130,875,000	1
5041	11.73	-36,381,527,000	660,130,484,000	1
5042	11.63	-36,380,863,000	660,130,071,000	1
5043	12.23	-36,380,219,000	660,129,670,000	2
5044	11.53	-36,379,451,000	660,129,192,000	1
5045	10.53	-36,378,808,000	660,128,791,000	1
5046	11.03	-36,378,278,000	660,128,813,000	1
5047	11.43	-36,377,767,000	660,128,849,000	1
5048	10.63	-36,377,357,000	660,128,088,000	1
5049	10.43	-36,376,643,000	660,127,596,000	1
5050	10.13	-36,376,144,000	660,127,225,000	0
5051	10.13	-36,375,882,000	660,126,717,000	0

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
5052	11.03	-36,376,937,000	660,127,468,000	1
5053	11.43	-36,377,120,000	660,127,295,000	1
5054	11.13	-36,377,738,000	660,127,373,000	1
5055	10.93	-36,378,315,000	660,127,747,000	1
5056	13.13	-36,379,083,000	660,128,244,000	2
5057	13.53	-36,379,745,000	660,128,673,000	2
5058	13.93	-36,380,450,000	660,129,129,000	2
5059	14.03	-36,381,083,000	660,129,466,000	3
5060	13.13	-36,381,736,000	660,129,813,000	2
5061	12.03	-36,382,389,000	660,130,161,000	1
5062	10.33	-36,383,083,000	660,130,530,000	0
5063	10.93	-36,383,695,000	660,130,856,000	1
5064	10.63	-36,384,368,000	660,131,214,000	1
5065	11.23	-36,385,021,000	660,131,561,000	1
5066	12.33	-36,384,477,000	660,130,667,000	2
5067	11.53	-36,385,104,000	660,131,142,000	1
5068	13.23	-36,386,146,000	660,131,728,000	2
5069	11.73	-36,386,994,000	660,132,137,000	1
5070	11.93	-36,387,986,000	660,132,472,000	1
5071	11.33	-36,388,925,000	660,132,926,000	1
5072	10.73	-36,389,766,000	660,133,339,000	1
5073	10.43	-36,390,397,000	660,133,731,000	1
5074	7.93	-36,391,239,000	660,134,254,000	-1
5075	7.73	-36,391,917,000	660,134,674,000	-1
5076	6.83	-36,392,350,000	660,134,835,000	-2
5077	6.33	-36,392,254,000	660,134,545,000	-2
5078	6.13	-36,391,512,000	660,134,529,000	-2
5079	7.53	-36,390,673,000	660,134,206,000	-1
5080	9.63	-36,389,796,000	660,133,741,000	0
5081	9.43	-36,388,878,000	660,133,213,000	0
5082	10.43	-36,388,268,000	660,132,792,000	1
5083	11.43	-36,387,278,000	660,132,487,000	1
5084	10.93	-36,386,566,000	660,131,946,000	1
5085	11.73	-36,386,089,000	660,131,534,000	1
5086	11.53	-36,385,557,000	660,131,118,000	1
5087	11.93	-36,385,331,000	660,130,780,000	1
5088	14.33	-36,385,053,000	660,130,347,000	3
5089	12.73	-36,385,617,000	660,130,277,000	2
5090	13.93	-36,386,043,000	660,130,356,000	2
5091	12.63	-36,385,819,000	660,130,338,000	2
5092	13.73	-36,386,811,000	660,130,436,000	2
5093	12.83	-36,385,337,000	660,130,315,000	2
5094	14.73	-36,385,089,000	660,130,292,000	3
5095	14.23	-36,384,871,000	660,130,216,000	3
5096	13.33	-36,385,973,000	660,130,259,000	2
5097	14.03	-36,386,978,000	660,130,301,000	3
5098	13.13	-36,386,258,000	660,130,349,000	2
5099	12.53	-36,386,934,000	660,130,592,000	2
5100	11.33	-36,387,655,000	660,131,023,000	1
5101	10.93	-36,388,157,000	660,131,455,000	1
5102	9.73	-36,388,882,000	660,131,522,000	0
5103	9.53	-36,389,717,000	660,131,795,000	0
5104	10.03	-36,390,325,000	660,131,633,000	0
5105	9.83	-36,390,898,000	660,131,896,000	0
5106	8.93	-36,391,361,000	660,132,187,000	0
5107	8.13	-36,391,772,000	660,132,840,000	-1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
5108	7.93	-36,392,355,000	660,133,242,000	-1
5109	6.93	-36,392,893,000	660,133,241,000	-1
5110	7.13	-36,393,444,000	660,132,852,000	-1
5111	7.53	-36,393,253,000	660,132,921,000	-1
5112	8.13	-36,392,578,000	660,132,584,000	-1
5113	8.23	-36,391,805,000	660,132,349,000	-1
5114	7.33	-36,391,236,000	660,132,111,000	-1
5115	7.73	-36,390,489,000	660,131,664,000	-1
5116	8.33	-36,389,826,000	660,131,260,000	-1
5117	9.03	-36,389,098,000	660,130,840,000	0
5118	11.53	-36,388,369,000	660,130,413,000	1
5119	12.43	-36,387,571,000	660,130,121,000	2
5120	12.43	-36,386,970,000	660,129,824,000	2
5121	12.23	-36,386,517,000	660,129,446,000	2
5122	11.93	-36,386,089,000	660,129,210,000	1
5123	12.53	-36,386,295,000	660,129,101,000	2
5124	14.43	-36,386,528,000	660,128,994,000	3
5125	13.03	-36,386,741,000	660,128,897,000	2
5126	11.83	-36,386,974,000	660,128,790,000	1
5127	12.33	-36,387,227,000	660,128,694,000	2
5128	11.83	-36,387,736,000	660,128,978,000	1
5129	12.03	-36,388,340,000	660,129,315,000	1
5130	11.03	-36,389,019,000	660,129,693,000	1
5131	10.43	-36,389,632,000	660,130,327,000	1
5132	10.13	-36,390,514,000	660,130,604,000	0
5133	9.83	-36,391,175,000	660,130,924,000	0
5134	8.93	-36,391,577,000	660,131,331,000	0
5135	9.43	-36,392,263,000	660,131,595,000	0
5136	8.03	-36,393,624,000	660,132,036,000	-1
5137	7.03	-36,394,055,000	660,131,683,000	-1
5138	7.43	-36,393,432,000	660,131,339,000	-1
5139	7.43	-36,392,759,000	660,130,932,000	-1
5140	9.83	-36,391,930,000	660,130,622,000	0
5141	9.13	-36,391,257,000	660,130,228,000	0
5142	9.23	-36,390,555,000	660,129,830,000	0
5143	8.03	-36,389,648,000	660,129,318,000	-1
5144	9.23	-36,388,720,000	660,129,247,000	0
5145	10.93	-36,387,936,000	660,128,795,000	1
5146	11.93	-36,387,094,000	660,128,458,000	1
5147	11.53	-36,386,850,000	660,128,227,000	1
5148	11.63	-36,386,785,000	660,127,964,000	1
5149	13.23	-36,386,714,000	660,127,676,000	2
5150	10.63	-36,386,651,000	660,127,422,000	1
5151	9.63	-36,388,111,000	660,127,208,000	0
5152	9.83	-36,387,951,000	660,127,661,000	0
5153	10.43	-36,388,344,000	660,128,137,000	1
5154	9.73	-36,389,066,000	660,128,548,000	0
5155	8.43	-36,389,883,000	660,128,925,000	-1
5156	9.43	-36,390,677,000	660,129,290,000	0
5157	9.73	-36,391,471,000	660,129,654,000	0
5158	9.23	-36,392,290,000	660,130,031,000	0
5159	9.43	-36,393,034,000	660,130,372,000	0
5160	8.43	-36,393,558,000	660,130,616,000	-1
5161	8.03	-36,394,022,000	660,130,608,000	-1
5162	7.23	-36,394,315,000	660,130,381,000	-1
5163	8.13	-36,393,729,000	660,129,893,000	-1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
5164	9.03	-36,393,228,000	660,129,520,000	0
5165	10.23	-36,392,310,000	660,128,876,000	0
5166	9.93	-36,391,428,000	660,128,493,000	0
5167	10.63	-36,390,695,000	660,128,045,000	1
5168	10.13	-36,389,905,000	660,127,970,000	0
5169	9.73	-36,389,242,000	660,127,694,000	0
5170	9.33	-36,388,707,000	660,127,324,000	0
5171	9.93	-36,388,262,000	660,126,992,000	0
5172	9.13	-36,387,832,000	660,126,671,000	0
5173	10.03	-36,388,153,000	660,126,469,000	0
5174	11.73	-36,388,509,000	660,126,266,000	1
5175	11.73	-36,388,854,000	660,126,068,000	1
5176	12.03	-36,390,228,000	660,126,785,000	1
5177	12.63	-36,391,099,000	660,127,010,000	2
5178	12.53	-36,391,463,000	660,127,536,000	2
5179	11.13	-36,392,075,000	660,128,026,000	1
5180	10.63	-36,392,795,000	660,128,576,000	1
5181	10.83	-36,393,657,000	660,129,005,000	1
5182	9.83	-36,394,316,000	660,129,416,000	0
5183	8.73	-36,394,874,000	660,129,477,000	0
5184	7.43	-36,394,870,000	660,129,053,000	-1
5185	7.33	-36,394,701,000	660,128,700,000	-1
5186	9.03	-36,393,821,000	660,128,139,000	0
5187	10.73	-36,392,989,000	660,127,783,000	1
5188	11.63	-36,392,177,000	660,127,319,000	1
5189	12.03	-36,390,985,000	660,127,267,000	1
5190	12.53	-36,390,204,000	660,126,499,000	2
5191	11.53	-36,389,448,000	660,125,755,000	1
5192	11.13	-36,389,127,000	660,125,319,000	1
5193	11.83	-36,388,975,000	660,125,125,000	1
5194	12.03	-36,388,838,000	660,124,950,000	1
5195	14.43	-36,388,686,000	660,124,758,000	3
5196	13.93	-36,388,535,000	660,124,566,000	2
5197	13.73	-36,388,384,000	660,124,373,000	2
5198	13.33	-36,388,641,000	660,124,141,000	2
5199	12.93	-36,388,807,000	660,124,454,000	2
5200	13.23	-36,389,546,000	660,124,586,000	2
5201	12.23	-36,390,008,000	660,125,156,000	2
5202	11.03	-36,390,826,000	660,125,337,000	1
5203	12.13	-36,391,446,000	660,125,898,000	1
5204	11.93	-36,392,232,000	660,126,142,000	1
5205	11.53	-36,393,024,000	660,126,780,000	1
5206	10.33	-36,394,036,000	660,127,227,000	0
5207	10.23	-36,394,668,000	660,127,554,000	0
5208	8.53	-36,395,274,000	660,128,033,000	-1
5209	7.33	-36,395,830,000	660,128,122,000	-1
5210	7.13	-36,396,190,000	660,127,723,000	-1
5211	7.13	-36,395,891,000	660,127,065,000	-1
5212	7.23	-36,395,072,000	660,126,381,000	-1
5213	9.93	-36,394,365,000	660,126,477,000	0
5214	10.73	-36,393,285,000	660,125,464,000	1
5215	10.63	-36,392,957,000	660,125,555,000	1
5216	9.53	-36,392,148,000	660,125,205,000	0
5217	10.23	-36,391,269,000	660,124,774,000	0
5218	12.23	-36,390,296,000	660,124,291,000	2
5219	11.23	-36,389,715,000	660,123,927,000	1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
5220	11.43	-36,389,296,000	660,123,649,000	1
5221	12.33	-36,388,790,000	660,123,315,000	2
5222	13.03	-36,388,328,000	660,123,009,000	2
5223	14.03	-36,387,865,000	660,122,703,000	3
5224	14.23	-36,387,417,000	660,122,406,000	3
5225	15.13	-36,386,955,000	660,122,100,000	3
5226	13.83	-36,386,535,000	660,121,823,000	2
5227	13.43	-36,386,015,000	660,121,479,000	2
5228	13.53	-36,385,567,000	660,121,182,000	2
5229	11.43	-36,385,104,000	660,120,876,000	1
5230	11.53	-36,384,642,000	660,120,570,000	1
5231	11.23	-36,384,179,000	660,120,264,000	1
5232	12.23	-36,383,688,000	660,119,939,000	2
5233	12.53	-36,383,225,000	660,119,633,000	2
5234	12.53	-36,382,777,000	660,119,336,000	2
5235	12.03	-36,382,688,000	660,119,440,000	1
5236	14.13	-36,381,472,000	660,120,374,000	3
5237	12.63	-36,381,236,000	660,120,920,000	2
5238	12.73	-36,381,044,000	660,121,367,000	2
5239	11.13	-36,380,787,000	660,121,963,000	1
5240	11.53	-36,380,558,000	660,122,493,000	1
5241	12.33	-36,380,315,000	660,123,056,000	2
5242	12.33	-36,380,144,000	660,123,453,000	2
5243	11.93	-36,379,908,000	660,123,999,000	1
5244	11.73	-36,379,658,000	660,124,579,000	1
5245	11.33	-36,379,422,000	660,125,125,000	1
5246	12.13	-36,379,194,000	660,125,655,000	1
5247	11.83	-36,378,994,000	660,126,119,000	1
5248	12.03	-36,378,765,000	660,126,648,000	1
5249	12.13	-36,378,530,000	660,127,195,000	1
5250	11.73	-36,378,280,000	660,127,774,000	1
5251	11.53	-36,378,044,000	660,128,321,000	1
5252	11.13	-36,378,025,000	660,127,205,000	1
5253	11.13	-36,378,876,000	660,126,918,000	1
5254	9.83	-36,379,785,000	660,126,651,000	0
5255	9.63	-36,380,609,000	660,126,409,000	0
5256	10.83	-36,380,940,000	660,125,714,000	1
5257	9.53	-36,380,707,000	660,124,491,000	0
5258	11.13	-36,380,490,000	660,123,398,000	1
5259	12.13	-36,380,250,000	660,122,196,000	1
5260	11.43	-36,380,818,000	660,121,803,000	1
5261	11.63	-36,381,374,000	660,121,265,000	1
5262	12.03	-36,381,893,000	660,120,779,000	1
5263	11.33	-36,382,021,000	660,120,084,000	1
5264	11.03	-36,382,266,000	660,119,570,000	1
5265	11.13	-36,382,617,000	660,119,447,000	1
5266	11.33	-36,382,404,000	660,119,254,000	1
5267	11.73	-36,382,161,000	660,119,033,000	1
5268	11.13	-36,381,338,000	660,118,992,000	1
5269	11.43	-36,381,418,000	660,119,515,000	1
5270	11.73	-36,380,428,000	660,120,511,000	1
5271	12.73	-36,380,421,000	660,121,496,000	2
5272	11.93	-36,379,857,000	660,122,295,000	1
5273	12.33	-36,379,464,000	660,123,028,000	2
5274	11.63	-36,378,982,000	660,123,676,000	1
5275	12.63	-36,378,513,000	660,124,443,000	2

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
5276	11.53	-36,378,142,000	660,125,146,000	1
5277	10.93	-36,377,640,000	660,125,938,000	1
5278	11.03	-36,377,079,000	660,126,669,000	1
5279	10.63	-36,376,604,000	660,127,097,000	1
5280	10.53	-36,376,387,000	660,126,806,000	1
5281	10.43	-36,376,678,000	660,126,405,000	1
5282	10.13	-36,377,010,000	660,125,927,000	0
5283	10.43	-36,377,263,000	660,125,165,000	1
5284	10.03	-36,377,227,000	660,124,452,000	0
5285	10.23	-36,377,599,000	660,123,795,000	0
5286	11.63	-36,377,731,000	660,122,961,000	1
5287	11.33	-36,378,003,000	660,122,607,000	1
5288	11.83	-36,378,662,000	660,122,053,000	1
5289	10.43	-36,379,016,000	660,121,137,000	1
5290	10.73	-36,379,075,000	660,120,106,000	1
5291	12.83	-36,379,519,000	660,119,269,000	2
5292	13.03	-36,380,150,000	660,119,117,000	2
5293	10.93	-36,380,316,000	660,118,905,000	1
5294	10.93	-36,379,843,000	660,118,642,000	1
5295	10.93	-36,379,333,000	660,118,360,000	1
5296	11.93	-36,378,956,000	660,118,728,000	1
5297	11.53	-36,378,823,000	660,118,984,000	1
5298	11.53	-36,378,558,000	660,119,613,000	1
5299	11.63	-36,378,441,000	660,120,244,000	1
5300	11.53	-36,377,931,000	660,120,878,000	1
5301	11.93	-36,377,777,000	660,121,484,000	1
5302	11.13	-36,377,411,000	660,122,058,000	1
5303	10.63	-36,377,047,000	660,122,371,000	1
5304	10.03	-36,376,927,000	660,123,483,000	0
5305	8.63	-36,376,660,000	660,123,643,000	-1
5306	9.23	-36,376,483,000	660,124,177,000	0
5307	10.23	-36,376,307,000	660,124,935,000	0
5308	9.63	-36,375,833,000	660,125,758,000	0
5309	9.33	-36,375,609,000	660,126,533,000	0
5310	9.93	-36,375,392,000	660,127,087,000	0
5311	9.93	-36,374,945,000	660,127,629,000	0
5312	10.63	-36,374,423,000	660,128,203,000	1
5313	9.63	-36,373,936,000	660,127,432,000	0
5314	10.03	-36,373,915,000	660,127,262,000	0
5315	9.33	-36,374,282,000	660,126,825,000	0
5316	9.03	-36,374,646,000	660,126,408,000	0
5317	9.53	-36,374,599,000	660,125,982,000	0
5318	9.73	-36,374,283,000	660,125,298,000	0
5319	9.43	-36,374,494,000	660,124,972,000	0
5320	8.93	-36,374,589,000	660,124,366,000	0
5321	8.93	-36,374,681,000	660,123,874,000	0
5322	9.33	-36,375,004,000	660,123,431,000	0
5323	9.43	-36,374,943,000	660,122,744,000	0
5324	10.13	-36,375,116,000	660,123,108,000	0
5325	10.43	-36,375,242,000	660,122,915,000	1
5326	11.53	-36,376,094,000	660,123,334,000	1
5327	10.93	-36,376,277,000	660,122,764,000	1
5328	9.43	-36,376,713,000	660,122,238,000	0
5329	10.73	-36,376,467,000	660,121,725,000	1
5330	10.73	-36,376,317,000	660,121,213,000	1
5331	10.23	-36,376,124,000	660,120,915,000	0

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
5332	9.53	-36,376,683,000	660,120,579,000	0
5333	10.43	-36,376,717,000	660,120,133,000	1
5334	9.83	-36,376,609,000	660,119,513,000	0
5335	9.63	-36,376,285,000	660,119,123,000	0
5336	8.83	-36,376,131,000	660,118,717,000	0
5337	8.93	-36,375,919,000	660,118,222,000	0
5338	10.53	-36,376,209,000	660,118,234,000	1
5339	9.73	-36,376,442,000	660,118,034,000	0
5340	10.33	-36,376,647,000	660,117,724,000	0
5341	10.23	-36,376,542,000	660,117,429,000	0
5342	9.33	-36,376,373,000	660,117,053,000	0
5343	9.73	-36,376,396,000	660,117,556,000	0
5344	10.03	-36,376,671,000	660,118,116,000	0
5345	9.73	-36,376,717,000	660,118,723,000	0
5346	10.43	-36,377,014,000	660,119,047,000	1
5347	11.13	-36,377,672,000	660,119,207,000	1
5348	11.73	-36,378,454,000	660,118,904,000	1
5349	10.43	-36,378,905,000	660,118,440,000	1
5350	9.63	-36,379,170,000	660,117,958,000	0
5351	11.33	-36,379,399,000	660,117,602,000	1
5352	10.33	-36,379,202,000	660,116,884,000	0
5353	11.03	-36,379,436,000	660,117,364,000	1
5354	9.83	-36,379,925,000	660,117,490,000	0
5355	11.23	-36,380,695,000	660,117,862,000	1
5356	11.73	-36,381,421,000	660,118,105,000	1
5357	11.43	-36,382,184,000	660,118,238,000	1
5358	12.13	-36,383,186,000	660,118,595,000	1
5359	10.83	-36,383,923,000	660,119,074,000	1
5360	13.33	-36,384,592,000	660,119,509,000	2
5361	13.83	-36,385,329,000	660,119,988,000	2
5362	13.23	-36,386,020,000	660,120,439,000	2
5363	12.93	-36,386,734,000	660,120,903,000	2
5364	13.43	-36,387,449,000	660,121,368,000	2
5365	13.43	-36,388,051,000	660,121,760,000	2
5366	12.73	-36,388,855,000	660,122,283,000	2
5367	12.83	-36,389,569,000	660,122,747,000	2
5368	11.33	-36,390,216,000	660,123,168,000	1
5369	11.03	-36,391,019,000	660,123,691,000	1
5370	11.03	-36,391,711,000	660,124,141,000	1
5371	11.03	-36,392,704,000	660,124,269,000	1
5372	11.13	-36,393,687,000	660,124,692,000	1
5373	10.63	-36,394,425,000	660,125,391,000	1
5374	11.23	-36,395,060,000	660,125,524,000	1
5375	9.33	-36,395,732,000	660,125,867,000	0
5376	8.23	-36,396,367,000	660,126,373,000	-1
5377	7.73	-36,396,905,000	660,126,946,000	-1
5378	7.63	-36,396,889,000	660,126,549,000	-1
5379	7.73	-36,397,100,000	660,125,944,000	-1
5380	7.53	-36,397,592,000	660,125,099,000	-1
5381	7.83	-36,398,111,000	660,124,330,000	-1
5382	7.43	-36,398,645,000	660,123,554,000	-1
5383	7.53	-36,399,085,000	660,122,696,000	-1
5384	7.03	-36,399,551,000	660,121,995,000	-1
5385	7.03	-36,400,006,000	660,121,149,000	-1
5386	7.53	-36,400,296,000	660,120,057,000	-1
5387	7.13	-36,400,737,000	660,119,059,000	-1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
5388	7.73	-36,401,742,000	660,118,485,000	-1
5389	7.73	-36,401,840,000	660,117,790,000	-1
5390	6.33	-36,402,120,000	660,116,873,000	-2
5391	7.93	-36,402,977,000	660,116,105,000	-1
5392	6.43	-36,403,360,000	660,115,820,000	-2
5393	6.43	-36,403,169,000	660,115,476,000	-2
5394	7.03	-36,402,377,000	660,115,357,000	-1
5395	8.23	-36,401,861,000	660,115,309,000	-1
5396	9.53	-36,400,935,000	660,115,207,000	0
5397	9.83	-36,400,266,000	660,114,770,000	0
5398	9.13	-36,399,554,000	660,114,305,000	0
5399	9.23	-36,398,864,000	660,113,853,000	0
5400	12.13	-36,397,923,000	660,113,471,000	1
5401	10.93	-36,397,109,000	660,113,226,000	1
5402	11.03	-36,396,281,000	660,112,740,000	1
5403	11.33	-36,395,353,000	660,112,152,000	1
5404	12.73	-36,394,427,000	660,111,711,000	2
5405	11.33	-36,393,390,000	660,111,265,000	1
5406	11.23	-36,392,380,000	660,110,833,000	1
5407	12.13	-36,391,339,000	660,110,388,000	1
5408	12.03	-36,390,677,000	660,110,036,000	1
5409	10.63	-36,390,505,000	660,109,966,000	1
5410	12.03	-36,389,115,000	660,109,420,000	1
5411	11.93	-36,388,101,000	660,109,383,000	1
5412	11.63	-36,387,130,000	660,109,087,000	1
5413	11.03	-36,386,120,000	660,108,907,000	1
5414	9.53	-36,385,067,000	660,108,604,000	0
5415	10.23	-36,384,266,000	660,108,345,000	0
5416	10.93	-36,383,444,000	660,107,871,000	1
5417	10.93	-36,382,789,000	660,107,661,000	1
5418	10.73	-36,382,495,000	660,107,888,000	1
5419	10.33	-36,382,171,000	660,107,975,000	0
5420	9.53	-36,382,605,000	660,107,877,000	0
5421	10.23	-36,383,196,000	660,108,021,000	0
5422	11.33	-36,384,086,000	660,108,212,000	1
5423	10.83	-36,384,594,000	660,108,806,000	1
5424	11.83	-36,385,492,000	660,109,305,000	1
5425	11.13	-36,386,432,000	660,109,684,000	1
5426	10.43	-36,387,209,000	660,110,099,000	1
5427	12.03	-36,388,392,000	660,110,384,000	1
5428	11.33	-36,389,078,000	660,110,837,000	1
5429	12.43	-36,389,796,000	660,111,111,000	2
5430	11.33	-36,390,617,000	660,111,595,000	1
5431	11.53	-36,391,444,000	660,112,078,000	1
5432	11.23	-36,392,665,000	660,112,519,000	1
5433	12.13	-36,393,610,000	660,113,431,000	1
5434	12.53	-36,394,334,000	660,113,547,000	2
5435	11.43	-36,395,214,000	660,113,763,000	1
5436	10.73	-36,395,919,000	660,114,259,000	1
5437	9.93	-36,396,796,000	660,115,150,000	0
5438	11.33	-36,398,019,000	660,115,634,000	1
5439	11.43	-36,398,916,000	660,116,054,000	1
5440	10.53	-36,399,809,000	660,116,425,000	1
5441	10.93	-36,400,773,000	660,116,787,000	1
5442	9.43	-36,401,650,000	660,117,270,000	0
5443	7.13	-36,401,758,000	660,117,892,000	-1



## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
5444	6.63	-36,401,093,000	660,117,944,000	-2
5445	6.53	-36,399,845,000	660,117,619,000	-2
5446	9.03	-36,398,576,000	660,117,607,000	0
5447	10.53	-36,397,702,000	660,117,297,000	1
5448	11.03	-36,397,078,000	660,116,635,000	1
5449	11.63	-36,396,339,000	660,116,336,000	1
5450	12.43	-36,395,207,000	660,116,007,000	2
5451	12.23	-36,394,156,000	660,115,236,000	2
5452	12.03	-36,393,533,000	660,114,968,000	1
5453	11.53	-36,393,034,000	660,114,762,000	1
5454	10.53	-36,392,016,000	660,114,175,000	1
5455	11.73	-36,390,307,000	660,113,472,000	1
5456	11.63	-36,389,667,000	660,112,781,000	1
5457	11.63	-36,389,051,000	660,112,305,000	1
5458	12.03	-36,387,674,000	660,112,241,000	1
5459	11.23	-36,386,720,000	660,111,776,000	1
5460	11.73	-36,385,982,000	660,111,428,000	1
5461	11.53	-36,385,430,000	660,111,404,000	1
5462	11.73	-36,385,135,000	660,111,850,000	1
5463	10.33	-36,385,766,000	660,112,306,000	0
5464	9.73	-36,386,613,000	660,112,276,000	0
5465	9.83	-36,387,432,000	660,112,632,000	0
5466	10.63	-36,388,224,000	660,113,108,000	1
5467	10.93	-36,389,156,000	660,113,663,000	1
5468	11.83	-36,390,090,000	660,114,284,000	1
5469	12.33	-36,391,204,000	660,114,832,000	2
5470	11.93	-36,391,621,000	660,115,180,000	1
5471	11.13	-36,392,687,000	660,115,835,000	1
5472	11.13	-36,393,534,000	660,116,103,000	1
5473	12.03	-36,394,171,000	660,116,146,000	1
5474	10.83	-36,394,949,000	660,116,496,000	1
5475	10.93	-36,396,011,000	660,116,832,000	1
5476	13.23	-36,395,999,000	660,117,390,000	2
5477	13.33	-36,396,946,000	660,118,053,000	2
5478	11.33	-36,398,026,000	660,118,170,000	1
5479	10.93	-36,399,202,000	660,118,474,000	1
5480	10.33	-36,399,947,000	660,119,118,000	0
5481	8.63	-36,400,048,000	660,119,921,000	-1
5482	7.23	-36,399,263,000	660,120,275,000	-1
5483	8.73	-36,398,441,000	660,120,160,000	0
5484	10.33	-36,397,756,000	660,119,999,000	0
5485	10.53	-36,396,928,000	660,119,501,000	1
5486	11.63	-36,395,914,000	660,119,102,000	1
5487	13.13	-36,395,047,000	660,118,743,000	2
5488	12.73	-36,394,242,000	660,118,357,000	2
5489	12.43	-36,393,309,000	660,117,968,000	2
5490	12.23	-36,392,625,000	660,117,352,000	2
5491	11.63	-36,391,577,000	660,116,882,000	1
5492	12.43	-36,390,661,000	660,116,470,000	2
5493	11.03	-36,389,676,000	660,116,240,000	1
5494	10.73	-36,388,578,000	660,116,019,000	1
5495	10.93	-36,387,602,000	660,115,823,000	1
5496	10.33	-36,386,809,000	660,115,387,000	0
5497	11.33	-36,385,961,000	660,114,834,000	1
5498	11.43	-36,384,983,000	660,114,532,000	1
5499	11.23	-36,384,337,000	660,114,346,000	1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
5500	10.43	-36,383,708,000	660,114,165,000	1
5501	10.43	-36,384,051,000	660,115,040,000	1
5502	10.73	-36,384,857,000	660,114,846,000	1
5503	10.43	-36,385,626,000	660,115,303,000	1
5504	11.93	-36,386,715,000	660,115,902,000	1
5505	11.33	-36,387,238,000	660,116,555,000	1
5506	10.33	-36,388,188,000	660,117,009,000	0
5507	10.83	-36,388,850,000	660,117,308,000	1
5508	11.03	-36,389,816,000	660,117,698,000	1
5509	11.53	-36,390,644,000	660,118,018,000	1
5510	11.13	-36,392,242,000	660,118,116,000	1
5511	10.83	-36,392,632,000	660,118,292,000	1
5512	11.43	-36,393,295,000	660,118,995,000	1
5513	11.23	-36,393,673,000	660,119,384,000	1
5514	10.83	-36,394,335,000	660,119,927,000	1
5515	10.73	-36,396,332,000	660,120,560,000	1
5516	10.43	-36,397,243,000	660,121,168,000	1
5517	10.53	-36,398,154,000	660,121,557,000	1
5518	8.83	-36,398,936,000	660,121,908,000	0
5519	8.63	-36,399,107,000	660,122,615,000	-1
5520	6.73	-36,398,467,000	660,123,109,000	-2
5521	8.53	-36,397,858,000	660,123,030,000	-1
5522	9.93	-36,397,011,000	660,122,797,000	0
5523	10.83	-36,396,233,000	660,122,413,000	1
5524	11.23	-36,395,481,000	660,122,031,000	1
5525	10.93	-36,394,729,000	660,121,650,000	1
5526	8.23	-36,394,001,000	660,121,280,000	-1
5527	8.93	-36,393,296,000	660,120,922,000	0
5528	11.63	-36,392,450,000	660,120,493,000	1
5529	12.53	-36,391,815,000	660,120,170,000	2
5530	11.93	-36,390,946,000	660,119,729,000	1
5531	11.83	-36,390,218,000	660,119,359,000	1
5532	10.73	-36,389,466,000	660,118,978,000	1
5533	11.03	-36,388,365,000	660,118,568,000	1
5534	11.53	-36,387,651,000	660,118,150,000	1
5535	12.23	-36,386,059,000	660,116,617,000	2
5536	12.83	-36,385,095,000	660,116,139,000	2
5537	10.73	-36,384,325,000	660,115,710,000	1
5538	10.93	-36,383,640,000	660,115,302,000	1
5539	10.63	-36,383,066,000	660,115,183,000	1
5540	11.23	-36,382,854,000	660,116,196,000	1
5541	11.63	-36,383,401,000	660,116,587,000	1
5542	11.93	-36,384,132,000	660,117,117,000	1
5543	12.03	-36,384,973,000	660,117,584,000	1
5544	11.23	-36,385,914,000	660,118,155,000	1
5545	12.03	-36,386,828,000	660,118,616,000	1
5546	12.03	-36,387,589,000	660,119,051,000	1
5547	11.23	-36,387,836,000	660,119,299,000	1
5548	11.13	-36,388,074,000	660,119,549,000	1
5549	12.23	-36,388,305,000	660,119,792,000	2
5550	13.03	-36,388,528,000	660,120,027,000	2
5551	11.83	-36,388,761,000	660,120,346,000	1
5552	11.73	-36,389,042,000	660,120,735,000	1
5553	11.93	-36,389,268,000	660,121,047,000	1
5554	12.73	-36,388,601,000	660,120,705,000	2
5555	11.53	-36,387,823,000	660,120,267,000	1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
5556	12.73	-36,387,163,000	660,119,896,000	2
5557	13.03	-36,386,291,000	660,119,405,000	2
5558	12.83	-36,385,536,000	660,118,980,000	2
5559	12.03	-36,384,805,000	660,118,569,000	1
5560	12.53	-36,384,051,000	660,118,145,000	2
5561	12.23	-36,383,297,000	660,117,720,000	2
5562	11.43	-36,382,749,000	660,117,437,000	1
5563	11.43	-36,382,341,000	660,117,356,000	1
5564	10.63	-36,382,360,000	660,117,259,000	1
5565	11.23	-36,382,362,000	660,116,960,000	1
5566	10.83	-36,382,598,000	660,116,595,000	1
5567	11.63	-36,383,026,000	660,115,756,000	1
5568	11.83	-36,383,555,000	660,114,972,000	1
5569	11.13	-36,384,275,000	660,114,163,000	1
5570	11.73	-36,384,780,000	660,113,118,000	1
5571	10.23	-36,385,160,000	660,112,276,000	0
5572	11.63	-36,385,395,000	660,111,138,000	1
5573	10.13	-36,385,008,000	660,110,394,000	0
5574	10.03	-36,384,728,000	660,109,417,000	0
5575	10.43	-36,383,876,000	660,108,493,000	1
5576	10.93	-36,383,100,000	660,107,370,000	1
5577	11.13	-36,382,154,000	660,106,823,000	1
5578	11.43	-36,381,516,000	660,106,321,000	1
5579	11.63	-36,380,605,000	660,105,297,000	1
5580	10.33	-36,379,753,000	660,105,635,000	0
5581	10.83	-36,378,736,000	660,104,966,000	1
5582	11.13	-36,377,652,000	660,104,709,000	1
5583	11.33	-36,376,742,000	660,104,583,000	1
5584	11.53	-36,375,822,000	660,104,834,000	1
5585	11.43	-36,374,836,000	660,105,022,000	1
5586	10.63	-36,373,825,000	660,105,010,000	1
5587	10.63	-36,373,190,000	660,105,439,000	1
5588	10.63	-36,372,232,000	660,105,879,000	1
5589	9.93	-36,371,417,000	660,106,257,000	0
5590	10.53	-36,370,338,000	660,106,845,000	1
5591	10.63	-36,369,407,000	660,107,731,000	1
5592	10.63	-36,368,561,000	660,108,308,000	1
5593	11.43	-36,367,898,000	660,109,048,000	1
5594	10.53	-36,367,167,000	660,109,711,000	1
5595	10.33	-36,366,450,000	660,110,026,000	0
5596	10.83	-36,366,039,000	660,110,419,000	1
5597	9.93	-36,365,526,000	660,111,801,000	0
5598	9.63	-36,365,138,000	660,112,484,000	0
5599	10.23	-36,365,242,000	660,113,160,000	0
5600	10.23	-36,364,683,000	660,114,153,000	0
5601	9.83	-36,364,074,000	660,114,644,000	0
5602	10.93	-36,363,667,000	660,115,340,000	1
5603	10.63	-36,363,322,000	660,116,054,000	1
5604	10.13	-36,363,745,000	660,117,092,000	0
5605	8.93	-36,363,752,000	660,117,835,000	0
5606	8.53	-36,364,107,000	660,118,614,000	-1
5607	9.23	-36,364,684,000	660,119,532,000	0
5608	9.43	-36,365,133,000	660,120,015,000	0
5609	9.13	-36,365,449,000	660,120,596,000	0
5610	9.23	-36,365,666,000	660,120,928,000	0
5611	9.93	-36,365,291,000	660,120,882,000	0

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
5612	10.23	-36,364,695,000	660,120,956,000	0
5613	10.03	-36,364,164,000	660,121,034,000	0
5614	9.03	-36,363,383,000	660,120,751,000	0
5615	9.73	-36,363,220,000	660,120,409,000	0
5616	10.13	-36,362,858,000	660,119,599,000	0
5617	9.43	-36,362,263,000	660,118,850,000	0
5618	11.03	-36,362,099,000	660,118,205,000	1
5619	9.53	-36,361,827,000	660,117,722,000	0
5620	8.93	-36,361,410,000	660,117,078,000	0
5621	11.23	-36,360,838,000	660,116,397,000	1
5622	11.93	-36,360,394,000	660,115,744,000	1
5623	10.93	-36,359,985,000	660,115,029,000	1
5624	10.33	-36,359,695,000	660,114,112,000	0
5625	10.53	-36,359,509,000	660,113,651,000	1
5626	9.03	-36,359,193,000	660,112,816,000	0
5627	11.43	-36,358,722,000	660,112,182,000	1
5628	10.73	-36,358,489,000	660,111,654,000	1
5629	11.13	-36,358,213,000	660,110,945,000	1
5630	10.03	-36,358,535,000	660,110,381,000	0
5631	9.83	-36,358,995,000	660,109,636,000	0
5632	10.83	-36,359,091,000	660,108,900,000	1
5633	10.13	-36,358,557,000	660,107,696,000	0
5634	10.23	-36,358,669,000	660,106,857,000	0
5635	9.03	-36,358,604,000	660,106,145,000	0
5636	9.43	-36,358,384,000	660,105,449,000	0
5637	9.73	-36,358,690,000	660,104,624,000	0
5638	9.73	-36,358,323,000	660,104,338,000	0
5639	10.23	-36,357,834,000	660,103,957,000	0
5640	8.83	-36,357,441,000	660,103,650,000	0
5641	9.63	-36,356,989,000	660,102,577,000	0
5642	9.63	-36,356,848,000	660,102,826,000	0
5643	9.03	-36,358,414,000	660,102,834,000	0
5644	10.03	-36,358,265,000	660,103,377,000	0
5645	9.03	-36,358,126,000	660,103,885,000	0
5646	9.23	-36,357,958,000	660,104,498,000	0
5647	9.93	-36,359,121,000	660,105,205,000	0
5648	10.53	-36,359,431,000	660,106,124,000	1
5649	8.93	-36,359,751,000	660,107,074,000	0
5650	9.03	-36,359,963,000	660,108,302,000	0
5651	10.73	-36,359,930,000	660,109,222,000	1
5652	10.13	-36,359,897,000	660,110,171,000	0
5653	11.43	-36,359,866,000	660,111,062,000	1
5654	10.23	-36,360,299,000	660,111,999,000	0
5655	9.63	-36,360,812,000	660,112,724,000	0
5656	10.13	-36,361,227,000	660,113,297,000	0
5657	9.13	-36,361,996,000	660,114,065,000	0
5658	9.33	-36,362,340,000	660,115,384,000	0
5659	9.53	-36,362,641,000	660,115,551,000	0
5660	9.73	-36,362,642,000	660,116,474,000	0
5661	9.23	-36,363,289,000	660,116,333,000	0
5662	9.63	-36,363,521,000	660,116,141,000	0
5663	10.43	-36,363,256,000	660,115,197,000	1
5664	11.33	-36,362,864,000	660,114,281,000	1
5665	9.43	-36,362,339,000	660,113,476,000	0
5666	9.43	-36,361,998,000	660,112,623,000	0
5667	10.13	-36,361,697,000	660,111,774,000	0

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
5668	9.83	-36,361,153,000	660,110,780,000	0
5669	10.13	-36,360,825,000	660,109,962,000	0
5670	9.63	-36,360,613,000	660,109,045,000	0
5671	10.33	-36,360,343,000	660,108,161,000	0
5672	10.23	-36,360,121,000	660,107,371,000	0
5673	10.33	-36,359,885,000	660,106,267,000	0
5674	10.33	-36,359,503,000	660,105,929,000	0
5675	10.03	-36,359,094,000	660,105,279,000	0
5676	10.33	-36,359,069,000	660,104,417,000	0
5677	10.43	-36,359,042,000	660,103,468,000	1
5678	11.33	-36,358,744,000	660,102,937,000	1
5679	9.53	-36,358,999,000	660,102,168,000	0
5680	8.43	-36,359,437,000	660,101,853,000	-1
5681	9.63	-36,359,986,000	660,102,078,000	0
5682	10.83	-36,360,483,000	660,102,281,000	1
5683	11.43	-36,360,974,000	660,103,111,000	1
5684	9.83	-36,361,363,000	660,103,880,000	0
5685	10.53	-36,361,778,000	660,104,698,000	1
5686	10.73	-36,362,117,000	660,105,368,000	1
5687	10.83	-36,362,557,000	660,106,236,000	1
5688	10.03	-36,362,972,000	660,107,054,000	0
5689	9.93	-36,363,374,000	660,107,848,000	0
5690	11.23	-36,363,773,000	660,108,577,000	1
5691	10.83	-36,363,865,000	660,109,631,000	1
5692	10.83	-36,363,872,000	660,110,507,000	1
5693	11.23	-36,364,018,000	660,111,369,000	1
5694	10.33	-36,364,062,000	660,112,246,000	0
5695	9.53	-36,364,329,000	660,112,484,000	0
5696	9.93	-36,364,617,000	660,111,825,000	0
5697	10.43	-36,365,039,000	660,110,938,000	1
5698	11.33	-36,365,656,000	660,110,142,000	1
5699	10.63	-36,366,157,000	660,109,255,000	1
5700	10.03	-36,366,828,000	660,108,820,000	0
5701	9.83	-36,367,525,000	660,107,983,000	0
5702	11.23	-36,368,330,000	660,107,140,000	1
5703	10.33	-36,369,107,000	660,106,521,000	0
5704	10.53	-36,369,926,000	660,106,178,000	1
5705	12.03	-36,370,735,000	660,105,619,000	1
5706	9.93	-36,371,738,000	660,105,233,000	0
5707	9.63	-36,372,597,000	660,104,827,000	0
5708	10.03	-36,373,590,000	660,104,426,000	0
5709	9.73	-36,373,695,000	660,103,869,000	0
5710	10.83	-36,375,523,000	660,104,069,000	1
5711	11.13	-36,376,496,000	660,103,803,000	1
5712	12.43	-36,377,186,000	660,103,762,000	2
5713	11.63	-36,378,084,000	660,103,818,000	1
5714	10.73	-36,379,354,000	660,104,239,000	1
5715	10.23	-36,380,634,000	660,105,005,000	0
5716	9.83	-36,381,257,000	660,105,223,000	0
5717	11.93	-36,382,231,000	660,105,947,000	1
5718	11.53	-36,382,920,000	660,106,583,000	1
5719	11.13	-36,383,642,000	660,107,227,000	1
5720	11.83	-36,384,287,000	660,107,934,000	1
5721	12.33	-36,384,733,000	660,108,524,000	2
5722	11.33	-36,385,247,000	660,109,108,000	1
5723	10.43	-36,385,833,000	660,109,696,000	1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
5724	12.03	-36,386,289,000	660,109,263,000	1
5725	11.43	-36,386,171,000	660,108,576,000	1
5726	11.63	-36,385,750,000	660,108,105,000	1
5727	12.33	-36,384,715,000	660,107,291,000	2
5728	11.23	-36,384,056,000	660,106,599,000	1
5729	11.23	-36,383,081,000	660,106,072,000	1
5730	11.93	-36,382,136,000	660,105,562,000	1
5731	10.73	-36,381,098,000	660,104,917,000	1
5732	11.43	-36,380,143,000	660,104,521,000	1
5733	11.13	-36,379,324,000	660,104,353,000	1
5734	10.43	-36,378,037,000	660,103,948,000	1
5735	11.53	-36,376,978,000	660,103,746,000	1
5736	10.03	-36,375,825,000	660,103,945,000	0
5737	10.53	-36,374,889,000	660,104,049,000	1
5738	11.23	-36,373,571,000	660,103,984,000	1
5739	10.43	-36,372,694,000	660,104,331,000	1
5740	10.83	-36,371,829,000	660,104,759,000	1
5741	9.83	-36,370,969,000	660,105,510,000	0
5742	11.33	-36,370,063,000	660,105,943,000	1
5743	10.93	-36,369,387,000	660,106,399,000	1
5744	11.43	-36,368,363,000	660,107,315,000	1
5745	10.23	-36,367,362,000	660,107,779,000	0
5746	9.63	-36,366,504,000	660,108,628,000	0
5747	10.03	-36,366,119,000	660,109,264,000	0
5748	11.63	-36,366,178,000	660,110,707,000	1
5749	10.63	-36,365,060,000	660,111,014,000	1
5750	10.23	-36,364,523,000	660,111,807,000	0
5751	10.33	-36,364,019,000	660,112,599,000	0
5752	10.53	-36,363,629,000	660,113,291,000	1
5753	10.33	-36,362,628,000	660,113,600,000	0
5754	9.73	-36,361,717,000	660,113,154,000	0
5755	9.63	-36,362,115,000	660,111,996,000	0
5756	10.53	-36,362,829,000	660,111,418,000	1
5757	9.43	-36,363,404,000	660,110,662,000	0
5758	9.83	-36,363,817,000	660,109,858,000	0
5759	10.53	-36,364,453,000	660,109,075,000	1
5760	11.03	-36,365,276,000	660,108,302,000	1
5761	12.63	-36,365,935,000	660,107,617,000	2
5762	11.23	-36,366,735,000	660,106,696,000	1
5763	10.23	-36,367,482,000	660,106,032,000	0
5764	10.23	-36,368,373,000	660,105,221,000	0
5765	10.93	-36,369,188,000	660,104,906,000	1
5766	11.53	-36,370,109,000	660,104,454,000	1
5767	10.73	-36,371,222,000	660,104,136,000	1
5768	11.63	-36,372,415,000	660,103,797,000	1
5769	9.93	-36,373,390,000	660,103,469,000	0
5770	10.33	-36,374,426,000	660,103,368,000	0
5771	10.53	-36,375,586,000	660,103,254,000	1
5772	9.83	-36,376,551,000	660,103,058,000	0
5773	10.43	-36,377,645,000	660,103,005,000	1
5774	11.23	-36,378,699,000	660,103,114,000	1
5775	11.73	-36,379,606,000	660,103,327,000	1
5776	10.73	-36,380,608,000	660,103,766,000	1
5777	12.13	-36,381,574,000	660,104,301,000	1
5778	10.93	-36,382,523,000	660,104,758,000	1
5779	10.73	-36,383,412,000	660,105,326,000	1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
5780	10.33	-36,384,285,000	660,105,840,000	0
5781	11.63	-36,384,699,000	660,106,419,000	1
5782	11.53	-36,385,287,000	660,107,043,000	1
5783	12.03	-36,385,870,000	660,107,537,000	1
5784	11.73	-36,386,644,000	660,108,008,000	1
5785	10.53	-36,387,042,000	660,107,671,000	1
5786	11.23	-36,387,011,000	660,106,810,000	1
5787	10.13	-36,386,356,000	660,106,674,000	0
5788	11.03	-36,385,871,000	660,106,079,000	1
5789	10.63	-36,385,270,000	660,105,498,000	1
5790	10.63	-36,384,373,000	660,105,211,000	1
5791	11.93	-36,383,594,000	660,104,913,000	1
5792	12.43	-36,382,694,000	660,104,595,000	2
5793	11.93	-36,381,694,000	660,104,333,000	1
5794	11.13	-36,380,839,000	660,103,948,000	1
5795	10.43	-36,379,822,000	660,103,131,000	1
5796	10.93	-36,378,899,000	660,103,037,000	1
5797	11.63	-36,377,742,000	660,102,721,000	1
5798	10.53	-36,376,703,000	660,102,618,000	1
5799	11.13	-36,375,710,000	660,102,627,000	1
5800	10.53	-36,374,768,000	660,103,046,000	1
5801	11.13	-36,373,883,000	660,103,257,000	1
5802	11.73	-36,372,749,000	660,103,335,000	1
5803	11.13	-36,371,652,000	660,103,463,000	1
5804	9.33	-36,370,644,000	660,103,792,000	0
5805	10.83	-36,369,754,000	660,104,238,000	1
5806	11.53	-36,369,069,000	660,104,716,000	1
5807	10.73	-36,368,070,000	660,105,385,000	1
5808	10.83	-36,367,263,000	660,106,150,000	1
5809	10.63	-36,366,592,000	660,107,116,000	1
5810	9.43	-36,366,029,000	660,107,846,000	0
5811	10.63	-36,365,298,000	660,108,408,000	1
5812	9.43	-36,364,549,000	660,109,365,000	0
5813	10.53	-36,363,889,000	660,110,058,000	1
5814	10.43	-36,363,182,000	660,110,904,000	1
5815	10.23	-36,362,778,000	660,111,552,000	0
5816	10.43	-36,362,004,000	660,112,215,000	1
5817	9.83	-36,361,141,000	660,112,672,000	0
5818	9.23	-36,360,508,000	660,112,278,000	0
5819	9.83	-36,360,484,000	660,111,421,000	0
5820	9.93	-36,361,259,000	660,110,544,000	0
5821	9.53	-36,362,143,000	660,109,736,000	0
5822	10.93	-36,362,949,000	660,109,094,000	1
5823	11.53	-36,363,598,000	660,108,285,000	1
5824	10.53	-36,364,319,000	660,107,338,000	1
5825	10.03	-36,364,922,000	660,106,380,000	0
5826	10.83	-36,365,738,000	660,105,794,000	1
5827	10.53	-36,366,729,000	660,105,037,000	1
5828	10.63	-36,367,614,000	660,104,408,000	1
5829	11.43	-36,368,549,000	660,103,711,000	1
5830	10.23	-36,369,619,000	660,103,464,000	0
5831	12.03	-36,370,703,000	660,102,728,000	1
5832	11.23	-36,371,753,000	660,102,356,000	1
5833	11.53	-36,372,592,000	660,101,967,000	1
5834	11.53	-36,373,833,000	660,101,529,000	1
5835	11.83	-36,374,849,000	660,101,482,000	1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
5836	10.43	-36,375,800,000	660,101,346,000	1
5837	11.73	-36,377,028,000	660,101,250,000	1
5838	11.43	-36,378,345,000	660,101,430,000	1
5839	11.23	-36,379,309,000	660,101,394,000	1
5840	10.63	-36,380,176,000	660,101,651,000	1
5841	10.93	-36,381,315,000	660,101,950,000	1
5842	11.73	-36,382,615,000	660,102,359,000	1
5843	10.73	-36,383,761,000	660,102,552,000	1
5844	10.83	-36,384,729,000	660,102,718,000	1
5845	11.03	-36,385,895,000	660,103,302,000	1
5846	13.63	-36,386,686,000	660,103,892,000	2
5847	11.53	-36,387,585,000	660,104,284,000	1
5848	11.93	-36,388,450,000	660,104,869,000	1
5849	11.73	-36,389,165,000	660,105,172,000	1
5850	10.73	-36,389,806,000	660,105,188,000	1
5851	11.03	-36,390,025,000	660,104,590,000	1
5852	12.23	-36,389,432,000	660,104,176,000	2
5853	11.63	-36,388,365,000	660,103,880,000	1
5854	11.53	-36,387,345,000	660,103,563,000	1
5855	12.23	-36,386,404,000	660,103,218,000	2
5856	12.33	-36,385,356,000	660,102,802,000	2
5857	11.73	-36,384,269,000	660,102,361,000	1
5858	12.23	-36,382,978,000	660,101,984,000	2
5859	11.13	-36,381,964,000	660,101,601,000	1
5860	11.03	-36,380,835,000	660,101,356,000	1
5861	11.43	-36,380,000,000	660,101,252,000	1
5862	12.13	-36,379,191,000	660,101,662,000	1
5863	11.43	-36,377,762,000	660,100,995,000	1
5864	10.93	-36,376,581,000	660,100,851,000	1
5865	11.03	-36,375,653,000	660,101,108,000	1
5866	9.93	-36,374,479,000	660,101,041,000	0
5867	10.43	-36,373,402,000	660,101,263,000	1
5868	10.53	-36,372,402,000	660,101,669,000	1
5869	10.93	-36,371,188,000	660,101,835,000	1
5870	9.83	-36,370,130,000	660,102,295,000	0
5871	10.53	-36,369,237,000	660,102,752,000	1
5872	10.33	-36,368,431,000	660,103,281,000	0
5873	10.33	-36,367,599,000	660,103,690,000	0
5874	10.63	-36,366,791,000	660,104,402,000	1
5875	10.93	-36,366,213,000	660,105,079,000	1
5876	12.03	-36,365,618,000	660,105,778,000	1
5877	11.83	-36,364,844,000	660,106,295,000	1
5878	10.83	-36,363,872,000	660,107,007,000	1
5879	10.53	-36,363,333,000	660,107,730,000	1
5880	10.33	-36,362,616,000	660,108,264,000	0
5881	10.23	-36,361,921,000	660,107,846,000	0
5882	10.13	-36,361,845,000	660,106,935,000	0
5883	12.13	-36,362,426,000	660,106,282,000	1
5884	10.43	-36,363,407,000	660,105,210,000	1
5885	11.33	-36,363,529,000	660,105,275,000	1
5886	10.43	-36,364,514,000	660,104,872,000	1
5887	11.93	-36,365,393,000	660,104,449,000	1
5888	11.13	-36,365,769,000	660,104,012,000	1
5889	10.83	-36,365,636,000	660,103,931,000	1
5890	10.73	-36,365,430,000	660,103,945,000	1
5891	11.23	-36,365,237,000	660,103,958,000	1



## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
5892	10.23	-36,364,990,000	660,103,975,000	0
5893	10.53	-36,364,777,000	660,103,989,000	1
5894	11.03	-36,364,571,000	660,104,003,000	1
5895	10.53	-36,364,039,000	660,104,668,000	1
5896	10.33	-36,363,091,000	660,105,399,000	0
5897	10.83	-36,362,448,000	660,105,651,000	1
5898	9.83	-36,361,876,000	660,105,865,000	0
5899	10.53	-36,361,161,000	660,106,133,000	1
5900	9.13	-36,361,394,000	660,105,967,000	0
5901	10.73	-36,361,707,000	660,105,766,000	1
5902	10.23	-36,362,030,000	660,105,558,000	0
5903	11.23	-36,362,344,000	660,105,357,000	1
5904	10.43	-36,362,647,000	660,105,162,000	1
5905	10.43	-36,362,961,000	660,104,961,000	1
5906	9.83	-36,363,274,000	660,104,760,000	0
5907	9.63	-36,363,597,000	660,104,552,000	0
5908	11.23	-36,363,871,000	660,104,376,000	1
5909	10.73	-36,364,185,000	660,104,175,000	1
5910	10.83	-36,364,537,000	660,103,948,000	1
5911	9.93	-36,364,850,000	660,103,747,000	0
5912	11.03	-36,365,174,000	660,103,540,000	1
5913	10.83	-36,365,467,000	660,103,351,000	1
5914	9.93	-36,365,781,000	660,103,150,000	0
5915	10.13	-36,366,104,000	660,102,942,000	0
5916	9.93	-36,367,097,000	660,101,983,000	0
5917	10.23	-36,368,435,000	660,102,024,000	0
5918	11.13	-36,369,378,000	660,101,897,000	1
5919	10.23	-36,370,338,000	660,101,228,000	0
5920	10.73	-36,371,263,000	660,100,913,000	1
5921	10.43	-36,371,992,000	660,100,824,000	1
5922	10.53	-36,373,038,000	660,100,714,000	1
5923	10.83	-36,373,843,000	660,100,630,000	1
5924	10.83	-36,374,729,000	660,100,537,000	1
5925	11.43	-36,375,587,000	660,100,447,000	1
5926	10.73	-36,375,836,000	660,100,082,000	1
5927	10.33	-36,375,862,000	660,099,319,000	0
5928	11.53	-36,375,746,000	660,099,256,000	1
5929	9.63	-36,375,783,000	660,099,281,000	0
5930	10.93	-36,375,826,000	660,099,309,000	1
5931	10.63	-36,375,868,000	660,099,336,000	1
5932	11.93	-36,375,908,000	660,099,361,000	1
5933	11.23	-36,375,951,000	660,099,389,000	1
5934	11.93	-36,375,990,000	660,099,414,000	1
5935	11.23	-36,376,037,000	660,099,444,000	1
5936	11.83	-36,376,073,000	660,099,467,000	1
5937	11.53	-36,376,119,000	660,099,497,000	1
5938	10.63	-36,376,157,000	660,099,521,000	1
5939	10.23	-36,376,204,000	660,099,552,000	0
5940	10.03	-36,376,247,000	660,099,579,000	0
5941	9.53	-36,376,287,000	660,099,605,000	0
5942	10.23	-36,376,330,000	660,099,632,000	0
5943	10.63	-36,376,372,000	660,099,660,000	1
5944	11.53	-36,376,415,000	660,099,688,000	1
5945	10.83	-36,376,457,000	660,099,715,000	1
5946	9.73	-36,376,498,000	660,099,741,000	0
5947	10.93	-36,376,540,000	660,099,768,000	1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
5948	9.83	-36,376,584,000	660,099,796,000	0
5949	10.63	-36,376,626,000	660,099,823,000	1
5950	9.93	-36,376,667,000	660,099,850,000	0
5951	10.53	-36,376,705,000	660,099,874,000	1
5952	11.83	-36,376,753,000	660,099,905,000	1
5953	11.33	-36,376,793,000	660,099,931,000	1
5954	12.03	-36,376,836,000	660,099,958,000	1
5955	11.63	-36,376,878,000	660,099,985,000	1
5956	12.03	-36,376,920,000	660,100,012,000	1
5957	12.03	-36,376,965,000	660,100,041,000	1
5958	12.03	-36,377,745,000	660,100,420,000	1
5959	11.63	-36,378,579,000	660,100,848,000	1
5960	11.03	-36,379,535,000	660,101,146,000	1
5961	11.33	-36,380,537,000	660,101,209,000	1
5962	12.73	-36,381,635,000	660,101,218,000	2
5963	12.33	-36,382,405,000	660,101,085,000	2
5964	11.83	-36,383,292,000	660,100,990,000	1
5965	11.83	-36,384,335,000	660,101,071,000	1
5966	11.03	-36,385,139,000	660,101,239,000	1
5967	11.33	-36,386,131,000	660,101,248,000	1
5968	10.93	-36,387,102,000	660,101,424,000	1
5969	10.93	-36,387,943,000	660,101,590,000	1
5970	11.43	-36,388,609,000	660,101,802,000	1
5971	11.73	-36,389,464,000	660,102,138,000	1
5972	12.13	-36,390,451,000	660,102,493,000	1
5973	11.73	-36,391,483,000	660,102,528,000	1
5974	10.93	-36,392,667,000	660,102,864,000	1
5975	11.93	-36,393,694,000	660,102,771,000	1
5976	12.23	-36,394,637,000	660,102,646,000	2
5977	11.63	-36,395,784,000	660,102,559,000	1
5978	10.53	-36,396,812,000	660,102,532,000	1
5979	10.03	-36,397,970,000	660,102,470,000	0
5980	10.83	-36,399,029,000	660,102,357,000	1
5981	10.03	-36,400,054,000	660,102,536,000	0
5982	11.83	-36,400,977,000	660,102,922,000	1
5983	11.93	-36,401,797,000	660,103,447,000	1
5984	12.23	-36,402,707,000	660,103,595,000	2
5985	11.93	-36,403,621,000	660,103,848,000	1
5986	14.23	-36,404,515,000	660,104,347,000	3
5987	12.13	-36,405,159,000	660,104,738,000	1
5988	10.53	-36,406,018,000	660,105,260,000	1
5989	8.23	-36,406,781,000	660,105,723,000	-1
5990	6.73	-36,406,871,000	660,106,192,000	-2
5991	6.23	-36,406,648,000	660,106,951,000	-2
5992	5.43	-36,405,924,000	660,107,197,000	-2
5993	5.83	-36,405,179,000	660,107,383,000	-2
5994	5.83	-36,404,386,000	660,107,580,000	-2
5995	6.63	-36,403,664,000	660,107,760,000	-2
5996	5.83	-36,402,895,000	660,107,952,000	-2
5997	6.33	-36,402,196,000	660,108,126,000	-2
5998	6.23	-36,401,520,000	660,108,294,000	-2
5999	6.23	-36,400,681,000	660,108,503,000	-2
6000	6.63	-36,400,005,000	660,108,672,000	-2
6001	8.83	-36,399,190,000	660,108,875,000	0
6002	8.93	-36,398,537,000	660,109,037,000	0
6003	10.53	-36,397,698,000	660,109,246,000	1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
6004	12.03	-36,396,953,000	660,109,432,000	1
6005	10.63	-36,396,184,000	660,109,624,000	1
6006	10.53	-36,395,438,000	660,109,810,000	1
6007	11.53	-36,394,692,000	660,109,995,000	1
6008	10.83	-36,394,040,000	660,110,158,000	1
6009	12.43	-36,393,671,000	660,110,094,000	2
6010	10.73	-36,393,219,000	660,109,796,000	1
6011	10.23	-36,392,129,000	660,109,121,000	0
6012	10.73	-36,391,145,000	660,108,891,000	1
6013	10.03	-36,389,438,000	660,108,662,000	0
6014	10.93	-36,388,774,000	660,108,476,000	1
6015	11.53	-36,387,674,000	660,108,308,000	1
6016	11.03	-36,386,599,000	660,108,066,000	1
6017	11.13	-36,385,582,000	660,107,729,000	1
6018	10.93	-36,384,343,000	660,107,342,000	1
6019	10.53	-36,384,074,000	660,106,999,000	1
6020	9.83	-36,383,616,000	660,106,238,000	0
6021	10.53	-36,384,009,000	660,105,667,000	1
6022	10.53	-36,384,730,000	660,105,223,000	1
6023	11.63	-36,386,455,000	660,105,938,000	1
6024	10.73	-36,387,198,000	660,105,982,000	1
6025	11.63	-36,387,903,000	660,106,267,000	1
6026	11.43	-36,389,011,000	660,106,524,000	1
6027	11.63	-36,389,929,000	660,106,793,000	1
6028	11.83	-36,390,979,000	660,107,249,000	1
6029	10.73	-36,391,943,000	660,107,654,000	1
6030	11.33	-36,393,197,000	660,108,057,000	1
6031	11.23	-36,394,378,000	660,108,407,000	1
6032	11.03	-36,395,141,000	660,108,759,000	1
6033	11.13	-36,395,937,000	660,108,994,000	1
6034	11.23	-36,397,056,000	660,109,487,000	1
6035	11.53	-36,398,151,000	660,109,971,000	1
6036	10.03	-36,399,211,000	660,110,441,000	0
6037	11.23	-36,400,306,000	660,110,926,000	1
6038	10.83	-36,401,258,000	660,111,599,000	1
6039	11.13	-36,402,075,000	660,112,022,000	1
6040	10.03	-36,402,690,000	660,112,064,000	0
6041	9.83	-36,403,241,000	660,112,092,000	0
6042	9.43	-36,402,388,000	660,111,797,000	0
6043	9.13	-36,401,438,000	660,111,481,000	0
6044	10.63	-36,400,489,000	660,111,165,000	1
6045	10.73	-36,399,658,000	660,110,888,000	1
6046	10.43	-36,398,590,000	660,110,533,000	1
6047	10.93	-36,397,611,000	660,110,207,000	1
6048	11.23	-36,396,661,000	660,109,890,000	1
6049	10.73	-36,395,712,000	660,109,574,000	1
6050	10.83	-36,394,792,000	660,109,268,000	1
6051	11.73	-36,393,843,000	660,108,952,000	1
6052	12.03	-36,392,863,000	660,108,625,000	1
6053	12.73	-36,391,884,000	660,108,299,000	2
6054	12.33	-36,390,994,000	660,108,003,000	2
6055	11.63	-36,390,134,000	660,107,716,000	1
6056	12.23	-36,389,065,000	660,107,361,000	2
6057	10.83	-36,388,116,000	660,107,044,000	1
6058	11.13	-36,387,156,000	660,106,754,000	1
6059	11.43	-36,386,338,000	660,106,511,000	1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
6060	11.13	-36,385,501,000	660,106,233,000	1
6061	10.73	-36,385,274,000	660,105,680,000	1
6062	12.33	-36,386,065,000	660,104,961,000	2
6063	11.73	-36,386,943,000	660,104,798,000	1
6064	11.53	-36,387,990,000	660,104,921,000	1
6065	12.33	-36,388,805,000	660,105,088,000	2
6066	11.43	-36,390,027,000	660,105,573,000	1
6067	11.43	-36,390,671,000	660,105,967,000	1
6068	11.63	-36,391,803,000	660,106,665,000	1
6069	11.53	-36,393,032,000	660,107,156,000	1
6070	11.23	-36,394,069,000	660,107,669,000	1
6071	10.43	-36,395,058,000	660,107,982,000	1
6072	11.53	-36,396,382,000	660,108,443,000	1
6073	11.73	-36,396,420,000	660,108,447,000	1
6074	11.23	-36,396,420,000	660,108,438,000	1
6075	10.93	-36,396,421,000	660,108,427,000	1
6076	10.33	-36,396,421,000	660,108,417,000	0
6077	9.73	-36,396,421,000	660,108,407,000	0
6078	9.83	-36,396,422,000	660,108,397,000	0
6079	10.23	-36,396,422,000	660,108,387,000	0
6080	9.33	-36,396,422,000	660,108,377,000	0
6081	9.03	-36,396,423,000	660,108,367,000	0
6082	10.53	-36,396,423,000	660,108,357,000	1
6083	11.13	-36,396,424,000	660,108,347,000	1
6084	11.63	-36,396,424,000	660,108,338,000	1
6085	11.33	-36,396,424,000	660,108,327,000	1
6086	10.83	-36,396,425,000	660,108,318,000	1
6087	10.93	-36,396,425,000	660,108,307,000	1
6088	11.13	-36,396,425,000	660,108,297,000	1
6089	10.83	-36,395,378,000	660,107,684,000	1
6090	11.23	-36,393,936,000	660,107,310,000	1
6091	10.63	-36,393,537,000	660,107,655,000	1
6092	12.53	-36,391,937,000	660,107,168,000	2
6093	11.03	-36,390,892,000	660,106,877,000	1
6094	11.73	-36,390,083,000	660,106,752,000	1
6095	11.83	-36,388,978,000	660,106,216,000	1
6096	12.73	-36,388,107,000	660,105,914,000	2
6097	12.03	-36,387,479,000	660,105,579,000	1
6098	10.63	-36,386,560,000	660,104,873,000	1
6099	10.43	-36,386,414,000	660,103,965,000	1
6100	12.03	-36,387,706,000	660,103,376,000	1
6101	12.03	-36,388,758,000	660,103,358,000	1
6102	11.53	-36,389,847,000	660,103,586,000	1
6103	12.23	-36,390,793,000	660,103,991,000	2
6104	11.13	-36,391,878,000	660,104,549,000	1
6105	11.33	-36,392,851,000	660,105,037,000	1
6106	11.33	-36,393,866,000	660,105,381,000	1
6107	11.63	-36,394,831,000	660,105,837,000	1
6108	12.33	-36,395,834,000	660,106,657,000	2
6109	11.63	-36,397,184,000	660,107,244,000	1
6110	12.53	-36,397,300,000	660,107,202,000	2
6111	10.33	-36,397,383,000	660,107,143,000	0
6112	9.73	-36,397,469,000	660,107,081,000	0
6113	11.23	-36,397,553,000	660,107,021,000	1
6114	9.43	-36,397,634,000	660,106,963,000	0
6115	10.93	-36,397,717,000	660,106,903,000	1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
6116	10.83	-36,397,803,000	660,106,842,000	1
6117	9.13	-36,397,887,000	660,106,782,000	0
6118	8.93	-36,397,968,000	660,106,724,000	0
6119	8.83	-36,398,043,000	660,106,670,000	0
6120	9.13	-36,398,127,000	660,106,610,000	0
6121	11.33	-36,398,221,000	660,106,543,000	1
6122	10.43	-36,398,307,000	660,106,481,000	1
6123	11.63	-36,398,388,000	660,106,423,000	1
6124	10.83	-36,398,441,000	660,106,360,000	1
6125	11.33	-36,397,447,000	660,106,303,000	1
6126	11.03	-36,396,505,000	660,106,436,000	1
6127	11.53	-36,395,295,000	660,106,079,000	1
6128	11.13	-36,394,403,000	660,105,912,000	1
6129	11.83	-36,393,585,000	660,105,573,000	1
6130	12.33	-36,392,483,000	660,105,073,000	2
6131	12.33	-36,391,832,000	660,104,918,000	2
6132	11.63	-36,390,745,000	660,104,560,000	1
6133	11.73	-36,389,750,000	660,104,010,000	1
6134	10.33	-36,389,227,000	660,103,678,000	0
6135	10.73	-36,388,165,000	660,103,581,000	1
6136	10.73	-36,387,110,000	660,103,137,000	1
6137	12.23	-36,388,214,000	660,102,774,000	2
6138	13.53	-36,388,673,000	660,103,015,000	2
6139	12.13	-36,389,831,000	660,103,195,000	1
6140	11.23	-36,391,087,000	660,103,383,000	1
6141	12.03	-36,392,085,000	660,103,511,000	1
6142	10.23	-36,393,278,000	660,103,923,000	0
6143	10.83	-36,394,112,000	660,104,226,000	1
6144	11.33	-36,395,295,000	660,104,827,000	1
6145	10.43	-36,395,928,000	660,104,876,000	1
6146	10.53	-36,396,998,000	660,105,260,000	1
6147	11.23	-36,397,876,000	660,105,666,000	1
6148	10.33	-36,398,901,000	660,106,027,000	0
6149	10.33	-36,400,080,000	660,106,614,000	0
6150	12.03	-36,401,154,000	660,107,021,000	1
6151	12.43	-36,401,209,000	660,106,990,000	2
6152	10.23	-36,401,230,000	660,106,945,000	0
6153	10.33	-36,401,252,000	660,106,899,000	0
6154	10.03	-36,401,271,000	660,106,861,000	0
6155	8.43	-36,401,294,000	660,106,814,000	-1
6156	8.13	-36,401,318,000	660,106,763,000	-1
6157	8.73	-36,401,340,000	660,106,718,000	0
6158	9.73	-36,401,363,000	660,106,671,000	0
6159	9.33	-36,401,381,000	660,106,633,000	0
6160	10.93	-36,401,403,000	660,106,589,000	1
6161	11.13	-36,400,611,000	660,106,400,000	1
6162	11.73	-36,399,561,000	660,106,020,000	1
6163	11.03	-36,398,502,000	660,105,794,000	1
6164	10.93	-36,397,309,000	660,105,305,000	1
6165	10.53	-36,396,204,000	660,105,027,000	1
6166	10.23	-36,395,352,000	660,104,743,000	0
6167	10.03	-36,394,252,000	660,104,352,000	0
6168	11.93	-36,393,313,000	660,104,259,000	1
6169	11.63	-36,392,414,000	660,103,966,000	1
6170	11.93	-36,392,042,000	660,103,072,000	1
6171	11.63	-36,392,955,000	660,102,952,000	1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
6172	11.93	-36,393,828,000	660,102,734,000	1
6173	12.33	-36,394,570,000	660,102,929,000	2
6174	12.63	-36,395,771,000	660,102,996,000	2
6175	10.83	-36,396,603,000	660,103,657,000	1
6176	10.93	-36,397,919,000	660,104,098,000	1
6177	11.93	-36,398,761,000	660,104,251,000	1
6178	10.53	-36,400,070,000	660,104,698,000	1
6179	10.93	-36,400,984,000	660,105,170,000	1
6180	10.83	-36,401,916,000	660,105,541,000	1
6181	11.33	-36,402,970,000	660,106,489,000	1
6182	11.63	-36,403,652,000	660,106,660,000	1
6183	10.63	-36,403,581,000	660,106,492,000	1
6184	9.43	-36,403,475,000	660,106,294,000	0
6185	7.83	-36,403,372,000	660,106,103,000	-1
6186	8.43	-36,403,273,000	660,105,917,000	-1
6187	8.43	-36,403,167,000	660,105,719,000	-1
6188	9.13	-36,403,064,000	660,105,528,000	0
6189	11.53	-36,402,958,000	660,105,330,000	1
6190	12.73	-36,402,856,000	660,105,139,000	2
6191	11.73	-36,402,756,000	660,104,953,000	1
6192	11.63	-36,402,653,000	660,104,762,000	1
6193	11.53	-36,402,547,000	660,104,564,000	1
6194	11.63	-36,402,461,000	660,104,402,000	1
6195	11.03	-36,402,339,000	660,104,175,000	1
6196	9.83	-36,402,242,000	660,103,995,000	0
6197	11.23	-36,402,140,000	660,103,804,000	1
6198	10.73	-36,402,037,000	660,103,612,000	1
6199	11.63	-36,401,931,000	660,103,415,000	1
6200	12.53	-36,402,847,000	660,103,624,000	2
6201	12.73	-36,404,088,000	660,104,164,000	2
6202	12.13	-36,405,049,000	660,104,666,000	1
6203	12.13	-36,405,635,000	660,104,255,000	1
6204	9.93	-36,406,177,000	660,103,797,000	0
6205	7.73	-36,406,701,000	660,103,354,000	-1
6206	7.33	-36,407,243,000	660,102,897,000	-1
6207	7.33	-36,407,734,000	660,102,483,000	-1
6208	8.13	-36,408,343,000	660,101,968,000	-1
6209	7.83	-36,408,868,000	660,101,525,000	-1
6210	7.13	-36,409,642,000	660,100,853,000	-1
6211	6.23	-36,410,023,000	660,100,053,000	-2
6212	7.23	-36,410,497,000	660,098,890,000	-1
6213	6.93	-36,410,642,000	660,097,893,000	-1
6214	7.63	-36,411,509,000	660,097,192,000	-1
6215	6.93	-36,412,012,000	660,096,275,000	-1
6216	6.33	-36,412,472,000	660,095,373,000	-2
6217	5.73	-36,412,933,000	660,094,470,000	-2
6218	6.43	-36,413,393,000	660,093,567,000	-2
6219	8.13	-36,413,853,000	660,092,664,000	-1
6220	7.83	-36,414,328,000	660,091,733,000	-1
6221	7.73	-36,414,774,000	660,090,858,000	-1
6222	7.13	-36,415,162,000	660,090,097,000	-1
6223	7.53	-36,415,976,000	660,089,295,000	-1
6224	6.73	-36,416,785,000	660,088,747,000	-2
6225	8.33	-36,417,597,000	660,088,207,000	-1
6226	7.13	-36,418,333,000	660,087,719,000	-1
6227	7.13	-36,419,119,000	660,087,196,000	-1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
6228	6.53	-36,420,058,000	660,086,573,000	-2
6229	6.53	-36,420,845,000	660,086,050,000	-2
6230	7.23	-36,421,580,000	660,085,561,000	-1
6231	6.53	-36,422,099,000	660,084,961,000	-2
6232	6.13	-36,421,295,000	660,085,260,000	-2
6233	6.53	-36,420,529,000	660,085,557,000	-2
6234	7.03	-36,419,687,000	660,085,883,000	-1
6235	6.83	-36,418,870,000	660,086,199,000	-2
6236	6.03	-36,418,027,000	660,086,525,000	-2
6237	6.53	-36,417,287,000	660,086,811,000	-2
6238	7.13	-36,416,444,000	660,087,137,000	-1
6239	7.73	-36,415,627,000	660,087,453,000	-1
6240	7.03	-36,415,093,000	660,090,450,000	-1
6241	8.33	-36,414,746,000	660,090,638,000	-1
6242	8.23	-36,414,431,000	660,090,629,000	-1
6243	9.43	-36,414,106,000	660,090,619,000	0
6244	9.53	-36,413,811,000	660,090,610,000	0
6245	8.63	-36,413,445,000	660,090,599,000	-1
6246	8.63	-36,413,120,000	660,090,589,000	-1
6247	9.93	-36,412,795,000	660,090,579,000	0
6248	9.53	-36,412,510,000	660,090,570,000	0
6249	9.73	-36,412,144,000	660,090,559,000	0
6250	10.53	-36,411,819,000	660,090,549,000	1
6251	10.33	-36,411,504,000	660,090,539,000	0
6252	11.33	-36,411,179,000	660,090,529,000	1
6253	10.23	-36,411,272,000	660,090,178,000	0
6254	9.13	-36,411,389,000	660,089,816,000	0
6255	8.83	-36,411,506,000	660,089,454,000	0
6256	10.03	-36,411,619,000	660,089,103,000	0
6257	9.83	-36,411,732,000	660,088,752,000	0
6258	9.53	-36,411,852,000	660,088,379,000	0
6259	10.73	-36,411,969,000	660,088,017,000	1
6260	11.63	-36,412,090,000	660,087,644,000	1
6261	10.93	-36,412,199,000	660,087,305,000	1
6262	11.63	-36,412,091,000	660,087,342,000	1
6263	11.73	-36,411,968,000	660,087,416,000	1
6264	10.83	-36,411,841,000	660,087,493,000	1
6265	10.83	-36,411,717,000	660,087,567,000	1
6266	11.83	-36,411,602,000	660,087,636,000	1
6267	11.03	-36,411,490,000	660,087,704,000	1
6268	11.33	-36,411,352,000	660,087,787,000	1
6269	12.63	-36,411,248,000	660,087,849,000	2
6270	11.73	-36,411,109,000	660,087,933,000	1
6271	12.03	-36,410,986,000	660,088,007,000	1
6272	13.13	-36,410,863,000	660,088,081,000	2
6273	13.33	-36,410,759,000	660,088,144,000	2
6274	11.63	-36,410,613,000	660,088,232,000	1
6275	13.03	-36,410,497,000	660,088,301,000	2
6276	12.43	-36,410,386,000	660,088,368,000	2
6277	11.83	-36,410,263,000	660,088,442,000	1
6278	13.33	-36,410,124,000	660,088,526,000	2
6279	11.53	-36,409,997,000	660,088,602,000	1
6280	10.43	-36,409,882,000	660,088,672,000	1
6281	10.73	-36,409,755,000	660,088,748,000	1
6282	10.63	-36,409,631,000	660,088,822,000	1
6283	10.63	-36,409,504,000	660,088,898,000	1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
6284	11.33	-36,409,389,000	660,088,968,000	1
6285	10.73	-36,409,258,000	660,089,047,000	1
6286	10.43	-36,409,139,000	660,089,118,000	1
6287	11.03	-36,409,027,000	660,089,186,000	1
6288	10.53	-36,408,889,000	660,089,269,000	1
6289	11.33	-36,408,769,000	660,089,341,000	1
6290	12.43	-36,408,658,000	660,089,408,000	2
6291	12.53	-36,408,523,000	660,089,489,000	2
6292	12.83	-36,408,396,000	660,089,565,000	2
6293	12.33	-36,408,292,000	660,089,628,000	2
6294	12.23	-36,408,154,000	660,089,711,000	2
6295	10.83	-36,408,030,000	660,089,785,000	1
6296	11.03	-36,407,903,000	660,089,862,000	1
6297	12.33	-36,407,776,000	660,089,938,000	2
6298	11.63	-36,407,653,000	660,090,012,000	1
6299	11.83	-36,407,534,000	660,090,084,000	1
6300	12.33	-36,407,411,000	660,090,158,000	2
6301	12.13	-36,407,288,000	660,090,232,000	1
6302	11.33	-36,407,165,000	660,090,306,000	1
6303	10.83	-36,407,045,000	660,090,378,000	1
6304	11.63	-36,406,922,000	660,090,452,000	1
6305	11.93	-36,406,791,000	660,090,531,000	1
6306	12.03	-36,406,672,000	660,090,603,000	1
6307	11.73	-36,406,545,000	660,090,679,000	1
6308	11.43	-36,406,426,000	660,090,751,000	1
6309	10.43	-36,406,302,000	660,090,825,000	1
6310	10.63	-36,406,440,000	660,091,325,000	1
6311	10.43	-36,406,569,000	660,091,774,000	1
6312	10.73	-36,406,738,000	660,092,368,000	1
6313	9.33	-36,406,875,000	660,092,850,000	0
6314	10.33	-36,407,026,000	660,093,379,000	0
6315	10.43	-36,406,730,000	660,093,547,000	1
6316	10.03	-36,406,058,000	660,094,027,000	0
6317	10.93	-36,405,428,000	660,094,485,000	1
6318	10.13	-36,405,861,000	660,095,155,000	0
6319	10.63	-36,405,919,000	660,095,929,000	1
6320	10.83	-36,407,276,000	660,097,108,000	1
6321	10.23	-36,407,879,000	660,097,930,000	0
6322	10.03	-36,408,022,000	660,098,816,000	0
6323	9.13	-36,408,135,000	660,099,705,000	0
6324	8.23	-36,408,248,000	660,100,595,000	-1
6325	8.53	-36,408,364,000	660,101,512,000	-1
6326	10.23	-36,408,158,000	660,101,616,000	0
6327	9.43	-36,407,942,000	660,101,694,000	0
6328	8.73	-36,407,733,000	660,101,770,000	0
6329	8.43	-36,407,516,000	660,101,848,000	-1
6330	10.83	-36,407,300,000	660,101,927,000	1
6331	11.03	-36,407,077,000	660,102,008,000	1
6332	11.33	-36,406,888,000	660,102,076,000	1
6333	10.83	-36,407,204,000	660,101,115,000	1
6334	11.53	-36,407,540,000	660,100,249,000	1
6335	10.53	-36,408,002,000	660,099,226,000	1
6336	10.63	-36,408,244,000	660,098,519,000	1
6337	11.03	-36,408,037,000	660,098,243,000	1
6338	10.83	-36,407,390,000	660,098,888,000	1
6339	11.23	-36,406,728,000	660,099,622,000	1



## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
6340	11.43	-36,406,627,000	660,100,223,000	1
6341	10.63	-36,406,149,000	660,101,174,000	1
6342	10.63	-36,405,506,000	660,101,368,000	1
6343	11.03	-36,405,101,000	660,102,679,000	1
6344	12.53	-36,404,551,000	660,103,129,000	2
6345	11.33	-36,404,201,000	660,102,808,000	1
6346	11.43	-36,404,020,000	660,102,020,000	1
6347	12.03	-36,404,322,000	660,100,994,000	1
6348	12.33	-36,404,765,000	660,099,885,000	2
6349	12.23	-36,404,646,000	660,098,568,000	2
6350	12.63	-36,405,052,000	660,097,804,000	2
6351	11.33	-36,405,365,000	660,097,225,000	1
6352	12.03	-36,405,716,000	660,096,646,000	1
6353	12.83	-36,405,420,000	660,096,437,000	2
6354	12.03	-36,404,893,000	660,096,787,000	1
6355	12.13	-36,404,522,000	660,097,346,000	1
6356	11.53	-36,404,222,000	660,098,114,000	1
6357	10.83	-36,403,899,000	660,099,311,000	1
6358	10.93	-36,403,269,000	660,099,721,000	1
6359	11.23	-36,402,713,000	660,100,012,000	1
6360	11.73	-36,402,328,000	660,100,184,000	1
6361	11.83	-36,402,372,000	660,099,630,000	1
6362	12.13	-36,402,382,000	660,098,827,000	1
6363	11.93	-36,402,155,000	660,098,281,000	1
6364	11.83	-36,402,192,000	660,097,593,000	1
6365	9.43	-36,402,398,000	660,097,150,000	0
6366	10.43	-36,402,299,000	660,096,997,000	1
6367	10.43	-36,401,741,000	660,096,653,000	1
6368	10.33	-36,401,196,000	660,095,986,000	0
6369	9.73	-36,401,188,000	660,095,400,000	0
6370	11.23	-36,401,613,000	660,095,056,000	1
6371	10.93	-36,402,000,000	660,094,723,000	1
6372	9.33	-36,402,714,000	660,094,885,000	0
6373	11.83	-36,402,700,000	660,094,777,000	1
6374	10.63	-36,402,919,000	660,094,431,000	1
6375	10.53	-36,403,272,000	660,095,343,000	1
6376	9.03	-36,403,543,000	660,095,629,000	0
6377	9.83	-36,403,790,000	660,096,127,000	0
6378	10.33	-36,403,423,000	660,096,740,000	0
6379	11.23	-36,402,988,000	660,097,472,000	1
6380	11.83	-36,402,288,000	660,097,736,000	1
6381	11.33	-36,401,571,000	660,097,673,000	1
6382	10.53	-36,400,981,000	660,097,683,000	1
6383	11.03	-36,400,475,000	660,098,059,000	1
6384	11.93	-36,400,686,000	660,098,589,000	1
6385	11.23	-36,400,794,000	660,098,797,000	1
6386	10.93	-36,400,545,000	660,098,636,000	1
6387	11.53	-36,400,027,000	660,098,602,000	1
6388	10.83	-36,399,573,000	660,099,135,000	1
6389	10.63	-36,399,286,000	660,099,917,000	1
6390	11.63	-36,398,738,000	660,099,775,000	1
6391	10.83	-36,398,077,000	660,099,807,000	1
6392	11.23	-36,397,714,000	660,099,270,000	1
6393	9.73	-36,397,877,000	660,098,593,000	0
6394	10.03	-36,398,320,000	660,097,929,000	0
6395	11.43	-36,398,896,000	660,097,117,000	1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
6396	10.73	-36,399,556,000	660,096,249,000	1
6397	11.83	-36,399,142,000	660,095,590,000	1
6398	12.23	-36,399,546,000	660,094,679,000	2
6399	12.73	-36,399,813,000	660,093,940,000	2
6400	10.73	-36,400,378,000	660,093,912,000	1
6401	11.43	-36,400,229,000	660,093,435,000	1
6402	11.53	-36,400,032,000	660,092,926,000	1
6403	11.73	-36,399,834,000	660,092,417,000	1
6404	11.83	-36,399,637,000	660,091,907,000	1
6405	10.13	-36,399,836,000	660,092,901,000	0
6406	11.13	-36,398,935,000	660,092,807,000	1
6407	10.23	-36,398,253,000	660,092,536,000	0
6408	10.23	-36,397,627,000	660,091,868,000	0
6409	9.73	-36,397,676,000	660,091,278,000	0
6410	11.03	-36,397,854,000	660,090,869,000	1
6411	11.53	-36,398,043,000	660,090,458,000	1
6412	10.43	-36,398,198,000	660,090,122,000	1
6413	9.53	-36,398,404,000	660,089,674,000	0
6414	10.13	-36,397,796,000	660,088,766,000	0
6415	11.23	-36,397,912,000	660,088,104,000	1
6416	10.43	-36,397,798,000	660,087,936,000	1
6417	10.03	-36,398,236,000	660,087,756,000	0
6418	10.23	-36,398,392,000	660,087,717,000	0
6419	10.93	-36,398,109,000	660,087,894,000	1
6420	10.63	-36,398,085,000	660,088,012,000	1
6421	10.03	-36,398,116,000	660,088,100,000	0
6422	10.13	-36,398,142,000	660,088,178,000	0
6423	10.23	-36,398,176,000	660,088,274,000	0
6424	10.53	-36,398,208,000	660,088,365,000	1
6425	10.63	-36,398,239,000	660,088,456,000	1
6426	10.73	-36,398,270,000	660,088,544,000	1
6427	11.43	-36,398,298,000	660,088,624,000	1
6428	9.83	-36,398,329,000	660,088,715,000	0
6429	10.23	-36,398,360,000	660,088,804,000	0
6430	11.23	-36,398,390,000	660,088,892,000	1
6431	10.03	-36,398,420,000	660,088,977,000	0
6432	11.53	-36,398,453,000	660,089,071,000	1
6433	10.33	-36,398,483,000	660,089,159,000	0
6434	11.53	-36,398,041,000	660,089,520,000	1
6435	12.13	-36,397,245,000	660,089,809,000	1
6436	10.23	-36,396,995,000	660,090,392,000	0
6437	10.03	-36,397,276,000	660,090,933,000	0
6438	11.23	-36,397,088,000	660,091,594,000	1
6439	12.03	-36,397,074,000	660,091,694,000	1
6440	9.83	-36,396,371,000	660,092,149,000	0
6441	10.23	-36,395,739,000	660,092,616,000	0
6442	10.33	-36,394,707,000	660,092,753,000	0
6443	9.83	-36,393,952,000	660,092,586,000	0
6444	10.73	-36,392,996,000	660,093,308,000	1
6445	10.13	-36,392,440,000	660,093,822,000	0
6446	10.63	-36,392,190,000	660,094,420,000	1
6447	11.83	-36,392,445,000	660,095,288,000	1
6448	12.13	-36,392,830,000	660,095,849,000	1
6449	11.93	-36,393,026,000	660,096,375,000	1
6450	10.43	-36,393,706,000	660,096,991,000	1
6451	11.33	-36,393,750,000	660,097,605,000	1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
6452	11.13	-36,393,522,000	660,098,400,000	1
6453	11.53	-36,393,144,000	660,099,063,000	1
6454	11.33	-36,392,401,000	660,099,613,000	1
6455	12.03	-36,391,717,000	660,100,043,000	1
6456	12.63	-36,391,255,000	660,100,784,000	2
6457	12.03	-36,391,122,000	660,100,380,000	1
6458	12.53	-36,390,986,000	660,099,630,000	2
6459	11.93	-36,391,337,000	660,098,896,000	1
6460	11.03	-36,391,664,000	660,098,332,000	1
6461	11.73	-36,391,653,000	660,097,573,000	1
6462	10.83	-36,391,466,000	660,096,900,000	1
6463	10.33	-36,391,125,000	660,096,156,000	0
6464	11.13	-36,391,094,000	660,095,359,000	1
6465	11.23	-36,391,255,000	660,094,806,000	1
6466	10.93	-36,391,145,000	660,093,894,000	1
6467	11.73	-36,390,682,000	660,092,959,000	1
6468	10.13	-36,390,500,000	660,092,607,000	0
6469	9.73	-36,391,097,000	660,092,661,000	0
6470	10.73	-36,391,565,000	660,091,432,000	1
6471	11.73	-36,392,037,000	660,090,946,000	1
6472	11.83	-36,392,349,000	660,090,426,000	1
6473	11.23	-36,392,601,000	660,089,858,000	1
6474	11.13	-36,392,588,000	660,089,421,000	1
6475	11.63	-36,392,992,000	660,088,920,000	1
6476	11.03	-36,393,387,000	660,088,529,000	1
6477	10.63	-36,394,062,000	660,088,446,000	1
6478	11.53	-36,393,997,000	660,088,307,000	1
6479	11.83	-36,393,906,000	660,088,158,000	1
6480	11.63	-36,393,816,000	660,088,010,000	1
6481	10.23	-36,393,723,000	660,087,857,000	0
6482	10.83	-36,393,635,000	660,087,714,000	1
6483	9.63	-36,393,544,000	660,087,565,000	0
6484	10.93	-36,393,582,000	660,088,076,000	1
6485	10.63	-36,393,627,000	660,088,613,000	1
6486	11.63	-36,393,672,000	660,089,150,000	1
6487	10.93	-36,393,716,000	660,089,670,000	1
6488	10.93	-36,393,544,000	660,090,313,000	1
6489	10.13	-36,393,359,000	660,090,963,000	0
6490	10.23	-36,393,196,000	660,091,531,000	0
6491	11.53	-36,392,715,000	660,090,978,000	1
6492	10.53	-36,392,862,000	660,091,379,000	1
6493	10.13	-36,392,844,000	660,092,186,000	0
6494	10.33	-36,392,848,000	660,093,212,000	0
6495	10.73	-36,392,540,000	660,093,730,000	1
6496	11.23	-36,392,950,000	660,094,968,000	1
6497	11.03	-36,393,389,000	660,095,834,000	1
6498	10.33	-36,394,082,000	660,096,555,000	0
6499	10.73	-36,394,504,000	660,096,802,000	1
6500	10.83	-36,394,726,000	660,096,487,000	1
6501	11.43	-36,395,395,000	660,096,295,000	1
6502	10.83	-36,395,997,000	660,095,549,000	1
6503	10.83	-36,397,205,000	660,096,392,000	1
6504	10.63	-36,398,260,000	660,097,012,000	1
6505	12.33	-36,398,431,000	660,096,400,000	2
6506	11.23	-36,398,639,000	660,096,044,000	1
6507	10.83	-36,398,389,000	660,095,309,000	1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
6508	10.33	-36,398,312,000	660,094,753,000	0
6509	10.93	-36,398,229,000	660,094,060,000	1
6510	10.83	-36,398,340,000	660,093,144,000	1
6511	10.13	-36,398,809,000	660,092,328,000	0
6512	10.33	-36,399,494,000	660,092,092,000	0
6513	11.03	-36,400,202,000	660,092,025,000	1
6514	10.63	-36,400,907,000	660,092,464,000	1
6515	10.83	-36,401,338,000	660,092,744,000	1
6516	10.73	-36,401,832,000	660,092,942,000	1
6517	11.43	-36,402,223,000	660,092,877,000	1
6518	10.23	-36,402,396,000	660,093,780,000	0
6519	12.23	-36,401,986,000	660,094,596,000	2
6520	11.83	-36,401,217,000	660,094,513,000	1
6521	12.73	-36,400,370,000	660,094,422,000	2
6522	11.63	-36,400,158,000	660,095,159,000	1
6523	11.33	-36,400,007,000	660,095,972,000	1
6524	11.03	-36,399,964,000	660,096,610,000	1
6525	10.53	-36,399,599,000	660,097,285,000	1
6526	11.43	-36,399,396,000	660,097,891,000	1
6527	11.83	-36,398,929,000	660,098,577,000	1
6528	10.93	-36,398,642,000	660,099,220,000	1
6529	10.73	-36,398,424,000	660,099,745,000	1
6530	10.53	-36,398,626,000	660,100,592,000	1
6531	10.63	-36,398,733,000	660,101,387,000	1
6532	10.23	-36,398,932,000	660,102,031,000	0
6533	9.03	-36,410,689,000	660,137,183,000	0
6534	8.33	-36,410,828,000	660,137,601,000	-1
6535	7.63	-36,411,019,000	660,138,171,000	-1
6536	7.73	-36,411,203,000	660,138,721,000	-1
6537	8.83	-36,411,432,000	660,139,405,000	0
6538	9.43	-36,411,635,000	660,140,013,000	0
6539	8.63	-36,411,845,000	660,140,639,000	-1
6540	9.13	-36,412,041,000	660,141,228,000	0
6541	9.63	-36,412,257,000	660,141,874,000	0
6542	9.23	-36,412,448,000	660,142,443,000	0
6543	8.93	-36,412,651,000	660,143,051,000	0
6544	9.33	-36,412,861,000	660,143,678,000	0
6545	9.73	-36,413,032,000	660,144,191,000	0
6546	10.93	-36,413,261,000	660,144,874,000	1
6547	10.23	-36,413,464,000	660,145,482,000	0
6548	9.03	-36,413,667,000	660,146,090,000	0
6549	9.13	-36,417,224,000	660,156,724,000	0
6550	10.13	-36,417,434,000	660,157,351,000	0
6551	9.33	-36,417,624,000	660,157,921,000	0
6552	9.43	-36,417,834,000	660,158,548,000	0
6553	9.53	-36,418,018,000	660,159,098,000	0
6554	9.23	-36,418,060,000	660,158,796,000	0
6555	9.73	-36,418,498,000	660,158,269,000	0
6556	9.33	-36,418,384,000	660,158,431,000	0
6557	9.73	-36,418,259,000	660,158,609,000	0
6558	9.63	-36,418,138,000	660,158,782,000	0
6559	10.13	-36,418,021,000	660,158,950,000	0
6560	10.23	-36,417,915,000	660,159,101,000	0
6561	9.33	-36,417,774,000	660,159,301,000	0
6562	8.13	-36,417,657,000	660,159,468,000	-1
6563	8.53	-36,417,540,000	660,159,636,000	-1

## WALKOVER SURVEY MEASUREMENT RESULTS

Field ID	kcpm	Northing (Latitude)	Easting (Longitude)	Z-score
6564	9.03	-36,417,415,000	660,159,814,000	0
6565	8.43	-36,417,293,000	660,159,987,000	-1
6566	8.93	-36,417,172,000	660,160,160,000	0
6567	8.93	-36,417,051,000	660,160,333,000	0
6568	8.23	-36,416,933,000	660,160,500,000	-1
6569	8.33	-36,416,808,000	660,160,679,000	-1
6570	8.83	-36,416,683,000	660,160,857,000	0
6571	9.93	-36,416,562,000	660,161,030,000	0
6572	9.43	-36,416,437,000	660,161,208,000	0
6573	9.63	-36,416,324,000	660,161,370,000	0
6574	9.73	-36,416,202,000	660,161,543,000	0
6575	10.03	-36,416,077,000	660,161,721,000	0
6576	8.93	-36,415,956,000	660,161,894,000	0
6577	8.73	-36,415,835,000	660,162,067,000	0
6578	8.63	-36,415,717,000	660,162,235,000	-1
6579	9.53	-36,415,592,000	660,162,413,000	0
6580	8.33	-36,415,471,000	660,162,586,000	-1
6581	8.63	-36,415,314,000	660,162,053,000	-1
6582	9.23	-36,414,912,000	660,161,055,000	0
6583	8.63	-36,413,586,000	660,160,671,000	-1
6584	9.33	-36,415,014,000	660,161,929,000	0
6585	8.43	-36,415,364,000	660,162,225,000	-1

## STATIONARY BETA BACKGROUND MEASUREMENT RESULTS

Date	Location	Surface Description	Counts	Count Time	Count Rate
8/24/2009	bldg 513	Concrete	168	1	168
8/24/2009	bldg 513	Concrete	177	1	177
8/24/2009	bldg 513	Concrete	160	1	160
8/24/2009	bldg 513	Concrete	188	1	188
8/24/2009	bldg 513	Concrete	190	1	190
8/24/2009	bldg 513	Concrete	171	1	171
8/24/2009	bldg 513	Concrete	165	1	165
8/24/2009	bldg 513	Concrete	191	1	191
8/24/2009	bldg 513	Concrete	162	1	162
8/24/2009	bldg 513	Concrete	175	1	175
8/24/2009	bldg 513	cinder block	267	1	267
8/24/2009	bldg 513	cinder block	240	1	240
8/24/2009	bldg 513	cinder block	229	1	229
8/24/2009	bldg 513	cinder block	215	1	215
8/24/2009	bldg 513	cinder block	235	1	235
8/24/2009	bldg 513	cinder block	236	1	236
8/24/2009	bldg 513	cinder block	228	1	228
8/24/2009	bldg 513	cinder block	221	1	221
8/24/2009	bldg 513	cinder block	244	1	244
8/24/2009	bldg 513	cinder block	239	1	239
8/24/2009	bldg 513	ambient air	169	1	169
8/24/2009	bldg 513	ambient air	139	1	139
8/24/2009	bldg 513	ambient air	177	1	177
8/24/2009	bldg 513	ambient air	169	1	169
8/24/2009	bldg 513	ambient air	180	1	180
8/24/2009	bldg 513	ambient air	145	1	145
8/24/2009	bldg 513	ambient air	157	1	157
8/24/2009	bldg 513	ambient air	168	1	168
8/24/2009	bldg 513	ambient air	168	1	168
8/24/2009	bldg 513	ambient air	159	1	159

## STATIONARY ALPHA BACKGROUND MEASUREMENT RESULTS

Date	Location	Surface Description	Counts	Count Time	Count Rate
8/24/2009	bldg 513	Concrete	1	1	1
8/24/2009	bldg 513	Concrete	2	1	2
8/24/2009	bldg 513	Concrete	2	1	2
8/24/2009	bldg 513	Concrete	2	1	2
8/24/2009	bldg 513	Concrete	4	1	4
8/24/2009	bldg 513	Concrete	3	1	3
8/24/2009	bldg 513	Concrete	1	1	1
8/24/2009	bldg 513	Concrete	4	1	4
8/24/2009	bldg 513	Concrete	1	1	1
8/24/2009	bldg 513	Concrete	4	1	4
8/24/2009	bldg 513	cinder block	4	1	4
8/24/2009	bldg 513	cinder block	4	1	4
8/24/2009	bldg 513	cinder block	2	1	2
8/24/2009	bldg 513	cinder block	2	1	2
8/24/2009	bldg 513	cinder block	2	1	2
8/24/2009	bldg 513	cinder block	7	1	7
8/24/2009	bldg 513	cinder block	4	1	4
8/24/2009	bldg 513	cinder block	3	1	3
8/24/2009	bldg 513	cinder block	5	1	5
8/24/2009	bldg 513	cinder block	3	1	3
8/24/2009	bldg 513	ambient air	1	1	1
8/24/2009	bldg 513	ambient air	0	1	0
8/24/2009	bldg 513	ambient air	0	1	0
8/24/2009	bldg 513	ambient air	0	1	0
8/24/2009	bldg 513	ambient air	0	1	0
8/24/2009	bldg 513	ambient air	0	1	0
8/24/2009	bldg 513	ambient air	0	1	0
8/24/2009	bldg 513	ambient air	0	1	0
8/24/2009	bldg 513	ambient air	1	1	1
8/24/2009	bldg 513	ambient air	0	1	0

