Richard Vann Bynum, PhD Chief Operating Officer SHINE Medical Technologies, Inc 2555 Industrial Drive Monona, WI 53713

SUBJECT: SHINE MEDICAL TECHNOLOGIES, INC. - ACCEPTANCE FOR DOCKETING OF

PART ONE OF THE APPLICATION FOR CONSTRUCTION PERMIT

(TAC NO. ME7820)

Dear Dr. Bynum:

By letter dated March 26, 2013 (SMT-2013-012, Agencywide Documents Access and Management System (ADAMS) Accession No. ML13088A192), SHINE Medical Technologies, Inc. (SHINE) submitted part one of an application for a construction permit, which, if granted, would allow SHINE to construct a medical radioisotope production facility to be located in Janesville, Wisconsin.

The U.S. Nuclear Regulatory Commission (NRC) staff acknowledged receipt of part one of SHINE's two-part application for a construction permit under Title 10 of the *Code of Federal Regulations* (10 CFR), Part 50 in the *Federal Register* (78 FR 29390) on May 20, 2013. An exemption from certain requirements of 10 CFR 2.101(a)(5) granted by the Commission on March 20, 2013 (ADAMS Accession No. ML13072B195), in response to a letter from SHINE dated February 18, 2013 (ADAMS Accession No. ML13051A007), allowed for SHINE to submit its construction permit application in two parts. Specifically, the exemption allowed SHINE to submit a portion of its application for a construction permit up to six months prior to the remainder of the application regardless of whether or not an environmental impact statement or a supplement to an environmental impact statement is prepared during the review of its application. In accordance with 10 CFR 2.101(a)(5), SHINE submitted the following in part one of its construction permit application:

- the description and safety assessment of the site required by 10 CFR 50.34(a)(1)
- the environmental report required by 10 CFR 50.30(f)
- the filing fee information required by 10 CFR 50.30(e) and 10 CFR 170.21
- the general information required by 10 CFR 50.33
- the agreement limiting access to classified information required by 10 CFR 50.37

As stated in SHINE's March 26, 2013, letter, part two of SHINE's application for a construction permit will contain the remainder of the preliminary safety analysis report required by 10 CFR 50.34(a) and will be submitted in accordance with the requirements of 10 CFR 2.101(a)(5).

The NRC staff has reviewed part one of SHINE's application for a construction permit and determined that the submitted portion of the application is complete and acceptable for docketing. The docket number assigned to this project is 50-608. Please reflect this docket

- 2 -

number on all future correspondence. A separate completeness and acceptability review will be performed upon receipt of part two of SHINE's application for a construction permit.

Enclosed is the notice that will be forwarded to the *Federal Register*, informing the public of the docketing of part one of SHINE's application for a construction permit.

The NRC staff intends to publish a review schedule for SHINE's construction permit application following the completion of the acceptance review for part two of the application.

If you have any questions, please contact me at Steven.Lynch@nrc.gov or 301-415-1524.

Sincerely,

/RA/

Steven Lynch, Project Manager Research and Test Reactors Licensing Branch Division of Policy and Rulemaking Office of Nuclear Reactor Regulation

Docket No.: 50-608

Enclosure: Federal Register Notice

cc w/ encl.: See next page

CC:

Jim Costedio Licensing Manager SHINE Medical Technologies, Inc. 2555 Industrial Drive Monona, WI 53713

Cindy Atkins-Duffin, Ph.D.
Senior Policy Analyst
Office of Science and Technology Policy
Executive Office Building
1650 Pennsylvania Avenue
Washington, D.C. 20503

Joan Dix
National Nuclear Security Administration,
NA-212
U.S. Department of Energy
1000 Independence Ave SW
Washington, DC 20585

Cheryl Rogers
Supervisor
Radiation Protection Section
Wisconsin Department of Health Services
P.O. Box 2659
Madison, WI 53701-2659

Amanda Cushman
Environmental Analysis and Review
Specialist
State of Wisconsin
Department of Natural Resources
3911 Fish Hatchery Road
Fitchburg, WI 53711

TRTR Newsletter University of Florida Department of Nuclear Engineering Sciences 202 Nuclear Sciences Center Gainesville, FL 32611

Eric Levitt City Manager P.O. Box 5005 Janesville, WI 53547-5005 Bill McCoy 1326 Putnam Avenue Janesville, WI 53546

Alfred Lembrich 541 Miller Avenue Janesville, WI 53548

Gerald and Muriel Bumgarner 1735 S Osborne Ave Janesville, WI 53546 number on all future correspondence. A separate completeness and acceptability review will be performed upon receipt of part two of SHINE's application for a construction permit.

Enclosed is the notice that will be forwarded to the *Federal Register*, informing the public of the docketing of part one of SHINE's application for a construction permit.

The NRC staff intends to publish a review schedule for SHINE's construction permit application following the completion of the acceptance review for part two of the application.

If you have any questions, please contact me at Steven.Lynch@nrc.gov or 301-415-1524.

Sincerely,

/RA/

Steven Lynch, Project Manager Research and Test Reactors Licensing Branch Division of Policy and Rulemaking Office of Nuclear Reactor Regulation

Docket No.: 50-608

Enclosure: Federal Register Notice

cc w/ encl.: See next page

DISTRIBUTION:

Public RTR r/f DHowe, FSME MVoth. NRR JLvnch, RIII RidsNrrDpr CFrazier, RIII PSilva, NMSS SLynch, NRR RidsNrrDprPrta MBlumberg, NRR MAdams, NMSS SPrice, OGC RidsNrrDprPrtb MWong, NRR DBarss, NSIR MYoung, OGC RidsAcrsAcnw_MailCTR Resource MMoser, NRR ASapountzis, NSIR RSkarda, RES RidsOgcRp Resource AAdams, NRR JFisher, RII MConley, OPA LTran, NRR DFisher, RII

ADAMS Accession No.: Pkg: ML13150A276 Letter: ML13150A280 FRN: ML13150A389

Memo to ADM: ML13150A390 *concurrence via e-mail ADM-012

OFFICE	NRR/PRLB/PM	NRR/DPR/LA	OGC	NRR/RERB/BC	NRR/PRLB/BC	NRR/PRLB/PM
NAME	SLynch	CHawes CMH	JBiggins* (NLO)	MWong	AAdams	SLynch
DATE	6/7/13	6/11/13	6/14/13	6/24/13	6/25/13	6/25/13

OFFICIAL RECORD COPY