

U.S. NUCLEAR REGULATORY COMMISSION

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

<p style="text-align: center;">Licensee</p> <p>1. Associates in Medical Physics, LLC</p> <p>2. 10217 Brecksville Road. Suite 102 Brecksville, OH 44141</p>	<p>In accordance with letter dated April 3, 2013,</p> <p>3. License number 34-26645-02 is amended in its entirely to read as follows:</p> <hr/> <p>4. Expiration date September 30, 2015</p> <hr/> <p>5. Docket No. 030-35048 Reference No.</p>
---	--

6. Byproduct, source, and/or special nuclear material	7. Chemical and/or physical form	8. Maximum amount that licensee may possess at any one time under this license
A. Any byproduct material with Atomic Nos. 3-83, inclusive and Atomic Nos. 94 and 95	A. Leak test sample	A. Not to exceed 10 millicuries per radionuclide and 100 millicuries total except as specified in condition 19.
B. Cesium-137	B. Sealed source (New England Nuclear Model Nos. NES-356, NES-360, or NES-367)	B. No single source to exceed 250 microcuries. Total possession limit not to exceed 2.0 millicuries.
C. Barium-133	C. Sealed source (New England Model Nos. NES-358, or NES-367)	C. No single source to exceed 250 microcuries. Total possession limit not to exceed 2.0 millicuries.
D. Cobalt-60	D. Sealed source (New England Nuclear Model Nos. NES-354, NES-360, or NES-367)	D. No single source to exceed 50 microcuries. Total possession limit not to exceed 1.0 millicuries.
E. Technetium-99m	E. Any	E. 500 millicuries

9. Authorized Use:
- A. Possession incident to performance of tests for leakage and/or contamination on sealed sources and devices containing licensed material.
 - B. through D. To be used for instrument calibration and testing.
 - E. To be used to instruct individuals in radiopharmaceutical kit preparation and dose calibrator quality control (not for human use).

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
34-26645-02Docket or Reference Number
030-35048

Amendment No. 04

CONDITIONS

- 10.. Licensed material listed may be used at temporary job sites of the licensee anywhere in the United States where the U.S. Nuclear Regulatory Commission maintains jurisdiction for regulating the use of the licensed material.
11. Licensed material shall be used by or under the supervision of individuals who have met the criteria or have completed the training program outlined in the application dated April 11, 1995, and who have been designated by the licensee's Radiation Safety Officer.
12. The Radiation Safety Officer for this license is Frank Bloe.
13.
 - A. Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State.
 - B. In the absence of a certificate from a transferor indicating that a leak test has been made, within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement state, prior to the transfer, a sealed source received from another person shall not be put into use until tested and the test results received.
 - C. Sealed sources need not be leak tested if they contain only hydrogen-3; or they contain only a radioactive gas; or the half-life of the isotope is 30 days or less; or they contain no more than 100 microcuries of beta and/or gamma emitting material or not more than 10 microcuries of alpha emitting material.
 - D. Sealed sources need not be tested if they are in storage, and are not being used. However, when they are removed from storage for use or transferred to another person, and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
 - E. The leak test shall be capable of detecting the presence of 0.005 microcurie (185 becquerels) of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie (185 becquerels) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.
 - F. The licensee is authorized to collect leak test samples for analysis by the licensee. Alternatively, tests for leakage and/or contamination may be performed by persons specifically licensed by the Commission or an Agreement State to perform such services.
 - G. **Records of leak tests results shall be kept in units of microcuries and shall be maintained for 3 years.**

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
34-26645-02Docket or Reference Number
030-35048


Amendment No. 04

14. The licensee shall conduct a physical inventory every 6 months to account for all sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 5 years from the date of each inventory.
15. Sealed sources or detector cells containing licensed material shall not be opened or sources removed from source holders by the licensee.
16. The licensee is authorized to transport licensed material only in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."
17. The licensee is authorized to hold radioactive material with a physical half-life of less than **or equal to** 120 days for decay-in-storage before disposal in ordinary trash provided:
- A. Before disposal as ordinary trash, byproduct material shall be surveyed at the container surface with the appropriate survey meter set on its most sensitive scale and with no interposed shielding to determine that its radioactivity cannot be distinguished from background. All radiation labels shall be removed or obliterated.
 - B. A record of each disposal permitted under this License Condition shall be retained for three years. The record must include the date of disposal, the date on which the byproduct material was placed in storage, the radionuclides disposed, the survey instrument used, the background dose rate, the dose rate measured at the surface of each waste container, and the name of the individual who performed the disposal.
18. Licensed material shall not be used in or on human beings.
19. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35(d) for establishing decommissioning financial assurance.
20. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
- A. Application dated April 11, 1995; and
 - B. Letters dated May 15, 1995, April 28, 1998 and April 21, 2005.

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

Date JUN 04 2013

By


Toye L. Simmons
Materials Licensing Branch
Region III