

Facility: PBAPS Date of Examination: 3/35/13 →  
4/4/13

Developed by: Written - Facility  NRC  // Operating - Facility  NRC

Target Date*	Task Description (Reference)	Chief Examiner's Initials
-180	1. Examination administration date confirmed (C.1.a; C.2.a and b)	TF
-120	2. NRC examiners and facility contact assigned (C.1.d; C.2.e)	TF
-120	3. Facility contact briefed on security and other requirements (C.2.c)	TF
-120	4. Corporate notification letter sent (C.2.d)	TF
[-90]	[5. Reference material due (C.1.e; C.3.c; Attachment 2)]	NA
{-75}	6. Integrated examination outline(s) due, including Forms ES-201-2, ES-201-3, ES-301-1, ES-301-2, ES-301-5, ES-D-1's, ES-401-1/2, ES-401-3, and ES-401-4, as applicable (C.1.e and f; C.3.d)	TF
{-70}	{7. Examination outline(s) reviewed by NRC and feedback provided to facility licensee (C.2.h; C.3.e)}	TF
{-45}	8. Proposed examinations (including written, walk-through JPMs, and scenarios, as applicable), supporting documentation (including Forms ES-301-3, ES-301-4, ES-301-5, ES-301-6, and ES-401-6, and any Form ES-201-3 updates), and reference materials due (C.1.e, f, g and h; C.3.d)	TF
-30	9. Preliminary license applications (NRC Form 398's) due (C.1.i; C.2.g; ES-202)	TF
-14	10. Final license applications due and Form ES-201-4 prepared (C.1.i; C.2.i; ES-202)	TF
-14	11. Examination approved by NRC supervisor for facility licensee review (C.2.h; C.3.f)	TF
-14	12. Examinations reviewed with facility licensee (C.1.j; C.2.f and h; C.3.g)	TF
-7	13. Written examinations and operating tests approved by NRC supervisor (C.2.i; C.3.h)	TF
-7	14. Final applications reviewed; 1 or 2 (if >10) applications audited to confirm qualifications / eligibility; and examination approval and waiver letters sent (C.2.i; Attachment 4; ES-202, C.2.e; ES-204)	TF
-7	15. Proctoring/written exam administration guidelines reviewed with facility licensee (C.3.k)	TF
-7	16. Approved scenarios, job performance measures, and questions distributed to NRC examiners (C.3.i)	TF

\* Target dates are generally based on facility-prepared examinations and are keyed to the examination date identified in the corporate notification letter. They are for planning purposes and may be adjusted on a case-by-case basis in coordination with the facility licensee.  
 [Applies only] {Does not apply} to examinations prepared by the NRC.

Facility: <b>PBAPS</b>		Date of Examination: <b>3/25/13 - 4/1/13</b>		
Item	Task Description	Initials		
		a	b*	c#
1. W R I T T E N	a. Verify that the outline(s) fit(s) the appropriate model, in accordance with ES-401.	JL	OPB	TF
	b. Assess whether the outline was systematically and randomly prepared in accordance with Section D.1 of ES-401 and whether all K/A categories are appropriately sampled.	JL	OPB	TF
	c. Assess whether the outline over-emphasizes any systems, evolutions, or generic topics.	JL	OPB	TF
	d. Assess whether the justifications for deselected or rejected K/A statements are appropriate.	JL	OPB	TF
2. S I M U L A T O R	a. Using Form ES-301-5, verify that the proposed scenario sets cover the required number of normal evolutions, instrument and component failures, technical specifications, and major transients.	JL	CPB	TF
	b. Assess whether there are enough scenario sets (and spares) to test the projected number and mix of applicants in accordance with the expected crew composition and rotation schedule without compromising exam integrity, and ensure that each applicant can be tested using at least one new or significantly modified scenario, that no scenarios are duplicated from the applicants' audit test(s), and that scenarios will not be repeated on subsequent days.	JL	CMB	TF
	c. To the extent possible, assess whether the outline(s) conform(s) with the qualitative and quantitative criteria specified on Form ES-301-4 and described in Appendix D.	JL	OPB	TF
3. W / T	a. Verify that the systems walk-through outline meets the criteria specified on Form ES-301-2: (1) the outline(s) contain(s) the required number of control room and in-plant tasks distributed among the safety functions as specified on the form (2) task repetition from the last two NRC examinations is within the limits specified on the form (3) no tasks are duplicated from the applicants' audit test(s) (4) the number of new or modified tasks meets or exceeds the minimums specified on the form (5) the number of alternate path, low-power, emergency, and RCA tasks meet the criteria on the form.	JL	OPB	TF
	b. Verify that the administrative outline meets the criteria specified on Form ES-301-1: (1) the tasks are distributed among the topics as specified on the form (2) at least one task is new or significantly modified (3) no more than one task is repeated from the last two NRC licensing examinations	JL	OPB	TF
	c. Determine if there are enough different outlines to test the projected number and mix of applicants and ensure that no items are duplicated on subsequent days.	JL	CMB	TF
4. G E N E R A L	a. Assess whether plant-specific priorities (including PRA and IPE insights) are covered in the appropriate exam sections.	JL	OPB	TF
	b. Assess whether the 10 CFR 55.41/43 and 55.45 sampling is appropriate.	JL	CM	TF
	c. Ensure that K/A importance ratings (except for plant-specific priorities) are at least 2.5.	JL	CM	TF
	d. Check for duplication and overlap among exam sections.	JL	CM	TF
	e. Check the entire exam for balance of coverage.	JL	CMB	TF
	f. Assess whether the exam fits the appropriate job level (RO or SRO).	JL	OPB	TF
a. Author	MICHAEL J. KELLY / <i>Michael Kelly</i>			Date 12/27/12
b. Facility Reviewer (*)	Chris Brudenbach / <i>Chris Brudenbach</i>			12/27/12
c. NRC Chief Examiner (#)	Todd Fish / <i>Todd Fish</i>			1/9/13
d. NRC Supervisor	Donald Jackson / <i>Donald Jackson</i>			1/31/13
Note:	# Independent NRC reviewer initial items in Column "c"; chief examiner concurrence required. * Not applicable for NRC-prepared examination outlines			

1. Pre-Examination

I acknowledge that I have acquired specialized knowledge about the NRC licensing examinations scheduled for the week(s) of 3-25-13 + 4-1-13 as of the date of my signature. I agree that I will not knowingly divulge any information about these examinations to any persons who have not been authorized by the NRC chief examiner. I understand that I am not to instruct, evaluate, or provide performance feedback to those applicants scheduled to be administered these licensing examinations from this date until completion of examination administration, except as specifically noted below and authorized by the NRC (e.g., acting as a simulator booth operator or communicator is acceptable if the individual does not select the training content or provide direct or indirect feedback). Furthermore, I am aware of the physical security measures and requirements (as documented in the facility licensee's procedures) and understand that violation of the conditions of this agreement may result in cancellation of the examinations and/or an enforcement action against me or the facility licensee. I will immediately report to facility management or the NRC chief examiner any indications or suggestions that examination security may have been compromised.

2. Post-Examination

To the best of my knowledge, I did not divulge to any unauthorized persons any information concerning the NRC licensing examinations administered during the week(s) of 3/25-4/1/13 From the date that I entered into this security agreement until the completion of examination administration, I did not instruct, evaluate, or provide performance feedback to those applicants who were administered these licensing examinations, except as specifically noted below and authorized by the NRC.

PRINTED NAME	JOB TITLE / RESPONSIBILITY	SIGNATURE (1)	DATE	SIGNATURE (2)	DATE	NOTE
1. John A Verbillio	ILT Exam Author	<i>[Signature]</i>	7-2-12	<i>[Signature]</i>	4-5-13	NONE
2. Virginia Billings	Admin	<i>[Signature]</i>	7-2-12	<i>[Signature]</i>	4-5-13	NONE
3. Michele Amberman	Admin	<i>[Signature]</i>	7-5-12	<i>[Signature]</i>	4-5-13	NONE
4. Rudy Tyler	Simulator Coordinator	<i>[Signature]</i>	8-27-12	<i>[Signature]</i>	4-5-13	NONE
5. Afshreen Khatami	simulator software	<i>[Signature]</i>	8/27/12	<i>[Signature]</i>	4/5/13	NONE
6. Pat Gajewski	Hard Ware Tech	<i>[Signature]</i>	8-28-12	<i>[Signature]</i>	4-5-13	NONE
7. Jay W. Lyter	Technical Reviewer	<i>[Signature]</i>	9-25-12	<i>[Signature]</i>	4/5/13	NONE
8. CLIFFORD W CROSMUN	ILT EXAM DEVELOPER	<i>[Signature]</i>	10-2-12	<i>[Signature]</i>	4/8/13	*
9. FRED BRUNS	OTPS	<i>[Signature]</i>	10-31-12	<i>[Signature]</i>	4/8/13	(2)
10. JAN R Felice	LOR Exam author	<i>[Signature]</i>	11-13-12	<i>[Signature]</i>	4-8-13	NONE
11. MICHAEL J KELLY	ILT EXAM AUTHOR	<i>[Signature]</i>	11-20-12	<i>[Signature]</i>	4-8-13	NONE
12. John Kennedy	RO / VALIDATOR	<i>[Signature]</i>	12-17-12	<i>[Signature]</i>	4-13	(2)
13. Michael Heavry	RO / Validator	<i>[Signature]</i>	12-17-12	<i>[Signature]</i>	4/15/13	(2)
14. Ross Moonitz	SRO / Validator	<i>[Signature]</i>	12-17-12	<i>[Signature]</i>	4/15/13	(2)
15. ROSS MOONITZ	SRO / Validator	<i>[Signature]</i>	12-17-12	<i>[Signature]</i>	4/15/13	(2)

NOTES:

(2) per email  
\* per telecon

1. Pre-Examination

I acknowledge that I have acquired specialized knowledge about the NRC licensing examinations scheduled for the week(s) of <sup>3-25-17,</sup> 4-1-13 as of the date of my signature. I agree that I will not knowingly divulge any information about these examinations to any persons who have not been authorized by the NRC chief examiner. I understand that I am not to instruct, evaluate, or provide performance feedback to those applicants scheduled to be administered these licensing examinations from this date until completion of examination administration, except as specifically noted below and authorized by the NRC (e.g., acting as a simulator booth operator or communicator is acceptable if the individual does not select the training content or provide direct or indirect feedback). Furthermore, I am aware of the physical security measures and requirements (as documented in the facility licensee's procedures) and understand that violation of the conditions of this agreement may result in cancellation of the examinations and/or an enforcement action against me or the facility licensee. I will immediately report to facility management or the NRC chief examiner any indications or suggestions that examination security may have been compromised.

2. Post-Examination

To the best of my knowledge, I did not divulge to any unauthorized persons any information concerning the NRC licensing examinations administered during the week(s) of 3/25-4/1/13 from the date that I entered into this security agreement until the completion of examination administration, I did not instruct, evaluate, or provide performance feedback to those applicants who were administered these licensing examinations, except as specifically noted below and authorized by the NRC.

PRINTED NAME	JOB TITLE / RESPONSIBILITY	SIGNATURE (1)	DATE	SIGNATURE (2)	DATE	NOTE
1. Phil Breidenbaugh	Facility Representative	<i>Phil Breidenbaugh</i>	12/21/12	* John Callan for Phil Breidenbaugh	4/5/13	*
2. <del>Doyle A. Brady</del>	<del>Teacher Operator/Validator</del>	<del><i>Doyle A. Brady</i></del>	<del>1/10/13</del>	<del><i>Doyle A. Brady</i></del>	<del>1/15/13</del>	<del>NONE</del>
3. Eugene Hagle	Reactor Operator / Exam Validator	<i>Eugene Hagle</i>	1-16-13	<i>Eugene Hagle</i>	4-2-13	NONE
4. Dan D. Magee	Reactor Operator / Exam Validator	<i>Dan D. Magee</i>	1/17/13	<i>Dan D. Magee</i>	4/11/13	NONE
5. Robert J. Artus	Instructor / Exam Developer	<i>Robert J. Artus</i>	1/24/13	<i>Robert J. Artus</i>	4/5/13	NONE
6. James S. Fogarty	SRO / Exam Validator	<i>James S. Fogarty</i>	2/4/13	<i>James S. Fogarty</i>	7/9/13	SSS/NONE
7. A. Joseph	SRO / Exam Validator	<i>A. Joseph</i>	2/4/13	<i>A. Joseph</i>	4/8/13	(2)
8. B. Blevins	SRO / Exam Validator	<i>B. Blevins</i>	2/4/13	MTK for B. Blevins	4/5/13	*
9. Lamy Sloan	Reactor Operator / Exam Validator	<i>Lamy Sloan</i>	2/15/13	MTK for L. Sloan	4/5/13	*
10. Tom Dingle	Reactor Operator / Validator	<i>Tom Dingle</i>	2/11/13	MTK for T. Dingle	4/5/13	*
11. CRAIG TAULMAN	REACTOR OPERATOR / VALIDATOR	<i>Craig Taulman</i>	2/11/13	<i>Craig Taulman</i>	4/9/13	(2)
12. DIEGO VEGA	REACTOR OPERATOR / VALIDATOR	<i>Diego Vega</i>	2/11/13	MTK for D. Vega	4/5/13	*
13. Jeff Moore	RO/SRO EXAM / Validator	<i>Jeff Moore</i>	2/11/13	<i>Jeff Moore</i>	7/5/13	NONE
14. Scott Rucker	SRO VALIDATOR	<i>Scott Rucker</i>	2/18/13	<i>Scott Rucker</i>	4/9/13	(2)
15. Scott KAREIS	SRO VALIDATOR	<i>Scott Kareis</i>	2/18/13	<i>Scott Kareis</i>	4/10/13	(2)

NOTES:

\* per telecon  
(2) for Email

1. Pre-Examination

3-25-13

I acknowledge that I have acquired specialized knowledge about the NRC licensing examinations scheduled for the week(s) of 4-1-13 as of the date of my signature. I agree that I will not knowingly divulge any information about these examinations to any persons who have not been authorized by the NRC chief examiner. I understand that I am not to instruct, evaluate, or provide performance feedback to those applicants scheduled to be administered these licensing examinations from this date until completion of examination administration, except as specifically noted below and authorized by the NRC (e.g., acting as a simulator booth operator or communicator is acceptable if the individual does not select the training content or provide direct or indirect feedback). Furthermore, I am aware of the physical security measures and requirements (as documented in the facility licensee's procedures) and understand that violation of the conditions of this agreement may result in cancellation of the examinations and/or an enforcement action against me or the facility licensee. I will immediately report to facility management or the NRC chief examiner any indications or suggestions that examination security may have been compromised.

2. Post-Examination

To the best of my knowledge, I did not divulge to any unauthorized persons any information concerning the NRC licensing examinations administered during the week(s) of 3/25/13-4/1/13 from the date that I entered into this security agreement until the completion of examination administration, I did not instruct, evaluate, or provide performance feedback to those applicants who were administered these licensing examinations, except as specifically noted below and authorized by the NRC.

PRINTED NAME	JOB TITLE / RESPONSIBILITY	SIGNATURE (1)	DATE	SIGNATURE (2)	DATE	NOTE
1. <u>TROY ARNOLD</u>	<u>RO/Validator</u>	<u>Troy Arnold</u>	<u>2/18/13</u>	<u>Troy Arnold</u>	<u>4/5/13</u>	<u>NONE</u>
2. <u>Richard EXLEY</u>	<u>Instructor / Proctor</u>	<u>Richard Exley</u>	<u>3/25/13</u>	<u>Richard Exley</u>	<u>4/5/13</u>	<u>NONE</u>
3. <u>BARRY HEDMAN</u>	<u>SOS / Regm Oversight</u>	<u>Barry Hedman</u>	<u>3/26/13</u>	<u>Barry Hedman</u>	<u>4/15/13</u>	<u>*</u>
4. <u>David C. Terek</u>	<u>OPS/REGM/REGM oversight</u>	<u>David Terek</u>	<u>3/26/13</u>	<u>David Terek</u>	<u>4/8/13</u>	<u>NONE</u>
5.						
6.						
7.						
8.						
9.						
10.						
11.						
12.						
13.						
14.						
15.						

NOTES:

\* Per Telecon

Facility: <u>Peach Bottom</u>		Date of Examination: <u>3/25/2013</u>	Operating Test Number: <u>1</u>	
1. GENERAL CRITERIA		Initials		
		a	b*	c#
a.	The operating test conforms with the previously approved outline; changes are consistent with sampling requirements (e.g., 10 CFR 55.45, operational importance, safety function distribution).	JL	CM3	TF
b.	There is no day-to-day repetition between this and other operating tests to be administered during this examination.	JL	CM3	TF
c.	The operating test shall not duplicate items from the applicants' audit test(s)(see Section D.1.a).	JL	CM3	TF
d.	Overlap with the written examination and between different parts of the operating test is within acceptable limits.	JL	CM3	TF
e.	It appears that the operating test will differentiate between competent and less-than-competent applicants at the designated license level.	JL	CM3	TF
2. WALK-THROUGH CRITERIA		--	--	--
a.	Each JPM includes the following, as applicable: <ul style="list-style-type: none"> <li>• initial conditions</li> <li>• initiating cues</li> <li>• references and tools, including associated procedures</li> <li>• reasonable and validated time limits (average time allowed for completion) and specific designation if deemed to be time critical by the facility licensee</li> <li>• operationally important specific performance criteria that include:                         <ul style="list-style-type: none"> <li>- detailed expected actions with exact criteria and nomenclature</li> <li>- system response and other examiner cues</li> <li>- statements describing important observations to be made by the applicant</li> <li>- criteria for successful completion of the task</li> <li>- identification of critical steps and their associated performance standards</li> <li>- restrictions on the sequence of steps, if applicable</li> </ul> </li> </ul>	JL	CM3	TF
b.	Ensure that any changes from the previously approved systems and administrative walk-through outlines (Forms ES-301-1 and 2) have not caused the test to deviate from any of the acceptance criteria (e.g., item distribution, bank use, repetition from the last 2 NRC examinations) specified on those forms and Form ES-201-2.	JL	CM3	TF
3. SIMULATOR CRITERIA		--	--	--
The associated simulator operating tests (scenario sets) have been reviewed in accordance with Form ES-301-4 and a copy is attached.		JL	CM3	TF
a. Author	Michael J. Kelly / <u>Michael J. Kelly</u>	Date <u>3/27/13</u>		
b. Facility Reviewer (*)	Phil P. Breidenbaugh / <u>Phil Breidenbaugh</u>	Date <u>3/5/13</u>		
c. NRC Chief Examiner (#)	Todd Fish / <u>Todd Fish</u>	Date <u>3/8/13</u>		
d. NRC Supervisor	Donald Jackson / <u>Donald Jackson</u>	Date <u>3/18/13</u>		
NOTE: * The facility signature is not applicable for NRC-developed tests # Independent NRC reviewer initial items in Column "c"; chief examiner concurrence is required.				

Facility: Peach Bottom		Date of Exam: 3/25/2013		Scenario Numbers: 1 / 2 / 3		Operating Test Number: i		
QUALITATIVE ATTRIBUTES						Initials		
						a	b*	c#
1.	The initial conditions are realistic, in that some equipment and/or instrumentation may be out of service, but it does not cue the operators into expected events.	JK	OMB	TF				
2.	The scenarios consist mostly of related events.	JK	OMB	TF				
3.	Each event description consists of <ul style="list-style-type: none"> <li>the point in the scenario when it is to be initiated</li> <li>the malfunction(s) that are entered to initiate the event</li> <li>the symptoms/cues that will be visible to the crew</li> <li>the expected operator actions (by shift position)</li> <li>the event termination point (if applicable)</li> </ul>	JK	OMB	TF				
4.	No more than one non-mechanistic failure (e.g., pipe break) is incorporated into the scenario without a credible preceding incident such as a seismic event.	JK	OMB	TF				
5.	The events are valid with regard to physics and thermodynamics.	JK	OMB	TF				
6.	Sequencing and timing of events is reasonable, and allows the examination team to obtain complete evaluation results commensurate with the scenario objectives.	JK	OMB	TF				
7.	If time compression techniques are used, the scenario summary clearly so indicates. Operators have sufficient time to carry out expected activities without undue time constraints. Cues are given.	JK	OMB	TF				
8.	The simulator modeling is not altered.	JK	OMB	TF				
9.	The scenarios have been validated. Pursuant to 10CFR55.46(d), any open simulator performance deficiencies or deviations from the referenced plant have been evaluated to ensure that functional fidelity is maintained while running the planned scenarios.	JK	OMB	TF				
10.	Every operator will be evaluated using at least one new or significantly modified scenario. All other scenarios have been altered in accordance with Section D.5 of ES-301.	JK	OMB	TF				
11.	All individual operator competencies can be evaluated, as verified using Form ES-301-6 (submit the form along with the simulator scenarios).	JK	OMB	TF				
12.	Each applicant will be significantly involved in the minimum number of transients and events specified on Form ES-301-5 (submit the form with the simulator scenarios).	JK	OMB	TF				
13.	The level of difficulty is appropriate to support licensing decisions for each crew position.	JK	OMB	TF				
<b>Target Quantitative Attributes (Per Scenario; See Section D.5.d)</b>		<b>Actual Attributes</b>		--	--	--		
1.	Total malfunctions (5-8)	10 / 7 / 9		JK	OMB	TF		
2.	Malfunctions after EOP entry (1-2)	4 / 3 / 3		JK	OMB	TF		
3.	Abnormal events (2-4)	2 / 3 / 2		JK	OMB	TF		
4.	Major transients (1-2)	1 / 1 / 1		JK	OMB	TF		
5.	EOPs entered/requiring substantive actions (1-2)	2 / 2 / 1		JK	OMB	TF		
6.	EOP contingencies requiring substantive actions (0-2)	2 / 1 / 1		JK	OMB	TF		
7.	Critical tasks (2-3)	3 / 3 / 3		JK	OMB	TF		

Facility: Peach Bottom		Date of Exam: 3/25/13			Operating Test No.: 2013 NRC Exam												
A P P L I C A N T	E V E N T  T Y P E	Scenarios												T O T A L	M I N I M U M (*)		
		1			2			3			4						
		CREW P O S I T I O N			CREW P O S I T I O N			CREW P O S I T I O N			CREW P O S I T I O N						
		S R O	A T C	B O P	S R O	A T C	B O P	S R O	A T C	B O P	S R O	A T C	B O P				
												R	I	U			
<b>RO 1</b> <input checked="" type="checkbox"/> SRO-I <input type="checkbox"/> SRO-U <input type="checkbox"/>	RX	5														1	1
	NOR				1								1	1	1	1	
	I/C	3, 7, 9			4, 6, 7								6	4	4	2	
	MAJ	6			5								2	2	2	1	
	TS													0	2	2	
<b>RO 2</b> <input checked="" type="checkbox"/> SRO-I <input type="checkbox"/> SRO-U <input type="checkbox"/>	RX				2								1	1	1	0	
	NOR		1										1	1	1	1	
	I/C		4, 8, 9, 10		3, 8, 9								7	4	4	2	
	MAJ		6		5								2	2	2	1	
	TS													0	2	2	
<b>RO 3</b> <input checked="" type="checkbox"/> SRO-I <input type="checkbox"/> SRO-U <input type="checkbox"/>	RX							5					1	1	1	0	
	NOR		1		1								2	1	1	1	
	I/C		4, 8, 9, 10		4, 6, 7		6, 8, 10						10	4	4	2	
	MAJ		6		5		7						3	2	2	1	
	TS													0	2	2	
<b>RO</b> <input type="checkbox"/> SRO-I <input type="checkbox"/> SRO-U <input type="checkbox"/>	RX													1	1	0	
	NOR													1	1	1	
	I/C													4	4	2	
	MAJ													2	2	1	
	TS													0	2	2	

Instructions:

- Check the applicant level and enter the operating test number and Form ES-D-1 event numbers for each event type; TS are not applicable for RO applicants. ROs must serve in both the "at-the-controls (ATC)" and "balance-of-plant (BOP)" positions; Instant SROs must serve in both the SRO and the ATC positions, including at least two instrument or component (I/C) malfunctions and one major transient, in the ATC position. If an Instant SRO *additionally* serves in the BOP position, one I/C malfunction can be credited toward the two I/C malfunctions required for the ATC position.
- Reactivity manipulations may be conducted under normal or *controlled* abnormal conditions (refer to Section D.5.d) but must be significant per Section C.2.a of Appendix D. (\*) Reactivity and normal evolutions may be replaced with additional instrument or component malfunctions on a 1-for-1 basis.
- Whenever practical, both instrument and component malfunctions should be included; only those that require verifiable actions that provide insight to the applicant's competence count toward the minimum requirements specified for the applicant's license level in the right-hand columns.



Facility: Peach Bottom      Date of Exam: 3/25/13      Operating Test No.: 2013 NRC Exam

A P P L I C A N T	E V E N T  T Y P E	Scenarios												T O T A L	M I N I M U M (*)		
		1			2			3			4						
		CREW POSITION			CREW POSITION			CREW POSITION			CREW POSITION						
		S R O	A T C	B O P	S R O	A T C	B O P	S R O	A T C	B O P	S R O	A T C	B O P		R	I	U
RO <input type="checkbox"/>  SRO-I 1 <input checked="" type="checkbox"/>  SRO-U <input type="checkbox"/>	RX	5			2								2	1	1	0	
	NOR	1						1					2	1	1	1	
	I/C	3, 4, 7, 8, 9, 10			3, 8, 9			3, 4, 9					12	4	4	2	
	MAJ	6			5			7					3	2	2	1	
	TS	2, 4											2	0	2	2	
RO <input type="checkbox"/>  SRO-I 2 <input checked="" type="checkbox"/>  SRO-U <input type="checkbox"/>	RX		5		2								2	1	1	0	
	NOR				1								1	1	1	1	
	I/C		3, 7, 9		3, 4, 6, 7								7	4	4	2	
	MAJ		6		5								2	2	2	1	
	TS				3, 4								2	0	2	2	
RO <input type="checkbox"/>  SRO-I 3 <input checked="" type="checkbox"/>  SRO-U <input type="checkbox"/>	RX				2		5						2	1	1	0	
	NOR			1			1						2	1	1	1	
	I/C			4, 8, 9, 10		3, 8, 9		3, 6, 8, 9					11	4	4	2	
	MAJ			6		5		7					3	2	2	1	
	TS							2, 3					2	0	2	2	

Instructions:

- Check the applicant level and enter the operating test number and Form ES-D-1 event numbers for each event type; TS are not applicable for RO applicants. ROs must serve in both the "at-the-controls (ATC)" and "balance-of-plant (BOP)" positions; Instant SROs must serve in both the SRO and the ATC positions, including at least two instrument or component (I/C) malfunctions and one major transient, in the ATC position. If an Instant SRO *additionally* serves in the BOP position, one I/C malfunction can be credited toward the two I/C malfunctions required for the ATC position.
- Reactivity manipulations may be conducted under normal or *controlled* abnormal conditions (refer to Section D.5.d) but must be significant per Section C.2.a of Appendix D. (\*) Reactivity and normal evolutions may be replaced with additional instrument or component malfunctions on a 1-for-1 basis.
- Whenever practical, both instrument and component malfunctions should be included; only those that require verifiable actions that provide insight to the applicant's competence count toward the minimum requirements specified for the applicant's license level in the right-hand columns.

Facility: Peach Bottom		Date of Exam: 3/25/13		Operating Test No.: 2013 NRC Exam													
A P P L I C A N T	E V E N T  T Y P E	Scenarios												T O T A L	M I N I M U M (*)		
		1			2			3			4						
		C R E W P O S I T I O N			C R E W P O S I T I O N			C R E W P O S I T I O N			C R E W P O S I T I O N						
		S R O	A T C	B O P	S R O	A T C	B O P	S R O	A T C	B O P	S R O	A T C	B O P				
												R	I	U			
RO <input type="checkbox"/> SRO-I 4 <input checked="" type="checkbox"/> SRO-U <input type="checkbox"/>	RX	5						5								2	1
	NOR	1				1							2	1	1	1	
	I/C	3, 4, 7, 8, 9, 10				4, 6, 7			6, 8, 10				12	4	4	2	
	MAJ	6				5			7				3	2	2	1	
	TS	2, 4											2	0	2	2	
RO <input type="checkbox"/> SRO-I 5 <input checked="" type="checkbox"/> SRO-U <input type="checkbox"/>	RX		5		2								2	1	1	0	
	NOR				1				1				2	1	1	1	
	I/C		3, 7, 9		3, 4, 6, 7				3, 4, 9				10	4	4	2	
	MAJ		6		5				7				3	2	2	1	
	TS				3, 4								2	0	2	2	
RO <input type="checkbox"/> SRO-I <input type="checkbox"/> SRO-U <input type="checkbox"/>	RX													1	1	0	
	NOR													1	1	1	
	I/C													4	4	2	
	MAJ													2	2	1	
	TS													0	2	2	

Instructions:

- Check the applicant level and enter the operating test number and Form ES-D-1 event numbers for each event type; TS are not applicable for RO applicants. ROs must serve in both the "at-the-controls (ATC)" and "balance-of-plant (BOP)" positions; Instant SROs must serve in both the SRO and the ATC positions, including at least two instrument or component (I/C) malfunctions and one major transient, in the ATC position. If an Instant SRO *additionally* serves in the BOP position, one I/C malfunction can be credited toward the two I/C malfunctions required for the ATC position.
- Reactivity manipulations may be conducted under normal or *controlled* abnormal conditions (refer to Section D.5.d) but must be significant per Section C.2.a of Appendix D. (\*) Reactivity and normal evolutions may be replaced with additional instrument or component malfunctions on a 1-for-1 basis.
- Whenever practical, both instrument and component malfunctions should be included; only those that require verifiable actions that provide insight to the applicant's competence count toward the minimum requirements specified for the applicant's license level in the right-hand columns.

Facility: Peach Bottom		Date of Exam: 3/25/13		Operating Test No.: 2013 NRC Exam													
A P P L I C A N T	E V E N T  T Y P E	Scenarios												T O T A L	M I N I M U M (*)		
		1			2			3			4						
		C R E W P O S I T I O N			C R E W P O S I T I O N			C R E W P O S I T I O N			C R E W P O S I T I O N						
		S R O	A T C	B O P	S R O	A T C	B O P	S R O	A T C	B O P	S R O	A T C	B O P				
												R	I	U			
RO <input type="checkbox"/>	RX	5														1	1
	NOR	1											1	1	1	1	
SRO-I <input type="checkbox"/>	I/C	3, 4, 7, 8, 9, 10											6	4	4	2	
SRO-U 1 <input checked="" type="checkbox"/>	MAJ	6											1	2	2	1	
	TS	2, 4											2	0	2	2	
RO <input type="checkbox"/>	RX			2									1	1	1	0	
	NOR			1									1	1	1	1	
SRO-I <input type="checkbox"/>	I/C			3, 4, 6, 7									4	4	4	2	
SRO-U 2 <input checked="" type="checkbox"/>	MAJ			5									1	2	2	1	
	TS			3, 4									2	0	2	2	
RO <input type="checkbox"/>	RX						5						1	1	1	0	
	NOR						1						1	1	1	1	
SRO-I <input type="checkbox"/>	I/C						3, 6, 8, 9						4	4	4	2	
SRO-U 3 <input checked="" type="checkbox"/>	MAJ						7						1	2	2	1	
	TS						2, 3						2	0	2	2	
RO <input type="checkbox"/>	RX													1	1	0	
	NOR													1	1	1	
SRO-I <input type="checkbox"/>	I/C													4	4	2	
	MAJ													2	2	1	
SRO-U <input type="checkbox"/>	TS													0	2	2	

Instructions:

1. Check the applicant level and enter the operating test number and Form ES-D-1 event numbers for each event type; TS are not applicable for RO applicants. ROs must serve in both the "at-the-controls (ATC)" and "balance-of-plant (BOP)" positions; Instant SROs must serve in both the SRO and the ATC positions, including at least two instrument or component (I/C) malfunctions and one major transient, in the ATC position. If an Instant SRO *additionally* serves in the BOP position, one I/C malfunction can be credited toward the two I/C malfunctions required for the ATC position.
2. Reactivity manipulations may be conducted under normal or *controlled* abnormal conditions (refer to Section D.5.d) but must be significant per Section C.2.a of Appendix D. (\*) Reactivity and normal evolutions may be replaced with additional instrument or component malfunctions on a 1-for-1 basis.
3. Whenever practical, both instrument and component malfunctions should be included; only those that require verifiable actions that provide insight to the applicant's competence count toward the minimum requirements specified for the applicant's license level in the right-hand columns.





Facility: Peach Bottom	Date of Examination: 3/25/2013	Operating Test No.:														
Competencies	APPLICANTS															
	RO <input checked="" type="checkbox"/>	RO <input type="checkbox"/>	RO <input type="checkbox"/>	RO <input type="checkbox"/>												
	SRO-I <input type="checkbox"/>	SRO-I <input checked="" type="checkbox"/>	SRO-I <input type="checkbox"/>	SRO-I <input type="checkbox"/>												
	SRO-U <input type="checkbox"/>	SRO-U <input type="checkbox"/>	SRO-U <input checked="" type="checkbox"/>	SRO-U <input type="checkbox"/>												
	SCENARIO				SCENARIO				SCENARIO				SCENARIO			
1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	
Interpret/ Diagnose Events and Conditions	1-10	1-10	1-10	1-9	1-10	1-10	1-10	1-9	1-10	1-10	1-10	1-9				
Comply With and Use Procedures (1)	1-10	1-10	1-10	1-9	1-10	1-10	1-10	1-9	1-10	1-10	1-10	1-9				
Operate Control Boards (2)	1-10	1-10	1-10	1-9	1-10	1-10	1-10	1-9								
Communicate and Interact	1-10	1-10	1-10	1-9	1-10	1-10	1-10	1-9	1-10	1-10	1-10	1-9				
Demonstrate Supervisory Ability (3)					1-10	1-10	1-10	1-9	1-10	1-10	1-10	1-9				
Comply With and Use Tech Specs. (3)					2, 4	3,4	2, 3	3, 5	2, 4	3, 4	2, 3	3, 5				
<p>Notes:</p> <p>(1) Includes Technical Specification compliance for an RO.</p> <p>(2) Optional for an SRO-U.</p> <p>(3) Only applicable to SROs.</p>																

*Instructions:*

*Check the applicant's license type and enter one or more event numbers that will allow the examiners to evaluate every applicable competency for every applicant.*

Facility: Peach Bottom		Date of Exam: 3/25/13		Exam Level: RO <input checked="" type="checkbox"/> SRO <input checked="" type="checkbox"/>	
Item Description	Initial				
	a	b*	c*		
1. Questions and answers are technically accurate and applicable to the facility.	JK	Z	TF		
2. a. NRC K/As are referenced for all questions. b. Facility learning objectives are referenced as available.	JK	Z	TF		
3. SRO questions are appropriate in accordance with Section D.2.d of ES-401	JK	Z	TF		
4. The sampling process was random and systematic (If more than 4 RO or 2 SRO questions were repeated from the last 2 NRC licensing exams, consult the NRR OL program office).			TF		
5. Question duplication from the license screening/audit exam was controlled as indicated below (check the item that applies) and appears appropriate: <input type="checkbox"/> the audit exam was systematically and randomly developed; or <input type="checkbox"/> the audit exam was completed before the license exam was started; or <input type="checkbox"/> the examinations were developed independently; or <input checked="" type="checkbox"/> the licensee certifies that there is no duplication; or <input type="checkbox"/> other (explain)	JK	Z	TF		
6. Bank use meets limits (no more than 75 percent from the bank, at least 10 percent new, and the rest new or modified); enter the actual RO / SRO-only question distribution(s) at right.	% Bank	% Modified	% New	JK	TF
	44 / 8	12 / 16	44 / 76		
7. Between 50 and 60 percent of the questions on the RO exam are written at the comprehension/ analysis level; the SRO exam may exceed 60 percent if the randomly selected K/As support the higher cognitive levels; enter the actual RO / SRO question distribution(s) at right.	% Memory		% C/A	JK	TF
	48 / 12		52 / 88		
8. References/handouts provided do not give away answers or aid in the elimination of distractors.	JK	Z	TF		
9. Question content conforms with specific K/A statements in the previously approved examination outline and is appropriate for the tier to which they are assigned; deviations are justified.	JK	Z	TF		
10. Question psychometric quality and format meet the guidelines in ES Appendix B.	JK	Z	TF		
11. The exam contains the required number of one-point, multiple choice items; the total is correct and agrees with the value on the cover sheet.	JK	Z	TF		
Printed Name / Signature			Date		
a. Author	Michael J. Kelly / <i>Michael Kelly</i>		3/25/13		
b. Facility Reviewer (*)	John A. Verbillis / <i>John Verbillis</i>		3/25/13		
c. NRC Chief Examiner (#)	TODD FISH / <i>Todd Fish</i>		3/25/13		
d. NRC Regional Supervisor	Donald Jackson / <i>Donald Jackson</i>		3/28/13		
Note: * The facility reviewer's initials/signature are not applicable for NRC-developed examinations. # Independent NRC reviewer initial items in Column "c"; chief examiner concurrence required.					

\* - Numbers represent Percentages vice question distribution.  
*add J 4/16/13*

Facility: <u>Peach Bottom</u>		Date of Exam: <u>04/04/2013</u>		Exam Level: RO <input checked="" type="checkbox"/> SRO <input checked="" type="checkbox"/>	
Item Description	Initials				
	a	b	c		
1. Clean answer sheets copied before grading	JW	JME	TF		
2. Answer key changes and question deletions justified and documented	JW	JME	TF		
3. Applicants' scores checked for addition errors (reviewers spot check >25% of examinations)	JW	JME	MP/TF		
4. Grading for all borderline cases (80% ± 2% overall and 70 or 80, as applicable, ± 4% on the SRO-only) reviewed in detail	N/A	N/A	MP/TF		
5. All other failing examinations checked to ensure that grades are justified	N/A	N/A	NA		
6. Performance on missed questions checked for training deficiencies and wording problems; evaluate validity of questions missed by half or more of the applicants	JW	JME	TF		
		Printed Name / Signature		Date	
a. Author	John A Verbillis / 		4-9-13		
b. Facility Reviewer(*)	Leo MacEntee / 		4-10-13		
c. NRC Chief Examiner(*)	TODD FISH / 		4/12/13		
d. NRC Supervisor(*)	DONALD E. JACKSON / 		4/16/13		
(*) The facility reviewer's signature is not applicable for examinations graded by the NRC; two independent NRC reviews are required.					