

42

Craver, Patti

From: Balsam, Briana *MBR*
Sent: Wednesday, May 09, 2012 8:07 AM
To: Egan, Joseph
Subject: RE: Pilgrim question ... Dredging

Joe,

Thanks for the update. I appreciate you coordinating with your boss to get NMFS this information so quickly!

Briana

From: Egan, Joseph [<mailto:jegan1@entergy.com>]
Sent: Wednesday, May 09, 2012 8:06 AM
To: Balsam, Briana
Subject: RE: Pilgrim question ... Dredging

1 ENT

Briana,

This morning my boss, Jay Scheffer, told me he had a phone discussion with Mark Murray-Brown (Julie Crocker's boss) yesterday afternoon and answered these 2 questions. For your information, Pilgrim has no plans at this time to perform dredging of the intake canal as the possible need for it is dependent on the rate of sedimentation and is influenced by several variables (including weather/storms).

Mr. Scheffer and Mr. Murray-Brown are expecting to remain in regular contact.

Thanks,
Joe

From: Egan, Joseph
Sent: Tuesday, May 08, 2012 5:18 PM
To: Balsam, Briana
Subject: RE: Pilgrim clarification question...

Briana,

We completed dredging the intake canal (a.k.a. channel, embayment) at the end of last year (2011). Let me check and get back to you regarding any future dredging plans we might have.

Thanks,
Joe

From: Balsam, Briana [<mailto:Briana.Balsam@nrc.gov>]
Sent: Tuesday, May 08, 2012 4:26 PM
To: Egan, Joseph
Subject: FW: Pilgrim clarification question...

Joe,

I got (yet another!) question from Julie Crocker at NMFS. The first part of her question is easy—the NRC does not require dredging in the Pilgrim operating license. For the second part, the NRC's SEIS states that Entergy

B/35

has no plans to dredge the intake canal (Section 4.8., page 4-75, paragraph 2), but I wanted to check with you to make sure that this is still an accurate statement before sending Julie a response.

Thanks!

Briana

Briana A. Balsam
Biologist

Division of License Renewal
Office of Nuclear Reactor Regulation
U.S. Nuclear Regulatory Commission

301-415-1042
briana.balsam@nrc.gov

From: Julie Crocker [<mailto:julie.crocker@noaa.gov>]
Sent: Tuesday, May 08, 2012 2:20 PM
To: Balsam, Briana
Subject: Pilgrim clarification question...

NOAA

Hi Briana -

I am working on addressing edits to our consultation letter -- the issue of dredging has come up. Could you please clarify whether maintenance dredging of the intake canal or any other location is required as part of the license and whether NRC considers dredging as part of the action under consideration?

Thanks,

Julie

--
Julie Crocker
Protected Resources Division
Northeast Regional Office
National Marine Fisheries Service
55 Great Republic Drive
Gloucester, MA 01930