



APPLICATION FOR MATERIALS LICENSE

Estimated burden per response to comply with this mandatory collection request: 4.3 hours. Submittal of the application is necessary to determine that the applicant is qualified and that adequate procedures exist to protect the public health and safety. Send comments regarding burden estimate to the Information Services Branch (T-5 F53), U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, or by internet e-mail to Infocollects.Resource@nrc.gov, and to the Desk Officer, Office of Information and Regulatory Affairs, NEOB-10202, (3150-0120), Office of Management and Budget, Washington, DC 20503. If a means used to impose an information collection does not display a currently valid OMB control number, the NRC may not conduct or sponsor, and a person is not required to respond to, the information collection.

INSTRUCTIONS: SEE THE APPROPRIATE LICENSE APPLICATION GUIDE FOR DETAILED INSTRUCTIONS FOR COMPLETING APPLICATION. SEND TWO COPIES OF THE ENTIRE COMPLETED APPLICATION TO THE NRC OFFICE SPECIFIED BELOW. *AMENDMENTS/RENEWALS THAT INCREASE THE SCOPE OF THE EXISTING LICENSE TO A NEW OR HIGHER FEE CATEGORY WILL REQUIRE A FEE.

APPLICATION FOR DISTRIBUTION OF EXEMPT PRODUCTS FILE APPLICATIONS WITH:

OFFICE OF FEDERAL & STATE MATERIALS AND ENVIRONMENTAL MANAGEMENT PROGRAMS
DIVISION OF MATERIALS SAFETY AND STATE AGREEMENTS
U.S. NUCLEAR REGULATORY COMMISSION
WASHINGTON, DC 20555-0001

Br. 3

ALL OTHER PERSONS FILE APPLICATIONS AS FOLLOWS:

IF YOU ARE LOCATED IN:

ALABAMA, CONNECTICUT, DELAWARE, DISTRICT OF COLUMBIA, FLORIDA, GEORGIA, KENTUCKY, MAINE, MARYLAND, MASSACHUSETTS, NEW HAMPSHIRE, NEW JERSEY, NEW YORK, NORTH CAROLINA, PENNSYLVANIA, PUERTO RICO, RHODE ISLAND, SOUTH CAROLINA, TENNESSEE, VERMONT, VIRGINIA, VIRGIN ISLANDS, OR WEST VIRGINIA,

SEND APPLICATIONS TO:

LICENSING ASSISTANCE TEAM
DIVISION OF NUCLEAR MATERIALS SAFETY
U.S. NUCLEAR REGULATORY COMMISSION, REGION I
2100 RENAISSANCE BOULEVARD, SUITE 100
KING OF PRUSSIA, PA 19406-2713

03034837

IF YOU ARE LOCATED IN:

ILLINOIS, INDIANA, IOWA, MICHIGAN, MINNESOTA, MISSOURI, OHIO, OR WISCONSIN,
SEND APPLICATIONS TO:

MATERIALS LICENSING BRANCH
U.S. NUCLEAR REGULATORY COMMISSION, REGION III
2443 WARRENVILLE ROAD, SUITE 210
LISLE, IL 60532-4352

ALASKA, ARIZONA, ARKANSAS, CALIFORNIA, COLORADO, HAWAII, IDAHO, KANSAS, LOUISIANA, MISSISSIPPI, MONTANA, NEBRASKA, NEVADA, NEW MEXICO, NORTH DAKOTA, OKLAHOMA, OREGON, PACIFIC TRUST TERRITORIES, SOUTH DAKOTA, TEXAS, UTAH, WASHINGTON, OR WYOMING,

SEND APPLICATIONS TO:

NUCLEAR MATERIALS LICENSING BRANCH
U.S. NUCLEAR REGULATORY COMMISSION, REGION IV
1600 E. LAMAR BOULEVARD
ARLINGTON, TX 76011-4511

RECEIVED 07/10/13 AM

PERSONS LOCATED IN AGREEMENT STATES SEND APPLICATIONS TO THE U.S. NUCLEAR REGULATORY COMMISSION ONLY IF THEY WISH TO POSSESS AND USE LICENSED MATERIAL IN STATES SUBJECT TO U.S. NUCLEAR REGULATORY COMMISSION JURISDICTIONS.

<p>1. THIS IS AN APPLICATION FOR <i>(Check appropriate item)</i></p> <p>A. NEW LICENSE</p> <p><input checked="" type="checkbox"/> B. AMENDMENT TO LICENSE NUMBER <u>19-30479-01</u></p> <p>C. RENEWAL OF LICENSE NUMBER _____</p>	<p>2. NAME AND MAILING ADDRESS OF APPLICANT <i>(Include ZIP code)</i></p> <p>Geo-Technology Associates, Inc. 3445-A Box Hill Corporate Center Drive Abingdon, Maryland 21009</p>
---	--

<p>3. ADDRESS WHERE LICENSED MATERIAL WILL BE USED OR POSSESSED</p> <p>See attached cover letter</p>	<p>4. NAME OF PERSON TO BE CONTACTED ABOUT THIS APPLICATION</p> <p>Stephen A. Cutter</p> <table border="1"> <tr> <td>BUSINESS TELEPHONE NUMBER</td> <td>BUSINESS CELLULAR TELEPHONE NUMBER</td> </tr> <tr> <td>(703) 478-0055</td> <td>(410) 598-6679</td> </tr> <tr> <td colspan="2">BUSINESS EMAIL ADDRESS</td> </tr> <tr> <td colspan="2">scutter@mragta.com</td> </tr> </table>	BUSINESS TELEPHONE NUMBER	BUSINESS CELLULAR TELEPHONE NUMBER	(703) 478-0055	(410) 598-6679	BUSINESS EMAIL ADDRESS		scutter@mragta.com	
BUSINESS TELEPHONE NUMBER	BUSINESS CELLULAR TELEPHONE NUMBER								
(703) 478-0055	(410) 598-6679								
BUSINESS EMAIL ADDRESS									
scutter@mragta.com									

SUBMIT ITEMS 5 THROUGH 11 ON 8-1/2 X 11" PAPER. THE TYPE AND SCOPE OF INFORMATION TO BE PROVIDED IS DESCRIBED IN THE LICENSE APPLICATION GUIDE

<p>5. RADIOACTIVE MATERIAL</p> <p>a. Element and mass number; b. chemical and/or physical form; and c. maximum amount which will be possessed at any one time.</p>	<p>6. PURPOSE(S) FOR WHICH LICENSED MATERIAL WILL BE USED.</p>
<p>8. TRAINING FOR INDIVIDUALS WORKING IN OR FREQUENTING RESTRICTED AREAS.</p>	<p>7. INDIVIDUAL(S) RESPONSIBLE FOR RADIATION SAFETY PROGRAM AND THEIR TRAINING EXPERIENCE.</p>
<p>10. RADIATION SAFETY PROGRAM.</p>	<p>9. FACILITIES AND EQUIPMENT.</p>
<p>12. LICENSE FEES <i>(Fees required only for new applications, with few exceptions*) (See 10 CFR 170 and Section 170.31)</i></p>	<p>11. WASTE MANAGEMENT.</p>

FEE CATEGORY	AMOUNT ENCLOSED \$

13. CERTIFICATION. *(Must be completed by applicant)* THE APPLICANT UNDERSTANDS THAT ALL STATEMENTS AND REPRESENTATIONS MADE IN THIS APPLICATION ARE BINDING UPON THE APPLICANT.

THE APPLICANT AND ANY OFFICIAL EXECUTING THIS CERTIFICATION ON BEHALF OF THE APPLICANT, NAMED IN ITEM 2, CERTIFY THAT THIS APPLICATION IS PREPARED IN CONFORMITY WITH TITLE 10, CODE OF FEDERAL REGULATIONS, PARTS 30, 32, 33, 34, 35, 36, 39, AND 40, AND THAT ALL INFORMATION CONTAINED HEREIN IS TRUE AND CORRECT TO THE BEST OF THEIR KNOWLEDGE AND BELIEF.

WARNING: 18 U.S.C. SECTION 1001 ACT OF JUNE 25, 1948 62 STAT. 749 MAKES IT A CRIMINAL OFFENSE TO MAKE A WILLFULLY FALSE STATEMENT OR REPRESENTATION TO ANY DEPARTMENT OR AGENCY OF THE UNITED STATES AS TO ANY MATTER WITHIN ITS JURISDICTION.

<p>CERTIFYING OFFICER -- TYPED/PRINTED NAME AND TITLE</p> <p>Stephen A. Cutter, Vice President, Corporate RSO</p>	<p>SIGNATURE</p>	<p>DATE</p> <p>7/8/13</p>
---	------------------	---------------------------

FOR NRC USE ONLY

TYPE OF FEE	FEE LOG	FEE CATEGORY	AMOUNT RECEIVED	CHECK NUMBER	COMMENTS
			\$		
APPROVED BY				DATE	

GEO-TECHNOLOGY ASSOCIATES, INC.

GEOTECHNICAL AND
ENVIRONMENTAL CONSULTANTS



A Practicing ASFE Member Firm

July 8, 2013

Licensing Assistance Team
Division of Nuclear Materials Safety
U.S. Nuclear Regulatory Commission, Region I
2100 Renaissance Boulevard, Suite 100
King of Prussia, Pennsylvania 19406-2713

Re: Amendment to License
License Number 19-30479-01
NRC Form 313

Gentlemen:

This letter is intended to give notice of Geo-Technology Associates, Inc. (GTA) request to remove a storage facility at our office location at 43 Center Avenue, Wheeling, WV 26003. Listed below is our requested amendment for Part 3 in the attached NRC FORM 313.

NRC Form 313: Part 3

18 Boulden Circle, Suite 36, Wilmington, Delaware 19720, 21133 Sterling Square, Unit 7, Georgetown, Delaware 19947, and may be used at temporary job sites of the licensee anywhere in the United States where the U.S. Nuclear Regulatory Commission maintains jurisdiction for regulating the use of licensed material, including areas of exclusive Federal jurisdiction within Agreement States.

For your records, we have attached leak tests for the gauges stored at that location. The gauges were all transferred to other GTA office locations. If you have any questions or require additional information, please contact me at (410) 598-6679.

Sincerely,

GEO-TECHNOLOGY ASSOCIATES, INC.



Stephen A. Cutter

Vice President, Corporate Radiation Safety Officer

Attachments:

NRC Form 313
Leak tests

43760 Trade Center Place, Suite 110, Sterling, VA 20166 (703) 478-0055 Fax: (703) 478-0137

◆ Abingdon, MD ◆ Laurel, MD ◆ Frederick, MD ◆ Waldorf, MD ◆ Sterling, VA ◆ Somerset, NJ
◆ New Castle, DE ◆ Georgetown, DE ◆ York, PA ◆ Quakertown, PA ◆ Charlotte, NC

Visit us on the web at www.mragta.com

NETS

North East Technical Services, Inc.

75 Aileron Ct., Suite 4

Westminster, MD 21157

Ph: 410.751.5090 Fax: 410.751.5091

Gen Technology Assoc - Melvern

3251 Coral Road, NW

Melvern, OH 44644

ATTN: Bob Johnson

Shipping Address: 3251 Coral Road, NW

Melvern, OH 44644

LEAK TEST CERTIFICATE

MD Materials License # MD-13-020-01

This certifies that leak test analysis was conducted on the sample with the following information. The results shown below accurately represent the level of removeable contamination.

Gauge Model	3411	Gauge S/N	13519	Leak Test Date	4/18/2013
Source					
	50-2005		0.00006001		
	47-8752		0.00000		

Note: 0.005 microCuries (185 Bq) or greater is considered a leaking source. The source(s) tested above may remain in use.

Reviewed by: _____

Date: APR 26 2013

NETS

North East Technical Services, Inc.
75 Aileron Ct., Suite 4
Westminster, MD 21157
Ph: 410.751.5090 Fax: 410.751.5091

Geo Technology Assoc. - Wheeling
43 Center Avenue
Wheeling, WV 26003
ATTN: Joe Colville

Shipping Address: 43 Center Avenue
Wheeling, WV 26003

LEAK TEST CERTIFICATE

MD Materials License # MD-13-020-01

This certifies that leak test analysis was conducted on the sample with the following information. The results shown below accurately represent the level of removeable contamination.

Gauge Model	3411	Gauge S/N	13519	Leak Test Date	10/8/2012
Source					
50-2005			0.00008247		
47-8732			0.00000		

Note: 0.005 microCuries (185 Bq) or greater is considered a leaking source. The source(s) tested above may remain in use.

Reviewed by: 

Date: OCT 09 2012

NETS

North East Technical Services, Inc.

75 Allerton Ct., Suite 4

Westminster, MD 21157

Ph: 410.751.5090 Fax: 410.751.5091

Geo Technology Assoc. - Melvern

3251 Coral Road, NW

Melvorn, OH 44644

ATTN: Bob Johanson

Shipping Address: 3251 Coral Road, NW

Melvorn, OH 44644

LEAK TEST CERTIFICATE

MD Materials License # MD-13-020-01

This certifies that leak test analysis was conducted on the sample with the following information. The results shown below accurately represent the level of removeable contamination.

Gauge Model	3430	Gauge S/N	31549	Leak Test Date	4/18/2013
Source		Reading in microCuries			
750-6358		0.0000755			
47-1328		0.00000			

Note: 0.005 microCuries (185 Bq) or greater is considered a leaking source. The source(s) tested above may remain in use.

Reviewed by: _____

Date: APR 26 2013

NETS

North East Technical Services, Inc.
75 Aileron Ct., Suite 4
Westminster, MD 21157
Ph: 410.751.5090 Fax: 410.751.5091

Geo Technology Assoc. - Wheeling
43 Center Avenue
Wheeling, WV 26003
ATTN: Joe Colville

Shipping Address: 43 Center Avenue
Wheeling, WV 26003

LEAK TEST CERTIFICATE


MD Materials License # MD-13-020-01

This certifies that leak test analysis was conducted on the sample with the following information. The results shown below accurately represent the level of removable contamination.

Gauge Model	3430	Gauge S/N	31549	Leak Test Date	10/5/2012
Source		Reading in microCuries			
	750-6358		0.00008448		
	47-1328		0.00000		

Note: 0.005 microCuries (185 Bq) or greater is considered a leaking source. The source(s) tested above may remain in use.

Reviewed by: _____



Date: _____

OCT 09 2012

NETS

North East Technical Services, Inc.

75 Aileron Ct., Suite 4

Westminster, MD 21157

Ph: 410.751.5090 Fax: 410.751.5091

Geo Technology Assoc. - Melvern

3251 Coral Road, NW

Melvern, OH 44644

ATTN: Bob Johnson

Shipping Address: 3251 Coral Road, NW

Melvern, OH 44644

LEAK TEST CERTIFICATE

MD Materials License # MD-13-020-01

This certifies that leak test analysis was conducted on the sample with the following information. The results shown below accurately represent the level of removeable contamination.

<i>Gauge Model</i>	<i>3411</i>	<i>Gauge S/N</i>	<i>13675</i>	<i>Leak Test Date</i>	<i>4/18/2013</i>
<i>Source</i>					
<i>50-2443</i>			<i>0.00006001</i>		
<i>17-89-43</i>			<i>0.00000</i>		

Note: 0.005 microCuries (185 Bq) or greater is considered a leaking source. The source(s) tested above may remain in use.

Reviewed by: _____

Date: APR 26 2013

NETS

North East Technical Services, Inc.
75 Alleran Ct., Suite 4
Westminster, MD 21157
Ph: 410.751.5090 Fax: 410.751.5091

Geo Technology Assoc. - Wheeling

43 Center Avenue
Wheeling, WV 26003
ATTN: Joe Colville

Shipping Address: 43 Center Avenue
Wheeling, WV 26003

LEAK TEST CERTIFICATE

MD Materials License # MD-13-020-01

This certifies that leak test analysis was conducted on the sample with the following information. The results shown below accurately represent the level of removeable contamination.

Gauge Model	3411	Gauge S/N	13675	Leak Test Date	10/8/2012
	Source		Reading in microCuries		
	50-2443		0.000008247		
	47-8993		0.00000		

Note: 0.005 microCuries (185 Bq) or greater is considered a leaking source. The source(s) tested above may remain in use.

Reviewed by: _____

Date: OCT 09 2012

NETS

North East Technical Services, Inc.

75 Aileron Ct., Suite 4

Westminster, MD 21157

Ph: 410.751.5090 Fax: 410.751.5091

Geo Technology Assoc. - Melvern

3251 Coral Road, NW

Melvern, OH 44644

ATTN: Bob Johnson

Shipping Address: 3251 Coral Road, NW

Melvern, OH 44644

LEAK TEST CERTIFICATE

MD Materials License # MD-13-020-01

This certifies that leak test analysis was conducted on the sample with the following information. The results shown below accurately represent the level of removeable contamination.

Gauge Model	MC-IDR	Gauge S/N	MD50707963	Leak Test Date	4/18/2013
	Source		Reading in microCuries		
	7963		0.0000755		
	7963		0.00000		

Note: 0.005 microCuries (185 Bq) or greater is considered a leaking source. The source(s) tested above may remain in use.

Reviewed by: _____

Date: APR 26 2013

NETS

North East Technical Services, Inc.

75 Aileron Ct., Suite 4

Westminster, MD 21157

Ph: 410.751.5090 Fax: 410.751.5091

Geo Technology Assoc. - Wheeling

43 Center Avenue

Wheeling, WV 26003

ATTN: Joe Colville

Shipping Address: 43 Center Avenue

Wheeling, WV 26003

LEAK TEST CERTIFICATE

MD Materials License # MD-13-020-01

This certifies that leak test analysis was conducted on the sample with the following information. The results shown below accurately represent the level of removeable contamination.

<i>Gauge Model</i>	<i>MC-IDR</i>	<i>Gauge S/N</i>	<i>MD50707963</i>	<i>Leak Test Date</i>	<i>9/27/2012</i>
	Source	Reading in microCuries			
	7963	0.00006783			
	7963	0.00000			

Note: 0.005 microCuries (185 Bq) or greater is considered a leaking source. The source(s) tested above may remain in use.

Reviewed by:



Date:

OCT 08 2012

Monday, October 08, 2012

This is to acknowledge the receipt of your letter application dated

7/8/13, and to inform you that the initial processing which includes an administrative review has been performed.

Amendment (19-30479-01)
There were no administrative omissions. Your application was assigned to a technical reviewer. Please note that the technical review may identify additional omissions or require additional information.

Please provide to this office within 30 days of your receipt of this card

A copy of your action has been forwarded to our License Fee & Accounts Receivable Branch, who will contact you separately if there is a fee issue involved.

Your action has been assigned **Mail Control Number** 581334.
When calling to inquire about this action, please refer to this control number.
You may call us on (610) 337-5398, or 337-5260.

NRC FORM 532 (R1)
(6-96)

Sincerely,
Licensing Assistance Team Leader