

## Appendix 2A. Tables

**Table 2-1. 1970 Population Distribution 0-10 Miles**

“HISTORICAL INFORMATION NOT REQUIRED TO BE REVISED”

<i>SECTOR</i>	<i>0-1 MILE</i>	<i>1-2 MILES</i>	<i>2-3 MILES</i>	<i>3-4 MILES</i>	<i>4-5 MILES</i>	<i>5-10 MILES</i>	<i>TOTAL</i>
<i>N</i>	0	0	0	0	0	40	40
<i>NNE</i>	0	0	0	38	22	60	120
<i>NE</i>	0	0	0	115	235	2,000	2,350
<i>ENE</i>	0	22	38	108	112	681	961
<i>E</i>	0	0	0	140	417	670	1,227
<i>ESE</i>	0	0	51	70	131	1,326	1,578
<i>SE</i>	0	0	80	6	70	8,472	8,628
<i>SSE</i>	0	0	0	0	45	7,792	7,837
<i>S</i>	0	19	29	6	140	2,027	2,221
<i>SSW</i>	0	6	0	0	112	7,000	7,118
<i>SW</i>	0	19	0	128	166	538	851
<i>WSW</i>	0	13	80	181	35	1,102	1,411
<i>W</i>	0	0	150	38	102	1,419	1,709
<i>WNW</i>	0	3	22	51	26	1,456	1,558
<i>NW</i>	0	0	0	13	32	920	965
<i>NNW</i>	0	3	3	13	16	881	916
<i>TOTAL</i>	0	85	453	907	1,661	36,384	39,490

**Table 2-2. 2010 Projected Population Distribution 0-10 Miles**

“HISTORICAL INFORMATION NOT REQUIRED TO BE REVISED”

<i>SECTOR</i>	<i>0-1 MILE</i>	<i>1-2 MILES</i>	<i>2-3 MILES</i>	<i>3-4 MILES</i>	<i>4-5 MILES</i>	<i>5-10 MILES</i>	<i>TOTAL</i>
<i>N</i>	0	0	35	123	27	615	800
<i>NNE</i>	0	35	215	46	8	446	750
<i>NE</i>	0	15	33	76	89	1,125	1,338
<i>ENE</i>	0	18	38	81	142	1,666	1,945
<i>E</i>	0	22	44	68	308	1,645	2,087
<i>ESE</i>	0	18	34	14	97	3,280	3,443
<i>SE</i>	0	10	27	22	66	3,865	3,990
<i>SSE</i>	0	12	18	26	133	7,722	7,911
<i>S</i>	0	10	12	36	203	2,885	3,146
<i>SSW</i>	0	48	137	12	6	11,285	11,488
<i>SW</i>	0	31	99	37	28	2,207	2,402
<i>WSW</i>	0	12	79	30	79	4,593	4,793
<i>W</i>	0	21	90	84	81	1,867	2,143
<i>WNW</i>	0	26	53	65	58	1,513	1,715
<i>NW</i>	0	311	515	465	78	1,303	2,672
<i>NNW</i>	0	297	374	884	44	751	2,350
<i>TOTAL</i>	0	886	1,803	2,069	1,447	46,768	52,973

**SOURCE:** U.S. Census 1910-1960, Extrapolation (for 2010) by Dr. C. Horace Hamilton, Department of Rural Sociology, North Carolina State University, Raleigh, N.C.

**Table 2-3. 1970 Population Distribution 0-50 Miles**

“HISTORICAL INFORMATION NOT REQUIRED TO BE REVISED”

<i>SECTOR</i>	<i>0-10 MILES</i>	<i>10-20 MILES</i>	<i>20-30 MILES</i>	<i>30-40 MILES</i>	<i>40-50 MILES</i>	<i>TOTAL</i>
<i>N</i>	40	52	2,479	1,087	20,659	24,317
<i>NNE</i>	120	1,095	3,514	13,879	21,431	40,039
<i>NE</i>	2,350	5,007	4,608	2,702	24,312	38,979
<i>ENE</i>	961	9,323	61,552	43,989	25,285	141,110
<i>E</i>	1,227	18,322	78,884	47,398	17,518	163,349
<i>ESE</i>	1,578	1,425	17,561	5,519	5,704	31,787
<i>SE</i>	8,628	3,390	44,033	12,708	9,835	78,594
<i>SSE</i>	7,837	4,957	16,200	6,836	2,700	38,530
<i>S</i>	2,221	4,500	3,040	10,990	12,033	32,784
<i>SSW</i>	7,118	3,681	4,265	8,811	6,384	30,259
<i>SW</i>	851	3,748	12,904	4,317	5,352	27,172
<i>WSW</i>	1,411	5,606	7,506	8,772	14,639	37,934
<i>W</i>	1,709	1,969	2,884	2,760	2,716	12,038
<i>WNW</i>	1,558	835	1,977	2,563	1,740	8,673
<i>NW</i>	965	588	1,772	9,804	2,771	15,900
<i>NNW</i>	916	340	1,448	6,700	11,833	21,237
<i>TOTAL</i>	39,490	64,838	264,627	188,835	184,912	742,702

**Table 2-4. 2010 Projected Population Distribution 0-50 Miles**

“HISTORICAL INFORMATION NOT REQUIRED TO BE REVISED”

<b>SECTOR</b>	<b>0-10 MILE</b>	<b>10-20 MILES</b>	<b>20-30 MILES</b>	<b>30-40 MILES</b>	<b>40-50 MILES</b>	<b>TOTAL</b>
<i>N</i>	800	570	3,213	1,400	30,600	36,583
<i>NNE</i>	750	1,141	3,970	19,100	29,500	54,461
<i>NE</i>	1,338	3,355	6,018	4,700	26,100	41,511
<i>ENE</i>	1,945	12,325	60,430	53,000	41,400	169,100
<i>E</i>	2,087	19,600	127,913	75,300	23,800	248,700
<i>ESE</i>	3,443	4,285	15,572	9,000	7,400	39,700
<i>SE</i>	3,990	5,700	54,210	13,200	6,900	84,000
<i>SSE</i>	7,911	4,015	19,574	7,600	2,300	41,400
<i>S</i>	3,146	3,140	4,932	6,000	8,400	25,618
<i>SSW</i>	11,488	3,190	4,336	6,100	3,100	28,214
<i>SW</i>	2,402	7,400	9,129	4,500	900	24,331
<i>WSW</i>	4,793	4,105	15,176	10,700	16,900	51,674
<i>W</i>	2,143	1,535	4,264	4,100	3,600	15,642
<i>WNW</i>	1,715	1,085	3,152	2,200	2,300	10,452
<i>NW</i>	2,672	525	2,204	9,400	4,800	19,601
<i>NNW</i>	2,350	695	1,693	4,800	13,700	23,238
<b>TOTAL</b>	52,973	72,666	335,786	231,100	221,700	914,225

**SOURCE:** U.S. Census 1910-1960, Extrapolation (for 2010) by Dr. C. Horace Hamilton, Department of Rural Sociology, North Carolina State University, Raleigh N.C

Table 2-5. 1970 Cumulative Population Density 0-50 Miles

"HISTORICAL INFORMATION NOT REQUIRED TO BE REVISED"

<b>SECTOR</b>	<b>0-1 MILE</b>	<b>0-2 MILES</b>	<b>0-3 MILES</b>	<b>0-4 MILES</b>	<b>0-5 MILES</b>	<b>0-10 MILES</b>	<b>0-20 MILES</b>	<b>0-30 MILES</b>	<b>0-40 MILES</b>	<b>0-50 MILES</b>
<i>N</i>	0	0	0	0	0	2	1	15	12	49
<i>NNE</i>	0	0	0	12	12	6	15	27	59	81
<i>NE</i>	0	0	0	38	71	120	93	68	47	79
<i>ENE</i>	0	28	34	55	57	47	131	406	368	285
<i>E</i>	0	0	0	46	114	62	248	557	464	330
<i>ESE</i>	0	0	29	40	51	80	38	116	83	64
<i>SE</i>	0	0	45	28	32	439	153	317	219	159
<i>SSE</i>	0	0	0	0	9	399	162	164	114	78
<i>S</i>	0	25	27	18	19	113	85	55	66	66
<i>SSW</i>	0	8	3	2	24	362	137	85	76	61
<i>SW</i>	0	25	5	48	64	43	58	99	69	55
<i>WSW</i>	0	17	53	90	63	72	89	82	74	77
<i>W</i>	0	0	85	62	59	87	47	37	30	24
<i>WNW</i>	0	4	14	25	21	79	30	25	22	18
<i>NW</i>	0	0	0	4	9	49	20	19	42	32
<i>NNW</i>	0	4	3	6	7	47	16	15	30	43
<b>TOTAL</b>	0	7	19	29	40	126	83	130	111	95

**Table 2-6. 2010 Projected Cumulative Population Density 0-50 Miles**  
 “HISTORICAL INFORMATION NOT REQUIRED TO BE REVISED”

<b>SECTOR</b>	<b>0-1 MILE</b>	<b>0-2 MILES</b>	<b>0-3 MILES</b>	<b>0-4 MILES</b>	<b>0-5 MILES</b>	<b>0-10 MILES</b>	<b>0-20 MILES</b>	<b>0-30 MILES</b>	<b>0-40 MILES</b>	<b>0-50 MILES</b>
<i>N</i>	0	0	20	52	38	41	17	26	19	74
<i>NNE</i>	0	44	141	97	62	38	24	33	79	110
<i>NE</i>	0	19	27	41	43	68	60	61	49	84
<i>ENE</i>	0	23	32	45	57	99	181	423	406	342
<i>E</i>	0	28	37	44	90	101	275	847	715	502
<i>ESE</i>	0	23	29	22	33	175	98	132	103	80
<i>SE</i>	0	13	21	19	26	203	123	362	245	170
<i>SSE</i>	0	15	17	18	39	403	151	178	124	84
<i>S</i>	0	13	12	19	53	160	80	63	55	52
<i>SSW</i>	0	61	105	65	41	585	186	108	80	57
<i>SW</i>	0	39	73	55	40	122	124	107	75	49
<i>WSW</i>	0	15	51	40	41	244	113	136	111	104
<i>W</i>	0	27	63	64	56	109	47	45	38	32
<i>WNW</i>	0	33	45	47	41	87	36	34	26	21
<i>NW</i>	0	395	467	423	279	136	41	31	47	40
<i>NNW</i>	0	377	379	510	326	120	39	27	30	47
<b>TOTAL</b>	<b>0</b>	<b>70</b>	<b>95</b>	<b>95</b>	<b>79</b>	<b>169</b>	<b>100</b>	<b>163</b>	<b>138</b>	<b>116</b>

**Table 2-7. Frequency of Tropical Cyclones in Georgia, South Carolina and North Carolina Plus Coastal Waters**

["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED"]

<i>Period (Years)</i>	<i>Total</i>	<i>Average per Year</i>	<i>No. Years with no Tropical Storms</i>	<i>No. Years with Double the Average No.</i>
<i>1871-1875</i>	<i>8</i>	<i>1.6</i>	<i>0</i>	<i>0</i>
<i>1876-1885</i>	<i>18</i>	<i>1.8</i>	<i>1</i>	<i>1</i>
<i>1886-1895</i>	<i>19</i>	<i>1.9</i>	<i>2</i>	<i>1</i>
<i>1896-1905</i>	<i>21</i>	<i>2.1</i>	<i>1</i>	<i>0</i>
<i>1906-1915</i>	<i>16</i>	<i>1.6</i>	<i>0</i>	<i>0</i>
<i>1916-1925</i>	<i>12</i>	<i>1.2</i>	<i>3</i>	<i>2</i>
<i>1926-1935</i>	<i>16</i>	<i>1.6</i>	<i>1</i>	<i>0</i>
<i>1936-1945</i>	<i>12</i>	<i>1.2</i>	<i>1</i>	<i>1</i>
<i>1946-1955</i>	<i>25</i>	<i>2.5</i>	<i>2</i>	<i>0</i>
<i>1956-1965</i>	<i>17</i>	<i>1.7</i>	<i>0</i>	<i>1</i>
<i>Total (95 Years)</i>	<i>164</i>		<i>11</i>	<i>6</i>

*Note:* (References [1](#), [2](#) and [3](#))



**Table 2-8. Mean Monthly Thunderstorm Days and Thunderstorms for Nuclear Plant Site**  
 ["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED"]

<i>Month</i>	<i>Thunderstorm Days</i>	<i>Thunderstorms</i>
<i>Jan</i>	<i>1</i>	<i>1.1</i>
<i>Feb</i>	<i>1.5</i>	<i>1.6</i>
<i>Mar</i>	<i>3.5</i>	<i>3.8</i>
<i>Apr</i>	<i>4</i>	<i>4.6</i>
<i>May</i>	<i>7</i>	<i>8.0</i>
<i>Jun</i>	<i>11</i>	<i>12.6</i>
<i>Jul</i>	<i>13</i>	<i>15.0</i>
<i>Aug</i>	<i>10</i>	<i>11.5</i>
<i>Sept</i>	<i>5</i>	<i>5.8</i>
<i>Oct</i>	<i>1.5</i>	<i>1.6</i>
<i>Nov</i>	<i>1.5</i>	<i>1.6</i>
<i>Dec</i>	<i>1</i>	<i>1.1</i>
<i>Annual</i>	<i>60</i>	<i>68.3</i>

**Note:**

1. Reference [11](#)

**Table 2-9. Duration and Frequency (in Hours) of Calm and Near-Calm Winds Average of Three Locations<sup>(1)</sup> (1/59 - 12/63)**

["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED"]

<i>Duration (Hours)</i>	<i>Winter</i>	<i>Spring</i>	<i>Summer</i>	<i>Fall</i>	<i>Annual</i>
<i>A. Calm Conditions: Calm at all locations</i>					
<i>01-05</i>	<i>74.2<sup>(2)</sup></i>	<i>70.4</i>	<i>94.7</i>	<i>92.5</i>	<i>331.8</i>
<i>06-11</i>	<i>3.9</i>	<i>3.4</i>	<i>5.9</i>	<i>6.9</i>	<i>20.1</i>
<i>12-17</i>	<i>0.3</i>	<i>0.3</i>	<i>0.8</i>	<i>1.3</i>	<i>2.7</i>
<i>18-23</i>	<i>0.0</i>	<i>0.0</i>	<i>0.1</i>	<i>0.3</i>	<i>0.4</i>
<i>24-29</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>
<i>30-35</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>
<i>36-41</i>	<i>0.1</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.1</i>
<i>Total</i>					<i>355.1</i>
<i>B. Average Wind Speed: 1 Knot or Less</i>					
<i>01-05</i>	<i>76.2</i>	<i>74.5</i>	<i>98.9</i>	<i>95.6</i>	<i>345.2</i>
<i>06-11</i>	<i>4.0</i>	<i>3.5</i>	<i>6.1</i>	<i>7.1</i>	<i>20.7</i>
<i>12-17</i>	<i>0.3</i>	<i>0.3</i>	<i>0.8</i>	<i>1.3</i>	<i>2.7</i>
<i>18-23</i>	<i>0.0</i>	<i>0.0</i>	<i>0.1</i>	<i>0.3</i>	<i>0.4</i>
<i>24-29</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>
<i>30-35</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>
<i>36-41</i>	<i>0.1</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.1</i>
<i>Total</i>					<i>369.1</i>

**Note:**

- 1. The three locations were Charlotte WBAS, Winston-Salem WBAS, North Carolina; and Greenville WBAS and Greenville-Spartanburg WBAS, South Carolina.*
- 2. Hours per season or hours per year as appropriate.*
- 3. Reference [13](#).*

**Table 2-10. Annual Surface Wind Rose For Greenville, South Carolina (1/59 - 12/63)<sup>(1)</sup>**

["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED"]

<i>Wind Speeds in Knots</i>								
<i>Wind Direction</i>	<i>1-3</i>	<i>4-6</i>	<i>7-10</i>	<i>11-16</i>	<i>17-21</i>	<i>22-27</i>	<i>Total Freq.</i>	<i>Mean Speed</i>
<i>N</i>	<i>1.2<sup>(2)</sup></i>	<i>2.4</i>	<i>2.2</i>	<i>1.1</i>	<i>0.1</i>	<i>.0</i>	<i>7.0</i>	<i>7.1</i>
<i>NNE</i>	<i>0.8</i>	<i>2.7</i>	<i>2.7</i>	<i>1.0</i>	<i>0.1</i>	<i>.0</i>	<i>7.3</i>	<i>7.2</i>
<i>NE</i>	<i>1.2</i>	<i>5.2</i>	<i>6.0</i>	<i>2.1</i>	<i>0.2</i>	<i>.0</i>	<i>14.7</i>	<i>7.5</i>
<i>ENE</i>	<i>0.8</i>	<i>3.6</i>	<i>3.2</i>	<i>1.0</i>	<i>0.1</i>	<i>.0</i>	<i>8.7</i>	<i>7.0</i>
<i>E</i>	<i>1.3</i>	<i>2.5</i>	<i>1.5</i>	<i>0.2</i>	<i>.0</i>	<i>.0</i>	<i>5.5</i>	<i>5.5</i>
<i>ESE</i>	<i>0.8</i>	<i>1.3</i>	<i>0.5</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>2.6</i>	<i>4.8</i>
<i>SE</i>	<i>0.9</i>	<i>1.4</i>	<i>0.4</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>2.7</i>	<i>4.6</i>
<i>SSE</i>	<i>0.5</i>	<i>1.0</i>	<i>0.4</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>1.9</i>	<i>5.1</i>
<i>S</i>	<i>1.0</i>	<i>2.0</i>	<i>1.0</i>	<i>0.1</i>	<i>.0</i>	<i>.0</i>	<i>4.1</i>	<i>5.4</i>
<i>SSW</i>	<i>0.5</i>	<i>1.9</i>	<i>1.5</i>	<i>0.4</i>	<i>.0</i>	<i>.0</i>	<i>4.3</i>	<i>6.6</i>
<i>SW</i>	<i>1.0</i>	<i>3.6</i>	<i>3.5</i>	<i>1.3</i>	<i>0.1</i>	<i>.0</i>	<i>9.5</i>	<i>7.2</i>
<i>WSW</i>	<i>0.7</i>	<i>2.9</i>	<i>3.7</i>	<i>1.8</i>	<i>0.3</i>	<i>0.1</i>	<i>9.5</i>	<i>8.2</i>
<i>W</i>	<i>0.8</i>	<i>2.4</i>	<i>2.0</i>	<i>0.8</i>	<i>0.2</i>	<i>.0</i>	<i>6.2</i>	<i>7.2</i>
<i>WNW</i>	<i>0.6</i>	<i>2.2</i>	<i>1.2</i>	<i>0.4</i>	<i>0.1</i>	<i>.0</i>	<i>4.5</i>	<i>6.6</i>
<i>NW</i>	<i>1.1</i>	<i>2.4</i>	<i>0.7</i>	<i>0.2</i>	<i>.0</i>	<i>.0</i>	<i>4.4</i>	<i>5.3</i>
<i>NNW</i>	<i>0.6</i>	<i>1.5</i>	<i>0.9</i>	<i>0.4</i>	<i>0.1</i>	<i>.0</i>	<i>3.5</i>	<i>6.7</i>
<i>Calm</i>							<i>3.6</i>	
	<i>13.8</i>	<i>39.0</i>	<i>31.4</i>	<i>10.8</i>	<i>1.3</i>	<i>0.1</i>	<i>100.0</i>	<i>6.6</i>

**Note:**

1. Reference [12](#)
2. Percent Frequency

**Table 2-11. Percent Frequency of Wind Speeds at Various Hours Through the Day - Greenville, S. C. (1/59 - 12/63)<sup>1</sup>**

["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED"]

<i>Hour</i>	<i>Wind Speed in Knots</i>							
	<i>0</i>	<i>1-3</i>	<i>4-6</i>	<i>7-10</i>	<i>11-16</i>	<i>17-21</i>	<i>22-23</i>	<i>34+</i>
<i>01</i>	<i>4.3</i>	<i>20.1</i>	<i>42.8<sup>(2)</sup></i>	<i>25.2</i>	<i>7.0</i>	<i>.6</i>	<i>0</i>	<i>0</i>
<i>04</i>	<i>4.7</i>	<i>21.0</i>	<i>42.9<sup>(2)</sup></i>	<i>23.8</i>	<i>7.3</i>	<i>.4</i>	<i>0</i>	<i>0</i>
<i>07</i>	<i>4.1</i>	<i>19.0</i>	<i>39.6<sup>(2)</sup></i>	<i>29.4</i>	<i>6.9</i>	<i>.9</i>	<i>.2</i>	<i>0</i>
<i>10</i>	<i>1.5</i>	<i>8.2</i>	<i>34.6</i>	<i>39.0<sup>(2)</sup></i>	<i>15.7</i>	<i>1.4</i>	<i>.1</i>	<i>0</i>
<i>13</i>	<i>0.7</i>	<i>4.9</i>	<i>32.0</i>	<i>41.1<sup>(2)</sup></i>	<i>18.4</i>	<i>2.6</i>	<i>.4</i>	<i>0</i>
<i>16</i>	<i>0.6</i>	<i>6.1</i>	<i>31.6</i>	<i>41.2<sup>(2)</sup></i>	<i>16.8</i>	<i>3.2</i>	<i>.6</i>	<i>0</i>
<i>19</i>	<i>2.9</i>	<i>14.0</i>	<i>46.5<sup>(2)</sup></i>	<i>26.1</i>	<i>9.0</i>	<i>1.3</i>	<i>.1</i>	<i>.1</i>
<i>22</i>	<i>7.5</i>	<i>16.2</i>	<i>43.1<sup>(2)</sup></i>	<i>25.3</i>	<i>6.6</i>	<i>1.1</i>	<i>.1</i>	<i>.0</i>
<i>Average</i>	<i>3.3</i>	<i>13.7</i>	<i>39.1<sup>(2)</sup></i>	<i>31.4</i>	<i>11.0</i>	<i>1.4</i>	<i>.1</i>	<i>.1</i>

**Note:**

1. Reference [12](#)
2. Indicates the Speed Class of the 50 Percent Level

**Table 2-12. Duration and Frequency of Calm and Near-Calm Winds Average of Three Locations<sup>(2)</sup>  
(1/59 - 12/63)**

["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED"]

<i>Duration (Hours)</i>	<i>Winter</i>	<i>Spring</i>	<i>Summer</i>	<i>Fall</i>	<i>Annual</i>
<i>A. Calm Conditions: Calm at all Locations</i>					
<i>Incidents/Season/Stations</i>					
<i>01-05</i>	<i>74.2</i>	<i>70.4</i>	<i>94.7</i>	<i>92.5</i>	<i>331.8</i>
<i>06-11</i>	<i>3.9</i>	<i>3.4</i>	<i>5.9</i>	<i>6.9</i>	<i>20.1</i>
<i>12-17</i>	<i>0.3</i>	<i>0.3</i>	<i>0.8</i>	<i>1.3</i>	<i>2.7</i>
<i>18-23</i>	<i>0.0</i>	<i>0.0</i>	<i>0.1</i>	<i>0.3</i>	<i>0.4</i>
<i>24-29</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>
<i>30-35</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>
<i>36-41</i>	<i>0.1</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.1</i>
<i>Total</i>					<i>355.1</i>
<i>B. Average Wind Speed: 1 Knot or Less</i>					
<i>01-05</i>	<i>76.2</i>	<i>74.5</i>	<i>98.9</i>	<i>95.6</i>	<i>345.2</i>
<i>06-11</i>	<i>4.0</i>	<i>3.5</i>	<i>6.1</i>	<i>7.1</i>	<i>20.7</i>
<i>12-17</i>	<i>0.3</i>	<i>0.3</i>	<i>0.8</i>	<i>1.3</i>	<i>2.7</i>
<i>18-23</i>	<i>0.0</i>	<i>0.0</i>	<i>0.1</i>	<i>0.3</i>	<i>0.4</i>
<i>24-35</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>
<i>36-41</i>	<i>0.1</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.1</i>
<i>Total</i>					<i>369.1</i>

**Note:**

1. Frequency of incidents/season/station were determined by dividing 15 into total number of occurrences for each season-duration group (5 years of record times 3 stations = 15).
2. Reference [13](#) - The three locations were Charlotte WBAS, Winston-Salem WBAS, North Carolina; and Greenville WBAS and Greenville-Spartanburg WBAS, South Carolina.

**Table 2-13. Percentage Distribution of Athens, Georgia Annual Winds at 0630 Eastern Standard Time (800-1300 Feet Above Ground)**

["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED"]

<i>Wind Direction</i>	<i>1-5 <sup>(1)</sup></i>	<i>6-10</i>	<i>11-14</i>	<i>&gt;15</i>	<i>Totals</i>
<i>N</i>	<i>1.84</i>	<i>1.55</i>	<i>0.14</i>	<i>0</i>	<i>3.53</i>
<i>NNE</i>	<i>0.99</i>	<i>0.14</i>	<i>0.28</i>	<i>0</i>	<i>1.41</i>
<i>NE</i>	<i>2.11</i>	<i>1.55</i>	<i>0.42</i>	<i>0</i>	<i>4.09</i>
<i>ENE</i>	<i>2.82</i>	<i>5.08</i>	<i>3.24</i>	<i>1.97</i>	<i>13.12</i>
<i>E</i>	<i>2.26</i>	<i>3.95</i>	<i>1.13</i>	<i>0</i>	<i>7.33</i>
<i>ESE</i>	<i>2.12</i>	<i>2.12</i>	<i>0.71</i>	<i>0.14</i>	<i>5.08</i>
<i>SE</i>	<i>1.41</i>	<i>0.99</i>	<i>0.85</i>	<i>0.14</i>	<i>3.39</i>
<i>SSE</i>	<i>1.27</i>	<i>1.27</i>	<i>0.28</i>	<i>0.14</i>	<i>2.96</i>
<i>S</i>	<i>1.83</i>	<i>0.42</i>	<i>0.28</i>	<i>0.14</i>	<i>2.68</i>
<i>SSW</i>	<i>2.12</i>	<i>2.12</i>	<i>0.71</i>	<i>0.28</i>	<i>5.22</i>
<i>SW</i>	<i>1.41</i>	<i>3.95</i>	<i>1.13</i>	<i>0.42</i>	<i>6.91</i>
<i>WSW</i>	<i>1.55</i>	<i>2.96</i>	<i>1.13</i>	<i>0.28</i>	<i>5.92</i>
<i>W</i>	<i>2.96</i>	<i>4.09</i>	<i>2.54</i>	<i>0.71</i>	<i>10.30</i>
<i>WNW</i>	<i>2.40</i>	<i>4.94</i>	<i>4.37</i>	<i>1.13</i>	<i>12.83</i>
<i>NW</i>	<i>1.83</i>	<i>5.22</i>	<i>3.10</i>	<i>0.14</i>	<i>10.30</i>
<i>NNW</i>	<i>2.12</i>	<i>1.83</i>	<i>0.28</i>	<i>0</i>	<i>4.23</i>
<i>Calm</i>					<i>0.71</i>
	<i>31.03</i>	<i>42.17</i>	<i>20.6</i>	<i>5.50</i>	<i>100.01</i>

**Note:**

- 1. Wind Speeds in Meters/Sec*
- 2. Reference [16](#)*
- 3. December 1, 1954 through November 30, 1961*

**Table 2-14. Percentage Distribution of Athens, Georgia Annual Winds at 0630 Eastern Standard Time (2300-2800 Feet Above Ground)**

["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED"]

<i>Wind Direction</i>	<i>1-5 <sup>(1)</sup></i>	<i>6-10</i>	<i>11-14</i>	<i>&gt;15</i>	<i>Totals</i>
<i>N</i>	<i>1.46</i>	<i>1.32</i>	<i>0.44</i>	<i>0.44</i>	<i>3.66</i>
<i>NNE</i>	<i>1.61</i>	<i>0.88</i>	<i>0.15</i>	<i>0</i>	<i>2.64</i>
<i>NE</i>	<i>1.75</i>	<i>0.88</i>	<i>0.29</i>	<i>0.15</i>	<i>3.07</i>
<i>ENE</i>	<i>2.19</i>	<i>2.78</i>	<i>1.02</i>	<i>0.88</i>	<i>6.87</i>
<i>E</i>	<i>1.90</i>	<i>4.24</i>	<i>0.44</i>	<i>0.29</i>	<i>6.87</i>
<i>ESE</i>	<i>2.34</i>	<i>2.78</i>	<i>0.29</i>	<i>0.44</i>	<i>5.85</i>
<i>SE</i>	<i>1.32</i>	<i>1.02</i>	<i>0.29</i>	<i>0.29</i>	<i>2.92</i>
<i>SSE</i>	<i>1.61</i>	<i>1.61</i>	<i>0.29</i>	<i>0.88</i>	<i>4.39</i>
<i>S</i>	<i>1.32</i>	<i>1.90</i>	<i>0.44</i>	<i>0.88</i>	<i>4.54</i>
<i>SSW</i>	<i>1.61</i>	<i>1.32</i>	<i>0.88</i>	<i>0.88</i>	<i>4.69</i>
<i>SW</i>	<i>2.92</i>	<i>3.22</i>	<i>1.02</i>	<i>1.61</i>	<i>8.77</i>
<i>WSW</i>	<i>1.70</i>	<i>4.09</i>	<i>1.02</i>	<i>1.02</i>	<i>7.83</i>
<i>W</i>	<i>2.78</i>	<i>4.53</i>	<i>2.34</i>	<i>2.49</i>	<i>12.14</i>
<i>WNW</i>	<i>3.95</i>	<i>4.53</i>	<i>2.92</i>	<i>2.19</i>	<i>13.59</i>
<i>NW</i>	<i>1.46</i>	<i>2.34</i>	<i>1.75</i>	<i>1.90</i>	<i>7.45</i>
<i>NNW</i>	<i>1.32</i>	<i>2.49</i>	<i>0.73</i>	<i>0.29</i>	<i>4.83</i>
<i>Calm</i>					<i>0.44</i>
	<i>31.24</i>	<i>39.93</i>	<i>14.31</i>	<i>14.63</i>	<i>100.+</i>

**Note:**

- 1. Wind Speeds in Meters/Sec*
- 2. Reference [16](#)*
- 3. December 1, 1954 through November 30, 1961*

**Table 2-15. Average Wind Direction Change with Height, Athens, Georgia, by Lapse Rates in the Lowest 50 Meters-Two Years of Record <sup>(1)</sup>**

["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED"]

<i>Height Above Ground (meters)</i>	<i>Stable</i>	<i>Unstable</i>
50	4.6°	3°
100	9.6°	6°
150	14.2°	8.4°
200	18.6°	11°
250	25°	13.6°
300	28°	17.5°
350	33°	19.2°
400	37°	21.1°

**Note:**

1. Reference [16](#)
2. Years of Record are DEC 1959 - NOV 1961



**Table 2-16. 67.5° Sector Wind Direction Persistence Duration (in Hours) Greenville, S. C. WBAS**  
 ["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED"]

<i>Direction</i>	<i>Summer <math>\bar{P}</math></i>	<i>Summer RMSP</i>	<i>Winter <math>\bar{P}</math></i>	<i>Winter RMSP</i>	<i>Summer <math>\bar{P} &gt; 24\text{Hrs.}</math></i>	<i>Winter <math>\bar{P} &gt; 24\text{Hrs.}</math></i>
<i>N</i>	<i>1.49</i>	<i>1.82</i>	<i>3.23</i>	<i>4.67</i>	<i>0</i>	<i>0</i>
<i>NNE</i>	<i>2.75</i>	<i>3.51</i>	<i>3.47</i>	<i>4.65</i>	<i>0</i>	<i>0</i>
<i>NE</i>	<i>4.02</i>	<i>6.70</i>	<i>5.65</i>	<i>11.13</i>	<i>1-29</i>	<i>1-48</i>
<i>ENE</i>	<i>2.96</i>	<i>3.80</i>	<i>7.73</i>	<i>15.0</i>	<i>0</i>	<i>1-52,1-71</i>
<i>E</i>	<i>2.75</i>	<i>3.75</i>	<i>2.74</i>	<i>3.45</i>	<i>0</i>	<i>0</i>
<i>ESE</i>	<i>2.53</i>	<i>3.55</i>	<i>1.43</i>	<i>1.66</i>	<i>0</i>	<i>0</i>
<i>SE</i>	<i>1.35</i>	<i>1.57</i>	<i>1.38</i>	<i>1.84</i>	<i>0</i>	<i>0</i>
<i>SSE</i>	<i>2.04</i>	<i>2.59</i>	<i>3.00</i>	<i>3.64</i>	<i>0</i>	<i>0</i>
<i>S</i>	<i>1.86</i>	<i>2.79</i>	<i>1.72</i>	<i>2.13</i>	<i>0</i>	<i>0</i>
<i>SSW</i>	<i>2.02</i>	<i>2.70</i>	<i>2.41</i>	<i>3.01</i>	<i>0</i>	<i>0</i>
<i>SW</i>	<i>3.32</i>	<i>4.84</i>	<i>3.27</i>	<i>4.67</i>	<i>0</i>	<i>0</i>
<i>WSW</i>	<i>4.34</i>	<i>9.87</i>	<i>5.29</i>	<i>7.95</i>	<i>0</i>	<i>0</i>
<i>W</i>	<i>2.70</i>	<i>3.45</i>	<i>2.29</i>	<i>3.04</i>	<i>0</i>	<i>0</i>
<i>WNW</i>	<i>2.90</i>	<i>4.18</i>	<i>2.63</i>	<i>3.13</i>	<i>0</i>	<i>0</i>
<i>NW</i>	<i>2.26</i>	<i>3.01</i>	<i>1.60</i>	<i>1.86</i>	<i>0</i>	<i>0</i>
<i>NNW</i>	<i>1.67</i>	<i>2.10</i>	<i>2.33</i>	<i>2.99</i>	<i>0</i>	<i>0</i>
<i>Calm</i>	<i>1.58</i>	<i>1.77</i>	<i>1.87</i>	<i>2.28</i>	<i>0</i>	<i>0</i>

Table 2-17. 112.5° Sector Wind Direction Persistence Duration (in Hours) (Greenville, S. C. WBAS)

["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED"]

<i>Wind Direction</i>	<i>Summer <math>\bar{P}</math></i>	<i>Summer RMSP</i>	<i>Winter <math>\bar{P}</math></i>	<i>Winter RMSP</i>	<i>Summer <math>\bar{P} &gt; 24\text{Hrs.}</math></i>	<i>Winter <math>\bar{P} &gt; 24\text{Hrs.}</math></i>
<i>N</i>	<i>2.51</i>	<i>3.09</i>	<i>6.24</i>	<i>10.28</i>	<i>0</i>	<i>1-28, 1-31</i>
<i>NNE</i>	<i>4.49</i>	<i>6.88</i>	<i>4.67</i>	<i>6.57</i>	<i>0</i>	<i>0</i>
<i>NE</i>	<i>11.89</i>	<i>20.46</i>	<i>15.56</i>	<i>28.05</i>	<i>1-41, 1-57, 1-64, 1-44, 1-45</i>	<i>1-26, 1-51, 1-66, 1-101</i>
<i>ENE</i>	<i>5.03</i>	<i>7.53</i>	<i>10.00</i>	<i>15.70</i>	<i>0</i>	<i>1-26, 1-32, 1-36, 1-41</i>
<i>E</i>	<i>5.36</i>	<i>5.79</i>	<i>5.40</i>	<i>7.92</i>	<i>1-56</i>	<i>1-24</i>
<i>ESE</i>	<i>4.15</i>	<i>5.73</i>	<i>4.10</i>	<i>6.42</i>	<i>0</i>	<i>1-24</i>
<i>SE</i>	<i>2.19</i>	<i>3.86</i>	<i>4.00</i>	<i>6.50</i>	<i>0</i>	<i>0</i>
<i>SSE</i>	<i>2.24</i>	<i>2.79</i>	<i>3.42</i>	<i>3.84</i>	<i>0</i>	<i>0</i>
<i>S</i>	<i>2.76</i>	<i>3.26</i>	<i>3.92</i>	<i>6.28</i>	<i>0</i>	<i>1-29</i>
<i>SSW</i>	<i>3.83</i>	<i>5.32</i>	<i>2.58</i>	<i>3.17</i>	<i>0</i>	<i>0</i>
<i>SW</i>	<i>6.71</i>	<i>11.70</i>	<i>5.62</i>	<i>7.79</i>	<i>1-29, 1-40, 1-25, 1-37, 1-24</i>	<i>1-26</i>
<i>WSW</i>	<i>9.74</i>	<i>16.40</i>	<i>6.68</i>	<i>10.00</i>	<i>1-58, 1-24 1-60, 1-25</i>	<i>1-31</i>
<i>W</i>	<i>5.68</i>	<i>8.70</i>	<i>4.30</i>	<i>5.48</i>	<i>1-25</i>	<i>0</i>
<i>WNW</i>	<i>3.78</i>	<i>5.13</i>	<i>5.28</i>	<i>7.94</i>	<i>0</i>	<i>1-35</i>
<i>NW</i>	<i>3.71</i>	<i>4.74</i>	<i>2.83</i>	<i>3.66</i>	<i>0</i>	<i>0</i>
<i>NNW</i>	<i>2.47</i>	<i>3.13</i>	<i>5.20</i>	<i>8.10</i>	<i>0</i>	<i>0</i>

**Table 2-18. Surface Temperature (°F) Clemson, S. C. (68 Years of Record) <sup>(1)</sup>**

["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED"]

<i>Month</i>	<i>Absolute Min.</i>	<i>Mean Min.</i>	<i>Mean</i>	<i>Mean Max.</i>	<i>Absolute Max.</i>
<i>Jan</i>	-5	+33	43.6	54	80
<i>Feb</i>	-7	34	45.5	57	82
<i>Mar</i>	+10	40	52.2	64	89
<i>Apr</i>	24	48	60.5	73	93
<i>May</i>	33	57	68.9	81	100
<i>Jun</i>	42	65	76.2	88	105
<i>Jul</i>	49	68	78.6	89	104
<i>Aug</i>	52	67	77.8	88	104
<i>Sep</i>	38	62	73.1	84	104
<i>Oct</i>	23	50	62.2	75	98
<i>Nov</i>	10	39	51.4	64	86
<i>Dec</i>	+2	33	44.0	55	81
<i>Annual</i>	22.6	49.7	61.2	72.7	93.8

**Note:**

1. References 15a-f

**Table 2-19. Surface Precipitation (Inches) Clemson, S. C. (71 Years of Record) <sup>(2)</sup>**

["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED"]

<i>Normals</i>		<i>Month</i>	<i>Amount</i>
<i>Jan</i>	4.88	<i>Highest Annual</i>	73.70 (1936)
<i>Feb</i>	5.28	<i>Lowest Annual</i>	37.07 (1941)
<i>Mar</i>	5.23	<i>Heaviest Snowfall</i>	14.1 inches (Dec 1930)
<i>Apr</i>	4.16		
<i>May</i>	3.83	<i>Heaviest Rainfall - Short Periods of Time<sup>(1)</sup></i>	
<i>Jun</i>	4.32	<i>in 1 hour</i>	3.18 inches 7/17/40
<i>Jul</i>	5.09	<i>in 2 hours</i>	4.38 inches 7/17/40
<i>Aug</i>	4.91	<i>in 3 hours</i>	4.48 inches 7/17/40
<i>Sep</i>	3.64	<i>in 6 hours</i>	4.48 inches 7/17/40
<i>Oct</i>	3.25	<i>in 12 hours</i>	5.42 inches 8/12-13/40
<i>Nov</i>	3.04	<i>in 24 hours</i>	9.92 inches 9/29/36
<i>Dec</i>	5.27		
<i>Annual</i>	52.90		

**Note:**

1. All records were associated with tropical storms
2. References 15a-f.

**Table 2-20. Precipitation - Wind Statistics - Greenville, S. C. 1959-1963 (By Precipitation Intensities) <sup>(1)</sup>**

["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED"]

<i>Wind Direction</i>	<i>Light</i>		<i>Moderate</i>		<i>Heavy</i>		<i>Total</i>	
	<i>%</i>	<i>Speed</i>	<i>%</i>	<i>Speed</i>	<i>%</i>	<i>Speed</i>	<i>%</i>	<i>Speed</i>
<i>N</i>	<i>0.351</i>	<i>6.58</i>	<i>0.030</i>	<i>6.69</i>	<i>0.023</i>	<i>12.10</i>	<i>0.404</i>	<i>6.90</i>
<i>NNE</i>	<i>0.659</i>	<i>7.62</i>	<i>0.052</i>	<i>9.26</i>	<i>0.018</i>	<i>8.50</i>	<i>0.729</i>	<i>7.76</i>
<i>NE</i>	<i>2.526</i>	<i>9.19</i>	<i>0.219</i>	<i>10.97</i>	<i>0.082</i>	<i>10.00</i>	<i>2.827</i>	<i>9.35</i>
<i>ENE</i>	<i>1.381</i>	<i>8.24</i>	<i>0.128</i>	<i>9.52</i>	<i>0.034</i>	<i>7.53</i>	<i>1.543</i>	<i>8.33</i>
<i>E</i>	<i>0.486</i>	<i>6.16</i>	<i>0.057</i>	<i>6.28</i>	<i>0.018</i>	<i>10.25</i>	<i>0.561</i>	<i>6.30</i>
<i>ESE</i>	<i>0.221</i>	<i>5.45</i>	<i>0.014</i>	<i>5.83</i>	<i>0.009</i>	<i>7.25</i>	<i>0.244</i>	<i>5.54</i>
<i>SE</i>	<i>0.203</i>	<i>4.98</i>	<i>0.023</i>	<i>5.70</i>	<i>0.018</i>	<i>7.25</i>	<i>0.244</i>	<i>5.22</i>
<i>SSE</i>	<i>0.171</i>	<i>5.95</i>	<i>0.016</i>	<i>7.29</i>	<i>0.014</i>	<i>6.83</i>	<i>0.201</i>	<i>6.12</i>
<i>S</i>	<i>0.399</i>	<i>6.93</i>	<i>0.023</i>	<i>8.00</i>	<i>0.009</i>	<i>8.75</i>	<i>0.431</i>	<i>7.03</i>
<i>SSW</i>	<i>0.395</i>	<i>8.05</i>	<i>0.034</i>	<i>10.20</i>	<i>0.014</i>	<i>9.33</i>	<i>0.443</i>	<i>8.26</i>
<i>SW</i>	<i>0.591</i>	<i>7.39</i>	<i>0.046</i>	<i>8.40</i>	<i>0.009</i>	<i>6.50</i>	<i>0.646</i>	<i>7.45</i>
<i>SWS</i>	<i>0.507</i>	<i>7.36</i>	<i>0.016</i>	<i>7.43</i>	<i>0.005</i>	<i>17.50</i>	<i>0.528</i>	<i>7.46</i>
<i>W</i>	<i>0.278</i>	<i>7.29</i>	<i>0.014</i>	<i>7.83</i>	<i>0.014</i>	<i>13.00</i>	<i>0.306</i>	<i>7.58</i>
<i>WNW</i>	<i>0.157</i>	<i>6.35</i>	<i>0.001</i>	<i>8.40</i>	<i>0.016</i>	<i>9.71</i>	<i>0.184</i>	<i>6.76</i>
<i>NW</i>	<i>0.171</i>	<i>5.97</i>	<i>0.007</i>	<i>7.33</i>	<i>0.009</i>	<i>13.50</i>	<i>0.187</i>	<i>6.38</i>
<i>NNW</i>	<i>0.153</i>	<i>7.08</i>	<i>0.014</i>	<i>8.83</i>	<i>0.018</i>	<i>14.75</i>	<i>0.185</i>	<i>7.96</i>
<i>Calm</i>	<i>0.132</i>	<i>-</i>	<i>0.005</i>	<i>-</i>	<i>0</i>	<i>-</i>	<i>0.137</i>	<i>-</i>
<i>Totals</i>	<i>8.781</i>		<i>0.709</i>		<i>0.310</i>		<i>9.800</i>	

**Note:**

1. Reference [17](#).
2. Percentages are expressed in terms of the percentage of total hours in the five-year period. Wind speeds are in knots.

Table 2-21. Pasquill Stability Categories for Greenville, South Carolina

["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED"]

<i>Wind Direction</i>	<i>Column 1</i>		<i>Column 2</i>		<i>Column 3</i>		<i>Column 4</i>	
	$P_C$	$\bar{u}_C$	$P_D$	$\bar{u}_D$	$P_{E+F}$	$\bar{u}_{E+F}$	$P_F$	$\bar{u}_F$
<i>N</i>	<i>1.66</i>	<i>10.326</i>	<i>2.42</i>	<i>10.189</i>	<i>2.10</i>	<i>4.371</i>	<i>1.52</i>	<i>3.567</i>
<i>NNE</i>	<i>1.42</i>	<i>9.083</i>	<i>2.25</i>	<i>8.662</i>	<i>1.80</i>	<i>4.821</i>	<i>1.13</i>	<i>3.851</i>
<i>NE</i>	<i>4.01</i>	<i>9.308</i>	<i>4.13</i>	<i>8.570</i>	<i>4.07</i>	<i>4.971</i>	<i>2.34</i>	<i>3.870</i>
<i>ENE</i>	<i>2.90</i>	<i>8.251</i>	<i>1.91</i>	<i>7.487</i>	<i>2.34</i>	<i>4.522</i>	<i>1.73</i>	<i>3.843</i>
<i>E</i>	<i>1.19</i>	<i>6.800</i>	<i>0.47</i>	<i>4.714</i>	<i>1.46</i>	<i>3.674</i>	<i>1.34</i>	<i>3.468</i>
<i>ESE</i>	<i>0.42</i>	<i>6.680</i>	<i>0.34</i>	<i>4.450</i>	<i>0.74</i>	<i>3.045</i>	<i>0.74</i>	<i>3.045</i>
<i>SE</i>	<i>0.34</i>	<i>5.850</i>	<i>0.25</i>	<i>4.200</i>	<i>1.30</i>	<i>3.494</i>	<i>1.25</i>	<i>3.392</i>
<i>SSE</i>	<i>0.49</i>	<i>6.621</i>	<i>0.20</i>	<i>5.500</i>	<i>0.61</i>	<i>3.361</i>	<i>0.58</i>	<i>3.206</i>
<i>S</i>	<i>1.19</i>	<i>7.486</i>	<i>0.59</i>	<i>5.257</i>	<i>1.47</i>	<i>3.966</i>	<i>1.32</i>	<i>3.705</i>
<i>SSW</i>	<i>1.37</i>	<i>9.247</i>	<i>0.51</i>	<i>7.733</i>	<i>1.10</i>	<i>4.538</i>	<i>0.75</i>	<i>3.614</i>
<i>SW</i>	<i>3.18</i>	<i>9.883</i>	<i>1.15</i>	<i>7.824</i>	<i>2.37</i>	<i>4.614</i>	<i>1.73</i>	<i>3.941</i>
<i>WSW</i>	<i>4.25</i>	<i>11.570</i>	<i>2.17</i>	<i>10.164</i>	<i>1.93</i>	<i>5.491</i>	<i>0.85</i>	<i>4.180</i>
<i>W</i>	<i>2.12</i>	<i>10.720</i>	<i>1.34</i>	<i>9.089</i>	<i>1.85</i>	<i>4.486</i>	<i>1.39</i>	<i>3.829</i>
<i>WNW</i>	<i>0.90</i>	<i>11.566</i>	<i>0.81</i>	<i>8.562</i>	<i>2.27</i>	<i>4.455</i>	<i>1.76</i>	<i>3.913</i>
<i>NW</i>	<i>0.68</i>	<i>9.425</i>	<i>0.47</i>	<i>6.214</i>	<i>2.74</i>	<i>4.130</i>	<i>2.18</i>	<i>3.574</i>
<i>NNW</i>	<i>0.51</i>	<i>9.700</i>	<i>0.36</i>	<i>8.810</i>	<i>1.10</i>	<i>4.277</i>	<i>0.85</i>	<i>3.640</i>
<i>Calm</i>	<i>0.20</i>	<i>0</i>	<i>0.37</i>	<i>0</i>	<i>2.76</i>	<i>0</i>	<i>2.76</i>	<i>0</i>
<i>Total Percent</i>	<i>26.83</i>	<i>9.47</i>	<i>19.74</i>	<i>8.26</i>	<i>32.01</i>	<i>4.06</i>	<i>24.22</i>	<i>3.72</i>

**Note:**

1.  $\bar{u}$  in knots above
2.  $P$  in % of total observations
3. 5904 observations equally distributed throughout the year for a two-year period from December 1, 1959 through November 30, 1961
4. References [20](#) and [21](#)

Table 2-22. Pasquill Stability Category and Supplemental Data for Greenville, S. C.

["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED"]

<i>Wind Direction</i>	<i>Column 5</i>		<i>Column 6</i>		<i>Column 7</i>		<i>Column 8<sup>(4)</sup></i>	
	<i>P<sub>L</sub></i>	<i>ū<sub>L</sub></i>	<i>P<sub>fum</sub></i>	<i>ū<sub>fum</sub></i>	<i>P<sub>all</sub></i>	<i>ū<sub>all</sub></i>	<i>P<sub>Syrs</sub></i>	<i>ū<sub>Syrs</sub></i>
<i>N</i>	0.36	5.286	0.35	5.000	6.90	7.93	7.00	7.1
<i>NNE</i>	0.81	4.375	0.19	4.353	6.41	7.09	7.30	7.2
<i>NE</i>	1.34	4.861	0.68	5.417	14.23	7.25	14.70	7.5
<i>ENE</i>	1.80	3.849	0.38	4.912	9.30	6.19	8.70	7.0
<i>E</i>	1.32	4.449	0.23	4.550	4.67	4.84	5.50	5.5
<i>ESE</i>	0.86	4.098	0.07	4.000	2.40	4.32	2.60	4.8
<i>SE</i>	0.93	4.473	0.05	2.500	2.82	4.40	2.70	4.6
<i>SSE</i>	0.76	4.178	0.05	3.500	2.08	4.69	2.00	5.1
<i>S</i>	1.20	4.535	0.10	3.444	4.49	5.26	4.10	5.4
<i>SSW</i>	1.25	4.486	0.17	4.533	4.37	6.53	4.30	6.6
<i>SW</i>	2.27	4.619	0.32	4.670	9.24	6.86	9.50	7.2
<i>WSW</i>	1.10	4.585	0.39	5.400	9.80	9.10	9.50	8.2
<i>W</i>	0.83	5.020	0.54	4.896	6.79	7.37	6.20	7.2
<i>WNW</i>	0.73	5.302	0.38	5.176	5.17	6.44	4.50	6.6
<i>NW</i>	0.56	4.394	0.46	4.122	5.02	4.98	4.40	5.3
<i>NNW</i>	0.44	4.385	0.13	4.417	2.55	6.01	3.50	6.7
<i>Calm</i>	0.10	0	0.27	0	3.75	0	3.50	-
<i>Total Percent</i>	16.66	4.479	4.76	4.527	100.00	6.44	100.00	6.57

**Note:**

1.  $\bar{u}$  in knots above.
2.  $P$  in % of total observations.
3. Based on 5904 observations equally distributed throughout the two-year period from December 1, 1959 through November 30, 1961.
4. Entire 5 year period 1959 - 1963.
5. References [20](#), [21](#), and [12](#).

**Table 2-23. Average Temperature Difference (°F) at Minimum Temperature Time<sup>(1)</sup>.** (Paris Mountain Fire Tower - Clemson) Versus Pasquill Stability Class (From Greenville, South Carolina Hourly Observations)

["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED"]

<i>Pasquill Stability Class</i>	<i>Season</i>				
	<i>Winter</i>	<i>Spring</i>	<i>Summer</i>	<i>Fall</i>	<i>Annual</i>
<i>C</i>	<i>-5.43</i>	<i>-5.75</i>	<i>-6.60</i>	<i>-4.63</i>	<i>-4.93</i>
<i>D</i>	<i>-1.28</i>	<i>-2.05</i>	<i>-2.28</i>	<i>0.00</i>	<i>-1.37</i>
<i>E</i>	<i>+3.96</i>	<i>+2.25</i>	<i>-1.59</i>	<i>+2.31</i>	<i>+1.75</i>
<i>F</i>	<i>+5.18</i>	<i>+4.87</i>	<i>+1.11</i>	<i>+4.18</i>	<i>+3.72</i>

**Note:**

1. 602 Days of Record from December 1, 1959 through November 30, 1961.
2. Reference [23](#).



Table 2-24. Joint Frequency Distribution of Wind Speed and Wind Direction for each Stability Class, for Greenville-Spartanburg, South Carolina for 1975

["HISTORICAL INFORMATION NOT REQUIRED TO BE REVISED."]

DIRECTION	SPEED(KTS)							TOTAL
	0 - 3	4 - 6	7 - 10	11 - 16	17 - 21	GREATER THAN 21		
N	0.000405	0.001370	0.000000	0.000000	0.000000	0.000000	0.000000	0.001775
NNE	0.000747	0.001027	0.000000	0.000000	0.000000	0.000000	0.000000	0.001775
NE	0.000747	0.001027	0.000000	0.000000	0.000000	0.000000	0.000000	0.001775
ENE	0.000444	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000444
E	0.001051	0.002055	0.000000	0.000000	0.000000	0.000000	0.000000	0.003106
ESE	0.000444	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000444
SE	0.000444	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000444
SSE	0.000101	0.000342	0.000000	0.000000	0.000000	0.000000	0.000000	0.000444
S	0.002281	0.001712	0.000000	0.000000	0.000000	0.000000	0.000000	0.003993
SSW	0.000101	0.000342	0.000000	0.000000	0.000000	0.000000	0.000000	0.000444
SW	0.000304	0.001027	0.000000	0.000000	0.000000	0.000000	0.000000	0.001331
WSW	0.000444	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000444
W	0.000607	0.002055	0.000000	0.000000	0.000000	0.000000	0.000000	0.002662
WNW	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000
NW	0.000101	0.000342	0.000000	0.000000	0.000000	0.000000	0.000000	0.000444
NNW	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000
TOTAL	0.00219	0.011301	0.000000	0.000000	0.000000	0.000000	0.000000	
RELATIVE FREQUENCY OF OCCURRENCE OF A STABILITY = 0.01921								
RELATIVE FREQUENCY OF CALMS DISTRIBUTED ABOVE WITH A STABILITY = 0.004452								

DIRECTION	SPEED(KTS)						TOTAL
	0 - 3	4 - 6	7 - 10	11 - 16	17 - 21	GREATER THAN 21	
N	0.006538	0.004795	0.000685	0.000000	0.000000	0.000000	0.012017
NNE	0.000681	0.002055	0.001370	0.000000	0.000000	0.000000	0.004105
NE	0.002972	0.004452	0.000685	0.000000	0.000000	0.000000	0.008109
ENE	0.001462	0.002055	0.000000	0.000000	0.000000	0.000000	0.003517
E	0.003359	0.007192	0.000342	0.000000	0.000000	0.000000	0.010893
ESE	0.002586	0.001712	0.000342	0.000000	0.000000	0.000000	0.004641
SE	0.001559	0.002740	0.000342	0.000000	0.000000	0.000000	0.004641
SSE	0.002731	0.002740	0.001712	0.000000	0.000000	0.000000	0.007183
S	0.002481	0.006537	0.002397	0.000000	0.000000	0.000000	0.011385
SSW	0.003025	0.002055	0.000685	0.000000	0.000000	0.000000	0.005765
SW	0.002191	0.004452	0.003767	0.000000	0.000000	0.000000	0.010410
WSW	0.000729	0.002397	0.002740	0.000000	0.000000	0.000000	0.005566
W	0.003069	0.005137	0.001712	0.000000	0.000000	0.000000	0.009918
WNW	0.001414	0.001712	0.000000	0.000000	0.000000	0.000000	0.003126
NW	0.001365	0.001370	0.000342	0.000000	0.000000	0.000000	0.003078
NNW	0.001510	0.002397	0.000685	0.000000	0.000000	0.000000	0.004593
TOTAL	0.037671	0.053767	0.017808	0.000000	0.000000	0.000000	
RELATIVE FREQUENCY OF OCCURRENCE OF B STABILITY = 0.109247							
RELATIVE FREQUENCY OF CALMS DISTRIBUTED ABOVE WITH B STABILITY = 0.011301							

SPEED(KTS)							
DIRECTION	0 - 3	4 - 6	7 - 10	11 - 16	17 - 21	GREATER THAN 21	TOTAL
N	0.003056	0.004452	0.004795	0.001027	0.000000	0.000000	0.013330
NNE	0.001528	0.004795	0.004110	0.000000	0.000000	0.000000	0.010432
NE	0.000685	0.004452	0.003425	0.000000	0.000000	0.000000	0.005562
ENE	0.000053	0.003425	0.004795	0.000000	0.000000	0.000000	0.005190
E	0.000474	0.003082	0.002767	0.000000	0.000000	0.000000	0.007323
ESE	0.000263	0.001712	0.000685	0.000000	0.000000	0.000000	0.002661
SE	0.000764	0.002397	0.000685	0.000000	0.000000	0.000000	0.003846
SSE	0.000764	0.002397	0.000342	0.000000	0.000000	0.000000	0.003504
S	0.001027	0.004110	0.003767	0.000000	0.000000	0.000000	0.008904
SSW	0.001264	0.003082	0.005822	0.000000	0.000000	0.000000	0.010169
SW	0.000316	0.002055	0.011986	0.001027	0.000000	0.000000	0.015385
WSW	0.000367	0.002397	0.003425	0.000685	0.000000	0.000000	0.006876
W	0.000367	0.002397	0.003767	0.000342	0.000000	0.000000	0.006876
WNW	0.000158	0.001027	0.001027	0.000000	0.000000	0.000000	0.002213
NW	0.000053	0.000342	0.000685	0.000000	0.000000	0.000000	0.001080
NNW	0.000501	0.000685	0.002055	0.000000	0.000342	0.000000	0.003583
TOTAL	0.011644	0.039726	0.055137	0.003082	0.000342	0.000000	
RELATIVE FREQUENCY OF OCCURRENCE OF C STABILITY = 0.109932							
RELATIVE FREQUENCY OF CALMS DISTRIBUTED ABOVE WITH C STABILITY = 0.006849							

		SPEED(KTS)							
DIRECTION	D - 3	4 - 6	7 - 10	11 - 15	17 - 21	GREATER THAN 21	TOTAL		
N	0.006392	0.020890	0.006849	0.006507	0.001370	0.000000	0.042208		
NNE	0.004712	0.016796	0.026027	0.004452	0.000000	0.000000	0.031207		
NE	0.004019	0.014441	0.020548	0.005479	0.000000	0.000000	0.044087		
ENE	0.002473	0.006164	0.007334	0.000685	0.000000	0.000000	0.016856		
E	0.003659	0.008904	0.003767	0.001027	0.000000	0.000000	0.017358		
ESE	0.001337	0.003767	0.001370	0.000342	0.000000	0.000000	0.006816		
SE	0.002364	0.002740	0.002032	0.000000	0.000000	0.000000	0.007159		
SSE	0.001337	0.003767	0.001027	0.000685	0.000000	0.000000	0.006816		
S	0.003709	0.009247	0.008219	0.003767	0.000000	0.000000	0.024942		
SSW	0.002431	0.008592	0.010959	0.004795	0.000342	0.000342	0.027431		
SW	0.002841	0.014041	0.019863	0.016781	0.002397	0.000000	0.055923		
WSW	0.001687	0.004795	0.009599	0.008904	0.001712	0.000000	0.026487		
W	0.002566	0.006849	0.006164	0.003082	0.002035	0.000685	0.021801		
WNW	0.002314	0.002397	0.000000	0.000342	0.000000	0.000000	0.005054		
NW	0.001080	0.002035	0.000342	0.001712	0.000000	0.000000	0.005196		
NNW	0.002565	0.004110	0.003082	0.005822	0.000000	0.000000	0.019578		
TOTAL	0.045490	0.128424	0.127397	0.064384	0.007877	0.001027			
RELATIVE FREQUENCY OF OCCURRENCE OF D STABILITY = 0.275000									
RELATIVE FREQUENCY OF CALMS DISTRIBUTED ABOVE WITH D STABILITY = 0.022260									

DIRECTION	SPEED(KTS)						TOTAL
	0 - 3	4 - 6	7 - 10	11 - 16	17 - 21	GREATER THAN 21	
N	0.000000	0.011301	0.010616	0.000000	0.000000	0.000000	0.021918
NNE	0.000000	0.013756	0.002425	0.000000	0.000000	0.000000	0.016181
NE	0.000000	0.004795	0.002397	0.000000	0.000000	0.000000	0.007192
ENE	0.000000	0.002397	0.000342	0.000000	0.000000	0.000000	0.002740
E	0.000000	0.003082	0.000000	0.000000	0.000000	0.000000	0.003082
ESE	0.000000	0.001027	0.000000	0.000000	0.000000	0.000000	0.001027
SE	0.000000	0.001712	0.000000	0.000000	0.000000	0.000000	0.001712
SSE	0.000000	0.002740	0.000000	0.000000	0.000000	0.000000	0.002740
S	0.000000	0.008219	0.000000	0.000000	0.000000	0.000000	0.008219
SSW	0.000000	0.002740	0.001712	0.000000	0.000000	0.000000	0.004452
SW	0.000000	0.007192	0.005822	0.000000	0.000000	0.000000	0.013014
WSW	0.000000	0.003082	0.002055	0.000000	0.000000	0.000000	0.005137
W	0.000000	0.003767	0.002055	0.000000	0.000000	0.000000	0.005822
WNW	0.000000	0.000605	0.000342	0.000000	0.000000	0.000000	0.001027
NW	0.000000	0.000605	0.001712	0.000000	0.000000	0.000000	0.002397
NNW	0.000000	0.003082	0.005137	0.000000	0.000000	0.000000	0.008219
TOTAL	0.000000	0.069863	0.025616	0.000000	0.000000	0.000000	
RELATIVE FREQUENCY OF OCCURRENCE OF E STABILITY = 0.105479							
RELATIVE FREQUENCY OF CALMS DISTRIBUTED ABOVE WITH E STABILITY = 0.000000							

SPEED (KTS)							
DIRECTION	0 - 3	4 - 6	7 - 10	11 - 16	17 - 21	GREATER THAN 21	TOTAL
N	0.013303	0.027740	0.000000	0.000000	0.000000	0.000000	0.041043
NNE	0.003385	0.012329	0.000000	0.000000	0.000000	0.000000	0.017713
NE	0.002281	0.003767	0.000000	0.000000	0.000000	0.000000	0.006048
ENE	0.000954	0.000342	0.000000	0.000000	0.000000	0.000000	0.001296
E	0.003021	0.001027	0.000000	0.000000	0.000000	0.000000	0.006048
ESE	0.002176	0.001712	0.000000	0.000000	0.000000	0.000000	0.003888
SE	0.002429	0.001027	0.000000	0.000000	0.000000	0.000000	0.003456
SSE	0.001222	0.001370	0.000000	0.000000	0.000000	0.000000	0.002592
S	0.003769	0.007192	0.000000	0.000000	0.000000	0.000000	0.012961
SSW	0.004204	0.006164	0.000000	0.000000	0.000000	0.000000	0.010369
SW	0.006770	0.012671	0.000000	0.000000	0.000000	0.000000	0.019442
WSW	0.003430	0.006507	0.000000	0.000000	0.000000	0.000000	0.009937
W	0.004847	0.010274	0.000000	0.000000	0.000000	0.000000	0.015121
WNW	0.001149	0.002740	0.000000	0.000000	0.000000	0.000000	0.003888
NW	0.001776	0.005137	0.000000	0.000000	0.000000	0.000000	0.006913
NNW	0.002640	0.005137	0.000000	0.000000	0.000000	0.000000	0.007777
TOTAL	0.063356	0.105137	0.000000	0.000000	0.000000	0.000000	
RELATIVE FREQUENCY OF OCCURRENCE OF F STABILITY = 0.168493							
RELATIVE FREQUENCY OF CALMS DISTRIBUTED ABOVE WITH F STABILITY = 0.034932							

		SPEED(KTS)							
		0 - 3	4 - 6	7 - 10	11 - 16	17 - 21	GREATER THAN 21	TOTAL	
DIRECTION									
M	0.018437	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.018437	
NNE	0.007658	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.007658	
NE	0.003389	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.003389	
ENE	0.002836	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.002836	
E	0.001844	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.001844	
ESE	0.002269	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.002269	
SE	0.003404	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.003404	
SSE	0.002978	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.002978	
S	0.003931	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.003931	
SSW	0.003673	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.003673	
SW	0.003360	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.003360	
WSW	0.004964	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.004964	
W	0.006324	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.006324	
WNW	0.006524	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.006524	
W	0.006666	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.006666	
WNW	0.006382	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.006382	
TOTAL	0.096438	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.096438	
RELATIVE FREQUENCY OF OCCURRENCE OF G STABILITY = 0.096438									
RELATIVE FREQUENCY OF CALMS DISTRIBUTED ABOVE WITH G STABILITY = 0.049863									

DIRECTION	SPEED(KTS)							TOTAL
	0 - 3	4 - 6	7 - 10	11 - 16	17 - 21	GREATER THAN 21	TOTAL	
N	0.049998	0.070348	0.022945	0.007534	0.001370	0.000000	0.152395	
NNE	0.025738	0.049658	0.034932	0.004452	0.000000	0.000000	0.114779	
NE	0.016122	0.032534	0.027055	0.005479	0.000000	0.000000	0.081191	
ENE	0.008863	0.011301	0.012671	0.000685	0.000000	0.000000	0.033520	
E	0.010931	0.025342	0.007877	0.001027	0.000000	0.000000	0.053177	
ESE	0.008917	0.009932	0.002397	0.000342	0.000000	0.000000	0.021589	
SE	0.011301	0.010616	0.003082	0.000000	0.000000	0.000000	0.025000	
SSE	0.010315	0.013356	0.003082	0.000685	0.000000	0.000000	0.027438	
S	0.026574	0.036386	0.014384	0.003767	0.000000	0.000000	0.081711	
SSW	0.019134	0.022945	0.019178	0.004795	0.000342	0.000000	0.066739	
SW	0.022122	0.041438	0.041438	0.017808	0.002397	0.000000	0.125204	
WSW	0.012383	0.019178	0.017808	0.009589	0.001712	0.000000	0.060671	
W	0.019931	0.030479	0.013699	0.003425	0.002095	0.000685	0.070273	
WNW	0.007657	0.008562	0.001370	0.000342	0.000000	0.000000	0.017931	
NW	0.008917	0.009932	0.003082	0.001712	0.000000	0.000000	0.023663	
NNW	0.012205	0.019411	0.010959	0.005822	0.000342	0.000000	0.044739	
TOTAL	0.279109	0.408219	0.235959	0.067466	0.008219	0.001027		
TOTAL RELATIVE FREQUENCY OF OBSERVATIONS = 1.000001								
TOTAL RELATIVE FREQUENCY OF CALMS DISTRIBUTED ABOVE = 0.150343								



Table 2-25. Joint Frequency Distribution of Wind Speed and Wind Direction for each Stability Class, for Greenville-Spartanburg, South Carolina for 1968-1972

["HISTORICAL INFORMATION NOT REQUIRED TO BE REVISED."]

DIRECTION	SPEED (KTS)						TOTAL
	0 - 3	4 - 6	7 - 10	11 - 16	17 - 21	GREATER THAN 21	
N	0.000286	0.000890	0.000000	0.000000	0.000000	0.000000	0.001177
NNE	0.000546	0.002274	0.000000	0.000000	0.000000	0.000000	0.000840
NE	0.000441	0.000548	0.000000	0.000000	0.000000	0.000000	0.001008
ENE	0.000290	0.000274	0.000000	0.000000	0.000000	0.000000	0.000504
E	0.000202	0.000890	0.000000	0.000000	0.000000	0.000000	0.001092
ESE	0.000314	0.000274	0.000000	0.000000	0.000000	0.000000	0.000588
SE	0.000131	0.000205	0.000000	0.000000	0.000000	0.000000	0.000236
SSE	0.000042	0.000274	0.000000	0.000000	0.000000	0.000000	0.000316
S	0.000476	0.000616	0.000000	0.000000	0.000000	0.000000	0.001092
SSW	0.000177	0.000411	0.000000	0.000000	0.000000	0.000000	0.000588
SW	0.000345	0.000611	0.000000	0.000000	0.000000	0.000000	0.000796
WSW	0.000292	0.000548	0.000000	0.000000	0.000000	0.000000	0.000840
W	0.000335	0.000822	0.000000	0.000000	0.000000	0.000000	0.001177
WNW	0.000461	0.000548	0.000000	0.000000	0.000000	0.000000	0.001008
W	0.000119	0.000137	0.000000	0.000000	0.000000	0.000000	0.000252
WNW	0.000047	0.000205	0.000000	0.000000	0.000000	0.000000	0.000252
TOTAL	0.004521	0.007329	0.000000	0.000000	0.000000	0.000000	0.000000
RELATIVE FREQUENCY OF OCCURRENCE OF A STABILITY = 0.011849							
RELATIVE FREQUENCY OF CALMS DISTRIBUTED ABOVE WITH A STABILITY = 0.002192							

SPEEDIKTSI									
DIRECTION	0 - 3	4 - 6	7 - 10	11 - 16	17 - 21	GREATER THAN 21	TOTAL		
N	0.002982	0.003767	0.001096	0.000000	0.000000	0.000000	0.007849		
NNE	0.001779	0.002943	0.001233	0.000000	0.000000	0.000000	0.005957		
NE	0.001377	0.003073	0.002053	0.000000	0.000000	0.000000	0.007604		
NNE	0.001338	0.001986	0.001781	0.000000	0.000000	0.000000	0.005305		
E	0.002378	0.003699	0.001027	0.000000	0.000000	0.000000	0.007102		
ESE	0.002578	0.002671	0.001096	0.000000	0.000000	0.000000	0.006343		
SE	0.001331	0.002123	0.000822	0.000000	0.000000	0.000000	0.004497		
SSE	0.001262	0.001233	0.000479	0.000000	0.000000	0.000000	0.002934		
S	0.002310	0.002740	0.001438	0.000000	0.000000	0.000000	0.006688		
SSW	0.001343	0.001507	0.001027	0.000000	0.000000	0.000000	0.003877		
SW	0.001456	0.003493	0.003356	0.000000	0.000000	0.000000	0.008306		
WSW	0.001370	0.003904	0.002877	0.000000	0.000000	0.000000	0.008331		
W	0.001632	0.002397	0.001781	0.000000	0.000000	0.000000	0.005930		
WNW	0.001284	0.002466	0.000546	0.000000	0.000000	0.000000	0.004298		
W	0.001131	0.001644	0.000822	0.000000	0.000000	0.000000	0.003597		
WNW	0.001649	0.001375	0.000753	0.000000	0.000000	0.000000	0.003976		
TOTAL	0.028219	0.042123	0.022192	0.000000	0.000000	0.000000			
RELATIVE FREQUENCY OF OCCURRENCE OF B STABILITY = 0.09234									
RELATIVE FREQUENCY OF CALMS DISTRIBUTED ABOVE WITH B STABILITY = 0.006096									

DIRECTION	SPEED(KTS)						TOTAL
	0 - 3	4 - 6	7 - 10	11 - 14	17 - 21	GREATER THAN 21	
N	0.001663	0.004384	0.004452	0.000342	0.000000	0.000000	0.010841
NNE	0.001017	0.003014	0.004041	0.000479	0.000000	0.000000	0.008552
NE	0.000606	0.003423	0.006096	0.000890	0.000000	0.000000	0.011017
NNE	0.000308	0.002329	0.004178	0.000753	0.000000	0.000000	0.007668
E	0.001017	0.003014	0.002534	0.000274	0.000000	0.000000	0.006839
ESE	0.000813	0.001373	0.001370	0.000000	0.000000	0.000000	0.003556
SE	0.000426	0.001438	0.000411	0.000068	0.000000	0.000000	0.002343
SSE	0.000347	0.001370	0.000822	0.000000	0.000000	0.000000	0.002539
S	0.001122	0.004178	0.003219	0.000342	0.000000	0.000000	0.008862
SSW	0.000633	0.002633	0.004178	0.000890	0.000000	0.000000	0.007736
SW	0.000712	0.003767	0.009658	0.001849	0.000068	0.000000	0.016034
WSW	0.000663	0.003219	0.009247	0.002055	0.000205	0.000000	0.015389
W	0.000623	0.003630	0.004041	0.000411	0.000000	0.000000	0.008707
WNW	0.000727	0.001438	0.001164	0.000342	0.000000	0.000000	0.003672
NW	0.000459	0.001781	0.002329	0.000411	0.000000	0.000000	0.004979
NNW	0.000303	0.001712	0.002534	0.000205	0.000000	0.000000	0.004755
TOTAL	0.011844	0.042329	0.060274	0.009313	0.000274	0.000000	
RELATIVE FREQUENCY OF OCCURRENCE OF C STABILITY = 0.123836							
RELATIVE FREQUENCY OF CALMS DISTRIBUTED ABOVE WITH C STABILITY = 0.004452							

DIRECTION	SPEED(KTS)										TOTAL
	0 - 3	4 - 6	7 - 10	11 - 16	17 - 21	GREATER THAN 21					
N	0.004835	0.011849	0.011844	0.009458	0.008890	0.000000					0.028876
NNE	0.004716	0.015274	0.022534	0.007055	0.000068	0.000000					0.049868
NE	0.004775	0.015753	0.028904	0.014110	0.008822	0.000000					0.064364
ENE	0.001457	0.009616	0.010411	0.003425	0.000137	0.000000					0.021046
E	0.002181	0.009507	0.004726	0.001021	0.000000	0.000000					0.014441
ESE	0.002033	0.004041	0.001507	0.000205	0.000000	0.000000					0.007788
SE	0.001949	0.003356	0.001579	0.000048	0.000000	0.000000					0.006949
SSE	0.001713	0.002955	0.001164	0.000342	0.000000	0.000000					0.003274
S	0.002665	0.007943	0.005685	0.002397	0.000000	0.000000					0.018692
SSW	0.001301	0.004452	0.007123	0.003954	0.000137	0.000000					0.016528
SW	0.003091	0.008208	0.019384	0.014307	0.002329	0.000000					0.049687
WSW	0.001943	0.008767	0.014726	0.014724	0.001301	0.000000					0.041432
W	0.001423	0.003342	0.004110	0.003137	0.000342	0.000000					0.014423
WNW	0.000926	0.002334	0.001649	0.001712	0.000137	0.000000					0.007158
WW	0.000919	0.001849	0.002039	0.003034	0.000668	0.000000					0.008727
WNW	0.001590	0.001980	0.002329	0.004932	0.000411	0.000000					0.011208
TOTAL	0.027466	0.105616	0.139726	0.086493	0.006644	0.000274					
RELATIVE FREQUENCY OF OCCURRENCE OF D STABILITY = 0.378219											
RELATIVE FREQUENCY OF CALMS DISTRIBUTED ABOVE WITH D STABILITY = 0.013616											

DIRECTION	SPEED(KTS)						TOTAL
	0 - 3	4 - 6	7 - 10	11 - 16	17 - 21	GREATER THAN 21	
N	0.000000	0.012192	0.008356	0.000000	0.000000	0.000000	0.020548
NNE	0.000000	0.012397	0.005342	0.000000	0.000000	0.000000	0.017740
NE	0.000000	0.003959	0.002945	0.000000	0.000000	0.000000	0.006904
NNE	0.000000	0.002123	0.001027	0.000000	0.000000	0.000000	0.003151
E	0.000000	0.002053	0.000066	0.000000	0.000000	0.000000	0.002120
ESE	0.000000	0.001430	0.000205	0.000000	0.000000	0.000000	0.001635
SE	0.000000	0.001781	0.000137	0.000000	0.000000	0.000000	0.001918
SSE	0.000000	0.002260	0.000068	0.000000	0.000000	0.000000	0.002328
S	0.000000	0.004975	0.000822	0.000000	0.000000	0.000000	0.005797
SSW	0.000000	0.003425	0.001375	0.000000	0.000000	0.000000	0.004800
SW	0.000000	0.007760	0.004986	0.000000	0.000000	0.000000	0.012746
WSW	0.000000	0.007260	0.003479	0.000000	0.000000	0.000000	0.010739
W	0.000000	0.003411	0.002945	0.000000	0.000000	0.000000	0.006356
WNW	0.000000	0.002877	0.001370	0.000000	0.000000	0.000000	0.004247
W	0.000000	0.002934	0.002466	0.000000	0.000000	0.000000	0.005400
WNW	0.000000	0.002740	0.003836	0.000000	0.000000	0.000000	0.006576
TOTAL	0.000000	0.078767	0.043630	0.000000	0.000000	0.000000	
RELATIVE FREQUENCY OF OCCURRENCE OF E STABILITY = 0.122397							
RELATIVE FREQUENCY OF CALMS DISTRIBUTED ABOVE WITH E STABILITY = 0.000000							

SPEEDIKTS)							
DIRECTION	0 - 3	4 - 6	7 - 10	11 - 16	17 - 21	GREATER THAN 21	TOTAL
M	0.008878	0.021096	0.000000	0.000000	0.000000	0.000000	0.029974
MNE	0.003508	0.017671	0.000000	0.000000	0.000000	0.000000	0.029180
NE	0.004399	0.009289	0.000000	0.000000	0.000000	0.000000	0.019988
ENE	0.001679	0.003358	0.000000	0.000000	0.000000	0.000000	0.009028
E	0.002296	0.001781	0.000000	0.000000	0.000000	0.000000	0.004076
ESE	0.001702	0.002093	0.000000	0.000000	0.000000	0.000000	0.003797
SE	0.002661	0.001375	0.000000	0.000000	0.000000	0.000000	0.004236
SSE	0.002181	0.002055	0.000000	0.000000	0.000000	0.000000	0.004236
S	0.003220	0.006849	0.000000	0.000000	0.000000	0.000000	0.012069
SSW	0.002616	0.005137	0.000000	0.000000	0.000000	0.000000	0.007753
SW	0.004324	0.009384	0.000000	0.000000	0.000000	0.000000	0.019908
WSW	0.004799	0.010548	0.000000	0.000000	0.000000	0.000000	0.019346
W	0.003636	0.008493	0.000000	0.000000	0.000000	0.000000	0.012149
WNW	0.002845	0.006307	0.000000	0.000000	0.000000	0.000000	0.009352
WV	0.002936	0.005616	0.000000	0.000000	0.000000	0.000000	0.008592
WNW	0.001977	0.005137	0.000000	0.000000	0.000000	0.000000	0.007114
TOTAL	0.037877	0.116849	0.000000	0.000000	0.000000	0.000000	0.000000
RELATIVE FREQUENCY OF OCCURRENCE OF F STABILITY = 0.174726							
RELATIVE FREQUENCY OF CALMS DISTRIBUTED ABOVE WITH F STABILITY = 0.025000							

SPEED(KTS)							
DIRECTION	0 - 3	4 - 6	7 - 10	11 - 15	17 - 21	GREATER THAN 21	TOTAL
W	0.018437	0.000000	0.000000	0.000000	0.000000	0.000000	0.018437
NNE	0.007638	0.000000	0.000000	0.000000	0.000000	0.000000	0.007638
NE	0.003389	0.000000	0.000000	0.000000	0.000000	0.000000	0.003389
ENE	0.002836	0.000000	0.000000	0.000000	0.000000	0.000000	0.002836
E	0.001844	0.000000	0.000000	0.000000	0.000000	0.000000	0.001844
ESE	0.002289	0.000000	0.000000	0.000000	0.000000	0.000000	0.002289
SE	0.003404	0.000000	0.000000	0.000000	0.000000	0.000000	0.003404
SSE	0.002978	0.000000	0.000000	0.000000	0.000000	0.000000	0.002978
S	0.003331	0.000000	0.000000	0.000000	0.000000	0.000000	0.003331
SSW	0.003673	0.000000	0.000000	0.000000	0.000000	0.000000	0.003673
SW	0.003360	0.000000	0.000000	0.000000	0.000000	0.000000	0.003360
WSW	0.004964	0.000000	0.000000	0.000000	0.000000	0.000000	0.004964
W	0.004524	0.000000	0.000000	0.000000	0.000000	0.000000	0.004524
WNW	0.004324	0.000000	0.000000	0.000000	0.000000	0.000000	0.004324
NW	0.004466	0.000000	0.000000	0.000000	0.000000	0.000000	0.004466
NNW	0.004382	0.000000	0.000000	0.000000	0.000000	0.000000	0.004382
TOTAL	0.096438	0.000000	0.000000	0.000000	0.000000	0.000000	0.096438
RELATIVE FREQUENCY OF OCCURRENCE OF G STABILITY = 0.096438							
RELATIVE FREQUENCY OF CALMS DISTRIBUTED ABOVE WITH G STABILITY = 0.049843							

		SPEEDIKTS)							
DIRECTION	0 - 3	4 - 6	7 - 10	11 - 16	17 - 21	GREATER THAN 21	TOTAL		
N	0.034721	0.054178	0.023948	0.010000	0.000890	0.000000	0.123338		
NNE	0.023149	0.031378	0.033131	0.007334	0.000068	0.000000	0.115478		
NE	0.018641	0.039247	0.040000	0.015000	0.008822	0.000000	0.113750		
NNE	0.008650	0.015485	0.017397	0.004178	0.000137	0.000000	0.044847		
E	0.011142	0.017945	0.008356	0.001361	0.000000	0.000000	0.038744		
ESE	0.010231	0.012052	0.004178	0.000203	0.000000	0.000000	0.024670		
SE	0.010004	0.010479	0.002943	0.000137	0.000000	0.000000	0.023266		
SSE	0.008431	0.009247	0.002534	0.000342	0.000000	0.000000	0.020375		
S	0.018434	0.028904	0.011164	0.002740	0.000000	0.000000	0.061262		
SSW	0.011199	0.016968	0.013904	0.004247	0.000137	0.000068	0.046542		
SW	0.019028	0.032882	0.039384	0.018356	0.002397	0.000068	0.113216		
WSW	0.015406	0.034247	0.032329	0.016781	0.001507	0.000068	0.100337		
W	0.014052	0.026096	0.012877	0.005548	0.000342	0.000068	0.058984		
WNW	0.011570	0.016370	0.004932	0.002033	0.000137	0.000000	0.039063		
WW	0.010773	0.012362	0.007471	0.004247	0.000068	0.000000	0.024321		
WNW	0.010651	0.012356	0.009452	0.005137	0.000411	0.000000	0.029007		
TOTAL	0.236164	0.399019	0.265822	0.07808	0.008918	0.000274			
TOTAL RELATIVE FREQUENCY OF OBSERVATIONS = 1.000000									
TOTAL RELATIVE FREQUENCY OF CALMS DISTRIBUTED ABOVE = 0.103219									



Table 2-26. Joint Frequencies of Wind Direction and Speed by Stability Class (March 1970 - March 1972)

["HISTORICAL INFORMATION NOT REQUIRED TO BE REVISED."]

OCONEE METEOROLOGICAL SURVEY TOWER DATA		FOR PERIOD OF MAR. 15, 1970 THRU MAR. 14, 1972									
SUMMARY OF PASQUILL A		WIND OCCURRENCES BY SECTOR + SPEED CLASS (IND. OCCUR/PERCENT)					DATE OF REPORT				
WIND SECTOR	SECTOR	WIND SPEED CLASS									
ITEM	TOTAL	1.0-3.2	3.3-5.5	5.6-7.8	7.9-10.0	10.1-12.3	12.4-14.5	14.6-16.7	16.8-19.0	19.1-21.2	>21.2 MPH
		.45-1.49	1.5-2.49	2.5-3.49	3.5-4.49	4.5-5.49	5.5-6.49	6.5-7.49	7.5-8.49	8.5-9.49	>9.5 M/S
360.0	ND 132	15	68	35	8	4	0	2	0	0	0
	PCT 0.92	0.10	0.47	0.24	0.05	0.03	0.00	0.01	0.00	0.00	0.00
22.5	ND 99	5	48	26	10	5	3	2	0	0	0
	PCT 0.69	0.03	0.33	0.18	0.07	0.03	0.02	0.01	0.00	0.00	0.00
45.0	ND 172	10	56	30	16	23	18	10	9	0	0
	PCT 1.20	0.07	0.39	0.21	0.11	0.16	0.13	0.07	0.06	0.00	0.00
67.5	ND 161	8	29	31	20	32	25	13	2	1	0
	PCT 1.12	0.05	0.20	0.22	0.14	0.22	0.17	0.09	0.01	0.01	0.00
90.0	ND 165	8	47	52	32	18	6	2	0	0	0
	PCT 1.15	0.05	0.33	0.36	0.22	0.13	0.04	0.01	0.00	0.00	0.00
112.5	ND 137	18	59	35	12	11	2	0	0	0	0
	PCT 0.98	0.13	0.41	0.26	0.08	0.08	0.01	0.00	0.00	0.00	0.00
135.0	ND 255	15	76	81	50	22	8	2	1	0	0
	PCT 1.78	0.10	0.53	0.56	0.35	0.15	0.05	0.01	0.01	0.00	0.00
157.5	ND 200	5	31	63	52	31	12	4	2	0	0
	PCT 1.39	0.03	0.22	0.44	0.36	0.22	0.08	0.03	0.01	0.00	0.00
180.0	ND 270	11	49	64	56	45	27	14	2	2	0
	PCT 1.88	0.08	0.34	0.45	0.39	0.31	0.19	0.10	0.01	0.01	0.00
202.5	ND 374	4	53	105	86	67	32	16	8	0	1
	PCT 2.61	0.03	0.37	0.78	0.60	0.47	0.22	0.13	0.05	0.00	0.01
225.0	ND 388	5	81	113	60	44	27	33	17	5	3
	PCT 2.71	0.03	0.56	0.79	0.42	0.31	0.19	0.23	0.12	0.03	0.02
247.5	ND 204	4	50	47	17	19	16	17	14	5	15
	PCT 1.62	0.03	0.35	0.33	0.12	0.13	0.11	0.12	0.10	0.03	0.10
270.0	ND 184	8	53	35	8	22	19	16	9	9	5
	PCT 1.28	0.05	0.37	0.24	0.05	0.15	0.13	0.11	0.06	0.06	0.03
292.5	ND 113	7	31	15	10	6	8	8	6	6	14
	PCT 0.79	0.05	0.22	0.10	0.07	0.04	0.05	0.05	0.05	0.04	0.10
315.0	ND 123	14	41	15	12	3	6	9	4	5	14
	PCT 0.86	0.10	0.29	0.10	0.08	0.02	0.04	0.06	0.03	0.03	0.10
337.5	ND 84	12	38	21	4	4	2	2	0	1	0
	PCT 0.59	0.08	0.26	0.15	0.03	0.03	0.01	0.01	0.00	0.01	0.00
CALM	ND 0										
	PCT 0.00										
TOTAL	ND 3061	149	810	798	453	356	211	152	76	34	52
	PCT 21.36	1.04	5.65	5.36	3.16	2.48	1.47	1.06	0.33	0.24	0.36
TOTAL VALID OBSERVATIONS		14333	TOTAL OBSERVATIONS 17545								

DCJNEE METEOROLOGICAL SURVEY TOWER DATA  
SUMMARY OF PASQUILL B+C

FOR PERIOD OF MAR. 15, 1970 THRU MAR. 14, 1972  
WIND OCCURRENCES BY SECTOR + SPEED CLASS (NO. OCCURR., PERCENT)

DATE OF REPORT 5-16-72

WIND SECTOR	ITEM	SECTOR TOTAL	WIND SPEED CLASS									
			1.0-3.2 .45-1.49	3.3-5.5 1.5-2.49	5.6-7.8 2.5-3.49	7.9-10.0 3.5-4.49	10.1-12.3 4.5-5.49	12.4-14.5 5.5-6.49	14.6-16.7 6.5-7.49	16.8-19.0 7.5-8.49	19.1-21.2 8.5-9.49	>21.2 MPH >=9.5 M/S
360.0	NO	20	3	8	3	4	0	0	2	0	0	0
-W-	PCT	0.14	0.02	0.05	0.02	0.03	0.00	0.00	0.01	0.00	0.00	0.00
27.5	NO	34	6	8	8	2	2	5	2	1	0	0
-NNE-	PCT	0.24	0.04	0.05	0.05	0.01	0.01	0.03	0.01	0.01	0.00	0.00
45.0	NO	57	3	8	9	11	7	9	6	3	1	0
-NE-	PCT	0.40	0.02	0.05	0.06	0.08	0.05	0.06	0.04	0.02	0.01	0.00
67.5	NO	52	0	10	2	12	9	7	7	3	1	1
-ENE-	PCT	0.36	0.00	0.07	0.01	0.08	0.06	0.05	0.05	0.02	0.01	0.01
90.0	NO	37	4	11	10	5	7	0	0	0	0	0
-E-	PCT	0.26	0.03	0.08	0.07	0.03	0.05	0.00	0.00	0.00	0.00	0.00
112.5	NO	32	5	9	12	4	2	0	0	0	0	0
-ESE-	PCT	0.22	0.03	0.06	0.08	0.03	0.01	0.00	0.00	0.00	0.00	0.00
135.0	NO	51	11	16	11	9	4	0	0	0	0	0
-SE-	PCT	0.36	0.08	0.11	0.08	0.06	0.03	0.00	0.00	0.00	0.00	0.00
157.5	NO	40	1	11	12	7	6	2	1	0	0	0
-SSE-	PCT	0.28	0.01	0.08	0.08	0.05	0.04	0.01	0.01	0.00	0.00	0.00
180.0	NO	48	5	9	6	8	10	4	3	2	0	1
-S-	PCT	0.33	0.03	0.06	0.04	0.05	0.07	0.03	0.02	0.01	0.00	0.01
202.5	NO	74	2	13	12	14	11	5	10	5	2	0
-SSW-	PCT	0.52	0.01	0.09	0.08	0.10	0.08	0.03	0.07	0.03	0.01	0.00
225.0	NO	75	7	9	8	18	7	11	10	2	3	0
-SW-	PCT	0.52	0.05	0.06	0.05	0.13	0.05	0.08	0.07	0.01	0.02	0.00
247.5	NO	37	1	6	4	3	2	7	2	4	0	6
-WSW-	PCT	0.26	0.02	0.04	0.03	0.02	0.01	0.05	0.01	0.03	0.00	0.04
270.0	NO	24	3	4	3	0	4	2	2	1	0	5
-W-	PCT	0.17	0.02	0.03	0.02	0.00	0.03	0.01	0.01	0.01	0.00	0.03
292.5	NO	21	2	9	0	0	0	0	3	3	1	3
-WNW-	PCT	0.15	0.01	0.06	0.00	0.00	0.00	0.00	0.02	0.02	0.01	0.02
315.0	NO	28	4	8	2	1	3	2	0	2	1	5
-NW-	PCT	0.20	0.03	0.05	0.01	0.01	0.02	0.01	0.00	0.01	0.01	0.03
337.5	NO	26	4	8	8	3	1	0	0	0	0	2
-NNW-	PCT	0.18	0.03	0.05	0.05	0.02	0.01	0.00	0.00	0.00	0.00	0.01
CALM	NO	0										
	PCT	0.00										
TOTAL	NO	656	63	147	110	101	75	54	48	26	9	23
	PCT	4.58	0.44	1.03	0.77	0.70	0.52	0.38	0.33	0.18	0.06	0.16

TOTAL VALID OBSERVATIONS 14333

TOTAL OBSERVATIONS 17545

DCONEE METEOROLOGICAL SURVEY TOWER DATA FOR PERIOD OF MAR. 15, 1970 THRU MAR. 14, 1972  
 SUMMARY OF PASQUILL D WIND OCCURRENCES BY SECTOR + SPEED CLASS (NO. OCCUR, PERCENT) DATE OF REPORT 9-16-72

WIND SECTOR	ITEM	TOTAL	1.0-3.2	3.3-5.5	5.6-7.8	7.9-12.0	10.1-12.3	12.4-14.5	14.6-16.7	16.8-19.0	19.1-21.2	>21.2 MPH
			1.5-2.49	2.5-3.49	3.5-4.49	4.5-5.49	5.5-6.49	6.5-7.49	7.5-8.49	8.5-9.49	>9.5	M/S
			MIND SPEED CLASS									
			1	2	3	4	5	6	7	8	9	10
360.0	NO	30	10	10	3	4	1	1	0	1	0	0
	PCT	0.21	0.07	0.07	0.02	0.03	0.01	0.01	0.00	0.01	0.00	0.00
22.5	NO	43	2	8	12	11	4	6	0	0	0	0
	PCT	0.30	0.01	0.05	0.08	0.08	0.03	0.04	0.00	0.00	0.00	0.00
45.0	NO	95	7	10	18	9	18	19	11	2	1	0
	PCT	0.66	0.05	0.07	0.13	0.06	0.13	0.13	0.08	0.01	0.01	0.00
67.5	NO	55	4	7	10	12	13	6	0	3	0	0
	PCT	0.36	0.03	0.05	0.07	0.08	0.09	0.04	0.00	0.02	0.00	0.00
90.0	NO	63	6	20	14	8	9	4	1	1	0	0
	PCT	0.44	0.04	0.14	0.10	0.05	0.06	0.03	0.01	0.01	0.00	0.00
112.5	NO	26	4	12	7	3	0	0	0	0	0	0
	PCT	0.16	0.03	0.08	0.05	0.02	0.00	0.00	0.00	0.00	0.00	0.00
135.0	NO	35	7	12	7	7	2	0	0	0	0	0
	PCT	0.24	0.05	0.08	0.05	0.05	0.01	0.00	0.00	0.00	0.00	0.00
157.5	NO	43	6	14	10	8	3	1	1	0	0	0
	PCT	0.30	0.04	0.10	0.07	0.05	0.02	0.01	0.01	0.00	0.00	0.00
180.0	NO	44	4	7	7	4	7	9	3	0	0	0
	PCT	0.31	0.03	0.05	0.05	0.03	0.05	0.06	0.02	0.02	0.00	0.00
202.5	NO	65	3	9	16	8	14	9	4	1	1	0
	PCT	0.45	0.02	0.06	0.11	0.05	0.10	0.06	0.03	0.01	0.01	0.00
225.0	NO	98	2	23	25	13	9	14	11	1	0	0
	PCT	0.68	0.01	0.16	0.17	0.09	0.06	0.10	0.08	0.01	0.00	0.00
247.5	NO	38	5	10	2	2	5	8	2	1	0	3
	PCT	0.26	0.03	0.07	0.01	0.01	0.03	0.05	0.01	0.01	0.00	0.02
270.0	NO	51	8	10	3	5	4	6	5	3	0	7
	PCT	0.36	0.05	0.07	0.02	0.03	0.03	0.04	0.03	0.02	0.00	0.05
292.5	NO	24	2	6	2	1	1	2	0	3	1	6
	PCT	0.17	0.01	0.04	0.01	0.01	0.01	0.01	0.00	0.02	0.01	0.04
315.0	NO	36	14	9	1	1	1	1	1	3	1	4
	PCT	0.25	0.10	0.06	0.01	0.01	0.01	0.01	0.01	0.02	0.01	0.03
337.5	NO	26	6	9	6	3	0	0	0	1	0	1
	PCT	0.18	0.04	0.06	0.04	0.02	0.00	0.00	0.00	0.01	0.00	0.01
CALM	NO	0										
	PCT	0.00										
TOTAL	NO	772	99	176	153	99	91	86	39	23	4	21
	PCT	5.38	0.63	1.23	1.00	0.69	0.63	0.60	0.27	0.16	0.03	0.15

TOTAL VALID OBSERVATIONS 14333

TOTAL OBSERVATIONS 17545

OCONEE METEOROLOGICAL SURVEY TOWER DATA FOR PERIOD OF MAR. 15, 1970 THRU MAR. 14, 1972  
 SUMMARY OF PASQUILL E WIND OCCURRENCES BY SECTOR + SPEED CLASS (NO. OCCURR, PERCENT)

WIND SECTOR	ITEM	SECTOR TOTAL	WIND SPEED CLASS										DATE OF REPORT	5-16-72
			1.0-3.2 .45-1.49	3.3-5.5 1.5-2.49	5.6-7.8 2.5-3.49	7.9-10.0 3.5-4.49	10.1-12.3 4.5-5.49	12.4-14.3 5.5-6.49	14.6-16.7 6.5-7.49	16.8-19.0 7.5-8.49	19.1-21.2 8.5-9.49	>21.2 MPH >9.5 M/S		
360.0	NO	391	50	135	129	49	19	4	3	0	0	2		
-N-	PCT	2.73	0.35	0.96	0.90	0.34	0.13	0.03	0.02	0.00	0.00	0.01		
22.5	NO	392	35	92	126	64	44	21	4	6	0	0		
-NNE-	PCT	2.73	0.24	0.64	0.88	0.45	0.31	0.15	0.03	0.04	0.00	0.00		
45.0	NO	611	42	87	120	129	108	90	25	8	2	0		
-NE-	PCT	4.26	0.29	0.61	0.84	0.90	0.75	0.63	0.17	0.05	0.01	0.00		
67.5	NO	390	30	86	93	92	39	27	15	9	1	0		
-ENE-	PCT	2.72	0.21	0.59	0.65	0.64	0.27	0.19	0.10	0.06	0.01	0.00		
90.0	NO	313	33	92	106	46	24	8	2	0	2	0		
-E-	PCT	2.18	0.23	0.64	0.74	0.32	0.17	0.05	0.01	0.00	0.01	0.00		
112.5	NO	165	34	56	47	11	13	2	2	0	0	0		
-ESE-	PCT	1.15	0.24	0.39	0.33	0.08	0.09	0.01	0.01	0.00	0.00	0.00		
135.0	NO	182	39	57	42	21	17	3	2	0	1	0		
-SE-	PCT	1.27	0.27	0.40	0.29	0.15	0.12	0.02	0.01	0.00	0.01	0.00		
157.5	NO	166	21	43	44	35	20	2	1	0	0	0		
-SSE-	PCT	1.16	0.15	0.30	0.31	0.24	0.14	0.01	0.01	0.00	0.00	0.00		
180.0	NO	217	31	36	58	38	25	19	7	2	1	0		
-S-	PCT	1.51	0.22	0.25	0.40	0.26	0.17	0.13	0.05	0.01	0.01	0.00		
202.5	NO	401	18	64	75	82	73	49	28	12	0	0		
-SSW-	PCT	2.80	0.13	0.45	0.52	0.57	0.51	0.34	0.20	0.08	0.00	0.00		
225.0	NO	570	35	94	100	84	87	93	60	15	2	0		
-SW-	PCT	3.98	0.24	0.65	0.70	0.59	0.61	0.65	0.42	0.10	0.01	0.00		
247.5	NO	363	20	54	62	51	69	57	24	11	3	12		
-WSW-	PCT	2.53	0.14	0.38	0.43	0.36	0.48	0.40	0.17	0.08	0.02	0.08		
270.0	NO	364	39	79	37	26	33	52	32	28	16	22		
-W-	PCT	2.54	0.27	0.55	0.26	0.18	0.23	0.36	0.22	0.20	0.11	0.15		
292.5	NO	206	22	36	18	16	15	15	25	15	16	28		
-WNW-	PCT	1.44	0.15	0.25	0.13	0.11	0.10	0.10	0.17	0.10	0.11	0.20		
315.0	NO	275	36	82	50	24	15	15	8	21	5	19		
-NW-	PCT	1.92	0.25	0.57	0.35	0.17	0.10	0.10	0.05	0.15	0.03	0.13		
337.5	NO	233	38	89	55	19	14	8	4	0	0	8		
-NNW-	PCT	1.63	0.26	0.62	0.38	0.13	0.10	0.05	0.03	0.00	0.00	0.04		
CALM	NO	17												
	PCT	0.12												
TOTAL	NO	5239	523	1180	1182	787	815	465	242	127	49	89		
	PCT	36.55	3.65	8.23	8.11	5.49	4.29	3.24	1.69	0.89	0.34	0.62		

TOTAL VALID OBSERVATIONS 14333

TOTAL OBSERVATIONS 17545

DCONEE METEOROLOGICAL SURVEY TOWER DATA  
SUMMARY OF PASQUILL F

FOR PERIOD OF MAR. 15, 1970 THRU MAR. 14, 1972  
WIND OCCURRENCES BY SECTOR & SPEED CLASS (NO. OCCUR, PERCENT)

DATE OF REPORT 5-16-72

WIND SECTOR	ITEM	SECTOR TOTAL	WIND SPEED CLASS									
			1.0-3.2 .45-1.49	3.3-5.5 1.5-2.49	5.6-7.8 2.5-3.49	7.9-10.0	10.1-12.3 4.5-5.49	12.4-14.5 5.5-6.49	14.6-16.7 6.5-7.49	16.8-19.0 7.5-8.49	19.1-21.2 8.5-9.49	>21.2 MPH >9.5 M/S
360.0	NO	384	38	160	150	30	6	0	0	0	0	0
-N-	PCT	2.68	0.26	1.12	1.05	0.21	0.04	0.00	0.00	0.00	0.00	0.00
22.5	NO	213	24	93	76	16	1	2	1	0	0	0
-NNE-	PCT*	1.48	0.17	0.65	0.53	0.11	0.01	0.01	0.01	0.00	0.00	0.00
45.0	NO	170	23	83	45	12	4	2	1	0	0	0
-NE-	PCT	1.19	0.16	0.58	0.31	0.08	0.03	0.01	0.01	0.00	0.00	0.00
67.5	NO	106	12	50	31	5	5	0	1	0	1	1
-ENE-	PCT	0.74	0.08	0.35	0.22	0.03	0.03	0.00	0.01	0.00	0.01	0.01
90.0	NO	88	19	30	31	5	3	0	0	0	0	0
-E-	PCT	0.61	0.13	0.21	0.22	0.03	0.02	0.00	0.00	0.00	0.00	0.00
112.5	NO	53	11	25	12	4	1	0	0	0	0	0
-ESE-	PCT	0.37	0.08	0.17	0.08	0.03	0.01	0.00	0.00	0.00	0.00	0.00
135.0	NO	84	9	33	26	13	3	0	0	0	0	0
-SE-	PCT	0.59	0.06	0.23	0.18	0.09	0.02	0.00	0.00	0.00	0.00	0.00
157.5	NO	84	10	26	26	17	5	0	0	0	0	0
-SSE-	PCT	0.59	0.07	0.18	0.18	0.12	0.03	0.00	0.00	0.00	0.00	0.00
190.0	NO	108	14	27	26	14	21	6	0	0	0	0
-S-	PCT	0.75	0.10	0.19	0.18	0.10	0.15	0.04	0.00	0.00	0.00	0.00
202.5	NO	124	8	31	35	24	12	9	3	1	1	0
-SSW-	PCT	0.86	0.05	0.22	0.24	0.17	0.08	0.06	0.02	0.01	0.01	0.00
225.0	NO	173	16	49	32	35	24	15	1	0	0	1
-SW-	PCT	1.21	0.11	0.34	0.22	0.24	0.17	0.10	0.01	0.00	0.00	0.01
247.5	NO	142	13	40	29	30	14	6	8	2	0	0
-WSW-	PCT	0.99	0.09	0.28	0.20	0.21	0.10	0.04	0.05	0.01	0.00	0.00
270.0	NO	185	34	58	29	20	15	10	11	6	2	0
-W-	PCT	1.29	0.24	0.40	0.20	0.14	0.10	0.07	0.08	0.04	0.01	0.00
292.5	NO	159	23	67	29	16	10	6	5	1	2	0
-WNW-	PCT	1.11	0.16	0.47	0.20	0.11	0.07	0.04	0.03	0.01	0.01	0.00
315.0	NO	266	39	123	50	19	6	4	1	2	1	1
-NW-	PCT	1.72	0.27	0.86	0.35	0.13	0.04	0.03	0.01	0.01	0.01	0.01
337.5	NO	337	38	155	104	30	5	4	1	0	0	0
-NNW-	PCT	2.35	0.26	1.08	0.72	0.21	0.03	0.03	0.01	0.00	0.00	0.00
CALM	NO	3										
	PCT	0.02										
TOTAL	NO	2656	331	1050	731	290	135	64	33	12	7	3
	PCT	18.53	2.31	7.33	5.10	2.02	0.94	0.45	0.23	0.08	0.05	0.02

TOTAL VALID OBSERVATIONS 14333

TOTAL OBSERVATIONS 17545

OCOONEE METEOROLOGICAL SURVEY TOWER DATA FOR PERIOD OF MAR. 15, 1970 THRU MAR. 14, 1972  
 SUMMARY OF PASQUILL G WIND OCCURRENCES BY SECTOR + SPEED CLASS (NO. OCCURR, PERCENT) DATE OF REPORT 5-16-72

WIND SECTOR	ITEM	SECTOR TOTAL	WIND SPEED CLASS										
			1.0-3.2 0.45-1.49	3.3-5.5 1.5-2.49	5.6-7.8 2.5-3.49	7.9-10.0 3.5-4.49	10.1-12.3 4.5-5.49	12.4-14.5 5.5-6.49	14.6-16.7 6.5-7.49	16.8-19.0 7.5-8.49	19.1-21.2 8.5-9.49	>21.2 MPH >9.5 M/S	
360.0	NO	370	35	144	139	46	6	0	0	0	0	0	
-N-	PCT	2.58	0.24	1.00	0.97	0.32	0.04	0.00	0.00	0.00	0.00	0.00	
22.5	NO	143	28	69	38	8	0	0	0	0	0	0	
-NNE-	PCT	1.00	0.20	0.48	0.26	0.05	0.00	0.00	0.00	0.00	0.00	0.00	
45.0	NO	97	18	41	27	8	2	1	0	0	0	0	
-NE-	PCT	0.68	0.13	0.29	0.19	0.05	0.01	0.01	0.00	0.00	0.00	0.00	
67.5	NO	72	10	31	18	11	2	0	0	0	0	0	
-ENE-	PCT	0.50	0.07	0.22	0.13	0.08	0.01	0.00	0.00	0.00	0.00	0.00	
90.0	NO	55	7	27	13	5	1	2	0	0	0	0	
-E-	PCT	0.38	0.05	0.19	0.09	0.03	0.01	0.01	0.00	0.00	0.00	0.00	
112.5	NO	31	6	14	7	1	2	1	0	0	0	0	
-ESE-	PCT	0.22	0.04	0.10	0.05	0.01	0.01	0.01	0.00	0.00	0.00	0.00	
135.0	NO	102	11	36	39	14	2	0	0	0	0	0	
-SE-	PCT	0.71	0.08	0.25	0.27	0.10	0.01	0.00	0.00	0.00	0.00	0.00	
157.5	NO	65	11	22	23	8	1	0	0	0	0	0	
-SSE-	PCT	0.45	0.08	0.15	0.16	0.05	0.01	0.00	0.00	0.00	0.00	0.00	
180.0	NO	55	8	18	17	10	1	1	0	0	0	0	
-S-	PCT	0.38	0.05	0.13	0.12	0.07	0.01	0.01	0.00	0.00	0.00	0.00	
202.5	NO	64	11	23	18	10	2	0	0	0	0	0	
-SSW-	PCT	0.45	0.08	0.16	0.13	0.07	0.01	0.00	0.00	0.00	0.00	0.00	
225.0	NO	142	19	42	46	25	8	1	0	1	0	0	
-SW-	PCT	0.99	0.13	0.29	0.32	0.17	0.05	0.01	0.00	0.01	0.00	0.00	
247.5	NO	111	23	40	29	10	5	3	0	0	0	1	
-WSW-	PCT	0.77	0.16	0.28	0.20	0.07	0.03	0.02	0.00	0.00	0.00	0.01	
270.0	NO	99	18	37	24	10	5	2	2	1	0	0	
-W-	PCT	0.69	0.13	0.26	0.17	0.07	0.03	0.01	0.01	0.01	0.00	0.00	
292.5	NO	110	26	52	19	4	4	3	2	0	0	0	
-WNW-	PCT	0.77	0.18	0.36	0.13	0.03	0.03	0.02	0.01	0.00	0.00	0.00	
315.0	NO	168	35	80	37	8	4	3	0	1	0	0	
-NW-	PCT	1.17	0.24	0.56	0.26	0.05	0.03	0.02	0.00	0.01	0.00	0.00	
337.5	NO	242	33	100	77	26	4	1	0	0	0	1	
-NNW-	PCT	1.69	0.23	0.70	0.54	0.18	0.03	0.01	0.00	0.00	0.00	0.01	
CALM	NO	3											
	PCT	0.02											
TOTAL	NO	1926	299	776	571	204	69	18	4	3	0	2	
	PCT	13.44	2.09	5.41	3.98	1.42	0.34	0.13	0.03	0.02	0.00	0.01	
TOTAL VALID OBSERVATIONS			14333										
			TOTAL OBSERVATIONS 17545										

Table 2-27. Joint Frequency Tables of Wind Direction and Speed by Atmospheric Stability - Low and High Level (January 1975 - December 1975)

["HISTORICAL INFORMATION NOT REQUIRED TO BE REVISED."]

OCONEE LOW LEVEL SUMMARY OF PASQUILL A		WIND OCCURRENCES BY SECTOR * SPEED CLASS											DATE OF REPORT				
WIND DIRECTION		WIND SPEED CLASS											4-14-76				
SECTOR		NO. OCCURR. PERCENT											DATE				
TOTAL		NO. OCCURR. PERCENT											DATE				
NO.		NO. OCCURR. PERCENT											DATE				
PCT.		NO. OCCURR. PERCENT											DATE				
0-30.0	NO	12	12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0-30.0	PCT	0.31	0.31	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
30.0-45.0	NO	18	18	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
30.0-45.0	PCT	0.46	0.46	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
45.0-60.0	NO	33	33	0.09	0.03	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
45.0-60.0	PCT	0.83	0.83	0.09	0.03	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
60.0-75.0	NO	22	22	0.06	0.14	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
60.0-75.0	PCT	0.57	0.57	0.06	0.14	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
75.0-90.0	NO	23	23	0.06	0.25	0.11	0.05	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
75.0-90.0	PCT	0.59	0.59	0.06	0.25	0.11	0.05	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
90.0-105.0	NO	14	14	0.04	0.05	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
90.0-105.0	PCT	0.39	0.39	0.04	0.05	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
105.0-120.0	NO	12	12	0.03	0.09	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
105.0-120.0	PCT	0.33	0.33	0.03	0.09	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
120.0-135.0	NO	55	55	0.17	0.23	0.03	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
120.0-135.0	PCT	1.53	1.53	0.17	0.23	0.03	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
135.0-150.0	NO	36	36	0.11	0.12	0.07	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
135.0-150.0	PCT	1.04	1.04	0.11	0.12	0.07	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
150.0-165.0	NO	47	47	0.14	0.05	0.05	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
150.0-165.0	PCT	1.32	1.32	0.14	0.05	0.05	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
165.0-180.0	NO	33	33	0.10	0.44	0.17	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
165.0-180.0	PCT	0.94	0.94	0.10	0.44	0.17	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
180.0-200.0	NO	50	50	0.14	0.19	0.12	0.16	0.12	0.16	0.12	0.16	0.12	0.16	0.12	0.16	0.12	0.16
180.0-200.0	PCT	1.41	1.41	0.14	0.19	0.12	0.16	0.12	0.16	0.12	0.16	0.12	0.16	0.12	0.16	0.12	0.16
200.0-225.0	NO	26	26	0.08	0.11	0.07	0.07	0.11	0.07	0.11	0.07	0.11	0.07	0.11	0.07	0.11	0.07
200.0-225.0	PCT	0.74	0.74	0.08	0.11	0.07	0.07	0.11	0.07	0.11	0.07	0.11	0.07	0.11	0.07	0.11	0.07
225.0-270.0	NO	39	39	0.12	0.11	0.09	0.05	0.04	0.05	0.04	0.05	0.04	0.05	0.04	0.05	0.04	0.05
225.0-270.0	PCT	1.10	1.10	0.12	0.11	0.09	0.05	0.04	0.05	0.04	0.05	0.04	0.05	0.04	0.05	0.04	0.05
270.0-315.0	NO	21	21	0.06	0.04	0.03	0.04	0.03	0.04	0.03	0.04	0.03	0.04	0.03	0.04	0.03	0.04
270.0-315.0	PCT	0.59	0.59	0.06	0.04	0.03	0.04	0.03	0.04	0.03	0.04	0.03	0.04	0.03	0.04	0.03	0.04
315.0-360.0	NO	5	5	0.01	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
315.0-360.0	PCT	0.14	0.14	0.01	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
TOTAL	NO	387	387	1.00	1.33	0.77	0.50	0.33	0.50	0.33	0.50	0.33	0.50	0.33	0.50	0.33	0.50
TOTAL	PCT	100.0	100.0	1.00	1.33	0.77	0.50	0.33	0.50	0.33	0.50	0.33	0.50	0.33	0.50	0.33	0.50
AVERAGE WIND SPEED		5.73	7.75	7.75	4.70	4.70	4.70	4.70	4.70	4.70	4.70	4.70	4.70	4.70	4.70	4.70	4.70
TOTAL OBSERVATIONS		7510	7510	7510	7510	7510	7510	7510	7510	7510	7510	7510	7510	7510	7510	7510	7510

OCONEE LOW LEVEL SUMMARY OF PASQUILL C

FOR 1975 DATE OF REPORT 4-14-76

SECTOR	ITEM	NO	PCT	NO	PCT	NO	PCT	NO	PCT	NO	PCT	NO	PCT	NO	PCT	NO	PCT	NO	PCT	NO	PCT	NO	PCT	NO	PCT	NO	PCT		
360.0	NO	3	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	PCT	0.37	0.16	0.17	0.03	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22.5	NO	3	0.05	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	PCT	0.24	0.11	0.05	0.04	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
45.0	NO	2	0.08	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	PCT	0.36	0.11	0.07	0.06	0.03	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
90.0	NO	7	0.09	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	PCT	0.34	0.05	0.09	0.07	0.09	0.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
135.0	NO	3	0.04	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	PCT	0.39	0.04	0.13	0.13	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
180.0	NO	2	0.03	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	PCT	0.13	0.03	0.05	0.01	0.03	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
225.0	NO	4	0.05	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	PCT	0.35	0.07	0.21	0.03	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
270.0	NO	7	0.09	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	PCT	0.39	0.13	0.11	0.09	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
315.0	NO	3	0.04	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	PCT	0.36	0.07	0.14	0.05	0.04	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
360.0	NO	2	0.08	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	PCT	0.27	0.07	0.14	0.05	0.04	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
337.5	NO	4	0.05	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	PCT	0.23	0.05	0.05	0.01	0.03	0.02	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
CALM	NO	1	0.01	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	PCT	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
TOTAL	NO	70	0.51	76	0.51	38	0.51	16	0.21	6	0.06	3	0.04	3	0.04	3	0.04	3	0.04	3	0.04	3	0.04	3	0.04	3	0.04	3	0.04
	PCT	5.49	1.38	1.66	1.01	0.51	0.51	0.51	0.21	0.06	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04

AVERAGE WIND SPEED 6.14 TOTAL VALID OBSERVATIONS 7510 TOTAL OBSERVATIONS 8760



OCONEE LOW LEVEL SUMMARY OF PASQUILL U		FOR 1975		BY SECTION + SPEED CLASS (NO. OCCURRENCE)		DATE OF REPORT	
SECTION		SPEED CLASS		NO. OCCURRENCE		DATE OF REPORT	
ITEM	NO	NO	NO	NO	NO	NO	NO
360.0	NU	1.0	1.0	1.0	1.0	1.0	1.0
	PCT	0.81	0.24	0.12	0.01	0.01	0.00
225.5	NU	0.12	0.12	0.03	0.00	0.00	0.00
	PCT	0.71	0.29	0.24	0.00	0.00	0.00
45.0	NU	0.24	0.24	0.24	0.00	0.00	0.00
	PCT	1.16	0.24	0.24	0.00	0.00	0.00
67.5	NU	0.08	0.08	0.08	0.00	0.00	0.00
	PCT	1.45	0.39	0.31	0.03	0.00	0.00
90.0	NU	0.14	0.14	0.14	0.00	0.00	0.00
	PCT	1.08	0.51	0.32	0.07	0.00	0.00
112.5	NU	0.09	0.09	0.09	0.00	0.00	0.00
	PCT	0.57	0.21	0.14	0.00	0.00	0.00
135.0	NU	0.21	0.21	0.21	0.00	0.00	0.00
	PCT	0.76	0.37	0.14	0.03	0.00	0.00
157.5	NU	0.20	0.20	0.20	0.00	0.00	0.00
	PCT	0.69	0.31	0.13	0.05	0.00	0.00
180.0	NU	0.13	0.13	0.13	0.00	0.00	0.00
	PCT	1.07	0.17	0.34	0.08	0.01	0.00
202.5	NU	0.23	0.23	0.23	0.00	0.00	0.00
	PCT	1.26	0.23	0.23	0.19	0.04	0.00
225.0	NU	0.24	0.24	0.24	0.00	0.00	0.00
	PCT	1.85	0.24	0.49	0.33	0.16	0.05
247.5	NU	0.14	0.14	0.14	0.00	0.00	0.00
	PCT	0.96	0.14	0.27	0.08	0.05	0.00
270.0	NU	0.15	0.15	0.15	0.00	0.00	0.00
	PCT	1.15	0.37	0.09	0.08	0.17	0.04
292.5	NU	0.20	0.20	0.20	0.00	0.00	0.00
	PCT	0.73	0.20	0.01	0.04	0.11	0.05
315.0	NU	0.14	0.14	0.14	0.00	0.00	0.00
	PCT	0.57	0.19	0.04	0.03	0.07	0.01
337.5	NU	0.24	0.24	0.24	0.00	0.00	0.00
	PCT	0.65	0.34	0.03	0.01	0.01	0.00
CALM	NU	0.05	0.05	0.05	0.00	0.00	0.00
	PCT	1.07	0.27	1.22	0.63	0.29	0.05
TOTAL	NU	15.87	3.62	1.62	0.63	0.29	0.05
	PCT	15.87	3.62	1.62	0.63	0.29	0.05
AVERAGE WIND SPEED		6.07	TOTAL VALID OBSERVATIONS		7510	TOTAL OBSERVATIONS	
			6.07	7510	8760		

OCONEE LOW LEVEL SUMMARY OF PASQUILL E

FOR 1975  
FIR 1975

OCONEE LOW LEVEL SUMMARY OF PASQUILL E		FOR 1975		DATE OF REPORT		4-14-76	
WIND SECTION	NO	PCT	NO	PCT	IND.	OCCURRM	PERCENT
	TOTAL		TOTAL				
300.0	104	1.00	129	1.29	5.57	5.44	18.5
	194	0.80	1.26	0.80	30	0.40	0.09
	2.58	1.26	1.26	0.80	7	0.09	0.03
22.5	117	0.51	67	0.32	24	0.32	0.07
	1.56	0.51	0.63	0.32	5	0.07	0.04
	1.56	0.51	0.63	0.32	5	0.07	0.04
45.0	179	0.37	57	0.28	50	0.28	0.08
	2.38	0.37	0.76	0.28	30	0.28	0.08
	2.38	0.37	0.76	0.28	30	0.28	0.08
67.5	125	0.52	62	0.31	21	0.21	0.07
	1.85	0.52	0.52	0.31	11	0.31	0.07
	1.85	0.52	0.52	0.31	11	0.31	0.07
90.0	112	0.24	51	0.21	21	0.21	0.07
	1.12	0.24	0.53	0.21	10	0.21	0.07
	1.12	0.24	0.53	0.21	10	0.21	0.07
112.5	44	0.19	21	0.09	7	0.09	0.03
	0.59	0.19	0.28	0.09	7	0.09	0.03
	0.59	0.19	0.28	0.09	7	0.09	0.03
135.0	54	0.21	26	0.14	11	0.14	0.04
	0.72	0.21	0.34	0.14	11	0.14	0.04
	0.72	0.21	0.34	0.14	11	0.14	0.04
157.5	124	0.32	65	0.31	31	0.31	0.09
	1.24	0.32	0.65	0.31	31	0.31	0.09
	1.24	0.32	0.65	0.31	31	0.31	0.09
180.0	111	0.32	37	0.13	34	0.13	0.05
	1.44	0.32	0.69	0.13	34	0.13	0.05
	1.44	0.32	0.69	0.13	34	0.13	0.05
202.5	113	0.31	29	0.17	27	0.17	0.05
	1.50	0.31	0.34	0.17	27	0.17	0.05
	1.50	0.31	0.34	0.17	27	0.17	0.05
225.0	162	0.24	32	0.18	31	0.18	0.05
	2.16	0.24	0.52	0.18	31	0.18	0.05
	2.16	0.24	0.52	0.18	31	0.18	0.05
247.5	129	0.53	89	0.36	56	0.36	0.10
	1.29	0.53	0.89	0.36	56	0.36	0.10
	1.29	0.53	0.89	0.36	56	0.36	0.10
270.0	133	0.31	23	0.11	21	0.11	0.03
	1.77	0.31	0.57	0.11	21	0.11	0.03
	1.77	0.31	0.57	0.11	21	0.11	0.03
292.5	115	0.26	20	0.17	17	0.17	0.05
	1.53	0.26	0.27	0.17	17	0.17	0.05
	1.53	0.26	0.27	0.17	17	0.17	0.05
315.0	100	0.21	30	0.07	27	0.07	0.02
	1.33	0.21	0.34	0.07	27	0.07	0.02
	1.33	0.21	0.34	0.07	27	0.07	0.02
337.5	149	0.49	45	0.15	43	0.15	0.04
	1.41	0.49	0.50	0.15	43	0.15	0.04
	1.41	0.49	0.50	0.15	43	0.15	0.04
CALM	NO	PCT	NO	PCT	TOTAL	VALUE	OBSERVATIONS
	0.08		43	0.34	100	0.34	100
TOTAL	1460	4.34	5.78	2.74	395	2.06	51
	24.77	5.78	8.53	2.74	5.26	0.88	0.21
AVERAGE WIND SPEED	5.1/2						
TOTAL OBSERVATIONS						8760	

OCCURRENCE LOW LEVEL SUMMARY BY PASQUILL		WIND OCCURRENCES BY SECTOR * SPEED CLASS (NO. OCCURRENCE PER CENT)										DATE OF REPORT				
		FOR 1975										4-14-76				
SECTOR	ITEM	TOTAL	1-0-3-2	3-1-5-5	5-6-7-8	7-9-10-0	10-1-2-3	12-4-5-6	14-6-10-7	16-8-10-8	18-10-11	19-1-2-3	20-2-3	21-2	22-2	MMH
			1.0-3.2	3.1-5.5	5.6-7.8	7.9-10.0	10.1-12.3	12.4-14.6	14.7-16.9	17.0-19.2	19.3-21.5	21.6-23.8	23.9-26.1	26.2-28.4	28.5	M/S
			0.5-1.6	1.5-2.4	2.5-3.4	3.5-4.4	4.5-5.4	5.5-6.4	6.5-7.4	7.5-8.4	8.5-9.4	9.5-10.4	10.5-11.4	11.5-12.4		
300.0	NU	314	127	155	136	5	0	0	0	0	0	0	0	0	0	0
	PCT	4.18	1.69	1.93	1.68	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
224.5	NU	116	42	43	27	4	0	0	0	0	0	0	0	0	0	0
	PCT	1.54	0.57	0.57	0.36	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
426.0	NU	121	39	74	26	0.05	0.17	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	PCT	2.34	0.50	0.98	0.34	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
477.5	NU	180	18	32	33	0.31	0.34	0.05	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	PCT	1.80	0.24	0.43	0.43	0.04	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
910.0	NU	75	24	35	17	0.08	0.05	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	PCT	1.00	0.32	0.47	0.23	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
112.5	NU	55	22	19	9	0.05	0.00	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	PCT	0.73	0.29	0.26	0.12	0.00	0.00	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
132.0	NU	72	23	32	19	0.03	0.00	0.04	0.03	0.01	0.00	0.00	0.00	0.00	0.00	0.00
	PCT	0.96	0.31	0.43	0.26	0.00	0.00	0.05	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.00
157.5	NU	82	27	22	17	0.11	0.01	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	PCT	1.08	0.35	0.29	0.22	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
180.0	NU	85	15	27	29	0.10	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	PCT	1.13	0.21	0.36	0.39	0.13	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
202.5	NU	56	14	16	12	0.04	0.09	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	PCT	0.77	0.24	0.21	0.16	0.04	0.09	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
225.0	NU	72	21	21	14	0.03	0.05	0.03	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
	PCT	0.96	0.32	0.28	0.19	0.03	0.05	0.03	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
247.5	NU	70	17	17	19	0.08	0.05	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	PCT	0.93	0.23	0.23	0.26	0.08	0.05	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
270.0	NU	89	31	15	18	0.11	0.07	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	PCT	1.19	0.41	0.20	0.24	0.14	0.09	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
292.5	NU	102	24	24	11	0.14	0.09	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	PCT	1.36	0.32	0.32	0.14	0.19	0.12	0.11	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
315.0	NU	111	31	40	27	0.07	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	PCT	1.48	0.41	0.51	0.36	0.09	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
337.5	NU	174	44	76	13	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	PCT	2.32	0.58	1.01	0.17	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CALM	NU	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	PCT	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOTAL	NU	1920	589	609	297	132	57	33	6	3	0	0	0	0	0	0
	PCT	22.80	7.84	8.11	3.95	1.76	0.76	0.33	0.08	0.04	0.01	0.01	0.01	0.01	0.01	0.01
AVERAGE WIND SPEED		4.81	TOTAL VALID OBSERVATIONS										7510	TOTAL OBSERVATIONS		8700



OCONEE LOW LEVEL SUMMARY OF PASQUILL ACCIDENT FWR		FOR 1975		WIND OCCURRENCES BY SECTOR • SPEED CLASS (NO. OCCURRENCES PERCENT)		DATE OF REPORT									
MINI TOTAL		MINI SPEED CLASS		MINI SPEED CLASS		MINI SPEED CLASS									
SECTOR	ITEM	1.0-3.2	3.3-5.5	5.6-7.8	7.9-10.0	10.1-12.3	12.4-14.6	14.7-16.9	17.0-19.2	19.3-21.5	21.6-23.8	23.9-26.1	26.2-28.4	28.5-30.7	
NO	PCT	NO	PCT	NO	PCT	NO	PCT	NO	PCT	NO	PCT	NO	PCT	NO	PCT
360.0	NO	11	0.03	13	0.03	15	0.03	17	0.03	19	0.03	21	0.03	23	0.03
360.0	PCT	3.90	5.98	1.24	1.90	1.57	2.35	1.86	2.79	2.15	3.22	2.50	3.75	2.84	4.26
225.0	NO	176	0.05	186	0.05	196	0.05	206	0.05	216	0.05	226	0.05	236	0.05
225.0	PCT	2.24	2.82	1.14	1.46	1.14	1.46	1.14	1.46	1.14	1.46	1.14	1.46	1.14	1.46
45.0	NO	176	0.05	176	0.05	176	0.05	176	0.05	176	0.05	176	0.05	176	0.05
45.0	PCT	8.56	13.2	2.61	4.05	2.61	4.05	2.61	4.05	2.61	4.05	2.61	4.05	2.61	4.05
67.5	NO	73	0.02	73	0.02	73	0.02	73	0.02	73	0.02	73	0.02	73	0.02
67.5	PCT	6.54	9.92	1.92	2.88	1.92	2.88	1.92	2.88	1.92	2.88	1.92	2.88	1.92	2.88
90.0	NO	385	0.07	385	0.07	385	0.07	385	0.07	385	0.07	385	0.07	385	0.07
90.0	PCT	5.13	7.7	2.22	3.33	2.22	3.33	2.22	3.33	2.22	3.33	2.22	3.33	2.22	3.33
112.5	NO	231	0.04	231	0.04	231	0.04	231	0.04	231	0.04	231	0.04	231	0.04
112.5	PCT	3.04	4.48	1.33	1.90	1.33	1.90	1.33	1.90	1.33	1.90	1.33	1.90	1.33	1.90
135.0	NO	281	0.05	281	0.05	281	0.05	281	0.05	281	0.05	281	0.05	281	0.05
135.0	PCT	3.81	5.61	1.56	2.24	1.56	2.24	1.56	2.24	1.56	2.24	1.56	2.24	1.56	2.24
157.5	NO	378	0.06	378	0.06	378	0.06	378	0.06	378	0.06	378	0.06	378	0.06
157.5	PCT	5.03	7.32	1.94	2.82	1.94	2.82	1.94	2.82	1.94	2.82	1.94	2.82	1.94	2.82
180.0	NO	468	0.08	468	0.08	468	0.08	468	0.08	468	0.08	468	0.08	468	0.08
180.0	PCT	6.23	9.12	2.16	3.12	2.16	3.12	2.16	3.12	2.16	3.12	2.16	3.12	2.16	3.12
202.5	NO	571	0.09	571	0.09	571	0.09	571	0.09	571	0.09	571	0.09	571	0.09
202.5	PCT	7.60	11.04	2.84	4.12	2.84	4.12	2.84	4.12	2.84	4.12	2.84	4.12	2.84	4.12
225.0	NO	645	0.10	645	0.10	645	0.10	645	0.10	645	0.10	645	0.10	645	0.10
225.0	PCT	8.63	12.48	3.07	4.40	3.07	4.40	3.07	4.40	3.07	4.40	3.07	4.40	3.07	4.40
247.5	NO	726	0.11	726	0.11	726	0.11	726	0.11	726	0.11	726	0.11	726	0.11
247.5	PCT	9.67	13.92	3.42	4.88	3.42	4.88	3.42	4.88	3.42	4.88	3.42	4.88	3.42	4.88
270.0	NO	810	0.12	810	0.12	810	0.12	810	0.12	810	0.12	810	0.12	810	0.12
270.0	PCT	10.8	15.12	3.78	5.28	3.78	5.28	3.78	5.28	3.78	5.28	3.78	5.28	3.78	5.28
292.5	NO	891	0.13	891	0.13	891	0.13	891	0.13	891	0.13	891	0.13	891	0.13
292.5	PCT	11.88	16.44	4.14	5.72	4.14	5.72	4.14	5.72	4.14	5.72	4.14	5.72	4.14	5.72
315.0	NO	972	0.14	972	0.14	972	0.14	972	0.14	972	0.14	972	0.14	972	0.14
315.0	PCT	12.96	17.76	4.56	6.36	4.56	6.36	4.56	6.36	4.56	6.36	4.56	6.36	4.56	6.36
337.5	NO	1053	0.15	1053	0.15	1053	0.15	1053	0.15	1053	0.15	1053	0.15	1053	0.15
337.5	PCT	14.04	19.2	4.92	6.72	4.92	6.72	4.92	6.72	4.92	6.72	4.92	6.72	4.92	6.72
CALM	NO	26	0.00	26	0.00	26	0.00	26	0.00	26	0.00	26	0.00	26	0.00
CALM	PCT	0.34	0.51	0.11	0.15	0.11	0.15	0.11	0.15	0.11	0.15	0.11	0.15	0.11	0.15
TOTAL	NO	7484	14.53	7484	14.53	7484	14.53	7484	14.53	7484	14.53	7484	14.53	7484	14.53
TOTAL	PCT	98.65	146.33	35.33	50.48	35.33	50.48	35.33	50.48	35.33	50.48	35.33	50.48	35.33	50.48
AVERAGE WIND SPEED		5.42		7.51		7.51		7.51		7.51		7.51		7.51	
TOTAL OBSERVATIONS		8760		8760		8760		8760		8760		8760		8760	

OCONEE HIGH LEVEL SUMMARY OF PASQUILL A		FOR 1975 WIND OCCURRENCES BY SECTOR + SPEED CLASS (NO. OCCURR, PERCENT)											DATE OF REPORT	
WIND SECTOR	ITEM	TOTAL	WIND SPEED CLASS											
			1.0-3.2 .45-1.49	3.3-5.5 1.5-2.49	5.6-7.8 2.5-3.49	7.9-10.0 3.5-4.49	10.1-12.3 4.5-5.49	12.4-14.5 5.5-6.49	14.6-16.7 6.5-7.49	16.8-19.0 7.5-8.49	19.1-21.2 8.5-9.49	>21.2 >9.5 M/S		
360.0	NO	44	13	22	6	3	0	0	0	0	0	0		
-W-	PCT	0.59	0.17	0.29	0.08	0.04	0.00	0.00	0.00	0.00	0.00	0.00		
22.5	NO	63	20	30	7	3	2	0	1	0	0	0		
-NNE-	PCT	0.84	0.27	0.40	0.09	0.04	0.03	0.00	0.01	0.00	0.00	0.00		
45.0	NO	67	11	29	20	15	10	1	1	0	0	0		
-NE-	PCT	1.14	0.14	0.39	0.27	0.20	0.13	0.01	0.01	0.00	0.00	0.00		
67.5	NO	102	8	22	18	19	17	12	2	2	1	1		
-ENE-	PCT	1.36	0.11	0.29	0.24	0.25	0.23	0.16	0.03	0.03	0.01	0.01		
90.0	NO	104	7	26	30	22	14	6	1	0	0	0		
-E-	PCT	1.38	0.09	0.34	0.40	0.29	0.19	0.05	0.01	0.00	0.00	0.00		
112.5	NO	66	7	26	18	6	2	1	1	0	0	0		
-ESE-	PCT	0.88	0.09	0.34	0.24	0.08	0.08	0.03	0.01	0.00	0.00	0.00		
135.0	NO	77	8	37	21	7	2	1	0	1	0	0		
-SE-	PCT	1.03	0.11	0.49	0.28	0.09	0.03	0.01	0.00	0.01	0.00	0.00		
157.5	NO	97	11	37	37	7	5	0	0	0	0	0		
-SSE-	PCT	1.29	0.14	0.49	0.49	0.09	0.07	0.00	0.00	0.00	0.00	0.00		
180.0	NO	132	15	47	39	22	4	6	1	0	0	0		
-S-	PCT	1.76	0.20	0.63	0.52	0.29	0.05	0.05	0.01	0.00	0.00	0.00		
202.5	NO	228	13	44	74	49	27	14	7	2	0	1		
-SSW-	PCT	3.04	0.17	0.58	0.98	0.65	0.36	0.14	0.09	0.03	0.00	0.01		
225.0	NO	209	8	63	61	31	12	8	12	7	4	2		
-SS-	PCT	2.77	0.11	0.84	0.81	0.41	0.16	0.11	0.16	0.09	0.05	0.03		
247.5	NO	112	16	25	32	15	8	2	4	8	2	3		
-WSW-	PCT	1.49	0.19	0.33	0.43	0.20	0.11	0.03	0.05	0.11	0.03	0.03		
270.0	NO	119	20	36	23	15	7	6	1	5	0	6		
-W-	PCT	1.58	0.27	0.48	0.31	0.20	0.09	0.08	0.01	0.07	0.00	0.08		
292.5	NO	94	14	23	18	6	2	2	13	8	6	10		
-WNW-	PCT	1.25	0.19	0.31	0.13	0.08	0.03	0.03	0.17	0.11	0.08	0.13		
315.0	NO	53	16	15	9	2	2	2	1	4	0	4		
-NW-	PCT	0.71	0.19	0.20	0.12	0.03	0.03	0.03	0.01	0.05	0.00	0.05		
337.5	NO	48	11	24	3	0	0	0	2	0	0	0		
-NNW-	PCT	0.53	0.14	0.32	0.04	0.00	0.00	0.00	0.03	0.00	0.00	0.00		
CALM	NO	4												
-CALM-	PCT	0.05												
TOTAL	NO	1626	194	505	408	222	118	55	47	37	13	26		
	PCT	21.65	2.58	6.74	5.43	2.82	1.57	0.73	0.63	0.49	0.17	0.34		
AVERAGE WIND SPEED			7.17			TOTAL VALID OBSERVATIONS			7510			TOTAL OBSERVATIONS 8760		

SUMMARY OF OCOONEE HIGH LEVEL WIND OCCURRENCES BY SECTOR + SPEED CLASS (NO. OCCURR, PERCENT)		FOR 1975		DATE OF REPORT											
WIND OCCURRENCES BY SECTOR + SPEED CLASS		WIND SPEED CLASS													
SECTOR	ITEM	1.0-3.2	3.3-5.5	5.6-7.8	7.9-10.1	10.2-12.3	12.4-14.5	14.6-16.7	16.8-19.0	19.1-21.2	21.3-23.4	23.5-25.6	25.7-27.8	27.9-30.0	
TOTAL		1.5-1.49	1.5-2.49	2.5-3.49	3.5-4.49	4.5-5.49	5.5-6.49	6.5-7.49	7.5-8.49	8.5-9.49	9.5-10.49	10.5-11.49	11.5-12.49	12.5-13.49	
360.0	NO	0.28	0.12	0.12	0.12	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	
	PCT	0.37	0.12	0.12	0.12	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	
225.0	NO	0.24	0.08	0.08	0.05	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	PCT	0.24	0.08	0.08	0.05	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
45.0	NO	0.27	0.08	0.05	0.07	0.05	0.01	0.05	0.03	0.01	0.00	0.00	0.00	0.00	
	PCT	0.36	0.08	0.05	0.07	0.05	0.01	0.05	0.03	0.01	0.00	0.00	0.00	0.00	
87.5	NO	0.34	0.04	0.04	0.08	0.08	0.09	0.09	0.03	0.00	0.00	0.00	0.00	0.00	
	PCT	0.45	0.04	0.04	0.08	0.08	0.09	0.09	0.03	0.00	0.00	0.00	0.00	0.00	
90.0	NO	0.28	0.03	0.11	0.06	0.12	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	
	PCT	0.36	0.03	0.11	0.06	0.12	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	
135.0	NO	0.19	0.01	0.01	0.05	0.01	0.03	0.01	0.00	0.00	0.00	0.00	0.00	0.00	
	PCT	0.13	0.01	0.01	0.05	0.01	0.03	0.01	0.00	0.00	0.00	0.00	0.00	0.00	
135.0	NO	0.28	0.08	0.11	0.14	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	PCT	0.36	0.08	0.11	0.14	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
157.5	NO	0.29	0.04	0.12	0.07	0.07	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.00	
	PCT	0.39	0.04	0.12	0.07	0.07	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.00	
180.0	NO	0.27	0.04	0.04	0.11	0.02	0.02	0.05	0.00	0.00	0.00	0.00	0.00	0.00	
	PCT	0.36	0.04	0.04	0.11	0.02	0.02	0.05	0.00	0.00	0.00	0.00	0.00	0.00	
202.5	NO	0.25	0.07	0.14	0.14	0.19	0.09	0.09	0.00	0.00	0.00	0.00	0.00	0.00	
	PCT	0.73	0.07	0.14	0.14	0.19	0.09	0.09	0.00	0.00	0.00	0.00	0.00	0.00	
225.0	NO	0.27	0.06	0.13	0.09	0.05	0.05	0.05	0.02	0.03	0.00	0.00	0.00	0.00	
	PCT	0.57	0.06	0.13	0.09	0.05	0.05	0.05	0.02	0.03	0.00	0.00	0.00	0.00	
247.5	NO	0.29	0.08	0.12	0.07	0.04	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00	
	PCT	0.39	0.08	0.12	0.07	0.04	0.03	0.03	0.01	0.01	0.00	0.00	0.00	0.00	
270.0	NO	0.27	0.05	0.01	0.01	0.01	0.03	0.01	0.01	0.03	0.00	0.00	0.00	0.00	
	PCT	0.29	0.05	0.01	0.01	0.01	0.03	0.01	0.01	0.03	0.00	0.00	0.00	0.00	
292.5	NO	0.17	0.03	0.02	0.03	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	PCT	0.23	0.03	0.02	0.03	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
315.0	NO	0.27	0.04	0.03	0.04	0.01	0.03	0.03	0.01	0.03	0.01	0.00	0.00	0.00	
	PCT	0.37	0.04	0.03	0.04	0.01	0.03	0.03	0.01	0.03	0.01	0.00	0.00	0.00	
337.5	NO	0.04	0.03	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	PCT	0.04	0.03	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
CALM	NO	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	PCT	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
TOTAL	NO	4.16	1.25	1.21	1.21	0.76	0.48	0.65	0.17	0.13	0.05	0.05	0.05	0.11	
	PCT	5.46	1.25	1.21	1.21	0.76	0.48	0.65	0.17	0.13	0.05	0.05	0.05	0.11	
AVERAGE WIND SPEED		7.68		TOTAL VALID OBSERVATIONS		7510		TOTAL OBSERVATIONS		6760					

SUMMARY OF PASQUILL D		WIND OCCURRENCES BY SECTOR • SPEED CLASS (NO. OCCURR. PERCENT)										FOR 1975		DATE OF REPORT		
OCCURR. HIGH LEVEL		MINO. SPEED CLASS										DATE OF REPORT		DATE OF REPORT		
SECTOR	ITEM	1.0-3.2	3.3-5.5	5.6-7.8	7.9-10.0	10.1-12.3	12.4-14.5	14.6-16.7	16.8-19.0	19.1-21.2	21.3-23.5	NO.	PCT.	19.1-21.2	21.3-23.5	
TOTAL		1.0-3.2	3.3-5.5	5.6-7.8	7.9-10.0	10.1-12.3	12.4-14.5	14.6-16.7	16.8-19.0	19.1-21.2	NO.	PCT.	19.1-21.2	21.3-23.5		
360.0	NO	0.13	0.33	0.18	0.07	0.01	0.00	0.00	0.00	0.00	0	0.00	0.00	0.00		
360.0	PCT	0.81	0.35	0.24	0.07	0.01	0.00	0.00	0.00	0.00	0	0.00	0.00	0.00		
225.0	NO	0.04	0.31	0.19	0.14	0.03	0.00	0.00	0.00	0.00	0	0.00	0.00	0.00		
225.0	PCT	0.71	0.31	0.19	0.14	0.03	0.00	0.00	0.00	0.00	0	0.00	0.00	0.00		
45.0	NO	0.19	0.18	0.21	0.31	0.20	0.11	0.08	0.01	0.00	0	0.00	0.00	0.00		
45.0	PCT	1.48	0.18	0.21	0.31	0.20	0.11	0.08	0.01	0.00	0	0.00	0.00	0.00		
90.0	NO	0.05	0.27	0.24	0.33	0.26	0.09	0.07	0.03	0.01	0	0.00	0.00	0.00		
90.0	PCT	1.45	0.27	0.24	0.33	0.26	0.09	0.07	0.03	0.01	0	0.00	0.00	0.00		
135.0	NO	0.04	0.36	0.32	0.25	0.07	0.03	0.00	0.01	0.00	0	0.00	0.00	0.00		
135.0	PCT	1.08	0.36	0.32	0.25	0.07	0.03	0.00	0.01	0.00	0	0.00	0.00	0.00		
180.0	NO	0.12	0.16	0.17	0.09	0.00	0.00	0.00	0.00	0.00	0	0.00	0.00	0.00		
180.0	PCT	0.59	0.20	0.23	0.09	0.00	0.00	0.00	0.00	0.00	0	0.00	0.00	0.00		
225.0	NO	0.18	0.28	0.28	0.02	0.03	0.03	0.00	0.00	0.00	0	0.00	0.00	0.00		
225.0	PCT	0.76	0.28	0.28	0.02	0.03	0.03	0.00	0.00	0.00	0	0.00	0.00	0.00		
270.0	NO	0.12	0.16	0.17	0.16	0.04	0.05	0.00	0.00	0.00	0	0.00	0.00	0.00		
270.0	PCT	0.53	0.16	0.17	0.16	0.04	0.05	0.00	0.00	0.00	0	0.00	0.00	0.00		
315.0	NO	0.11	0.26	0.36	0.21	0.07	0.01	0.01	0.00	0.00	0	0.00	0.00	0.00		
315.0	PCT	1.07	0.26	0.36	0.21	0.07	0.01	0.01	0.00	0.00	0	0.00	0.00	0.00		
360.0	NO	0.12	0.31	0.25	0.24	0.17	0.04	0.11	0.03	0.01	0	0.00	0.00	0.00		
360.0	PCT	1.20	0.31	0.25	0.24	0.17	0.04	0.11	0.03	0.01	0	0.00	0.00	0.00		
45.0	NO	0.11	0.34	0.33	0.31	0.24	0.11	0.07	0.07	0.03	0	0.00	0.00	0.00		
45.0	PCT	1.85	0.34	0.33	0.31	0.24	0.11	0.07	0.07	0.03	0	0.00	0.00	0.00		
90.0	NO	0.11	0.18	0.17	0.16	0.08	0.05	0.03	0.05	0.04	0	0.00	0.00	0.00		
90.0	PCT	0.96	0.18	0.17	0.16	0.08	0.05	0.03	0.05	0.04	0	0.00	0.00	0.00		
135.0	NO	0.11	0.25	0.17	0.03	0.07	0.14	0.07	0.12	0.01	0	0.00	0.00	0.00		
135.0	PCT	1.18	0.25	0.17	0.03	0.07	0.14	0.07	0.12	0.01	0	0.00	0.00	0.00		
180.0	NO	0.12	0.16	0.05	0.00	0.04	0.04	0.03	0.08	0.04	0	0.00	0.00	0.00		
180.0	PCT	0.73	0.16	0.05	0.00	0.04	0.04	0.03	0.08	0.04	0	0.00	0.00	0.00		
225.0	NO	0.09	0.20	0.07	0.03	0.00	0.04	0.03	0.05	0.05	0	0.00	0.00	0.00		
225.0	PCT	0.57	0.20	0.07	0.03	0.00	0.04	0.03	0.05	0.05	0	0.00	0.00	0.00		
270.0	NO	0.19	0.32	0.12	0.00	0.01	0.00	0.03	0.00	0.00	0	0.00	0.00	0.00		
270.0	PCT	0.67	0.32	0.12	0.00	0.01	0.00	0.03	0.00	0.00	0	0.00	0.00	0.00		
CALM	NO	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0.00	0.00	0.00		
CALM	PCT	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0.00	0.00	0.00		
TOTAL	NO	1.86	3.20	2.92	1.75	1.03	0.70	0.60	0.48	0.20	45	0.26	0.15	0.19		
TOTAL	PCT	13.90	4.38	3.85	2.33	1.37	0.70	0.60	0.48	0.20	45	0.26	0.15	0.19		
AVERAGE WIND SPEED		7.59	TOTAL VALID OBSERVATIONS										7510	TOTAL OBSERVATIONS		8760





OCONEE HIGH LEVEL  
SUMMARY OF PASQUILL F

FOR 1975 WIND OCCURRENCES BY SECTOR + SPEED CLASS (NO. OCCURR, PERCENT) DATE OF REPORT 5-18-76

WIND SECTOR	ITEM	SECTOR TOTAL	WIND SPEED CLASS											
			1.0-3.2 0.45-1.49	3.3-5.5 1.5-2.49	5.6-7.8 2.5-3.49	7.9-10.0 3.5-4.49	10.1-12.3 4.5-5.49	12.4-14.5 5.5-6.49	14.6-16.7 6.5-7.49	16.8-19.0 7.5-8.49	19.1-21.2 8.5-9.49	>21.2 >9.5 M/S		
360.0	NO	314	70	132	83	24	4	0	0	0	0	0		
	PCT	4.18	0.93	1.76	1.10	0.32	0.05	0.00	0.01	0.00	0.00	0.00		
22.5	NO	115	25	39	30	18	4	0	0	0	0	0		
	PCT	1.54	0.33	0.52	0.40	0.24	0.05	0.00	0.00	0.00	0.00	0.00		
45.0	NO	191	19	55	42	26	26	11	5	1	0	0		
	PCT	2.54	0.25	0.73	0.56	0.33	0.34	0.14	0.07	0.01	0.00	0.00		
67.5	NO	104	12	21	26	19	23	7	2	0	0	0		
	PCT	1.41	0.16	0.28	0.26	0.25	0.31	0.09	0.03	0.00	0.00	0.00		
90.0	NO	75	13	26	22	6	5	3	1	1	0	1		
	PCT	1.00	0.13	0.34	0.29	0.08	0.07	0.04	0.01	0.01	0.00	0.01		
112.5	NO	55	14	21	8	10	3	0	1	0	1	0		
	PCT	0.73	0.14	0.28	0.11	0.13	0.04	0.00	0.01	0.00	0.01	0.00		
135.0	NO	54	11	15	16	5	5	0	1	3	1	1		
	PCT	0.72	0.14	0.20	0.21	0.07	0.05	0.00	0.01	0.03	0.01	0.01		
157.5	NO	83	10	20	28	13	7	1	1	2	0	1		
	PCT	1.11	0.13	0.27	0.37	0.17	0.09	0.01	0.01	0.03	0.00	0.01		
180.0	NO	85	13	16	41	23	12	3	0	1	0	0		
	PCT	1.13	0.13	0.18	0.41	0.23	0.12	0.03	0.00	0.01	0.00	0.00		
202.5	NO	58	11	13	15	7	3	6	3	1	0	0		
	PCT	0.77	0.14	0.17	0.20	0.09	0.04	0.08	0.03	0.01	0.00	0.00		
225.0	NO	72	16	21	18	9	4	4	1	2	0	1		
	PCT	0.96	0.18	0.28	0.24	0.12	0.05	0.05	0.01	0.03	0.00	0.01		
247.5	NO	59	10	17	14	11	7	5	0	1	0	0		
	PCT	0.79	0.13	0.23	0.14	0.14	0.07	0.05	0.00	0.01	0.00	0.00		
270.0	NO	68	22	27	8	6	4	4	1	2	0	0		
	PCT	0.91	0.29	0.37	0.08	0.08	0.05	0.05	0.01	0.03	0.00	0.00		
292.5	NO	182	20	44	7	7	9	7	5	3	1	0		
	PCT	2.36	0.27	0.58	0.09	0.09	0.12	0.09	0.07	0.03	0.01	0.00		
315.0	NO	111	28	59	12	3	3	5	3	0	0	0		
	PCT	1.44	0.37	0.78	0.12	0.04	0.04	0.05	0.03	0.00	0.00	0.00		
337.5	NO	174	42	99	23	6	3	1	0	0	0	0		
	PCT	2.32	0.56	1.32	0.31	0.08	0.04	0.01	0.00	0.00	0.00	0.00		
CALM	NO	3												
	PCT	0.04												
TOTAL	NO	1723	326	617	374	193	114	54	23	15	3	4		
	PCT	22.94	4.34	8.22	4.98	2.57	1.52	0.72	0.31	0.20	0.04	0.05		
AVERAGE WIND SPEED			6.01			TOTAL VALID OBSERVATIONS			7510			TOTAL OBSERVATIONS 8760		

SUMMARY OF OCOONEE HIGH LEVEL PASQUILL 'G'		WIND OCCURRENCES BY SECTOR • SPEED CLASS										FOR 1975		DATE OF REPORT		
WIND SECTOR	ITEM	1-0-3-2	3-3-5-5	5-6-7-8	7-9-10-0	10-1-12-3	12-4-14-5	14-6-16-7	16-8-19-0	19-1-21-2	21-2-23-5	NO. OCCURR.	PERCENT	DATE OF REPORT		
TOTAL		1.0-1.49	1.5-2.49	2.5-3.49	3.5-4.49	4.5-5.49	5.5-6.49	6.5-7.49	7.5-8.49	8.5-9.49	10.0-11.9	12.0-13.9	14.0-15.9	16.0-17.9	18.0-19.9	20.0-21.9
360-0	NO	1.70	0.59	0.78	0.33	0.09	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	PCT	2.26	1.08	1.08	0.33	0.09	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
225-0	NO	0.93	0.37	0.34	0.27	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	PCT	1.11	0.56	0.45	0.27	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
45-0	NO	0.65	0.26	0.25	0.06	0.03	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	PCT	0.77	0.31	0.25	0.06	0.03	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
90-0	NO	0.12	0.09	0.05	0.03	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	PCT	0.14	0.09	0.05	0.03	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
135-0	NO	0.18	0.05	0.05	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	PCT	0.17	0.05	0.03	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
180-0	NO	0.24	0.07	0.07	0.06	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	PCT	0.28	0.08	0.07	0.09	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
225-0	NO	0.33	0.14	0.11	0.06	0.02	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	PCT	0.44	0.14	0.11	0.06	0.02	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
270-0	NO	0.28	0.04	0.13	0.05	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	PCT	0.31	0.04	0.13	0.05	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
315-0	NO	0.35	0.05	0.13	0.06	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	PCT	0.36	0.11	0.13	0.11	0.08	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
360-0	NO	0.39	0.13	0.14	0.08	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	PCT	0.42	0.12	0.16	0.01	0.01	0.03	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
45-0	NO	0.48	0.15	0.27	0.07	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	PCT	0.64	0.25	0.27	0.07	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
90-0	NO	0.60	0.19	0.44	0.14	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	PCT	0.80	0.25	0.58	0.19	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CALM	NO	0.92	0.18	0.22	0.17	0.32	0.16	0.04	0.03	0.01	0.00	0.00	0.00	0.00	0.00	0.00
	PCT	1.07	0.24	0.29	0.20	0.42	0.19	0.04	0.03	0.01	0.00	0.00	0.00	0.00	0.00	0.00
TOTAL		8.99	2.44	3.73	2.06	0.42	0.19	0.04	0.03	0.01	0.00	0.00	0.00	0.00	0.00	0.00
AVERAGE WIND SPEED		4.80	TOTAL VALID OBSERVATIONS		7510	TOTAL OBSERVATIONS		8760								

DCONEE HIGH LEVEL SUMMARY OF PASQUILL A-C-D-E-F-G		FOR 1975 WIND OCCURRENCES BY SECTOR * SPEED CLASS (NO. OCCURR. PERCENT)											DATE OF REPORT	
WIND SECTOR	ITEM	TOTAL	WIND SPEED CLASS											M/S
			1.0-3.2 4.5-1.49	3.3-5.5 1.5-2.49	5.6-7.8 2.5-3.49	7.9-10.0 3.5-4.49	10.1-12.3 4.5-5.49	12.4-14.5 5.5-6.49	14.6-16.7 6.5-1.49	16.8-19.0 7.5-8.49	19.1-21.2 8.5-9.49	>21.2		
360.0	NO	811	164	352	218	58	13	2	2	2	0	0	0	
-N-	PCT	18.80	2.18	4.49	2.90	0.77	0.17	0.03	0.03	0.03	0.00	0.00	0.00	
22.5	NO	450	96	183	106	47	14	2	2	0	0	0		
-NNE-	PCT	5.99	1.28	2.44	1.41	0.63	0.19	0.03	0.03	0.00	0.00	0.00		
45.0	NO	645	73	171	154	118	82	30	14	3	0	0		
-NE-	PCT	8.59	0.97	2.28	2.05	1.57	1.09	0.40	0.19	0.04	0.00	0.00		
67.5	NO	492	49	83	105	96	68	38	16	6	4	1		
-ENE-	PCT	6.55	0.65	1.24	1.40	1.28	1.17	0.51	0.16	0.08	0.05	0.01		
90.0	NO	385	40	118	109	71	28	12	3	3	0	1		
-E-	PCT	5.13	0.53	1.57	1.45	0.94	0.37	0.16	0.04	0.04	0.00	0.01		
112.5	NO	232	34	85	64	29	13	3	3	0	1	0		
-ESE-	PCT	3.09	0.45	1.13	0.85	0.39	0.17	0.04	0.04	0.00	0.01	0.00		
135.0	NO	286	47	105	95	25	8	1	1	3	1	2		
-SE-	PCT	3.81	0.63	1.40	1.26	0.33	0.08	0.01	0.01	0.04	0.01	0.03		
157.5	NO	379	51	115	125	56	23	4	1	3	0	5		
-SSE-	PCT	5.05	0.68	1.53	1.66	0.74	0.31	0.05	0.01	0.03	0.00	0.03		
180.0	NO	468	60	124	149	82	30	16	3	3	0	1		
-S-	PCT	6.23	0.80	1.65	1.98	1.09	0.40	0.21	0.04	0.04	0.00	0.01		
202.5	NO	571	52	126	151	108	65	36	24	7	1	1		
-SSW-	PCT	7.60	0.69	1.68	2.01	1.44	0.87	0.48	0.32	0.09	0.01	0.01		
225.0	NO	649	53	155	158	108	72	38	32	21	7	5		
-SS-	PCT	8.64	0.70	2.08	2.10	1.44	0.96	0.51	0.43	0.28	0.09	0.07		
247.5	NO	429	61	108	98	68	34	20	18	18	6	3		
-WSW-	PCT	5.67	0.81	1.44	1.30	0.80	0.45	0.27	0.24	0.24	0.08	0.04		
270.0	NO	455	86	128	79	35	27	36	17	27	3	17		
-W-	PCT	6.06	1.14	1.78	1.05	0.47	0.36	0.48	0.23	0.36	0.04	0.23		
292.5	NO	418	73	123	32	27	37	23	36	22	20	25		
-WNW-	PCT	5.57	0.97	1.64	0.43	0.36	0.49	0.31	0.48	0.29	0.27	0.33		
315.0	NO	372	94	147	45	12	16	22	11	14	6	5		
-NW-	PCT	4.95	1.25	1.96	0.60	0.16	0.21	0.29	0.11	0.14	0.08	0.07		
337.5	NO	453	108	238	73	18	8	4	4	0	0	0		
-NNW-	PCT	6.03	1.44	3.17	0.97	0.24	0.11	0.05	0.05	0.00	0.00	0.00		
CALM	NO	18												
	PCT	0.24												
TOTAL	NO	7492	1141	2371	1761	950	556	287	183	131	49	63		
	PCT	99.76	15.19	31.57	23.45	12.65	7.40	3.82	2.44	1.74	0.65	0.84		
AVERAGE WIND SPEED			6.78		TOTAL VALID OBSERVATIONS			7510		TOTAL OBSERVATIONS			8760	

**Table 2-28. Composite Poorest Diffusion Conditions Observed for Each Hour of Day (Based on 30 Months of Data)**

["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED."]

<i>Hour of Day</i>	<i>Pasquill Class</i>
<i>00</i>	<i>F</i>
<i>01</i>	<i>F</i>
<i>02</i>	<i>F</i>
<i>03</i>	<i>F</i>
<i>04</i>	<i>F</i>
<i>05</i>	<i>F</i>
<i>06</i>	<i>F</i>
<i>07</i>	<i>F</i>
<i>08</i>	<i>F</i>
<i>09</i>	<i>E</i>
<i>10</i>	<i>D</i>
<i>11</i>	<i>D</i>
<i>12</i>	<i>D</i>
<i>13</i>	<i>D</i>
<i>14</i>	<i>D</i>
<i>15</i>	<i>D</i>
<i>16</i>	<i>D</i>
<i>17</i>	<i>F</i>
<i>18</i>	<i>F</i>
<i>19</i>	<i>F</i>
<i>20</i>	<i>F</i>
<i>21</i>	<i>F</i>
<i>22</i>	<i>F</i>
<i>23</i>	<i>F</i>

**Table 2-29. Dispersion Factors Used for Accident and Routine Operational Analyses X/Q**

["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED."]

<b><i>July 1973 Safety Evaluation Report for Unit 2 and Unit 3 - Superseded 1970 SER Values for Facility Exclusion Area Boundary (1609 m)<sup>(3)</sup></i></b>				
	<i>0-2 hrs</i>			
<i>Ground Releases</i>	<i>2.20E-4</i>			
<i>Deleted row per 2008 Update</i>				
<b><i>At Boundary of Low Population Zone (9650 m)<sup>(3)</sup></i></b>				
	<i>0-8 h</i>	<i>8-24 h</i>	<i>1 d - 4 d</i>	<i>4 d - 30 d</i>
<i>Ground Releases</i>	<i>2.35E-5</i>	<i>4.70E-6</i>	<i>1.50E-6</i>	<i>3.30E-7</i>
<i>Deleted row per 2008 Update</i>				
<b><i>December 1970 Safety Evaluation Report for Unit 1 At Exclusion Area Boundary (1609 m)</i></b>				
	<i>0-2 hrs</i>	<i>0-24 hrs</i>	<i>0-7 days</i>	
<i>Ground Releases</i>	<i>1.16E-4</i>			
<i>Elevated Releases</i>	<i>3.35E-5</i>	<i>9.73E-6</i>	<i>2.98E-6</i>	
<b><i>At Boundary of Low Population Zone (9650 m)</i></b>				
	<i>0-24 hrs.</i>	<i>0-30 days</i>		
<i>Ground Releases<sup>(1)</sup></i>	<i>1.32E-5</i>	<i>7.2E-7</i>		
<i>Elevated Releases<sup>(2)</sup></i>	<i>3.90E-6</i>	<i>3.42E-7</i>		
<b><i>Long-Term (One Year) Exclusion Area Boundary</i></b>				
<i>Ground Releases</i>	<i>4.61E-6</i>			
<i>Elevated Releases</i>	<i>8.74E-7</i>			
<b><i>Note:</i></b>				
1. <i>At valley construction 10,464 m from site near Boundary of LPZ</i>				
2. <i>9,658 m from site at Boundary of LPZ</i>				
3. <i>Reference <a href="#">30</a></i>				

**Table 2-30. Determining Appropriate Dispersion Factors.** [Table 2-29](#) to be Used During Various Release Conditions

["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED."]

<i>Release Condition</i>	<i>Appropriate Dispersion Factor</i>
1. <i>Fuel Handling Accident</i>	<i>0-2 hour ground release at exclusion area boundary</i>
2. <i>Steam Line Failure</i>	<i>0-2 hour ground release at exclusion area boundary for steam line releases</i> <i>0-2 hour elevated release at exclusion area boundary for unit vent releases</i> <i>0-8 hours, 8-24 hours, 1-4 days, and 4-30 days at boundary of low population zone</i>
3. <i>Rod Ejection Accident</i>	<i>0-2 hour ground release at exclusion area boundary for steam line releases</i> <i>0-2 hour elevated release at exclusion area boundary for unit vent releases</i> <i>0-8 hours, 8-24 hours, 1-4 days, and 4-30 days at boundary of low population zone</i>
4. <i>Loss-of-Coolant Accident (assume 50 percent ground release and 50 percent elevated release after 90 percent iodine removal by filtration)</i>	<i>0-2 hour ground release at exclusion area boundary for steam line releases</i> <i>0-2 hour elevated release at exclusion area boundary for unit vent releases</i> <i>0-8 hours, 8-24 hours, 1-4 days, and 4-30 days at boundary of low population zone</i>
5. <i>Maximum Hypothetical Accident (MHA)</i>	<i>0-2 hour ground release at exclusion area boundary for steam line releases</i> <i>0-2 hour elevated release at exclusion area boundary for unit vent releases</i> <i>0-8 hours, 8-24 hours, 1-4 days, and 4-30 days at boundary of low population zone</i>
6. <i>Engineered Safeguards Leakage</i>	<i>0-2 hour elevated release at exclusion area boundary</i>
7. <i>Lifetime Shim Bleed (continuous release)</i>	<i>Long-term elevated releases at exclusion area boundary</i>
8. <i>Start-up expansion (7-day release)</i>	<i>0-7 day elevated releases at exclusion area boundary</i>
9. <i>Reactor Building Purge</i>	<i>0-24 hour elevated release at exclusion area boundary</i>

<i>Release Condition</i>	<i>Appropriate Dispersion Factor</i>
10. <i>Steam Generator Tube Failure</i>	<i>0-2 hour ground release at exclusion area boundary for steam line releases</i> <i>0-2 hour elevated release at exclusion area boundary for unit vent releases</i> <i>0-8 hours, 8-24 hours, 1-4 days, and 4-30 days at boundary of low population zone</i>
11. <i>Steam Generator Tube Leakage</i>	<i>Long-term elevated releases at exclusion area boundary</i>
12. <i>Pressurizer and Letdown Storage Tank Venting</i>	<i>0-7 day elevated release at exclusion area boundary.</i>
13. <i>Waste Gas Tank Rupture</i>	<i>0-2 hour elevated release at exclusion area boundary.</i>



**Table 2-31. Oconee Nuclear Station X/Q at Critical Receptors to 5 Miles<sup>(1)</sup> (Depleted by Dry Deposition). Radial Distance (mi.) to Receptor with Highest X/Q in Sector and X/Q (sec. m-3) based on 1975 meteorology.**

[<sup>1</sup>"HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED."]

<i>Compass Direction</i>	<i>Milk Cow</i>		<i>Milk Goat</i>		<i>Meat Animal</i>		<i>Residence</i>		<i>Veg. Garden</i>		<i>EAB<sup>(2)</sup></i>
	<i>mi.</i>	<i>sec. m<sup>-3</sup></i>	<i>mi.</i>	<i>sec. m<sup>-3</sup></i>	<i>mi.</i>	<i>sec. m<sup>-3</sup></i>	<i>mi.</i>	<i>sec. m<sup>-3</sup></i>	<i>mi.</i>	<i>sec. m<sup>-3</sup></i>	
<i>N</i>	-	-	-	-	-	-	-	-	-	-	<i>7.8E-8</i>
<i>NNE</i>	-	-	-	-	4	7.8E-8	4	7.8E-8	4	7.8E-8	<i>1.1E-7</i>
<i>NE</i>	3.5	6.3E-8	3	6.2E-8	3	6.2E-8	2	6.7E-8	2	6.7E-8	<i>7.0E-8</i>
<i>ENE</i>	4	5.7E-8		1.25	1.25	6.5E-8	1.25	6.5E-8	1.25	6.5E-8	<i>6.9E-8</i>
<i>E</i>	3	5.3E-8	4.5	4.5E-8	2	6.1E-8	2	6.1E-8	2	6.1E-8	<i>4.4E-8</i>
<i>ESE</i>	4.5	4.5E-8		2.5	2.5	5.6E-8	2	6.1E-8	2	6.1E-8	<i>2.9E-8</i>
<i>SE</i>	3	5.5E-8	2.5	5.5E-8	2.5	5.5E-8	2.5	5.5E-8	2.5	5.5E-8	<i>3.3E-8</i>
<i>SSE</i>			2	3.1E-7	2	3.1E-7	2	3.1E-7	2	3.1E-7	<i>2.6E-7</i>
<i>S</i>			2	2.5E-7	2	2.5E-7	2	2.5E-7	2	2.5E-7	<i>2.6E-7</i>
<i>SSW</i>	1.5	3.3E-7	1.5	3.3E-7	1.5	3.3E-7	1.5	3.3E-7	1.5	3.3E-7	<i>3.1E-7</i>
<i>SW</i>			1.75	7.5E-8	1.75	7.5E-8	1.75	7.5E-8	1.75	7.5E-8	<i>7.5E-8</i>
<i>WSW</i>			2.5	5.0E-8	2.5	5.0E-8	2.5	5.0E-8	2.5	5.0E-8	<i>5.9E-8</i>
<i>W</i>	4.5	3.3E-8	2.5	4.3E-8	2.5	4.3E-8	2.5	4.3E-8	2.5	4.3E-8	<i>3.1E-8</i>
<i>WNW</i>			2.75	3.5E-8	2.75	3.5E-8	2.75	3.5E-8	2.75	3.5E-8	<i>2.4E-8</i>
<i>NW</i>			4	2.8E-8	4	2.8E-8	4	2.8E-8	4	2.8E-8	<i>3.9E-8</i>
<i>NNW</i>	2.5	7.7E-8			2.5	8.3E-8	2.5	8.3E-8	2.5	8.3E-8	<i>6.6E-8</i>

---

<i>Compass Direction</i>	<i>Milk Cow</i>	<i>Milk Goat</i>	<i>Meat Animal</i>	<i>Residence</i>	<i>Veg. Garden</i>	<i>EAB<sup>(2)</sup></i>
<i>mi.</i>	<i>sec. m<sup>-3</sup> mi.</i>	<i>sec. m<sup>-3</sup> mi.</i>	<i>sec. m<sup>-3</sup> mi.</i>	<i>sec. m<sup>-3</sup> mi.</i>	<i>sec. m<sup>-3</sup> mi.</i>	<i>sec. m<sup>-3</sup></i>

---

*Note:*

1. *The notation 2.1E-6 means 2.1 x 10<sup>-6</sup>*
2. *Exclusion Area Boundary*

---

**Table 2-32. Oconee Nuclear Station D/Q at Critical Receptors to 5 Miles<sup>(1)</sup>.** Radial Distance (mi.) to Receptor with Highest D/Q in Sector and D/Q (m-2) based on 1975 meteorology

[<sup>(1)</sup>HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED.]

Compass Direction	Milk Cow		Milk Goat		Meat Animal		Residence		Veg. Garden		EAB <sup>(2)</sup>
	mi.	sec. m <sup>-2</sup>	mi.	sec. m <sup>-2</sup>	mi.	sec. m <sup>-2</sup>	mi.	sec. m <sup>-2</sup>	mi.	sec. m <sup>-2</sup>	
N	-	-	-	-	-	-	-	-	-	-	2.3E-9
NNE	-	-	-	-	4	4.2E-10	4	4.2E-10	4	4.2E-10	3.7E-9
NE	3.5	4.0E-10	3	5.0E-10	3	5.0E-10	2	8.0E-10	2	8.0E-10	2.5E-9
ENE	4	1.8E-10			1.25	1.0E-9	1.25	1.0E-9	1.25	1.0E-9	1.8E-9
E	3	2.7E-10	4.5	1.5E-10	1.25	8.0E-10	1.25	8.0E-10	1.25	8.0E-10	1.3E-9
ESE	4.5	1.1E-10			1.5	5.0E-10	1.5	5.0E-10	1.5	5.0E-10	1.0E-9
SE	3	1.4E-10	2.5	1.8E-10	2.5	1.8E-10	2.5	1.8E-10	2.5	1.8E-10	6.0E-10
SSE			2	1.2E-9	2	1.2E-9	2	1.2E-9	2	1.2E-9	2.5E-9
S			2	1.3E-9	2	1.3E-9	2	1.3E-9	2	1.3E-9	3.0E-9
SSW	1.5	2.4E-9			1.5	2.4E-9	1.5	2.4E-9	1.5	2.4E-9	3.5E-9
SW			1.75	6.0E-10	1.75	6.0E-10	1.75	6.0E-10	1.75	6.0E-10	1.1E-9
WSW			2.5	4.4E-10	2.5	4.4E-10	2.5	4.4E-10	2.5	4.4E-10	1.4E-9
W	4.5	1.5E-10			2.5	3.8E-10	2.5	3.8E-10	2.5	3.8E-10	1.0E-9
WNW			2.75	2.0E-10	2.75	2.0E-10	2.75	2.0E-10	2.75	2.0E-10	7.0E-10
NW			4	9.9E-11	4	9.9E-11	4	9.9E-11	4	9.9E-11	7.0E-10
NNW	2.5	3.7E-10			2.5	3.7E-10	2.5	3.7E-10	2.5	3.7E-10	1.6E-9

**Note:**

1. The notation 2.1E-6 means 2.1 x 10<sup>-6</sup>
2. Exclusion Area Boundary

**Table 2-33. Oconee Nuclear Station X/Q at Critical Receptors to 5 Miles<sup>(1)</sup> (Non-Depleted).** Radial Distance (mi.) to Receptor with Highest X/Q in Sector and X/Q (sec. m-3) based on 1975 meteorology.

[<sup>1</sup>"HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED."]

<i>Compass Direction</i>	<i>Milk Cow</i>		<i>Milk Goat</i>		<i>Meat Animal</i>		<i>Residence</i>		<i>Veg. Garden</i>		<i>EAB<sup>(2)</sup></i>		
	<i>mi.</i>	<i>sec. m<sup>-3</sup></i>	<i>mi.</i>	<i>sec. m<sup>-3</sup></i>	<i>mi.</i>	<i>sec. m<sup>-3</sup></i>	<i>mi.</i>	<i>sec. m<sup>-3</sup></i>	<i>mi.</i>	<i>sec. m<sup>-3</sup></i>	<i>mi.</i>	<i>sec. m<sup>-3</sup></i>	
N	-	-	-	-	-	-	-	-	-	-	1	9.0E-8	
NNE	-	-	-	-	4	8.3E-8	4	8.3E-8	4	8.3E-8	1	1.1E-7	
NE	3.5	6.4E-8	3	6.3E-8	3	6.3E-8	2	6.7E-8	2	6.7E-8	1	7.0E-8	
ENE	4	5.7E-8		1.25	6.6E-8	1.25	6.6E-8	1.25	6.6E-8	1.25	6.6E-8	1	6.9E-8
E	3	5.3E-8	4.5	4.5E-8	2	6.1E-8	2	6.1E-8	2	6.1E-8	1	4.4E-8	
ESE	4.5	4.7E-8		2.5	5.6E-8	2	6.2E-8	2	6.2E-8	2	6.2E-8	1	3.5E-8
SE	3	5.5E-8	2.5	5.5E-8	2.5	5.5E-8	2.5	5.5E-8	2.5	5.5E-8	1	3.3E-8	
SSE			2	3.2E-7	2	3.2E-7	2	3.2E-7	2	3.2E-7	1	2.6E-7	
S			2	2.5E-7	2	2.5E-7	2	2.5E-7	2	2.5E-7	1	2.7E-7	
SSW	1.5	3.4E-7		1.5	3.4E-7	1.5	3.4E-7	1.5	3.4E-7	1.5	3.4E-7	1	3.4E-7
SW			1.75	7.5E-8	1.75	7.5E-8	1.75	7.5E-8	1.75	7.5E-8	1	7.5E-8	
WSW			2.5	5.0E-8	2.5	5.0E-8	2.5	5.0E-8	2.5	5.0E-8	1	6.3E-8	
W	4.5	3.6E-8		2.5	4.3E-8	2.5	4.3E-8	2.5	4.3E-8	2.5	4.3E-8	1	3.8E-8
WNW					2.75	3.5E-8	2.75	3.5E-8	2.75	3.5E-8	1	2.4E-8	
NW					4	3.7E-8	4	3.7E-8	4	3.7E-8	1	3.9E-8	
NNW	2.5	8.3E-8			2.5	8.3E-8	2.5	8.3E-8	2.5	8.3E-8	1	6.9E-8	

	<i>Milk Cow</i>	<i>Milk Goat</i>	<i>Meat Animal</i>	<i>Residence</i>	<i>Veg. Garden</i>	<i>EAB<sup>(2)</sup></i>
<i>Compass Direction</i>	<i>mi. sec. m<sup>-3</sup></i>	<i>mi. sec. m<sup>-3</sup></i>	<i>mi. sec. m<sup>-3</sup></i>	<i>mi. sec. m<sup>-3</sup></i>	<i>mi. sec. m<sup>-3</sup></i>	<i>mi. sec. m<sup>-3</sup></i>

**Note:**

1. The notation 2.1E-6 means 2.1 x 10<sup>-6</sup>
2. Exclusion Area Boundary

**Table 2-34. Relative Concentration, X/Q, Frequency Distribution Without Wind Speed Correction<sup>(3)</sup>**

["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED."]

<i>Relative Concentration</i>	<i>Frequency (No. of Obs.)</i>	<i>Percentage</i>	<i>Cumulative Per Cent</i>
$\geq 4.0 \times 10^{-4}$	0	0.00	0.00
$3.0-3.99 \times 10^{-4}$	0	0.00	0.00
$2.0-2.99 \times 10^{-4}$	8	0.09	0.09
$1.0-1.99 \times 10^{-4}$	35	0.41	0.51
$9.0-9.99 \times 10^{-5}$	20	0.24	0.74
$8.0-8.99 \times 10^{-5}$	53	0.62	1.37
$7.0-7.9 \times 10^{-5}$	106	1.25	2.62
$6.0-6.99 \times 10^{-5}$	229	2.70	5.32
$5.0-5.99 \times 10^{-5}$	506	5.97	11.28
$4.0-4.99 \times 10^{-5}$	838	9.88	21.16
$3.0-3.99 \times 10^{-5}$	1484	17.50	38.66
$2.0-2.99 \times 10^{-5}$	2313	27.27	65.93
$1.0-1.99 \times 10^{-5}$	2307	27.20	93.13
$9.0-9.99 \times 10^{-6}$	167	1.97	95.10
$8.0-8.99 \times 10^{-6}$	134	1.58	96.68
$7.0-7.99 \times 10^{-6}$	87	1.03	97.70
$6.0-6.99 \times 10^{-6}$	88	1.04	98.74
$5.0-5.99 \times 10^{-6}$	53	0.62	99.36
$4.0-4.99 \times 10^{-6}$	27	0.32	99.68
$\leq 3.99 \times 10^{-6}$	27	0.32	100.00
<i>Totals</i>	8482	100.00	--- ---

**Note:**

1. Percentage of Valid Observations: 96.82
2. Average Relative Concentration =  $2.92960 \times 10^{-5}$
3. Meteorological Period: June 1, 1968 - May 31, 1969

Table 2-35. Gas-Tracer Experimental Results From January 15 - March 11, 1970  
 ["HISTORICAL INFORMATION NOT REQUIRED TO BE REVISED."]

Gas-Tracer Experimental Results

Test Date	Test Number	Time (hours)	Release Rate (micrograms per second)	θ (meters per second)	Stability Category	Source to Receptor Distance (meters)	At Receptor			At One Mile				
							Center Line Concentration (micrograms per meter <sup>3</sup> )	Sigma Y (meters)	Sigma Z (meters)	Sigma Y (meters)	Sigma Z (meters)	Pi, Sigma Y (meters)	Pi, Sigma Z (meters)	Relative Concentration (seconds per meter <sup>3</sup> )
Jan. 15, 1970	1a	2100	90x10 <sup>3</sup>	5.26	F	176	9.40	30.6	14.70	270	74	3.34x10 <sup>5</sup>	3.97x10 <sup>-6</sup>	
Jan. 15, 1970	1b	2200	90x10 <sup>3</sup>	5.26	F	680	3.59	145	18.74	275	19	7.19x10 <sup>4</sup>	1.38x10 <sup>-5</sup>	
Jan. 28, 1970	Plume Measurements Indeterminable													
Jan. 31, 1970	Plume Measurements Indeterminable													
Feb. 5, 1970	2	2100	91x10 <sup>3</sup>	0.89	F	630	1.58	104	197	260	360	2.97x10 <sup>5</sup>	3.36x10 <sup>-6</sup>	
Feb. 6, 1970	3	2040	85.8x10 <sup>3</sup>	0.89	F	835	1.49	70	313	57	490	7.17x10 <sup>4</sup>	1.48x10 <sup>-5</sup>	
Feb. 10, 1970	4a	2156	83.3x10 <sup>3</sup>	1.24	E	190	3.02	30	57	260	280	3.04x10 <sup>5</sup>	3.76x10 <sup>-6</sup>	
Feb. 10, 1970	4b	2210	91.6x10 <sup>3</sup>	1.75	E	357	3.30	26	67	106	186	1.17x10 <sup>5</sup>	8.85x10 <sup>-6</sup>	
Feb. 10, 1970	4c	2250	86.7x10 <sup>3</sup>	1.75	E	611	3.68	67	67	210	177	2.03x10 <sup>5</sup>	5.92x10 <sup>-6</sup>	
Feb. 11, 1970	Plume Measurements Indeterminable													
Feb. 17, 1970	5a	2055	85.5x10 <sup>3</sup>	1.56	E	530	7.94	55	64	152	160	7.64x10 <sup>4</sup>	1.34x10 <sup>-5</sup>	
Feb. 17, 1970	5b	2115	88.5x10 <sup>3</sup>	1.24	F	530	3.72	27	72	205	168	1.64x10 <sup>5</sup>	6.02x10 <sup>-6</sup>	
Feb. 17, 1970	6a	2210	89.7x10 <sup>3</sup>	3.13	E	399	8.79	74	14.9	260	30	9.71x10 <sup>4</sup>	1.07x10 <sup>-5</sup>	
Feb. 19, 1970	6b	2250	88.0x10 <sup>3</sup>	1.75	F	578	16.6	36	27.5	115	87	5.30x10 <sup>4</sup>	1.88x10 <sup>-5</sup>	
Feb. 19, 1970	Plume Measurements Indeterminable													
Mar. 2, 1970	7	2240	89.7x10 <sup>3</sup>	0.89	F	461	1.54	45	641	170	920	3.55x10 <sup>5</sup>	2.81x10 <sup>-6</sup>	
Mar. 3, 1970	8a	2018	85.0x10 <sup>3</sup>	0.89	E-F	460	3.63	43	193	170	500	1.97x10 <sup>5</sup>	5.18x10 <sup>-6</sup>	
Mar. 3, 1970	8b	2110	83.3x10 <sup>3</sup>	0.89	E-F	450	6.21	38	176	125	300	1.04x10 <sup>5</sup>	9.53x10 <sup>-6</sup>	
Mar. 3, 1970	8c	2200	86.6x10 <sup>3</sup>	0.89	E-F	450	3.18	73	195	228	500	3.07x10 <sup>5</sup>	3.25x10 <sup>-6</sup>	
Mar. 3, 1970	Plume Measurements Indeterminable													
Mar. 10, 1970	9a	2045	91.4x10 <sup>3</sup>	0.67	E-F	120	9.70	32	145	300	1050	6.63x10 <sup>5</sup>	1.58x10 <sup>-6</sup>	
Mar. 10, 1970	9b	2205	91.4x10 <sup>3</sup>	0.67	E-F	120	6.44	53	179	500	910	9.57x10 <sup>5</sup>	1.04x10 <sup>-6</sup>	
Mar. 10, 1970	9c	2315	91.4x10 <sup>3</sup>	0.67	E-F	120	3.70	67	167	558	3500	3.31x10 <sup>6</sup>	5.01x10 <sup>-7</sup>	
Mar. 11, 1970	Plume Measurements Indeterminable													

Highest test relative concentration at one mile = 1.88x10<sup>-5</sup> seconds per meter<sup>3</sup>

**Table 2-36. Relative Concentration, X/Q, Frequency Distribution With Wind Speed Correction<sup>(3, 4)</sup>**

["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED."]

<i>Relative Concentration</i>	<i>Frequency (No. of Obs.)</i>	<i>Percentage</i>	<i>Cumulative Per Cent</i>
$\geq 4.0 \times 10^{-4}$	0	0.00	0.00
$3.0-3.99 \times 10^{-4}$	0	0.00	0.00
$2.0-2.99 \times 10^{-4}$	0	0.00	0.00
$1.0-1.99 \times 10^{-4}$	18	0.21	0.21
$9.0-9.99 \times 10^{-5}$	6	0.07	0.28
$8.0-8.99 \times 10^{-5}$	6	0.07	0.35
$7.0-7.99 \times 10^{-5}$	15	0.18	0.53
$6.0-6.99 \times 10^{-5}$	40	0.47	1.00
$5.0-5.99 \times 10^{-5}$	137	1.62	2.62
$4.0-4.99 \times 10^{-5}$	391	4.61	7.23
$3.0-3.99 \times 10^{-5}$	957	11.28	18.51
$2.0-2.99 \times 10^{-5}$	2087	24.58	43.09
$1.0-1.99 \times 10^{-5}$	3407	40.17	83.26
$9.0-9.99 \times 10^{-6}$	313	3.69	86.95
$8.0-8.99 \times 10^{-6}$	298	3.51	90.46
$7.0-7.99 \times 10^{-6}$	260	3.07	93.53
$6.0-6.99 \times 10^{-6}$	218	2.57	96.10
$5.0-5.99 \times 10^{-6}$	136	1.60	97.70
$4.0-4.99 \times 10^{-6}$	113	1.33	99.03
$\leq 3.99 \times 10^{-6}$	82	0.97	100.00
<i>Totals</i>	8482	100.00	--- ---

**Note:**

1. Percentage of Valid Observations: 96.82
2. Average Relative Concentration =  $2.09257 \times 10^{-5}$
3. Period of Record: June 1, 1968 - May 31, 1969
4. Wind Speed Correction factor of 1.4 applied, based on calibration check on October 1, 1969



Table 2-37. Comparative Wind Speed Data

[*"HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED."*]

<i>Date</i>	<i>Greenville-Spartanburg<sup>(1)</sup> (Average)</i>	<i>Oconee (Average)</i>	<i>Oconee to Greenville-Spartanburg (Ratio)</i>	<i>Oconee to Greenville-Spartanburg (Ratio x 1.4)</i>
<i>June, 1968</i>	<i>13.9 mph</i>	<i>7.6 mph</i>	<i>0.54</i>	<i>0.76</i>
<i>July, 1968</i>	<i>11.2 mph</i>	<i>6.3 mph</i>	<i>0.56</i>	<i>0.79</i>
<i>August, 1968</i>	<i>11.3 mph</i>	<i>6.8 mph</i>	<i>0.60</i>	<i>0.84</i>
<i>September, 1968</i>	<i>10.9 mph</i>	<i>5.6 mph</i>	<i>0.52</i>	<i>0.72</i>
<i>October, 1968</i>	<i>12.3 mph</i>	<i>8.1 mph</i>	<i>0.65</i>	<i>0.92</i>
<i>November, 1968</i>	<i>13.1 mph</i>	<i>7.4 mph</i>	<i>0.56</i>	<i>0.78</i>
<i>December, 1968</i>	<i>15.6 mph</i>	<i>9.3 mph</i>	<i>0.59</i>	<i>0.83</i>
<i>January, 1969</i>	<i>14.6 mph</i>	<i>8.1 mph</i>	<i>0.55</i>	<i>0.77</i>
<i>February, 1969</i>	<i>15.4 mph</i>	<i>11.0 mph</i>	<i>0.72</i>	<i>1.02</i>
<i>March, 1969</i>	<i>11.8 mph</i>	<i>7.7 mph</i>	<i>0.66</i>	<i>0.94</i>
<i>April, 1969</i>	<i>11.6 mph</i>	<i>7.8 mph</i>	<i>0.68</i>	<i>0.96</i>
<i>May, 1969</i>	<i>11.9 mph</i>	<i>6.8 mph</i>	<i>0.57</i>	<i>0.81</i>
<i>June, 1969</i>	<i>11.6 mph</i>	<i>6.5 mph</i>	<i>0.56</i>	<i>0.80</i>
<i>July, 1969</i>	<i>11.1 mph</i>	<i>5.5 mph</i>	<i>0.50</i>	<i>0.70</i>
<i>August, 1969</i>	<i>11.0 mph</i>	<i>8.2 mph</i>	<i>0.74</i>	<i>1.06</i>
<i>September, 1969</i>	<i>11.3 mph</i>	<i>7.3 mph</i>	<i>0.65</i>	<i>0.91</i>
<i><sup>(2)</sup>October, 1969</i>	<i>12.1 mph</i>	<i>11.2 mph</i>	<i>0.92</i>	<i>- ---</i>
<i>November, 1969</i>	<i>12.5 mph</i>	<i>12.3 mph</i>	<i>0.97</i>	<i>- ---</i>

<i>Date</i>	<i>Greenville-Spartanburg<sup>(1)</sup> (Average)</i>	<i>Oconee (Average)</i>	<i>Oconee to Greenville-Spartanburg (Ratio)</i>	<i>Oconee to Greenville-Spartanburg (Ratio x 1.4)</i>
<i>December, 1969</i>	<i>12.6 mph</i>	<i>10.5 mph</i>	<i>0.83</i>	<i>- - - -</i>
<i>January, 1970</i>	<i>13.0 mph</i>	<i>14.1 mph</i>	<i>1.08</i>	<i>- - - -</i>

**Note:**

1. Greenville-Spartanburg, S.C. Airport ESSA Station
2. Calibration Check - October 1, 1969

**Table 2-38. Supplemental Data Oconee Meteorological Survey (Tower Data) For Period of June 1, 1968 Thru May 31, 1969.** Frequency of Total Relative Concentration for All Observations

["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED."]

<i>Relative Concentration</i>	<i>Frequency No. of Obs.</i>	<i>Percentage</i>	<i>Cumulative Per Cent</i>
$\geq 4.0 \times 10^{-4}$	20	0.24	0.24
$3.0 - 3.99 \times 10^{-4}$	4	0.05	0.28
$2.0 - 2.99 \times 10^{-4}$	1	0.01	0.29
$1.0 - 1.99 \times 10^{-4}$	52	0.61	0.91
$9.0 - 9.99 \times 10^{-5}$	20	0.24	1.14
$8.0 - 8.99 \times 10^{-5}$	71	0.84	1.98
$7.0 - 7.99 \times 10^{-5}$	86	1.01	2.99
$6.0 - 6.99 \times 10^{-5}$	194	2.28	5.27
$5.0 - 5.99 \times 10^{-5}$	407	4.79	10.06
$4.0 - 4.99 \times 10^{-5}$	783	9.22	19.28
$3.0 - 3.99 \times 10^{-5}$	1288	15.16	34.44
$2.0 - 2.99 \times 10^{-5}$	1961	23.08	57.52
$1.0 - 1.99 \times 10^{-5}$	2604	30.65	88.17
$9.0 - 9.99 \times 10^{-6}$	256	3.01	91.18
$8.0 - 8.99 \times 10^{-6}$	205	2.41	93.60
$7.0 - 7.99 \times 10^{-6}$	214	2.52	96.12
$6.0 - 6.99 \times 10^{-6}$	129	1.52	97.63
$5.0 - 5.99 \times 10^{-6}$	78	0.92	98.55
$4.0 - 4.99 \times 10^{-6}$	78	0.92	99.47
$\leq 3.99 \times 10^{-6}$	45	0.53	100.00
<i>TOTALS</i>	8496	100.00	--- ---

**Note:**

1. Percentage of Valid Observations - 96.98
2. Average Relative Concentration  $3.11000 \times 10^{-5}$

Table 2-39. Supplemental Data - Joint Frequency Distribution  
[ "HISTORICAL INFORMATION NOT REQUIRED TO BE REVISIED." ]

OCONEE METEOROLOGICAL SURVEY (TOWER DATA) FOR PERIOD OF JUNE 19, 1968 THRU JUNE 19, 1969

SUMMARY OF WIND OCCURRENCES BY SECTOR & SPEED CLASS ( NO. OCCUR, PERCENT, STANDARD DEVIATION)

Wind Sector	Item	Sector Total	1.0-3.2	3.3-5.5	5.6-7.8	7.9-10.0	10.1-12.3	12.4-14.5	14.6-16.7	16.8-19.0	19.1-21.2	>21.2 MPH
			.45-1.49	1.5-2.49	2.5-3.49	3.5-4.49	4.5-5.49	5.5-6.49	6.5-7.49	7.5-8.49	8.5-9.49	>9.5 M/S
360.0	No	1472	465	698	247	40	16	3	3	0	0	0
-N-	Pct	17.24	5.45	8.18	2.89	0.47	0.19	0.04	0.04	0.00	0.00	0.00
	Sd		16.0	7.5	6.1	9.1	11.8	12.5	6.4	0.0	0.0	0.0
22.5	No	708	261	312	94	20	9	4	4	3	1	0
-NNE-	Pct	8.29	3.06	3.65	1.10	0.23	0.11	0.05	0.05	0.04	0.01	0.00
	Sd		16.5	9.5	7.0	11.5	5.0	5.6	5.4	11.7	5.0	0.0
45.0	No	842	224	281	185	85	35	15	14	3	0	0
-NE-	Pct	9.86	2.62	3.29	2.17	1.00	0.41	0.18	0.16	0.04	0.00	0.00
	Sd		17.9	10.1	6.8	6.1	6.4	5.6	6.2	6.4	0.0	0.0
67.5	No	493	134	143	96	83	24	10	3	0	0	0
-ENE-	Pct	5.77	1.57	1.68	1.12	0.97	0.28	0.12	0.04	0.00	0.00	0.00
	Sd		18.7	10.7	8.0	7.8	6.6	6.3	4.7	0.0	0.0	0.0
90.0	No	508	177	195	74	47	8	6	1	0	0	0
-E-	Pct	5.95	2.07	2.28	0.87	0.55	0.09	0.07	0.01	0.00	0.00	0.00
	Sd		17.3	11.6	9.0	8.0	6.0	7.5	9.2	0.0	0.0	0.0
112.5	No	318	131	141	33	8	4	1	0	0	0	0
-ESE-	Pct	3.72	1.53	1.65	0.39	0.09	0.05	0.01	0.00	0.00	0.00	0.00
	Sd		16.6	11.0	11.7	9.7	11.0	10.8	0.0	0.0	0.0	0.0
135.0	No	307	87	154	47	18	1	0	0	0	0	0
-SE-	Pct	3.60	1.02	1.80	0.55	0.21	0.01	0.00	0.00	0.00	0.00	0.00
	Sd		14.5	11.6	11.4	8.1	25.0	0.0	0.0	0.0	0.0	0.0
157.5	No	161	52	74	27	6	2	0	0	0	0	0
-SSE-	Pct	1.89	0.61	0.87	0.32	0.07	0.02	0.00	0.00	0.00	0.00	0.00
	Sd		13.9	9.1	7.7	8.9	15.4	0.0	0.0	0.0	0.0	0.0
180.0	No	173	46	100	15	7	5	0	0	0	0	0
-S-	Pct	2.03	0.54	1.17	0.18	0.08	0.06	0.00	0.00	0.00	0.00	0.00
	Sd		11.7	6.7	4.4	2.6	2.5	0.0	0.0	0.0	0.0	0.0
202.5	No	304	49	110	59	55	20	10	1	0	0	0
-SSW-	Pct	3.56	0.57	1.29	0.69	0.64	0.23	0.12	0.01	0.00	0.00	0.00
	Sd		14.3	8.4	8.5	5.9	4.9	6.4	4.2	0.0	0.0	0.0
225.0	No	631	129	218	126	89	41	27	1	0	0	0
-SW-	Pct	7.39	1.51	2.55	1.48	1.04	0.48	0.32	0.01	0.00	0.00	0.00
	Sd		15.5	10.6	7.2	6.5	5.9	5.8	7.5	0.0	0.0	0.0
247.5	No	434	106	112	98	36	34	27	13	3	2	3
-WSW	Pct	5.08	1.24	1.31	1.15	0.42	0.40	0.32	0.15	0.04	0.02	0.04
	Sd		17.1	11.2	9.0	5.5	5.0	4.9	4.4	4.4	4.6	3.9
270.0	No	524	131	125	91	52	50	39	21	12	0	3
-W-	Pct	6.14	1.53	1.46	1.07	0.61	0.59	0.46	0.25	0.14	0.00	0.04
	Sd		18.5	12.4	9.0	6.5	5.4	4.0	4.6	4.6	0.0	4.2
292.5	No	364	117	114	46	39	25	9	7	5	1	1
-WNW-	Pct	4.26	1.37	1.34	0.54	0.46	0.29	0.11	0.08	0.06	0.01	0.01
	Sd		17.5	11.2	9.2	7.2	7.7	8.6	7.4	5.8	4.2	6.7
315.0	No	515	204	199	55	33	17	3	3	0	1	0
-NW-	Pct	6.03	2.39	2.33	0.64	0.39	0.20	0.04	0.04	0.00	0.01	0.00
	Sd		15.5	9.5	7.6	9.3	5.2	6.9	6.4	0.0	7.5	0.0
337.5	No	684	268	303	92	14	4	3	0	0	0	0
-NNW-	Pct	8.01	3.14	3.55	1.08	0.16	0.05	0.04	0.00	0.00	0.00	0.00
	Sd		15.4	7.0	6.2	8.7	11.3	13.3	0.0	0.0	0.0	0.0
Calm	No	99										
	Pct	1.16										
Total	No	8537	2581	3279	1385	632	295	157	71	26	5	7
	Pct	100.0	30.23	38.41	16.22	7.40	3.46	1.84	0.83	0.30	0.06	0.08

OCONEE METEOROLOGICAL SURVEY (TOWER DATA)

FOR PERIOD JUNE 19, 1968 THRU JUNE 19, 1969

SUMMARY OF PASQUILL F WIND OCCURRENCES BY SECTOR & SPEED CLASS (NO. OCCUR, PERCENT, STANDARD DEVIATION)

Wind Sector	Item	Sector Total	1.0-3.2 .45-1.49	3.3-5.5 1.5-2.49	5.6-7.8 2.5-3.49	7.9-10.0 3.5-4.49	10.1-12.3 4.5-5.49	12.4-14.5 5.5-6.49	14.6-16.7 6.5-7.49	16.8-19.0 7.5-8.49	19.1-21.2 8.5-9.49	>21.2 MPH >9.5 M/S
-N-	No.	499	131	260	95	12	1	0	0	0	0	0
	Pct	5.76%	1.51%	3.00%	1.10%	0.14%	0.01%	0.00%	0.00%	0.00%	0.00%	0.00%
-NNE-	No.	166	68	66	29	3	0	0	0	0	0	0
	Pct	1.92%	0.79%	0.76%	0.33%	0.03%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
-NE-	No.	135	61	57	13	3	0	0	0	0	0	0
	Pct	1.56%	0.70%	0.66%	0.15%	0.03%	0.00%	0.00%	0.01%	0.00%	0.00%	0.00%
-ENE-	No.	57	36	20	0	1	0	0	0	0	0	0
	Pct	0.66%	0.42%	0.23%	0.00%	0.01%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
-E-	No.	116	55	55	4	1	1	0	0	0	0	0
	Pct	1.34%	0.63%	0.64%	0.05%	0.01%	0.01%	0.00%	0.00%	0.00%	0.00%	0.00%
-ESE-	No.	65	30	32	3	0	0	0	0	0	0	0
	Pct	0.75%	0.35%	0.37%	0.03%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
-SE-	No.	41	18	19	2	2	0	0	0	0	0	0
	Pct	0.47%	0.21%	0.22%	0.02%	0.02%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
-SSE-	No.	23	10	11	2	0	0	0	0	0	0	0
	Pct	0.27%	0.12%	0.13%	0.02%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
-S-	No.	19	6	10	2	1	0	0	0	0	0	0
	Pct	0.18%	0.07%	0.12%	0.02%	0.01%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
-SSW-	No.	39	16	18	4	0	0	0	0	0	0	0
	Pct	0.45%	0.18%	0.21%	0.05%	0.00%	0.00%	0.01%	0.00%	0.00%	0.00%	0.00%
-SW-	No.	95	29	40	15	10	1	0	0	0	0	0
	Pct	1.10%	0.33%	0.46%	0.17%	0.12%	0.01%	0.00%	0.00%	0.00%	0.00%	0.00%
-WSW-	No.	75	31	23	17	3	0	1	0	0	0	0
	Pct	0.87%	0.36%	0.27%	0.20%	0.03%	0.00%	0.01%	0.00%	0.00%	0.00%	0.00%
-W-	No.	102	43	28	23	5	2	0	0	1	0	0
	Pct	1.18%	0.50%	0.32%	0.27%	0.06%	0.02%	0.00%	0.00%	0.01%	0.00%	0.00%
-WNW-	No.	101	40	42	10	8	1	0	0	0	0	0
	Pct	1.17%	0.46%	0.48%	0.12%	0.09%	0.01%	0.00%	0.00%	0.00%	0.00%	0.00%
-NW-	No.	222	87	105	21	9	0	0	0	0	0	0
	Pct	2.56%	1.00%	1.21%	0.24%	0.10%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
-NNW-	No.	352	110	188	52	2	0	0	0	0	0	0
	Pct	4.06%	1.27%	2.17%	0.60%	0.02%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
Calm	No.	27	---	---	---	---	---	---	---	---	---	---
	Pct	0.31%	---	---	---	---	---	---	---	---	---	---
Total	No.	2134	771	974	292	60	6	2	1	1	0	0
	Pct.	24.64%	8.90%	11.25%	3.37%	0.69%	0.07%	0.02%	0.01%	0.01%	0.00%	0.00%

Total Valid Observations: 8661

SUMMARY OF PASQUILL E WIND OCCURRENCES BY SECTOR & SPEED CLASS (NO. OCCUR, PERCENT, STANDARD DEVIATION)

Wind Sector	Item	Sector Total	1.0-3.2 .45-1.49	3.3-5.5 1.5-2.49	5.6-7.8 2.5-3.49	7.9-10.0 3.5-4.49	10.1-12.3 4.5-5.49	12.4-14.5 5.5-6.49	14.6-16.7 6.5-7.49	16.8-19.0 7.5-8.49	19.1-21.2 8.5-9.49	≥21.2 MPH ≥9.5 M/S
-N-	No.	458	118	247	77	12	4	0	0	0	0	0
	Pct	5.29%	1.36%	2.85%	0.89%	0.14%	0.05%	0.00%	0.00%	0.00%	0.00%	0.00%
-NNE-	No.	166	52	85	23	3	2	1	0	0	0	0
	Pct	1.92%	0.60%	0.98%	0.27%	0.03%	0.02%	0.01%	0.00%	0.00%	0.00%	0.00%
-NE-	No.	138	40	61	26	10	1	0	0	0	0	0
	Pct	1.59%	0.46%	0.70%	0.30%	0.12%	0.01%	0.00%	0.00%	0.00%	0.00%	0.00%
-ENE-	No.	55	18	23	9	4	1	0	0	0	0	0
	Pct	0.64%	0.21%	0.27%	0.10%	0.05%	0.01%	0.00%	0.00%	0.00%	0.00%	0.00%
-E-	No.	56	25	23	4	4	0	0	0	0	0	0
	Pct	0.65%	0.29%	0.27%	0.05%	0.05%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
-ESE-	No.	42	18	20	1	2	0	1	0	0	0	0
	Pct	0.49%	0.21%	0.23%	0.01%	0.02%	0.00%	0.01%	0.00%	0.00%	0.00%	0.00%
-SE-	No.	41	4	29	5	3	0	0	0	0	0	0
	Pct	0.47%	0.05%	0.34%	0.06%	0.03%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
-SSE-	No.	33	10	13	9	0	1	0	0	0	0	0
	Pct	0.38%	0.12%	0.15%	0.10%	0.00%	0.01%	0.00%	0.00%	0.00%	0.00%	0.00%
-S-	No.	32	9	14	3	2	4	0	0	0	0	0
	Pct	0.37%	0.10%	0.16%	0.03%	0.02%	0.05%	0.00%	0.00%	0.00%	0.00%	0.00%
-SSW-	No.	51	6	20	7	13	4	1	0	0	0	0
	Pct	0.59%	0.07%	0.23%	0.08%	0.15%	0.05%	0.01%	0.00%	0.00%	0.00%	0.00%
-SW-	No.	130	22	46	34	22	6	0	0	0	0	0
	Pct	1.50%	0.25%	0.53%	0.39%	0.25%	0.07%	0.00%	0.00%	0.00%	0.00%	0.00%
-WSW-	No.	103	18	27	28	16	11	3	0	0	0	0
	Pct	1.19%	0.21%	0.31%	0.32%	0.18%	0.13%	0.03%	0.00%	0.00%	0.00%	0.00%
-W-	No.	136	25	27	30	22	17	10	4	1	0	0
	Pct	1.57%	0.29%	0.31%	0.35%	0.25%	0.20%	0.12%	0.05%	0.01%	0.00%	0.00%
-WW-	No.	82	24	28	10	14	4	1	1	0	0	0
	Pct	0.95%	0.28%	0.32%	0.12%	0.16%	0.05%	0.01%	0.01%	0.00%	0.00%	0.00%
-NW-	No.	89	36	31	8	6	8	0	0	0	0	0
	Pct	1.03%	0.42%	0.36%	0.09%	0.07%	0.09%	0.00%	0.00%	0.00%	0.00%	0.00%
-NNW-	No.	127	54	54	15	3	1	0	0	0	0	0
	Pct	1.47%	0.62%	0.62%	0.17%	0.03%	0.01%	0.00%	0.00%	0.00%	0.00%	0.00%
Calm	No.	14	---	---	---	---	---	---	---	---	---	---
	Pct	0.16%	---	---	---	---	---	---	---	---	---	---
Total	No.	1753	479	748	289	136	64	17	5	1	0	0
	Pct	20.25%	5.53%	8.64%	3.34%	1.57%	0.74%	0.20%	0.06%	0.01%	0.00%	0.00%

Total Valid Observations: 8656

OCCONEE METEOROLOGICAL SURVEY (TOWER DATA)

FOR PERIOD JUNE 19, 1968 THRU JUNE 19, 1969

SUMMARY OF PASQUILL D WIND OCCURRENCES BY SECTOR & SPEED CLASS ( NO. OCCUR, PERCENT, STANDARD DEVIATION)

Wind Sector	Item	Sector Total	1.0-3.2 0.45-1.49	3.3-5.5 1.5-2.49	5.6-7.8 2.5-3.49	7.9-10.0 3.5-4.49	10.1-12.3 4.5-5.49	12.4-14.5 5.5-6.49	14.6-16.7 6.5-7.49	16.8-19.0 7.5-8.49	19.2-21.2 8.5-9.49	≥21.2 MPH ≥9.5 M/S
-N-	No.	505	211	188	73	18	10	3	2	0	0	0
	Pct	5.86%	2.49%	2.18%	0.85%	0.21%	0.12%	0.03%	0.02%	0.00%	0.00%	0.00%
-NNE-	No.	371	138	161	40	14	7	3	4	3	1	0
	Pct	4.30%	1.60%	1.87%	0.46%	0.16%	0.08%	0.03%	0.05%	0.03%	0.01%	0.00%
-NE-	No.	566	121	163	145	72	34	15	13	3	0	0
	Pct	6.57%	1.40%	1.89%	1.68%	0.84%	0.39%	0.17%	0.15%	0.03%	0.00%	0.00%
-ENE-	No.	374	76	100	85	77	23	10	3	0	0	0
	Pct	4.34%	0.88%	1.16%	0.99%	0.89%	0.27%	0.12%	0.03%	0.00%	0.00%	0.00%
-E-	No.	336	97	117	66	41	8	6	1	0	0	0
	Pct	3.90%	1.13%	1.36%	0.77%	0.48%	0.09%	0.07%	0.01%	0.00%	0.00%	0.00%
-ESE-	No.	213	84	90	29	6	4	0	0	0	0	0
	Pct	2.45%	0.97%	1.04%	0.34%	0.07%	0.05%	0.00%	0.00%	0.00%	0.00%	0.00%
-SE-	No.	224	65	105	40	13	1	0	0	0	0	0
	Pct	2.60%	0.75%	1.22%	0.46%	0.15%	0.01%	0.00%	0.00%	0.00%	0.00%	0.00%
-SSE-	No.	104	32	50	15	6	1	0	0	0	0	0
	Pct	1.21%	0.37%	0.58%	0.17%	0.07%	0.01%	0.00%	0.00%	0.00%	0.00%	0.00%
-S-	No.	122	28	79	10	4	1	0	0	0	0	0
	Pct	1.42%	0.32%	0.92%	0.12%	0.05%	0.01%	0.00%	0.00%	0.00%	0.00%	0.00%
-SSW-	No.	214	27	72	48	42	16	8	1	0	0	0
	Pct	2.48%	0.31%	0.84%	0.56%	0.49%	0.19%	0.09%	0.01%	0.00%	0.00%	0.00%
-SW-	No.	406	79	131	77	57	34	27	1	0	0	0
	Pct	4.71%	0.92%	1.52%	0.89%	0.66%	0.39%	0.31%	0.01%	0.00%	0.00%	0.00%
-WSW-	No.	254	71	54	50	17	27	20	7	3	2	3
	Pct	2.95%	0.82%	0.63%	0.58%	0.20%	0.31%	0.23%	0.08%	0.03%	0.02%	0.03%
-W-	No.	287	63	70	38	25	31	24	17	11	0	3
	Pct	3.33%	0.73%	0.81%	0.44%	0.29%	0.36%	0.34%	0.20%	0.13%	0.00%	0.03%
-WNW-	No.	180	52	44	26	17	20	8	6	5	1	1
	Pct	2.09%	0.60%	0.51%	0.30%	0.20%	0.23%	0.09%	0.07%	0.06%	0.01%	0.01%
-NW-	No.	203	81	62	26	18	9	3	3	0	1	0
	Pct	2.36%	0.94%	0.72%	0.30%	0.21%	0.10%	0.03%	0.03%	0.00%	0.01%	0.00%
-NNW-	No.	200	102	58	25	9	3	3	0	0	0	0
	Pct	2.31%	1.18%	0.67%	0.29%	0.10%	0.03%	0.03%	0.00%	0.00%	0.00%	0.00%
Calm	No.	52	---	---	---	---	---	---	---	---	---	---
	Pct	0.60%	---	---	---	---	---	---	---	---	---	---
Total	No.	4611	1327	1544	793	436	229	135	58	25	5	7
	Pct	53.50%	15.40%	17.91%	9.20%	5.06%	2.66%	1.57%	0.67%	0.29%	0.06%	0.08%

Total Valid Observations: 8619

Note: Class D includes stability categories (A+B+C+D)

**Table 2-40. Deleted per 2008 Update**

**Table 2-41. Deleted per 2008 Update**

**Table 2-42. Deleted per 2008 Update**

**Table 2-43. Deleted per 2008 Update**



Table 2-44. Supplemental Data - SF<sub>6</sub> Detector Readings - Test Date: January 28, 1970

Point Number	Time (24 hr. clock)	Recorder Reading (%)
1	2111	56
2	2117	0
9A	2121	0
9B	2124	0
9C	2126	0
8	2131	0
1A	2134	0
1B	2136	0
1C	2138	0
1	2141	0
10A	2145	67
10B	2148	100
10C	2150	0
2A	2153	0
2B	2155	0
2C	2157	0
3	2159	2
3B	2202	0
3C	2205	0
3D	2207	0
3E	2210	0
3F	2213	0
4	2215	0
3	2221	0
2B	2223	0
2	2227	100
10A	2227	100
10C	2230	100
10D	2233	100
10E	2235	100
1D	2238	100

**Table 2-45. Deleted per 2008 Update**

**Table 2-46. Deleted per 2008 Update**

**Table 2-47. Deleted per 2008 Update**

**Table 2-48. Deleted per 2008 Update**

**Table 2-49. Deleted per 2008 Update**

**Table 2-50. Deleted per 2008 Update**

**Table 2-51. Deleted per 2008 Update**

**Table 2-52. Deleted per 2008 Update**

**Table 2-53. Deleted per 2008 Update**

**Table 2-54. Deleted per 2008 Update**

**Table 2-55. Deleted per 2008 Update**

**Table 2-56. Deleted per 2008 Update**

**Table 2-57. Deleted per 2008 Update**

**Table 2-58. Deleted per 2008 Update**

**Table 2-59. Deleted per 2008 Update**

**Table 2-60. Deleted per 2008 Update**

**Table 2-61. Deleted per 2008 Update**

**Table 2-62. Deleted per 2008 Update**

**Table 2-63. Deleted per 2008 Update**

**Table 2-64. Deleted per 2008 Update**

**Table 2-65. Deleted per 2008 Update**

**Table 2-66. Deleted per 2008 Update**

**Table 2-67. Deleted per 2008 Update**

**Table 2-68. Deleted per 2008 Update**

**Table 2-69. Deleted per 2008 Update**

**Table 2-70. Deleted per 2008 Update**

**Table 2-71. Deleted per 2008 Update**

**Table 2-72. Deleted per 2008 Update**

**Table 2-73. Deleted per 2008 Update**

**Table 2-74. Deleted per 2008 Update**

**Table 2-75. Deleted per 2008 Update**

**Table 2-76. Deleted per 2008 Update**

**Table 2-77. Deleted per 2008 Update**

**Table 2-78. Deleted per 2008 Update**

**Table 2-79. Deleted per 2008 Update**

**Table 2-80. Deleted per 2008 Update**

**Table 2-81. Deleted per 2008 Update**

**Table 2-82. Deleted per 2008 Update**

**Table 2-83. Deleted per 2008 Update**

**Table 2-84 Deleted per 2008 Update**

**Table 2-85. Deleted per 2008 Update**

**Table 2-86. Deleted per 2008 Update**

**Table 2-87. Deleted per 2008 Update**

**Table 2-88. Deleted per 2008 Update**

**Table 2-89. Deleted per 2008 Update**

**Table 2-90. Deleted per 2008 Update**

**Table 2-91. Deleted per 2008 Update**

**Table 2-92. Deleted per 2008 Update**

Table 2-93. Soil Permeability Test Results

WELL NO.	h (ft)	r (ft)	$\frac{h}{r}$	$T_u$ (ft)	Q (ft <sup>3</sup> /min)	T (°C)	WT Condition	k (ft./min)
NA-4W2	3.83	2.50	1.53 <sup>(1)</sup>	27.0	0.0175	23.5	Low	$3.9 \times 10^{-5}$
NA-11AW2	14.0	0.833	16.8	31.0	0.133	20.5	High	$3.3 \times 10^{-4}$
NA-13W1	6.17	0.833	7.42 <sup>(2)</sup>	27.0	0.0275	20.0	Low	$2.0 \times 10^{-4}$
NA-15W1	14.0	0.833	16.8	30.3	0.240	20.5	High	$6.1 \times 10^{-4}$ <sup>(3)</sup>
NA-15W2	12.25	0.833	14.7	30.5	0.190	21.0	High	$5.1 \times 10^{-4}$

**Note:**

- $\frac{h}{r} \ll 10$ , not acceptable
- $\frac{h}{r} < 10$ , possibly acceptable
- For manual incremental test,  $k = 7.4 \times 10^{-4}$  ft / min

Table 2-94. Significant Earthquakes in the Southeast United States (Intensity V or Greater)

Year	Date	Intensity (Modified Mercalli)	Locality	Epicentral Location			Perceptible Area (Square Miles)
				N.Lat.	W.Long.	Miles	
1843	January 4	VIII	Western Tennessee	35.2	90.0	400,000	
1857	December 19	Not Listed	Charleston, S.C.	32.8	79.8	Not Listed	
1872	June 17	V	Milledgeville, Ga.	33.1	83.3	Not Listed	
1874	February 10	V	McDowell County, N.C.	35.7	82.1	Local	
1875	November 1	VI	Northern Georgia	33.8	82.5	25,000	
1875	December 22	VII	Arvonnia, Virginia	37.6	78.5	50,000	
1877	November 16	V	Western N.C. and Eastern Tennessee	35.5	84.0	5,000	
1879	December 12	V	Charlotte, N.C.	35.2	80.8	Not Listed	
1884	January 18	V	Wilmington, N.C.	34.3	78.0	Local	
1885	August 6	IV-V	North Carolina	36.2	81.6	Local	
1886	February 4	V	Alabama	32.8	88.0	1,600	
1886	August 31	IX-X	Charleston, S.C.	32.9	80.0	2,000,000	
1886	October 22	VI	Charleston, S.C.	32.9	80.0	30,000	
	October 22	VII	Charleston, S.C.	32.9	80.0	30,000	
1886	November 5	VI	Charleston, S.C.	32.9	80.0	30,000	
1889	July 19	VI	Memphis, Tenn.	35.2	90.0	Local	
1897	April 30	IV-V	Tennessee and Ill.	Not Listed	Not Listed	Not Listed	
1897	December 18	V	Ashland, Virginia	37.7	77.5	7,500	

Year	Date	Intensity (Modified Mercalli)	Epicentral Location				Perceptible Area (Square Miles)
			Locality	N.Lat.	W.Long.		
1900	October 31	V	Jacksonville Fla.	30.4	81.7	Local	
1902	October 18	V	Southeastern Tenn. and Northwestern Ga.	35.0	85.3	1,500	
1903	January 23	VI	Georgia and S.C.	32.1	81.1	10,000	
1904	March 4	V	Eastern Tenn.	35.7	83.5	5,000	
1905	January 27-8	VII	Alabama	34	86	250,000	
1907	April 19	V	South Carolina	32.9	80.0	10,000	
1911	April 20	V	North Carolina- South Carolina Border	35.2	82.7	600	
1912	June 12	VII	Summerville, S.C.	32.9	80.0	35,000	
1912	June 20	V	Savannah, Georgia	32	81	Not Listed	
1913	January 1	VII-VIII	Union County, S.C.	34.7	81.7	43,000	
1913	March 28	VII	Eastern Tennessee	36.2	83.7	2,700	
1913	April 17	V	Eastern Tennessee	35.3	84.2	3,500	
1914	January 23	V	Eastern Tennessee	35.6	84.5	Local	
1914	March 5	VI	Georgia	33.5	83.5	50,000	
1914	September 22	V	South Carolina	33.0	80.3	30,000	
1915	October 29	V	North Carolina	35.8	82.7	1,200	
1916	February 21	VI	Western N.C.	35.5	82.5	200,000	
1916	August 26	V	Western N.C.	36	81	3,800	
1916	October 18	VII	Alabama	33.5	86.2	100,000	

Year	Date	Intensity (Modified Mercalli)	Epicentral Location				Perceptible Area (Square Miles)
			Locality	N.Lat.	W.Long.		
1917	June 29	V	Alabama	32.7	87.5	Local	
1918	June 21	V	Tennessee	36.1	84.1	3,000	
1918	October 15	V	Western Tennessee	35.2	89.2	20,000	
1920	December 24	V	Eastern Tennessee	36	85	Local	
1924	October 20	V	Pickens County, S.C.	35.0	82.6	56,000	
1926	July 8	VI	Southern Mitchell County, N.C.	35.9	82.1	Local	
1927	June 16	V	Alabama	34.7	86.0	2,500	
1928	November 2	VI	Western N.C.	36.0	82.6	40,000	
1931	May 5	V-VI	Northern Alabama	33.7	86.6	6,500	
1933	December 19	IV-V	Summerville, S.C.	33.0	80.2	Local	
1935	January 1	V	North Carolina- Georgia Border	35.1	83.6	7,000	
1939	May 4	V	Anniston, Ala.	33.7	85.8	Not Listed	
1941	November 16	V-VI	Covington, Tenn.	35.5	89.7	Local	
1945	June 13	V	Cleveland, Tenn.	35	84.5	Not Listed	
1945	July 26	VI	Murray Lake, S.C.	34.3	81.4	25,000	
1952	November 19	V	Charleston, S.C.	32.8	80.0	Not Listed	
1952	July 16	VI	Dyersburg, Tenn.	36.2	89.6	Not Listed	
1954	January 22	V	Athens and Etowah, Tennessee	35.3	84.4	Not Listed	
1954	April 26	V	Memphis, Tenn.	35.2	90.1	Not Listed	
1955	January 25	VI	Tenn-Arkansas- Missouri Border	35.6	90.3	30,000	
1955	March 29	VI	Finley, Tenn.	36.0	89.5	Not Listed	



Year	Date	Intensity (Modified Mercalli)	Epicentral Location				Perceptible Area (Square Miles)
			Locality	N.Lat.	W.Long.		
1955	September 5	V	Finley, Tenn.	36.0	89.5	Not Listed	
1955	September 28	V	Virginia-N.C. Border	Not Listed	Not Listed	1,700	
1955	December 13	V	Dyer County, Tenn.	36	89.5	Not Listed	
1956	September 7	VI	Eastern Tennessee	35.5	84.0	8,300	
1956	January 28	VI	Tennessee-Arkansas Border	35.6	89.6	Not Listed	
1957	April 23	VI	Northern Alabama	34.5	86.7	11,500	
1957	May 13	VI	Western N.C.	35.7	82	8,100	
1957	June 23	V	Eastern Central Tennessee	36.5	84.5	Not Listed	
1957	July 2	VI	Western N.C.	35.5	83.5	Not Listed	
1957	November 24	VI	North Carolina- Tennessee Border	35	83.5	4,100	
1958	March 5	V	Wilmington, N.C.	34.2	77.7	Not Listed	
1958	April 8	V	Obion County, Tenn.	36.2	89.1	400	
1958	October 20	V	Anderson, S.C.	34.5	82.7	Local	
1959	August 3	VI	South Carolina	33	79.5	25,000	
1959	August 12	VI	Alabama-Tennessee Border	35	87	2,800	
1959	October 26	VI	Northeastern S.C.	34.5	80.2	4,800	
1959	December 21	V	Finley, Tenn.	36	89.5	400	
1960	January 28	V	Dyer County, Tenn.	36	89.5	Local	
1960	March 12	V	Near Coast, S.C.	33	79	3,500	
1960	April 15	V	Eastern Tenn.	35.7	84	1,300	

Year	Date	Intensity (Modified Mercalli)	Epicentral Location				Perceptible Area (Square Miles)
			Locality	N.Lat.	W.Long.		
1960	April 21	V	Lake County, Tenn.	36.3	89.5	Local	
1960	July 23	V	Charleston, S.C.	33	80	Local	
1971	July 13	IV-VI	Seneca, S.C.	34 -35	82 -83	Local	
1979	August 25	VI	Lake Jocassee, S.C.	35	83	5,800	
1979	September 12	V	southwestern North Carolina	35.6	83.9	Not Listed	
1980	July 27	VII	NE Kentucky, near Sharpsburg, KY	38.2	83.9	258,000	
1980	December 2	VI	northwest Tennessee	36.2	89.4	800	
1981	April 9	V	western North Carolina	35.5	82.1	Not Listed	
1981	May 5	VI	near Hendersonville, NC	35.3	82.4	4,000	
1981	August 7	VI	western Tennessee	36.0	89.1	4,000	
1982	September 24	V	eastern Tennessee	35.7	84.3	Not Listed	
1982	October 31	V	western Georgia	32.7	84.9	Not Listed	
1983	March 25	V	western North Carolina	35.3	82.5	Not Listed	
1983	November 6	V	near Charleston, SC	32.9	80.2	Not Listed	
1984	February 14	VI	eastern Tennessee	36.1	83.7	Local	
1984	August 17	V	central Virginia	37.9	78.3	Not Listed	
1984	October 9	VI	near Ringgold, GA	34.8	85.2	3,100	
1986	July 11	VI	northwest GA, near Chattanooga, TN	34.9	85.0	5,000	
1986	December 10	V	central Virginia	37.6	77.5	25	
1987	March 27	VI	near Greenback, TN	35.6	84.2	9,000	
1987	July 11	V	eastern Tennessee	36.1	83.8	Not Listed	

Year	Date	Intensity (Modified Mercalli)	Locality	Epicentral Location			Perceptible Area (Square Miles)
				N.Lat.	W.Long.		
1988	January 23	V	near Charleston, SC	32.9	80.2		Not Listed
1988	September 7	VI	NE Kentucky, near Sharpsburg, KY	38.1	83.9		40,000
1989	August 20	VI	near Littleville, AL	34.7	87.7		2,300
1990	November 13	V	near Charleston, SC	32.9	80.0		Not Listed

**Table 2-95. Velocity Measurements**

<b>Boring</b>	<b>Depth of Core</b>	<b>Rock Description</b>	<b>Velocity (ft/sec)</b>	<b>Specific Gravity</b>
NA-9	8.5'	Weathered Granite Gneiss	5,270	2.44
NA-4	31.0'	Granite Gneiss	11,900	2.85
NA-4	66.0'	Biotite Hornblende Gneiss	10,000	2.65
NA-9	90.0'	Granite Gneiss	10,100	2.68

Table 2-96. Core Measurements

Boring	Depth of Core	Description of Rock	Average Young's Modulus (E) (psi)	Average Poisson's Ratio ( $\sigma$ )	Ultimate Crushing Strength (psi)
NA-4	14.0'	Weathered Granite Gneiss	$1.5 \times 10^6$	(0.50) <sup>(1)</sup> (0.28)	5,000
NA-9	26.5'	Weathered Granite Gneiss	$1.8 \times 10^6$	0.15	6,610
NA-9	41.0'	Slightly Weathered Granite Gneiss	$2.4 \times 10^6$	0.20	7,540
NA-4	47.5'	Granite Gneiss	$4.8 \times 10^6$	0.18	15,520
NA-9	55.0'	Biotite Hornblende Gneiss	$4.1 \times 10^6$	0.11	<sup>(3)</sup>
NA-9	59.5'	Granite Gneiss	$5.1 \times 10^6$	0.20 <sup>(2)</sup>	16,480
NA-9	71.5'	Biotite Hornblende Gneiss	$(3.2 \times 10^6)^{(1)}$ $(11.4 \times 10^6)$	0.21	8,270
NA-9	98.0'	Granite Gneiss	$5.9 \times 10^6$	0.20	12,320

**Note:**

1. Values are too far apart to average.
2. Single value, other strain gauge set did not work.
3. End failure on weak area of core, value approximately 11,000.