

U.S. NUCLEAR REGULATORY COMMISSION

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

<p style="text-align: center;">Licensee</p> <p>1. Associated Specialists, Inc.</p> <p>2. 527 Medical Park Drive, Suite 204 Bridgeport, WV 26330</p>	<p>In accordance with the letter dated June 24, 2013,</p> <p>3. License number 47-31344-02 is amended in its entirety to read as follows:</p> <hr/> <p>4. Expiration date July 18, 2015</p> <hr/> <p>5. Docket No. 03037941 Reference No. 03037862</p>
---	--

- | | | |
|---|---|--|
| <p>6. Byproduct, source, and/or special nuclear material</p> <p>A. Any byproduct material permitted by 10 CFR 35.200</p> <p>B. Any byproduct material permitted by 10 CFR 35.65</p> | <p>7. Chemical and/or physical form</p> <p>A. Any</p> <p>B. Any</p> | <p>8. Maximum amount that licensee may possess at any one time under this license</p> <p>A. As needed</p> <p>B. 30 millicuries</p> |
|---|---|--|

9. Authorized use:
- A. and B. Possession and storage only until the license is amended to authorize any imaging and localization study permitted by 10 CFR 35.200.

CONDITIONS

10. Licensed material may be stored only at the licensee's facilities located at 527 Medical Park Drive, Suite 204, Bridgeport, West Virginia.
11. Licensed material is only authorized for use by, or under the supervision of:
- | | | | | | |
|--|---------------------------------|-------------------------|-----------------------|---------------------------------|--|
| <p>A. Individuals permitted to work as an authorized user in accordance with 10 CFR 35.13 and 35.14.</p> <p>B. The following individuals are authorized users for medical use as indicated:</p> <table border="0" style="width: 100%;"> <tr> <td style="text-align: center;"><u>Authorized Users</u></td> <td style="text-align: center;"><u>Material and Use</u></td> </tr> <tr> <td style="text-align: center;">Saad Mossallati, M.D.</td> <td style="text-align: center;">35.200 and 35.65 (Storage only)</td> </tr> </table> | <u>Authorized Users</u> | <u>Material and Use</u> | Saad Mossallati, M.D. | 35.200 and 35.65 (Storage only) | |
| <u>Authorized Users</u> | <u>Material and Use</u> | | | | |
| Saad Mossallati, M.D. | 35.200 and 35.65 (Storage only) | | | | |
12. The Radiation Safety Officer for this license is Mark T. Perna.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
47-31344-02Docket or Reference Number
03037941

Amendment No. 6

13. Sealed sources or detector cells containing licensed material shall not be opened or sources removed from source holders by the licensee.
14. The licensee shall conduct a physical inventory every six months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 5 years from the date of each inventory and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.
15. For sealed sources not associated with 10 CFR Part 35 use, the following conditions apply:
- A. Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed six months or at the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State.
 - B. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State, prior to the transfer, a sealed source received from another person shall not be put into use until tested and the test results received.
 - C. Sealed sources need not be tested if they are in storage and are not being used; however, when they are removed from storage for use or transferred to another person and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
 - D. The leak test shall be capable of detecting the presence of 0.005 microcurie (185 becquerels) of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie (185 becquerels) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.
 - E. Tests for leakage and/or contamination, limited to leak test sample collection, shall be performed by the licensee or by other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services. The licensee is not authorized to perform the analysis; analysis of leak test samples must be performed by persons specifically licensed by U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.
 - F. Records of leak test results shall be kept in units of microcuries and shall be maintained for 5 years.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
47-31344-02Docket or Reference Number
03037941

Amendment No. 6

16. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35(d) for establishing decommissioning financial assurance.
17. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."
18. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations and procedures in the licensee's application and correspondence are more restrictive than the regulations.
- A. Application dated October 28, 2008 [ML083231055]
 - B. Letter received January 14, 2009 [ML090210299]
 - C. Letter dated January 16, 2009 [ML090230229]
 - D. Letter dated February 9, 2009 [ML090400953]
 - E. Letter dated October 21, 2010 [ML103000031]
 - F. Letter dated November 4, 2010 [ML103160454]
 - G. Letter dated February 9, 2011 [ML110460157]
 - H. Letter dated May 10, 2011 [ML111450693]
 - I. Letter dated August 9, 2011 [ML112280120]
 - J. Letter dated July 2, 2013 [ML13190A300]

For the U.S. Nuclear Regulatory Commission

Original signed by Penny LanziseraDate July 18, 2013

By

Penny Lanzisera
Medical Branch
Division of Nuclear Materials Safety
Region I