



Kimberly A. Kantner
RRPT, CPEA, CLSO, CHMM
Environment, Health & Safety
14008 St. Leo Court
Orlando, FL 32826

T: 407.277.1641
F: 281.664.9206
www.att.com

July 13, 2013

Director, Office of Federal and State Materials
and Environmental Management Programs
Attn: Document Control Desk/GLTS
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

TRANSFER/DISPOSAL OF GENERALLY LICENSED DEVICES – AT&T INC., 2216 STOCKTON BLVD., SACRAMENTO, CA 95817: TRITIUM EXIT SIGNS [H-3; 11.5¹ Ci (max.)]

Ref: Code of Federal Regulations (CFR), Title 10 Part 31: “General Domestic Licenses for Byproduct Material”

In accordance with 10 CFR 31.5 (c)(8), AT&T has transferred devices from the subject facility on May 8, 2013. The attached inventory record reflects manufacturer’s name, model and serial number(s), at a minimum, of generally licensed devices returned for disposal. The following individual is identified as the transferee’s receipt point-of-contact:

Philotechnics, Ltd.
Meghan Turvey, Vice President
201 Renovare Blvd.
Oak Ridge, TN 37830
(865) 285-3064

*(Tennessee Dept. of Environment and Conservation, Division of Radiological Health
Radioactive Material License No. R-01084-A13, Exp. January 31, 2013- pending renewal)*

If you have any questions concerning this transmittal, please contact me at (407) 277-1641

Kimberly A. Kantner

Kimberly A. Kantner, RRPT

cc: Linda Alexander, AT&T Property Manager (la9264@att.com)

¹ Maximum activity content - no adjustment for decay



INVENTORY RECORD –
AT&T INC., 2216 STOCKTON BLVD., SACRAMENTO, CA 95817

Make	Model	Serial Number	Isotope/Activity	Mfr. Date
Isolite	2040-XX-20 (20 yr_11.5 Ci)	AOD550	H-3 (Tritium)/ 11.5 Ci (curies)	12/1/1990
Isolite	2040-XX-20 (20 yr_11.5 Ci)	AOD525	H-3 (Tritium)/ 11.5 Ci (curies)	12/1/1990
Isolite	2040-XX-20 (20 yr_11.5 Ci)	AOD522	H-3 (Tritium)/ 11.5 Ci (curies)	12/1/1990
Isolite	2040-XX-20 (20 yr_11.5 Ci)	AOD593	H-3 (Tritium)/ 11.5 Ci (curies)	12/1/1990
Isolite	2040-XX-20 (20 yr_11.5 Ci)	AOD527	H-3 (Tritium)/ 11.5 Ci (curies)	12/1/1990
Isolite	2040-XX-20 (20 yr_11.5 Ci)	AOD459	H-3 (Tritium)/ 11.5 Ci (curies)	12/1/1990
Isolite	2040-XX-20 (20 yr_11.5 Ci)	AOD591	H-3 (Tritium)/ 11.5 Ci (curies)	12/1/1990
Isolite	2040-XX-20 (20 yr_11.5 Ci)	AOD524	H-3 (Tritium)/ 11.5 Ci (curies)	12/1/1990
Isolite	2040-XX-20 (20 yr_11.5 Ci)	AOD547	H-3 (Tritium)/ 11.5 Ci (curies)	12/1/1990
Isolite	2040-XX-20 (20 yr_11.5 Ci)	AOD532	H-3 (Tritium)/ 11.5 Ci (curies)	12/1/1990
Isolite	2040-XX-20 (20 yr_11.5 Ci)	AOD548	H-3 (Tritium)/ 11.5 Ci (curies)	12/1/1990
Isolite	2040-XX-20 (20 yr_11.5 Ci)	AOD538	H-3 (Tritium)/ 11.5 Ci (curies)	12/1/1990
Isolite	2040-XX-20 (20 yr_11.5 Ci)	AOD592	H-3 (Tritium)/ 11.5 Ci (curies)	12/1/1990
Isolite	2040-XX-20 (20 yr_11.5 Ci)	AOD528	H-3 (Tritium)/ 11.5 Ci (curies)	12/1/1990
Isolite	2040-XX-20 (20 yr_11.5 Ci)	AOD533	H-3 (Tritium)/ 11.5 Ci (curies)	12/1/1990
Isolite	2040-XX-20 (20 yr_11.5 Ci)	AIN687	H-3 (Tritium)/ 11.5 Ci (curies)	11/1/1991
Isolite	2040-XX-20 (20 yr_11.5 Ci)	AOD549	H-3 (Tritium)/ 11.5 Ci (curies)	12/1/1990
Isolite	2040-XX-20 (20 yr_11.5 Ci)	AOD531	H-3 (Tritium)/ 11.5 Ci (curies)	12/1/1990
Isolite	2040-XX-20 (20 yr_11.5 Ci)	xxxx obsurd	H-3 (Tritium)/ 11.5 Ci (curies)	12/1/1990
Isolite	2040-XX-20 (20 yr_11.5 Ci)	AOD594	H-3 (Tritium)/ 11.5 Ci (curies)	12/1/1990
Isolite	2040-XX-20 (20 yr_11.5 Ci)	AOD463	H-3 (Tritium)/ 11.5 Ci (curies)	12/1/1990
Isolite	2040-XX-20 (20 yr_11.5 Ci)	AOD526	H-3 (Tritium)/ 11.5 Ci (curies)	12/1/1990
Isolite	2040-XX-20 (20 yr_11.5 Ci)	AOD546	H-3 (Tritium)/ 11.5 Ci (curies)	12/1/1990
Isolite	2040-XX-20 (20 yr_11.5 Ci)	AOD529	H-3 (Tritium)/ 11.5 Ci (curies)	12/1/1990
Isolite	2040-XX-20 (20 yr_11.5 Ci)	AOD462	H-3 (Tritium)/ 11.5 Ci (curies)	12/1/1990
Isolite	2040-XX-20 (20 yr_11.5 Ci)	AOD523	H-3 (Tritium)/ 11.5 Ci (curies)	12/1/1990
Isolite	2040-XX-20 (20 yr_11.5 Ci)	AOD458	H-3 (Tritium)/ 11.5 Ci (curies)	12/1/1990