



RULES AND DIRECTIVES  
BRANCH  
USNRC

Program Management Office  
1000 Westinghouse Drive, Suite 380  
Cranberry Township, PA 16066

2013 JUL 23 AM 8: 26

July 19, 2013

RECEIVED

Project Number 694

OG-13-252

Document Control Desk  
U. S. Nuclear Regulatory Commission  
Washington, DC 20555-0001

5/20/2013  
78 FR 29392  
(2)

Subject: PWR Owners Group  
**PWR Owners Group Comments on Draft NRC Regulatory Issue Summary, "Embedded Digital Devices in Safety-Related Systems, or Systems Important to Safety and Items Relied on for Safety, ML12248A065 - Docket ID NRC-2013-0098"**

Attention: Cindy Bladey, Chief, Rules, Announcements, and Directives Branch (RADB),  
Office of Administration,  
Mail Stop: TWB-05-B01M,  
U.S. Nuclear Regulatory  
Commission, Washington, DC 20555-0001

Draft "NRC Regulatory Issue Summary 2013-#### "Embedded Digital Devices in Safety-Related Systems, Systems Important to Safety, and Items Relied on for Safety," was issued for comment per Federal Register / Vol. 78, No. 97 dated Monday, May 20, 2013.

The PWROG agrees that licensees should be aware of the potential impacts of making plant modifications associated with digital devices, and that all of the potential impacts need to be identified, and evaluated correctly, thoroughly, and completely to determine whether prior NRC approval is required.

However, it is essential that the industry preserve the capability to make modifications involving digital devices using the criteria of 10 CFR 50.59, after completing a thorough evaluation of the potential impacts. Not only is this necessary to address equipment obsolescence and aging, but in many cases improved reliability and safety can be realized through the unique capabilities of digital devices such as self checking features. The ability to make carefully considered and thoroughly evaluated modifications involving digital devices using 10 CFR 50.59 represents the most efficient use of industry and NRC resources.

The PWROG appreciates the opportunity to comment on this draft RIS.


SUNSI Review Complete  
Template = ADM - 013  
E-RIDS= ADM-03  
Add= E. Eagle (eol)

Correspondence related to this transmittal, including requests for additional information, should be addressed to:

Mr. W. Anthony Nowinowski, Program Manager  
PWR Owners Group, Program Management Office  
Westinghouse Electric Company LLC  
1000 Westinghouse Drive, Suite 380  
Cranberry Township, Pennsylvania 16066

If you have any questions, please do not hesitate to contact me at (205) 992-7037, or Mr. W. Anthony Nowinowski at (412) 374-6855.

Sincerely,



Jack Stringfellow, Chairman  
PWR Owners Group

CMH:las

cc: PWROG Management Committee  
PWROG I&C Working Group  
PWROG LSC Subcommittee  
PWROG PMO  
S. Greenlee - Exelon  
G. Clefton - NEI

J. Andrachek – Westinghouse  
J. Moorehead – Westinghouse  
T. Harbaugh – Westinghouse  
M. Ackman – Westinghouse  
D. Olinski - Westinghouse