



Chairwoman Allison MacFarlane  
US Nuclear Regulatory Commission  
Mail Stop O-16G4  
Washington, DC 20555-0001

July 23, 2013

**Petitions calling for the closure of Indian Point and for improved health and safety measures**

Dear Chairwoman MacFarlane,

Hudson River Sloop, Clearwater Inc., representing ten thousand members in the Hudson River Valley, has respectfully included, for your review, petitions signed by concerned citizens of New York State regarding the issues related to the Indian Point Energy Center (IPEC). Please find enclosed two separate, but related, petitions:

- 1) a petition to close Indian Point, and
- 2) a petition to upgrade health and safety measures at Indian Point.

Signatures on these petitions were collected at Clearwater's Great Hudson River Revival on the weekend of June 15-16, 2013. 639 people are calling for an upgrade of health and safety measures related to Indian Point, and an additional 809 people (with some overlap) are calling to close Indian Point entirely, as to well as upgrade health and safety measures. As these documents indicate, there are many individuals who wish to see action taken to strengthen safety mechanisms within a more appropriate radius around the Indian Point Nuclear Power Plant, to reevaluate the framework of nuclear power regulations in general, and – for many – to close and safely decommission Indian Point. A significant number of New Yorkers, as well as others who live in the tri-state area, remain concerned over the possible catastrophic health, economic, and environmental problems the continued operation of the IPEC could cause if Entergy Corporation and the Nuclear Regulatory Commission are allowed to carry-on in a "business-as-usual" manner.

As numerous hearings and reports have shown there are many economically viable energy alternatives to IPEC available in New York State. By supporting actions to strengthen precautionary policies that reinforce nuclear power regulation, you will demonstrate a strong commitment to protecting the present and future economic, public health, and environmental resilience of New York State and in doing so, will define yourself as an advocate for sound and sustainable energy policies. We hope that you will consider the collective voice of these individuals in your deliberations on this issue.

Thank you for your time and consideration.

Sincerely,

Manna Jo Greene, Environmental Director  
[mannajo@clearwater.org](mailto:mannajo@clearwater.org) 845-265-8080 x 7113

cc: New York State Governor Andrew M. Cuomo



Clearwater

**Manna Jo Greene**  
Environmental Action Director

[mannajo@clearwater.org](mailto:mannajo@clearwater.org)

845-265-8080, x7113

Fax 845-831-2821

Cell 845-807-1270

Hudson River Sloop Clearwater, Inc.

724 Wolcott Avenue

Beacon, NY 12508

[www.clearwater.org](http://www.clearwater.org)

*Creating the Next Generation of Environmental Leaders*



## PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	STEVEN A. KNAPP	Steven A. Knapp	10579	SaKnapp@BestWeb.net
2.	Melissa Billings	Melissa Billings	12533	web melissabillings@100@gmail.com
3.	William Hall	William Hall	11560	JANDBHALL@yahoo.com
4.	Gina Bull	Gina Bull	10954	,
5.	Louisa Abada	Louisa Abada	07043	
6.	Rachel Mirito	Rachel Mirito	11103	
7.	Anna Aetna	Anna Aetna	12769	Lannahruka2005@yahoo.com
8.	Gil Kulick	Gil Kulick	12769	gil_kulick@yahoo.com
9.	JOY Brown	Joy Brown	06285	
10.	Jim Perrone	Jim Perrone	10537	

COMPLETE PETITION? MAKE COPIES FIRST!

**MAIL ORIGINAL TO:**

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001

**MAIL COPIES TO:**

HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224

HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



# PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Alex Rappaport		12477	
2.	NAS SCHUBISCH		12477	
3	Bill Muzer		12961	
4	CHARLES RAIT		10463	
5	Jim Hornsten		10522	
6	Danil Slater		10025	
7	Stephen Rosenberg		05655	
8	Rob Martin		23320	
9	Shelley Kessler		10564	
10				

COMPLETE PETITION? MAKE COPIES FIRST!

**MAIL ORIGINAL TO:**  
**MAIL COPIES TO:**

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001  
HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224  
HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



## PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Dennis Feeney	<i>Dennis Feeney</i>	97330	notwist76@yahoo.com
2.	Anne TK Vaccaro	<i>Anne TK Vaccaro</i>	07014	vaccaroaj@aol.com
3	Allie Vaccaro	<i>Allie Vaccaro</i>	07044	Alliev17@aol.com
4	Carol Prelmutter	<i>Carol Prelmutter</i>	10591	
5	Kristin Wfretman	<i>Kristin Wfretman</i>	10563	
6	DAVID BRANDOWSKI	<i>David Brandowski</i>	10533	DAVIDBRANDOWSKI@HOTMAIL.COM
7	Connie Haack	<i>Connie Haack</i>	10606	conniehaack@gmail.com
8	Joyce Meyers	<i>Joyce Meyers</i>	10012	j2meyers@AIC.com
9	Bill Messner	<i>Bill Messner</i>	07421	
10				

COMPLETE PETITION? MAKE COPIES FIRST!

MAIL ORIGINAL TO:

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001

MAIL COPIES TO:

HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224

HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



## PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.				
2.				
3				
4				
5				
6				
7				
8				
9				
10				

**COMPLETE PETITION? MAKE COPIES FIRST!**

**MAIL ORIGINAL TO:**  
**MAIL COPIES TO:**

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001  
HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224  
HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



## PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	LUIS CAIESA		10001	lcaiesa@gmail.com
2.	Steve Gradman		10002	sgradman@gmail.com
3.	Jesse Abdolrhman		11106	miab.abdohman@hotmail.com
4.	Eud Weishaus		10960	eudweishaus@optonline.net
5.	David Hughes		08904	dhughes@ny.gov.edu
6.	Sophia M'Dermott-Hughes		08904	andyouthoughtyouwerecool@gmail.com
7.	P. Gabbriellini		10543	
8.	D. Gabbriellini		10024	Dgabbriel@gmail.com
9.	JAMES ROBINSON		118326	James.F.Robinson@yahoo.com
10.				

COMPLETE PETITION? MAKE COPIES FIRST!

**MAIL ORIGINAL TO:**

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001

**MAIL COPIES TO:**

HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224

HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



## PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.				
2.				
3				
4				
5				
6				
7				
8				
9				
10				

**COMPLETE PETITION? MAKE COPIES FIRST!**

**MAIL ORIGINAL TO:**

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001

**MAIL COPIES TO:**

HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224

HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



# PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Danny Reis	Danny Reis	12590	dveis91@yahoo.com
2.	Paulo Reis	Paulo Reis	10	Paulreis91@yahoo.com
3.	Caro Sanchez	Caro M. Sanchez	11	
4.	RACHEL ANCEY	Rachel Ancey	12075	
5.	Kelly Ryan	Kelly Ryan	07043	KellyRyan12345@yahoo.com
6.	Tama Hansonbrook	Tama Hansonbrook	10560	
7.	Jonathan Hansonbrook	Jonathan Hansonbrook	10660	
8.	Micah Hansonbrook	Micah Hansonbrook	10560	
9.	Freddie Gillen Jr.	Freddie Gillen Jr.	10566	
10.	Helga Feder	Helga Feder	10471	

COMPLETE PETITION? MAKE COPIES FIRST!

MAIL ORIGINAL TO:

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001

MAIL COPIES TO:

HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224

HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



## PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.			10038	
2.				
3				
4				
5				
6				
7				
8				
9				
10				

**COMPLETE PETITION? MAKE COPIES FIRST!**

**MAIL ORIGINAL TO:**  
**MAIL COPIES TO:**

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001  
HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224  
HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



# PETITION TO CLOSE INDIAN POINT - NOT RELICENSE IT

Nuclear Power



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	MIRIAM WEINBERGER	<i>M Weinberger</i>	10567	mwws@optonline.net
2.	DAVID WEINBERGER	<i>David Weinberger</i>	10567	mwws@optonline.net
3.	ANDREW D. MAW	<i>Andrew D. Maw</i>	13215	ambundns9@gmail.com
4.	<i>Orlando J. Xavier</i>	<i>Orlando J. Xavier</i>		
5.	ORLANDO J. XAVIER	<i>Orlando J. Xavier</i>	12563	FLORAZANN@AOL.COM
6.	JOAN TRABER	<i>Joan Traber</i>	10606	jj's33@verizon.net
7.	JUANITA MEJIA	<i>Juanita Mejia</i>	10469	juanitamajia8@msn.com
8.	JAMES MEJIA	<i>James Mejia</i>	10469	james.mejia3@yahoo.com
9.	KAREN LEBOWITZ	<i>Karen Lebowitz</i>	10986	KarenLebowitz@hotmail.com
10.	TIM TELGEN	<i>Tim Telgen</i>	13323	Telgen@Hamilton.edu

COMPLETE PETITION? MAKE COPIES FIRST!

MAIL ORIGINAL TO:  
MAIL COPIES TO:

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001  
HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224  
HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



## PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	KERIN FERALLI	<i>[Signature]</i>	10028	KFABFOUR@yahoo.com
2.	Dan Fullerton	<i>[Signature]</i>	10562	
3.	Mary Lewandowski	<i>[Signature]</i>	49506	
4.	Pete Lewandowski	<i>[Signature]</i>	49506	
5.	Julie Ansbach	<i>[Signature]</i>	237444	
6.	Kara Dean	<i>[Signature]</i>	11	
7.	Anuta Rothé	<i>[Signature]</i>	10463	ar4the@gmail.com
8.	Alex Shaffer	<i>[Signature]</i>	04921	
9.				
10.				

COMPLETE PETITION? MAKE COPIES FIRST!

**MAIL ORIGINAL TO:**  
**MAIL COPIES TO:**

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001  
HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224  
HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



# PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Ben Abramson	<i>Ben Abramson</i>	11106	abramson.ben@gmail.com
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				

COMPLETE PETITION? MAKE COPIES FIRST!

**MAIL ORIGINAL TO:** CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001  
**MAIL COPIES TO:** HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224  
 HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



## PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.				
2.				
3				
4				
5				
6				
7				
8				
9				
10				

**COMPLETE PETITION? MAKE COPIES FIRST!**

**MAIL ORIGINAL TO:**

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001

**MAIL COPIES TO:**

HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224

HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



# PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Vanette Knipe	Vanette Knipe	10010	vk@legal-aid.org
2.	Walt Benson Jr	Walt Benson	11561	
3.	Elisabeth Raskopf	E Raskopf	10560	
4.	John Dyer	J. Dyer	10968	
5.				
6.				
7.				
8.				
9.				
10.				

COMPLETE PETITION? MAKE COPIES FIRST!

MAIL ORIGINAL TO:

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001

MAIL COPIES TO:

HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224

HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



## PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				

**COMPLETE PETITION? MAKE COPIES FIRST!**

**MAIL ORIGINAL TO:**

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001

**MAIL COPIES TO:**

HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224

HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



## PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Diana Stewart	<i>Diana J Stewart</i>	10001	dstewart1msw@gmail.com
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				

COMPLETE PETITION? MAKE COPIES FIRST!

**MAIL ORIGINAL TO:**

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001

**MAIL COPIES TO:**

HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224

HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



## PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.				
2.				
3				
4				
5				
6				
7				
8				
9				
10				

**COMPLETE PETITION? MAKE COPIES FIRST!**

**MAIL ORIGINAL TO:**  
**MAIL COPIES TO:**

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001  
HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224  
HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



# PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Jennifer Zaso		11222	jenniferzaso@gmail.com
2.		Aaron Powers	11222	archie.com & hotmail
3	Wes Hannah		12461	wes.hannah@gmail.com
4	Brian Stocus		07643	
5	Alexis Stambach		11222	
6	Andrea Gerch		11218	
7	PETRA A. GROSS		10590	
8				
9				
10				

COMPLETE PETITION? MAKE COPIES FIRST!

**MAIL ORIGINAL TO:**

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001

**MAIL COPIES TO:**

HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224

HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



## PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.				
2.				
3				
4				
5				
6				
7				
8				
9				
10				

**COMPLETE PETITION? MAKE COPIES FIRST!**

**MAIL ORIGINAL TO:**

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001

**MAIL COPIES TO:**

HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224

HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



## PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Don Katter	<i>[Handwritten Signature]</i>	10583	Ron.Katter@aol.com
2.	Peg Taylor	<i>[Handwritten Signature]</i>	10566	peg524@yahoo.com
3.	Cathy Bales	<i>[Handwritten Signature]</i>	07430	
4.	Carol Struble	<i>[Handwritten Signature]</i>	12589	
5.	Lauren White	<i>[Handwritten Signature]</i>	11218	
6.				
7.				
8.				
9.				
10.				

COMPLETE PETITION? MAKE COPIES FIRST!

**MAIL ORIGINAL TO:**

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001

**MAIL COPIES TO:**

HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224

HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



## PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.				
2.				
3				
4				
5				
6				
7				
8				
9				
10				

**COMPLETE PETITION? MAKE COPIES FIRST!**

**MAIL ORIGINAL TO:**

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001

**MAIL COPIES TO:**

HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224

HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



## PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Cosme Aponte Ayala	<i>Cosme Aponte Ayala</i>	10603	
2.				
3				
4				
5				
6				
7				
8				
9				
10				

COMPLETE PETITION? MAKE COPIES FIRST!

MAIL ORIGINAL TO:  
MAIL COPIES TO:

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001  
HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224  
HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



## PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.				
2.				
3				
4				
5				
6				
7				
8				
9				
10				

**COMPLETE PETITION? MAKE COPIES FIRST!**

**MAIL ORIGINAL TO:**

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001

**MAIL COPIES TO:**

HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224

HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



## PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT

The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:



- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Allison Smith	Allison Smith	12302	absmith22@hotmail.com
2.				
3				
4				
5				
6				
7				
8				
9				
10				

**COMPLETE PETITION? MAKE COPIES FIRST!**

**MAIL ORIGINAL TO:**

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001

**MAIL COPIES TO:**

HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224

HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



## PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Richard Grisson	<i>[Signature]</i>	02878	richerg3@yahoo.com
2.	Rachel Chandlerworth	<i>[Signature]</i>	01062	
3.	JEFFREY GILL	<i>[Signature]</i>	11507	
4.	JOSE RAMIREZ	<i>[Signature]</i>	71566	
5.	NIKKI JOSEPH	<i>[Signature]</i>	10577	
6.	Armin Kelleher	<i>[Signature]</i>	06825	armin.k@optonline.net
7.	Martin O'Brian	<i>[Signature]</i>	07612	jt.tarago17@duffield.edu
8.	JANICE E HARRIS	<i>[Signature]</i>	08923	geojudo007@aol.com
9.	Matt Mandel	<i>[Signature]</i>	10463	mdmandel@gmail.com
10.	KERRI LENIHAN	<i>[Signature]</i>	12529	Catskillmomma@aol.com

COMPLETE PETITION? MAKE COPIES FIRST!

MAIL ORIGINAL TO:  
MAIL COPIES TO:

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001  
HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224  
HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131

COM



# PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Michael Whiting		12804	mwhiting79@hotmail.com
2.	Sarah Goodyear		28692	sarahgoodyear911@gmail.com
3	KERRY KOTNER		07456	kkf48@msn.com
4	Tanya Zazyulina		33914	
5	Duncan Crawley		12446	dnc1300@hotmail.com
6	Hannah Vestergaard		12446	
7	MARIONNE CONTZ		11010	maribicycle0903@aol.com
8	Fatima Hussain		11432	afatimahussain861@aol.com
9	Josh Wood		11211	
10	Kaitlin Kall		11211	

COMPLETE PETITION? MAKE COPIES FIRST!

MAIL ORIGINAL TO:

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001

MAIL COPIES TO:

HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224

HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



# PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	ANISHA REDDY	Anish Reddy	10304	anisha.reddy@stoneyp Brook.edu
2.	MARISA CONTE	marisa conte	11010	marisakc78@yahoo.com
3	Alison Koenig	Alison Koenig	12177	Koenig_ali@yahoo.com
4	Debra Stolcroff	Debra Stolcroff	05667	
5	Cindy Folkers	[Signature]	20901	
6	Leslie Aullnamacho	[Signature]	05301	
7	LIA MARRERO	Lia Marrero	13452	aycart333@yahoo.com
8	CAMERON WILLIAMS	[Signature]	12404	sustainableSandwiches@gmail.com
9	Sandy Delapoulos	Sandy Delapoulos	07753	sdelop@gmail.com
10	Michel Lee	[Signature]	10583	aveenlee

COMPLETE PETITION? MAKE COPIES FIRST!

**MAIL ORIGINAL TO:**  
**MAIL COPIES TO:**

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001  
HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224  
HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



## PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Robert Reardon	Robert Reardon	10520	
2.	Emmanuelle Par	[Signature]	10027	
3.	ELIZABETH GOLDHAMMER	Elizabeth Goldhammer	19125	biz_goldhammer@yahoo.com
4.	Teddy Pearlman	Teddy Pearlman	10025	teddy_pearl@earthlink.net
5.	Patrick Kyle	Patrick Kyle	12401	
6.	Sarah Gibbons	Sarah Gibbons	12401	
7.	Diane K. Epstein	Diane K. Epstein	07885	} db13@optonline.net
8.	Bernie Epstein	Bernie Epstein	07885	
9.	Geri Stein	[Signature]	12561	GeriStein@aol.com
10.	Rebecca Burgess Thillet	Rebecca Burgess Thillet	12023	rbjthillet@yahoo.com

COMPLETE PETITION? MAKE COPIES FIRST!

MAIL ORIGINAL TO:

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001

MAIL COPIES TO:

HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224

HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



## PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Robert J Schloss	<i>Rob Schloss</i>	10510	
2.	Robert Crisalli	<i>Robert Crisalli</i>	10306	TWIGGABOX@LIVE.COM
3	LISA BRENNAN	<i>Lisa Brennan</i>	06615	LMB501e@AOL.COM
4	ROB GOGAN	<i>Rob Gogan Jr</i>	01720	rob_gogan@harvard.edu
5	IAN MILTON	<i>Ian Milton</i>	12477	
6	Jill Olesker	<i>Jill Olesker</i>	12498	jillsylvia2004@yahoo.com
7	Greg Reardon	<i>Greg Reardon</i>	10963	gregmikreardon@gmail.com
8	Lori Seward	<i>Lori Seward</i>	31535	mikelori@hotmail.com
9	Sandy Hill	<i>Sandy Hill</i>	19320	hals22@verizon.net
10	MT TFFER	<i>MT TFFER</i>	06605	MICK.TFFER@GMAIL.COM

COMPLETE PETITION? MAKE COPIES FIRST!

MAIL ORIGINAL TO:

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001

MAIL COPIES TO:

HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224

HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



# PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Maurzen Garner-Ritter	Maurzen Garner-Ritter	10901	
2.	ERIC BRADLEY	Eric Bradley	71210	
3	Jacinta Early	Jacinta Early	10017	Jacinta@clearwater.org
4	Allison Filler	Allison Filler	10533	allyfiller@gmail.com
5	JOEY PERR	Joey Perr	11215	
6	Olivia Rye	Olivia Rye	11222	
7	Carlos Vazquez	Carlos Vazquez	11377	N/A
8	Ron Chomias	Ron Chomias	10567	allegheny99@hotmail.com
9	BARBARA YANTZ	Barbara Yantz	05742	BARBARAYANTZ@Comcast.net
10	KLAUS RITENBACH	Klaus H. Ritenbach	07753	CLIMATEKLAUS@GMAIL.COM

COMPLETE PETITION? MAKE COPIES FIRST!

**MAIL ORIGINAL TO:**  
**MAIL COPIES TO:**

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001  
HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224  
HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



# PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Dennis Helle	<i>Dennis Helle</i>	10314	dennis@dennishelle.com
2.	Yuxi Zhou	<i>Yuxi Zhou</i>		contact@yuxi.com
3.	JAMES DUAN	<i>James Duan</i>	06776	JDUAN11@CHALET.NE
4.	Carol Winters	<i>Carol Winters</i>	06906	EWINTMETHER@gmail.com
5.	Emily Mottahedeh	<i>Emily Mottahedeh</i>	11201	MOTTAHEDEH.EMILY@gmail.com
6.	Sanam Shetty	<i>Sanam Shetty</i>	11364	
7.	Ferret Redmond	<i>Ferret Redmond</i>	05356	
8.	Ann Redmond	<i>Ann Redmond</i>	05356	
9.	PAUL McGOVERN	<i>Paul McGovern</i>	08734	
10.	NICK FARROW	<i>Nick Farrow</i>	11211	NICK@ROCKFALLREVOLUTION.COM

COMPLETE PETITION? MAKE COPIES FIRST!

MAIL ORIGINAL TO:

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001

MAIL COPIES TO:

HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 12224

HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



## PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	MARK LECKNER	<i>Mark Leckner</i>	12721	MU29591@CITLINK.NET
2.	Gae Powell	<i>Gae Powell</i>	10969	
3	Christa Gyl	<i>Christa Gyl</i>	19122	
4	Erik Donaldson	<i>Erik Donaldson</i>	12477	erikdonaldson@yahoo.com
5	Carlee Meier	<i>Carlee Meier</i>	12529	
6	Eli Meier	<i>Eli Meier</i>	12529	
7	May Williams	<i>May Williams</i>	10598	
8	Nancy Kaplan	<i>Nancy Kaplan</i>	10541	
9	Greta Rusbarsky	<i>Greta Rusbarsky</i>	08540	
10	Emma Fry	<i>Emma Fry</i>	08540	

COMPLETE PETITION? MAKE COPIES FIRST!

**MAIL ORIGINAL TO:**

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001

**MAIL COPIES TO:**

HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224

HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



# PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	MARWA CRAMER		10973	
2.	Joe Bonomo		06905	
3	Laura Stoner		12525	
4	Olivia Mackee		12061	
5	Sandy Mackison		02139	
6	BRUCE LEIDERER		02137	
7	Alex Meran		07704	
8	Leah Mandel		10463	
9	Beth Dantona		12101	
10	Kyla Dayer		10520	

COMPLETE PETITION? MAKE COPIES FIRST!

**MAIL ORIGINAL TO:**  
**MAIL COPIES TO:**

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001  
HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224  
HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



## PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT

The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:



- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Lisa Thier	<i>Lisa Thier</i>	12464	
2.	SALLY CARTER	<i>Sally Carter</i>	19348	
3.	Lennie Kawmga	<i>Lennie Kawmga</i>	01039	
4.	Louise Devery	<i>Louise Devery</i>	18045	
5.	Ed Rollin	<i>Ed Rollin</i>	18045	
6.	Sue Lecuyer	<i>Sue Lecuyer</i>	12047	
7.	Sue Swain	<i>Sue Swain</i>	49627	
8.	Nell Tomassen Rebon	<i>Nell Tomassen Rebon</i>	13849	
9.	Constance Barkour	<i>Constance Barkour</i>	02130	
10.	Kathleen S. Neuman Zinn	<i>Kathleen S. Neuman Zinn</i>	48420	

COMPLETE PETITION? MAKE COPIES FIRST!

**MAIL ORIGINAL TO:**  
**MAIL COPIES TO:**

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001  
HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224  
HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



# PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Julianne Nawara	Jules Carmela	11752	julescarmela@aol.com
2.	Kelly Conklin	Kelly Conklin	11510	kelcon1129@hotmail.com
3	Kirsten Anderson	Kirsten Anderson	10701	Kirstena1@MSN.com
4	Carlos Vazquez	[Signature]	11377	MA.
5	Edith Kantrowitz	[Signature]	11218	tedwaving@hotmail.com
6	IAN MELTON	[Signature]	12477	
7	Jan P. Christensen	Jan P. Christensen	11224	JBilgerata@aol.com
8	Lyn Borek	Lyn Borek	10952	
9	Mindy Weinblatt	Mindy Weinblatt	11374	
10	Joe DiPasquale	[Signature]	14170	

COMPLETE PETITION? MAKE COPIES FIRST!

**MAIL ORIGINAL TO:**  
**MAIL COPIES TO:**

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001  
HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 12224  
HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



## PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT

The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:



- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Donna McGrath	<i>Donna McGrath</i>	12143	_____
2.	Lenore Silver	<i>Lenore Silver</i>	07090	_____
3	Anita P.K. Brudos	<i>Anita Brudos</i>	12306	
4	Susan Cohen	<i>Susan Cohen</i>	21012	
5	Vivian Walter	<i>Vivian H Walter</i>	12908	_____
6	Yasuyo Tanaka	<i>Yasuyo Tanaka</i>	10026	
7	Ayumi Temlock	<i>Ayumi Temlock</i>	07003	
8	MARILYN FLANNERY	<i>Marilyn Flannery</i>	17236	
9	DAN FLANNERY	<i>Dan Flannery</i>	17236	
10	BERELEN DAVIES	<i>Beren Davies</i>	10025	_____

COMPLETE PETITION? MAKE COPIES FIRST!

**MAIL ORIGINAL TO:**

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001

**MAIL COPIES TO:**

HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224

HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



# PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Elizabeth Grey	<i>Elizabeth Grey</i>	11730	lizgrey74@gmail.com
2.	Christina Mugges	<i>Christina Mugges</i>	13490	christina.mugges@gmail.com
3	Amelia Macch	<i>Amelia Macch</i>	11961	akizumiko@yahoo.com
4	Natalie Myers	<i>Natalie Myers</i>	97086	Natalie.Myers15@gmail.com
5	Bryan Flynn	<i>Bryan Flynn</i>	12603	bfflynn918@gmail.com
6	Brendan Mineogue	<i>Brendan Mineogue</i>	11772	Mineogue.Brendan@gmail.com
7	Joe Kissel	<i>Joe Kissel</i>	11730	joekissel@ymail.com
8	Katie Colagioia	<i>Katie Colagioia</i>	11798	KatieColagioia@brooklyn.edu
9	Louise Harmon	<i>Louise Harmon</i>	21214	
10	Jack McGRATH	<i>Jack McGRATH</i>	12143	

COMPLETE PETITION? MAKE COPIES FIRST!

MAIL ORIGINAL TO:  
MAIL COPIES TO:

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001  
HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224  
HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



# PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Susan Hoskins	<i>Susan B. Hoskins</i>	14867	sbh1@cornell.edu
2.	Nordica Holbrook	<i>Nordica Holbrook</i>	12477	nholbrook@snad.com
3	Danielle Kahn	<i>Danielle Kahn</i>	10023	-
4	Robert C. Din	<i>Robert C. Din</i>	10377	RCDIN@0533@AOL.com
5	LESLIE GRAY	<i>Leslie Gray</i>	01330	
6	MICHAEL JORDAN	<i>Michael Jordan</i>	01330	
7	Sam Marinucci	<i>Sam Marinucci</i>	10701	
8	Roger Stelman	<i>Roger Stelman</i>		
9	Nancy Zallo	<i>Nancy Zallo</i>	10591	
10	Laura Ellis	<i>Laura Ellis</i>	10549	

COMPLETE PETITION? MAKE COPIES FIRST!

**MAIL ORIGINAL TO:**

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001

**MAIL COPIES TO:**

HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224

HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



## PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	CHERRY SCHACHER	<i>Cherry Schacher</i>	12020	CSQUILTS@NYCAP.RR.COM
2.	STEPHEN SUPER	<i>Stephen Super</i>	12534	longview@mheable.com
3.	Zach Iskran	<i>Zach Iskran</i>	12054	zachiskran57@gmail.com
4.	Judy Wells	<i>Judy Wells</i>	10526	judywells@optonline.net
5.	Lisa Gilmarin	<i>Lisa Gilmarin</i>	07643	~
6.	Dee Jones	<i>Dee Jones</i>	14624	deejones@yahoo.com
7.	MARK CARNAUTO	<i>Mark Carnauto</i>	14435	onthegetty@yahoo
8.	Sally Chan	<i>Sally Chan</i>	03903	-
9.	DEDE ROSS	<i>Dede Ross</i>	10707	-
10.	Kathryn Culley	<i>Kathryn Culley</i>	12401	

COMPLETE PETITION? MAKE COPIES FIRST!

MAIL ORIGINAL TO:

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001

MAIL COPIES TO:

HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224

HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



# PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Tony Maresco	<i>Tony Maresco</i>	12601	—
2.	Alan Green	<i>Alan Green</i>	10025	
3	david celia	<i>David Celia</i>	LSA278	invisiblink@hotmail.com
4	Susan Gamache	<i>Susan Gamache</i>	12582	on file
5	William S. Monroe	<i>William S. Monroe</i>	02996	on file
6	Catherine McElroy	<i>Catherine McElroy</i>	06825	—
7	Rebecca Jordan	<i>Rebecca Jordan</i>	07853	—
8	JANINE BENDER	<i>Janine Bender</i>	11563	—
9	JOE WACHTEL	<i>Joe Wachtel</i>	10405	—
10	Madeline DeLany	<i>Madeline DeLany</i>	12428	—

COMPLETE PETITION? MAKE COPIES FIRST!

**MAIL ORIGINAL TO:**

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001

**MAIL COPIES TO:**

HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224

HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



# PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Murray Rosenthal	<i>Murray Rosenthal</i>	11238	
2.	Melissa Cruz	<i>Melissa Cruz</i>	12506	<i>onlynot@9.com</i>
3.	JOSHUA GREENOUGH	<i>Joshua Greenough</i>	12446	
4.	Thaddius McFarlan	<i>Thaddius McFarlan</i>	10453	<i>Thaddiusm@gmail.com</i>
5.	Michael Hochman	<i>Michael Hochman</i>	11743	<i>Michaelgib@gmail.com</i>
6.	Taji Riley	<i>Taji Riley</i>	10454	<i>taji4@validusprep.org</i>
7.	Jesse Grossman	<i>Jesse Grossman</i>	14216	
8.	ERIC KOLLENBERG	<i>Eric Kollenberg</i>	12561	
9.	PAT PAGAWA	<i>Patricia Pagawa</i>	07480	
10.	Rebecca Leuchter	<i>Rebecca Leuchter</i>	02906	<i>rleuchter@gmail.com</i>

COMPLETE PETITION? MAKE COPIES FIRST!

MAIL ORIGINAL TO:  
MAIL COPIES TO:

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001  
HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224  
HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



# PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Paul Weissen	<i>[Signature]</i>	10705	pweissen@optonline.net
2.	Jennifer Ringsted	<i>[Signature]</i>	10705	
3.	Deborah Martin	<i>[Signature]</i>	12404	
4.	KIRK BEASON	<i>[Signature]</i>	10032	
5.	Martin B. Greenberg	<i>[Signature]</i>	07302	
6.	Ralph Begg	<i>[Signature]</i>	18335	
7.	Betty Plichta	<i>[Signature]</i>	12561	wemail/5@earthlink.net
8.	Ralph Childers	<i>[Signature]</i>	12477	RPC12477@GMAIL.COM
9.	Katie Plichta	<i>[Signature]</i>	12229	
10.	Kristen Capozzolo	<i>[Signature]</i>	18013	

COMPLETE PETITION? MAKE COPIES FIRST!

**MAIL ORIGINAL TO:**  
**MAIL COPIES TO:**

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001  
HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224  
HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



## PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	KAREN KAYSONO		10980	NIVER333@Comcast.com
2.	D.L. JARVER		12477	meimaid78200@yahoo.com
3.	Bob Staurich		12561	bstaurich@earthlink.net
4.	Jeanne Ry		10024	
5.	Cecile C. Hadad		02720	rlh
6.	ARAN BAILY		10025	ARANPB@AOL.COM
7.	Edith Templeton		10701	edith.templeton@gmail.com
8.	LISA SANDERS		10025	
9.	Theresa Lane		10530	
10.	Dona Saxe		10526	d.Saxe@hotmail.com

COMPLETE PETITION? MAKE COPIES FIRST!

MAIL ORIGINAL TO:  
MAIL COPIES TO:

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001  
HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224  
HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



# PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Mary Reader	Mary Reader	10924	mary.reader@comcast.net
2.	Dorothy Winner	Dorothy Winner	10973	daw1045@gmail.com
3	GREG WINNER	Greg Winner	10973	GREGW120@LIVE.COM.
4	JANET MORRA	Janet J Morra	10520	Silveraux@yahoo.com
5	David Doud	David Doud	10520	ddoud@comcast.net
6	DAVID MOORE	David P. Moore	12144	
7	Cass L Shaw	Cass L Shaw	12303	
8	JOE Feczko	Joe Feczko	06614	
9	Linda Feczko	Linda Feczko	10022	
10	JONATHAN ROOPER	JONATHAN ROOPER	10512	

COMPLETE PETITION? MAKE COPIES FIRST!

MAIL ORIGINAL TO:

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001

MAIL COPIES TO:

HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224

HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



# PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Amis Legendre		12571	
2.	Flynn O'Shaughnessy		10512	
3.	Katherine Zepher		11570	
4.	Rebecca Cooper		11570	
5.	Wayne Scalbn		11768	
6.	Gail Weiler		10533	
7.	Richard A. Weiler		10533	
8.	Barry Elber		11590	
9.	MERLE ARNOLD		11590	
10.	Richard E Berg		10011	

COMPLETE PETITION? MAKE COPIES FIRST!

**MAIL ORIGINAL TO:**  
**MAIL COPIES TO:**

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001  
HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224  
HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



# PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Dorothy Ross	Dorothy Ross	10031	dorothyross@juno.com
2.	Antonoffsky	[Signature]	10001	
3.	Amia Klacich	Amia Klacich	11961	AKIZUMIKE@yashan.com
4.	Jill Greenbaum	Jill Greenbaum	10910	jillgreenbaum@optonline.net
5.	Christina Vaccaro	Christina Vaccaro	11364	VACBREIL@AOL.COM
6.	Johanna Sagari	[Signature]	01532	
7.	ADAM FALCON	Adam Falcon		
8.	MARK MICHIRINA	Mark Michrina	16635	mmichrina@atlanticbb.net
9.	Matt Michrina	Matt Michrina	16635	mattmichrina@atlanticbb.net
10.	Julie Snow	Julie Snow	10930	julbradley@gmail.com

COMPLETE PETITION? MAKE COPIES FIRST!

MAIL ORIGINAL TO:

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001

MAIL COPIES TO:

HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224

HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



# PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Michael Dunn	<i>Michael Dunn</i>	07067	MIKE DONN1958@
2.	Karen M. Dunn	<i>Karen M. Dunn</i>	07067	mdunn2500@yahoo.com
3.	ELISA ZAZZERA	<i>Elisa Zazzera</i>	10706	zazzera.elisa@gmail.com
4.	Jason Smith	<i>Jason Smith</i>	13210	SyracuseSpring@gmail
5.	ROGER REED	<i>Roger Reed</i>	01230	
6.	Nicholas Perry	<i>Nicholas Perry</i>	11720	
7.	Kathleen McCarty	<i>Kathleen McCarty</i>	11379	
8.	Shelley Volk	<i>Shelley Volk</i>	10801	
9.	Katie Colagioia	<i>Katie Colagioia</i>	11492	Kaitlyn Colagioia@ <sup>sony</sup> comcast
10.	Deirdre Delaney	<i>Deirdre Delaney</i>	12308	deirdre-delaney@verizon.net

COMPLETE PETITION? MAKE COPIES FIRST!

MAIL ORIGINAL TO:  
MAIL COPIES TO:

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001  
HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224  
HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



# PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Eileen Connelly	<i>Eileen Connelly</i>	10547	<i>econnelleen@gmail.com</i>
2.	John P. Connelly	<i>John P. Connelly</i>	10547	
3	Phil Sansano	<i>Phil Sansano</i>	10011	<i>phil@wwrf.org</i>
4	Yasuyo Tanaka	<i>Yasuyo Tanaka</i>	10026	<i>keykyoyo@gmail.com</i>
5	Martha Conte	<i>Martha Conte</i>	10604	<i>francina198@optimum.net</i>
6	Naeelab Hussaini	<i>Naeelab Hussaini</i>	06831	<i>nmhussaini@aol.com</i>
7	Alex Conte	<i>Alex Conte</i>	10604	<i>aconte029@gmail.com</i>
8	Dominic Conte	<i>Dominic Conte</i>	10604	<i>gradsource@gmail.com</i>
9	HEAN KINDLER	<i>Hean Kinder</i>	10301	<i>AFKINDLER@GMAIL.COM</i>
10	APRIL GRAMOLINI	<i>April Gramolini</i>	02903	<i>Aprilg59@gmail.com</i>

COMPLETE PETITION? MAKE COPIES FIRST!

MAIL ORIGINAL TO:

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001

MAIL COPIES TO:

HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224

HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



# PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Richard Antone	<i>RA</i>	10001	Antonejazz2001@yahoo.com
2.	Andrew Manning	<i>Andrew Manning</i>	10579	amanning@nred.org
3.	Daniel Manning	<i>Daniel Manning</i>	10579	
4.	Jeff Steen	<i>Jeff Steen</i>	12721	other@swartzon.com
5.	THOMAS SPIES	<i>TS</i>	07405	TJSPIES@GMAIL.COM
6.	Tom EGYHAZI	<i>Tom EGYHAZI</i>	33001	
7.	NANCY EGYHAZI	<i>Nancy Egi</i>	33001	
8.	Katy Vecchia	<i>Katy Vecchia</i>	06810	
9.	Mary Callahan	<i>Nancy Callahan</i>	10023	ecore@... from
10.	Don Dietz	<i>Don Dietz</i>	11804	

COMPLETE PETITION? MAKE COPIES FIRST!

**MAIL ORIGINAL TO:**  
**MAIL COPIES TO:**

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001  
HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224  
HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



# PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Samantha Lifson	<i>[Signature]</i>	10709	Sammylif@gmail.com
2.	SUSAN ROSEN	<i>[Signature]</i>	12477	suara@auranyc.org
3	Tom Hecker	<i>[Signature]</i>	10596	Thom.Hecker2@gmail.com
4	Chris Trainor	<i>[Signature]</i>	07825	cunt1cathome@hotmail.com
5	LUCAS PLATT	<i>[Signature]</i>	07063	
6	David Cosgrove	<i>[Signature]</i>	11201	hudsontorch@aol.com
7	Bryan Flynn	<i>[Signature]</i>	12603	bFlynn918@gmail.com
8	Taylor Hard	<i>[Signature]</i>	11741	thard908@aol.com
9	William Underhill-Hval	<i>[Signature]</i>	12446	wunderhill@gmail.com
10	Allan Goldhammer	<i>[Signature]</i>	12401	

COMPLETE PETITION? MAKE COPIES FIRST!

**MAIL ORIGINAL TO:**

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001

**MAIL COPIES TO:**

HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224

HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



## PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT

The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:



- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Carole Green	<i>Carole Green</i>	10520	
2.	Deirdre Breach	<i>Deirdre Breach</i>	10520	
3	Pamela A. Lowe	<i>Pamela A. Lowe</i>	11721	
4	Ken Ruter	<i>Ken Ruter</i>	11788	
5	Dennis Rollins	<i>[Signature]</i>	10567	
6	Armen Colono	<i>[Signature]</i>	10029	
7	Jessica Mellow	<i>Jessica Mellow</i>	10027	
8	Susan Newman	<i>Susan Newman</i>	10598	
9	Brian Sussman	<i>Brian Sussman</i>	10801	briince@gmail.com
10	Leonard Jay Alexander	<i>Leonard Jay Alexander</i>	06478	

COMPLETE PETITION? MAKE COPIES FIRST!

**MAIL ORIGINAL TO:**  
**MAIL COPIES TO:**

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001  
HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224  
HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



# PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Miguel Rivera		10024	rivera.miguelantonio787@gmail.com
2.	David E. Cohen		08540	david@decaarchitect.com
3	Liz Cohen		08540	liz@decaarchitect.com
4	<del>Carl Zalkin</del>			
5	Gabriel Zalkin		12789	gez889@aol.com
6	Lisa Kolbert			
7	LISA LAMBERTA		10025	—
8	Robert V. Ritter		19158	RVRR1753@aol.com
9	Nicholas Pescy		11720	
10	David Rubin		10010	2020aa+duark@gmail.com

COMPLETE PETITION? MAKE COPIES FIRST!

MAIL ORIGINAL TO:

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001

MAIL COPIES TO:

HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224

HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



# PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	ANN PATTON	<i>Ann Patton</i>	10524	annie.k.patton@gmail.com
2.	Kathy Stevenson	<i>Kathy S</i>	10520	stevenson.kathleen@gmail.com
3	Anita Riserer	<i>Anita R</i>	11727	ariserer@comcast.com
4	Mark Giodetto	<i>M G</i>	10510	markgiodetto@aol.com
5	David Baldwin	<i>David Baldwin</i>	32207	David_Dietz-Baldwin@comcast.net
6	Cory Jackson	<i>Cory J</i>	10580	cj2023@gmail.com
7	Nancy Jackson	<i>Nancy Jackson</i>	10548	njacksonj@gmail.com
8	Nenny Stutz	<i>Nenny Stutz</i>	19701	⊖
9	Bill Wolff	<i>Bill Wolff</i>	19701	⊖
10	Stan Novak	<i>Stan Novak</i>	11791	

COMPLETE PETITION? MAKE COPIES FIRST!

MAIL ORIGINAL TO:  
MAIL COPIES TO:

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001  
HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224  
HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



## PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	George Lamb	Geo. Lamb	10003	s+lamb@hotmail.com
2.	Maha Eltobgy	Maha Eltobgy	10003	maha_eltobgy@yahoo.com
3.	Susan Lorne	Susan Lorne	11230	—
4.	Laura Fisher			
5.	MICHAEL DORRITTE	Michael Dorritte	12466	Securon@aol.com
6.	VIRGINIA KURSHAN	Virginia Kurshan	07040	
7.	F. Blackman	F. Blackman	02040	
8.	R. SWARTENBERG	R. Swartenberg	10956	
9.	Victoria Beerman	Victoria Beerman	11218	
10.	Robert Lee	Robert Lee	11231	wheretorobert02@yahoo

COMPLETE PETITION? MAKE COPIES FIRST!

MAIL ORIGINAL TO:

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001

MAIL COPIES TO:

HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224

HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



# PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Mallory Glaser	<i>M Glaser</i>	11231	mallory.glaser@gmail.com
2.	Judith E Fletcher	<i>Judith E Fletcher</i>	10463	jefletcher@riverdale.edu
3.	Deirdre Breen	<i>Deirdre Breen</i>	10520	
4.	Danny Rao	<i>D Rao</i>	12950	
5.	Neall Burger	<i>Neall Burger</i>	12484	
6.	<del>Thomas Hejning</del>			
7.	Laurie Hirsch Schutz	<i>L Hirsch Schutz</i>	10591	Lhirschschutz@gmail.com
8.	Cody Buesing	<i>Cody Buesing</i>	12548	cody.buesing@gmail.com
9.	Lynn Crevling	<i>Lynn Crevling</i>	12518	lcrevling@gmail.com
10.	Tom Hejning	<i>Tom Hejning</i>	10562	thomashejning@yeshiva.com

COMPLETE PETITION? MAKE COPIES FIRST!

**MAIL ORIGINAL TO:**  
**MAIL COPIES TO:**

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001  
HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 12224  
HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



# PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	VIVIAN CARTER	<i>Vivian Carter</i>	11694	VCAARTER@ny.c.rr.com
2.	Ellen Silon	<i>Ellen Silon</i>	80122	elsilon@comcast.com
3	Christine Fogler	<i>Christine Fogler</i>	07717	
4	MANDI MARYAMA	<i>Mandi Maryama</i>	06897	
5	Linda Brennan	<i>Linda Brennan</i>	07262	Lmdabrenna@optonline.net
6	DAN KAINEN	<i>Daniel Keenan</i>	10003	
7	Melvyn Tarzmin	<i>Melvyn Tarzmin</i>	10547	
8	Lisa Latasa	<i>Lisa Latasa</i>	10541	
9	Louise Belfiglio	<i>Louise Belfiglio</i>	10940	
10	John M. Juecnay	<i>John M. Juecnay</i>	10958	

COMPLETE PETITION? MAKE COPIES FIRST!

**MAIL ORIGINAL TO:**  
**MAIL COPIES TO:**

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001  
HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224  
HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



# PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Michael Hochman		11743	Michaelgh12@gmail.com
2.	Lisa DiCarlo		12518	
3.	Benji Perron-feller		11361	
4.	Michael Dederick		12520	chefmdederick@gmail.com
5.	Cathy Bevan		10349	
6.	April Gramolin		02903	Aprilg59@gmail.com
7.	KEN ASKILDSEN		10950	Kenask@optonline.net
8.	Joanne Askildsen		06604	joannr07@optonline.net
9.	KATHY YOUNG		10031	NURSEYOUNG@AOL.COM
10.	Peter Fuldberg		10970	Pfg321@gmail.com

COMPLETE PETITION? MAKE COPIES FIRST!

**MAIL ORIGINAL TO:**  
**MAIL COPIES TO:**

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001  
HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224  
HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



# PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	John M. Whelden	<i>John M. Whelden</i>	18066	ARTW9299@Verizon.Net
2.	JOSEPH BRAUN	<i>Joseph R</i>	10003	JOE@WIDESPHERE.COM
3.	Bonnie L. Cassidy	<i>Bonnie L. Cassidy</i>	06810	42 MARY BROOK RD Triles 9.
4.	MC KEMMEY <sup>Newton</sup>	<i>some</i>	06810	11 11
5.	Ernestine Segun	<i>Ernestine</i>	.11554	
6.	Emily Rosenblum	<i>Emily Rosenblum</i>	07666	
7.	Pat Schwartz	<i>Patricia Schwartz</i>	10512	
8.	Stephanie Levine	<i>Stephanie Levine</i>	10019	Stephanie.Levine@gmail
9.	Anne Marx	<i>Anne Marx</i>	10520	
10.	J Quinter	<i>J Quinter</i>	11372	

COMPLETE PETITION? MAKE COPIES FIRST!

**MAIL ORIGINAL TO:**  
**MAIL COPIES TO:**

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001  
HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224  
HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131

## PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Judith Lockard	Judith Lockard	08530	jrditlockard@comcast.net
2.	Laurie Roca	Laurie Roca	10956	
3.	James Carrozzini	James Carrozzini	11518	
4.	Emma Boorboor	Emma Boorboor	10018	
5.	Rosemary Thomas	Rosemary Thomas	12590	
6.	Natasha Orzech-Byrnes	Natasha Orzech-Byrnes	11215	
7.	Carlin Orzech-Byrnes	Carlin Orzech-Byrnes	11215	
8.	JAN ORZECK	Jan Orzech	11215	
9.	Vicki Fox	Vicki Fox	12508	
10.	Adrienne Fabrizio	Adrienne Fabrizio	10598	ALEIASU@GMAIL.COM

COMPLETE PETITION? MAKE COPIES FIRST!

**MAIL ORIGINAL TO:**

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001

**MAIL COPIES TO:**

HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224

HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



# PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Edward Hazan	<i>[Signature]</i>	03908	moremonday@hotmail.com
2.	ZES Galipzan	<i>[Signature]</i>	05301	ZESGALIPZAN@YAHOO.COM
3.	Bob Schlotf	<i>[Signature]</i>	11201	Schl24@aol.com
4.	Maxine Schlotf	<i>[Signature]</i>	11201	
5.	Michael Fox	<i>[Signature]</i>	07401	fox-m.a@yahoo.com
6.	<del>Alison</del> MARILYN SCHOPP	<i>[Signature]</i>	11218	
7.	BARBARA SMITH	<i>[Signature]</i>	10566	BARBARA7TREES@AOL.COM
8.	Stephen Fildheim	<i>[Signature]</i>	11218	
9.	Carolyn Sutton	<i>[Signature]</i>	12528	
10.	Jim Lyons	<i>[Signature]</i>	12561	

COMPLETE PETITION? MAKE COPIES FIRST!

MAIL ORIGINAL TO:  
MAIL COPIES TO:

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001  
HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 12224  
HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC. PO Box 131. Ossining, NY 10562-0131



# PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Gary Sachs		05302	
2.	Cesla Sullivan Sachs		05301	
3.	Cindy Folkers		20901	
4.	Schmir Momin		13210	
5.	James E. Murphy	James E. Murphy	14850	
6.	Suzen		10014	
7.	Nicholas J. Moore		12144	
8.	Selma Dzienic		10924	
9.	Allison Chamberlain		10703	
10.	KEVIN CHAMBERLAIN		10703	

COMPLETE PETITION? MAKE COPIES FIRST!

**MAIL ORIGINAL TO:**  
**MAIL COPIES TO:**

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001  
HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 12224  
HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



# PETITION TO CLOSE INDIAN POINT - NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Annelise Vlacich	<i>Annelise Vlacich</i>	11717	tbs18live@hotmail.com
2.	Tara Sun	<i>Tara Sun</i>	07450	eli.benoli5@gmail.com
3.	Bruce Mulla	<i>Bruce Mulla</i>	07073	bmenken@ny.sagepub.com
4.	Jan Gehl	<i>Jan Gehl</i>	12561	cosmos5@hwi.net
5.	Lulu Liu	<i>Lulu Liu</i>	07607	luliu@MML.com
6.	Sally Brown	<i>Sally Brown</i>	11219	sallybenay@yahoo.com
7.	DAN LAIBSTAIN	<i>Dan F. Laibstain</i>	18901	dulcetones@verizon.net
8.	Marcia Kosstrin	<i>Marcia Kosstrin</i>	06902	agulafor@aol.com
9.	Ken Bromberg	<i>Ken Bromberg</i>	11701	<i>Ken Bromberg</i>
10.	Vin Caposeta	<i>Vin Caposeta</i>	10562	-

COMPLETE PETITION? MAKE COPIES FIRST!

MAIL ORIGINAL TO:

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001

MAIL COPIES TO:

HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224

HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



# PETITION TO CLOSE INDIAN POINT - NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Jos Ferrer	<i>[Signature]</i>	11952	vlacinja@ptonline.net
2.	Nicole Nhat	<i>[Signature]</i>	14703	latanico@gmail.com
3.	Anita Louis	<i>[Signature]</i>	07960	a9astrid@yahoo.com
4.	Diane Rosen	<i>[Signature]</i>	10701	DLR49@aol.com
5.	Robert Rosen	<i>[Signature]</i>	10701	→
6.	Aime Latawa	<i>[Signature]</i>	10541	
7.	Alicja Karmierowska	<i>[Signature]</i>	10512	
8.	Madeline Lenchner	<i>[Signature]</i>	10560	madelinesierra95@aim.com
9.	Alexa Salvato	<i>[Signature]</i>	10560	alexasalvato@yahoo.com
10.	Jan Bernhardt	<i>[Signature]</i>	11577	SBernhardt@FHWATCH.NY

COMPLETE PETITION? MAKE COPIES FIRST!

**MAIL ORIGINAL TO:**  
**MAIL COPIES TO:**

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001  
HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 12224  
HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



# PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Bruce Page	<i>Bruce C. Page</i>	10514	bpage@hospiceofwestchester.com
2.	Albert Chini	<i>Albert Chini</i>	08553	ajchini1@aol.com
3	Ian Appleby	<i>Ian Appleby</i>	06851	ianappleby@gmail.com
4	B. Williams	<i>B. Williams</i>	10520	
5	Sean Madden	<i>Sean Madden</i>	12208	
6	Sean Madden	<i>Sean Madden</i>	12208	
7	Lance Edwards	<i>Lance Edwards</i>	11542	
8	Jacqueline M Edwards	<i>Jacqueline M Edwards</i>	11542	
9	Karen Filler	<i>Karen Filler</i>	10533	
10	Gail Ann Dorsey	<i>Gail Ann Dorsey</i>	12401	damedorsey@aol.com

COMPLETE PETITION? MAKE COPIES FIRST!

MAIL ORIGINAL TO:

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001


MAIL COPIES TO:

HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224

HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



## PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Ralph Olson	<i>Ralph Olson</i>	10964	DRPAO4949@ymhco
2.	Irene Diamond	<i>Irene Diamond</i>	11218	
3.	Antonia Weidenbacher	<i>Antonia Weidenbacher</i>	12498	toniweidenbacher@gmail.com
4.	Anne Diaz-Matos	<i>Anne Diaz Matos</i>	12404	annediazmatos@gmail.com
5.	Deb Alcazar	<i>Deb Alcazar</i>	06851	galsx2@ad.com
6.	Patricia Nigro	<i>Patricia Nigro</i>	12477	
7.	Judith Wine	<i>J Wine</i>	10605	—
8.	Keira Tschowitz	<i>Keira Tschowitz</i>	13208	teshok@ken.yne.edu
9.	Hailey Tschowitz	<i>Hailey Tschowitz</i>	13208	
10.	GENEVIEVE SPAIN	<i>Genevieve Spain</i>	10706	GENEVR221@icloud.com

COMPLETE PETITION? MAKE COPIES FIRST!

**MAIL ORIGINAL TO:**  
**MAIL COPIES TO:**

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001  
HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224  
HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



# PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Mitchell Hubsher	<i>[Signature]</i>	06877	
2.	Catherine Moore	<i>[Signature]</i>	12528	
3.	Linda Rubin	<i>[Signature]</i>	12412	
4.	Judy Kroopf	<i>[Signature]</i>	10524	jdance63@gmail.com
5.	Mark Cross	<i>[Signature]</i>	07508	
6.	Sean Carroll	<i>[Signature]</i>	12569	
7.	Jane Carroll	<i>[Signature]</i>	12569	
8.	Chris Carroll	<i>[Signature]</i>	12569	
9.	Lina Amissov	<i>[Signature]</i>	12533	Scarm1228@gmail.com
10.	Sarah Armar	<i>[Signature]</i>	12525	sra56@Cornell.edu

COMPLETE PETITION? MAKE COPIES FIRST!

**MAIL ORIGINAL TO:**  
**MAIL COPIES TO:**

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001  
HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224  
HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



# PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Christie Delbrey		12001	c-delbrey@yahoo.com
2.	CARLY BREYER		12508	carly.cate@gmail.com
3	Ryan Palmer		12508	ryan@clearwater.org
4	Hannah Monroe		02906	
5	WILLIAM DAVENPORT		07642	PILLY8@APL.COM
6	Mary Davenport		07642	" "
7	Tom O'Neil		12561	tkodone@gmail.com
8	Bryan Rushong		12561	
9	KAREN KATZ		10583	
10	Leonard Smith		63118	

COMPLETE PETITION? MAKE COPIES FIRST!

**MAIL ORIGINAL TO:**  
**MAIL COPIES TO:**

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001  
HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 12224  
HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



## PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT

The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:



- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	WILHELM SPWALI	<i>W Spwali</i>	12590	
2.	Elmde Karge	<i>Elmde K</i>	10566	
3.	Bob Stien	<i>[Signature]</i>	10960	
4.	Cheryl Brendwein	<i>Cheryl Brendwein</i>	10533	brendwein@y2kso.com
5.	Rebecca Flynn	<i>Rebecca Flynn</i>	14527	
6.	Kathe Sandstrom	<i>Kathe Sandstrom</i>	12561	
7.	J.V. Antonoffsky	<i>J.V. Antonoffsky</i>	10007	
8.	ISABEL GOLDSTEIN	<i>Isabel Goldstein</i>	10025	none
9.	Christina Horzeka	<i>Christina Horzeka</i>	10519	
10.	Colin Moskowitz	<i>Colin Moskowitz</i>	07631	

COMPLETE PETITION? MAKE COPIES FIRST!

**MAIL ORIGINAL TO:**  
**MAIL COPIES TO:**

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001  
HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224  
HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



## PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Howard Gross	<i>Howard Gross</i>	12943	
2.	LAWNA HARRAGAN	<i>Lawnna Harragan</i>	10924	vasta@frontier.net
3.	Julie Schipper	<i>Julie Schipper</i>	11201	Julie.Schipper@gmail.com
4.	Erica	<i>Erica</i>	10960	
5.	Axel	<i>Axel</i>	23231	
6.	Steve Suxerian	<i>Steve Suxerian</i>	01054	
7.	Eugene Hammond	<i>Eugene Hammond</i>	12589	ehamond@erj.com
8.	JACK WALZ	<i>Jack Walz</i>	10520	
9.	Jessica Meyer	<i>Jessica Meyer</i>	13031	
10.	ELISA SWALL	<i>Elisa Swall</i>	12590	

COMPLETE PETITION? MAKE COPIES FIRST!

MAIL ORIGINAL TO:  
MAIL COPIES TO:

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001  
HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224  
HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



# PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	AKADORNA	<i>[Signature]</i>		akadornd@yahoo.co.uk
2.	Marta Land	<i>[Signature]</i>	07028	mrand@hustonline.org
3.	Ed Gando	<i>[Signature]</i>	06811	gandoe@jshaw.com
4.	Tom MILLER	<i>[Signature]</i>	11205	g.wells@509mail
5.	MARIAN HARRISON	<i>[Signature]</i>	12777	mHarrison7@huc.rri.com
6.	Teresa Valencia	<i>[Signature]</i>	06851	galax2002@yahoo.com
7.	Terry McLaughlin	<i>[Signature]</i>	11063	TJMCL3@optonline.net
8.	April Collins	<i>[Signature]</i>	10509	
9.	Jonathan Brooker	<i>[Signature]</i>	12487	
10.	Rebel Underhill	<i>[Signature]</i>	12446	RQvestme@gmail.com

COMPLETE PETITION? MAKE COPIES FIRST!

**MAIL ORIGINAL TO:**  
**MAIL COPIES TO:**

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001  
HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 12224  
HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



# PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Kristina Dittich	<i>Kristina Dittich</i>	10506	kd1233@gmail.com
2.	Ray Roy	<i>Ray Roy</i>	10567	—
3.	J. Roy	<i>Jason Roy</i>	11211	
4.	RAY ROY III	<i>Ray Roy III</i>	12508	
5.	RAY BANAS	<i>Ray Banas</i>	19129	
6.	Sharon Kennehy-Cohen	<i>Sharon Kennehy-Cohen</i>	11561	skennehy@gmail.com
7.	Laura Stroffolino	<i>Laura Stroffolino</i>	19129	
8.	Joe Duranck	<i>Joe Duranck</i>	19129	Jed.Send.it.here@gmail.com
9.	Jerry Nelson	<i>Jerry Nelson</i>	10009	
10.	Colin May	<i>Colin May</i>	08227	

COMPLETE PETITION? MAKE COPIES FIRST!

MAIL ORIGINAL TO:

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001

MAIL COPIES TO:

HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224

HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



## PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT

The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:



- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Melissa Ruth Gilligan	M Ruth Gilligan	11772	mruthgilligan@hotmail.com
2.	MARTHE SCHULWOLF	Marthe Schulwolf	10968	martheny@verizon.net
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				

COMPLETE PETITION? MAKE COPIES FIRST!

**MAIL ORIGINAL TO:**

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001

**MAIL COPIES TO:**

HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224

HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



## PETITION TO CLOSE INDIAN POINT – NOT RELICENSE IT



The safest thing we can do for our community is to close Indian Point; in the meantime here are important measures that need to be put into effect immediately.

We, the undersigned, strongly urge the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

- Move spent fuel rods into hardened dry cask storage as quickly as is safely possible
- Provide full containment for the spent fuel pools and control rooms; establish independent back up electricity and cooling for spent fuel pools
- Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
- Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
- Remedy the flaws and deficiencies regarding the emergency evacuation plan raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
- Consider all seismological information prior to relicensing

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Chris Papa		12477	CA742@aol
2.	Elizabeth Davis Jones		10541	Holduplight@aol.com
3.	Stewart Meyers		12561	smeyers@hvc.com
4.	Cynthia Brown		12561	cbdesign.cindy@gmail.com
5.	Jeanne Meyer		10549	jeanne.meyer@verizon.net
6.	Cliff Johnson		11792	
7.	Joan Oleck		11238	joanoleck@optimum.net
8.	LINDA FLYNN		07630	flynn.linda.m@aol.com
9.	ED BUETT		17652	ED.Buett@cbmaes.com
10.	LUCINDA MANNING		10562	you already have it

COMPLETE PETITION? MAKE COPIES FIRST!

**MAIL ORIGINAL TO:**  
**MAIL COPIES TO:**

CHAIRWOMAN ALLISON MACFARLANE, US NUCLEAR REGULATORY COMMISSION, Mail Stop O-16G4, Washington, DC 20555-0001  
HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224  
HUDSON RIVER SLOOP CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508 and to IPSEC, PO Box 131, Ossining, NY 10562-0131



# PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors or from spent fuel storage Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate whether the plant is closed and decommissioned or is relicensed and continues to operate. Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Judith Wine	<i>J Wine</i>	10605	—
2.	Keira Teschowitz	<i>Keira Teschowitz</i>	13208	teschow@lenape.edu
3.	GENEVIEVE Spaul	<i>G Spaul</i>	10706	
4.	Erica	<i>Erica</i>	10960	
5.	ERIC HARTELUS	<i>Eric Hartelius</i>	12446	
6.	Cheyenne Hartelius	<i>Cheyenne Hartelius</i>	12446	
7.	Eugene Hamano	<i>E Hamano</i>	12589	ehamano@ercc.com
8.	Jessica Mever	<i>Jessica Mever</i>	13031	
9.	ELISA SAWALL	<i>Elisa Sawall</i>	12590	
10.	WILHELM SAWALL	<i>W Sawall</i>	12590	

HAVE YOU COMPLETED THIS PETITION? MAKE A COPY FIRST, then:

- MAIL ORIGINAL TO: THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- MAIL COPY TO: YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508

**PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT**



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors **or from spent fuel storage** Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate **whether the plant is closed and decommissioned or is relicensed and continues to operate**. Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	<i>[Signature]</i>	<i>[Signature]</i>	10968	papa04949@ymail.com
2.	Anne Diaz-Matos	<i>[Signature]</i>	12404	annediazmatos@gmail.com
3.	Bob Alcala	<i>[Signature]</i>	06851	galsxz@aol.com
4.	Jerry A Gerard	<i>[Signature]</i>	12463	ervgerard@yahoo.com
5.	Ken Bronberg	<i>[Signature]</i>	11201	KBronberg@rc.com
6.	Jim Caposola	<i>[Signature]</i>	10562	—
7.	Keith Condon	<i>[Signature]</i>	10966	KHCondon@yahoo.com
8.	David Condon	<i>[Signature]</i>	10546	dcondon54@aol.com
9.	Lynn Vazquez	<i>[Signature]</i>	18901	—
10.	Pat Nizzo	<i>[Signature]</i>	12477	—

HAVE YOU COMPLETED THIS PETITION? **MAKE A COPY FIRST, then:**

- **MAIL ORIGINAL TO:** THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- **MAIL COPY TO:** YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508

## PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors or from spent fuel storage Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate **whether the plant is closed and decommissioned or is relicensed and continues to operate.** Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation

#	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Heather Cooper	<i>Heather Cooper</i>	10520	hk@shanshang.com
2.	Jim Noel	<i>Jim Noel</i>	07825	CEM@NOEL.YAHOO.COM
3.	Carol Kolinger	<i>Carol Kolinger</i>	11360	CKOLinger@YAHOO.COM
4.	Chester Nason	<i>Chester Nason</i>	12563	QKoster2@comcast.net
5.	STEPHAN NASON	<i>Stephen Nason</i>	48104	stevenson@att.net
6.	Hannah Lally	<i>Hannah Lally</i>	02446	hannah.lally@yahoo.com
7.	KEVIN LARDNER	<i>Kevin Lardner</i>	10003	LardnerK@hotmail.com
8.	Emma Murphy	<i>Emma Murphy</i>	12561	em4296@earthlink.net
9.	Natasha Bynum	<i>Natasha Bynum</i>	12561	fruitykid96@aol.com
10.	Tom O'Connor	<i>Tom O'Connor</i>	11102	oconnor.tf@gmail.com

**HAVE YOU COMPLETED THIS PETITION? MAKE A COPY FIRST, then:**

- **MAIL ORIGINAL TO:** THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- **MAIL COPY TO:** YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508



# PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors **or from spent fuel storage** Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate **whether the plant is closed and decommissioned or is relicensed and continues to operate**. Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Liana Segan	<i>Liana Segan</i>	10023	liana.segan19@gmail.com
2.	Gris PARAVE	<i>Gris Parave</i>	11218	PARAVEC@yahoo.com
3.	Jack Steele	<i>Jack Steele</i>	05401	Jsteele@UVM.edu
4.	George Fullerton	<i>George Fullerton</i>	03045	
5.	Elizabeth Alpert	<i>Elizabeth Alpert</i>	14620	alpertliz7@gmail.com
6.	James Bearden	<i>James Bearden</i>	14620	jeb.bearden@gmail.com
7.	GLENN KLUMS	<i>Glenn Klums</i>	22301	DAN_GERBOY@YAHOO.COM
8.	Steven Dubroff	<i>Steven Dubroff</i>	10516	
9.	Theresa Baker-Pickering	<i>Theresa Baker-Pickering</i>	14213	
10.	PAT SCHORIB	<i>Pat Schorib</i>	12533	

HAVE YOU COMPLETED THIS PETITION? **MAKE A COPY FIRST, then:**

- > **MAIL ORIGINAL TO:** THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- > **MAIL COPY TO:** YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508



# PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors or from spent fuel storage Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate whether the plant is closed and decommissioned or is relicensed and continues to operate. Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	PATRICK GRATTAN		10548	pgrat10@yahoo.com
2.	DAVID SWEET		11010	davesmail@post.com
3.	Gloria McArthur		12528	gloria@wmacneff.com
4.	MARY ANN WINTER		10559	MAWINTERS@AOL.COM
5.	Meghan Adamoli		19130	littlemeghan@hotmail
6.	Peter A. Poccia		12477	darrag_dod@hotmail
7.	Jeff Hymen		10469	jhym0@aol.com
8.	Wendy Allen		06854	wendy.allen@sbcglobal.net
9.	Astrid Stephenson		06854	aster_rose@sbcglobal.net
10.	Gina Piazza		1096	gina@piazza.us

HAVE YOU COMPLETED THIS PETITION? MAKE A COPY FIRST, then:

- **MAIL ORIGINAL TO:** THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- **MAIL COPY TO:** YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508



# PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors or from spent fuel storage Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate **whether the plant is closed and decommissioned or is relicensed and continues to operate.** Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Bruce Ginsberg	<i>[Signature]</i>	10522	
2.	Shelley Segel	<i>[Signature]</i>	94605	bellshell@comcast.net
3.	<del>Dan Witt</del> S. Rogers	<i>[Signature]</i>	10967	
4.	S. Rogers	<i>[Signature]</i>	19460	
5.	Faith Schaut	<i>[Signature]</i>	14226	
6.	John P. Hughes	<i>[Signature]</i>	12411	
7.	AL BURKE	<i>[Signature]</i>	10598	ALBURKE1@Verizon.net
8.	Lisa Rossdale	<i>[Signature]</i>	11563	MURKHALISA@aol.com
9.	Karen Ferrillo	<i>[Signature]</i>	11563	TMD143143@aol.com
10.	Craig Eldridge	<i>[Signature]</i>	67430	chadw@netmail.com

HAVE YOU COMPLETED THIS PETITION? **MAKE A COPY FIRST, then:**

- **MAIL ORIGINAL TO:** THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- **MAIL COPY TO:** YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508



# PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors or from spent fuel storage Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate **whether the plant is closed and decommissioned or is relicensed and continues to operate.** Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Sandy Hale		19320	hales22@verizon.net
2.	LINDA FRANCHHELL		14216	FRANCHHELL.LINDA@MSN.COM
3.	ELISA ZAZZERA		10700	zazzera.elisa@gmail.com
4.	JOAN SMITH		13210	Syracuse Springs @ gmail
5.	Peter Cardillo		07079	PCardillo @ AOL.LI
6.	James P McCarty		11379	
7.	Kathleen McCarty		11379	
8.	Shelley Volk		10801	
9.	ANNA FLOURNOY-LATIMER		10536	anna.flournoy.latimer@gmail.com
10.	Katie Colagiodia		11788	Kathryn.Colagiodia@STONYBROOK.EDU

HAVE YOU COMPLETED THIS PETITION? **MAKE A COPY FIRST, then:**

- > **MAIL ORIGINAL TO:** THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- > **MAIL COPY TO:** YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508



# PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors or from spent fuel storage Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate **whether the plant is closed and decommissioned or is relicensed and continues to operate.** Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	LISA BAENNAN	<i>Lisa Baennan</i>	06615	LMB51E@AOL.COM
2.	ROB GOGAN	<i>Robt M. Gogan Jr.</i>	01720	rob_gogan@harvard.edu
3.	Jerry Herman	<i>Jerry Herman</i>	10022	Jerryherman@Mc.com
4.	Chris Zimmermann	<i>Chris Zimmermann</i>	12205	
5.	Jeremy Roberts	<i>Jeremy Roberts</i>	16335	
6.	IAN MILTON	<i>Ian Milton</i>	12077	
7.	Jill Olester	<i>Jill Olester</i>	12498	jillsylvia2004@yahoo.com
8.	Diamond McLanahan	<i>Diamond McLanahan</i>	10940	beyondthisbeauty@hotmail.com
9.	John Schienerman	<i>John Schienerman</i>	10516	J.Barton5@AOL.com
10.	Eileen Schienerman	<i>Eileen Schienerman</i>	10516	eileenmccomb@me.com

HAVE YOU COMPLETED THIS PETITION? **MAKE A COPY FIRST, then:**

**MAIL ORIGINAL TO:** THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224

**MAIL COPY TO:** YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508



## PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors **or from spent fuel storage** Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate **whether the plant is closed and decommissioned or is relicensed and continues to operate**. Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Deirdre Delaney	<i>Deirdre Delaney</i>	12308	deirdre_delaney@verizon
2.	Antonoffsky	<i>[Signature]</i>	10001	
3.	Amelia Vlach	<i>Ami Uler</i>	11961	akizumiko@yahoo.com
4.	Jill Greenbaum	<i>Jill Greenbaum</i>	10970	jillgreenbaum@optonline.net
5.	Jaelyn Green-Stack	<i>Jaelyn Green-Stack</i>	11217	jgreenstack@gmail.com
6.	ANN PATTON	<i>Ann Patton</i>	10524	
7.	Juanita Mejia	<i>Juanita Mejia</i>	10469	juanitamejia8@msn.com
8.	Ann			
9.	SUNDAY HUMPHREY	<i>Sunday Humphrey</i>	10029	SUNDAYNY@AOL.COM
10.	CHERYL CARDRAW	<i>Cheryl Cardraw</i>	10634	MOSTLY MAMMALS PET CARE @ GMAIL.COM

HAVE YOU COMPLETED THIS PETITION? **MAKE A COPY FIRST, then:**

- **MAIL ORIGINAL TO:** THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- **MAIL COPY TO:** YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508



# PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors **or from spent fuel storage** Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate **whether the plant is closed and decommissioned or is relicensed and continues to operate**. Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Robert Reardon	<i>Robert Reardon</i>	10520	
2.	Jay Lustgarten	<i>Jay Lustgarten</i>	02891	jay@prohands.net
3.	Emmanuelle Paul	<i>Emmanuelle Paul</i>	10027	
4.	ELIZABETH GOLDHAMMER	<i>Elizabeth Goldhammer</i>	19125	biz-goldhammer@yahoo.com
5.	Patrick Kyle	<i>Patrick Kyle</i>	12401	
6.	Sarah Gibbons	<i>Sarah Gibbons</i>	12401	
7.	De B Epstein	<i>Debbie Epstein</i>	07887	
8.	Debbie Pierce	<i>Debbie Pierce</i>	48429	
9.	Robert Schloss	<i>Rob Schloss</i>	10510	
10.	TONDINI AVSTIN	<i>T. Avstin</i>	12583	

HAVE YOU COMPLETED THIS PETITION? **MAKE A COPY FIRST, then:**

- > **MAIL ORIGINAL TO:** THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- > **MAIL COPY TO:** YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508

# PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors or from **spent fuel storage** Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate **whether the plant is closed and decommissioned or is relicensed and continues to operate**. Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation

#	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	KEVIN KEYSER	<i>Kevin Keyser</i>	10980	mvk2323@6mail.com
2.	Bob Stammek	<i>Bob Stammek</i>	12561	bstammek@aol.com
3.	DL Varner	<i>DL Varner</i>	12477	mermaid78@aol.com
4.	Leile C Madad	<i>Leile C Madad</i>	02720	llc/
5.	Jeanne Roy	<i>Jeanne Roy</i>	10024	
6.	ALAN BAILY	<i>Alan Baily</i>	10025	ALANDB@aol.com
7.	Carol Madrid	<i>Carol Madrid</i>	12603	carola.madrid1@marist.edu
8.	Edith Templeton	<i>Edith Templeton</i>	10701	edith.templeton@gmail.com
9.	Bob Boxer	<i>Bob Boxer</i>	11590	
10.	Dusty Boxer	<i>Dusty Boxer</i>	11590	D30X86@gmail.com

**HAVE YOU COMPLETED THIS PETITION? MAKE A COPY FIRST, then:**

- **MAIL ORIGINAL TO:** THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- **MAIL COPY TO:** YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508



# PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors or from spent fuel storage Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate **whether the plant is closed and decommissioned or is relicensed and continues to operate.** Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation


	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Rebecca Leuchala	<i>Rebecca Leuchala</i>	02906	rleuchala@rwu.edu
2.	Tony Maresco	<i>Tony Maresco</i>	12601	Already on file
3.	Susan Gamache	<i>Susan Gamache</i>	12582	sue.gamache@gmail.com
4.	Paula Cancro	<i>Paula Cancro</i>	10588	pmcancro@yahoo.com
5.	William S. Monroe	<i>William S. Monroe</i>	02906	on file
6.	Cathy McElroy	<i>Cathy McElroy</i>	06825	-
7.	Rebecca Jordan	<i>Rebecca Jordan</i>	07853	-
8.	JANINE BENDER	<i>Janine Bender</i>	11563	-
9.	JOE WACHTEL	<i>Joe Wachtel</i>	10605	-
10.	Carol Steinhilber	<i>Carol Steinhilber</i>	12458	-

HAVE YOU COMPLETED THIS PETITION? **MAKE A COPY FIRST, then:**

- **MAIL ORIGINAL TO:** THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- **MAIL COPY TO:** YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508



# PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors or from spent fuel storage Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate whether the plant is closed and decommissioned or is relicensed and continues to operate. Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Jack McGRATH	<i>[Signature]</i>	12143	_____
2.	Anita P.K. Brudos	<i>[Signature]</i>	12306	_____
3.	Lenore Silver	<i>[Signature]</i>	07090	_____
4.	Gail Hardin	<i>[Signature]</i>	10548	_____
5.	Susan Cohen	<i>[Signature]</i>	21012	_____
6.	Vivian Walter	<i>[Signature]</i>	12508	_____
7.	Yasuyo Tanaka	<i>[Signature]</i>	10026	_____
8.	Ayumi Temlock	<i>[Signature]</i>	09003	_____
9.	MARILYN FLANNERY	<i>[Signature]</i>	17236	_____
10.	DAN FLANNERY	<i>[Signature]</i>	17236	_____

HAVE YOU COMPLETED THIS PETITION? MAKE A COPY FIRST, then:

- > **MAIL ORIGINAL TO:** THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- > **MAIL COPY TO:** YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508



# PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors **or from spent fuel storage** Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate **whether the plant is closed and decommissioned or is relicensed and continues to operate**. Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Christina Muggo	<i>Christina Muggo</i>	13490	christina.muggo@gmail.com
2.	Elizabeth Grey	<i>Elizabeth Grey</i>	11730	lizgrey74@gmail.com
3.	Natalie Myers	<i>Natalie Myers</i>	97086	Natalie.myers15@gmail.com
4.	Amelia Vlachich	<i>Amelia Vlachich</i>	11961	akizumika@getac.com
5.	Brendan Minogue	<i>Brendan Minogue</i>	11772	Minogue.Brendan@gmail.com
6.	Bryan Flynn	<i>Bryan Flynn</i>	12603	bfflynn918@gmail.com
7.	Katie Colagiovita	<i>Kathryn Colagiovita</i>	11788	Kathryn.Colagiovita@stonybrook.edu
8.	Joe Kissel	<i>Joe Kissel</i>	11730	jm.kissel@gmail.com
9.	Louise HARMONY	<i>Louise</i>	21214	_____
10.	Donna McGrath	<i>Donna</i>	12143	_____

HAVE YOU COMPLETED THIS PETITION? **MAKE A COPY FIRST, then:**

- **MAIL ORIGINAL TO:** THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- **MAIL COPY TO:** YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508



# PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors or from spent fuel storage Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate whether the plant is closed and decommissioned or is relicensed and continues to operate. Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation


	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Lisa Gilmartin	<i>Lisa Gilmartin</i>	07643	~
2.	Rebecca Lebevez	<i>Rebecca Lebevez</i>	21784	
3.	Justin Bow	<i>Justin Bow</i>	10566	—
4.	DAVE CARVALLO	<i>Dave Carvallo</i>	14435	—
5.	Dee Jones	<i>Dee Jones</i>	14624	dee.n.roe@yahoo.com
6.	Sally Chan	<i>Sally Chan</i>	03903	—
7.	Rebecca Morris	<i>Rebecca Morris</i>	03844	
8.	Kathryn Cullen	<i>Kathryn Cullen</i>	12401	
9.	Dene Ross	<i>Dene Ross</i>	10707	
10.	ABDOU HAYE	<i>Abdou Haye</i>	14850	

HAVE YOU COMPLETED THIS PETITION? MAKE A COPY FIRST, then:

- > MAIL ORIGINAL TO: THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- > MAIL COPY TO: YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508



# PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors or from spent fuel storage Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate **whether the plant is closed and decommissioned or is relicensed and continues to operate.** Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation


	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Kathleen S. Newman Zinn	<i>Kathleen Newman Zinn</i>	48420	Katzinn@Katzinn.com
2.	William L. Hatorber	<i>William L. Hatorber</i>	77355	LanceTravels@yahoo.com
3.	CHERRY SCHACHER	<i>Cherry Schacher</i>	12020	CSQWLTSE@NYCAP.PP.COM
4.	Roseanna Stokes	<i>Roseanna Stokes</i>	12461	roseanna@plorthlink.net
5.	Jennifer Parker	<i>Jennifer Parker</i>	12037	
6.	Jennifer Kelly	<i>Jennifer Kelly</i>	06218	jkelly123@gmail.com
7.	Vina McDermott	<i>Vina McDermott</i>	06005	
8.	John Gillier	<i>John Gillier</i>	08825	
9.	Ang Cohen	<i>Ang Cohen</i>	10567	
10.	Sam Boyles	<i>Sam Boyles</i>	06115	

HAVE YOU COMPLETED THIS PETITION? **MAKE A COPY FIRST, then:**

- > **MAIL ORIGINAL TO:** THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- > **MAIL COPY TO:** YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508



# PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors or from spent fuel storage Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate whether the plant is closed and decommissioned or is relicensed and continues to operate. Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Nancy Zallo	<i>Nancy Zallo</i>	10591	
2.	Charles P Rabinowitz	<i>Charles P Rabinowitz</i>	10538	
3.	John Petch	<i>John Petch</i>	17981	<i>johnpetch@yahoo.com</i>
4.	Jordan Greenough	<i>Jordan Greenough</i>	12446	
5.	Elizabeth Severino	<i>Elizabeth Severino</i>	10463	
6.	Marcus Caerres	<i>Marcus Caerres</i>	10452	
7.	Jennifer Kiss	<i>Jennifer Kiss</i>	10465	<i>Jennifer.kiss@gmail.com</i>
8.	ERIC KOLLENBERG	<i>Eric Kollenberg</i>	12561	
9.	Patricia Korf	<i>Patricia Korf</i>	07480	
10.	Pat Pagana	<i>Pat Pagana</i>	07480	

HAVE YOU COMPLETED THIS PETITION? MAKE A COPY FIRST, then:

- **MAIL ORIGINAL TO:** THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- **MAIL COPY TO:** YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508

# PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors **or from spent fuel storage** Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate **whether the plant is closed and decommissioned or is relicensed and continues to operate**. Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation

#	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	NORDINE HABECK	<i>[Signature]</i>	12477	nholochwick@gmail.com
2.	Danielle Kahn	<i>[Signature]</i>	10023	danielle-kahn@amda.edu
3.	LESLIE GRAY	<i>[Signature]</i>	01330	lesliegray@earthlink.net
4.	MICHAEL JORDAN	<i>[Signature]</i>	01330	
5.	Hector Mendez	<i>[Signature]</i>	11743	JDPphotographer1@yahoo.com
6.	Janeen Shautelman	<i>[Signature]</i>	0458	
7.	Sam Marinucci	<i>[Signature]</i>	10701	
8.	Rettie Winfield	<i>[Signature]</i>	10801	21 ciave St. New Rochelle NY
9.	Alison White	<i>[Signature]</i>	45701	
10.	Laura Elias	<i>[Signature]</i>	10549	laura7@verizon.net

**HAVE YOU COMPLETED THIS PETITION? MAKE A COPY FIRST, then:**

- **MAIL ORIGINAL TO:** THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- **MAIL COPY TO:** YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508

# PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors **or from spent fuel storage** Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate **whether the plant is closed and decommissioned or is relicensed and continues to operate**. Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation


#	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Joe DiPasquale	<i>[Signature]</i>	14170	
2.	Lisa Thier	<i>[Signature]</i>	12464	
3.	Al Mall (last)	<i>[Signature]</i>	19348	
4.	Lennie Kaunzla	<i>[Signature]</i>	01039	
5.	Louise Devory	<i>[Signature]</i>	18045	
6.	Sue Lecuyer	<i>[Signature]</i>	12047	
7.	Nell Tomassen Reboh	<i>[Signature]</i>	13849	
8.	Sue Swain	<i>[Signature]</i>	49627	
9.	Cornie Barbour	<i>[Signature]</i>	02130	
10.	Sylvia Thunderbird	<i>[Signature]</i>	13365	

**HAVE YOU COMPLETED THIS PETITION? MAKE A COPY FIRST, then:**

- **MAIL ORIGINAL TO:** THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- **MAIL COPY TO:** YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508



# PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors **or from spent fuel storage** Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate **whether the plant is closed and decommissioned or is relicensed and continues to operate**. Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Beverly DAVIES	<i>Beverly Davies</i>	10025	
2.	Kelly Conklin	<i>Kelly Conklin</i>	11510	keicon1129@hotmail.com
3.	Juliann Navarra	<i>Juliann Navarra</i>	11752	julescarmela@aol.com
4.	Kirsten Andersen	<i>Kirsten Andersen</i>	10701	Kirstena1@MSN.com
5.	Edie Kantowitz	<i>Edie Kantowitz</i>	11218	rcwearing@hotmail.com
6.	Carlos Varquez	<i>Carlos Varquez</i>	11377	N/A
7.	IAN MILTON	<i>Ian Milton</i>	12477	
8.	CHARL GILLO	<i>Charl Gillo</i>	12562	
9.	Lisa Amberger	<i>Lisa M. Amberger</i>	10562	
10.	Mindy Weinblatt	<i>Mindy Weinblatt</i>	11374	

HAVE YOU COMPLETED THIS PETITION? **MAKE A COPY FIRST, then:**

- **MAIL ORIGINAL TO:** THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- **MAIL COPY TO:** YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508



# PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors or from spent fuel storage Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate whether the plant is closed and decommissioned or is relicensed and continues to operate. Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Steve Kehring	[Signature]	07533	
2.	Sam deMoy	[Signature]	12583	
3.	Jim Fleming	[Signature]	11211	
4.	Caroline Scherer	[Signature]	10570	
5.	Ernest Hayes	[Signature]	12568	
6.	PATRICK KELLY	[Signature]	10928	
7.	Jessica Siver	[Signature]	112K8	
8.	Katharrin Swiber	[Signature]	10591	
9.	Beatrice Baygion	[Signature]	10583	
10.				

HAVE YOU COMPLETED THIS PETITION? MAKE A COPY FIRST, then:

- **MAIL ORIGINAL TO:** THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- **MAIL COPY TO:** YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508



# PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors or from spent fuel storage Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate **whether the plant is closed and decommissioned or is relicensed and continues to operate.** Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Hannah Monroe		02906	hannahmonroe@gmail.com
2.	Colette Cunningham		07452	Cooscoffeelife@gmail
3.	Robert Corisalli		10306	TWIGGABOB@LIVE.COM
4.	Manfred LINDENBAUM		08527	belman57@aol
5.	Annabel Lindenbaum		08527	belman57@aol.com
6.	Jeff Abramson		10520	abramson+J@optonline.net
7.	Karen Delaney		12603	—
8.	Carlos Vazquez		11377	N/A
9.	John Breitbart		10025	J.BREIT@VERIZON.NET
10.	Allison Sbarra		14850	

HAVE YOU COMPLETED THIS PETITION? **MAKE A COPY FIRST, then:**

- > **MAIL ORIGINAL TO:** THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- > **MAIL COPY TO:** YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508

# PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors or from spent fuel storage Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate whether the plant is closed and decommissioned or is relicensed and continues to operate. Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	William Soltan	William Soltan	33446	W.Soltan@gmail.com
2.	Gail Payne	Gail Payne	11721	
3.	Ricki Soltan	Ricki Soltan	33446	
4.	Sam Shuster	Sam Shuster	12462	
5.	CHERYL ROTKOWSK,	Cherly Rotkowsk	11931	
6.	VERONICA DEKORINA	V DeKorina	11931	
7.	JAMES SNAPE	James Snape	55405	
8.	LORI DAVIS	Lori Davis	12790	lollylea16@yahoo
9.	Rich Wood	Rich Wood	02125	
10.	Rich Wood	Rich Wood	06468	

**HAVE YOU COMPLETED THIS PETITION? MAKE A COPY FIRST, then:**

- **MAIL ORIGINAL TO:** THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- **MAIL COPY TO:** YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508



# PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors or from spent fuel storage Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate **whether the plant is closed and decommissioned or is relicensed and continues to operate.** Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Richard Meimon	<i>[Signature]</i>	04103	<del>11366</del>
2.	Dorcas Swain	<i>[Signature]</i>	04123	
3.	Bob Martin	<i>[Signature]</i>	11366	
4.	STEPHANIE MARTIN	<i>[Signature]</i>	11366	
5.	Judy Walter	<i>[Signature]</i>	01360	
6.	Annie Parker	<i>[Signature]</i>	01040	
7.	DANIEL LOVINE	<i>[Signature]</i>	10570	
8.	Robert Levine	<i>[Signature]</i>	10570	
9.	KORA AEBANO	<i>[Signature]</i>	11237	KAEBAO@SUA.EDU
10.	Benjamin Albano	<i>[Signature]</i>	06811	bpa@bear@smail.com

HAVE YOU COMPLETED THIS PETITION? **MAKE A COPY FIRST, then:**

- > **MAIL ORIGINAL TO:** THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- > **MAIL COPY TO:** YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508



# PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors or from spent fuel storage Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate **whether the plant is closed and decommissioned or is relicensed and continues to operate.** Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Carmen Lopez	<i>[Signature]</i>	10000	
2.	Jessica Mellon	<i>[Signature]</i>	10027	
3.	Susan Newman	<i>[Signature]</i>	10598	
4.	Bruce Sumner	<i>[Signature]</i>	10801	bruce@gmail.com
5.	Jacinta Thaler	<i>[Signature]</i>	10588	Jacinta42@yahoo.com
6.	Leonard Jay Alexande	<i>[Signature]</i>	06498	
7.	<i>[Signature]</i>	PETER E. CAPOR	10562	capor@ieee.org
8.	Christian Garcia	<i>[Signature]</i>	10604	
9.	DAVID TARRICONE	<i>[Signature]</i>	12180	
10.	Colleen Donahue	<i>[Signature]</i>	12189	

HAVE YOU COMPLETED THIS PETITION? **MAKE A COPY FIRST, then:**

- **MAIL ORIGINAL TO:** THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- **MAIL COPY TO:** YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508

**PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT**



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors or from spent fuel storage Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate **whether the plant is closed and decommissioned or is relicensed and continues to operate.** Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation


	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Brian Rife	<i>[Signature]</i>	10003	BrianRife@gmail.com
2.	Tom Hecker	<i>[Signature]</i>	10596	Thom.Hecker1@gmail.com
3.	Kelley Hudnall	<i>[Signature]</i>	02169	khudnalle@gmail.com
4.	Myrus Figueiredo	<i>[Signature]</i>	12534	
5.	Carin Watson	<i>[Signature]</i>	06877	gudsen03@snet.net
6.	Cynthia Fiore	<i>[Signature]</i>	12603	CUFIORCP@AOL.COM
7.	Chris Trainer	<i>[Signature]</i>	07825	cumt1athome@hotmail.com
8.	Veronica de la Paz	<i>[Signature]</i>	07016	LaPaz_Vero@gmail.com
9.	Heidi Harrison	<i>[Signature]</i>	12570	heidi@thundercast.com
10.	LUCAS RATT	<i>[Signature]</i>	07003	

HAVE YOU COMPLETED THIS PETITION? **MAKE A COPY FIRST, then:**

- **MAIL ORIGINAL TO:** THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- **MAIL COPY TO:** YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508



# PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors **or from spent fuel storage** Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate **whether the plant is closed and decommissioned or is relicensed and continues to operate**. Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Dan Fullerton	J.D. Fullerton	10562	
2.	LAURA HAICHT	Laura Haicht	12009	LHAICHT@TMOVIC.NET
3.	Jane Manza	Jane Manza	10511	
4.	Mary Lewandosh	Mary Lewandosh	49506	
5.	PETER LEWANDOSKI	P. Lewandoski	49506	
6.	Alex Shaffer	Alex Shaffer	04921	
7.	Anuta Rathé	Anuta Rathé	10463	ar4the@gmail.com
8.	MICHAEL DORRITY	Michael Dorrity	12466	Secwon@aol.com
9.	F. Glucksmen	F. Glucksmen	07040	
10.	VICTORIA BEERMAN	Victoria Beerman	11218	

HAVE YOU COMPLETED THIS PETITION? **MAKE A COPY FIRST, then:**

- > **MAIL ORIGINAL TO:** THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- > **MAIL COPY TO:** YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508

# PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors or from spent fuel storage Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate **whether the plant is closed and decommissioned or is relicensed and continues to operate.** Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation

#	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Robert Lee	<i>Robert Lee</i>	11231	whereisrobert02@yahoo
2.	Katelyn Fong	<i>Katelyn Fong</i>	11235	katelynnn888@gmail.com
3	Theophilus Collins	<i>Theophilus Collins</i>		theophilusjohn@gmail.com
4	Judith E. Fletcher	<i>Judith E. Fletcher</i>	10463	jfletcher@riverdale.edu
5	Deirdre Breen	<i>Deirdre Breen</i>	10520	
6	Jay Nolas	<i>Jay Nolas</i>	10453	N/A
7	Cliff Brie	<i>Cliff Brie</i>	11030	Moltz Spirit@aol.com
8	Kelly Sinclair	<i>Kelly Sinclair</i>	12409	
9	Jean Gilfillan	<i>Jean Gilfillan</i>	14116	
10	MARK VALEANTU	<i>Mark Valeantu</i>	19119	

**HAVE YOU COMPLETED THIS PETITION? MAKE A COPY FIRST, then:**

- **MAIL ORIGINAL TO:** THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- **MAIL COPY TO:** YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508



# PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors **or from spent fuel storage** Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate **whether the plant is closed and decommissioned or is relicensed and continues to operate**. Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Carol Jordan	<i>Carol A. Jordan</i>	12561	caroljordan880@yahoo.com
2.	Helen Brocker	<i>Helen Brocker</i>	12561	
3	Bill Fritz	<i>W. B. Fritz</i>	10567	
4	R Brantner	<i>R Brantner</i>	07024	
5	Rita Rogovin	<i>Rita Rogovin</i>	07666	
6	Jan Barry	<i>J Barry</i>	07666	
7	Hedvig Lockwood	<i>Hedvig Lockwood</i>	12534	
8	Lynda Clements	<i>Lynda V. Clements</i>	10562	
9	Natal Halschen	<i>Natal Halschen</i>	06877	
10	Cathy Beles	<i>Cathy Beles</i>	07430	

HAVE YOU COMPLETED THIS PETITION? **MAKE A COPY FIRST, then:**

- **MAIL ORIGINAL TO:** THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- **MAIL COPY TO:** YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508

# PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors or from spent fuel storage Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate **whether the plant is closed and decommissioned or is relicensed and continues to operate.** Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation

#	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Paul Panzer	<i>[Signature]</i>	10726	P6PANZERMD@GMAIL.COM
2.	Quintal Saunders	<i>[Signature]</i>	12484	
3	GARY ALLEN	<i>[Signature]</i>	12401	
4	Robert Scott	<i>[Signature]</i>	12486	
5	Fred Miller	<i>[Signature]</i>	12805	Fred.miller@comcast.net
6	B Morrison	<i>[Signature]</i>	07305	bess-m@hotmail.com
7	M Chesky	<i>[Signature]</i>	12561	
8	Rose Anne Dente	<i>[Signature]</i>	06355	ROSEANNE@3395@aol.com
9	DAVID JARVIS	<i>[Signature]</i>	11215	
10	Steven A. Knapp	<i>[Signature]</i>	10579	SAKnapp@Bestweb.net

**HAVE YOU COMPLETED THIS PETITION? MAKE A COPY FIRST, then:**

- **MAIL ORIGINAL TO:** THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- **MAIL COPY TO:** YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508



# PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors or from spent fuel storage Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate **whether the plant is closed and decommissioned or is relicensed and continues to operate.** Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Augusta Rosenauer	<i>Augusta Rosenauer</i>	06902	
2.	Rob Weber	<i>Rob Weber</i>	03301	
3.	Marta Gattand	<i>Marta Gattand</i>	12446	sgattand@nuc.pp.com
4.	JILLIAN MEADE	<i>Jillian Meade</i>	02131	
5.	Anthony Corrado	<i>Anthony Corrado</i>	52825	
6.	Penelope Ford	<i>Penelope Ford</i>	07728	penelos@hotmail.com
7.	Philip Levin	<i>Philip Levin</i>	10510	
8.	Roberta Alcorn	<i>Roberta Alcorn</i>	11792	rae@ngmail@gmail.com
9.	Luanne Fisher	<i>Luanne Fisher</i>	08314	
10.	John Goodwin	<i>John Goodwin</i>	07627	John@goodwinphotos.com

HAVE YOU COMPLETED THIS PETITION? **MAKE A COPY FIRST, then:**

- > **MAIL ORIGINAL TO:** THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- > **MAIL COPY TO:** YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508

**PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT**



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors or from spent fuel storage Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate whether the plant is closed and decommissioned or is relicensed and continues to operate. Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	David Goodwin	<i>[Signature]</i>	07480	david@graphytadesign.com
2.	Margu Rodriguez	<i>[Signature]</i>	11561	mrod@gmail.com
3.	JOSEPH BRAUN	<i>[Signature]</i>	10003	joe@WIDESPHERE.COM
4.	Wendy Jo Cohen	<i>[Signature]</i>	10203	wendy@widesphere.com
5.	Robert Willis	<i>[Signature]</i>	05343	rwillis2009@live.com
6.	CINDIE SMART	<i>[Signature]</i>	55405	cindiesmart@gmail.com
7.	Donna Cleary	<i>[Signature]</i>	12476	sesketkern@gmail.com
8.	CHRIS MICHEL	<i>[Signature]</i>	10603	chris@michell@yahoo.com
9.	DAVE SWEET	<i>[Signature]</i>	11010	davesmail@post.com
10.	Ralph Fontenot	<i>[Signature]</i>	70570	RalphFo@yahoo.com

HAVE YOU COMPLETED THIS PETITION? **MAKE A COPY FIRST, then:**

- > **MAIL ORIGINAL TO:** THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- > **MAIL COPY TO:** YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508



# PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors or from spent fuel storage Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate **whether the plant is closed and decommissioned or is relicensed and continues to operate.** Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Adam Brown	<i>[Signature]</i>	10522	abrown909@msn.com
2.	Janet Espinoza	<i>[Signature]</i>	11264	janespina@gmail.com
3.	MARSH BELL	<i>[Signature]</i>	10520	MeBell@optonline.net
4.	CHRISTINA HAAS	<i>[Signature]</i>	10960	CHAAS900@hotmail.com
5.	JUDY ZENDELL	<i>[Signature]</i>	10005	readsonj@gmail.com
6.	Molly Saeed	<i>[Signature]</i>	10603	msaeed@council.com
7.	CHRIS MICHEL	<i>[Signature]</i>	10403	chrismichel@yahoo.com
8.	JUDIT OSWATH	<i>[Signature]</i>	10583	
9.	Marshall Noop	<i>[Signature]</i>	12486	—
10.	MICHAEL BILLIG	<i>[Signature]</i>	10706	—

HAVE YOU COMPLETED THIS PETITION? **MAKE A COPY FIRST, then:**

- **MAIL ORIGINAL TO:** THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- **MAIL COPY TO:** YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508

**PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT**



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors or from spent fuel storage Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate whether the plant is closed and decommissioned or is relicensed and continues to operate. Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Marcy Berman-Phillig	<i>[Signature]</i>	10706	mb10706@aol.com
2.	JEFF MOORE	<i>[Signature]</i>	848 2R2	jeff@justuscoffee.com
3.	Jim Donohue	<i>[Signature]</i>	10932	PRHSDONH@Yahoo.com
4.	Rosemarie Gates	<i>[Signature]</i>	07024	rosemarie.gates@Yahoo.com
5.	MARISA CENTE	<i>[Signature]</i>	11010	
6.	Josh Kelly	<i>[Signature]</i>	05820	numbtosh@hotmail.com
7.	Nancy Eos	<i>[Signature]</i>	12754	drnancyeos@mac.com
8.	Andrea Barrus	<i>[Signature]</i>	02813	
9.	Dean Jones	<i>[Signature]</i>	12472	dojonflea@usn.com
10.	Julie Berger	<i>[Signature]</i>	78504	

HAVE YOU COMPLETED THIS PETITION? MAKE A COPY FIRST, then:

- **MAIL ORIGINAL TO:** THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- **MAIL COPY TO:** YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508



# PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors or from spent fuel storage Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate **whether the plant is closed and decommissioned or is relicensed and continues to operate.** Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation


	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Yanella Parra	<i>Yanella Parra</i>	32202	church337@yahoo.com
2.	John A. Paine	<i>John A. Paine</i>	10591	johnapaine@hotmail.com
3.	MELISSA MILLER	<i>Melissa Miller</i>	10591	
4.	Olivia Fine	<i>Olivia Fine</i>	11743	
5.	Madison Coker	<i>Madison Coker</i>	34251	
6.	Ernestine Saquin	<i>Ernestine Saquin</i>	11554	
7.	Suzanne Levine	<i>Suzanne Levine</i>	10819	smulder@verizon.net
8.	Anne Marx	<i>Anne Marx</i>	10520	
9.	-! Quinter	<i>J. Quinter</i>	11372	
10.	Laurie Pucca	<i>Laurie Pucca</i>	10920	

HAVE YOU COMPLETED THIS PETITION? **MAKE A COPY FIRST, then:**

- **MAIL ORIGINAL TO:** THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- **MAIL COPY TO:** YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508



# PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors or from **spent fuel storage** Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate **whether the plant is closed and decommissioned or is relicensed and continues to operate**. Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Jim Horsten	<i>[Signature]</i>	10522	
2.	Dora Keil	<i>[Signature]</i>	10522	d1king@hotmail.com
3.	CHARLES RAIA	<i>[Signature]</i>	10463	
4.	DEAN MOGELMARD	<i>[Signature]</i>	33264	DMOGELMARD@YAHOO.COM
5.	STEPHEN ROBINSON	<i>[Signature]</i>	05655	
6.	Rosi Martin	<i>[Signature]</i>	23320	
7.	Stella Kessler	<i>[Signature]</i>	10566	
8.	Maureen Schlot	<i>[Signature]</i>	11201	
9.	Bob Schlot	<i>[Signature]</i>	11201	
10.	MICHAEL ROBERT	<i>[Signature]</i>	07470	RAY/JOHN420@AOL.COM

HAVE YOU COMPLETED THIS PETITION? **MAKE A COPY FIRST, then:**

- > **MAIL ORIGINAL TO:** THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- > **MAIL COPY TO:** YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508



# PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors or from spent fuel storage Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate **whether the plant is closed and decommissioned or is relicensed and continues to operate.** Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Keri Fine	<i>Keri Fine</i>	11721	kfine@optonline.net
2.	Olivia Fine	<i>Olivia Fine</i>	11743	
3.	Adam Fehn	<i>Adam Fehn</i>	12866	
4.	Kwok Kee Ip	<i>Kwok Kee Ip</i>	11378	
5.	Cody Yeckel	<i>Cody Yeckel</i>	12410	
6.	Megan Christ	<i>Megan Christ</i>	11215	
7.	Linda Bonstern	<i>Linda Bonstern</i>	30068	
8.	Gary Christ	<i>Gary Christ</i>	19518	
9.	Mary Ellen Christ	<i>Mary Ellen Christ</i>	19518	
10.	Elliot Christ	<i>Elliot Christ</i>	11215	ellisevor@gmail.com

HAVE YOU COMPLETED THIS PETITION? **MAKE A COPY FIRST, then:**

- **MAIL ORIGINAL TO:** THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- **MAIL COPY TO:** YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508

# PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors **or from spent fuel storage** Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate **whether the plant is closed and decommissioned or is relicensed and continues to operate**. Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Jody Tammenbaum	<i>Jody Tammenbaum</i>	11721	
2.	BARBARA TATZ-YANUCK	<i>Barbara Tatz Yanuck</i>	11743	
3.	Scott Yanuck	<i>Scott Yanuck</i>	11743	syannuck@gmail.com
4.	Margot Yanuck	<i>Margot Yanuck</i>	11743	
5.	Justin Brown	<i>Justin Brown</i>	11746	jbrown42@gmail.com
6.	JIM ALSTON	<i>Jim Alston</i>	10980	JAYALSTON@hotmail.com
7.	C SUTTON	<i>C Sutton</i>	12561	
8.	Rachael Silverman	<i>Rachael Silverman</i>	12477	
9.	Ian A. edley	<i>Ian A. edley</i>	06851	
10.	Jessica Kurose	<i>Jessica Kurose</i>	06851	jiecsas@gmail.com

HAVE YOU COMPLETED THIS PETITION? **MAKE A COPY FIRST, then:**

- **MAIL ORIGINAL TO:** THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- **MAIL COPY TO:** YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508



# PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors **or from spent fuel storage** Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate **whether the plant is closed and decommissioned or is relicensed and continues to operate**. Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	James Crockett	<i>James Crockett</i>	11575	
2.	Satie Thomas	<i>Satie Thomas</i>	12590	
3.	Natasha Orzeck-Byrnes	<i>Natasha Orzeck-Byrnes</i>	11215	
4.	Carlin Orzeck-Byrnes	<i>Carlin Orzeck-Byrnes</i>	11215	
5.	JAN ORZECK	<i>Jan Orzeck</i>	11215	
6.	<del>Jim</del> Jim Dittrich	<i>Jim Dittrich</i>	12506	
7.	Ann Sarrantonio	<i>Ann Sarrantonio</i>	12472	
8.	Thomas Sarrantonio	<i>Tom Sarrantonio</i>	12472	
9.	Arden Cullo	<i>Arden Cullo</i>	12401	
10.	Martha Feldheim	<i>Martha Feldheim</i>	07481	

HAVE YOU COMPLETED THIS PETITION? **MAKE A COPY FIRST, then:**

- **MAIL ORIGINAL TO:** THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- **MAIL COPY TO:** YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508



# PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors **or from spent fuel storage** Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate **whether the plant is closed and decommissioned or is relicensed and continues to operate**. Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Michael Fox	<i>Michael Fox</i>	0749	
2.	Harry Vincent	<i>Harry Vincent</i>	12414	
3.	Jan Appleby	<i>Jan Appleby</i>	06851	imard@sig.org@gmail.com
4.	Karl Keston	<i>Karl Keston</i>	10509	
5.	Sean Madden	<i>Sean Madden</i>	12208	
6.	Sean Madden	<i>Sean Madden</i>	12208	
7.	Lance Edwards	<i>Lance Edwards</i>	11542	
8.	Jacqueline Edwards	<i>Jacqueline Edwards</i>	11542	
9.	Karen Filler	<i>Karen Filler</i>	10533	
10.	Irene Diamond	<i>Irene Diamond</i>	11218	

HAVE YOU COMPLETED THIS PETITION? **MAKE A COPY FIRST, then:**

- > **MAIL ORIGINAL TO:** THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- > **MAIL COPY TO:** YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508



# PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT

40 years old,  
30 yr extension



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors **or from spent fuel storage** Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate **whether the plant is closed and decommissioned or is relicensed and continues to operate.** Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	MIRIAM WEINBERGER	<i>M Weinberger</i>	10567	miriamwe@optonline.net
2.	NILS SCHLEIBASCH	<i>Nils Schleibasch</i>	12477	
3.	Alex Rappaport	<i>Alex Rappaport</i>	12477	
4.	<i>W M Wynn</i>	<i>W M Wynn</i>	12561	
5.	<i>R Conn</i>	<i>R Conn</i>	12603	
6.	Thomas Heying	<i>Thomas Heying</i>	10502	thomasheying@yahoo.com
7.	MARTHE SCHULWOLF	<i>Marthe Schulwolf</i>	10968	martheny@verizon.net
8.				
9.				
10.				

HAVE YOU COMPLETED THIS PETITION? MAKE A COPY FIRST, then:

- **MAIL ORIGINAL TO:** THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- **MAIL COPY TO:** YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508



# PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors **or from spent fuel storage** Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate **whether the plant is closed and decommissioned or is relicensed and continues to operate**. Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.				
2.				
3				
4				
5				
6				
7				
8				
9				
10				

**HAVE YOU COMPLETED THIS PETITION? MAKE A COPY FIRST, then:**

- **MAIL ORIGINAL TO:** THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- **MAIL COPY TO:** YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508



# PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors or from spent fuel storage Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate **whether the plant is closed and decommissioned or is relicensed and continues to operate.** Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Kristin W. Friedman	<i>Kristin W. Friedman</i>	10583	
2.	Bob Stren	<i>[Signature]</i>	10960	
3.	Cheryl Brandwein	<i>Cheryl Brandwein</i>	10533	
4.	Joyce Meyers	<i>Joyce Meyers</i>	10012	
5.	Lina Amisson	<i>Lina Amisson</i>	12539	
6.	Lynn Schoeninger	<i>Lynn Schoeninger</i>	13732	
7.	Sarah Armour	<i>Sarah Armour</i>	12525	skas56@Cornell.edu
8.	Morgaine W. Witold	<i>Morgaine W. Witold</i>	10576	
9.	Chris Horzempa	<i>Chris Horzempa</i>	10509	
10.	Jay Dryer	<i>Jay Dryer</i>	12528	

HAVE YOU COMPLETED THIS PETITION? **MAKE A COPY FIRST, then:**

- **MAIL ORIGINAL TO:** THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- **MAIL COPY TO:** YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508



## PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors **or from spent fuel storage** Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate **whether the plant is closed and decommissioned or is relicensed and continues to operate**. Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.				
2.				
3				
4				
5				
6				
7				
8				
9				
10				

*HAVE YOU COMPLETED THIS PETITION? MAKE A COPY FIRST, then:*

- **MAIL ORIGINAL TO:** THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- **MAIL COPY TO:** YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508



# PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors or from spent fuel storage Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate **whether the plant is closed and decommissioned or is relicensed and continues to operate.** Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Joan Luberto	<i>Joan Luberto</i>	11961	xroads66@optonline.net
2.	FRANK Luberto	<i>Frank Luberto</i>	"	"
3	Arnold Jordan	<i>Arnold Jordan</i>	12561	drmarkjordan@gmail
4	Vivian Walter	<i>Vivian Walter</i>	12508	vivianhwalter@aol.com
5	Connie Haack	<i>Connie Haack</i>	20606	conniehaack@gmail.com
6	Rebecca Flynn	<i>Rebecca Flynn</i>	14527	
7	Kathe Sandstrom	<i>Kathe Sandstrom</i>	12561	
8	Bill Messmer	<i>Bill Messmer</i>	07421	
9				
10				

HAVE YOU COMPLETED THIS PETITION? **MAKE A COPY FIRST, then:**

- **MAIL ORIGINAL TO:** THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- **MAIL COPY TO:** YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508

## PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors **or from spent fuel storage** Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate **whether the plant is closed and decommissioned or is relicensed and continues to operate**. Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				

*HAVE YOU COMPLETED THIS PETITION? MAKE A COPY FIRST, then:*

- **MAIL ORIGINAL TO:** THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- **MAIL COPY TO:** YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508



# PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors **or from spent fuel storage** Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate **whether the plant is closed and decommissioned or is relicensed and continues to operate.** Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	Nanette Kripta	Nanette Kripta	10016	nkripta@legal-guid.com
2.	Elisabeth Raskeopf	E Raskeopf	10560	_____
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				

HAVE YOU COMPLETED THIS PETITION? **MAKE A COPY FIRST, then:**

- **MAIL ORIGINAL TO:** THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- **MAIL COPY TO:** YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508



# PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors or from spent fuel storage Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate **whether the plant is closed and decommissioned or is relicensed and continues to operate**. Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation


	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.				
2.				
3				
4				
5				
6				
7				
8				
9				
10				

HAVE YOU COMPLETED THIS PETITION? **MAKE A COPY FIRST, then:**

- **MAIL ORIGINAL TO:** THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- **MAIL COPY TO:** YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508



# PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors or from spent fuel storage Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate **whether the plant is closed and decommissioned or is relicensed and continues to operate.** Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.	STEVEN A. Knapp Sa Knapp	Steven A. Knapp	10579	SaKnapp@Bestweb.net
2.	Melissa Billings	Melissa Billings	12533	melissabillings100@gmail.com
3.	Gina Bull	Gina Bull	10956	
4.	Louisa Abader	Louisa Abader	07043	
5.	Rachel Milito	Rachel Milito	11105	
6.	Joy Brown	Joy Brown	06285	
7.	Ben Abramson	Ben Abramson	11106	abramson.ben@gmail.com
8.	Jim Faccione	James R. Faccione	10537	
9.				
10.				

HAVE YOU COMPLETED THIS PETITION? **MAKE A COPY FIRST, then:**

- **MAIL ORIGINAL TO:** THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- **MAIL COPY TO:** YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508

## PETITION TO UPGRADE HEALTH AND SAFETY MEASURES AT INDIAN POINT



The ongoing crisis at the Fukushima Daiichi Nuclear Power Plant in Japan brings home the disastrous consequences of a catastrophic release of high-level radiation from nuclear reactors **or from spent fuel storage** Indian Point Nuclear Power Plant. The measures embodied in this petition, if acted upon, would make us all safer, and are appropriate **whether the plant is closed and decommissioned or is relicensed and continues to operate**. Therefore, we, the undersigned, request that the following actions be implemented as soon as possible with regard to Indian Point Nuclear Power Plant:

1. Move spent fuel rods into hardened dry cask storage as soon as is safely possible
2. Provide full containment for the spent fuel pools and establish independent back up electricity and cooling for the spent fuel pools
3. Perform a comprehensive evaluation of the faulty inflatable gasket used in the exchange canal between the reactor and storage in fuel pool.
4. Extend the evacuation zone from 10 to 50 miles, as the Nuclear Regulatory Commission recommended for Americans in Japan
5. Remedy the flaws and deficiencies regarding emergency evacuation raised by the James Lee Witt report; consider lessons learned from Fukushima and Hurricane Sandy in evacuation planning. Congress should hold hearings on the viability of evacuation around nuclear plants.
6. Consider all seismological data and upgrade infrastructure accordingly for continued operation

	NAME (PLEASE PRINT)	SIGNATURE	ZIP CODE	EMAIL ADDRESS
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				

*HAVE YOU COMPLETED THIS PETITION? MAKE A COPY FIRST, then:*

- **MAIL ORIGINAL TO:** THE HON. ANDREW CUOMO, New York State Capitol Bldg. Albany, NY 11224
- **MAIL COPY TO:** YOUR MUNICIPALITY and to CLEARWATER, 724 Wolcott Ave., Beacon, NY 12508



02 1P \$ 003.32<sup>0</sup>  
0001671026 JUL 23 2013  
MAILED FROM ZIP CODE 12508



Clearwater

Hudson River Sloop Clearwater, Inc.  
724 Wolcott Avenue  
Beacon, NY 12508

*Creating the  
Next Generation of  
Environmental Leaders*

Chairman Allison M. MacFarlane  
U.S. Nuclear Regulatory Commission  
Mail Stop 0-1664  
Washington, DC 20555-0001