

Norman, Yolande

From: Jancin, Mark <mjancin@chesterengineers.com>
Sent: Tuesday, July 02, 2013 4:00 PM
To: Norman, Yolande
Cc: Blickwedel, Roy (GE, Corporate); Warren, Robert; Ewart, James
Subject: enclosure 2 comment 5
Attachments: model water balance for 1986.pdf


Follow Up Flag: Follow up
Flag Status: Flagged

This is email send # 4.

Mark Jancin, Ph.D., P.G.
Technical Consultant and Project Manager
Geosciences Group

CHESTER ENGINEERS
The Global Leader in Building Urban Infrastructures and Economies

1315 W. College Ave., Suite 100, State College, PA 16801
P: 814-231-2170 x 20 | F: 814-231-2174 | www.chesterengineers.com

 Please consider the environment before printing this email.

Confidentiality Notice:

This e-mail and any attachments may contain confidential information intended solely for the use of the addressee. If the reader of this message is not the intended recipient, any distribution, copying, or use of this e-mail or its attachments is prohibited. If you received this message in error, please notify the sender immediately by e-mail and delete this message and any copies. Thank you.

model water balance for 1986.txt

1/15/1986-2/11/1986

VOLUMETRIC BUDGET FOR ENTIRE MODEL AT END OF TIME STEP 1 IN STRESS PERIOD 39

CUMULATIVE VOLUMES	L**3	RATES FOR THIS TIME STEP	L**3/T
IN:		IN:	
STORAGE =	578128832.0000	STORAGE =	122580.0859
CONSTANT HEAD =	0.0000	CONSTANT HEAD =	0.0000
WELLS =	0.0000	WELLS =	0.0000
DRAINS =	0.0000	DRAINS =	0.0000
RIVER LEAKAGE =	793486400.0000	RIVER LEAKAGE =	4248.1899
RECHARGE =	105209888.0000	RECHARGE =	33541.1289
TOTAL IN =	1476825088.0000	TOTAL IN =	160369.4062
OUT:		OUT:	
STORAGE =	1105047936.0000	STORAGE =	115719.7422
CONSTANT HEAD =	0.0000	CONSTANT HEAD =	0.0000
WELLS =	3675918.5000	WELLS =	4183.7476
DRAINS =	57241616.0000	DRAINS =	10612.0059
RIVER LEAKAGE =	256787232.0000	RIVER LEAKAGE =	11524.9492
RECHARGE =	0.0000	RECHARGE =	0.0000
TOTAL OUT =	1422752640.0000	TOTAL OUT =	142040.4375
IN - OUT =	54072448.0000	IN - OUT =	18328.9688
PERCENT DISCREPANCY =	3.73	PERCENT DISCREPANCY =	12.12

	SECONDS	MINUTES	HOURS	DAYS	YEARS
TIME STEP LENGTH	2.40550E+06	40092.	668.19	27.841	7.62257E-02
STRESS PERIOD TIME	2.40550E+06	40092.	668.19	27.841	7.62257E-02
TOTAL TIME	5.32297E+08	8.87161E+06	1.47860E+05	6160.8	16.867

2/11/1986-3/13/1986

VOLUMETRIC BUDGET FOR ENTIRE MODEL AT END OF TIME STEP 2 IN STRESS PERIOD 39

CUMULATIVE VOLUMES	L**3	RATES FOR THIS TIME STEP	L**3/T
IN:		IN:	
STORAGE =	581036544.0000	STORAGE =	99465.3828
CONSTANT HEAD =	0.0000	CONSTANT HEAD =	0.0000
WELLS =	0.0000	WELLS =	0.0000
DRAINS =	0.0000	DRAINS =	0.0000
RIVER LEAKAGE =	793618368.0000	RIVER LEAKAGE =	4514.0361

```

model water balance for 1986.txt
RECHARGE = 106190416.0000 RECHARGE = 33541.1289
TOTAL IN = 1480845312.0000 TOTAL IN = 137520.5469

OUT: OUT:
----
STORAGE = 1108132864.0000 STORAGE = 105528.7266
CONSTANT HEAD = 0.0000 CONSTANT HEAD = 0.0000
WELLS = 3798121.5000 WELLS = 4180.2373
DRAINS = 57560916.0000 DRAINS = 10922.3418
RIVER LEAKAGE = 257024912.0000 RIVER LEAKAGE = 8130.4043
RECHARGE = 0.0000 RECHARGE = 0.0000

TOTAL OUT = 1426516864.0000 TOTAL OUT = 128761.7109
IN - OUT = 54328448.0000 IN - OUT = 8758.8359

PERCENT DISCREPANCY = 3.74 PERCENT DISCREPANCY = 6.58

```

```

TIME SUMMARY AT END OF TIME STEP 2 IN STRESS PERIOD 39
SECONDS MINUTES HOURS DAYS YEARS
-----
TIME STEP LENGTH 2.52577E+06 42096. 701.60 29.233 8.00369E-02
STRESS PERIOD TIME 4.93127E+06 82188. 1369.8 57.075 0.15626
TOTAL TIME 5.34822E+08 8.91371E+06 1.48562E+05 6190.1 16.948

```

1

3/13/1986-4/12/1986

VOLUMETRIC BUDGET FOR ENTIRE MODEL AT END OF TIME STEP 3 IN STRESS PERIOD 39

```

-----
CUMULATIVE VOLUMES L**3 RATES FOR THIS TIME STEP L**3/T
-----
IN: IN:
----
STORAGE = 583994944.0000 STORAGE = 96379.9922
CONSTANT HEAD = 0.0000 CONSTANT HEAD = 0.0000
WELLS = 0.0000 WELLS = 0.0000
DRAINS = 0.0000 DRAINS = 0.0000
RIVER LEAKAGE = 793762176.0000 RIVER LEAKAGE = 4684.2041
RECHARGE = 107219968.0000 RECHARGE = 33541.1289

TOTAL IN = 1484977152.0000 TOTAL IN = 134605.3281

OUT: OUT:
----
STORAGE = 1111198976.0000 STORAGE = 99888.7109
CONSTANT HEAD = 0.0000 CONSTANT HEAD = 0.0000
WELLS = 3926542.2500 WELLS = 4183.7476
DRAINS = 57899948.0000 DRAINS = 11045.1045
RIVER LEAKAGE = 257239696.0000 RIVER LEAKAGE = 6997.1343
RECHARGE = 0.0000 RECHARGE = 0.0000

TOTAL OUT = 1430265216.0000 TOTAL OUT = 122114.6953

```

model water balance for 1986.txt
 IN - OUT = 54711936.0000 IN - OUT = 12490.6328
 PERCENT DISCREPANCY = 3.75 PERCENT DISCREPANCY = 9.73

	SECONDS	MINUTES	HOURS	DAYS	YEARS
TIME SUMMARY AT END OF TIME STEP 3 IN STRESS PERIOD 39					
TIME STEP LENGTH	2.65206E+06	44201.	736.68	30.695	8.40388E-02
STRESS PERIOD TIME	7.58334E+06	1.26389E+05	2106.5	87.770	0.24030
TOTAL TIME	5.37475E+08	8.95791E+06	1.49298E+05	6220.8	17.032

4/12/1986-5/15/1986

VOLUMETRIC BUDGET FOR ENTIRE MODEL AT END OF TIME STEP 4 IN STRESS PERIOD 39

CUMULATIVE VOLUMES	L**3	RATES FOR THIS TIME STEP	L**3/T
IN:		IN:	
STORAGE =	587080832.0000	STORAGE =	95745.9766
CONSTANT HEAD =	0.0000	CONSTANT HEAD =	0.0000
WELLS =	0.0000	WELLS =	0.0000
DRAINS =	0.0000	DRAINS =	0.0000
RIVER LEAKAGE =	793916928.0000	RIVER LEAKAGE =	4801.3916
RECHARGE =	108300992.0000	RECHARGE =	33541.1289
TOTAL IN =	1489298688.0000	TOTAL IN =	134088.5000
OUT:		OUT:	
STORAGE =	1114581120.0000	STORAGE =	104936.6094
CONSTANT HEAD =	0.0000	CONSTANT HEAD =	0.0000
WELLS =	4061384.0000	WELLS =	4183.7476
DRAINS =	58248588.0000	DRAINS =	10817.2188
RIVER LEAKAGE =	257439920.0000	RIVER LEAKAGE =	6212.4077
RECHARGE =	0.0000	RECHARGE =	0.0000
TOTAL OUT =	1434331008.0000	TOTAL OUT =	126149.9844
IN - OUT =	54967680.0000	IN - OUT =	7938.5156
PERCENT DISCREPANCY =	3.76	PERCENT DISCREPANCY =	6.10

	SECONDS	MINUTES	HOURS	DAYS	YEARS
TIME SUMMARY AT END OF TIME STEP 4 IN STRESS PERIOD 39					
TIME STEP LENGTH	2.78466E+06	46411.	773.52	32.230	8.82407E-02
STRESS PERIOD TIME	1.03680E+07	1.72800E+05	2880.0	120.00	0.32854
TOTAL TIME	5.40259E+08	9.00432E+06	1.50072E+05	6253.0	17.120

5/15/1986-6/13/1986

model water balance for 1986.txt

VOLUMETRIC BUDGET FOR ENTIRE MODEL AT END OF TIME STEP 1 IN STRESS PERIOD 40

CUMULATIVE VOLUMES	L**3	RATES FOR THIS TIME STEP	L**3/T
IN:		IN:	
STORAGE =	590226048.0000	STORAGE =	105700.5625
CONSTANT HEAD =	0.0000	CONSTANT HEAD =	0.0000
WELLS =	0.0000	WELLS =	0.0000
DRAINS =	0.0000	DRAINS =	0.0000
RIVER LEAKAGE =	793916928.0000	RIVER LEAKAGE =	0.0000
RECHARGE =	109294776.0000	RECHARGE =	33397.6328
TOTAL IN =	1493437696.0000	TOTAL IN =	139098.1875
OUT:		OUT:	
STORAGE =	1117916288.0000	STORAGE =	112081.5000
CONSTANT HEAD =	0.0000	CONSTANT HEAD =	0.0000
WELLS =	4191513.7500	WELLS =	4373.2129
DRAINS =	58543136.0000	DRAINS =	9898.7295
RIVER LEAKAGE =	257597584.0000	RIVER LEAKAGE =	5298.4717
RECHARGE =	0.0000	RECHARGE =	0.0000
TOTAL OUT =	1438248576.0000	TOTAL OUT =	131651.9062
IN - OUT =	55189120.0000	IN - OUT =	7446.2812
PERCENT DISCREPANCY =	3.77	PERCENT DISCREPANCY =	5.50

TIME SUMMARY AT END OF TIME STEP	1 IN STRESS PERIOD	40			
SECONDS	MINUTES	HOURS	DAYS	YEARS	
TIME STEP LENGTH	2.57093E+06	42849.	714.15	29.756	8.14677E-02
STRESS PERIOD TIME	2.57093E+06	42849.	714.15	29.756	8.14677E-02
TOTAL TIME	5.42830E+08	9.04717E+06	1.50786E+05	6282.8	17.201

6/13/1986-7/15/1986

VOLUMETRIC BUDGET FOR ENTIRE MODEL AT END OF TIME STEP 2 IN STRESS PERIOD 40

CUMULATIVE VOLUMES	L**3	RATES FOR THIS TIME STEP	L**3/T
IN:		IN:	
STORAGE =	592924800.0000	STORAGE =	86376.7578
CONSTANT HEAD =	0.0000	CONSTANT HEAD =	0.0000
WELLS =	0.0000	WELLS =	0.0000
DRAINS =	0.0000	DRAINS =	0.0000
RIVER LEAKAGE =	793916928.0000	RIVER LEAKAGE =	0.0000
RECHARGE =	110338248.0000	RECHARGE =	33397.6328
TOTAL IN =	1497180032.0000	TOTAL IN =	119774.3906

model water balance for 1986.txt

OUT: ----		OUT: ----	
STORAGE =	1120685056.0000	STORAGE =	88616.0469
CONSTANT HEAD =	0.0000	CONSTANT HEAD =	0.0000
WELLS =	4328064.5000	WELLS =	4370.4829
DRAINS =	58857872.0000	DRAINS =	10073.5625
RIVER LEAKAGE =	257752016.0000	RIVER LEAKAGE =	4942.8374
RECHARGE =	0.0000	RECHARGE =	0.0000
TOTAL OUT =	1441623040.0000	TOTAL OUT =	108002.9297
IN - OUT =	55556992.0000	IN - OUT =	11771.4609
PERCENT DISCREPANCY =	3.78	PERCENT DISCREPANCY =	10.34

	TIME SUMMARY AT END OF TIME STEP	2 IN STRESS PERIOD	40
	SECONDS	MINUTES	HOURS
	-----	-----	-----
TIME STEP LENGTH	2.69947E+06	44991.	749.85
STRESS PERIOD TIME	5.27040E+06	87840.	1464.0
TOTAL TIME	5.45530E+08	9.09216E+06	1.51536E+05
			6314.0
			8.55411E-02
			0.16701
			17.287

7/15/1986-8/13/1986

VOLUMETRIC BUDGET FOR ENTIRE MODEL AT END OF TIME STEP 1 IN STRESS PERIOD 41

CUMULATIVE VOLUMES	L**3	RATES FOR THIS TIME STEP	L**3/T
-----		-----	
IN: ----		IN: ----	
STORAGE =	595595776.0000	STORAGE =	91524.6328
CONSTANT HEAD =	0.0000	CONSTANT HEAD =	0.0000
WELLS =	0.0000	WELLS =	0.0000
DRAINS =	0.0000	DRAINS =	0.0000
RIVER LEAKAGE =	793916928.0000	RIVER LEAKAGE =	0.0000
RECHARGE =	111297984.0000	RECHARGE =	32886.6406
TOTAL IN =	1500810752.0000	TOTAL IN =	124411.2734
OUT: ----		OUT: ----	
STORAGE =	1123609728.0000	STORAGE =	100216.8594
CONSTANT HEAD =	0.0000	CONSTANT HEAD =	0.0000
WELLS =	4466077.5000	WELLS =	4729.1978
DRAINS =	59137516.0000	DRAINS =	9582.3672
RIVER LEAKAGE =	257887952.0000	RIVER LEAKAGE =	4658.2593
RECHARGE =	0.0000	RECHARGE =	0.0000
TOTAL OUT =	1445101312.0000	TOTAL OUT =	119186.6875
IN - OUT =	55709440.0000	IN - OUT =	5224.5859
PERCENT DISCREPANCY =	3.78	PERCENT DISCREPANCY =	4.29

model water balance for 1986.txt

	TIME SUMMARY AT END OF TIME STEP		1 IN STRESS PERIOD		41
	SECONDS	MINUTES	HOURS	DAYS	YEARS
TIME STEP LENGTH	2.52143E+06	42024.	700.40	29.183	7.98992E-02
STRESS PERIOD TIME	2.52143E+06	42024.	700.40	29.183	7.98992E-02
TOTAL TIME	5.48051E+08	9.13418E+06	1.52236E+05	6343.2	17.367

8/13/1986-9/12/1986

VOLUMETRIC BUDGET FOR ENTIRE MODEL AT END OF TIME STEP 2 IN STRESS PERIOD 41

CUMULATIVE VOLUMES	L**3	RATES FOR THIS TIME STEP	L**3/T
IN:		IN:	
STORAGE =	598579136.0000	STORAGE =	97360.5703
CONSTANT HEAD =	0.0000	CONSTANT HEAD =	0.0000
WELLS =	0.0000	WELLS =	0.0000
DRAINS =	0.0000	DRAINS =	0.0000
RIVER LEAKAGE =	793916928.0000	RIVER LEAKAGE =	0.0000
RECHARGE =	112305704.0000	RECHARGE =	32886.6406
TOTAL IN =	1504801792.0000	TOTAL IN =	130247.2109
OUT:		OUT:	
STORAGE =	1126484992.0000	STORAGE =	93832.4609
CONSTANT HEAD =	0.0000	CONSTANT HEAD =	0.0000
WELLS =	4610613.0000	WELLS =	4716.8550
DRAINS =	59431168.0000	DRAINS =	9583.2246
RIVER LEAKAGE =	258024656.0000	RIVER LEAKAGE =	4461.1338
RECHARGE =	0.0000	RECHARGE =	0.0000
TOTAL OUT =	1448551424.0000	TOTAL OUT =	112593.6719
IN - OUT =	56250368.0000	IN - OUT =	17653.5391
PERCENT DISCREPANCY =	3.81	PERCENT DISCREPANCY =	14.54

	TIME SUMMARY AT END OF TIME STEP		2 IN STRESS PERIOD		41
	SECONDS	MINUTES	HOURS	DAYS	YEARS
TIME STEP LENGTH	2.64750E+06	44125.	735.42	30.642	8.38942E-02
STRESS PERIOD TIME	5.16893E+06	86149.	1435.8	59.826	0.16379
TOTAL TIME	5.50699E+08	9.17831E+06	1.52972E+05	6373.8	17.451

9/12/1986-10/15/1986

VOLUMETRIC BUDGET FOR ENTIRE MODEL AT END OF TIME STEP 3 IN STRESS PERIOD 41

model water balance for 1986.txt

CUMULATIVE VOLUMES	L**3	RATES FOR THIS TIME STEP	L**3/T
IN:		IN:	
STORAGE =	601465920.0000	STORAGE =	89722.8750
CONSTANT HEAD =	0.0000	CONSTANT HEAD =	0.0000
WELLS =	0.0000	WELLS =	0.0000
DRAINS =	0.0000	DRAINS =	0.0000
RIVER LEAKAGE =	793916928.0000	RIVER LEAKAGE =	0.0000
RECHARGE =	113364664.0000	RECHARGE =	32913.0742
TOTAL IN =	1508747520.0000	TOTAL IN =	122635.9531
OUT:		OUT:	
STORAGE =	1129546496.0000	STORAGE =	95153.8984
CONSTANT HEAD =	0.0000	CONSTANT HEAD =	0.0000
WELLS =	4762684.5000	WELLS =	4726.4678
DRAINS =	59737584.0000	DRAINS =	9523.5283
RIVER LEAKAGE =	258161648.0000	RIVER LEAKAGE =	4257.9375
RECHARGE =	0.0000	RECHARGE =	0.0000
TOTAL OUT =	1452208384.0000	TOTAL OUT =	113661.8281
IN - OUT =	56539136.0000	IN - OUT =	8974.1250
PERCENT DISCREPANCY =	3.82	PERCENT DISCREPANCY =	7.60

10/15/1986-11/13/1986

VOLUMETRIC BUDGET FOR ENTIRE MODEL AT END OF TIME STEP 1 IN STRESS PERIOD 42

CUMULATIVE VOLUMES	L**3	RATES FOR THIS TIME STEP	L**3/T
IN:		IN:	
STORAGE =	604505856.0000	STORAGE =	104168.0312
CONSTANT HEAD =	0.0000	CONSTANT HEAD =	0.0000
WELLS =	0.0000	WELLS =	0.0000
DRAINS =	0.0000	DRAINS =	0.0000
RIVER LEAKAGE =	793916928.0000	RIVER LEAKAGE =	0.0000
RECHARGE =	114311128.0000	RECHARGE =	32431.7051
TOTAL IN =	1512733952.0000	TOTAL IN =	136599.7344
OUT:		OUT:	
STORAGE =	1132427904.0000	STORAGE =	98734.6875
CONSTANT HEAD =	0.0000	CONSTANT HEAD =	0.0000
WELLS =	4890336.0000	WELLS =	4374.1440
DRAINS =	59992380.0000	DRAINS =	8730.9590
RIVER LEAKAGE =	258280592.0000	RIVER LEAKAGE =	4075.5708
RECHARGE =	0.0000	RECHARGE =	0.0000
TOTAL OUT =	1455591168.0000	TOTAL OUT =	115915.3594

model water balance for 1986.txt
 IN - OUT = 57142784.0000 IN - OUT = 20684.3750
 PERCENT DISCREPANCY = 3.85 PERCENT DISCREPANCY = 16.38

	SECONDS	MINUTES	HOURS	DAYS	YEARS
TIME SUMMARY AT END OF TIME STEP 1 IN STRESS PERIOD 42					
TIME STEP LENGTH	2.52143E+06	42024.	700.40	29.183	7.98992E-02
STRESS PERIOD TIME	2.52143E+06	42024.	700.40	29.183	7.98992E-02
TOTAL TIME	5.56000E+08	9.26666E+06	1.54444E+05	6435.2	17.619

11/13/1986-12/13/1986

VOLUMETRIC BUDGET FOR ENTIRE MODEL AT END OF TIME STEP 2 IN STRESS PERIOD 42

CUMULATIVE VOLUMES	L**3	RATES FOR THIS TIME STEP	L**3/T
IN:		IN:	
STORAGE =	607372224.0000	STORAGE =	93542.2812
CONSTANT HEAD =	0.0000	CONSTANT HEAD =	0.0000
WELLS =	0.0000	WELLS =	0.0000
DRAINS =	0.0000	DRAINS =	0.0000
RIVER LEAKAGE =	793916928.0000	RIVER LEAKAGE =	0.0000
RECHARGE =	115304912.0000	RECHARGE =	32431.7051
TOTAL IN =	1516594048.0000	TOTAL IN =	125973.9844
OUT:		OUT:	
STORAGE =	1135516416.0000	STORAGE =	100794.1641
CONSTANT HEAD =	0.0000	CONSTANT HEAD =	0.0000
WELLS =	5024370.0000	WELLS =	4374.1440
DRAINS =	60263492.0000	DRAINS =	8847.6758
RIVER LEAKAGE =	258399712.0000	RIVER LEAKAGE =	3887.3516
RECHARGE =	0.0000	RECHARGE =	0.0000
TOTAL OUT =	1459203968.0000	TOTAL OUT =	117903.3359
IN - OUT =	57390080.0000	IN - OUT =	8070.6484
PERCENT DISCREPANCY =	3.86	PERCENT DISCREPANCY =	6.62

	SECONDS	MINUTES	HOURS	DAYS	YEARS
TIME SUMMARY AT END OF TIME STEP 2 IN STRESS PERIOD 42					
TIME STEP LENGTH	2.64750E+06	44125.	735.42	30.642	8.38942E-02
STRESS PERIOD TIME	5.16893E+06	86149.	1435.8	59.826	0.16379
TOTAL TIME	5.58647E+08	9.31079E+06	1.55180E+05	6465.8	17.702

model water balance for 1986.txt

12/13/1986-1/15/1987

VOLUMETRIC BUDGET FOR ENTIRE MODEL AT END OF TIME STEP 3 IN STRESS PERIOD 42

CUMULATIVE VOLUMES	L**3	RATES FOR THIS TIME STEP	L**3/T
IN:		IN:	
STORAGE =	609772736.0000	STORAGE =	74609.4297
CONSTANT HEAD =	0.0000	CONSTANT HEAD =	0.0000
WELLS =	0.0000	WELLS =	0.0000
DRAINS =	0.0000	DRAINS =	0.0000
RIVER LEAKAGE =	793916928.0000	RIVER LEAKAGE =	0.0000
RECHARGE =	116348384.0000	RECHARGE =	32431.7051
TOTAL IN =	1520038016.0000	TOTAL IN =	107041.1328
OUT:		OUT:	
STORAGE =	1138304640.0000	STORAGE =	86658.3125
CONSTANT HEAD =	0.0000	CONSTANT HEAD =	0.0000
WELLS =	5165080.0000	WELLS =	4373.3398
DRAINS =	60546372.0000	DRAINS =	8792.0479
RIVER LEAKAGE =	258519088.0000	RIVER LEAKAGE =	3710.4072
RECHARGE =	0.0000	RECHARGE =	0.0000
TOTAL OUT =	1462535168.0000	TOTAL OUT =	103534.1094
IN - OUT =	57502848.0000	IN - OUT =	3507.0234
PERCENT DISCREPANCY =	3.86	PERCENT DISCREPANCY =	3.33

TIME SUMMARY AT END OF TIME STEP	3 IN STRESS PERIOD	42			
SECONDS	MINUTES	HOURS	DAYS	YEARS	
TIME STEP LENGTH	2.77987E+06	46331.	772.19	32.174	8.80889E-02
STRESS PERIOD TIME	7.94880E+06	1.32480E+05	2208.0	92.000	0.25188
TOTAL TIME	5.61427E+08	9.35712E+06	1.55952E+05	6498.0	17.791