| SYSTEM | SERIES | STRATIGRAPHIC UNIT | | GEOLOGY AND LITHOLOGY | HYDROGEOLOGIC UNIT | | |
|------------|--------------------------|--|--------------------------|---|--|--------------------|---|
| Quaternary | Holocene and Pleistocene | Undifferentiated surficial deposits ੍ਰਿਸ਼੍ਰ | | Sand | Surficial aquifer system | | |
| Tertiary | Pliocene | surficial deposits (Vypresshead Formation | | Sand, Clay | _ | | |
| | Miocene | Hawthorn Group | Bone Valley Member | Phosphate, clay, sand, limestone, and dolostone | m or nit | Confining unit | |
| | | | Peace River Formation | | Intermediate aquifer system or Intermediate confining unit | Zone 2 | |
| | | | Arcadia Formation | | | Confining unit | |
| | | | Tampa Member | | | Zone 3 | |
| | | | Nocatee Member | | | | Confining unit |
| | Oligocene | Suwannee Limestone | | Limestone and dolostone | Floridan aquifer system | aquifer | Upper permeable zone |
| | Eocene | Ocala Limestone | | | | Upper Floridan aqu | Semi-confining unit |
| | | Avon Park Formation | | | | Upper | Lower permeable zone |
| | | | | Limestone and dolostone with some | | cc | Middle Semiconfining unit Middle Semiconfining unit |
| | | Oldsmar Formation | | intervals containing inclusions of gypsum and anhydrite | | | Lower Floridan aquifer |
| | Paleocene | Cedar Keys Formation | | Limestone and dolostone with beds of gypsum and anhydrite | Sub-Floridan confining unit | | |

Source: USGS SIR 2006-5320 (modified)

Duke Energy Florida

Levy Nuclear Plant

Units 1 and 2

Part 2, Final Safety Analysis Report

Relationship of Stratigraphic and Hydrogeologic Units in West-Central Florida FIGURE 2.4.12-203 Rev 6