



UNITED STATES  
NUCLEAR REGULATORY COMMISSION  
REGION III  
2443 WARRENVILLE ROAD, SUITE 210  
LISLE, ILLINOIS 60532-4352

JUL 24 2013

Edward J. Maas, M.D.  
Radiation Safety Officer  
Holland Community Hospital  
Nuclear Medicine Department  
602 Michigan Avenue  
Holland, MI 49423-4999

Dear Dr. Maas:

Enclosed is Amendment No. 40 to your NRC Material License No. 21-18502-01 in accordance with your request to add additional rooms of use. Please note that the changes made to your license are printed in **bold font**. **Further, Condition 14 was deleted from your license because it no longer applies to the scope of your program.**

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

In accordance with 10 Code of Federal Regulations 2.390 of the NRC's "Rules of Practice," a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from the NRC's Agencywide Documents Access and Management System (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

The NRC's Safety Culture Policy Statement became effective in June 2011. While a policy statement and not a regulation, it sets forth the agency's *expectations* for individuals and organizations to establish and maintain a positive safety culture. You can access the policy statement and supporting material that may benefit your organization on NRC's safety culture Web site at <http://www.nrc.gov/about-nrc/regulatory/enforcement/safety-culture.html>. We strongly encourage you to review this material and adapt it to your particular needs in order to develop and maintain a positive safety culture as you engage in NRC-regulated activities.

Sincerely,

Toye L. Simmons  
Materials Licensing Branch

License No. 21-18502-01  
Docket No. 030-13801

Enclosure: Amendment No. 40