

The Reno Creek Project - Monitor Well Sampling Report

AUC LLC

Location ID	OM3	Sample Date:	9/7/11	Sampling Company:	TREC	Sampled By 1:	TN
Sample Event	Q2-2011					Sampled By 2:	WC
						Sampled By 3:	

Well Information:

Well Total Depth (TD)	170	ft	Well Measuring Point (MP) Location:	North Side-Marked
Sampled From:	Monitoring Well	Well Inside Diameter:	4.5	inches
Screened Interval:	150	Feet to	170	Feet
		Pump Type Used:	Non-Dedicated Low Flow Bladder	
		Pump Intake Depth:	160	ft
		Tubing Type:	Non-Dedicated Plastic	

Well Fluid Measurements:

Time (military):	1200	Weather:	Air Temp	82	(°F)	Conditions:	Windy, sunny
Water level gauged using:	Electronic tape	ft					
Depth to Water (DTW) below MP:	136.86	ft					
Water Column Height (TD-DTW):	0	ft					
Water volume = $\pi r^2 h$ (cf)	0.00	gallons					
3 Well Volumes:	0.00	gallons					

Well volume (in gal / LF) = πr^2 (cf) where: π = pi (approximately 3.14); r = radius of monitoring well (feet) cf = conversion factor (7.48 gal/ft3);					
Well ID (in)	2	3	4	4.5	5
Water Volume (gal/LF)	0.163188147	0.367173331	0.652752589	0.826139995	1.01992592

Purging:

Purge Date	9/7/11	Purge Time Begin	1250	Low Flow Pump Controller Settings:	Charge Time	5	Exhaust Time	25
Purge Pump Type:	Non-Dedicated Low Flow Bladder	Pumping Rate:	300	ml/min	Meter Type(1):	YSI Multi	Meter Calibration Date:	8/15/11
Volume Purged Prior to Sampling:	1	gallons			Meter Type(2):	Hach Turbidity	Meter Calibration Date:	8/11/11
					Meter Type(3):		Meter Calibration Date:	

Field Stabilization Measurements:

Sample ID	Purge Date	Time (min.)	Purge Rate (ml/min)	Purge Rate (gal/min)	Temp (°C)	Conductivity (µmhos/cm)	DO (mg/L)	pH (su)	ORP (mV)	Turbidity (NTU)	Water Level (ft)	Comments
OM3-002-110907	09/07/11	1315	300		28.13	607	4.39	11.38	-138.8	6.5	137.70	
		1318	300		28.18	627	2.20	11.50	-170.2	4.8	137.99	
		1321	300		27.62	628	0.95	11.58	-199.2	4.5	138.17	
		1324	300		26.65	627	0.6	11.58	-210.7	4.1	138.29	
		1327	300		26.04	625	0.62	11.56	-213	4.2	138.38	
		1330	300		25.68	623	0.58	11.52	-212.6	4.1	138.48	
Repeat Last Stabilization Meas.												

Sampling:

Sample Date	9/7/2011	Sample Collection Time (MT):	1330	Meter Type(1):	YSI Multi	Meter 1 Calibration Date:	8/15/11
Sample Pump Type:	Non-Dedicated Low Flow Bladder			Meter Type(2):	Hach Turbidity	Meter 2 Calibration Date:	8/11/11
				Meter Type(3):		Meter 3 Calibration Date:	

Analysis:

QA/QC Sample	No	QA/QC Type		COC#1:	RC08376	Lab 1	IML
Duplicate Name		Duplicate Sample Time		COC#2:		Lab 2	ALS
				COC#3:		Lab 3	

Analysis: Table 1- 4.14, Guide 8, & Radon 222

Comments: Very high pH; slow recharge; sampled with minimal draw down

Stabilization Parameters

Temp	= +/- 3% in celcius
pH	= +/- 0.1 unit
SC	= +/- 3% in µmhos/cm
ORP/Eh	= +/- 10 millivolts
DO	= +/- 10% in mg/L
Turbidity	= +/- 10% for values > 5

Range values for data entry

Conductivity Range (µmhos/cm)	Turbidity (NTU)	Dissolve Oxygen (DO) (mg/L)	Temperature Range (°C)	Ox/Reduc Potential (mV)
Min 0	Min 0	Min 0.01	Min -20	Min -400
Max 2000	Max 1000	Max 2000	Max 80	Max 700