



Monday, September 26, 2011

Phil Cavendor
AUC, LLC
1536 Cole Blvd
Suite 330
Lakewood, CO 80401

RE: Reno Creek Project
Orde

r No.: S1108296

Dear Phil Cavendor:

Inter-Mountain Laboratories received samples PZM10-004-110816 on August 16, 2011.

There were no problems with the analyses and all data for associated QC met EPA or laboratory specifications except where noted in the Case Narrative.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Lacey Ketron
Project Manager

xc: File
Encl.



Date: 9/26/2011

CLIENT: AUC LLC
Project: Reno Creek Project
Lab Order: S1108296

CASE NARRATIVE
Report ID: S1108296001

Sample PZM10-004-110816 was received on August 16, 2011.

All samples were received and analyzed within the EPA recommended holding times, except those noted in this case narrative. Samples were analyzed using the methods outlined in the following references:

- U.S.E.P.A. 600 "Methods for Chemical Analysis of Water and Wastes", 1993
- "Standard Methods For The Examination of Water and Wastewater", 20th ed., 1998
- Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW846, 3rd Edition
- Methods indicated with the Monday, March 12, 2007 Federal Register, 40 CFR Part 122, 136 et al.

All Quality Control parameters met the acceptance criteria defined by EPA and Inter-Mountain Laboratories except as indicated in this case narrative.

For the purposes of this report, the Reporting Limit (RL) is the Practical Quantitation Limit (PQL).

Radon 222 was analyzed through ALS Laboratory Group Certification #: CO00078.

Qualifiers by sample

- S1108431-001 - General Parameters/Nitrogen, Ammonia (As N) - RPD outside accepted recovery limits
- MB-R73902 - General Parameters/Radon-222 - Analyzed by a contract laboratory
- LCS-R73902 - General Parameters/Radon-222 - Analyzed by a contract laboratory
- S1108296-001 - General Parameters/Radon-222 - Analyzed by a contract laboratory

Reviewed by:

Lacey Ketron, Water Lab Supervisor



Sample Analysis Report

Company: AUC LLC
1536 Cole Blvd
Lakewood, CO 80401
ProjectName: Reno Creek Project
Lab ID: S1108296-001
ClientSample ID: PZM10-004-110816
COC: RC 08352

Date Reported 9/26/2011
Report ID S1108296001
WorkOrder: S1108296
CollectionDate: 8/16/2011 9:54:00 AM
DateReceived: 8/16/2011 4:40:00 PM
FieldSampler: RM
Matrix: Water

Table with 7 columns: Analyses, Result, Units, Qual, RL, Method, Date Analyzed/Init. Rows include pH Reading, Conductivity Reading, Turbidity Reading, Dissolved Oxygen Reading, Temperature Reading, Oxygen Reduction Potential Reading, Purge Rate Reading, and Water Level Reading.

These results apply only to the samples tested.

RL - Reporting Limit

- Qualifiers: * Value exceeds Maximum Contaminant Level
C Calculated Value
H Holding times for preparation or analysis exceeded
L Analyzed by a contract laboratory
ND Not Detected at the Reporting Limit
S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
E Value above quantitation range
J Analyte detected below quantitation limits
M Value exceeds Monthly Ave or MCL
O Outside the Range of Dilutions

Reviewed by: [Signature]
Lacey Ketron, Water Lab Supervisor



Sample Analysis Report

Company: AUC LLC
1536 Cole Blvd
Lakewood, CO 80401

ProjectName: Reno Creek Project
Lab ID: S1108296-001
ClientSample ID: PZM10-004-110816
COC: RC 08352

Date Reported: 9/26/2011
Report ID: S1108296001

WorkOrder: S1108296
CollectionDate: 8/16/2011 9:54:00 AM
DateReceived: 8/16/2011 4:40:00 PM
FieldSampler: RM
Matrix: Water

Analyses	Result	Units	Qual	RL	Method	Date Analyzed/Init	
Anions/Cations							
Alkalinity, Total (As CaCO3)	59	mg/L		5	SM 2320B	8/18/2011 6:32:47 PM	KO
Alkalinity, Bicarbonate as HCO3	70	mg/L		5	SM 2320B	8/18/2011 6:32:47 PM	KO
Alkalinity, Carbonate as CO3	ND	mg/L		5	SM 2320B	8/18/2011 6:32:47 PM	KO
Chloride	8	mg/L		1	EPA 300.0	8/18/2011 12:49:00 PM	ARF
Fluoride	0.1	mg/L		0.1	SM 4500FC	8/18/2011 6:32:47 PM	KO
Nitrogen, Nitrate-Nitrite (as N)	ND	mg/L		0.1	EPA 353.2	8/18/2011 4:11:00 PM	MEL
Sulfate	829	mg/L		1	EPA 300.0	8/18/2011 12:49:00 PM	ARF
Calcium	104	mg/L		1	EPA 200.7	8/18/2011 3:56:00 PM	DG
Magnesium	21	mg/L		1	EPA 200.7	8/18/2011 3:56:00 PM	DG
Potassium	9	mg/L		1	EPA 200.7	8/18/2011 3:56:00 PM	DG
Sodium	309	mg/L		1	EPA 200.7	8/18/2011 3:56:00 PM	DG
Nitrogen, Ammonia (As N)	ND	mg/L		0.1	EPA 350.1	8/29/2011 4:25:00 PM	MEL
Silica as SiO2	8	mg/L		1	EPA 200.7	8/18/2011 3:56:00 PM	DG
General Parameters							
pH	8.4	s.u.		0.1	SM 4500 H B	8/18/2011 6:32:47 PM	KO
Electrical Conductivity	1970	µmhos/cm		5	SM 2510B	8/18/2011 6:32:47 PM	KO
Total Dissolved Solids (180)	1440	mg/L		10	SM 2540	8/19/2011 8:20:00 AM	JF
Data Quality							
Cation Sum	20.56	meq/L		0.01	SM 1030E	8/29/2011 4:39:55 PM	LJK
Anion Sum	18.66	meq/L		0.01	SM 1030E	8/29/2011 4:39:55 PM	LJK
Cation-Anion Balance (± 5%)	4.83	%		0.01	SM 1030E	8/29/2011 4:39:55 PM	LJK
Solids, Total Dissolved (Calc)	1320	mg/L		10	SM 1030E	8/29/2011 4:39:55 PM	LJK
Calculated TDS/TDS Ratio (0.80-1.20)	1.09	dec. %		0.01	Calculation	8/29/2011 4:53:55 PM	LJK

These results apply only to the samples tested.

RL - Reporting Limit

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- C Calculated Value
- H Holding times for preparation or analysis exceeded
- L Analyzed by a contract laboratory
- ND Not Detected at the Reporting Limit
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- M Value exceeds Monthly Ave or MCL
- O Outside the Range of Dilutions

Reviewed by: 
Lacey Ketron, Water Lab Supervisor



Sample Analysis Report

Company: AUC LLC
 1536 Cole Blvd
 Lakewood, CO 80401

ProjectName: Reno Creek Project
Lab ID: S1108296-001
ClientSample ID: PZM10-004-110816
COC: RC 08352

Date Reported: 9/26/2011
Report ID: S1108296001

WorkOrder: S1108296
CollectionDate: 8/16/2011 9:54:00 AM
DateReceived: 8/16/2011 4:40:00 PM
FieldSampler: RM
Matrix: Water

Analyses	Result	Units	Qual	RL	Method	Date Analyzed/Init	
Metals - Dissolved							
Aluminum	ND	mg/L		0.1	EPA 200.7	8/18/2011 3:56:00 PM	DG
Arsenic	0.023	mg/L		0.001	EPA 200.8	8/23/2011 3:21:35 PM	MS
Barium	ND	mg/L		0.1	EPA 200.8	8/23/2011 3:21:35 PM	MS
Boron	ND	mg/L		0.1	EPA 200.7	8/18/2011 3:56:00 PM	DG
Cadmium	ND	mg/L		0.001	EPA 200.8	8/23/2011 3:21:35 PM	MS
Chromium	ND	mg/L		0.01	EPA 200.7	8/18/2011 3:56:00 PM	DG
Copper	ND	mg/L		0.01	EPA 200.8	8/23/2011 3:21:35 PM	MS
Iron	ND	mg/L		0.05	EPA 200.7	8/18/2011 3:56:00 PM	DG
Lead	ND	mg/L		0.01	EPA 200.8	8/23/2011 3:21:35 PM	MS
Manganese	0.04	mg/L		0.01	EPA 200.7	8/18/2011 3:56:00 PM	DG
Mercury	ND	mg/L		0.001	EPA 245.1	8/31/2011 12:55:49 PM	VR
Molybdenum	0.37	mg/L		0.01	EPA 200.8	8/23/2011 3:21:35 PM	MS
Nickel	ND	mg/L		0.05	EPA 200.7	8/18/2011 3:56:00 PM	DG
Selenium	ND	mg/L		0.005	EPA 200.8	8/23/2011 3:21:35 PM	MS
Uranium	0.387	mg/L		0.0003	EPA 200.8	8/23/2011 3:21:35 PM	MS
Vanadium	ND	mg/L		0.1	EPA 200.8	8/23/2011 3:21:35 PM	MS
Zinc	ND	mg/L		0.01	EPA 200.7	8/18/2011 3:56:00 PM	DG
Metals - Suspended							
Uranium	ND	mg/L		0.0003	EPA 200.8	8/28/2011 10:39:04 AM	MS
Metals - Total							
Iron	ND	mg/L		0.05	EPA 200.7	8/22/2011 9:41:06 PM	DG
Manganese	0.05	mg/L		0.01	EPA 200.7	8/22/2011 9:41:06 PM	DG

These results apply only to the samples tested.

RL - Reporting Limit

- Qualifiers:**
- * Value exceeds Maximum Contaminant Level
 - C Calculated Value
 - H Holding times for preparation or analysis exceeded
 - L Analyzed by a contract laboratory
 - ND Not Detected at the Reporting Limit
 - S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- M Value exceeds Monthly Ave or MCL
- O Outside the Range of Dilutions

Reviewed by: 
 Lacey Ketron, Water Lab Supervisor



Sample Analysis Report

Company: AUC LLC
1536 Cole Blvd
Lakewood, CO 80401
ProjectName: Reno Creek Project
Lab ID: S1108296-001
ClientSample ID: PZM10-004-110816
COC: RC 08352

Date Reported 9/26/2011
Report ID S1108296001
WorkOrder: S1108296
CollectionDate: 8/16/2011 9:54:00 AM
DateReceived: 8/16/2011 4:40:00 PM
FieldSampler: RM
Matrix: Water

Table with 7 columns: Analyses, Result, Units, Qual, RL, Method, Date Analyzed/Init. Rows include Radionuclides - Dissolved (Gross Alpha, Gross Beta, Lead 210, Polonium 210, Radium 226, Radium 228, Thorium 230) and Radionuclides - Suspended (Lead 210, Polonium 210, Radium 226, Thorium 230). Total Radon 222 is also listed.

These results apply only to the samples tested.

RL - Reporting Limit

- Qualifiers: * Value exceeds Maximum Contaminant Level
C Calculated Value
H Holding times for preparation or analysis exceeded
L Analyzed by a contract laboratory
ND Not Detected at the Reporting Limit
S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
E Value above quantitation range
J Analyte detected below quantitation limits
M Value exceeds Monthly Ave or MCL
O Outside the Range of Dilutions

Reviewed by: [Signature]
Lacey Ketron, Water Lab Supervisor



ANALYTICAL QC SUMMARY REPORT

CLIENT: AUC LLC
Work Order: S1108296
Project: Reno Creek Project

Date: 9/26/2011
Report ID: S1108296001

Alkalinity

Sample Type **MBLK** Units: mg/L

Sample ID	RunNo: 73542	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
BLANK	08/18/11 16:37	Alkalinity, Total (As CaCO3)	ND	5					

Sample Type **LCS** Units: mg/L

Sample ID	RunNo: 73542	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
ATQC	08/18/11 16:28	Alkalinity, Total (As CaCO3)	589	5	601		98.0	90 - 110	

Sample Type **DUP** Units: mg/L

Sample ID	RunNo: 73542	Analyte	Result	RL	Ref Samp	%RPD	%REC	% RPD Limits	Qual
S1108313-005AD	08/18/11 19:56	Alkalinity, Bicarbonate as HCO3	455	5	456	0.0893		20	
		Alkalinity, Carbonate as CO3	ND	5	ND			20	
		Alkalinity, Total (As CaCO3)	373	5	374	0.0893		20	

Conductivity

Sample Type **MBLK** Units: µmhos/cm

Sample ID	RunNo: 73542	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
BLANK	08/18/11 16:37	Electrical Conductivity	ND	5					

Sample Type **LCS** Units: µmhos/cm

Sample ID	RunNo: 73542	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
ATQC	08/18/11 16:28	Electrical Conductivity	1100	5	1120		97.5	90 - 110	

Sample Type **DUP** Units: µmhos/cm

Sample ID	RunNo: 73542	Analyte	Result	RL	Ref Samp	%RPD	%REC	% RPD Limits	Qual
S1108313-005AD	08/18/11 19:56	Electrical Conductivity	3930	5	3900	0.769		20	

- Qualifiers:**
- B Analyte detected in the associated Method Blank
 - H Holding times for preparation or analysis exceeded
 - L Analyzed by a contract laboratory
 - O Outside the Range of Dilutions
 - S Spike Recovery outside accepted recovery limits
 - E Value above quantitation range
 - J Analyte detected below quantitation limits
 - ND Not Detected at the Reporting Limit
 - R RPD outside accepted recovery limits



ANALYTICAL QC SUMMARY REPORT

CLIENT: AUC LLC
Work Order: S1108296
Project: Reno Creek Project

Date: 9/26/2011
Report ID: S1108296001

Dissolved Mercury by EPA 245.1 - Water

Sample Type **MBLK** Units: mg/L

Sample ID	RunNo: 74003	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
LRB	08/31/11 12:06	Mercury	ND	0.001					

Sample Type **LCS** Units: mg/L

Sample ID	RunNo: 74003	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
LCS	08/31/11 12:04	Mercury	0.002	0.001	0.002		95.9	85 - 115	

Sample Type **MS** Units: mg/L

Sample ID	RunNo: 74003	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
S1108296-001D	08/31/11 12:59	Mercury	0.002	0.001	0.00244	ND	81.6	70 - 130	

Sample Type **MSD** Units: mg/L

Sample ID	RunNo: 74003	Analyte	Result	RL	Conc	%RPD	%REC	% RPD Limits	Qual
S1108296-001D	08/31/11 13:01	Mercury	0.002	0.001	0.002	2.08	79.9	20	

Sample Type **DUP** Units: mg/L

Sample ID	RunNo: 74003	Analyte	Result	RL	Ref Samp	%RPD	%REC	% RPD Limits	Qual
S1108296-001D	08/31/11 12:57	Mercury	ND	0.001	ND			20	

- Qualifiers:**
- B Analyte detected in the associated Method Blank
 - H Holding times for preparation or analysis exceeded
 - L Analyzed by a contract laboratory
 - O Outside the Range of Dilutions
 - S Spike Recovery outside accepted recovery limits
 - E Value above quantitation range
 - J Analyte detected below quantitation limits
 - ND Not Detected at the Reporting Limit
 - R RPD outside accepted recovery limits



ANALYTICAL QC SUMMARY REPORT

CLIENT: AUC LLC
Work Order: S1108296
Project: Reno Creek Project

Date: 9/26/2011
Report ID: S1108296001

Dissolved Metals by ICP - EPA 200.7 - Water

Sample Type **MBLK** Units: mg/L

Sample ID	RunNo: 73541	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
MBLK DISS/CAT	08/18/11 13:56	Aluminum	ND	0.1					
		Boron	ND	0.1					
		Chromium	ND	0.01					
		Iron	ND	0.05					
		Manganese	ND	0.02					
		Nickel	ND	0.01					
		Zinc	ND	0.01					

Sample Type **LCS** Units: mg/L

Sample ID	RunNo: 73541	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
DISS LCS Q	08/18/11 13:59	Aluminum	1.0	0.1	1		101	85 - 115	
		Boron	1.0	0.1	1		102	85 - 115	
		Chromium	1.04	0.01	1		104	85 - 115	
		Iron	1.03	0.05	1		103	85 - 115	
		Manganese	1.03	0.02	1		103	85 - 115	
		Nickel	1.04	0.01	1		104	85 - 115	
		Zinc	1.01	0.01	1		101	85 - 115	

Sample Type **MS** Units: mg/L

Sample ID	RunNo: 73541	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
S1108297-001DS	08/18/11 16:02	Aluminum	0.5	0.1	0.5	ND	99.9	70 - 130	
		Boron	0.5	0.1	0.5	ND	97.4	70 - 130	
		Chromium	0.49	0.01	0.5	ND	97.7	70 - 130	
		Iron	0.49	0.05	0.5	ND	96.1	70 - 130	
		Manganese	0.54	0.02	0.5	0.08	92.6	70 - 130	
		Nickel	0.48	0.01	0.5	ND	96.4	70 - 130	
		Zinc	0.47	0.01	0.5	ND	92.9	70 - 130	

Sample Type **MSD** Units: mg/L

Sample ID	RunNo: 73541	Analyte	Result	RL	Conc	%RPD	%REC	% RPD Limits	Qual
S1108297-001DSD	08/18/11 16:05	Aluminum	0.5	0.1	0.5	8.33	108	20	
		Boron	0.6	0.1	0.5	10.7	109	20	
		Chromium	0.54	0.01	0.49	10.8	108	20	
		Iron	0.54	0.05	0.49	9.89	106	20	
		Manganese	0.59	0.02	0.54	8.93	102	20	
		Nickel	0.53	0.01	0.48	9.71	106	20	
		Zinc	0.52	0.01	0.47	11.9	104	20	

- Qualifiers:**
- B Analyte detected in the associated Method Blank
 - H Holding times for preparation or analysis exceeded
 - L Analyzed by a contract laboratory
 - O Outside the Range of Dilutions
 - S Spike Recovery outside accepted recovery limits
 - E Value above quantitation range
 - J Analyte detected below quantitation limits
 - ND Not Detected at the Reporting Limit
 - R RPD outside accepted recovery limits



ANALYTICAL QC SUMMARY REPORT

CLIENT: AUC LLC
Work Order: S1108296
Project: Reno Creek Project

Date: 9/26/2011
Report ID: S1108296001

Dissolved Metals by ICP - EPA 200.7 - Water

Sample Type **DUP** Units: mg/L

Sample ID	RunNo: 73541	Analyte	Result	RL	Ref Samp	%RPD	%REC	% RPD Limits	Qual
S1108296-001DD	08/18/11 15:58	Aluminum	ND	0.1	ND			20	
		Boron	ND	0.1	ND			20	
		Chromium	ND	0.01	ND			20	
		Iron	ND	0.05	ND			20	
		Manganese	0.04	0.02	0.04	0.281		20	
		Nickel	ND	0.01	ND			20	
		Zinc	ND	0.01	ND			20	

Dissolved Metals by ICPMS EPA 200.8 - Water

Sample Type **MBLK** Units: mg/L

Sample ID	RunNo: 73678	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
INIT CAL BLANK	08/23/11 12:37	Arsenic	ND	0.005					
		Barium	ND	0.5					
		Cadmium	ND	0.002					
		Copper	ND	0.01					
		Lead	ND	0.02					
		Molybdenum	ND	0.02					
		Selenium	ND	0.005					
		Uranium	ND	0.001					
		Vanadium	ND	0.02					

Sample Type **LCS** Units: mg/L

Sample ID	RunNo: 73678	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
LCS	08/23/11 12:45	Arsenic	0.102	0.005	0.1		102	85 - 115	
		Barium	ND	0.5	0.1		94.9	85 - 115	
		Cadmium	0.102	0.002	0.1		102	85 - 115	
		Copper	0.10	0.01	0.1		95.8	85 - 115	
		Lead	0.10	0.02	0.1		96.9	85 - 115	
		Molybdenum	0.10	0.02	0.1		102	85 - 115	
		Selenium	0.101	0.005	0.1		101	85 - 115	
		Uranium	0.095	0.001	0.1		95.2	85 - 115	
		Vanadium	0.10	0.02	0.1		95.1	85 - 115	

- Qualifiers:**
- B Analyte detected in the associated Method Blank
 - H Holding times for preparation or analysis exceeded
 - L Analyzed by a contract laboratory
 - O Outside the Range of Dilutions
 - S Spike Recovery outside accepted recovery limits
 - E Value above quantitation range
 - J Analyte detected below quantitation limits
 - ND Not Detected at the Reporting Limit
 - R RPD outside accepted recovery limits



ANALYTICAL QC SUMMARY REPORT

CLIENT: AUC LLC
Work Order: S1108296
Project: Reno Creek Project

Date: 9/26/2011
Report ID: S1108296001

Dissolved Metals by ICPMS EPA 200.8 - Water

Sample Type **MS** Units: mg/L

Sample ID	RunNo: 73678	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
S1108419-011CS	08/23/11 15:05	Arsenic	1.18	0.005	1.1	0.048	102	70 - 130	
		Barium	1.1	0.5	1.1	ND	95.4	70 - 130	
		Cadmium	1.13	0.002	1.1	ND	103	70 - 130	
		Copper	1.05	0.01	1.1	ND	95.3	70 - 130	
		Lead	1.06	0.02	1.1	ND	96.4	70 - 130	
		Molybdenum	1.15	0.02	1.1	ND	104	70 - 130	
		Selenium	1.11	0.005	1.1	ND	101	70 - 130	
		Uranium	1.07	0.001	1.1	0.003	96.9	70 - 130	
		Vanadium	1.29	0.02	1.1	0.25	94.9	70 - 130	

Sample Type **MSD** Units: mg/L

Sample ID	RunNo: 73678	Analyte	Result	RL	Conc	%RPD	%REC	% RPD Limits	Qual
S1108419-011CMSD	08/23/11 15:09	Arsenic	1.17	0.005	1.18	0.359	102	20	
		Barium	1.1	0.5	1.1	1.11	96.5	20	
		Cadmium	1.13	0.002	1.13	0.173	103	20	
		Copper	1.06	0.01	1.05	0.415	95.7	20	
		Lead	1.06	0.02	1.06	0.0396	96.4	20	
		Molybdenum	1.16	0.02	1.15	0.738	105	20	
		Selenium	1.11	0.005	1.11	0.345	101	20	
		Uranium	1.06	0.001	1.07	0.345	96.5	20	
		Vanadium	1.28	0.02	1.29	0.721	94.1	20	

Sample Type **DUP** Units: mg/L

Sample ID	RunNo: 73678	Analyte	Result	RL	Ref Samp	%RPD	%REC	% RPD Limits	Qual
S1108419-011CD	08/23/11 15:01	Arsenic	0.048	0.005	0.048	0.116		20	
		Barium	ND	0.5	ND			20	
		Cadmium	ND	0.002	ND			20	
		Copper	ND	0.01	ND			20	
		Lead	ND	0.02	ND			20	
		Molybdenum	ND	0.02	ND			20	
		Selenium	ND	0.005	ND			20	
		Uranium	0.003	0.001	0.003	0.741		20	
		Vanadium	0.25	0.02	0.25	0.115		20	

- Qualifiers:**
- B Analyte detected in the associated Method Blank
 - H Holding times for preparation or analysis exceeded
 - L Analyzed by a contract laboratory
 - O Outside the Range of Dilutions
 - S Spike Recovery outside accepted recovery limits
 - E Value above quantitation range
 - J Analyte detected below quantitation limits
 - ND Not Detected at the Reporting Limit
 - R RPD outside accepted recovery limits

**ANALYTICAL QC SUMMARY REPORT**

CLIENT: AUC LLC
Work Order: S1108296
Project: Reno Creek Project

Date: 9/26/2011
Report ID: S1108296001

Fluoride by SM 4500Sample Type **MBLK** Units: mg/L

Sample ID	RunNo: 73542	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
BLANK	08/18/11 16:37	Fluoride	ND	0.1					

Sample Type **LCS** Units: mg/L

Sample ID	RunNo: 73542	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
ATQC	08/18/11 16:28	Fluoride	2.9	0.1	2.96		96.6	90 - 110	

Sample Type **MS** Units: mg/L

Sample ID	RunNo: 73542	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
S1108341-003ASPK	08/18/11 22:24	Fluoride	2.8	0.1	2.5	0.2	105	80 - 120	

Sample Type **DUP** Units: mg/L

Sample ID	RunNo: 73542	Analyte	Result	RL	Ref Samp	%RPD	%REC	% RPD Limits	Qual
S1108313-005AD	08/18/11 19:56	Fluoride	0.3	0.1	0.3	1.55		20	

Gross Alpha, Beta by SM 7110BSample Type **MBLK** Units: pCi/L

Sample ID	RunNo: 74609	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
MB11-249	09/13/11 7:11	Gross Alpha (Dissolved)	ND	2					
		Gross Beta (Dissolved)	ND	3					

Sample Type **LCS** Units: pCi/L

Sample ID	RunNo: 74609	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
LCS11-249	09/13/11 7:11	Gross Alpha (Dissolved)	82	2	73.6		112	83 - 133	
		Gross Beta (Dissolved)	130	3	126		103	88 - 115	

Sample Type **MS** Units: pCi/L

Sample ID	RunNo: 74609	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
S1108281-001FMS	09/13/11 7:11	Gross Alpha (Dissolved)	168	2	147	7	109	48 - 153	
		Gross Beta (Dissolved)	271	3	252	3	106	60 - 140	

Sample Type **DUP** Units: pCi/L

Sample ID	RunNo: 74609	Analyte	Result	RL	Ref Samp	%RPD	%REC	% RPD Limits	Qual
S1108356-001FDUP	09/18/11 22:31	Gross Alpha (Dissolved)	40	2	40	1.27		20	
		Gross Beta (Dissolved)	19	4	18	3.75		20	

Qualifiers:	B Analyte detected in the associated Method Blank	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	L Analyzed by a contract laboratory	ND Not Detected at the Reporting Limit
	O Outside the Range of Dilutions	R RPD outside accepted recovery limits
	S Spike Recovery outside accepted recovery limits	



ANALYTICAL QC SUMMARY REPORT

CLIENT: AUC LLC
Work Order: S1108296
Project: Reno Creek Project

Date: 9/26/2011
Report ID: S1108296001

Anions by ION Chromatography

Sample Type **MBLK** Units: mg/L

Sample ID	RunNo: 73547	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
BLANK	08/18/11 10:54	Chloride	ND	1					
		Sulfate	ND	1					

Sample Type **LCS** Units: mg/L

Sample ID	RunNo: 73547	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
DIONEX	08/18/11 11:05	Chloride	30	1	30		101	90 - 110	
		Sulfate	141	1	150		93.9	90 - 110	

Sample Type **MS** Units: mg/L

Sample ID	RunNo: 73547	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
S1108334-002ASPK	08/18/11 13:58	Chloride	14	1	10	4	91.0	80 - 120	
		Sulfate	515	1	80	437	97.8	80 - 120	

Sample Type **DUP** Units: mg/L

Sample ID	RunNo: 73547	Analyte	Result	RL	Ref Samp	%RPD	%REC	% RPD Limits	Qual
S1108334-002AD	08/18/11 13:46	Chloride	4	1	4	7.41		20	
		Sulfate	433	1	437	0.899		20	

- Qualifiers:**
- B Analyte detected in the associated Method Blank
 - H Holding times for preparation or analysis exceeded
 - L Analyzed by a contract laboratory
 - O Outside the Range of Dilutions
 - S Spike Recovery outside accepted recovery limits
 - E Value above quantitation range
 - J Analyte detected below quantitation limits
 - ND Not Detected at the Reporting Limit
 - R RPD outside accepted recovery limits

**ANALYTICAL QC SUMMARY REPORT**

CLIENT: AUC LLC
Work Order: S1108296
Project: Reno Creek Project

Date: 9/26/2011
Report ID: S1108296001

Cations by ICP (Method 200.7)Sample Type **MBLK** Units: mg/L

Sample ID	RunNo: 73540	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
MBLK DISS/CAT	08/18/11 13:56	Calcium	ND	1					
		Magnesium	ND	1					
		Potassium	ND	1					
		Sodium	ND	1					

Sample Type **LCS** Units: mg/L

Sample ID	RunNo: 73540	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
CAT LCS IML3	08/18/11 14:01	Calcium	40	1	40		99.0	85 - 115	
		Magnesium	39	1	40		96.3	85 - 115	
		Potassium	40	1	40		98.7	85 - 115	
		Sodium	40	1	40		99.6	85 - 115	

Sample Type **MS** Units: mg/L

Sample ID	RunNo: 73540	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
S1108341-003AS	08/18/11 17:33	Calcium	94	1	50	45	97.6	70 - 130	
		Magnesium	75	1	50	23	104	70 - 130	
		Potassium	72	1	50	16	111	70 - 130	
		Sodium	173	1	50	121	104	70 - 130	

Sample Type **MSD** Units: mg/L

Sample ID	RunNo: 73540	Analyte	Result	RL	Conc	%RPD	%REC	% RPD Limits	Qual
S1108341-003ASD	08/18/11 17:35	Calcium	92	1	94	2.60	92.7	20	
		Magnesium	73	1	75	3.00	99.6	20	
		Potassium	68	1	72	4.68	104	20	
		Sodium	169	1	173	2.18	96.1	20	

Sample Type **DUP** Units: mg/L

Sample ID	RunNo: 73540	Analyte	Result	RL	Ref Samp	%RPD	%REC	% RPD Limits	Qual
S1108296-001AD	08/18/11 15:58	Calcium	104	1	104	0.134		20	
		Magnesium	21	1	21	0.557		20	
		Potassium	9	1	9	0.00764		20	
		Sodium	317	1	309	2.74		20	

Qualifiers:

B	Analyte detected in the associated Method Blank	E	Value above quantitation range
H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
L	Analyzed by a contract laboratory	ND	Not Detected at the Reporting Limit
O	Outside the Range of Dilutions	R	RPD outside accepted recovery limits
S	Spike Recovery outside accepted recovery limits		



ANALYTICAL QC SUMMARY REPORT

CLIENT: AUC LLC
Work Order: S1108296
Project: Reno Creek Project

Date: 9/26/2011
Report ID: S1108296001

Nitrogen, Ammonia (as N)

Sample Type **MBLK** Units: mg/L

Sample ID	RunNo: 73895	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
BLANK	08/29/11 12:18	Nitrogen, Ammonia (As N)	ND	0.1					

Sample Type **LCS** Units: mg/L

Sample ID	RunNo: 73895	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
QC	08/29/11 12:20	Nitrogen, Ammonia (As N)	8.8	0.1	8.93		98.9	90 - 110	

Sample Type **MS** Units: mg/L

Sample ID	RunNo: 73895	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
S1108431-001B	08/29/11 14:06	Nitrogen, Ammonia (As N)	10.4	0.05	10	0.27	102	80 - 120	

Sample Type **DUP** Units: mg/L

Sample ID	RunNo: 73895	Analyte	Result	RL	Ref Samp	%RPD	%REC	% RPD Limits	Qual
S1108431-001B	08/29/11 14:05	Nitrogen, Ammonia (As N)	0.21	0.05	0.27	20.6		20	R

Nitrogen, Nitrate-Nitrite (as N)

Sample Type **MBLK** Units: mg/L

Sample ID	RunNo: 73550	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
BLK	08/18/11 15:08	Nitrogen, Nitrate-Nitrite (as N)	ND	0.1					

Sample Type **LCS** Units: mg/L

Sample ID	RunNo: 73550	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
QC	08/18/11 15:10	Nitrogen, Nitrate-Nitrite (as N)	10.1	0.1	10		101	90 - 110	

Sample Type **MS** Units: mg/L

Sample ID	RunNo: 73550	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
S1108296-001C	08/18/11 16:13	Nitrogen, Nitrate-Nitrite (as N)	10.5	0.1	10	ND	105	80 - 120	

Sample Type **DUP** Units: mg/L

Sample ID	RunNo: 73550	Analyte	Result	RL	Ref Samp	%RPD	%REC	% RPD Limits	Qual
S1108296-001C	08/18/11 16:12	Nitrogen, Nitrate-Nitrite (as N)	ND	0.1	ND			20	

- Qualifiers:**
- B Analyte detected in the associated Method Blank
 - H Holding times for preparation or analysis exceeded
 - L Analyzed by a contract laboratory
 - O Outside the Range of Dilutions
 - S Spike Recovery outside accepted recovery limits
 - E Value above quantitation range
 - J Analyte detected below quantitation limits
 - ND Not Detected at the Reporting Limit
 - R RPD outside accepted recovery limits



ANALYTICAL QC SUMMARY REPORT

CLIENT: AUC LLC
Work Order: S1108296
Project: Reno Creek Project

Date: 9/26/2011
Report ID: S1108296001

Lead 210 and Polonium 210

Sample Type **MBLK** Units: pCi/L

Sample ID	RunNo: 74499	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
-----------	--------------	---------	--------	----	-------	----------	------	--------------	------

MB11-235 09/13/11 16:17 Lead 210 (Dissolved) ND 1

Sample ID	RunNo: 74500	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
-----------	--------------	---------	--------	----	-------	----------	------	--------------	------

MB11-235 09/02/11 11:54 Polonium 210 (Dissolved) ND 1

Sample ID	RunNo: 74966	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
-----------	--------------	---------	--------	----	-------	----------	------	--------------	------

MB11-257 09/23/11 13:27 Lead 210 (Suspended) ND 1

Sample ID	RunNo: 74967	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
-----------	--------------	---------	--------	----	-------	----------	------	--------------	------

MB11-257 09/23/11 11:30 Polonium 210 (Suspended) ND 1

Sample Type **LCS** Units: pCi/L

Sample ID	RunNo: 74499	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
-----------	--------------	---------	--------	----	-------	----------	------	--------------	------

LCS11-235 09/02/11 16:26 Lead 210 (Dissolved) 14 1 13 106 67.6 - 131

Sample ID	RunNo: 74500	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
-----------	--------------	---------	--------	----	-------	----------	------	--------------	------

LCS11-235 09/02/11 11:54 Polonium 210 (Dissolved) 8 1 13 59.5 35.1 - 175

Sample ID	RunNo: 74966	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
-----------	--------------	---------	--------	----	-------	----------	------	--------------	------

LCS11-257 09/22/11 23:02 Lead 210 (Suspended) 15 1 12.9 114 60.3 - 141

Sample ID	RunNo: 74967	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
-----------	--------------	---------	--------	----	-------	----------	------	--------------	------

LCS11-257 PO 09/23/11 11:30 Polonium 210 (Suspended) 4 1 2.64 144 48.6 - 156

Sample Type **MS** Units: pCi/L

Sample ID	RunNo: 74499	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
-----------	--------------	---------	--------	----	-------	----------	------	--------------	------

S1108250-004EMS 09/02/11 16:26 Lead 210 (Dissolved) 15 1 13 2 102 66 - 133

Sample ID	RunNo: 74500	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
-----------	--------------	---------	--------	----	-------	----------	------	--------------	------

S1108250-004EMS 09/02/11 11:54 Polonium 210 (Dissolved) 4 1 13 ND 29.3 20.9 - 160

Sample ID	RunNo: 74966	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
-----------	--------------	---------	--------	----	-------	----------	------	--------------	------

S1108326-001FMS 09/22/11 23:02 Lead 210 (Suspended) 14 1 12.9 1 101 62.4 - 132

Sample ID	RunNo: 74967	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
-----------	--------------	---------	--------	----	-------	----------	------	--------------	------

S1108326-001FMS 09/23/11 11:30 Polonium 210 (Suspended) 15 1 12.9 ND 115 28 - 173

- Qualifiers:**
- B Analyte detected in the associated Method Blank
 - H Holding times for preparation or analysis exceeded
 - L Analyzed by a contract laboratory
 - O Outside the Range of Dilutions
 - S Spike Recovery outside accepted recovery limits
 - E Value above quantitation range
 - J Analyte detected below quantitation limits
 - ND Not Detected at the Reporting Limit
 - R RPD outside accepted recovery limits



ANALYTICAL QC SUMMARY REPORT

CLIENT: AUC LLC
Work Order: S1108296
Project: Reno Creek Project

Date: 9/26/2011
Report ID: S1108296001

Lead 210 and Polonium 210

Sample Type **DUP** Units: pCi/L

Sample ID	RunNo: 74499	Analyte	Result	RL	Ref Samp	%RPD	%REC	% RPD Limits	Qual
-----------	--------------	---------	--------	----	----------	------	------	--------------	------

S1108252-004EDUP 09/02/11 16:26 Lead 210 (Dissolved) ND 1 ND 20

Sample ID	RunNo: 74500	Analyte	Result	RL	Ref Samp	%RPD	%REC	% RPD Limits	Qual
-----------	--------------	---------	--------	----	----------	------	------	--------------	------

S1108252-004EDUP 09/02/11 11:54 Polonium 210 (Dissolved) ND 1 ND 20

Sample ID	RunNo: 74966	Analyte	Result	RL	Ref Samp	%RPD	%REC	% RPD Limits	Qual
-----------	--------------	---------	--------	----	----------	------	------	--------------	------

S1108328-001FDUP 09/22/11 23:02 Lead 210 (Suspended) 1 1 1 7.23 20

Sample ID	RunNo: 74967	Analyte	Result	RL	Ref Samp	%RPD	%REC	% RPD Limits	Qual
-----------	--------------	---------	--------	----	----------	------	------	--------------	------

S1108328-001FDUP 09/23/11 11:30 Polonium 210 (Suspended) 0.4 ± 0.4 1 ND 20

Radium 228

Sample Type **MBLK** Units: pCi/L

Sample ID	RunNo: 74481	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
-----------	--------------	---------	--------	----	-------	----------	------	--------------	------

MB11-251 09/12/11 17:34 Radium 228 (Dissolved) ND 1

Sample Type **LCS** Units: pCi/L

Sample ID	RunNo: 74481	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
-----------	--------------	---------	--------	----	-------	----------	------	--------------	------

LCS11-251 09/12/11 17:34 Radium 228 (Dissolved) 9 1

Sample Type **MS** Units: pCi/L

Sample ID	RunNo: 74481	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
-----------	--------------	---------	--------	----	-------	----------	------	--------------	------

S1108194-001FMS 09/12/11 17:34 Radium 228 (Dissolved) 15 1 10 ND 145 48.4 - 167

Sample Type **DUP** Units: pCi/L

Sample ID	RunNo: 74481	Analyte	Result	RL	Ref Samp	%RPD	%REC	% RPD Limits	Qual
-----------	--------------	---------	--------	----	----------	------	------	--------------	------

S1108192-001FDUP 09/12/11 17:34 Radium 228 (Dissolved) ND 1 ND 20

- Qualifiers:**
- B Analyte detected in the associated Method Blank
 - H Holding times for preparation or analysis exceeded
 - L Analyzed by a contract laboratory
 - O Outside the Range of Dilutions
 - S Spike Recovery outside accepted recovery limits
 - E Value above quantitation range
 - J Analyte detected below quantitation limits
 - ND Not Detected at the Reporting Limit
 - R RPD outside accepted recovery limits



ANALYTICAL QC SUMMARY REPORT

CLIENT: AUC LLC
Work Order: S1108296
Project: Reno Creek Project

Date: 9/26/2011
Report ID: S1108296001

Radium 226 by SM 7500

Sample Type **MBLK** Units: pCi/L

Sample ID	RunNo: 73818	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
MB11-234	08/25/11 11:54	Radium 226 (Dissolved)	ND	0.2					

Sample ID	RunNo: 74256	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
MB11-243	09/06/11 16:29	Radium 226 (Suspended)	ND	0.2					

Sample Type **LCS** Units: pCi/L

Sample ID	RunNo: 73818	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
LCS11-234	08/25/11 11:54	Radium 226 (Dissolved)	4.4	0.2	5		87.9	62.5 - 125	

Sample ID	RunNo: 74256	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
LCS11-243	09/06/11 16:29	Radium 226 (Suspended)	5.0	0.2	5.06		98.1	56.4 - 132	

Sample Type **MS** Units: pCi/L

Sample ID	RunNo: 73818	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
S1108250-002EMS	08/25/11 17:40	Radium 226 (Dissolved)	5.0	0.2	5	ND	101	41.6 - 146	

Sample ID	RunNo: 74256	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
S1108250-002EMS	09/06/11 16:29	Radium 226 (Suspended)	5.1	0.2	5.06	ND	100	51.4 - 135	

Sample Type **DUP** Units: pCi/L

Sample ID	RunNo: 73818	Analyte	Result	RL	Ref Samp	%RPD	%REC	% RPD Limits	Qual
S1108327-001FDUP	08/25/11 11:54	Radium 226 (Dissolved)	0.8	0.2	0.7	8.22		20	

Sample ID	RunNo: 74256	Analyte	Result	RL	Ref Samp	%RPD	%REC	% RPD Limits	Qual
S1108250-001FDUP	09/06/11 16:29	Radium 226 (Suspended)	ND	0.2	ND			20	

- Qualifiers:**
- B Analyte detected in the associated Method Blank
 - H Holding times for preparation or analysis exceeded
 - L Analyzed by a contract laboratory
 - O Outside the Range of Dilutions
 - S Spike Recovery outside accepted recovery limits
 - E Value above quantitation range
 - J Analyte detected below quantitation limits
 - ND Not Detected at the Reporting Limit
 - R RPD outside accepted recovery limits

**ANALYTICAL QC SUMMARY REPORT**

CLIENT: AUC LLC
Work Order: S1108296
Project: Reno Creek Project

Date: 9/26/2011
Report ID: S1108296001

Thorium 230 in WaterSample Type **MBLK** Units: pCi/L

Sample ID	RunNo: 74929	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
MB11-255	09/18/11 15:03	Thorium 230 (Dissolved)	ND	0.2					

Sample ID	RunNo: 74995	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
MB11-258	09/21/11 15:26	Thorium 230 (Suspended)	ND	0.2					

Sample Type **LCS** Units: pCi/L

Sample ID	RunNo: 74929	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
LCS11-255	09/18/11 15:04	Thorium 230 (Dissolved)	11	0.2	12		88.5	67.1 - 134	

Sample ID	RunNo: 74995	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
LCS11-258	09/21/11 15:26	Thorium 230 (Suspended)	13	0.2	12		102	69.2 - 127	

Sample Type **DUP** Units: pCi/L

Sample ID	RunNo: 74929	Analyte	Result	RL	Ref Samp	%RPD	%REC	% RPD Limits	Qual
S1108297-001FDUP	09/20/11 9:40	Thorium 230 (Dissolved)	ND	0.2	ND			20	

Sample ID	RunNo: 74995	Analyte	Result	RL	Ref Samp	%RPD	%REC	% RPD Limits	Qual
S1108298-001FDUP	09/21/11 15:26	Thorium 230 (Suspended)	ND	0.2	ND			20	

Radon 222 by SM7500-RNSample Type **MBLK** Units: pCi/L

Sample ID	RunNo: 73902	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
MB-R73902	08/17/11 0:00	Radon-222	ND	50					L

Sample Type **LCS** Units: pCi/L

Sample ID	RunNo: 73902	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
LCS-R73902	08/17/11 0:00	Radon-222	23400	100	22500		104	75 - 125	L

Sample Type **DUP** Units: pCi/L

Sample ID	RunNo: 73902	Analyte	Result	RL	Ref Samp	%RPD	%REC	% RPD Limits	Qual
S1108296-001A	08/17/11 0:00	Radon-222	49600	50	54200	8.49		20	L

Qualifiers:

B	Analyte detected in the associated Method Blank	E	Value above quantitation range
H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
L	Analyzed by a contract laboratory	ND	Not Detected at the Reporting Limit
O	Outside the Range of Dilutions	R	RPD outside accepted recovery limits
S	Spike Recovery outside accepted recovery limits		



ANALYTICAL QC SUMMARY REPORT

CLIENT: AUC LLC
Work Order: S1108296
Project: Reno Creek Project

Date: 9/26/2011
Report ID: S1108296001

Silica as SiO2

Sample Type **MBLK** Units: mg/L

Sample ID	RunNo: 73543	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
MBLK DISS/CAT	08/18/11 13:56	Silica as SiO2	ND	0.1					

Sample Type **LCS** Units: mg/L

Sample ID	RunNo: 73543	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
DISS LCS Q	08/18/11 13:59	Silica as SiO2	2.2	0.1	2.14		100	85 - 115	

Sample Type **DUP** Units: mg/L

Sample ID	RunNo: 73543	Analyte	Result	RL	Ref Samp	%RPD	%REC	% RPD Limits	Qual
S1108296-001DD	08/18/11 15:58	Silica as SiO2	7.7	0.1	7.7	0.181		20	

Solids By SM 2540

Sample Type **MBLK** Units: mg/L

Sample ID	RunNo: 73720	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
DI	08/19/11 8:10	Total Dissolved Solids (180)	ND	10					

Sample Type **LCS** Units: mg/L

Sample ID	RunNo: 73720	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
CONTROL	08/19/11 8:15	Total Dissolved Solids (180)	220	10	226		99.1	90 - 110	

Sample Type **DUP** Units: mg/L

Sample ID	RunNo: 73720	Analyte	Result	RL	Ref Samp	%RPD	%REC	% RPD Limits	Qual
S1108297-001A	08/19/11 8:30	Total Dissolved Solids (180)	1490	10	1460	1.92		20	

- Qualifiers:**
- B Analyte detected in the associated Method Blank
 - H Holding times for preparation or analysis exceeded
 - L Analyzed by a contract laboratory
 - O Outside the Range of Dilutions
 - S Spike Recovery outside accepted recovery limits
 - E Value above quantitation range
 - J Analyte detected below quantitation limits
 - ND Not Detected at the Reporting Limit
 - R RPD outside accepted recovery limits

**ANALYTICAL QC SUMMARY REPORT**

CLIENT: AUC LLC
Work Order: S1108296
Project: Reno Creek Project

Date: 9/26/2011
Report ID: S1108296001

Total (200.2) Metals by EPA 200.7 ICP - WaterSample Type **MBLK** Units: mg/L

Sample ID	RunNo: 73674	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
MB-5393	08/23/11 13:43	Iron	ND	0.05					
		Manganese	ND	0.02					

Sample Type **LCS** Units: mg/L

Sample ID	RunNo: 73674	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
LCS-5393	08/23/11 13:45	Iron	0.48	0.05	0.5		96.0	85 - 115	
		Manganese	0.19	0.02	0.2		96.5	85 - 115	

Sample Type **MS** Units: mg/L

Sample ID	RunNo: 73643	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
S1108297-001ES	08/22/11 21:48	Iron	0.49	0.05	0.5	ND	88.7	70 - 130	
		Manganese	0.27	0.02	0.2	0.09	89.1	70 - 130	

Sample Type **DUP** Units: mg/L

Sample ID	RunNo: 73643	Analyte	Result	RL	Ref Samp	%RPD	%REC	% RPD Limits	Qual
S1108296-001ED	08/22/11 21:43	Iron	ND	0.05	ND			20	
		Manganese	0.05	0.02	0.05	1.56		20	

Suspended Natural UraniumSample Type **MBLK** Units: mg/L

Sample ID	RunNo: 73822	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
INIT CAL BLANK	08/28/11 9:48	Uranium Suspended	ND	0.0003					

Sample Type **LCS** Units: mg/L

Sample ID	RunNo: 73822	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
LCS	08/28/11 9:53	Uranium Suspended	0.106	0.0003	0.1		106	85 - 115	

Sample Type **MS** Units: mg/L

Sample ID	RunNo: 73822	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
S1108296-001FS	08/28/11 10:44	Uranium Suspended	1.16	0.0003	1.1	ND	106	70 - 130	

Sample Type **DUP** Units: mg/L

Sample ID	RunNo: 73822	Analyte	Result	RL	Ref Samp	%RPD	%REC	% RPD Limits	Qual
S1108296-001FD	08/28/11 10:41	Uranium Suspended	ND	0.0003	ND			20	

Qualifiers:

B	Analyte detected in the associated Method Blank	E	Value above quantitation range
H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
L	Analyzed by a contract laboratory	ND	Not Detected at the Reporting Limit
O	Outside the Range of Dilutions	R	RPD outside accepted recovery limits
S	Spike Recovery outside accepted recovery limits		



ANALYTICAL QC SUMMARY REPORT

CLIENT: AUC LLC
Work Order: S1108296
Project: Reno Creek Project

Date: 9/26/2011
Report ID: S1108296001

pH Water

Sample Type **LCS** Units: s.u.

Sample ID	RunNo: 73542	Analyte	Result	RL	Spike	Ref Samp	%REC	% Rec Limits	Qual
ATQC	08/18/11 16:28	pH	8.6	0.1	8.48		101	90 - 110	

Sample Type **DUP** Units: s.u.

Sample ID	RunNo: 73542	Analyte	Result	RL	Ref Samp	%RPD	%REC	% RPD Limits	Qual
S1108313-005AD	08/18/11 19:56	pH	8.1	0.1	8.0	0.154		20	

- Qualifiers:**
- B Analyte detected in the associated Method Blank
 - H Holding times for preparation or analysis exceeded
 - L Analyzed by a contract laboratory
 - O Outside the Range of Dilutions
 - S Spike Recovery outside accepted recovery limits
 - E Value above quantitation range
 - J Analyte detected below quantitation limits
 - ND Not Detected at the Reporting Limit
 - R RPD outside accepted recovery limits

Client Name AUC LLC		Project Identification Reno Creek Project		Sampler (Signature/Printed) <i>[Signature]</i>		Telephone # 307 265 0696	
Report Address peavender@auc-llc.com; truckerson@treccorp.com; jshriver@treccorp.com Invoice Address AUC LLC 900 WARNER CT SUITE 150 CASPER WY 82401		Contact Name TRACY TRUCKERSON Email truckerson@treccorp.com Phone _____ Purchase Order # _____		Quote # _____		ANALYSES / PARAMETERS	
ITEM	LAB ID (Lab Use Only)	DATE SAMPLED	TIME SAMPLED	SAMPLE IDENTIFICATION	Matrix	# of Containers	REMARKS
1	51102196-001	8-16-11	9:58AM	PM10-004-110816	WT	13	GROUNDWATER
2	82916						
3	LSK 8-19-11						
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							

LAB COMMENTS
 Relinquished By (Signature/Printed) *[Signature]* DATE TIME 8/16/11 3:55
 Received By (Signature/Printed) *[Signature]* DATE TIME 8/16/11 10:49
 F.2

SHIPPING INFO
 UPS
 Fed Express
 US Mail
 Hand Carried
 Other _____

MATRIX CODES
 WATER
 Soil
 Solid
 Trip Blank
 Other _____

TURNAROUND TIMES
 Check desired service
 Standard turnaround
 RUSH - 5 Working Days
 URGENT - < 2 Working Days
 Rush & Urgent Surcharges will be applied

COMPLIANCE INFORMATION
 Compliance Monitoring? Y N
 Program (SDWA, NPDES,...)
 PWSID / Permit # _____
 Chlorinated? Y N
 Sample Disposal: Lab Client

ADDITIONAL REMARKS